



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

LANE

MEDICAL



LIBRARY

LEVI COOPER LANE FUND

—PRESENTED TO—

The New York Academy of Medicine.



By

The Society of the New York Hospital,

March, 1898.

LANE MEDICAL LIBRARY
STANFORD UNIVERSITY
MEDICAL CENTER
STANFORD, CALIF. 94305





S U P P L E M E N T

TO THE

FORTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

LANE LIBRARY

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



LONDON:
PRINTED BY EYRE AND SPOTTISWOODE.

To be purchased, either directly or through any Bookseller, from any of the following Agents, viz.:
Messrs. HANSARD and SON, 13, Great Queen Street, W.C., and 32, Abingdon Street, Westminster;
Messrs. EYRE and SPOTTISWOODE, East Harding Street, Fleet Street, and
Sale Office, House of Lords;
Messrs. ADAM and CHARLES BLACK, of Edinburgh
Messrs. ALEXANDER THOM and Co., Limited, or **Messrs. HODGES, FIGGIS, and Co.**, of Dublin.

[C.-4564.] *Price 2s. 9d.*

1885.

THE LIBRARY

CONTENTS.

REPORT.

	PAGES
REPORT ON THE MORTALITY IN ENGLAND AND WALES DURING THE TEN YEARS 1871-80	iii-lxiv
CHANGES IN THE DEATH-RATES	iv
PROBABLE CAUSES OF CHANGES IN THE DEATH-RATES	iv-v
WHETHER THE CHANGES IN THE DEATH-RATES HAVE BEEN ADVANTAGEOUS TO THE COMMUNITY	v-vi
A NEW ENGLISH LIFE TABLE	vi-ix
BALANCE OF LOSS AND GAIN FROM CHANGES IN THE DEATH- RATES	ix-xi
INCREASE OR DECREASE IN THE MORTALITY FROM SPECIAL CAUSES SINCE THE PREVIOUS DECENNIO	xi-xvi
DIFFERENCES IN DEATH-RATES IN DIFFERENT PARTS OF THE COUNTRY	xvi-xvii
CAUSES OF DIFFERENCES IN THE DEATH-RATES	xvii
EFFECT OF DIFFERENCES IN AGE AND SEX DISTRIBUTION UPON THE GENERAL DEATH-RATE	xvii-xix
RELATION OF AGGREGATION OF POPULATION TO DEATH-RATES	xx
DIRECT AND INDIRECT EFFECTS OF AGGREGATION	xxi
MORTALITY OF MALES ENGAGED IN DIFFERENT OCCUPATIONS	xxi-lvii
INFLUENCE OF FRESH OR FOUL AIR	lvii
INFLUENCE OF DUST	lviii-lx
INFLUENCE OF ALCOHOLIC EXCESS	lx-lxii
EFFECTS OF EXPOSURE TO CHRONIC LEAD-POISONING	lxii-lxiii
GENERAL SUMMARY	lxiii-lxiv

TABLES.

LIST AND EXPLANATION OF PRELIMINARY TABLES	lxvi-lxvii
PRELIMINARY TABLES	lxviii-cxxiii

	PAGES
MEAN POPULATION, MARRIAGES, BIRTHS, DEATHS, WITH ANNUAL RATES PER 1,000, DURING THE TEN YEARS 1871-80, IN ENGLAND AND WALES, AND IN REGISTRATION COUNTIES AND DISTRICTS	1-370
CHANGES IN THE CONSTITUTION OF REGISTRATION COUNTIES, DISTRICTS, AND SUB-DISTRICTS, DURING THE TEN YEARS 1871-80	371-8
ALPHABETICAL INDEX OF REGISTRATION DISTRICTS	379-82
ALPHABETICAL INDEX OF CERTAIN TOWNS	383
GENERAL ALPHABETICAL INDEX	384-96

LETTER

TO

THE REGISTRAR-GENERAL on the MORTALITY in the REGISTRATION DISTRICTS of ENGLAND and WALES during the TEN YEARS 1871-80 ; by WILLIAM OGLE, Esq., M.D.

*General Register Office, Somerset House.
28th February, 1885.*

SIR,

IN your Annual Reports account is given, among other matters, of the numbers of deaths registered, in successive years, in each of the districts into which England and Wales are divided for registration purposes. The comparatively small size and population of these districts causes no inconsiderable amount of fluctuation in their mortality, when thus recorded for single years; and consequently it is not thought worth while in your Annual Reports to reduce the figures for districts into the form of rates, though this is done in the case of larger areas, such as counties. Moreover, the calculation of death-rates for small areas, such as the registration districts, in single years would necessarily be untrustworthy, owing to the want of accurate knowledge as to the population of such small areas in each of the ten successive years that follow each Census. In the case of a large and populous area a sufficiently approximate estimate of the population can as a rule be formed, by supposing its growth to continue in the same ratio as prevailed in the interval between the two previous enumerations; but in the case of a small area with small population such an estimate would usually deserve but little confidence. These difficulties, however, and these sources of fallacy are to a very considerable extent obviated when the deaths in an entire decennium are taken into account, and when the period covered begins and ends with a Census, so that the mean population can be estimated with but slight risk of such an amount of error as would practically affect the result.

Considerations of this kind led my distinguished predecessor Dr. W. Farr, at the close of each of the two decennia that terminated respectively with 1860 and 1870, to compile with great labour a decennial supplement to the Annual Reports of the Registrar-General; and these decennial supplements have been found of the greatest use by all those whom business or scientific interest has led to study the vital statistics of this country. The volume, to which this letter forms a kind of introduction, is a continuation of the works of 1851-60 and 1861-70; and is supplemental to your Annual Reports for the years 1871-80.

The main portion of this volume has been drawn up in almost the same form as that adopted in the two previous decennial supplements. The figures, however, in the district Tables (pp. 1-370) now relate to persons, and are not given, as was previously the case, for males and females separately. This change has been made not merely to economise space, but to give a broader and therefore more secure basis for the calculation of rates, and also in order to meet the practical requirements of the Medical Department of the Local Government Board.

Another change introduced into this part of the volume is the addition to each District Table of a vertical column, in which the annual death-rate from each disease is entered; and of a horizontal column, in which is shown the annual death-rate at each age-period.

A further alteration in this volume is the incorporation with it of what had previously been a separate parliamentary* return, made at the instance and for the use of the Local Government Board. This addition to the volume (p. lxxxvi-c.) gives the death-rate of children under five years of age from each of several selected zymotic diseases; and the death-rates of males and females separately from phthisis and from diseases of the respiratory organs.

CHANGES IN THE DEATH-RATES.—The mean annual death-rate in England and Wales in the decennium 1871-80 was 21·27 per 1000, and was lower than in any preceding decennium since civil registration began. The decline in the rate was shared by both sexes, but unequally; the male death-rate having fallen by 4·24 per cent. and the female death-rate by 6·02 per cent., since the immediately preceding decennium.

The fall was also by no means equally shared by persons of all ages; and, speaking generally, the rates fell for the earlier age-periods, while they rose for the later periods of life. This was the case with both sexes, but with a notable difference; for, as is shown in the following table, the male death-rate was higher than in the previous decennium at each period after 35 years of age, while the female death-rate did not show an increase until after 45 years of age.

TABLE A.—**Annual Mortality per 1000 of Males and Females in successive DECENNIA.**

	Males.				Females.			
	1841-50.	1851-60.	1861-70.	1871-80.	1841-50.	1851-60.	1861-70.	1871-80.
All Ages -	23·11	23·05	23·61	22·61	21·58	21·32	21·28	20·00
Under 5 years	71·20	72·43	73·16	68·14	61·09	62·74	63·43	58·10
5- - -	9·16	8·51	8·15	6·67	8·89	8·42	7·76	6·20
10- - -	5·12	4·88	4·46	3·80	5·43	5·06	4·48	3·70
15- - -	7·05	6·09	6·16	5·23	7·88	7·38	6·62	5·43
20- - -	9·50	8·83	8·45	7·32	9·08	8·53	7·96	6·78
25- - -	9·94	9·57	9·90	9·30	10·55	9·92	9·68	8·58
30- - -	12·85	12·48	13·46	13·74	12·91	12·15	12·03	11·58
35- - -	18·22	17·06	19·16	20·05	16·04	15·20	15·55	15·59
40- - -	31·81	30·85	33·00	34·76	28·44	27·01	27·77	28·54
45- - -	67·51	65·33	66·30	69·57	60·97	58·66	58·80	60·82
50- - -	108·56	105·40	104·64	109·08	157·89	155·45	154·28	155·83

PROBABLE CAUSES OF THE CHANGES IN THE DEATH-RATES.—To what cause or causes are these remarkable changes in the death-rates—changes which it will be noted are only continuations of similar changes in the immediately preceding decennium 1861-70—to be ascribed? No certain answer can be given to this question; but there are some causes that can be pointed out as having at any rate contributed to the result, and as not very improbably having produced the whole of it. Let us in the first place consider the effects of the ever increasing efforts to improve the sanitary condition of the country. There can be no reasonable doubt that the very marked and progressive decrease in the general death-rate is due to these

* Usually known, from the name of the Member of Parliament who originally moved for it, as "Lowe's Return."

efforts; and that sanitation should have more distinctly affected the mortality of the young than of elder persons is only what might be naturally anticipated; for it is against noxious influences to which the young are more especially sensitive that the weapons of sanitary reform have been chiefly directed. That the death-rates, then, at the earlier age-periods of life should fall without any corresponding decline in the death-rates at the later ages is intelligible. But it is also not impossible, nor indeed improbable, that sanitation, while it has reduced the death-rates at the earlier, may actually have caused a rise in the death-rates at the later, stages of life. A vast number of children of permanently unsound constitutions, who under former conditions would have perished in youth, are now saved from early death by sanitary interference. These grow up to adult life and diminish the average healthiness of the adult classes, and so add to their death-rates.

Doubtlessly this tendency to a diminution in the average vitality of the adult classes is more or less counterbalanced by influences that act in a contrary direction and that tend to increase that vitality. For, in the first place, it must be remembered that sanitation, though its chief operation may be the preservation of young lives, does also, if in a less degree, act directly as a preservative of persons more advanced in life; for fevers and other preventible diseases are by no means exclusively confined to the young. Secondly, if it be true, as doubtlessly it is, that sanitation preserves a number of sickly children from death and so adds a contingent of weakly members to the adult population, it is also true that it prevents a number of children, who under the former conditions would have had their strength broken and have grown up into weak adults, from undergoing this physical deterioration, and, therefore, will thus add to the healthiness of the adult ranks. Still it is very possible that these counterbalancing influences may have been inadequate to make up more than partially for the first mentioned effect of sanitation, and that the mean vitality of the adult classes may really have been diminished in the way described.

A second cause which may be assumed with much confidence to have conduced to a rise in the adult mortality without producing a corresponding change in the mortality at the earlier age-periods is the increasing severity of competition among adults. That the struggle for existence is daily becoming more and more severe, and that feverish excitement and reckless expenditure of energy are rapidly encroaching on repose and leisure, are matters of common observation. The wear and tear of life are greater, and vitality is sooner exhausted.

A third cause may also be pointed out, as probably in some small measure raising the adult mortality without affecting the death-rates at the earlier ages; namely, the ever-increasing tendency of the adult population to migrate from the rural districts into the towns, where the mortality is always higher. The effect of this cause, however, on the aggregate mortality of the country can scarcely be very great. It is found, moreover, that the rise in the death-rates in the later age-periods of life has not been confined to the urban population, but has extended also to the purely rural communities. This latter fact may, however, be partly explained by the gradual deterioration of the rural population owing to the constant migration of its more vigorous adults to the towns.

WHETHER THE CHANGES IN THE DEATH-RATES HAVE BEEN ADVANTAGEOUS TO THE COMMUNITY.—It is a question fairly open to discussion whether the changes in the death-rates that have now been described have conferred any real benefit upon the community at large; for it may be said, that, if the mortality has only fallen for the earlier age-periods while it has actually risen for the later stages of life, the country will have been

no gainer on the whole, but the contrary; for the lives which it has gained will have been lives in the unproductive period of existence, while the lives which it has lost, though fewer in number, will have been lives at the most valuable and productive stage. This question, therefore, will now be examined, and in order to do so in a satisfactory way it is first necessary to construct a new Life Table for comparison with the former English Life Table, which was based on the mortality of the 17 years, 1838-54.

A NEW ENGLISH LIFE TABLE.—The Life Table (see Table B. pp. vii-viii), starts with a million males and a million females, all born at one and the same time; and shows in Columns 2 and 6 how many survivors there would be, with the death-rates of 1871-80, at the end of each subsequent year of life. For example, it shows that of the million males born there would be 630,038 still alive at the end of 30 years from birth; and that of the million females there would be 658,418 survivors at the same age. Side by side with these columns are two other columns 1 and 5, which give the survivors at each year according to the former English Life Table, based on the mortality of 1838-54.

In Columns 4 and 8 is given the Mean After-lifetime, or Expectation of Life, of males and females respectively at the end of each year of existence. For example, in Column 4 it is shown that the Mean After-lifetime of males who have completed their 35th year of life is 28.64 years; and in Column 8 it is shown that the Mean After-lifetime of females at that age is 30.90 years. Side by side with these columns again are two other columns, Columns 3 and 7, giving for comparison the Mean After-lifetime according to the former English Life Table.

Having now briefly explained the form of the Table, let us to proceed to compare the old and the new Life Tables; and we will begin with Columns 1 and 2, which give the annual surviving males in the two Tables.

Male Life Table.—By the old Table one half of the million males would be dead before the end of the 45th year; by the new Table half would not have died till after the end of the 47th year.

Again, comparing the two columns with each other, year by year, it will be seen that the survivors at the end of each year by the new Life Table exceed the survivors at the same age by the old Life Table at every date up to the 67th year, and that at the end of this 67th year from birth the surviving males by the new Life Table would be 267,820, while the survivors by the old Life Table would be 267,160. After that date there is a charge, and the survivors at the end of each subsequent year are more numerous by the old than by the new Table.

In other words a male infant, subject to the rates that prevailed in 1871-80, would have a better chance of living 67 years than a male infant subject to the rates that prevailed in 1838-54, but a smaller chance of living more than 67 years; and, by way of example, his chance of living to complete 90 years would be fully one ninth less than what it was previously, or more precisely would be only in the proportion of 8015 to 9321.

It will now be sufficiently plain that the mere fact that the male death-rate has increased after the 25-35 period of life must not be interpreted as implying that the number of males surviving from a given number at the start will be less after that age, as hasty reasoners might possibly suppose; for, as has been shown, the contrary is the case up to the end of the 67th year; the explanation, of course, being that the death-rates before the 35-45 period of life have gone down so greatly since 1838-54, and the survivors at the end of the 45th year are so much more numerous than they were under the older rates, that they can support the higher mortality of after years for a considerable period and yet retain their numerical superiority.

TABLE B.—Old and New English Life Tables, based respectively upon the Mortality in 1838-54, and in 1871-80.

AGE.	MALES.				FEMALES.				AGE.
	Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		
	1833-54.	1871-80.	1833-54.	1871-80.	1833-54.	1871-80.	1833-54.	1871-80.	
Column	1.	2.	3.	4.	5.	6.	7.	8.	Column.
0	1,000,000	1,000,000	39'91	41'35	1,000,000	1,000,000	41'85	44'62	0
1	836,405	841,417	46'05	48'05	835,238	871,266	47'31	50'14	1
2	782,626	790,201	48'83	50'14	811,711	820,480	49'40	52'22	2
3	754,849	763,737	49'61	50'86	782,990	793,359	51'20	52'09	3
4	736,845	746,887	49'81	51'01	764,000	775,427	50'43	53'20	4
5	723,716	734,068	49'71	50'87	750,550	762,622	50'33	53'08	5
6	713,881	726,815	49'39	50'38	740,584	755,713	50'00	52'56	6
7	703,156	721,103	48'92	49'77	732,771	750,276	49'53	51'04	7
8	699,688	716,309	48'37	49'10	726,116	745,631	48'98	51'26	8
9	694,346	712,337	47'74	48'37	720,537	741,727	48'35	50'53	9
10	689,857	703,990	47'05	47'60	715,769	738,332	47'67	49'76	10
11	685,982	700,146	46'31	46'79	711,581	735,405	46'95	48'96	11
12	682,512	703,595	45'54	45'96	707,770	732,697	46'20	48'13	12
13	679,256	701,290	44'76	45'11	704,155	730,122	45'44	47'30	13
14	676,037	698,840	43'97	44'28	700,581	727,571	44'66	46'47	14
15	672,776	696,419	43'18	43'41	696,917	724,936	43'90	45'63	15
16	669,296	693,995	42'40	42'58	693,050	722,084	43'14	44'81	16
17	665,529	690,746	41'64	41'76	689,894	718,993	42'40	44'00	17
18	661,402	687,507	40'90	40'96	686,378	715,622	41'67	43'21	18
19	656,868	683,941	40'17	40'17	679,433	711,946	40'97	42'43	19
20	651,903	680,033	39'48	39'40	674,119	707,940	40'29	41'66	20
21	646,592	675,769	38'80	38'64	668,345	703,616	39'63	40'92	21
22	641,028	671,544	38'13	37'89	662,474	699,141	38'98	40'18	22
23	635,480	666,754	37'46	37'15	656,509	694,521	38'33	39'44	23
24	629,882	661,997	36'70	36'41	650,433	689,759	37'68	38'71	24
25	624,221	657,077	36'12	35'68	644,342	684,558	37'04	37'98	25
26	618,503	651,998	35'44	34'96	638,143	679,822	36'39	37'26	26
27	612,731	646,757	34'77	34'24	631,891	674,601	35'75	36'54	27
28	606,903	641,353	34'10	33'52	625,575	669,372	35'10	35'83	28
29	601,026	635,778	33'43	32'81	619,201	663,959	34'46	35'11	29
30	595,089	630,038	32'76	32'10	612,774	658,418	33'81	34'41	30
31	589,094	624,124	32'09	31'40	606,296	652,747	33'17	33'70	31
32	583,036	618,056	31'42	30'71	599,769	646,957	32'53	33'00	32
33	576,912	611,827	30'74	30'01	593,196	641,045	31'88	32'30	33
34	570,716	605,439	30'07	29'33	586,575	635,993	31'23	31'60	34
35	564,441	598,890	29'40	28'64	579,908	628,842	30'59	30'90	35
36	558,083	592,107	28'73	27'96	573,192	622,554	29'94	30'21	36
37	551,634	585,167	28'06	27'29	566,431	616,144	29'29	29'52	37
38	545,084	578,019	27'39	26'62	559,619	609,599	28'64	28'83	38
39	538,428	570,656	26'72	25'96	552,758	602,924	27'99	28'15	39
40	531,657	563,077	26'06	25'30	545,844	596,113	27'34	27'46	40
41	524,761	555,254	25'39	24'65	538,876	589,167	26'69	26'78	41
42	517,734	547,288	24'73	24'00	531,849	582,104	26'03	26'10	42
43	510,567	539,161	24'07	23'35	524,765	574,919	25'38	25'42	43
44	503,247	530,858	23'41	22'71	517,617	567,612	24'72	24'74	44
45	495,770	522,374	22'76	22'07	510,403	560,174	24'06	24'06	45
46	488,126	513,792	22'11	21'44	503,122	552,692	23'40	23'38	46
47	480,308	504,836	21'46	20'80	495,768	544,892	22'74	22'71	47
48	472,306	495,761	20'82	20'18	488,339	537,043	22'08	22'03	48
49	464,114	486,479	20'17	19'55	480,833	529,048	21'42	21'36	49

TABLE B.—Old and New English Life Tables, based respectively upon the Mortality in 1838-54, and in 1871-80—continued.

AGE.	MALES.				FEMALES.				AGE.
	Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		
	1838-54.	1871-80.	1838-54.	1871-80.	1838-54.	1871-80.	1838-54.	1871-80.	
Column	1.	2.	3.	4.	5.	6.	7.	8.	Column.
50	455,727	476,980	19'54	18'93	473,245	520,901	20'75	20'68	50
51	447,139	467,254	18'90	18'31	465,572	512,607	20'09	20'01	51
52	428,099	457,022	18'28	17'71	457,814	504,189	19'42	19'34	52
53	428,801	446,510	17'67	17'12	449,006	495,645	18'75	18'66	53
54	419,256	435,720	17'06	16'53	442,027	486,973	18'08	17'98	54
55	409,490	424,677	16'45	15'95	433,331	477,440	17'43	17'33	55
56	399,408	413,351	15'86	15'37	424,239	467,443	16'79	16'69	56
57	389,088	401,740	15'26	14'80	414,761	456,992	16'17	16'06	57
58	378,491	389,627	14'68	14'24	404,805	446,079	15'55	15'45	58
59	367,570	377,591	14'10	13'68	394,636	434,695	14'94	14'84	59
60	356,330	365,011	13'53	13'14	383,974	422,835	14'34	14'24	60
61	344,744	352,071	12'96	12'60	372,895	410,477	13'75	13'65	61
62	332,780	338,820	12'41	12'07	361,387	397,644	13'17	13'08	62
63	320,451	325,256	11'87	11'56	349,436	384,319	12'60	12'51	63
64	307,720	311,368	11'34	11'05	337,031	370,495	12'05	11'96	64
65	294,588	297,186	10'82	10'55	324,165	356,165	11'51	11'42	65
66	281,064	282,638	10'32	10'07	310,833	341,326	10'98	10'90	66
67	267,160	267,829	9'83	9'60	297,048	325,988	10'47	10'39	67
68	252,901	252,763	9'36	9'14	282,810	310,170	9'97	9'89	68
69	238,328	237,467	8'90	8'70	268,177	298,899	9'48	9'41	69
70	223,490	222,036	8'45	8'27	253,161	277,225	9'02	8'95	70
71	208,453	206,539	8'03	7'85	237,822	260,207	8'57	8'50	71
72	193,297	190,971	7'62	7'45	222,230	242,934	8'13	8'07	72
73	178,114	175,449	7'22	7'07	206,464	225,497	7'71	7'65	73
74	163,003	160,074	6'83	6'70	190,620	208,003	7'31	7'25	74
75	148,076	144,960	6'40	6'34	174,800	190,500	6'93	6'87	75
76	133,453	130,227	6'15	6'00	159,126	173,316	6'56	6'51	76
77	119,251	115,986	5'82	5'68	143,722	156,392	6'21	6'16	77
78	105,592	102,359	5'51	5'37	128,711	139,927	5'88	5'82	78
79	92,587	89,440	5'21	5'07	114,229	124,065	5'56	5'50	79
80	80,343	77,354	4'93	4'79	100,394	108,935	5'26	5'20	80
81	68,946	66,153	4'66	4'51	87,323	94,662	4'98	4'90	81
82	58,471	55,842	4'41	4'26	75,119	81,305	4'71	4'63	82
83	48,970	46,489	4'17	4'01	63,862	68,966	4'45	4'37	83
84	40,471	38,132	3'95	3'59	53,615	57,723	4'21	4'12	84
85	32,970	30,785	3'73	3'56	44,419	47,631	3'98	3'88	85
86	26,476	24,436	3'53	3'36	36,284	38,710	3'76	3'66	86
87	20,526	19,054	3'34	3'17	29,202	30,953	3'56	3'46	87
88	16,268	14,576	3'16	2'99	23,135	24,338	3'36	3'26	88
89	12,423	10,526	3'00	2'82	18,027	18,788	3'18	3'08	89
90	9,321	8,015	2'84	2'66	13,902	14,225	3'01	2'90	90
91	6,959	5,748	2'69	2'51	10,376	10,553	2'85	2'74	91
92	4,940	4,025	2'55	2'37	7,650	7,653	2'70	2'58	92
93	3,492	2,740	2'41	2'24	5,526	5,420	2'55	2'44	93
94	2,411	1,823	2'29	2'12	3,908	3,756	2'42	2'30	94
95	1,628	1,183	2'17	2'01	2,704	2,533	2'29	2'17	95
96	1,071	742	2'06	1'90	1,827	1,661	2'17	2'11	96
97	689	452	1'95	1'81	1,204	1,057	2'06	2'03	97
98	430	266	1'85	1'72	774	653	1'96	1'83	98
99	262	151	1'76	1'65	483	389	1'86	1'73	99
100	184	82	1'68	1'61	295	225	1'76	1'62	100

Let us now look at Columns 3 and 4, which give the Mean After-life-times at each year by the old and new Tables respectively. The Mean After-lifetime of an average male at birth is by the new Table 41·35 years; by the old Table it was only 39·91 years, showing an average gain for each male of 1·44 years, or nearly a year and a half. Going on down the columns, year by year, it will be seen that the After-lifetime is longer by the new than by the old Table at each year till the 19th; at the close of this 19th year the Expectation of Life is exactly the same in each Table, viz., 40·17 years. From that time onwards the After-lifetime is shorter by the new than by the old Table. The individual male lives on an average a shorter time after his 19th year is over than he did formerly; but it must be remembered that the number of individuals, out of equal numbers at the start, who survive to live these shorter lives is so very much greater than before, that the aggregate life of the whole is very considerably increased.

Female Life Table.—Let us now turn to the figures relating to female life. In Column 5 it is seen that by the old Life Table half of the million women born would have died before the end of the 47th year from birth; whereas by the new Table half would still be surviving at the end of the 52nd year.

It is not until almost the very end of life that the surviving females by the new Table become fewer than by the old; and even at the end of the 92nd year of life there are as many survivors by the new as by the old Table; and this, notwithstanding the fact that the female death-rate has increased after the 45-55 years period. A female born in 1871-80 had a better chance of living to be 92 than one born in 1838-54, but a slightly less chance of living longer than that.

Turning to Columns 7 and 8, which give the Mean After-lifetime it will be seen that the Expectation of Life at birth for females is 44·62 years by the new Tables, and was only 41·85 by the old Table, a gain of 2·77 years on an average for each female. Going down the columns, year by year, it will also be seen that the After-lifetime by the new Table is longer than by the old Table at each year to the completion of the 45th. Then the expectation is exactly the same in the two tables, viz., 24·06 years. After this age the Expectation of Life is shorter in the new Table than in the old.

BALANCE OF LOSS AND GAIN FROM THE CHANGES IN THE DEATH-RATES.—The importance of these changes in the death-rates, and consequently in the expectation of life, in regard to insurance, is of course self-evident. It is manifest that if a series of insurance premiums were calculated on the basis of the older English Life Table, those premiums would according to the new Table be too high in the earlier years and too low in the later years of life. Insurance, however, is a matter with which we are not now concerned; the object of the present inquiry being merely to ascertain what amount of lifetime has been added to the community by the diminution in the death-rates since 1838-54, and to what age-periods or stages of life these additional years belong. The figures in the Table which we have been discussing supply a basis which enables us with a little calculation to answer this question in the following manner.

The mean life-time of males is by the new Life Table 41·35 years, whereas by the old Table it was only 39·91 years. According, therefore, to the new Life Table, a million males would live 1,439,139 more years than would be the case according to the old Table. Similarly a million females would live 2,777,584 additional years. The years thus gained would be divided between the different periods of life in the following manner shown in the following Table:—

TABLE C.—Additional Years lived by a Million Males and a Million Females.

Age Periods.	Males.	Females.
0-15 -	255,340	288,226
15-25 -	281,872	339,933
25-35 -	344,906	453,221
35-45 -	310,746	499,471
45-55 -	211,040	474,009
55-65 -	86,920	385,257
65-75 -	-10,464	239,617
75-85 -	-27,770	89,568
85 and upwards	-13,451	8,282
Total years gained -	1,439,139	2,777,584

This Table shows plainly how erroneous is the conclusion sometimes drawn that because the death-rates have fallen only in the earlier age-periods, while they have risen in the later age-periods, the aggregate gain to the community from the changes is confined to the unproductive years of life. We may fairly take the period which intervenes between 25 and 65 years of age to be the most valuable part of life, and of the aggregate years saved, 66 per cent. in the case of males and 65 per cent. in the case of females are lived in this period.*

Before finally quitting this subject one other calculation is desirable. The mean annual number of births in England and Wales in 1871-80 was 858,878; and of these births 437,492 were of male, and 421,386 of female, infants. The additional years lived by this annual number of children, if subject to the reduced rates in the new Life-Table, would be as follows:—

TABLE D.—Additional Lifetime of Children born annually.

—	Additional Lifetime, in Years, of		
	437,492 Males.	421,386 Females.	858,878 Persons.
0-15 -	111,709	121,454	233,163
15-25 -	123,317	143,243	266,560
25-35 -	150,894	190,981	341,875
35-45 -	135,949	210,470	346,419
45-55 -	92,328	199,741	292,069
55-65 -	38,027	162,342	200,369
65-75 -	-4,578	100,971	96,393
75-85 -	-12,149	37,743	25,594
85 and upwards	-5,885	3,490	-2,395
—	629,612	1,170,435	1,800,047

* The question dealt with above has been already handled by Mr. Noel A. Humphreys in an interesting paper read before the Statistical Society in April 1883. Mr. Humphreys, however, took the death-rates for the quinquennium 1876-80 as his basis, whereas in the above calculation and new Life-Table the basis is supplied by the mortality for the decennium 1871-80. Moreover, when Mr. Humphreys' paper was written the results of the census of 1881 were not fully known, and these turned out somewhat differently from what had been anticipated; consequently the death-rates used by Mr. Humphreys were not quite correct. Essentially, however, the conclusion arrived at by Mr. Humphreys was the same as that arrived at above.

The changes in the death-rates therefore have given to the community an annual addition of 1,800,047 years of life shared among its members; and, allowing that the changes in the death-rates are the direct consequences of sanitary interference, we must regard this addition of nearly two million years of life as an annual income derived from money invested in sanitation.

INCREASE OR DECREASE IN THE MORTALITY FROM SPECIAL CAUSES SINCE THE PREVIOUS DECENNIAL.—In 1861-70 there were on an average 22,416 deaths annually to a million persons living; in 1871-80 the proportion of deaths was only 21,272, a saving of 1,144 lives annually to each million persons living. The following Table, which is a summary of the more detailed Tables given later on (pp. cxii-cxvi), shows under what headings this saving was effected.

TABLE E.—Annual Deaths per Million Persons Living.

	1861-70.	1871-80.	Annual Decrease in 1871-80.	Annual Increase in 1871-80.
Small-pox - - - - -	163	236	—	73
Measles - - - - -	440	378	62	—
Scarlet Fever - - - - -	972	716	256	—
Diphtheria - - - - -	185	121	64	—
Whooping-cough - - - - -	527	512	15	—
Fever - - - - -	885	484	401	—
Diarrhoeal Diseases - - - - -	1,076	935	141	—
Cancer - - - - -	387	473	—	86
Phthisis - - - - -	2,475	2,116	359	—
Hydrocephalus - - - - -	347	317	30	—
Other Tubercular Diseases - - - - -	437	445	—	8
Diseases of the Nervous System - - - - -	2,785	2,770	15	—
" Circulatory System and Dropsy - - - - -	1,349	1,477	—	128
" Respiratory System - - - - -	3,364	3,700	—	336
" Digestive System - - - - -	981	978	3	—
" Urinary System - - - - -	298	392	—	94
Puerperal Fever, Childbirth - - - - -	165	167	—	2
Violence - - - - -	765	733	32	—
All other and Unstated Causes - - - - -	4,815	4,262	553	—
All Causes - - - - -	22,416	21,272	1,031	787
Balance of Decrease and Increase - - - - -	—	—	1,144	—

The mortality from zymotic diseases in the aggregate as shown in this Table fell very considerably.

There is, however, one zymotic disease which exceptionally shows an increase, namely, *small-pox*. Under this heading the mortality rose from 163 per million living to 236. This rise was entirely due to the very serious outbreak which marked the two first years of the decennium, 1871 and 1872, and which led to the compulsory appointment of vaccination officers by Boards of Guardians, and consequently to a more stringent enforcement of infant vaccination.* The question of vaccination and its results was discussed at length in the 43rd Annual Report, for 1880, and it was there shown that when the statistics of small-pox are given not by artificial periods, such as decennia, but by natural periods, that is to say, by

* The Act was passed in 1871, but did not come into operation until 1872.

periods that coincide with the successive improvements in the enforcement of the Vaccination Acts, there has been a gradual and notable decline in the mortality from this disease. It was further shown that this decline has been entirely due to diminished mortality of children, and especially of children under five years of age; and that in the later periods of life the mortality has not only not decreased but has actually risen, slightly among young persons between 10 and 15 years of age, but very greatly among persons older than this; and lastly, that this increase has been the greater the more advanced the time of life. It will be seen on referring to the table at p. cxii, that even when the decennial period is taken, instead of the natural period which only includes the years since the compulsory appointment of vaccination officers, the above statement referring to the changed incidence of small-pox upon the successive age-periods still holds good. There is still, notwithstanding the rise in the total mortality from this disease, a great fall in the deaths caused by it in the first age-period, and a rise, increasing with the advance of age, in the later periods. There is, as was pointed out in your 43rd Annual Report, only one adequate explanation of this curious alteration,—an alteration to which no parallel is furnished by the other zymotic diseases—and that explanation is that vaccination confers a considerable immunity from small-pox, but an immunity, which is not only less than that conferred by an attack of small-pox itself, but much less permanent; its protective influence gradually dying out and requiring renovation. The results of this difference between vaccination and small-pox itself, as regards their protective action, were stated in the 43rd Annual Report, which has already been cited, in the following words, which I cannot do better than repeat: “Before vaccination came into use, few persons escaped having small-pox at some or other time in their lives. The great majority had it when young, and of these a large proportion died, causing a very high death-rate in the earlier age-periods. But those who survived the attack enjoyed a practically complete immunity for the rest of their lives, and, as they formed a considerable proportion of the population at the later age-periods, the small-pox death-rates at these later periods of life were very low. But when vaccination came into use, and in proportion as its use became more and more general, the relative conditions of the different age-periods, as regards immunity, were materially altered and partially inverted. Childhood, previously altogether unprotected, now received a very considerable immunity; while the later ages, previously much protected, now had their immunity considerably diminished, and the more so the later the period of life and the more remote therefore the date of vaccination.”

The decline in the mortality from *scarlet fever* was very considerable, the annual deaths per million having fallen from 972 to 716. The decline under the heading *measles* was much less considerable, being only from 440 to 378. It can scarcely be doubted that a considerable share in these declines was attributable to sanitary measures, and especially to the improved facilities for separating the infected from the healthy, and to the removal of conditions which, though they may not actually generate the disease, yet add greatly to its virulence and largely diminish the chances of recovery from its attacks; but at the same time it must not be forgotten that these diseases appear in epidemics at irregular periods, determined by conditions as yet not ascertained, and that consequently the mortality in any one decennium as compared with another depends to a considerable extent upon what we may call the chance of its containing more or fewer of these irregular visitations. Thus, in the decennium 1861-70 there were two periods of such visitations from scarlet fever, namely, 1863-64 and 1868-70, covering between them half the entire decennium; whereas in the next ten years, 1871-80, the disease was only widely epidemic in a single year, namely 1874. It may of course be that the frequency with

which these epidemic years recur may itself be largely determined by sanitary conditions; but of this there is, at any rate at present, no certainty.

The registered deaths from *diphtheria* fell from an annual average of 185 per million to 121; but so much uncertainty attaches to the use of the term "diphtheria" by medical men, and there is such confusion in their certificates between diphtheritic and simple spasmodic croup, that the returns under this heading are extremely untrustworthy.

The mortality from *whooping-cough* remained practically unchanged from that of the preceding decennium, the fall being only from 527 to 512. Owing to the very early age at which whooping-cough usually occurs, and the consequent impossibility of removing the sick from the healthy, this disease is less amenable than most other zymotic ailments to sanitary control. As was said in speaking of measles and scarlet fever, the mortality from whooping-cough in a given decennium is determined mainly by the number of epidemical years that occur within the period; and there was one such year in each of the two last decennia, viz., 1866 in the earlier and 1878 in the later decennium.

The deaths from *fever*, including typhus, enteric fever, and ill-defined forms of continued fever, fell from an annual average of 885 per million to 484, a decline of no less than 45 per cent. This is the most satisfactory of all the declines shown in the table; not only because it is the greatest in amount, but because enteric fever, to which is due the main bulk of the deaths attributed to fever, is of all diseases, putting aside the effect of vaccination upon small-pox, the one which is most directly and largely affected by sanitary measures; so that the decline in mortality under this heading is the best test available of the efficacy of sanitary administration. Doubtlessly there are for typhus and for enteric fever, as for other zymotic diseases, epidemical years, when meteorological or other uncontrollable conditions favour the development of the specific virus to which these fevers are due; but on examining the figures in the successive Annual Reports, the irregular fluctuations of mortality caused by the recurrence of such years are almost entirely obliterated by the continuous and progressive fall which has been produced by more careful sewerage, better water-supply, and other sanitary improvements.

The deaths from *diarrhœa* fell from an annual rate of 1076 per million to 935, showing an annual gain of 141 lives for each million persons living. But as the mortality from diarrhœa is more directly and manifestly affected by meteorological conditions than that from any other zymotic disease, it may be questioned whether the decline was not due to a series of comparatively favourable summers in the one decennium as compared with the other, rather than to any sanitary measures that may have been adopted. In order to test this we must compare the summers of 1861-70 with those of 1871-80; and as the great bulk of fatal diarrhœa occurs in the interval between mid June and mid September, we may confine our comparison to that trimestrial period. Speaking generally, it appears from the returns of mortality in London that the diarrhœa mortality becomes high when the mean weekly temperature rises to about 63° F. Now in the ten years 1861-70 there were altogether 317 days in the three summer months in which the mean temperature recorded at Greenwich was above 63° F., while in the next decennium the number of such days was 325. Adding together the excesses above 63° F. of the 317 days in the first decennium, we have a total excess of 1153 degrees; while the total excess of the 325 hot days in the second decennium was 1178 degrees. Measured, therefore, in this somewhat rough manner, the two decennia were practically on an equality as regards such temperature as may be supposed to raise the mortality from diarrhœa; and such slight difference as the figures indicate is against the healthiness in this respect of the later decennium. We may,

therefore, infer with much probability that the decline in the diarrhoeal mortality in 1871-80, as compared with 1861-70, was not due to a lucky succession of cooler summers, but to improvement in cleanliness and other sanitary conditions.

The deaths ascribed to *malignant disease* in the decennium 1851-60 amounted to 317 annually per million persons living; in the next decennium, 1861-70, the mortality had risen to 387; and it again rose in 1871-80 to 473; so that in the course of twenty years the mortality under this heading apparently increased by nearly 50 per cent. The increase, moreover, as is shown in the successive Annual Reports, was steady and progressive; year by year the number of deaths under this heading has increased; and the increase, it may be added, is still going on. There can be very little doubt that a considerable part in this apparent increase is simply due to improved diagnosis and more careful statement of cause on the part of medical men. Year by year the number of deaths ascribed to tumour, abdominal disease, or other similarly imperfectly stated causes has been undergoing diminution, and there has been of course a corresponding addition to the mortality under the more definite headings. Moreover, the increase of mortality from cancer has been much greater among males than among females; the rate for males having risen 62 per cent. in twenty years, while the rate for females has only risen 43 per cent. Now, were the rise not merely apparent but real, being due to general physical deterioration of the people or other similar causes, there would seem no reason why the male sex should have suffered more than the female; whereas the difference is readily intelligible on the hypothesis that the rise has been at any rate in great measure only apparent, and due to better diagnosis. For the cancerous affections of males are in much larger proportion internal or inaccessible than are those of females, and consequently are more difficult of recognition, so that any improvement in medical diagnosis would add more to the male than to the female reckoning.

The mortality from *phthisis* showed a very remarkable diminution, there being an annual gain of 359 lives to a million living. This gain, however, was more than counterbalanced by a loss of 395 lives from *diseases of the respiratory system*. Knowing how vague has been the use of the term "phthisis," it is tempting to assume that the apparent changes were simply due to transference from one heading to the other, and that the mortality really underwent little change. And probably to some extent this is true, for the term phthisis or consumption is not now used in quite so vague a manner as it was in former years, when any undiagnosed chronic affection of the lungs was likely to be so designated. Still this can hardly be supposed to be the explanation of the whole matter, for while the registered mortality from phthisis fell at every one of the successive age-periods, the registered mortality from diseases of the respiratory organs remained practically unaltered in the periods of life between the 5th and 26th years of age, and only rose among young children under 5 and among persons over 25 years of age.

How much of the fall in the registered mortality from phthisis was real, and how much was merely due to transference, it is impossible to say; but it must be noted that the mortality ascribed to other forms of tuberculosis, with the exception of hydrocephalus, showed no decline. Under "other forms of tuberculosis" are comprised a certain number of deaths simply ascribed to tubercular disease without further specification, but the great bulk consists of deaths from *tabes mesenterica* and tubercular peritonitis.

The mortality ascribed to "*diseases of the nervous system*" remained practically without change in its total amount. It will be seen, however, on referring to the detailed table (p. cxv), that the age-incidence of the

mortality underwent very notable alterations. The deaths in the earliest age-period (0-5) fell very greatly, probably in great part because of the increasing carefulness in statement of cause by medical men, who are no longer so generally contented as they formerly were to refer the death of an infant to "convulsions," but prefer, when possible, to give the primary cause of which the convulsions were a symptom; but this diminution in the deaths at the earliest age-period was fully counterbalanced by the great increase of mortality in the more advanced stages of life, from 35 years of age onwards, an increase which, though in some slight degree to be accounted for by greater carefulness of statement, yet, doubtlessly, was in great measure real, and is probably to be explained by the constantly increasing strain upon the nervous system involved in the keener competition and other conditions of modern life.

There was a considerable increase of mortality under the heading *diseases of the organs of circulation*, with which, in order to make fair comparison with the preceding decennia, it was found necessary to combine *dropsy*. In the earlier age-periods, under 15 years of age, the mortality declined; between 15 and 35 years the mortality remained practically unaltered; while at each age-period after this there was a large increase, which was especially great in the last period of life, viz., after 75 years of age, when the rate advanced more than 18 per cent. Probably part of this increase was real, part only apparent and due to greater precision of statement in the certificates of deaths of aged persons, which it is no longer thought sufficient to ascribe generally to "old age" without further specification.

The mortality from *diseases of the digestive organs* remained unaltered. Under this heading are, however, included diseases that differ very greatly from each other when viewed ætiologically, and there is especially one group of diseases among them, viz., diseases of the liver, that is of great interest, inasmuch as the fluctuations in the mortality caused by it afford probably the best available measure of the extent to which alcoholic excess prevails in the country. The deaths attributed directly to chronic alcoholism or to delirium tremens supply a very unsatisfactory measure of such excess, not only because these deaths form a very insignificant proportion of the total mortality due to drink, but because the wish to spare the feelings of surviving relatives prevents the returns of such deaths being at all trustworthy.

But cirrhosis of the liver is a term which the certifying practitioner can use without fear of giving offence, and as this disease is one of the commonest consequences of alcoholic excess, and is also one of the chief contributors to the mortality from liver disease generally, the value of this group of diseases for the purpose mentioned is evident. It will be seen later on, when the mortality in different trades comes under review, that the mortality from liver disease among men engaged in the liquor trades is six times the average for males generally. It is, therefore, very desirable to separate, if possible, the mortality from liver diseases from the mortality from other diseases of the digestive organs. In this decennial supplement they have not been thus separated; by referring, however, to the separate annual reports it is possible to get the necessary data; and the following is the result as regards males.

TABLE F.—**Annual Mortality of Males per Million living from Diseases of the Liver and Ascites at successive Age-periods.**

PERIOD.	ALL AGES.	Under 5	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
1861-70	435	342	37	34	40	70	208	529	903	1,638	2,281	2,050
1871-80	441	361	29	28	35	63	192	531	1,054	1,736	2,504	2,166

It appears from this table that the mortality at all ages together remained practically unaltered. There were, however, some alterations in the rates at the different age-periods; for while the mortality fell at each of the earlier periods of life, excluding infancy, it rose somewhat, but not very much, at each age-period after the 45th year of life; and, as these are the age-periods when the deleterious effects of alcoholic habits upon the liver would be most distinctly felt, it is not impossible that the rise of hepatic mortality at this end of life may indicate some increase of intemperance.

In the decennium, 1851-60, the deaths ascribed to *diseases of the urinary organs* were in the proportion of 214 annually to a million persons living; in the next decennium, 1861-70, the proportion rose to 298, again to be increased to 392 in 1871-80. Thus in the course of 20 years the registered mortality from these diseases rose no less than 83 per cent. The increase was common to each age-period, as is shown in the detailed Table (p. cxvi), but was proportionally greatest in the earlier stages of life, and notably among children under 5 years of age, where the increase of mortality in the 20 years was almost 200 per cent. Reference to the successive Annual Reports shows that the increase has been going on steadily year by year, in practically unbroken continuity, ever since civil registration began in 1837. That year was also the date of the publication by Dr. Bright of his discovery of the very common diseases which ever since have borne his name; and there can be no reasonable doubt that the apparent increase of mortality from renal disease is attributable to the gradual extension of the knowledge of Dr. Bright's discoveries, and the recognition of cases as renal that previously were attributed to other causes. It is possible of course that there may also have been some real increase; but there is no evidence whatsoever that such has been the case.

The mortality from *Puerperal Fever and Childbirth* per million persons living has remained practically unaltered for three successive decennia, having been 164 in 1851-60, 165 in 1861-70, and 167 in 1871-80. It is better, however, to measure the mortality from these causes by the proportion of the deaths to births, rather than by the proportion of the deaths to the total population, regardless of sex, age, and civil condition.

The general result, however, of this better method is much the same as that of the less accurate plan. In 1851-60 the deaths of mothers from these causes were 4·80 per 1000 children born alive, in 1861-70 they were 4·69, and in 1871-80 they were 4·75; rates which may be regarded as practically identical.

The deaths ascribed to *Violence*, including accidents, homicides, and suicides, were in the proportion of 733 per million persons living, whereas in the preceding decennium the proportion had been 765. On referring to Table 5 at page cxvi, it will be seen that the rate fell at each age-period under 55, whereas the mortality from violence after that age showed an increase at each age-period.

DIFFERENCES IN THE DEATH-RATES IN DIFFERENT PARTS OF THE COUNTRY.—The mean annual death-rate varied very greatly in different districts, the extreme limits having been 14·13 and 33·57 per 1000. Among the 647 districts into which England and Wales are divided there were 8 in which the mean annual rate was under 15·0 per 1000; 31 more in which it was under 16·0; and again 62 others in which it did not exceed 17·0. These 101 districts together constitute what are called in some of the Tables the *Selected Healthy Districts*, and form a convenient standard for comparison.

In 326 other districts the mean annual death-rate was between 17·0 and 20·0; in 195 it was from 20·0 to 25·0; in 23 from 25·0 to 30·0, and in the remaining 2 it exceeded this high figure.

The death-rate in a district is frequently raised unduly by the presence of a large hospital or asylum which receives patients from outside the district itself. In Table 1 (pp. lxxviii-lxxxv) notes will be found, making correction, so far as practicable, for such disturbing influences. Excepting, however, in some few cases, such correction does not make any very material alteration; and the differences between one district and another are not to be thus explained.

CAUSES OF THE DIFFERENCES IN THE DEATH-RATES.—To what cause or causes then are these wide differences between districts in regard to their death-rates to be ascribed? It is very common indeed to hear and to read statements in which the speaker or writer assumes without any appearance of doubt that the differences of mortality are simply and wholly due to differences in the thoroughness with which the sanitary authorities carry out the provisions of the Public Health Acts; and these persons would lead one to suppose that, if all sanitary authorities were equally vigilant, the death-rates would be in all parts practically equal, excepting that some slight differences might be caused by climatic and generally by geographical conditions.

That sanitary administration can do much to lower the mortality of a given place is indisputable. The very great general decline in the death-rates since the commencement of active efforts to ensure more efficient sanitation is sufficient evidence of this; as also is the further notable fact, that the decline in the death-rate has been greatest in those parts in which the sanitary administration has been most active, that is to say, it has been greater in the urban than in the rural districts. But to attribute the whole or even the greater part of the difference of death-rates between one district and another to this cause is to ignore factors of the very greatest importance, which exert influences over which sanitary authorities have practically little or no control. The evils and the diminished vitality that are caused by poverty, crime, personal uncleanness, drink, and excess of all kinds, as also by the close aggregation of human beings in places that offer the best chance of lucrative employment, and especially by the unhealthiness of certain occupations, are such as can at best be mitigated by the sanitary authorities, and often lie entirely outside their power of interference. Yet there is good reason to believe that these are the causes to which the main part of the difference between one part of the country and another, in the matter of mortality, is due.

EFFECT OF DIFFERENCES IN AGE AND SEX DISTRIBUTION UPON THE GENERAL DEATH-RATE.—Some of the above-mentioned causes, namely, the close aggregation of inhabitants in a given area, and the unhealthiness of certain occupations, will presently be considered. But before discussing these questions, it is necessary to point out that two places might be on a perfect equality with each other as regards their climate, their sanitary arrangements, their closeness of aggregation, as also the habits and the occupations of their inhabitants, and yet might have very different general death-rates, owing to differences in the age and sex distribution of their respective populations. Such a supposed case is, of course, scarcely likely to present itself; for when the prevalent occupations are the same in two places, the age and sex distribution is almost certain to be the same also. But in places where the prevalent occupations are not the same, there are often very great differences in the age and sex distribution of the populations, and such as seriously affect the general death-rates. It is unsafe, therefore, to base any comparison between two areas upon their general death-rates, until it has been first ascertained that the populations of the two are practically identical as regard their age and sex distribution.

The age and sex distribution in any town or other considerable area is determined mainly by the nature of the prevalent occupations, and as these are generally fixed and do not change materially even in long periods, the age and sex distribution also remains practically unaltered. The general

death-rate, therefore, of any town or other large area in one year is fairly comparable with the death-rate of the same town or area in other years, without correction for age and sex. But not so, as explained, when one town or area is compared with another. Here corrections are required; and, if strict accuracy be necessary, corrections must be made not only for age but for sex distribution. The differences, however, due to variations in sex distribution are usually so small that it is practically sufficient to correct merely for age distribution, and thus save half the labour. In the following table such correction has been made for the recorded death-rates in each of the registration counties. The rates in column 2 are the mean annual death-rates as recorded; the rates in column 3 are these death-rates corrected for age differences; that is to say, they are the death-rates that would have been recorded had the age distribution of the population in each county been identical with the age distribution of the whole population of England and Wales.*

The great differences in mortality that exist between one county and another, and between the individual counties and England and Wales as a whole, may perhaps be more readily apprehended if the mortality in England and Wales be represented by 1,000 and that in each county, after correction for age distribution, by its proportional figure. This has been done, and the figures are given in column 4.

TABLE G.—Mean Annual Death-rates per 1000 in Registration Counties, &c. during the Ten Years 1871-80, as recorded, and as corrected for Variations of Age Distribution.

Counties, &c., in Order of corrected Death-rate.	Recorded Death- rate.	Corrected Death- rate.	Com- parative Mortality Figure.	Counties, &c., in Order of corrected Death-rate.	Recorded Death- rate.	Corrected Death- rate.	Com- parative Mortality Figure.
Columns: 1.	2	3	4	Columns: 1.	2.	3.	4.
England and Wales -	21.27	—	1000	Middlesex (ex-met.)	17.93	18.29	860
Dorsetshire -	17.46	15.97	751	Worcestershire -	18.95	18.58	874
Sussex -	17.05	16.36	769	Northamptonshire -	19.56	18.71	880
Herefordshire -	18.36	16.40	771	Bedfordshire -	19.37	18.79	883
Rutlandshire -	18.46	16.44	773	North Riding -	19.68	18.88	888
Huntingdonshire -	18.47	16.45	773	Gloucestershire -	19.82	19.02	894
Westmorland -	17.72	16.63	782	North Wales -	20.59	19.04	895
Suffolk -	18.79	16.68	784	Cornwall -	20.32	19.08	897
Wiltshire -	18.69	16.77	788	Derbyshire -	20.54	20.40	909
Berkshire -	18.01	16.93	796	South Wales -	21.09	20.72	974
Cambridgeshire -	18.76	17.10	804	Nottinghamshire -	21.23	20.81	978
Lincolnshire -	18.55	17.10	804	Leicestershire -	21.61	20.83	979
Surrey (ex-met.) -	16.77	17.15	806	Cumberland -	21.40	20.86	981
Hertfordshire -	18.37	17.18	808	East Riding -	21.36	21.07	991
Shropshire -	18.80	17.21	809	Cheshire -	21.04	21.58	1015
Buckinghamshire -	18.62	17.24	811	Monmouthshire -	21.88	21.76	1023
Essex -	17.94	17.25	811	Warwickshire -	21.90	22.17	1042
Kent (ex-met.) -	17.81	17.27	812	Staffordshire -	22.44	22.73	1069
Somerset -	19.09	17.31	814	Northumberland -	22.74	22.96	1079
Norfolk -	19.89	17.50	823	London -	22.37	23.66	1112
Oxford -	19.09	17.56	826	West Riding -	23.24	24.29	1142
Hampshire -	18.26	17.75	835	Durham -	23.77	24.32	1143
Devonshire -	19.67	18.10	851	Lancashire -	25.17	26.87	1263

It will be noticed that in by far the greatest number of counties the corrected rate is somewhat lower than the recorded rate, but that in ten instances the contrary is the case, the corrected rates being the higher.

* For recorded death-rates in Registration Counties in the ten years 1871-80 (persons, males, and females), at various age-periods, see Table 3, pp. ci-iii.

It will be noticed moreover that these ten exceptional counties are all (save the extra-metropolitan portions of Surrey and Middlesex) industrial counties, where the death-rates even before correction were already extremely high, while all the agricultural counties are comprised in the majority, and have their death-rates, which already were low, made still lower by correction. Thus the differences of mortality between the several counties are greater after correction than before; the extreme limits of variation before correction being between 16·77 and 25·17, whereas after correction the rates range from 15·97 to 26·87. When a similar method of correction is applied to a great town and to a purely rural district respectively, the changes produced in the recorded rates are even greater than those produced in counties; and the general rule is that correction raises the rates of towns and industrial centres, but lowers the rate of rural districts; the explanation being that the population of a town or industrial centre contains a much smaller proportion of persons of advanced age, and a much larger proportion of persons in the prime of life than does a strictly rural population.

This question is of so much importance, and its right comprehension so necessary for those who would wish to avoid drawing false conclusions from comparisons of recorded death-rates, that it may be well to illustrate the statement that has been made still further.

England and Wales are divided out, as is well known, into urban and rural sanitary districts. We may take the urban sanitary districts in the aggregate to represent the towns, and the rural sanitary districts to represent the country. The age and sex distribution of the population of these contrasted groups of districts is given in the Census Returns for 1881. Now if we apply to each such constituted population the mean (1871-80) annual death-rates in England and Wales at each age-period, the death-rate in the urban population will be 20·40 per 1000, while the death-rate in the rural population will be 22·83. Such would be their respective death-rates on the hypothesis that the urban districts and the rural districts were equally healthy. We know, however, as a matter of fact that the urban death-rates instead of being lower than rural death-rates are much higher. The difference of healthiness, therefore, between the two is much greater than the difference as shown by their recorded death-rates.

Still one more example before finally quitting the subject. The general death-rate in England and Wales in 1881 was 18·9 per 1000 persons of all ages, while the general rate in France was 22·0, or no less than 3·1 higher than in England. But much of this difference was simply due to differences in the age-distribution of the two populations. For had the age-distribution of the French population been identically the same as that of the English population, the French general death-rate would have been 20·9 and not 22·0 as recorded. Thus of the 3·1 which was the difference between the general rates as recorded 2·0 was due to difference of health conditions, while 1·1 was due to difference in age-distribution.

In this Decennial Supplement the general death-rate given for each Registration District is of course the actual or recorded death-rate, without correction. Inasmuch, however, as the death-rates are given for each successive age-period in each district, the correction for age-distribution can be readily made by applying these death-rates to a population of 1000 persons having the same age-distribution as the population of England and Wales. The age-distribution of this 1000 persons is as follows:—

TABLE H.—**Age-distribution of Population (Persons) of England and Wales.**
(Mean of 1871 and 1881.)

All Ages.	AGE-PERIODS.										
	Under 5	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
1000	136	120	107	97	89	147	113	86	59	33	13

RELATION OF AGGREGATION OF POPULATION TO DEATH-RATES.—It is notorious that the mortality is far higher in towns than in rural parts; and it has been shown in the preceding section that the difference between the two is even greater than might be inferred from their recorded death-rates. Why should this be? Why are towns less healthy than the country? The most notable difference in the conditions under which the urban and the rural populations live is of course the difference they present in regard to aggregation; and consequently it will be well to bring out in greater detail the relation between such aggregation and mortality; a relation, be it said, that was put prominently forward by Dr. Farr in the two preceding decennial supplements.

In order to display this relation as fully as possible, all those districts in which the mean annual death-rate was under 15 per 1000 have in the following Table been grouped together, and the density of these populations in their aggregate areas has been determined. Another similar group has been made of the districts with death-rates over 15 but under 16, and so on for each successive unit of death-rate. If the death-rates were determined simply by density, the series of figures in Column 7 would of course increase regularly from the top downwards, as do the rates in Column 5; and it will be seen that this is actually the case for the last and much greater part of the Column, but that there is considerable irregularity in the first few terms of the series. It is not apparently until the density has reached a certain degree of intensity that it begins to exercise any appreciable effect. This indeed might have been anticipated. For though we can readily understand that in crowded communities it may be a matter of vital importance whether there are 500 or 1000, or 2000, or more persons living on a square mile, yet it can scarcely make any difference, so far as health goes, whether in rural districts there be two acres or three acres on an average to each inhabitant. The differences in the death-rates in these sparse populations are determined by other conditions than aggregation.

TABLE I.—Area, Population, Death-rates, and Density, in GROUPS of DISTRICTS, 1871-80.

Annual Death-Rate per 1,000.	Number of Dis- tricts.	Area in Acres.	Ten Years 1871-80.		Mean Annual Death- rate per 1000.	Mean Density (Acres to a Person).	Persons to a Square Mile.
			Mean Population.	Deaths.			
Cols. - - -	1.	2.	3.	4.	5.	6.	7.
14 and under 15 -	8	432,480	171,244	24,804	14.48	2.53	253
15 " " 16 -	31	1,612,844	503,594	78,570	15.60	3.20	200
16 " " 17 -	62	3,423,160	1,379,250	229,301	16.63	2.48	258
17 " " 18 -	102	6,586,426	2,166,690	380,980	17.58	3.04	211
18 " " 19 -	129	9,197,922	2,787,836	516,671	18.53	3.30	194
19 " " 20 -	95	6,797,350	2,308,721	449,736	19.48	2.94	217
20 " " 21 -	50	3,421,448	2,450,483	503,702	20.56	1.40	458
21 " " 22 -	46	2,412,654	2,551,807	549,573	21.54	0.95	677
22 " " 23 -	42	1,324,840	2,692,101	607,008	22.55	0.40	1,301
23 " " 24 -	30	938,134	2,666,484	627,660	23.54	0.35	1,819
24 " " 25 -	27	617,069	2,068,340	509,661	24.41	0.30	2,166
25 " " 26 -	14	312,350	1,375,652	351,318	25.54	0.23	2,819
26 " " 27 -	5	76,227	350,681	92,092	26.26	0.22	2,944
27 " " 28 -	6	88,690	850,906	257,247	30.23	0.10	6,144

DIRECT AND INDIRECT EFFECTS OF AGGREGATION.—It must not be supposed that the higher death-rates, which go hand in hand with increased density of population, are simply the direct results of such aggregation. Doubtlessly where people are crowded together certain injurious conditions are produced which directly affect the mortality; the air, the soil, and often the water are liable to be fouled; and infectious diseases, having a shorter average distance to travel from individual to individual, are more readily spread abroad. But these direct consequences of close aggregation are probably as nothing in comparison with its indirect consequences or concomitants. The more crowded a community, the greater, speaking generally, is the amount of abject want, of filth, of crime, of drunkenness,* and of other excesses, the more keen is the competition, and the more feverish and exhausting the conditions of life; moreover, and perhaps more than all, it is in these crowded communities that almost all the most dangerous and unhealthy industries are carried on. It is not so much the aggregation itself, as these other factors which are associated with aggregation, that produce the high mortality of our great towns or other thickly populated areas. Our next business, therefore, should be to investigate the action of each of these several factors separately, and to see to what extent and in what manner they respectively add to the mortality of towns. There is, however, only one among them, but that the most important, that lends itself at all readily to statistical examination, namely, the influence of occupation, and consequently this is the only one of the factors with which it will be attempted to deal; the remaining and larger part of this introduction being devoted to its study.

MORTALITY OF MALES ENGAGED IN DIFFERENT OCCUPATIONS.

In each of the two former decennial supplements† an attempt was made to estimate the comparative mortality of males engaged in different professions and trades. The numbers of males engaged in each occupation and their ages were taken from the Census returns; while the numbers of deaths at each age-period were abstracted from the death-registers. The calculations in the Supplement for 1851-60 were based upon the Census numbers for 1861, and the deaths in 1860 and 1861; in the Supplement for 1861-70, upon the Census numbers for 1871, and the deaths in the same year. The attempt has been renewed on the present occasion, and on a larger scale, the deaths in combination with ages and occupations having been abstracted for three entire consecutive years, namely, 1880, 1881, and 1882. In order to ensure as great accuracy as was possible, the deaths in these three years were abstracted by the same clerks, and on occupation sheets of the same form, as had served for the abstraction of the living in the Census of 1881, and the same rules as to the details of the process were observed in each case.

The inquiry was limited, as on the previous occasions, to males, and for the same reason; namely, that the uncertainty attaching to the statement both of occupation and of age is very much greater in the case of women than of men. Males under 15 years of age were also excluded; inasmuch as the influence of occupation, which was the object of inquiry, is practically inappreciable at that early period of life.

The total number of males, 15 years of age or upwards, living in England and Wales at the date of the Census was 7,911,436, and the total number of deaths of males at those ages abstracted from the registers of the three years, of which the Census year was the centre, was 418,214. With so wide a basis of observation as this, and with the

* See 4th Report of Select Committee on Intemperance (1878), p. 585. "On the whole, in the towns where the drunkenness is greatest the population is most dense."

† Supplements to the 25th and 35th Annual Reports of the Registrar General.

precautions that were taken to ensure, so far as possible, uniformity in the abstraction of the living and the dead, a very high degree of trustworthiness may fairly be claimed for the results. There are, however, numerous difficulties and causes of error that practically interfere with what might at first sight appear to be a simple though highly laborious process; and some of these difficulties and causes of error it is important to set forth, so that each person who interests himself in the results may be able to form an estimate as to the amount of confidence he should place in them.

In the first place then, although the aggregate numbers, both of the living and the dead, that were abstracted were, as we have seen, very great, yet the numbers of persons in many of the individual trades, and still more the numbers at each age-period in such trades, were but small.

The amount of confidence in the results is of course, *cæteris paribus*, proportionate to the number of observations, which depends on the number of persons engaged in the occupation. The figures therefore which relate to small trades, or to age-periods where the numbers are few, should be received with due hesitation.

A second and still more serious difficulty and cause of error is due to the vagueness with which the occupation is oftentimes stated both in the returns made for the Census and in the death-registers, and especially in the latter. As the same rules for dealing with doubtful cases were adopted, as already mentioned, in abstracting the living from the Census returns and the dead from the death-registers, it might be supposed that this cause of error would be practically immaterial, as indeed it would be, were the vagueness of statement similar in amount and character in the two cases. But there is reason to believe that the vagueness of statement as to occupation was much more considerable in the death-registers than in the Census returns, inasmuch as special precautions had been taken in the case of the Census to ensure great precision in the statement of trade or profession, while no such special precautions had been taken in the case of the death-registers.

In order to obviate to some extent the evils arising from this vagueness, and also at the same time to increase the numerical basis of the calculation, occupations that are likely to be confounded with each other to any considerable extent have been grouped together, and in some cases it has been found necessary to do this, even when an occupation is of such a definite character that apparently it is not likely to be confounded with another. For instance, no occupation would seem at first to be more definite than that of a Coalminer; and as there were at the date of the Census no fewer than 355,363 male coalminers over 15 years of age, it might naturally be supposed that here at any rate was an industry in which the death-rate could be calculated with much certainty. But it was soon discovered that a very considerable number of Coalminers who die are simply described in the death-registers as Miners without further specification; and consequently it became necessary to group all miners together; or rather to divide them, as will be explained further on, geographically, and not directly by the character of the minerals. Again, in the death-registers there is often a confusion between General and Agricultural Labourer; and in consequence it was found necessary to group these together; while, in order to diminish the disturbing influence of the intermixture of general with agricultural labour, the calculation was based on the returns and registers for ten* selected counties, in which the great mass of labour was agricultural.

Similarly Hosiery-manufacture and Hosiery-selling were found to be practically indistinguishable in the death-registers, and have been therefore

* These counties were Hertfordshire, Oxfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Devonshire, Herefordshire, and Lincolnshire.

grouped together, the effect of the intermixture being reduced, so far as possible, to a minimum, by basing the calculation on the returns and registers for the counties of Leicester and Nottingham, which are the main seats of the hosiery manufacture.

A similar process of grouping, with or without limitation to a special selected area, has been adopted in several other cases, as will be seen hereafter; while in those cases, where it was thought probable that the vagueness of statement as to occupation had seriously affected the results, these have been entirely discarded, and no statements as to the death-rates in such industries are given in the tables.

We come now to a difficulty of a different kind, and of a still more serious character, inasmuch as it appears to be one for which there is no remedy, and which must always occasion a great flaw in all calculations of the death-rates in different industries. There are many trades and occupations which require a considerable standard of muscular strength and vigour to be maintained by those who follow them; such occupations for instance as those of a Blacksmith, of a Miner, and the like; and, so soon as from any cause the health and strength of a man fall below this standard, he must of necessity give up the occupation and either take to some lighter kind of labour or, if his health be too much impaired for this, retire altogether from work. And even in those industries, where no excessive amount of muscular strength is required, there must nevertheless be always a certain line below which continuance in the business becomes an impossibility.

The weaker individuals, and those whose health is failing them, are thus being constantly drafted out of each industrial occupation, and especially out of those which require much vigour; and the consequence is that the death-rates in these latter occupations are unfairly lowered, as compared with the death-rates in occupations of an easier character, and still more as compared with the death-rates among those persons who are returned as having no occupation at all. A very considerable proportion of those who are forced to give up harder labour take to odd jobs of a more or less indefinite character, and are returned both on the Census schedule, and eventually in the death-registers, as General Labourers, as Messengers, or as Costermongers, Street-sellers, &c.; and thus it comes about that the death-rates of General Labourers, of Messengers, and of Street-sellers, as shown in the table, appear to be of appalling magnitude, as also do those of persons returned as having no occupation. Under these headings, however, are comprised the broken down and the crippled who have fallen out of the ranks from all the various industries, as well as those who have been throughout life debarred by natural infirmities or other causes from following any definite occupation.

Another very serious flaw in these death-rates, when taken as measures of the relative healthiness of different industries, is due to the fact that these several industries do not start on equal terms as regards the vitality of those who follow them. A weakling will hardly adopt the trade of a Blacksmith, a Miner, or a Railway Navvy, but will preferentially take to some lighter occupation such as that of a Tailor, a Weaver, or a Shopman. This defect in the death-rates, as measures of comparative healthiness of occupations, tells in the same direction as the defect previously noticed; it gives an unfair advantage to such industries as demand much strength or activity in those that follow them. Such industries are in fact carried on by a body of comparatively picked men; stronger in the beginning, and maintained at a high level by the continual drafting out of those whose strength falls below the mark.

It is plain then that much caution must be used in drawing inferences from the death-rates in different industries. The data are sometimes scarcely sufficient in amount or precise enough in character for full con-

fidence to be placed in the rigid accuracy of the rates based upon them ; and, secondly, the differences presented by the rates, even when the accuracy of these is indisputable, are not invariably due to differences in the comparative healthiness of the occupations, but, often at any rate, to differences in the constitution of the groups of workmen severally engaged in them.

Still, after the fullest weight has been allowed to all the defects which have now been mentioned, there can be no reasonable doubt but that the death-rates do in reality furnish valuable indications of the comparative salubrity of different industrial occupations. Small differences between them must, it is true, be ignored, as falling within the limits of possible disturbing influences ; but large differences, such as are presented in numerous cases, must be accepted as betokening real and substantial differences of healthiness.

The headings, under which the occupations of the living in 1881 and of those who died in 1880-1-2 were abstracted, numbered about 400. It has not, however, been thought worth while to print the figures for all those numerous headings. A selection has been made of those which seemed of most importance, and in which the distinctness of the occupation, and the number of persons following it, gave fair reason for believing that the results would be of closely approximate accuracy.

The figures relating to these selected occupations are given in Table 6., which will be found on pp. cxvii-cxxiii.

The rates have been calculated for five age-periods ; but of these, the two which include the main working part of life, namely, the forty years which intervene between the 26th and 66th birthdays, are far more valuable and more trustworthy than the others ; for not only are these the age-periods in which the numerical basis is as a rule the largest, but they are also the periods in which the influence of occupation is most marked. In the earlier age-periods the effect of occupation is not as yet fully developed ; and the last age-period, 65 years of age and upwards, is that which is more especially affected by the disturbing cause previously noted, namely, the retirement from the industry of such men as have become too weakly to follow it. Although therefore the rates for each of the five age-periods are given in the fuller Table, pp. cxvii-cxxiii, in the following remarks and Tables (Tables J., K., L.) the rates for the two periods into which the great working part of life has been divided will alone be taken into consideration ; and the differences presented by the several occupations within this restricted portion of life will be held to represent approximately the differences between them in regard to healthiness.

In the following Table (Table J.) the third and fourth columns of figures give the mean annual death-rates for these two age-periods for 1880-1-2. The first and second columns give for comparison the corresponding death-rates, as calculated from the data in the two previous decennial supplements.

The fifth column of figures, which is headed Comparative Mortality Figure, requires some little explanation. There was in 1880-1-2 an annual mortality in England and Wales of 1000 deaths per 64,641 males between 25 and 65 years of age ; and of such 64,641 males, 41,920 were under, and 22,721 were over, 45 years of age. The figures in Column 5 are the numbers of deaths that would have occurred in the several occupations out of 64,641 males, of whom 41,920 were under, and 22,721 were over, 45 years of age. For instance 41,920 barristers and solicitors in the earlier age-period, and 22,721 in the later period would, with death-rates respectively of 7.54 and 23.13 per 1000, give 842 deaths. This figure is therefore set in the fifth column against the heading "Barrister, Solicitor," and represents the mean mortality of males in that profession between 25 and 65 years of age, as compared with the mortality of all males of similar ages in England and Wales, this latter being taken as 1000.

TABLE J.—**Death-rates of Males, 25-65 YEARS of AGE, in DIFFERENT Occupations, in 1860-1-1871 and in 1880-2; and their COMPARATIVE MORTALITY FIGURES in 1880-2.**

Reference Number.	OCCUPATION.	MEAN ANNUAL DEATH-RATES PER 1000 LIVING.				Comparative Mortality Figure, 1880-1-2.
		1860-1-1871.		1880-1-2.		
		Years of Age.		Years of Age.		
		25-45	45-65	25-45	45-65	
	ALL MALES	11'27	23'98	10'16	25'27	1000
	OCCUPIED MALES	—	—	9'71	24'63	967
	UNOCCUPIED MALES	—	—	32'43	36'20	2182
	MALES IN SELECTED HEALTHY DISTRICTS*	—	—	8'47	19'74	804
1	Clergyman, Priest, Minister	5'96	17'31	4'64	15'93	556
2	Barrister, Solicitor	9'87	22'97	7'54	23'13	842
3	Physician, Surgeon, General Practitioner	13'81	24'55	11'57	28'03	1122
4	Schoolmaster, Teacher	9'82	23'66	6'41	19'84	719
5	Artist, Engraver, Sculptor, Architect	11'73	22'91	8'39	25'07	921
6	Musician, Music Master	18'94	34'76	13'78	32'39	1314
7	Farmer, Grazier	7'66	17'32	6'09	16'53	631
8	Labourer in Agricultural Counties†	—	—	7'13	17'68	701
9	Gardener, Nurseryman	6'74	17'54	5'52	16'19	599
10	Fisherman	11'26	15'84	8'32	19'74	797
11	Cab, Omnibus, Service	15'94	35'28	15'39	36'83	1482
12	Bargeman, Lighterman, Waterman	14'99	30'78	14'25	31'13	1305
13	Carter, Carrier, Haulier	—	—	12'52	33'00	1275
14	Groom, Domestic Coachman	—	—	8'53	23'28	887
15	Commercial Traveller	12'28	29'00	9'04	25'03	948
16	Brewer	19'26	36'86	13'00	34'25	1361
17	Innkeeper, Publican, Spirit, Wine, Beer-Dealer	18'01	34'14	18'02	33'68	1521
18	Inn, Hotel, Servant	21'91	42'19	22'63	55'30	2205
19	Maltster	7'04	22'26	7'28	23'11	830
20	Law Clerk	18'75	37'05	10'77	30'79	1151
21	Commercial Clerk and Insurance Service	14'28	28'88	10'48	24'40	996
22	Bookseller, Stationer	10'84	21'36	8'53	20'57	825
23	Chemist, Druggist	13'92	23'56	10'58	25'16	1015
24	Tobacconist	13'19	21'76	11'14	23'46	1000
25	Grocer	9'49	17'15	8'00	19'16	771
26	Draper and Manchester Warehouseman	14'34	26'33	9'70	20'96	883
27	Ironmonger	10'38	22'95	8'42	23'87	805
28	Coal Merchant	8'83	22'59	6'90	20'62	758
29	General Shopkeeper	—	—	9'12	21'23	865
30	Cheesemonger, Milk, Butter-man,	—	—	9'48	26'90	1009
31	Greengrocer, Fruiterer	11'41	24'51	10'04	26'57	1025
32	Fishmonger, Poulterer	15'62	29'21	10'53	23'45	974
33	Shopkeepers as represented by the above eleven (22-32).	—	—	9'04	21'90	877
34	Butcher	13'19	28'37	12'16	29'08	1170
35	Baker, Confectioner	10'72	26'39	8'70	26'12	958
36	Corn Miller	9'32	26'65	8'40	26'62	957
37	Hatter	12'81	31'76	10'78	26'95	1064
38	Hairdresser	15'11	30'10	13'64	33'25	1327
39	Tailor	12'92	24'79	10'73	26'47	1051
40	Shoemaker	10'39	22'30	9'31	23'36	921
41	Tanner, Fellmonger	10'43	26'57	7'97	25'37	911
42	Currier	11'32	25'09	8'56	24'07	906
43	Saddler, Harness Maker	12'29	25'21	9'19	26'49	987
44	Tallow Chandler, Soap-boiler	11'75	27'24	7'74	26'19‡	920
45	Tallow, Soap, Glue, Manure Manufacture	—	—	7'31	27'57	935
46	Printer	13'02	29'38	11'12	26'60	1071
47	Bookbinder	12'76	31'56	11'73	29'73‡	1167
48	Watch and Clock Maker	10'78	24'90	9'26	22'64	903
49	Watch, Clock, Phil. Instrument Maker, and Jeweller.	—	—	9'22	23'99	932

* The selected healthy districts are all those Registration Districts in which the mean annual death-rates for persons (males and females together) was under 17·00 per 1,000 in 1871-80.

† Labourer in ten agricultural counties, viz., Hertfordshire, Oxfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Devonshire, Herefordshire, and Lincolnshire.

‡ This rate is based on less than 5,000 years of life.

TABLE J. (continued). — Death-rates of Males, 25-65 YEARS of AGE, in DIFFERENT Occupations, in 1860-1-1871 and in 1880-2; and their COMPARATIVE MORTALITY FIGURES in 1880-2.

Reference Number.	OCCUPATION.	MEAN ANNUAL DEATH-RATES PER 1000 LIVING.				Com- parative Mor- tality Figure, 1880-1-2.
		1860-1-1871.		1880-1-2.		
		Years of Age.		Years of Age.		
		25-45	45-65	25-45	45-65	
50	Paper Manufacture - - - -	10'33	20'19	6'48	10'62	717
51	Glass Manufacture - - - -	13'19	29'32	11'21	31'71	1190
52	Earthenware Manufacture - -	12'69	41'75	13'70	51'39	1742
53	Cotton, Linen, Manufacture (Lancashire)	10'65*	27'60*	9'99	29'44	1088
54	Silk Manufacture - - - -	9'89	20'08	7'81	22'79	845
55	Wool, Worsted, Manufacture (West Riding.)	9'35*	23'26*	9'71	27'50	1032
56	Carpet, Rug-Manufacture - - -	9'92	25'57	9'48	24'10	945
57	Lace Manufacture - - - -	—	—	6'78	20'71	755
58	Hosiery Manufacture (Leicestershire, Notts).	—	—	6'69	19'22	717
59	Dyer, Bleacher, Printer, &c. of Textile Fabrics.	11'19	25'99	9'46	27'08	1012
60	Rope, Twine, Cord-Maker - - -	9'19	29'35	7'95	22'25	839
61	Builder, Mason, Bricklayer - -	11'43	27'16	9'25	25'59	990
62	Slater, Tiler - - - -	10'66	30'76	8'97	24'03†	942
63	Plasterer, Whitewasher - - -	9'50	27'90	7'79	25'07	896
64	Plumber, Painter, Glazier - -	12'48	34'66	11'07	32'49	1292
65	Upholsterer, Cabinet Maker, French Polisher.	11'09	24'09	9'55	24'77	993
66	Carpenter, Joiner - - - -	9'44	21'36	7'77	21'74	820
67	Sawyer - - - -	8'67	21'27	7'46	23'74	852
68	Wood Turner, Box Maker, Cooper -	11'80	26'13	10'66	28'55	1091
69	Coach Builder - - - -	10'43	29'57	9'13	24'72	944
70	Wheelwright - - - -	8'40	21'17	6'83	19'21	723
71	Shipbuilder, Shipwright - - -	10'68	26'26	6'95	21'29	775
72	Locksmith, Bellhanger, Gasfitter - -	11'04	27'90	9'15	25'66	967
73	Gunsmith - - - -	10'62	25'32	10'02	25'78	1031
74	Cutler, Scissors Maker - - -	—	—	12'30	34'94	1309
75	File Maker - - - -	16'27	42'30	15'29	45'14†	1667
76	Cutler, Scissors, File, Needle, Saw, Tool- Maker.	11'88‡	32'74‡	11'71	34'42	1273
77	Engine, Machine-Maker, Fitter. Mill- wright.	—	—	7'97	23'27	863
78	Boiler Maker - - - -	—	—	9'27	26'65	994
79	Last two together (Nos. 77-78) -	10'61	23'81	8'23	23'89	888
80	Blacksmith - - - -	10'07	23'88	9'29	25'67	973
81	Other Iron and Steel Workers -	—	—	8'36	22'84	869
82	Tin Workers - - - -	10'36	23'67	8'00	24'17	885
83	Copper, Lead, Zinc, Brass, &c. Workers -	10'74	26'17	9'15	26'79	992
84	Metal Workers (Nos. 72-83) -	—	—	8'80	25'03	938
85	Miner: Durham, Northumberland - -	11'30§	22'01§	7'79	24'04	873
86	Lancashire - - - -	—	—	7'91	26'30	929
87	West Riding - - - -	—	—	6'59	21'80	772
88	Derbyshire, Nottinghamshire -	—	—	6'54	20'23	734
89	Staffordshire - - - -	11'33§	30'45§	7'81	26'50	929
90	South Wales, Monmouthshire -	14'72§	29'66§	9'05	30'87	1081
91	Coal Miners as represented by the above six (Nos. 85-90).	—	—	7'64	25'11	891
92	Miner (North Riding and other Iron- stone Districts).	—	—	8'05	21'85	834
93	Miner, Cornwall - - - -	11'94§	41'73§	14'77	53'69	1839
94	Stone, Slate Quarrier - - -	10'88	28'07	9'95	31'04	1122
95	Railway, Road, Clay, Sand, &c. Labourer -	—	—	11'01	24'80	1025
96	Coalheaver - - - -	—	—	10'22	23'77	968
97	Chimney Sweep - - - -	17'53	42'87	13'73	41'54†	1519
98	Messenger, Porter, Watchman (not Govern- ment).	—	—	17'07	37'37	1565
99	Costermonger, Hawker, Street Seller -	20'09	37'82	20'26	45'33	1879
100	General Labourer (London) - -	18'35	40'64	20'62	50'85	2020

* These figures relate to England and Wales, and not only to Lancashire and the West Riding respectively as do the figures for 1880-1-2.

† This rate is based on less than 5,000 years of life.

‡ In 1871 only.

§ These rates are based on a return made to the Commissioners appointed to inquire into the condition of all miners in Great Britain, of the miners living at the census of 1861, and of the deaths registered in the three years, 1860-2, in certain mining districts in the respective counties. See Appendix B. to Report of Commissioners, p. 164.

The death-rates in the several industries will come under special consideration later on; but there are certain general remarks to be made as to the preceding Table which it will be convenient to introduce here.

It will be seen that there are vast differences as regards mortality between the several industries, the comparative mortality figure being three or four times as high in some industries as in others; and it will also be noticed that those industries in which the death-rates were exceptionally high or exceptionally low in the three years 1880-1-2 showed, as a rule, similarly exceptional rates in the earlier experience.

Again, it will be noted that the death-rate at the first of the two age-periods, 25-45 years, has in almost every case declined. There are in the Table altogether 73 industries, for which rates are given both for 1880-2 and also for earlier experience. In 65 of these 73 industries the death-rate in the 25-45 age-period has fallen, in one it has remained stationary, and in only 7 has it gone up. In the second age-period, 45-65 years of age, the case is very different. Only in 35 industries has there been a fall, while in the remaining 38 the rate has risen. That some such difference as this should be found to exist between the two age-periods might have been anticipated, for it is in strict accordance with the fact already discussed, and shown, moreover, in the first line of figures in Table J., namely, that there has been a fall in the death-rate of all males independently of occupation in the earlier age-period, and a not inconsiderable rise in the later.

Another feature in the Table that requires notice is the fact that in more than three-fifths of the industries to which it relates the death-rates are below those of "All Males," that is to say, the comparative mortality figure is below 1000. The comparative mortality figure of "All Males" is, however, a very unsatisfactory standard by which to estimate healthiness, for among "All Males" is of course included an enormous number of persons who are permanently enfeebled in health and unfit for work of any kind. Even, however, if we exclude all such persons as are unemployed, and take the death-rates of those persons only who were returned at the Census as following some occupation, we still have a comparative mortality figure (967), which is higher than the figure in more than half the industries. It appears, therefore, that the comparative mortality figure of "Occupied Males" is very considerably raised by the inclusion of a minority of occupations with excessively high rates. Thus neither "All Males," nor "Occupied Males" furnish a good basis for comparison. The standard for comparison should be one of excellence; it should be taken either from the healthiest occupation, or, if a geographical basis be preferred, from the healthiest districts. If the former be preferred, as I think it should, we may take as our standard the mean of the mortality figures for farmers, agricultural labourers, and gardeners, which would be 644; if the latter be selected, we may take the figure for males in all those districts in which the mean annual death-rate for persons (males and females) of all ages in 1871-80 was under 17·00, which we call the "Selected Healthy Districts." These give a comparative mortality figure of 804, but it must be remembered that in this are included the deaths of those sick and unoccupied males who live in the selected districts. The excess of the comparative mortality figure of an industry above these standards measures its departure from the healthiness attainable, under present conditions, in this country.

Having ascertained and set forth in Table J. what is the comparative mortality from all causes in the various industries, the next step is to distribute this mortality to the registered diseases or causes by which it was occasioned, that is to say, to ascertain what is the comparative mortality in the several industries from each separate disease or group of diseases.

To do this thoroughly it would be necessary to go through the death-registers for the three years 1880-2, and abstract all the deaths of males by ages, occupations, and causes of death in combination, a task of such complexity and magnitude as to be practically impossible, and which, therefore, has not been attempted. It appeared possible, however, to obtain adequate data by a shorter plan, laborious enough, but still practicable, namely, by abstracting from the registers a considerable sample of the causes of deaths in each industry, and dividing out the total mortality in the industry to the several causes by the proportions existing in the sample. For, supposing the sample to be of sufficient size and to be fairly taken, there seemed no reason why it should not be considered truly representative of the bulk. This plan, therefore, was adopted.

The first question in regard to the sample is how large it should be. To this question no more definite answer can be given than that the larger the sample the better. It was, however, determined that 500 deaths with causes should be considered a minimum, and that when the number of deaths abstracted in any one industry fell short of this they should not be used as a basis for calculation. It will be seen in Table K., which gives the results of the abstraction, that in most cases this minimum was not only reached but considerably exceeded. In some industries, however, it was found impossible to get 500 recorded deaths of males between 25 and 65 years of age, without running through the registers for more than three years; in these cases, therefore, either the minimum was not reached and rates were not calculated, or the search was extended to the registers of additional years.*

More important than the mere size of the sample is its freedom from local peculiarities, which might detract from its representative value. It is very possible, for instance, that if 1000 deaths, say of tailors, were abstracted with the registered causes in the North of England, and a second 1000 similarly abstracted in the South, the distribution of the two samples by causes might be very different; there might, for instance, be a much larger proportion of diseases of the respiratory system in the Northern than in the Southern sample; and such differences would most certainly be found to exist, if one sample were taken from large towns and a second from rural districts. It was necessary, therefore, in order to ensure the sample being a fair one, that it should be taken from a considerable number of districts in different parts of the country, and especially necessary that town and country should in each case be represented in the sample in proper proportions, which proportions had first to be ascertained separately for each industry.

There are some industries, of course, from which the element of locality is inseparable, as they are only carried on in more or less circumscribed areas. Such for instance is the cotton industry of Lancashire, the hosiery manufacture of Leicestershire and Nottinghamshire, the manufacture of cutlery and files, practically confined to the West Riding, and other similar local industries. It is conceivable that if the cotton manufacture were carried on in some other totally different part of England, the mortality from all and several causes in that industry might be different from what it is at present; but, as things stand, whatever influence on mortality may belong to the geographical position of Lancashire attaches inseparably to the cotton industry. To meet this, as far as possible, the mortality figures for Lancashire are given in the same Table as contains the mortality figures for the cotton industry, and similarly with the other chief local industries, so that instead of comparing the mortality of such an industry with that of All England it may be compared, if such be desired, with that of the county in which it is carried on.

* This was done in the case of fishermen, file makers, hosiery manufacture, ironstone miners, and miners in Cornwall.

Another disturbing element which might interfere with the value of the sample for comparative purposes, and which it was therefore necessary to exclude, was seasonal influence. The causes of 500 deaths in any industry in winter would doubtlessly be different from those of 500 deaths taken in summer. This possible source of error, however, was easily guarded against. Whatever districts were chosen as suitable areas for examination, their death-registers were invariably gone through for the three complete years 1880-1-2, so that the seasons of the year were all equally represented, and the samples in all the industries were so far strictly on an equality. In the few cases where the registers for more than three years had to be searched, as before mentioned, the additional registers used were also registers for complete years, the years taken being 1879 and 1883.

The number of minute precautions that it was found necessary to observe in order to secure the fair character of the samples added very considerably to the difficulty of the task. It is believed, however, that their adoption has made the samples truly representative of the bulk. The samples themselves are given in Table K., while in Table L. the comparative rates of mortality based on these samples are given.

Clergy, Lawyers, Medical Men (Nos. 1, 2, 3).—Of the learned professions and indeed of all the occupations in our Table, the Church enjoys the lowest death-rate; its comparative mortality figure is even lower than that of agriculturists, being only 556. Moreover, the death-rates in the clerical profession have fallen considerably since 1860-61-71, and at both of the two age-periods. When, therefore, an insurance society states in its prospectus that of its assured a large proportion consists of clergymen, it doubtlessly states a fact much in its favour, supposing the premiums paid to be those based on the average lifetime of all professional men. The comparative mortality figure for the legal profession is much higher, being 842; and still higher again is that of the medical profession, which is no less than 1122, and exactly as high as that of slate and stone quarrymen. In each of these two professions, Law and Medicine, the death-rate in the earlier age period (25-45 years) has fallen from the previous record, while the death-rate in the second age-period (45-65 years) has gone up; changes, which, as already pointed out, are common to a very large proportion of the occupations.

Schoolmasters (No. 4).—The death-rates of schoolmasters and teachers are somewhat higher than those of the clergy, but considerably below those of the lawyers and still more below those of the doctors; their comparative mortality figure being 719. It must, however, be borne in mind that a very considerable proportion of these teachers are in the public service as certificated masters, and that these constitute a body of specially healthy men, inasmuch as many constitutional imperfections or infirmities are held to be positive disqualifications to persons entering into the profession through the training colleges. "I do not know," writes Dr. Crichton-Browne, "any profession that is more jealously protected against the intrusion into it of maimed or infirm persons or of those who have in them the seeds of constitutional diseases, than is that of a teacher in this country at present." The death-rates of teachers and schoolmasters have declined, and very considerably, since the previous record, at both age-periods, probably in consequence of the improved status which the profession has been gradually acquiring.

Artists, Musicians (Nos. 5-6).—Art is represented in the Table by two headings; viz., Artists, Engravers, Sculptors, Architects, with a comparative mortality figure of 921, and death-rates that follow the common rule of increase in the second and decrease in the earlier age-period; and Musicians, among whom there has been a decline in both age-periods, but whose comparative mortality figure is nevertheless still 1314. It must be remembered that under this heading are comprised all sorts and conditions of men, and

(continued on page xxxiv.)

TABLE K.—Causes of Deaths of Males, aged 25-65 Years, in DIFFERENT Industries; being samples abstracted from the Death Registers of 1880-1-2.

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory System.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Phthisism.	Accident.	All other Causes.	TOTAL.
7	Farmer, Grazier	254	54	264	325	313	90	131	95	18	5	-	94	340	1,092
8	Labourer in ten Agricultural Counties	274	32	332	418	533	74	68	147	3	2	-	111	400	2,394
9	Gardener, Nurseryman	67	12	87	128	118	41	19	23	2	1	-	25	112	635
10	Fisherman	56	9	106	72	62	10	22	24	3	-	-	103	80	562
11	Cab, Omnibus, Service	86	10	103	231	219	42	35	20	21	7	-	54	125	463
15	Commercial Traveller	97	22	70	168	103	31	43	18	16	4	-	25	66	663
16	Brewer	63	5	72	146	163	24	42	20	11	4	-	28	77	595
17	Innkeeper, Publican, Wine, Beer-Dealer	164	21	115	242	178	68	197	30	45	11	-	37	138	1,246
22	Bookseller, Stationer	23	1	19	51	28	12	4	2	3	-	-	3	23	169
23	Chemist, Druggist	35	4	27	48	37	10	18	10	6	2	-	7	38	242
24	Tobacconist	13	2	12	38	19	3	10	9	4	1	-	5	25	141
25	Grocer	109	17	109	170	118	49	53	32	10	2	-	14	102	785
26	Draper, Manchester Warehouseman	63	3	45	180	77	22	21	23	5	1	-	14	72	528
34	Butcher	134	22	127	231	200	53	92	32	22	5	-	34	153	1,125
35	Baker, Confectioner	89	17	86	139	122	26	30	17	10	1	-	14	78	629
37	Hatter	24	6	18	40	24	1	9	1	3	-	-	3	20	149
38	Hairdresser	57	15	45	98	53	14	17	20	13	2	-	11	26	371
39	Tailor	157	18	139	311	203	49	53	46	12	4	-	20	137	1,149
40	Shoemaker	217	31	203	451	278	79	57	54	7	1	-	30	227	1,635
46	Printer	57	5	59	292	105	19	18	20	2	-	3	15	83	678
47	Bookbinder	11	2	6	30	12	1	3	3	-	1	-	2	6	77
52	Earthenware Manufacture	71	*	81	239	326	25	25	17	4	-	5	12	76	881

* The deaths from Suicide were in this case not separated from the deaths from Nervous Diseases.

TABLE K.—Causes of Deaths of Males, aged 25-65 Years, in DIFFERENT INDUSTRIES; being samples abstracted from the Death Registers of 1880-1-2—continued.

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory System.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	TOTAL.
53 {	Cotton, Linen, Manufacture {	107	*	131	320	319	38	51	37	3	-	-	35	177	1,278
55 {	Wool Manufacture (West Riding)	157	19	170	318	254	44	45	49	5	-	-	53	178	1,278
58 {	Hosiery Manufacture (Leicestershire & Nottinghamshire)	84	16	77	124	85	31	12	17	1	-	-	12	70	589
61 {	Builder, Mason, Bricklayer	142	22	183	405	323	79	48	55	8	5	-	72	217	1,559
64 {	Plumber, Painter, Glazier	162	20	136	239	180	97	47	37	12	10	20	71	138	1,169
66 {	Carpenter, Joiner	138	27	161	317	296	61	50	46	6	3	-	59	194	1,274
74 {	Cutler, Scissors Maker	135	*	79	203	276	25	21	23	2	-	-	12	93	928
75 {	File Maker	83	*	57	137	111	39	13	10	1	-	13	2	62	528
80 {	Blacksmith	85	10	108	194	183	39	28	31	7	-	-	44	148	872
83 {	Miner (Durham and Northumberland)	140	8	167	216	195	42	53	54	6	-	-	318	200	1,394
86 {	Miner (Lancashire)	89	*	103	134	246	26	19	34	3	-	-	213	131	998
87 {	Miner (West Riding)	60	5	88	111	172	23	21	31	1	-	-	161	101	774
88 {	Miner (Derbyshire and Notts)	49	4	45	90	105	14	13	26	3	-	-	124	85	558
89 {	Miner (Staffordshire)	87	3	112	110	281	41	22	30	1	-	-	183	130	1,008
90 {	Miner (South Wales and Monmouthshire)	46	3	92	127	224	26	18	27	4	-	-	175	84	820
92 {	Miner (North Riding, and other Ironstone Districts)	37	8	47	103	150	17	10	10	6	-	-	150	70	608
93 {	Miner (Cornwall)	59	2	56	348	231	19	20	28	1	-	-	59	104	927
94 {	Stone, Slate, Quarrier	83	11	91	309	275	24	25	38	5	-	-	148	115	1,124
96 {	Coalheaver	23	-	29	50	46	7	7	14	3	-	-	23	28	230
97 {	Chimney Sweep	24	4	25	51	43	8	4	6	5	-	-	7	65	242
99 {	Costermonger, Hawker, Street Seller	75	16	82	172	152	25	17	24	7	1	-	19	90	680

* The deaths from Suicide were in this case not separated from the deaths from Nervous Diseases.

TABLE L.—Comparative Mortality of Males, 25-65 Years of Age, in Different Industries, from All and Several Causes.*

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory System.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	All Causes (Comparative Mortality Figure).
	All Males (England and Wales)	119	14	120	220	182	41	39	38	10	3	1	67	146	1,000
7	Farmer, Grazier -	81	17	84	103	90	31	41	30	6	2	-	30	107	681
8 {	Labourer in ten Agricultural Counties -	80	0	97	123	156	22	20	48	1	1	-	33	117	701
9	Gardener, Nurseryman -	63	11	83	121	111	39	18	22	2	1	-	24	105	509
10	Fisherman -	81	13	153	108	90	14	33	35	4	-	-	153	115	707
11	Cab, Omnibus, Service -	134	16	160	359	341	65	54	31	33	11	-	84	194	1,483
15	Commercial Traveller -	139	31	100	240	147	44	61	26	23	6	-	36	95	948
16	Brewer -	144	11	165	354	226	55	96	46	25	9	-	64	176	1,361
17	Luncheon, Publican, Spirit, Wine, Beer-Dealer -	200	26	140	295	217	83	240	37	55	13	-	45	170	1,531
25	Grocer -	107	17	107	167	116	48	53	31	10	2	-	14	100	771
26 {	Draper, Manchester Warehouseman -	109	5	75	301	129	37	35	38	8	2	-	23	131	883
34	Butcher -	139	23	133	261	206	55	96	33	23	5	-	35	160	1,170
35	Baker, Confectioner -	136	26	131	213	186	40	46	25	15	2	-	21	117	938
39	Tailor -	144	16	127	285	186	45	48	43	11	4	-	18	125	1,031
40	Shoemaker -	123	17	114	254	157	44	33	30	4	1	-	17	139	931
46	Printer -	90	8	93	461	166	30	28	32	3	-	5	24	131	1,071
53	Earthenware Manufacture -	140	†	160	473	645	40	40	34	8	-	10	24	150	1,742
55 {	Cotton, Linen, Manufacture (Leicestershire) -	142	†	113	272	271	33	43	32	3	-	-	30	151	1,068
56	Wool Manufacture (Yorkshire) -	127	15	142	227	305	36	36	40	4	-	-	27	143	1,033
58 {	Hosiery Manufacture (Leicestershire & Nottinghamshire) -	114	22	104	168	115	42	16	23	1	-	-	16	96	717
	<i>All Males</i> - <i>Ratio</i> -	<i>100</i>	<i>47</i>	<i>107</i>	<i>166</i>	<i>147</i>	<i>37</i>	<i>35</i>	<i>38</i>	<i>7</i>	<i>1</i>	<i>-</i>	<i>31</i>	<i>141</i>	<i>889</i>

* The figures in this Table are the numbers of deaths that would occur annually in each industry out of 64,641 males from 25 to 65 years of age, of whom 41,930 were under and 22,721 were over 45 years of age.

† The deaths from suicide were not separated in this case from the deaths from nervous diseases.

TABLE I.—Comparative Mortality of Males, 25-65 YEARS OF AGE, in DIFFERENT INDUSTRIES; from ALL and SEVERAL CAUSES*—continued.

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory Organs.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	All Causes (Comparative Mortality Figure).
61	Builder, Mason, Bricklayer	88	14	114	252	201	49	39	34	5	3	-	45	134	969
64	Plumber, Painter, Glazier	167	21	140	246	185	100	48	38	12	10	21	73	141	1,202
66	Carpenter, Joiner	89	17	104	204	133	39	36	30	4	2	-	-	134	820
74	Outler, Scissors Maker	190	†	111	371	389	35	39	31	3	-	-	17	132	1,309
75	File Maker	262	†	180	433	350	123	41	32	3	-	41	6	196	1,667
80	Blacksmith	95	11	121	216	204	44	31	35	8	-	-	40	159	973
85	Miner (Durham and Northumberland)	88	5	105	135	122	26	33	34	4	-	-	196	125	873
	<i>All Males</i>	114	43	135	178	155	30	36	41	43	-	-	98	143	983
86	Miner (Lancashire)	83	†	96	125	229	24	18	32	3	-	-	198	121	929
	<i>All Males</i>	143	15	133	250	307	43	43	45	17	1	-	62	172	1,349
87	Miner (West Riding)	69	5	88	111	172	23	21	31	1	-	-	101	99	772
	<i>All Males</i>	118	16	126	225	213	26	27	29	7	1	-	63	110	1,231
88	Miner (Derbyshire and Nottinghamshire)	64	5	59	118	138	18	17	34	4	-	-	103	114	734
	<i>All Males</i>	99	13	103	166	148	20	41	33	9	1	-	66	135	845
89	Miner (Staffordshire)	81	3	104	102	200	38	29	28	1	-	-	172	129	929
	<i>All Males</i>	117	13	119	174	226	37	43	39	9	2	-	75	153	1,007
90	Miner (South Wales and Monmouthshire)	60	4	129	166	203	34	24	35	5	-	-	229	111	1,081
	<i>All Males</i>	97	8	144	202	209	39	37	39	7	1	-	123	129	1,005
92	Miner (North Riding and other Ironstone Districts)	51	11	64	141	206	23	14	14	8	-	-	206	96	834
93	Miner (Cornwall)	117	4	111	690	458	38	40	56	2	-	-	117	206	1,539
	<i>All Males</i>	99	13	89	203	165	39	27	26	4	1	-	59	168	887
94	Stone, Slate Quarrier	83	11	91	308	274	24	25	38	5	-	-	148	115	1,122
96	Costermonger, Hawker, Street Seller	207	44	227	475	420	69	47	66	19	3	-	53	249	1,879

* The figures in this Table are the numbers of deaths that would occur annually in each industry out of 64,641 males from 25 to 65 years of age; of whom 41,920 were under and 22,721 were over 40 years of age.

† The deaths from suicide were not separated in this case from the deaths from nervous diseases.

that a large proportion of them are organ-grinders, ballad-singers, and street musicians generally, many of whom are of intemperate habits and exposed by their mode of life to cold and to want, while no few have merely taken to the occupation as a refuge, after their health has broken down in more regular occupations.

Farmers (No. 7); *Agricultural Labourers* (No. 8); *Gardeners, &c.* (No. 9).—The agricultural class is represented in the Table by three groups, Farmers, Gardeners, and Agricultural Labourers. In each group the death-rates are excessively low, the mortality figure being 599 for Gardeners, 631 for Farmers, and 701 for Agricultural Labourers. Probably the figure assigned to this last group is somewhat too high; for, owing to possible confusion in the returns between different kinds of labourers, it was thought safer to base the calculation of the death-rates upon all labourers, whether called agricultural or simply styled labourers without any prefix, in ten selected counties,* in which an overwhelming proportion of the labourers would indisputably be agricultural. Still even in these counties there must have been some intermixture of general labourers, and this intermixture would almost certainly raise the rates. Turning from the general mortality to the mortality from individual causes, it will be seen that the higher general mortality of the labourers, as compared with the farmers and the gardeners, is mainly due to their greater liability to phthisis with diseases of the respiratory system. Their mortality from these causes is represented by 278, that of farmers by 202, and that of gardeners by 232. This is what might have been naturally anticipated; seeing that the labourer is of the three the worst housed and the most exposed to cold and wet, while the farmer is in these respects far the best off, and the gardener intermediate to the two.

On the other hand, the farmer, less abstemious in his habits than the labourer or the gardener, as having more means for indulgence, suffers from a higher mortality under such headings as Gout, Alcoholism, and Liver Disease. That the mortality of farmers from these causes is not higher than is shown in the Table is probably due to the open-air life which they lead, and the amount of active muscular exercise which they take, conditions which enable them to indulge with comparative immunity in excesses, which would be much more deleterious to men of sedentary habits.

Another heading under which the mortality of farmers exceeds that of the two other agricultural groups is Suicide. Where the figures are small, as under this heading, too much importance must not be attached to them. But it may be noted that the differences in this case are such as might rationally be expected, for suicide increases generally with education, and is therefore comparatively uncommon among the labouring classes, and also increases with habits of intemperance—many suicides being committed during fits of alcoholic delirium.

Fishermen (No. 10).—The figures relating to fishermen must be accepted with some degree of hesitation, for some uncertainty attaches both to the number of living and to the number of deceased fishermen. The uncertainty as to the living arises from the fact that besides the regular and permanent fishermen there is also a considerable number of men who engage irregularly in the fishing industry, and there is no certainty how such men may have returned themselves at the Census. The uncertainty as to the fishermen who die arises from the possibility that some few of those who are drowned and whose bodies are not recovered may escape registration. It is not probable, however, that these causes will have affected the figures in any serious degree. Taking them as they stand in the Table, it will be seen that fishermen are a remarkably healthy set of men, rivalling in this respect the agriculturists, whom they resemble in their specially out-door life.

* See note on page xxv.

Indeed, if deaths from accident be put on one side, the death-rates of fishermen and their mortality from the several causes resemble very closely those of farmers. In both cases the mortality figures for nervous diseases, for phthisis, and for diseases of the respiratory organs, are remarkably low, the figures for the two latter causes together being 198 for fishermen and 202 for farmers, and considerably below the figure for any other occupation in the Table. The main differences between the two are these: the farmer, living a life of less exertion, and perhaps being of less abstemious habits, has the higher mortality from alcoholism, gout, liver diseases, and diseases of the urinary system, while the fisherman, probably because his occupation subjects him to sudden muscular efforts and strains, and exposes him to cold and wet and therefore to rheumatic affections, and perhaps also in consequence of the frequent and prolonged periods of anxiety that beset his life of peril, has a much higher mortality than the farmer from diseases of the heart and other organs of circulation. Indeed under this heading his mortality figure is 153, which is not only much above the average of all males, but higher than in most of the occupations in the Table.

The mortality of fishermen from accidents is exceedingly high, and rivals that of coal-miners, while it is higher than that of the Cornish tin-miners or that of quarrymen. The main form of accident to which fishermen are liable is, of course, drowning. Out of 105 deaths of fishermen from accident, 79 were thus occasioned. The remainder were mostly due to blows from spars, &c.

Cabmen, &c. (No. 11); *Bargemen* (No. 12); *Carters* (No. 13); *Costermongers*, *Street Sellers* (No. 99).—That life in the open air is not in itself sufficient to ensure healthiness, is shown by the death-rates of those who are engaged in traffic by land or water, in cab-driving, and in street hawking. In each of these occupations the rates are excessively high. The comparative mortality figure for bargemen, lightermen, watermen, is 1305; for carters, carriers, hauliers, 1275; for cab and omnibus service, 1482; and for hawkers, costermongers, and street sellers, 1879. As regards the first two of these groups our Tables give no further information, excepting that the high mortality of the bargemen and watermen, noted on the present occasion, tallies very closely with the record of previous experience. But as regards the cab and omnibus service, and the costermongers, particulars of causes are given in Tables K. and L. It should, however, be observed, before considering such particulars, that these two occupations do not start on equal terms with most other occupations in regard to the physical condition of the men engaged in them respectively. Doubtless, both among cabmen and among street hawkers, there are men of good health and steady habits who have taken to the occupations as their original means of living; but there is also most certainly in both of them a very considerable proportion of men who have only taken to the occupation as a refuge, having fallen from some superior status in consequence of ill health and evil ways. The high mortality, therefore, in these occupations is not attributable, or at any rate is not wholly attributable, to the nature of the occupation itself, which for all that appears to the contrary may be a very healthy one, but to the physical condition of the men who engage in it. Unhealthiness drives them into the occupation, not the occupation them into unhealthiness. In both these occupations the mortality due to drink is in great excess, as shown by the figures under the headings *Alcoholism*, *Liver Diseases*, and *Diseases of the Urinary Organs*, as also in the cab and omnibus service under the heading *Gout*, and among the street sellers under the heading *Suicide*. But the headings under which the greatest excess of mortality occurs are *Phthisis* and *Diseases of the Respiratory Organs*, which is doubtlessly attributable to the effect of exposure to all kinds of weather of bodies already enfeebled by previous disease and intemperance. The comparative mortality figures

under these two headings together are, for cabmen 700, and for the street sellers 895, the corresponding figure for all males being only 402.

Cabmen are, of course, from the nature of their employment, specially liable to accident, and consequently their mortality figure for accident, which is 84, is higher than that of men in any other occupation in Table L., excepting miners, quarrymen, and fishermen.

Grooms, Private Coachmen (No. 14).—That the mere fact of having to do with horses and carriages, with the consequent liability to accident and to exposure, is not itself enough to cause any very high death-rate, is shown by the comparatively low mortality of grooms and private coachmen, for whom the comparative mortality figure is only 887.

Commercial Travellers (No. 15).—Another occupation of a very different kind, but so far resembling those we have now been considering as that it involves much out-of-door existence, is that of commercial travellers. The death-rates in this occupation have fallen very considerably since the previous experience, but still are high, the comparative mortality figure being 948, which is nearly 50 per cent. above that of those engaged in agricultural pursuits. A very considerable proportion of the mortality of commercial travellers is due to intemperance, as is at once visible in Table L., where it will be noted that under the headings Alcoholism, Liver Disease, Gout, and Suicide, the mortality figures for this occupation come very high up on the list. Indeed, under the heading Suicide the commercial traveller stands second on the list. The mortality from Nervous Affections is also in excess in this occupation, whereas the mortality from Tubercular Diseases and Affections of the Respiratory Organs together is somewhat below the mean; the mortality, however, from the former by itself being rather in excess, as is the general rule with occupations which are accompanied by much intemperance.

Brewers (No. 16); *Innkeepers, Publicans* (No. 17); *Inn, Hotel Servants* (No. 18); *Maltsters* (No. 19).—The mortality of men who are directly concerned in the liquor trade is appalling; the comparative mortality figure for brewers being 1361; for innkeepers, publicans, and generally all dealers in spirits, wines, or beer, 1521; and for inn and hotel servants no less than 2205; whereas for maltsters, who only are concerned with the materials and not with the liquor itself, the figure is only 830. The death-rates for inn and hotel servants were much higher in 1880-82 than in the former experience, whereas the death-rates of the brewers and the publicans, high as they are, nevertheless show a not inconsiderable reduction.

It is well, whenever the opportunity offers itself, to test the accuracy of our death-rates by comparison with data derived from independent sources, and in the case of the innkeepers and publicans such comparison is possible. By the experience of the Scottish Amicable Life Assurance Society* (1826-1876), the mortality of males occupied in this business was 68 per cent. in excess of the Actuaries or Healthy Male Table, and 49 per cent. in excess of the English Life Table (No. 2., Males). This result tallies very closely with the figures in Table L., where it appears that the mortality of the innkeepers and publicans is 52 per cent. above the present mortality of all males.

That this terrible mortality is attributable to drink might be safely assumed *à priori*, but the figures in Table L. render it incontestable. The mortality attributed to alcoholism itself is far higher for innkeepers and publicans than for any other industry, and more than five times as high as the average; that for brewers falls far short of this, but nevertheless is

* "On the Mortality among Publicans, &c.," by John Stott, Journal of Institute of Actuaries, 1876.

the next highest to that of innkeepers, with the single exception of cabmen. Under the heading *Liver Diseases* the mortality of innkeepers is no less than six times as high as the average, and more than twice as high as that of brewers and of butchers, who come next in order in this respect to innkeepers. The innkeepers, again, show the highest mortality in the Table from gout, and, putting aside trades in which there is lead-poisoning, from diseases of the urinary organs. The brewers also show great excess of mortality, though in a less degree, under these headings. So also is it under the headings *Suicide*, *Diseases of the Nervous System*, *Diseases of the Organs of Circulation*, *Phthisis*, and *Diseases of the Respiratory Organs*; there are, in short, no organs apparently that are not more or less seriously damaged by the excessive use of alcoholic drinks, though the liver appears to suffer most. The mortality of the brewers, from all causes, though greatly in excess of that of most industries, is considerably lower than that of the innkeepers and publicans. This is probably due to the fact that, whereas the brewers chiefly consume malt liquor, the innkeepers and publicans take not only beer but spirits. The occupation of the brewers, moreover, entails much more muscular exercise than does the sedentary business of the other occupation. This difference of mortality between brewers and innkeepers accords with the results of the inquiries and calculations made by Mr. Neison, who found that the annual mortality among persons who were given to intemperate indulgence in fermented liquors was very considerably less than among those who indulged similarly in distilled liquors.* It may also be worth noting that a comparison between Mr. Neison's figures† and our own comparative mortality figures shows that a large proportion of the innkeepers and publicans and the brewers must be of temperate habits; for whereas the comparative mortality figure of innkeepers in our table is 1521, and that of brewers is 1361, that for recognised intemperate persons, according to Mr. Neison's data, would be 3240. If we suppose innkeepers and publicans, as also brewers, to be entirely made up of such intemperate persons as were the basis of Mr. Neison's calculations and of persons resembling the average of all males, then it would follow that 23 per cent. of the innkeepers and publicans, and 16 per cent. of the brewers, were of intemperate habits.

Law Clerks (No. 20) *Commercial Clerks* (No. 21).—The death-rates of clerks, both commercial and law, and especially of the latter, are high: the comparative mortality for the former being 996, and for the latter no less than 1151. Clerks work in close offices, and lead an almost exclusively town life, with its attendant evils. High, however, as their death-rates are, they have declined very greatly since the previous record; probably because the increased competition for employment has enabled employers to fill their offices with a better class of assistants. The increased attention given to athletic sports and generally to out-door pursuits may also have had some part in this improvement.

Shopkeepers (No. 22-33).—Of the occupations in the Table, eleven may be taken as fairly representative of the great class of shopkeepers. The comparative mortality figure for the aggregate group thus formed is 877, which cannot be considered high, when it is borne in mind how large a proportion of shopkeepers live in towns, how little out-door exercise they get as a rule, and what long hours they spend in the more or less vitiated atmosphere of a shop. The mortality differs not inconsiderably in different shop businesses, and arranging the eleven in the order of their comparative mortality figures, we have the following sequence:—coal merchant 758; grocer 771; bookseller and stationer 825; general shopkeeper 865;

* "Contribution to Vital Statistics." F. G. P. Neison, 3rd edition, p. 218.

† Mr. Neison's figures are for all males over 15 years, whereas ours are for males between 25 and 65. He found that 357 deaths occurred among intemperate males, whereas there should, by the average of all males, only have been 110·2; in other words, there were 3240 instead of 1000.

draper 883; ironmonger 895; fishmonger and poulterer 974; tobacconist 1000; milk, butter, cheesemonger 1009; chemist 1015; greengrocer 1025. For nine of these 11 occupations we have death-rates from previous experience; and, if we calculate the comparative mortality figures by the previous death-rates, we find that in every one of the nine the figure has fallen, the decline being greatest in the cases of the drapers and of the fishmongers.

Samples of the registered causes of death were taken for five of these trades, and the figures are given in Table K.; but for only two, the grocers and the drapers, did the samples abstracted come up to 500 deaths, which was fixed as the minimum required for calculation of rates. Comparing the mortality from different causes in these two trades, it will be seen that the drapers suffer much more than the grocers from phthisis and diseases of the respiratory organs, and especially from the former; whereas the grocers have the higher rate of mortality from diseases of the organs of circulation, as also, in a smaller degree, from alcoholism, liver disease, diseases of the urinary organs, and suicide.

Independently of the fact that many grocers deal in spirituous drinks, they differ from drapers in a way which very possibly may account for the differences between their death-rates from those alcoholic causes and from diseases of the circulatory system. The grocers are as a body of men older than the drapers. A draper's assistant is required to be a young man, and so soon as he reaches a certain age he must go. This is at once seen on consulting the Tables in the Census Reports. It will be found on reference to these that for every 100 grocers between 25 and 45 years of age there are 54 between 45 and 65; whereas for every 100 drapers of the former age there are only 33 of the latter. But both cardiac and hepatic diseases become much more frequent as age advances; and consequently we should expect to find, as we in fact do find, a greater mortality under these headings among the grocers than among the drapers. For it must be remembered that our rates are but imperfectly corrected for differences of age distribution.*

The contrast between drapers and grocers in regard to their respective mortalities from phthisis and tuberculosis is not improbably referable in part to the very great differences observable between an ordinary draper's and an ordinary grocer's shop. The latter has, as a rule, the door wide open, and not being usually of great size, is thoroughly well ventilated. The drapers shop generally has the door shut, or at any rate not so widely opened as has the grocers, inasmuch as dust would damage the goods; it is of considerable depth and crammed with wares that are constantly being moved about, and that give off fluffy dust during the process; the air is further fouled by numerous gas-lights required to show off the goods; and this vitiation is in most cases distinctly perceptible to the nose. Thus probably it comes about that the drapers' mortality from phthisis is one of the highest, while the grocers' is one of the lowest in our list.

Butchers (No. 34).—From simple shopkeepers we pass on to those occupations or handicrafts that involve manual labour, though often in combination with shopkeeping. The death-rates in these lighter handicrafts are on the average higher than among shopkeepers, and the comparative mortality figure rarely falls to 900, whereas the mean for the shopkeepers was 877.

The butchers have now, and had in the previous record, very high death-rates, and their comparative mortality figure is as high as 1170. The rate, as in so many other trades, has declined in the earlier and risen in the later

* The Comparative Mortality Figure is so far corrected as that it is based in each trade upon equal numbers living under and above 45 years of age, viz., 41,920 in the former age-period, and 22,721 in the latter; but even within the limits of a single age-period of 20 years there is room for much diversity. Moreover, in abstracting the causes of death, no distinction was made between the two age-periods, all deaths between 25 and 65 being taken indiscriminately.

age period, but in neither to any great extent. The high mortality of butchers is manifestly due to excessive indulgence. Their mortality from alcoholism, liver diseases, and urinary diseases, respectively, is almost identically the same as that of brewers. So also is their mortality from diseases of the nervous system. But under the headings Phthisis and Diseases of the Respiratory System their mortality falls far short of that of the brewers. Still, even under these headings their mortality is high, and especially under the heading Phthisis.

This is noteworthy, for all writers who touch on the question of the diseases of trades ascribe to butchers a very considerable immunity from tubercular diseases, following Dr. Beddowes, who made this statement in his work on consumption at the close of the last century.* Thackrah† goes so far as to say that "if we see a phthisical youth in the fraternity, we shall generally find that his parents, aware of an hereditary disposition to consumption, brought him up in the business with the hope of averting this formidable malady." So strongly has this opinion as to the immunity of butchers from phthisis been held, that a medical man at Montpellier wrote a treatise in 1788 on the question, "*Utrum in carnario commoratio phthisicis prodesse possit?*" Our figures in no wise tally with this very generally held opinion. The mortality of butchers from phthisis as given in the Table is high, the figure being 261 against an average of 220 for all males; and in this respect butchers agree with other trades in which there is evidence of alcoholic excess. It may, of course, be said that deaths are frequently ascribed to phthisis that are not really tubercular, and that should be put under respiratory diseases. But there is no apparent reason why such transference should occur in the case of butchers more than in the case of other males. Moreover, the writers who ascribe to butchers the supposed immunity from phthisis give no figures, but apparently have formed their conclusion on the insecure basis of general impression. The only precise figures that are to be found as to mortality from phthisis in different trades are those put out by the Swiss authorities, as the result of investigations in 1879-82, and these figures coincide with our own. For of the 27 trades concerning which particulars are given in the Swiss returns, that of butchers comes fifth when the trades are ranged in the order of their mortalities from phthisis, beginning with the highest.

Bakers and Confectioners (No. 35); *Millers* (No. 36).—The death-rates of bakers and confectioners have not altered materially since the previous record; they are still rather high, though far short of those of butchers, and the comparative mortality figure is 958, being almost exactly the same as that of millers, who in one respect resemble bakers, viz., in their exposure to flour-dust, though otherwise their lives are very different. There is some indication in the Table of Mortality by Causes, Table L., of abuse of alcoholic drinks by bakers; for the mortality in this trade directly ascribed to alcohol is high, and that ascribed to suicide very high, while the mortality from liver disease is also somewhat above the average. In spite of the high temperature in which bakers work, and the inhalation of flour-dust that their craft entails, their mortality from phthisis and from diseases of the respiratory organs hardly departs from the average for all males. Judging from the death-rates of millers and bakers, the inhalation of flour-dust would seem to be innocuous; probably little, if any, of the dust inhaled by them reaches the lungs.

Hatters (No. 37).—The death-rates of hatters have fallen since the previous record, but are still high, the mortality figure being 1064. In making hats the workman "at the plank" is exposed to considerable

* "Causes, Early Signs, and Prevention of Pulmonary Consumption." London 1799, pp. 33, 39, 44.

† "The Effects of the Principal Arts, &c." London, 1831, p. 9.

‡ "Mouvement de la Population de la Suisse," 1882, p. xviii.

variations of temperature, working over a stove and in steam. To judge from the sample of deaths and causes in Table K., which is, however, too small to give a secure basis for calculation of rates, the conditions under which hatters work lead to excessive drinking and its consequences, liver disease, suicide, and also to phthisis and tubercular affections.

Hairdressers (No. 38).—The death-rates of hairdressers, though the mortality has fallen at the earlier age-period since the previous record, are still excessively high, and give a comparative mortality figure of no less than 1327. Judging from the deaths abstracted with their causes, which however only amounted to 371, and thus were below the minimum fixed for calculation of rates, the high mortality of hair-dressers is due to phthisis and to the diseases caused by drink. The life of hairdressers, speaking generally, is a town life; and their work is entirely indoors, and carried on in, a heated atmosphere; moreover, the air in which they work must necessarily be more or less dusty, being charged with particles of hair and other substances.

Tailors (No. 39); *Shoemakers* (No. 40).—The death-rates of tailors and of shoemakers have declined since the previous record in the earlier, and gone up in the later, of the two age-periods. In both trades the mortality must be considered high, the comparative figure for tailors being 1051 and for shoemakers 921. Tailors are proverbially unhealthy men; and probably, owing to the work requiring no great strength, and being of a sedentary character and carried on entirely indoors, more than an average proportion of weakly youths enter the trade. The chief heading under which the mortality of tailors exceeds that of shoemakers is phthisis, where the figure for tailors is 285, while that for shoemakers is only 254 and not very much above the average. The difference is readily explained by the closer and more confined air in which tailors habitually carry on their business. Under diseases of the respiratory organs neither tailors nor shoemakers depart widely from the average.

The death-rate of tailors from alcoholism and from diseases of the liver is high, and above that of shoemakers, and in both trades the suicide figure is in excess; still the figures under these headings in Table L. are hardly such as to justify us in speaking of tailors in the words quoted by Thackeray as "the most intemperate set of men in London." That they drink more than is good for them is manifest, but it must be remembered that their work is purely sedentary, and that an amount of drink that can be borne with impunity by those whose lives are spent in active out-of-door occupation is seriously injurious to those who lead sedentary lives. The mortality of tailors and of shoemakers from diseases of the organs of circulation is very nearly that of all males; but their mortality from diseases of the nervous system is high, that of the tailors being higher than that of the shoemakers, probably in consequence of their being more intemperate.

"Consumption and other forms of chest disease," wrote Dr. E. Smith of tailors in 1863, in the Sixth Report of the Medical Officer of the Privy Council, p. 429, "are the most frequent causes of death, and constitute two thirds of all the causes of death." Dr. Smith gives no precise figures, and his conclusions seem rather founded on general impressions than on accurate statistical data; nor does it appear whether heart diseases are included by him among chest diseases in the above quotation. But the mortality from phthisis and diseases of the respiratory and of the circulatory organs altogether do not at present constitute nearly two thirds of the total mortality. The conditions, therefore, under which tailors work, and which lead to the production of these diseases, have apparently undergone much improvement.

Curriers (No. 42); *Saddlers, Harness Makers* (No. 43).—The death-rate of curriers has fallen at both age periods since the previous record; their comparative mortality figure is 906, while that of saddlers and

harness makers is 987, the death-rate in this latter industry having fallen in the earlier, but gone up in the later, of the two age-periods.

Tanners, Fellmongers (No. 41); *Tallow Chandlers, Soap Boilers, &c.* (Nos. 44-45).—The workers in these industries are exposed to sickening exhalations, but apparently their mortality is not so seriously affected by it as might be expected *à priori*. The comparative mortality figure for the tanners is 911, and for the tallow chandlers and soap boilers 920, or, if glue and manure makers be included, 933. The death-rates in each of these industries have fallen at both age-periods since the earlier record.

Printers (No. 46); *Bookbinders* (No. 47).—The death-rates in these industries have fallen from the previous record, and at each of the two age-periods, but they are still very high, the mortality figure for the printers being 1071, and for the bookbinders as much as 1167. Both industries are carried on under notoriously unhealthy conditions, in ill-ventilated rooms, and in an atmosphere unduly heated by engines, stoves, and flaring gas-lights. The decline in the death-rates may be fairly attributed to the improvements effected by the factory inspectors since these trades came under supervision, while the high mortality which still prevails in them shows how much there yet remains to be done.

It will be seen in Table L. that the high mortality of printers is entirely due to phthisis, their mortality figure under this heading being no less than 461, against an average of 220 for all males; that is to say, the mortality of printers from this cause is more than twice as high as the average. What an appalling mortality this is will be seen at once on running the eye down the column which gives the comparative figures for phthisis in the several trades and industries. Excepting costermongers, whose special circumstances have already come under discussion, and those industries in which the workman is exposed to the inhalations of dust, such as file-makers, potters, and Cornish miners, there is no industry in the Table in which the mortality from phthisis approaches to that of printers.* As for bookbinders the data in Table K. are too scanty for any certain statement; but, so far as can be judged from the 77 deaths of which the causes are recorded, in this industry also the high mortality is due to phthisis, for of the 77 deaths no less than 30 were caused by this disease.

Printing is one of the occupations which renders those engaged in it liable to lead-poisoning. Of the 678 deaths of printers (Table K.) of which the causes were abstracted, 3 were attributed to this affection. The amount of lead-poisoning, however, in a given industry is not to be measured so well by the deaths directly attributed to this cause, for these would probably be only the cases of acute poisoning, as by the deaths attributed to diseases of those organs which are known to suffer from chronic exposure to the influence of lead, and especially by the deaths from diseases of the kidneys and of the nervous system (see *file makers, painters*). Measured by this test, the amount of lead-poisoning among printers can be but insignificant,† for their mortality figure is below the average under both of those headings. It may, however, be well to note that Hirt believes that the high mortality of printers from phthisis is in some degree to be attributed to lead-poisoning, an opinion which is

* A long report on printers in London, by Dr. E. Smith, will be found in the 6th Report of the Medical Officer of the Privy Council. That report agrees with the results in the text so far as regards consumption, which Dr. Smith found to be "twice as prevalent among printers as among the members of the whole community." But diseases of the lungs and of the heart appear to have been much more common among printers at that date, 1863, than is now the case.

† The above statement as to the rarity of lead poisoning among printers tallies with the result of the inquiry into the matter made by Dr. Whitely, and published in the 6th Report of the Medical Officer of the Privy Council, 1863, p. 354.

not shared by Tanquerel des Planches, who, on the contrary states, as the result of his own experience, that lead confers a certain degree of protection against phthisis.*

Watch and Clock Makers (Nos. 48-49).—The death-rate in this industry has fallen at each of the two age-periods since the previous record, and the comparative mortality figure is 903. The rates, however, are not very trustworthy, owing to possible confusion between watchmakers and jewellers. If these latter be included, and also makers of philosophical instruments, the comparative mortality figure will be 932. This somewhat high mortality figure is probably attributable to the injurious influences of confinement to indoor life and in a small degree to the inhalation of metallic dust. For, though the amount of such dust given off may not be very great, yet the bent attitude which watchmakers habitually assume in order to see their work brings their mouths into such a position of proximity as to favour its inhalation. The cramped attitude itself, moreover, by hindering free expansion of the chest must injuriously affect the organs of respiration. Our Table gives no account of the causes of mortality in this business; it may, however, be noted that the Swiss returns show a somewhat high mortality among the watchmakers, and an especially high mortality from phthisis. A French writer also, M. Perron,† stated, some twenty years ago, that in the district of Besançon no less than 60 per cent. of the mortality of watchmakers is caused by phthisis, which he attributes to the inhalation of the dust of copper filings.

Paper Manufacture (No. 50).—The death-rates in this industry have fallen since the previous record, very considerably in the earlier, and slightly in the later, age-period; and the comparative mortality figure is only 717, being among the lowest. The only unwholesome processes in paper manufacture are the preliminary operations of cutting, sorting, and generally dealing with the rags, which give off clouds of dust, and moreover sometimes serve as transmitters of infectious diseases such as small-pox‡; but these preliminary processes are almost exclusively in the hands of women, while our figures relate solely to males.

Glass Manufacture (No. 51).—The death-rate in this industry is very high at both age-periods, having risen in the later and fallen in the earlier period since the previous record. The comparative mortality figure is no less than 1190. Glass-working is carried on in an excessively high temperature; and in some of the operations fine, hard, and sharp-pointed dust is given off. Glass-blowers also are reputed to be very liable to emphysema. It would probably, therefore, be found that the high mortality in this industry is due to lung affection, but glass manufacture is not one of the industries in which the causes of death have been abstracted.

Earthenware and China Manufacture (No. 52).—This industry, wrote Dr. Farr in the last decennial supplement, "is one of the unhealthiest trades in the country." The death-rates on which that statement was based were excessively high, and since the statement was made the rates have increased at each of the two age-periods, and give now a comparative mortality figure of no less than 1742, which is only exceeded in the Table by the figures for costermongers, Cornish miners, and inn and hotel servants. This excessive mortality is in greatest part due to phthisis and diseases of the respiratory organs, the deaths from these two causes being represented by 1118, while the number for all males is only 402; so that the mortality under these two headings is almost three times as great in

* Hirt. i. 93, iii. 139.

† Ann. d'Hygiène, 2nd Ser. xvi., p. 70.

‡ Supplement to 11th Report of Local Government Board (1881), p. 107, and 8th Report of Medical Officer to Privy Council (1863), p. 196.

this industry as among average males. There is only one occupation in Table L., viz., mining in Cornwall, in which the mortality from these two causes is higher; and scarcely any other in which it comes near this. The mortality from diseases of the circulatory system is also extremely high, almost the highest in the Table; the inhalation of dust induces emphysema and chronic bronchitis, or "potters' asthma," and this in turn gives rise to heart disease. The various processes of the manufacture differ very greatly as regards their unhealthiness; and full particulars concerning them individually are given by Dr. Greenhow* in his report upon the industry as carried on at Wolstanton and Stoke-upon-Trent. Taking, however, the aggregate industry, the two main conditions that produce this terrible mortality are the inhalation of air charged with fine irritating dust, and exposure to great vicissitudes of temperature. The mortality ascribed to alcoholism and to liver disease seems to imply a certain but not very great amount of intemperance; and this tallies with the statement made by Dr. Greenhow that the potters are said to be of intemperate habits, but much less so than formerly. In one branch of the industry, viz., the "dipping," the workman is exposed to the chance of lead-poisoning, and among the 881 deaths of which the causes were abstracted 5 were attributed to this poison. But, taking the industry in the aggregate, there is no evidence, either under the headings Diseases of the Nervous System or Diseases of the Urinary System, of any considerable amount of chronic lead-poisoning, such as we find among painters and file-makers.

Textile Manufactures (Nos. 53-58).—Among the textile industries there are two in which the death-rates are high, and unfortunately these are the two in which by far the largest number of persons are engaged, viz., the cotton industry of Lancashire (No. 53) and the woollen and worsted industries† of the West Riding (No. 55). The comparative mortality figures in these industries are 1088 and 1032 respectively. After these comes carpet manufacture (No. 56) with a figure of 945; while the silk manufacture (No. 54), the lace manufacture (No. 57), and the hosiery manufacture of Leicestershire and Nottinghamshire (No. 58), all have low death-rates, their respective mortality figures being 845, 755, and 717. Some part of these differences may possibly be due to differences of locality; for, high as is the cotton mortality, it is lower than the mortality of males in Lancashire generally, and the high figure which denotes the woollen and worsted mortality corresponds almost exactly to that of the whole of the West Riding; while the low mortality figure of the hosiery manufacture may be partly due to the low mortality in Leicestershire and Nottinghamshire generally, as shown in Table L., where the rates for those counties are given for the sake of comparison. But it can scarcely be doubted that the main cause of the differences is to be found in the conditions under which the industries are severally carried on, and especially in the differences that they present in regard to the dustiness and the temperature of their respective working-places. In the cotton factories the temperature of the weaving sheds is described in a recent (October, 1883) report by Dr. Bridges to the Home Secretary as "tropical and relaxing," and dust, composed partly of filamentous particles of cotton and partly of mineral substances used for sizing, is stated to be a notable feature in most of the sheds. In the woollen industries the temperature is not so high as in the cotton factories, nor is the dust evolved in most of the processes nearly so great, owing to the wool being treated with oil. There are, it is true, some preliminary processes, such as wilying and teasing, in which considerable dust is given off; but even in these processes it is said‡ that owing to "the dust being drawn away into a flue connected with a fan, which

* Third Report of Medical Officer of Privy Council, pp. 102-113.

† It was found practically impossible to separate the mortality in the Woollen and Worsteds Industries, and they have therefore been grouped together.

‡ Dr. Greenhow in 3rd Report of Medical Officer of the Privy Council, p. 166.

"produces a powerful indraught, but little of it escapes into the atmosphere of the workroom." But both as regards dust and as regards temperature, the silk mills, as I am informed by Mr. Lakeman, the Senior Inspector of Factories, contrast most favourably with the cotton and with the woollen factories; inasmuch as both dust and high temperature have to be scrupulously avoided, as injurious to the costly material. "The only process of the silk manufacture of Leek and Macclesfield," says Dr. Greenhow,* "in which dust is evolved is the manufacture of silk waste, in which comparatively few persons are engaged." Neither in the hosiery nor in the lace manufacture is there any necessary evolution of dust, though it is said that a small and almost imperceptible quantity is given off in the process of making stockings; nor are the workmen exposed by any necessary conditions of their industry to high temperature; the factories, which of recent years have been gradually, to a great extent, superseding the former domestic labour, being as a rule lofty and tolerably well ventilated.†

It is to differences of this kind that we must attribute in the main the great diversity in the mortalities of the several textile industries; and it is strictly in harmony with this view, that the chief share in that diversity, so far as the three industries for which the causes of death have been abstracted are concerned, is due to differences in the mortality from phthisis and from diseases of the respiratory organs. The mortality figure for these two together is for the cotton industry 543, for the woollen and worsted industry 462, and for the hosiery manufacture only 283, the figure for all males being 402. There are no similarly wide differences between these industries under other headings. Thus the mortality from diseases of the nervous system, together with suicide, is represented for the cotton industry by 142, for the woollen and worsted industry also by 142, and for the hosiery manufacture by 136, or practically the same figure. Under diseases of the organs of circulation the figure for the cotton industry is very slightly higher than that for the hosiery manufacture, while for some unexplained cause the figure for the woollen industry is in considerable excess.

In none of these three industries does there appear to be any seriously injurious amount of intemperance, to judge from the mortality attributed to alcoholism and to diseases of the liver. The figures indeed for the hosiery manufacture under these headings are exceptionally low.

There is one ailment to which certain workmen in the woollen industries are exposed from which the other textile industries are free, namely, anthrax or woolsorters' disease. Of the 1278 deaths of wool and worsted workers, of which the causes were abstracted, 10 were ascribed to this disease.

Dyers, Bleachers, Printers, of Textile Fabrics (No. 59).—The death-rate in this group of industries, as in so many others, has fallen in the earlier and gone up in the later of the two age-periods. The mortality is high and the comparative figure 1012. The causes of death have not been abstracted, but the high mortality not improbably is connected with the fact that many of these industries are carried on in places where the amount of steam is such as "frequently to produce the effect of a dense fog."‡

Rope, Cord, Twine, Makers (No. 60).—The death-rates in this industry have fallen very considerably at each age-period since the previous record, and the comparative mortality figure is now only 839.

Builders, Masons, Bricklayers (No. 61), *Slaters, Tilers* (No. 62), *Plasterers, Whitewashers* (No. 63).—The death-rate of slaters has fallen

* Op. cit., p. 157.

† Op. cit., pp. 169-70.

‡ Report by Dr. Bridges to Home Secretary, October 1833, p. 6.

considerably at each age-period since the previous record, but still is high, giving a comparative mortality figure of 942; the rates are, however, based on comparatively scanty data, the years of life for the second period being under 5000. The death-rates of plasterers and whitewashers, and of builders, &c., have also fallen very considerably at each of the two age-periods, but the comparative mortality figure for the former is still 896, and for the latter is 969. Builders, masons, and bricklayers are of course exposed by the nature of their work to the inhalation of dust, but in a mitigated degree, inasmuch as their work is carried on mainly in the open air; and consequently their mortality is somewhat high from phthisis and diseases of the respiratory organs, but not excessively so, the figures being 252 under the former and 201 under the latter heading, figures which, though not inconsiderably above the average, are yet low as compared with those of workers similarly exposed to dust in trades not carried on in the open air. Bricklayers are commonly reputed to be intemperate, but so far as can be judged from their mortality from alcoholism, diseases of the liver, and diseases of the nervous system, under each of which headings the figure is below the average, the amount of intemperance is not such as to do serious mischief; if they drink in excess the ill effects on the body are counterbalanced by hard muscular exertion. Working often on scaffoldings these men are liable to falls from heights, and consequently the mortality from accident is rather high, its figure being 45. This is considerably below the figure for All Males, which is 67, but the figure for All Males is no true standard for comparison, being raised very greatly by the inclusion of a few terribly dangerous industries, such as mining, quarrying, fishing, &c., &c.

Plumbers, Painters, Glaziers (No. 64).—The death-rates in these extensive industries, which it was found impossible to separate accurately from each other, and which have therefore been grouped, has fallen considerably from the previous record at each of the two age-periods; but the rates are still very high, and give a comparative mortality figure of 1202. The main condition, apparently, that determines this high mortality is liability to lead-poisoning, while auxiliary conditions are liability to accident and habits of intemperance. The mortality from lead-poisoning is higher than in any other industry in the Table excepting file-making, and probably the figure under this heading, which is 21, would be still higher than it is were painters taken by themselves, which, as before stated, was found impracticable. In association with this mortality directly attributed to lead, there is an excessively high rate of mortality from diseases of the urinary organs, and also a high rate under the headings Diseases of the Nervous System and Diseases of the Organs of Circulation. The mortality figure for urinary diseases is no less than 100, and is only exceeded in the Table by that of file-makers, who also, as before said, exceed in their liability to lead-poisoning. There seems, therefore, to be scarcely room for reasonable doubt that the views entertained by most English medical men, though apparently not yet fully accepted by foreign writers, as to the production of certain renal diseases by lead are correct. At the same time it must be admitted that, though there is a certain amount of lead-poisoning in the earthenware manufacture and also among printers, the mortality from renal disease is apparently scarcely above the mean in the former, and is below the mean in the latter, industry. The effect of lead in producing disease of the nervous system is of course notorious. Whether the high mortality from diseases of the circulatory system is also to be attributed to lead may be more doubtful; but, as heart disease is frequently a result of renal disease, it is not improbable that this also may be the explanation of the high figure under this heading; and it may be noted, as confirmatory of this supposition, that the mortality from diseases of the circulation is exceptionally high among file-makers, among whom lead-poisoning is most frequent. Another heading in the Table under which there is a high figure for

painters and plumbers is Gout. That chronic lead-poisoning is productive of gout was pointed out in 1854* by Dr. Garrod, who found that of his hospital patients who suffered from gout no less than 30 per cent. had been subjected to the influence of lead. It is curious, however, that among file-makers, in spite of their great liability to lead-poisoning, there was not a single death attributed to gout out of the 528 deaths of which the causes were abstracted.

The effects of chronic lead-poisoning upon the mortality of painters and plumbers from gout, and from diseases of the nervous system and of the urinary and circulatory organs, are increased by the intemperance which apparently prevails amongst this group of workmen; for alcoholic excess resembles lead-poisoning in adding to the mortality under these same headings; and that such excess is common among painters and plumbers is shown by their high mortality under the headings Alcoholism, Liver Disease, and Suicide. Their mortality is also somewhat but not greatly in excess under the heading Phthisis; while their mortality from diseases of the respiratory organs only equals the average.

The remaining heading under which there is excess of mortality is Accident, the figure here being the highest in the Table after that for cab and omnibus service, and of course for miners, quarrymen, and fishermen, who in this matter are scarcely comparable with workers in other industries.

The form of accident to which this high mortality of plumbers, painters, and glaziers is due, is falling from scaffolding or ladders, or through skylights.

Upholsterers, Cabinet Makers, French Polishers (No. 65).—The death-rate has fallen in the earlier and risen slightly in the later age-period. The comparative mortality figure is high, being 963.

Carpenters, Joiners (No. 66), *Sawyers* (No. 67), *Wood Turners, Box Makers, Coopers* (No. 68).—In each of these three groups of workers in wood the death-rate has fallen in the earlier and gone up in the later of the two age-periods. The mortality of the carpenters and of the sawyers is low, but not so that of the turners, box makers, and coopers, whose comparative mortality figure is as high as 1091. Why these last workers should be so much less healthy than the carpenters and sawyers is not very apparent; possibly it may be in part attributable to their not having so much out-of-door work, but more probably it is due to coopers being brought by their business into tempting relations with drink; and it may be noted that in Switzerland also coopers are found to have an excessively high mortality, which is similarly explained by the statisticians of that country.

The only one of these industries in which the causes of death have been abstracted is that of carpenters and joiners, and it will be seen in Table L. that their mortality is low under all the main headings; they are healthy all round.

Coachmakers (No. 69); *Wheelwrights* (No. 70); *Shipbuilders, Shipwrights* (No. 71).—The death-rates have declined since the previous record at both age-periods in each of these industries. The mortality figure for the coachbuilders is still high, being 944, while the figures for the other two are low, 723 for the wheelwrights and 775 for the shipbuilders and shipwrights.

Locksmiths, Bellhangers, Gasfitters (No 72); *Gunsmiths* (No. 73).—Both gunsmiths and locksmiths are exposed more or less to the inhalation of metallic dust, and probably this is the explanation of the rather high mortality in these industries; the comparative figure for locksmiths, &c. being 967, and for gunsmiths 1031. The death-rates for the latter have hardly altered since the previous record, while the rates for the former have gone down considerably at each of the two age-periods. The Swiss returns also show a high mortality for locksmiths.

* Med. Chir. Trans. xxxvii, p. 211.

Cutlers (No. 74); *File-makers* (No. 75).—The death-rates in these two industries are terribly high, and give a mortality figure of 1309 for the cutlers, and of no less than 1667 for the file-makers. The main cause of these high figures is of course the inhalation of metallic dust mixed with stone dust given off from the grindstones. The result of this inhalation is that the mortality from phthisis and diseases of the respiratory organs is represented in the table by 760 in the case of cutlers, and of 783 in the case of file-makers, against an average for all males of only 402. The mortality of cutlers is also high under the heading Diseases of the Nervous System; for what reason is not apparent, for so far as can be judged from the mortality from alcoholism or from liver diseases there is no great amount of intemperance among them.

The file-makers, in addition to the inhalation of metallic dust, to which they are exposed in common with the cutlers, suffer from another serious evil from which the cutlers are free, namely, liability to lead-poisoning.

This comes about from their using a cushion of lead on which to strike their file. This liability has been previously noticed by Dr. Greenhow,* but it does not appear that the serious extent to which it exists has been fully recognized. It will be seen, however, that out of the 528 deaths in which the causes of decease were abstracted, 13 were directly attributed to lead; and that the mortality figure under this heading is higher for file-makers than for any other industry in Table L, even than for painters, plumbers, and glaziers. The mortality of file-makers from diseases of the urinary organs is also the highest in the Table, and is only approached by that of painters, plumbers, and glaziers, as was previously pointed out. The same is the case as regards diseases of the nervous system and diseases of the organs of circulation, under both of which headings the mortality figure for file-makers is the highest in the list (costermongers excepted), while plumbers and painters come almost next in order.

The high figure under the heading Diseases of the Organs of Circulation is to be accounted for in part by the high mortality from diseases of the respiratory system, heart disease following on chronic lung affection, as among the potters. But seeing how much higher the mortality from this cause is among file-makers than among cutlers, who also suffer greatly from lung affection, it is probable that some part at any rate in the mortality is due to some other cause not common to cutlers, such as lead poisoning; and this view is strengthened by the high mortality under this heading among painters.

The mortality of file-makers from liver disease is rather high, and therefore some contribution may possibly have been made by intemperance to the figures under Diseases of the Nervous and of the Circulatory System, but there can be no doubt that the greatest share in the former, and not improbably some share in the latter, is due to lead; and it becomes a question that demands the attention of those who are practically acquainted with the industry, whether some substitute for the lead cushion cannot be devised.

Cutlery, Saw, Needle, Pin, Tool Makers, &c. (No. 76).—Besides cutlery and files, there are numerous other implements and tools the manufacture of which constitutes separate industries, which are, however, too small to give a trustworthy basis for calculating mortality. Grouping the workers in all these industries together and joining them to cutlers and file-makers, it is found that the death-rate has very slightly declined since the former record in the earlier age-period, and gone up not inconsiderably in the later, the comparative mortality figure for the united group being 1273.

* Third Report of Medical Officer of Privy Council, page 126.

Engine, Machine Makers (No. 77); *Boiler Makers* (No. 78); *Blacksmiths* (No. 80); *Other Iron and Steel Workers* (No. 81).—The death-rates in these industries, so far as we have means of comparison, have fallen in the earlier and gone up in the later age-period. Seeing how rough is the character of the work in most of these industries, and to what risk of accident they would appear to be subject, the mortality can scarcely be considered high; but it is probably lowered by the men who undertake this kind of hard labour being above the average artisan in strength. The mortality is higher for the blacksmiths and the boiler-makers than for the other two groups, the comparative mortality figure being 973 for the blacksmiths and 994 for the boiler-makers, whereas for the engine and machine makers it is only 863, and for the other iron and steel workers (exclusive of all previously dealt with), 869. Of these four groups the only one for which the causes of death have been abstracted is that of the blacksmiths. Their mortality from accident it will be seen is rather high, as might be expected; but the only heading under which their mortality figure is at all notably in excess of the average for all males is Diseases of the Respiratory Organs; here the mortality is represented by 204, while the figure for all males is 182. This is probably to be explained by the nature of the blacksmith's work, which exposes him to great heat and to rapid alternations of temperature. The mortality from diseases of the circulatory system, though only just above the average, must be considered somewhat high, considering the necessarily picked character of the men who become blacksmiths, and it is considerably above that of miners and of quarrymen, who also are picked men. This may be because the blacksmith's labour involves much more sudden effort than does that of the miner or quarryman. The blacksmith's figure under the heading Alcoholism is rather high, but not so the figure under Liver Disease, the heavy muscular exercise probably preserving that organ from the effects of liberal potations.

Tin Workers (No. 82); *Copper, Lead, Zinc, Brass, &c. Workers* (No. 83).—In each of these groups, which include the remainder of the metal workers, the death-rate has declined in the earlier and gone up in the later of the two age-periods. The workers in copper, lead, &c., as might be expected, are less healthy than the workers in tin; the comparative mortality figure for the former being 992, while for the latter it is only 885.

Metal Workers generally (No. 84).—The great bulk of workers in metal are included in the groups numbered from 72 to 83. Putting all these together, we have an enormous body of workmen, with a comparative mortality figure of 938.

Miners (No. 85-93).—Mining constitutes so important an industry in this country, one in every 19 males between 25 and 65 years of age being a miner, that the mortality under this heading requires special attention. At the Census of 1881, great pains were taken to secure accurate returns of miners, distinguished from each other by the character of the minerals or metals with which they were engaged, and it was hoped that it would thus be possible to estimate the death-rate of each group of miners more closely than could be done with the vaguer data of former Censuses; that is to say, to estimate the death-rates of coal miners, tin miners, ironstone miners, copper miners, &c. separately. But, after all, it was unfortunately found that this was impossible, owing to the very imperfect manner in which the speciality of occupation of deceased miners is stated in the death registers. This was found to be especially the case with those deaths which are caused by accident, and on which inquests are held. The coroners in their certificates very commonly neglect to distinguish one kind of miner from another, and simply describe the deceased as "miner," without further specification. As at least a fifth of the deaths of miners are due to accident of one kind or another, it is plain that this negligence on the part of

coroners renders the separate estimation of the mortality of the several kinds of miners an impossibility.*

The best practicable substitute that offered itself was to divide out the miners geographically, and estimate their death-rates by counties or other convenient areas; and this may be accepted as a rough approximation to a division of the miners by the nature of the material in which they work. For in the West Riding, in Durham with Northumberland, in Derbyshire with Nottinghamshire, in Monmouthshire with South Wales, in Lancashire, and in Staffordshire respectively, more than 90 per cent. of the miners are coal miners; in the North Riding and in the districts† that have been grouped with it, 90 per cent. are ironstone miners; while in Cornwall, 79 per cent. are tin miners, the remainder being almost all lead and copper miners. The first group of counties, therefore, may be taken to represent coal miners; the North Riding, with the associated districts, to represent ironstone miners; while Cornwall will represent tin miners. The lead miners and the copper miners must be left without estimated death-rates.

Coal Miners (No. 85-90).—The death-rates of coal miners are surprisingly low. In spite of their terrible liability to accident, and their constant exposure to an atmosphere vitiated by coal-dust, by foul air, and by an excessively high temperature, the comparative mortality figure of these labourers is considerably below that of all males; nor is this only true of coal miners in the aggregate, but it is true, with one single exception, for the miners in each great coal area taken separately. It holds good for Durham with Northumberland, for Lancashire, for Derbyshire with Nottinghamshire, for the West Riding, and for Staffordshire. In each of these areas, as is shown in Table L., the comparative mortality figure of all males within the area is higher than that of the miners. The one exception to the rule is furnished by South Wales with Monmouthshire; here the mortality figure for the miners is slightly higher than that of all males within the same area; but even here, if deaths from accident be left out of account, the rule holds good; the mortality of the miners from all other causes together is below that of the general male population.

Again, if in each case we exclude accidents, it will be found that the mortality of the coal miners only slightly exceeds that of the most healthy class of men in our Table, viz., the agriculturists, that is to say, the farmers, the agricultural labourers, and the gardeners.

This low mortality of coal miners is not now noted for the first time. "Whilst lead and copper and tin mining," wrote Dr. Greenhow ‡ in 1858, "are certainly dangerous to health, coal mining appears to be at least not 'unhealthy.'"

It has of course to be borne in mind that miners are a body of picked men. No very weakly man is likely to take to the occupation, and moreover, as much strength is necessary, many men who become weakly must abandon this form of labour for lighter work. On the other hand, the general male population, with which miners have just been put in comparison, comprises the sick and weakly of all sorts, and the men who have fallen out of the ranks of all industries. This objection, however, ceases to be of much weight if we compare coal miners with such other labourers as quarrymen or blacksmiths, who also require to maintain a high standard of vigour; and a glance at the Table shows that, again excluding accidents, the mortality of the coal miners is considerably below that of these two

* Complaint as to the unsatisfactory certificates given by coroners in mining districts was also made by the Commissioners on Condition of Miners (1864) in their Report (p. xxi.). The complaint then made was that the nature of the accident which caused death was not stated in the verdict, but merely "Accidental death."

† Namely, the districts of Ulverston and Barrow, with the sub-districts of Harrington and Egremont in Whitehaven.

‡ "Papers relating to the Sanitary State of the People of England." Board of Health, 1858, p. 65.

groups of workers. Making, then, all due allowance for the picked character of coal miners, their extremely low mortality figure cannot but remain a matter of surprise.

Turning to Table L., which gives the comparative mortality figures for the several causes, it will be seen that under the heading Accident the mortality of the coal miners is of appalling magnitude, there being no other industries in the Table at all comparable to coal mining in this respect, excepting other forms of mining, stone and slate quarrying, and fishing.

Under all the other headings, however, the mortality figure for coal miners, taking the mean of the figures for the six great coal areas (No. 85 to 90), is far below the average with one important exception; viz, Diseases of the Respiratory Organs. The mean mortality of coal miners under this heading is 202, while the figure for all males in England and Wales is 182. Moreover, there can be no doubt that the mortality of coal miners under this heading is considerably understated, owing to a number of deaths which are not of veritably tubercular character being designated by the popular term "miners' phthisis," and so being transferred from the heading Diseases of the Respiratory Organs to the heading Phthisis. It must, therefore, be admitted that coal miners, in spite of their being picked men, and in contrast with their low mortality from other diseases, suffer from diseases of the respiratory organs to a greater extent than those engaged in most other industries. What is the precise excess above the average cannot be stated, because of the confusion already noticed between phthisis and diseases of the respiratory organs, but it is plain that the excess is but small as compared with that which occurs in occupations where the workmen are exposed to the inhalation of other kinds of dust than that of coal; for instance, in the quarrying of slate and stone, in the manufacture of pottery, or in the making of cutlery and files.

This comparative innocuity of coal-dust, as compared with stone-dust or with metallic dust, is probably to be explained by the microscopical character of its particles, which are comparatively free from sharp points and corners,* and therefore do not cause such acute irritation to the lungs when inhaled.

The understatement of the mortality of miners from diseases of the respiratory organs implies, of course, a corresponding overstatement of their mortality from phthisis. But the mortality figure under this heading is already extremely low, the mean figure for the miners in the six coal areas being only 126, and being only raised even so high as this by the inclusion of South Wales and Monmouthshire, where the miners for some local reason have a higher mortality generally than the miners in the remaining coal districts. To what extent this figure of 126 should be still further reduced, on account of the inclusion of non-tubercular cases of miners' phthisis, it is impossible to say, but in all probability the reduction would bring the figure down at least to the level of the figures for farmers and for fishermen, which are the lowest in the Table.

It is much to be regretted that there should be this confusion in the case of miners between phthisis and other affections of the respiratory organs, because it prevents a definite answer being given to the question whether coal miners enjoy any special immunity from tubercular disease. If the figures as they stand in the Table were correct—if, that is to say, no transference had to be made from the heading Phthisis to the heading Diseases of the Respiratory System—then, low as the mortality from the former would be, it would not be much lower in proportion to the average for all males than the mortality under other headings. For instance the mortality figure of coal miners from phthisis in the Table is some 43 per cent. below the average for all males, but so also, or nearly so, is their mortality from diseases of the nervous system. The conclusion, therefore,

as to phthisis would simply be that the low mortality of coal miners from this malady is part and parcel of their general healthiness and exemption from disease of all kinds. But if, as is most probable, a large transference should be made from the heading Phthisis to the heading Diseases of the Respiratory System, then the inference from the figures would be quite different. We should have to conclude that coal miners add to their low mortality from all diseases a special immunity from phthisical affections; and that there is some condition or other in their life, possibly the inhalation of coal-dust, that renders them comparatively proof against tuberculosis.

At any rate, be the explanation what it may, there can be no possible doubt that the mortality of coal miners from phthisis is remarkably low, especially when their liability to irritation of the lungs from dust, and the alternations of temperature and other conditions to which their work subjects them, are taken into account.

And this statement is in strict harmony with the observations of those medical practitioners who in this and in other countries have had opportunity of studying the ailments to which coal miners are subject. "The miners of Durham and Northumberland," says Dr. R. Wilson, "are not prone to phthisis."* "Il est incontestable," says Dr. Boens Boisseau,† "que la phthisie pulmonaire est moins fréquente dans la classe des charbonniers que dans la plupart des autres classes laborieuses;" and Dr. Schoenfeld, who, like Dr. Boisseau, practised in the Belgian colliery districts speaks of this immunity of coal miners in even stronger terms. Similar conclusions have been arrived at in Germany‡ from the data furnished by the coalfields of Upper Silesia.

This general concurrence § of evidence, English, Belgian, and German, leaves no room for doubt, but that for some reason or other the mortality of coal miners from phthisical disease is excessively low as compared with that of other workers. But the question can scarcely be said to be as yet answered beyond all cavil or doubt, whether the reason for this apparent comparative immunity consists merely in the picked character of the men engaged in coal mining or in some special preservative condition attaching to their industry. The latter is the view adopted by foreign writers, such as Hirt; and, inasmuch as the most notable of the special conditions under which coal miners work is the inhalation of coal-dust, their apparent immunity has been usually attributed to this cause, though some writers have exceptionally sought an explanation in other conditions of the miner's life, such as the warmth and moisture of the atmosphere in which he works. "It is in the highest degree probable," says Dr. Hirt, "that coal dust possesses the property of hindering the development of tuberculosis, and of arresting its progress."

Not impossible it may eventually turn out that this is really the case; but it must be admitted that the data at present forthcoming are hardly sufficient to establish the conclusion beyond all possibility of fair doubt, and there are certainly some facts which must make us at any rate for the present hold our judgment in suspense. In the first place there is the uncertainty, already expressed, whether the immunity of coal miners from phthisis is really greater than their immunity from other disease, and not merely a part of their general healthiness. Secondly, the figures in Table L., which relate to the North Riding miners are hardly consistent with

* Report of the British Association for the Advancement of Science, 1863, p. 126.

† *Maladies des Houilleurs*. Bruxelles, 1862, p. 110.

‡ Hirt, *Die Staubinhalations Krankheiten*. Breslau, 1871, p. 150.

§ To the authorities already cited may be added the following: Levy (*Traité d'hygiène* ii. 918), who says that "la phthisie pulmonaire est rare chez les mineurs," and who cites to that effect Hervier, *Gaz. Méd. de Lyon*, 1859, iii. 516; François, *Bulletins de l'Acad. de Belgique*, 1857, c. xvi.; and Riembaux, *Hygiène des Ouvriers Mineurs dans les exploitations houillères*. Paris, 1861, p. 209.

the view that the supposed immunity of coal miners is due to coal-dust. For the miners in the North Riding, and in the other districts that have been grouped with it, work almost exclusively in ironstone, and are in no wise exposed to the inhalation of coal-dust or coal-gas or other product of coal mines. Yet their mortality from tubercular disease is also extremely low, and, though somewhat higher than that of most coal miners, is actually lower than that of the coal miners in South Wales and Monmouthshire. The low mortality of these ironstone miners, which is not limited to phthisis but extends to the other headings in the Table, can hardly be referable to any other cause than the picked character of these miners; and the natural inference certainly would be that the similarly low mortality of the coal miners was due to a similar cause. Again, if coal-dust really possess the supposed preservative influence, we should expect that coalheavers, who, though in a less degree than coal miners, are also exposed to the inhalation of such dust, would also present an exceptionally low mortality from phthisis, but the figures in Table K. (No. 96), scarcely answer to this expectation. The comparative mortality figure for coalheavers (*see* Table J.) is 968, and, judging from the 230 deaths of which the causes were abstracted, the mortality of this group of coal workers from phthisis was very little below the average of all males. Departing for once from the general rule laid down previously, that no rates for individual diseases should be calculated on less than 500 deaths with known causes, the phthisis rate for coalheavers would be 210, while the rate for all males is 220, and the mean of the six figures for coal miners is 126.

Another element in the question must not be altogether neglected. Whenever the mortality from any one cause in any industry is in abnormally great excess, the mortality from other causes must be to a certain extent thereby reduced. A man who is killed by an accident cannot also die of phthisis or other disease. Now, among miners the mortality from accident is appallingly high; and the mortality from all other causes must be by that fact more or less reduced.

On the whole, then, we must be content to leave the question of the supposed protective action of coal-dust undecided. The most that we can say with certainty is that the inhalation of coal-dust does not seem to increase the liability to phthisis, and that both in this respect and in respect to its effect in producing disease of the respiratory organs it contrasts favourably with many other kinds of dust.

The mortality of coal miners from alcoholism, or from the diseases which are specially connected with habitual alcoholic excess, is low. This is in accordance with the description of their habits given by various observers; for though "many of them indulge periodically in great excesses," says Dr. Wilson,* "the régime of a colliery is so strict that, however much they may exceed on receipt of their wages, they must resume work at the proper time, and thus habitual drunkenness is prevented, and consequently the specific diseases induced by alcohol are extremely rare."

The mortality of the coal miners differs considerably in different areas, and arranging these in the order of mortality, beginning with the lowest, the sequence is as follows: Derbyshire with Nottinghamshire, 734; the West Riding, 772; Durham with Northumberland, 873; Lancashire, 929; Staffordshire 929; South Wales with Monmouthshire, 1081. Possibly some of these differences might vanish if a larger basis were taken than the mortality of only three years; but, as regards the three areas concerning which alone we have previous experience, the order remains unchanged from the previous record, for in 1860-2 the mortality of miners was higher in South Wales and Monmouthshire than in Staffordshire, and in Staffordshire than in Durham and Northumberland. In each of these three areas

* On the Coal miners of Durham and Northumberland. Report of British Association, 1863, p. 126.

the mortality of the miners decreased very considerably in the interval between 1860-2 and 1880-2 in the earlier age-period, 25-45 years, but in the second age-period, 45-65 years, it rose both in Durham with Northumberland and in South Wales with Monmouthshire, while it fell only in Staffordshire.

So large a share of the mortality of coal miners is attributable to accident that it may be well to give a summary view of the deaths thus occasioned. In the ten years 1871-80 the total number of deaths ascribed to accidents in coal mines was 9678, and these deaths were distributed by ages and causes in the manner shown in the following Table.

TABLE M.—DEATHS FROM ACCIDENTS IN COAL MINES, 1871-80.

—	Under 15	15—	20—	25—	35—	45—	55—	65 and over.	All Ages.	For 1000 accidental Deaths.
Crushing, Fall of Coal, Stone, &c.	291	605	688	1120	871	667	344	102	4688	485
Fall in Shaft, Pit - - -	53	83	91	211	152	100	67	27	784	81
Machinery, Explosion of Boiler	23	31	13	23	21	16	9	4	140	14
Waggon, Tram, Tub - - -	413	307	120	151	117	114	85	43	1350	139
Drowning - - - - -	8	13	11	28	13	14	3	2	92	10
Blasting - - - - -	4	15	27	66	41	15	10	2	180	19
Fire-damp - - - - -	128	331	336	606	358	221	82	22	2084	215
Choke-damp, Suffocation - -	10	50	45	88	40	20	11	3	294	30
Otherwise, or not state - -	13	13	6	7	16	2	6	3	60	7
	952	1448	1337	2300	1638	1178	617	208	9678	1000

Nearly half the deaths, it will be seen, are caused by falling in of the sides or roofs, and a quarter by fire-damp or by choke-damp. After these forms of accident, which are shared equally by miners of all ages, that is to say, shared pretty nearly in proportion to the numbers employed at the several ages, come accidents from the waggons and tubs in which the coals are carried from the underground workings to the shaft; this form of accident falls especially on the young lads who are engaged in "trammings and hurrying" the coals. The remaining and less common forms of accident, viz., falls in the shaft, accidents with machinery and boilers, explosions of blasting powder, and drowning from the irruption of water into the mine, affect miners of all ages alike. Putting, however, all causes together, it is plain that the lads and younger miners suffer considerably more from accident than do the elder workmen, and consequently that the figures in Table L., which are based on the mortality of males between 25 and 65 years of age, understate the liability to fatal accident of coal miners in the aggregate and independently of age.

Ironstone Miners (No. 92).—The miners in the North Riding and in certain selected districts have been grouped together to represent ironstone miners, being almost exclusively engaged in that form of mining. Their mortality is very much the same in its general features as that of coal miners. For in both groups of miners the mortality is somewhat in excess under the heading Diseases of the Respiratory Organs, while it is considerably below the average under all the other main headings, with, of course, the exception of Accident. Here the mortality figure for ironstone miners is even higher than that for coal miners. This seems strange, inasmuch as there is neither fire-damp nor choke-damp in the iron mines. Possibly the apparent anomaly would disappear if a larger basis were taken, for

accident is, of course, a very fluctuating element in the death-rate; but it must not be forgotten that the main cause of mining accidents, namely, the falling-in of roofs and walls, is shared alike by iron miners and coal miners. The low mortality of ironstone miners from disease can scarcely be attributed to other causes than the picked character of the men who alone are able to undertake such hard labour.

Cornish Miners (No. 93).—The mortality of the Cornish miners, who may practically be considered to be tin-miners, for the proportion of lead and copper miners to the whole is but small, contrasts in a most extraordinary degree with that of coalminers or of ironstone miners. So strange indeed seemed the contrast, that it was thought expedient to go a second time through both the Census returns and the death registers to see whether some great error had not been made in the abstraction. It was found, however, that the figures had been correctly given. While the mortality of the other miners is, as has been shown, lower than that of males generally in the corresponding areas, the mortality of the Cornish miners is more than double that of Cornish males in the aggregate. For while the comparative mortality figure for all Cornish males is 887, that for Cornish miners is no less than 1839, and is almost the highest in the Table. Moreover the death-rates have risen very considerably since the previous record, and at each of the two age-periods. This exceptional rise may very probably be explained in the following manner. In the decennium 1871-80, the mining industry in Cornwall was in a state of decadence; and the miners in that county at the Census of 1881 were 44 per cent. fewer than they had been in 1871. A similar falling off moreover, but on a smaller scale, had also occurred in the previous decennium, the miners in 1871 being 27 per cent. fewer than in 1861. These successive decreases in the number of the miners in Cornwall were due to their emigration into countries where mining was more prosperous, and offered better chances of employment; and it is only reasonable to suppose that the miners who had the energy to emigrate would be the more vigorous and healthy, while those who remained behind would be the comparative weaklings.

Thus the very opposite process has been going on among the Cornish miners to that which has been going on among coal miners. The latter, as before explained, have been kept at a high standard of healthiness by the constant elimination of the least vigorous; the former have been undergoing deterioration by the constant emigration of the strongest.

The notable increase of the death-rates of Cornish miners in the interval between 1860-2 and 1880-2 may be explained with much probability by the foregoing hypothesis; but, after allowing all due weight to these considerations, it is still unquestionable that mining in Cornwall is for some reason or other very considerably more unhealthy than mining in other parts; for the death-rates of the Cornish miners in 1860-2 (which rates it may be noted were almost identically the same as those of 1849-53, though much lower than those of 1880-2) were vastly in excess of the death-rates of the coal miners; and yet these rates apply to a period when the decadence had not yet set in. Allowing all the increase in the mortality since 1860-2 to be explained by emigration of the strongest, and taking the death-rates at that date to be the normal rates for Cornish miners, their comparative mortality figure would still be 1449, while that of the miners in the six colliery areas is only 886.

The great bulk of the excess of mortality among the Cornish miners comes under the headings *Phthisis* and *Diseases of the Respiratory Organs*. The mortality figures from these two causes amount together to no less than 1148, while the figure for all males in Cornwall is only 368, and the figure for the least healthy group of miners outside Cornwall, namely, the miners of South Wales and Monmouthshire, is only 459. The Cornish miners suffer therefore from these diseases more than three times as much as Cornish males in the aggregate, and more than twice as much as the

miners in any other great mining area. In the whole list of industries in Table L. there is only one that at all approximates to these Cornish miners in this respect, namely, the earthenware and china manufacture. Here the mortality figure from the two causes is 1118, while that of the Cornish miners, as already stated, is 1148. It is under the heading Phthisis that the mortality of these Cornish miners is most appallingly in excess; the mortality attributed to this one cause alone is actually greater than the mortality of either farmers or gardeners from all causes together. In the case of miners, however, as also in the case of earthenware makers, the word phthisis has to be looked on with suspicion, owing to the unfortunate use of the terms "miner's phthisis" and "potter's phthisis" for non-tubercular affections, so that it is safer in these industries not to separate phthisis from diseases of the respiratory organs. Still it is curious to note that, if we compare the figure for the potters with those for the Cornish miners, the relative proportions of the phthisis and the respiratory mortalities are almost exactly inverted, while the sum of the two is practically the same in each case. The Cornish miners, therefore, are more liable than the pottery makers to tubercular disease, or to diseases likely to be confounded with tubercular disease of the lungs, while they are less liable to other affections of the respiratory organs.

Of the total mortality of the Cornish miners nearly two-thirds is attributed to phthisis and respiratory diseases; and practically the same proportion marked their mortality* both in 1849-53, and in 1860-62. Under the headings Diseases of the Nervous System and Diseases of the Organs of Circulation their mortality, though higher than that of other miners, and also higher than that of all males in Cornwall, shows no such enormous excess as that under the two headings already considered, and is less than the mean mortality for England and Wales. Neither do these Cornish miners show any excess of mortality from alcoholism or its consequences; a fact which tallies with the account of their habits given long since by the Royal Commissioners, who stated that "as a class they are well conducted" and temperate; large numbers have taken the pledge and kept it, and "whatever may be the causes of the diseases to which they are liable, the habit of intoxication cannot be assigned as one of them."† Under the heading Diseases of the Digestive Organs the mortality figure is unusually high; possibly this may be connected with the nature of their diet, which according to the Report of the Royal Commissioners was considered by the doctors to be unwholesome for men, whose digestions are already weakened by working in foul air and in high temperature.

The mortality from accident falls far short of that of other miners, and even than that of quarrymen or of fishermen. As compared with all other occupations, however, it is very high, the figure being 117, while that for cab-drivers, which comes next highest, is only 84.

Slate and Stone Quarriers (No. 94).—The death-rates of these workmen, though much lower than those of the miners in Cornwall, are extremely high, as also they were in the previous record, and give a comparative mortality figure of 1122. The excess is due partly to accident, under which heading the mortality approximates to that of coal miners and is almost the same as that of fishermen, but mainly to phthisis and diseases of the respiratory system, under which headings together the mortality is 582, and not far from double that of coal-miners; on the other hand it is not much more than half that of the Cornish miners, this difference being probably due to the advantages enjoyed by the quarrymen who, though exposed to the inhalation of stone-dust, like the Cornish miners, yet work much more in the open air, and not in the ill-ventilated and overheated atmosphere of deep mines. Their mortality from diseases of the nervous

* See Report of Royal Commission on Condition of Miners, 1864, p. xiv.

† See Report of Royal Commission on Condition of Miners, 1864, p. xxv.

and of the circulatory systems, and generally from other causes than accident and lung disease, is low, and rivals that of coal miners and of agriculturists. Like coal-mining, quarry-work is an occupation to which, as a rule, only robust men betake themselves.

Railway, Road, Clay, Sand, &c., Labourers (No. 95).—The mortality figure for these diggers and delvers is lower than that of quarrymen, probably because they are less liable to fatal accident, but still is high, being 1025.

Coalheavers (No. 96).—The comparative mortality figure for these men is 968, and above that of coal miners. Judging from the 230 deaths, of which the causes were ascertained, coalheavers are very liable to accident, though, of course, not in anything like the same degree as miners. The question of their liability to phthisis has been already discussed, when coal miners were under consideration. Putting phthisis and diseases of the respiratory organs together coalheavers would appear to have a liability considerably above that of coal miners, but not far from the average of all males.

Chimney Sweeps (No. 97).—The death-rates in this industry are lower at both age-periods than in the previous record, but still are excessively high, and give a comparative mortality figure of no less than 1519. It is true that the rates are based on comparatively small numbers, but the agreement of the testimony of the previous with that of the present record leaves no fair doubt that the mortality of chimney-sweeps is terribly high. Judging from the 242 deaths of which the causes were ascertained, an excess of mortality prevails under nearly all the chief headings, but the number is too small for trustworthy inference. There is, however, one cause of death, which, though it does not appear as a separate heading in the Table, yet requires special mention, as being notoriously common among chimney sweeps, namely cancer. Of the 242 deaths of chimney-sweeps, of which the causes were ascertained, no less than 49 were due to some or other form of malignant disease; this gives 202 deaths from this cause to 1000 deaths from all causes, whereas the proportion of deaths from malignant disease to deaths from all causes among all males of from 25 to 65 years of age in England and Wales is only 36 in 1000; so that even if the total mortality of sweeps were simply equal to that of all males, their mortality from malignant disease would be more than five times as much as the average. But the total mortality of chimney sweeps, as shown by their comparative mortality figure, is 50 per cent. higher than the average, so that the liability of chimney-sweeps to malignant disease is about eight times as great as the average liability for all males. These figures scarcely support the belief expressed by some authorities that improvements in the art and habits of sweeps have caused this disease to be comparatively infrequent among them.

The organs affected in the 49 cases of malignant disease, the precise nature and site of which were not always stated, were as follows:—

Scrotum, penis, testis, groin	-	-	-	23
Lip	-	-	-	1
Face	-	-	-	2
Orbit	-	-	-	1
Palate	-	-	-	1
Neck	-	-	-	1
Stomach, liver	-	-	-	7
Organ affected not stated	-	-	-	13
				<hr/>
				49

Messengers, Porters, Watchmen (No. 98) ; *Costermongers, Street-sellers* ; (No. 99) ; *General Labourers in London* (No. 100).—In each of these three groups the death-rates are very high, and in the two latter, concerning which alone the rates at an earlier date are obtainable, have increased at both age-periods since the previous record. These high rates of mortality are, however, probably not to be attributed to any special unhealthiness of the occupations themselves, but to the kind and condition of a large proportion of the men who adopt these somewhat vague and ill-defined modes of livelihood, which are the refuge of the broken down out-casts from more definite occupations. The only one of these groups for which the registered causes of death have been abstracted is that of the costermongers and street-sellers, who have already come under consideration with other out-of-door workers (*see* page xxxv).

The several industries have now been passed successively in review, and their respective mortalities considered. It remains to sum up very briefly the results of this review, so far as they indicate the effects exercised on health by certain conditions of life, such as living in fresh or close atmosphere, inhalation of various kinds of dust, liability to lead poisoning or to alcoholic excess, and the like.

Influence of Fresh or Foul Air.—The difference between an out-of-door life in fresh country air and an indoor life in a town is readily shown by comparing the mortality of agriculturists or fishermen with that of shopkeepers, or, going a step further in the scale of vitiated atmosphere, with the mortality of tailors, hatters, printers, and bookbinders. The agriculturists on the average have a comparative mortality figure of 644, the shopkeepers of 877, and the tailors, hatters, printers, and bookbinders of 1088. The damage done by living in the vitiated atmosphere, though it is not confined to any one set of organs, nevertheless specially affects the organs of respiration. The mortality from diseases of these organs and from phthisis, taken together, is 198 for the fishermen and averages 237 for the agriculturists, while for drapers and grocers it averages 357, and for tailors and printers 549. Moreover, drapers live habitually in a more vitiated air than do grocers, and printers in a more vitiated air than do tailors, and the mortality in these several trades corresponds in each case to these differences. If we arrange the several industries in the order of purity of air, the order will also be that of mortality from phthisis together with diseases of respiratory organs, beginning with the lowest.

TABLE N.—**Comparative Mortality of Males** working in Air of Different DEGREES OF PURITY, from **Phthisis** and **Diseases of the Respiratory Organs**.

—	Phthisis.	Diseases of Respiratory System.	The two together.
Fishermen - - - -	108	90	198
Agriculturists - - - -	115	122	237
Grocers - - - -	167	116	283
Drapers - - - -	301	129	430
Tailors - - - -	285	186	471
Printers - - - -	461	166	627

Influence of Dust.—The effect of exposure to inhalation of dust, speaking generally, is of course to increase the mortality from diseases of the respiratory organs and phthisis, but the effect differs very greatly not only according to the amount but according also to the character of the dust, that which consists of hard and of sharp pointed particles naturally doing more mischief to the air-passages than that of which the particles are soft or rounded. It is, however, unfortunately impossible to estimate accurately the comparative effects of different kinds of dust, independently of all other conditions, because the several industries concerned differ from each other materially in many other important respects besides the nature of the dust to which those who are engaged in them are exposed; some for instance being carried on in the country, others in towns, some in the open-air, others in the close and heated atmosphere of factories or in underground passages and the like. Nevertheless, if we arrange those dust-inhaling occupations, for which Table L. gives the necessary data, in the order of their mortalities from phthisis and diseases of the lungs, we have some valuable indications of the differences between different dusts in the production of such diseases. Of all occupations the one which is most completely free from exposure to dust is that of fishermen, and consequently the mortality figures for this industry have been added to the table as a standard for comparison.

TABLE O.—**Comparative Mortality of Males** in certain DUST-INHALING OCCUPATIONS from **Phthisis** and **Diseases of the Respiratory Organs**.

	Phthisis.	Diseases of Respiratory Organs.	Phthisis and Diseases of the Respiratory Organs.
Coal Miner - - - -	126	202	328
Carpenter, Joiner - - -	204	133	337
Baker, Confectioner - -	212	186	398
Mason, Builder, Bricklayer - -	252	201	453
Wool Manufacture - - -	257	205	462
Cotton Manufacture - - -	272	271	543
Quarryman - - - -	308	274	582
Cutler - - - -	371	389	760
File Maker - - - -	433	350	783
Earthenware Manufacture - -	473	645	1,118
Cornish Miner - - - -	690	458	1,148
Fisherman - - - -	108	90	198

It will be noted that in every one of these dust-inhaling occupations, the mortality from phthisis and from diseases of the respiratory organs is higher than among fishermen. Of the various dusts the least injurious, to judge from the table, is coal-dust; for, though the mortality of coal-miners from diseases of the respiratory organs is higher than that of several other industries in the list, their registered mortality from phthisis is by far the lowest, and indeed not so very much higher than that of fishermen; and, therefore, as has been explained at length in a previous page, it is believed by many that coal-dust acts as a preservative from this form of disease.

The dust of ordinary wood does not appear to be very baneful, for carpenters and joiners stand nearly on a level with coal miners as regards mortality from the two causes taken together; the mortality figures, however, for the two causes when taken separately are almost exactly inverted, the carpenters having a higher rate than the coal miners from phthisis and a considerably lower rate from diseases of the respiratory organs. Carpenters and joiners, however, work to a great extent in the open-air, and very possibly the mortality figures for cabinet makers, or for wood-turners, who work indoors in a much thicker atmosphere of wood-dust, might tell a different tale; nor is this improbable, seeing that their comparative mortality figure from all causes together is considerably higher than that of carpenters (see Table J.). Moreover, many of the harder woods which are used by cabinet makers are said to give off a much more injurious dust than the ordinary timber used by carpenters and joiners.

Bakers and confectioners, who inhale the dust of flour, have a considerably higher mortality from diseases of the respiratory organs than carpenters, but it may be doubted whether this is due to the flour-dust so much as to the heated atmosphere of the bakehouse. For, though much flour-dust may be inspired into the mouth of the baker, it is extremely doubtful whether much or any of it would get as far as the air passages, and not be arrested on the way by inter-mixture with the saliva and adherence to the wet surface of the tongue and pharynx. The mortality of bakers from phthisis is scarcely higher than that of carpenters, which accords with the observation of Hirt* that the inhalation of flour-dust rarely conduces to that disease.

More injurious than either coal-dust, wood-dust, or the dust of flour, appear to be the filaments and fluff and other dusts that are given off in textile factories; the mortality both from phthisis and from diseases of the respiratory organs being higher among workers in cotton and workers in wool than among persons exposed to either of the previously mentioned kinds of dust. The workers in cotton factories fare worse than the workers in wool; the comparative mortality from the diseases in question being 543 for the former, and 462 for the latter. It must be remembered, however, that the air in the weaving sheds of cotton factories contains not only flocculent matter, but also a large amount of dust from mineral substances of various kinds used in sizing, and that the inhalation of mineral substances, judging from industries presently to be considered, is much more injurious than the inhalation of textile filaments.

The deleterious effects of dust upon the air-passages is increased both in the cotton and in the wool factories, and especially in the former, by the high temperature in which the work is carried on (see p. xliii), and it is impossible to say how much of the lung mortality is due to the latter cause and how much to the dust.

But all the dusts as yet mentioned seem to be insignificant in their injurious action when compared with the dust of stone and the dust of metal. There are two industries in the Table, those of cutlers and of file-makers, in which the workman is exposed to metallic dust. In the former the comparative mortality from the diseases in question is 760, and in the latter it is 783; and, doubtlessly, had not the subsidiary operations, such as hafting, been included in the cutlery manufacture, the mortality figure for cutlers would have been still higher. Even as it is, it is almost four times as high as that of fishermen.

Still more appalling seems the effect on the air-passages of stone dust. There are four industries in the Table that are exposed more or less to this source of disease. Two of the four, namely, masons with builders and bricklayers, and quarrymen, work mainly in the open air, and though their mortality from lung diseases is very high, being between two and

* Op. cit., pp. 142 and 214.

three times as high as that of fishermen, yet it is nothing as compared with that of Cornish miners and pottery makers, who work in more confined space, and consequently inhale the stone-dust in much larger amount. For these workers the lung mortality is from five to six times as high as that of fishermen.

Influence of Alcoholic Excess.—The effects of intemperance are best exhibited by the mortality figures of innkeepers, including publicans and generally all dealers in the liquor trade, and of brewers. In both groups the general death-rates are excessively high, and the mortality figures under the heading Alcoholism are higher for these two trades than for any others in the list with the single exception of cabdrivers, who in this respect come between the two.

The mortality directly ascribed to alcoholism is, however, a very imperfect measure of the intemperance prevailing in different industries, for there can be no doubt that the desire to spare the feelings of surviving relatives practically limits the statement of this cause of decease to those cases where no disguise is possible. A better measure is the mortality from diseases of those organs which are known to be seriously affected by alcoholic excess, and which can be stated in certificates of death to have been diseased without fear of offence.

Pre-eminent among such organs is the liver; for, though alcoholic excess appears to affect injuriously every tissue and organ in the body, it is upon the liver that its effect is most marked, the mortality from hepatic diseases being six times as high among innkeepers and publicans, and two and a half times as high among brewers, as among the generality of males. The following Table (Table P.) shows this very clearly. Certain causes of death have been taken, and under each of them those trades in which the mortality exceeds or equals the average have been arranged in order, beginning with the one in which the mortality is highest. There are seven headings in the Table, and it will be noticed that under no less than three of these, viz., Alcoholism, Liver Disease, and Gout, innkeepers head the list, while they stand as high as third in three of the four remaining columns, viz., under Diseases of the Nervous System, Diseases of the Urinary System, and Suicide. Moreover, in one of these three, viz., Diseases of the Urinary Organs, the list would be headed by innkeepers were it not that file-makers and painters, who stand above them, suffer from another special cause of renal disease, viz., lead-poisoning, of which presently. The Table tells its own story so unmistakably that it is scarcely necessary to do more than point out that the same occupations recur again and again in the several successive columns, and that very generally an occupation that stands high in one column stands also high in the others; leaving no reasonable doubt that a very large proportion of the mortality from the several diseases included in the Table is due to drink. Phthisis has not been included in the Table, because the mortality under this heading is affected much more seriously by other causes than by alcoholic excess; still, if the figures in Table L. be carefully examined, there will probably be little doubt felt that alcohol is not without its contributory share in the mortality from this disease. At any rate the mortality from phthisis is, with one exception, above the average for each of the occupations in which there is also a mortality above the average from alcoholism; and though in some of these occupations, such as those of cabdrivers, costermongers, and tailors, this high mortality from phthisis may very possibly be attributable in larger proportion to other causes than to drink, yet there seems no other equally probable interpretation of the high phthisical mortality of brewers, innkeepers and publicans, butchers, and commercial travellers. There is no similar evidence of any serious addition by alcohol to the mortality from diseases of the respiratory system, or to diseases of the digestive organs other than the liver; but under the heading Accident,

if we put aside those occupations which from their nature subject those engaged in them to considerable risk, there are few, if any, left in which the mortality figure is so high as for brewers, innkeepers and publicans, and butchers.

TABLE P.—**Industries with Highest Mortalities** from certain SELECTED CAUSES.

Alcoholism.		Liver Disease.		Gout.		Diseases of the Nervous System.	
Innkeeper - - -	55	Innkeeper - - -	240	Innkeeper - - -	13	File-maker* - -	262
Cab, Omnibus Service.	33	Brewer - - -	96	Cab, Omnibus Service.	11	Costermonger - -	207
Brewer - - -	25	Butcher - - -	96	Painter, Plumber, Glazier.	10	Innkeeper - - -	200
Butcher - - -	23	Commercial Traveller	61	Brewer - - -	9	Cutler* - - -	100
Commercial Traveller	23	Cab, Omnibus Service.	54	Commercial Traveller	6	Plumber, Painter, Glazier.	167
Costermonger - -	19	Grocer - - -	52	Butcher - - -	5	Brewer - - -	144
Baker - - -	15	Earthenware Manufacturer.	49	Tailor* - - -	4	Tailor - - -	144
Painter, Plumber, Glazier.	12	Painter, Plumber, Glazier.	48	Costermonger - -	3	Cotton Manufacture*	142
Tailor - - -	11	Tailor - - -	48	Builder, Mason, &c. -	3	Earthenware Manufacture,*	140
Grocer - - -	10	Costermonger - -	47			Butcher - - -	139
		Baker - - -	46			Commercial Traveller	139
		Cotton Manufacture	43			Baker - - -	136
		Farmer - - -	41			Cab, Omnibus Service	134
		File-maker - - -	41			Woollen Manufacture	127
		Cornish Miner - -	40			Shoemaker - - -	122
ALL MALES - - -	10	ALL MALES - - -	39	ALL MALES - - -	3	ALL MALES - - -	119

Suicide.		Diseases of the Urinary System.		Diseases of the Circulatory System.	
Costermonger, &c. - - -	44	File-maker - - -	123	Costermonger - - -	227
Commercial Traveller - -	31	Painter, Plumber, Glazier -	100	File-maker - - -	180
Innkeeper, &c. - - -	26	Innkeeper - - -	83	Brewer - - -	165
Baker - - -	26	Costermonger - - -	69	Cab, Omnibus Service - -	160
Butcher - - -	23	Cab, Omnibus Service - -	65	Earthenware Manufacture -	160
Hosiery Manufacture - -	22	Brewer - - -	55	Fishermen - - -	153
Painter - - -	21	Butcher - - -	55	Woollen Manufacture - -	142
Farmer - - -	17	Builder - - -	49	Innkeeper - - -	140
Carpenter - - -	17	Earthenware Manufacture -	49	Plumber, Painter, Glazier -	140
Shoemaker - - -	17	Grocer - - -	48	Butcher - - -	132
Grocer - - -	17	Tailor - - -	45	Baker - - -	131
Cab, Omnibus Service - -	16	Commercial Traveller - -	44	Tailor - - -	127
Tailor - - -	16	Shoemaker - - -	44	Blacksmith - - -	121
Wool Manufacture - -	15	Blacksmith - - -	44	Miner (South Wales) - -	120
Builder, Mason, &c. - -	14	Hosiery Manufacture - -	42		
ALL MALES - - -	14	ALL MALES - - -	41	ALL MALES - - -	120

* The deaths from Suicide in this industry are included among deaths from Diseases of the Nervous System.

Before leaving this subject there is one more remark to be made. It will be noticed that the occupations in which the injurious effects of intemperance are most marked are those in which to alcoholic excess is added absence of severe muscular exercise. The miners, the quarrymen, the blacksmiths, the masons and bricklayers, the carpenters and joiners, and the agricultural labourers, if they indulge in drink, counterbalance its ill effects on their health by strong exercise, whereas the innkeepers and publicans lead a sedentary life, and the commercial travellers and the cabmen do their work on wheels; and though brewers, and costermongers, and still more butchers, have not quite so quiescent a life, yet the exercise which their several occupations entail upon them is far short of that of the industrial groups first enumerated.

Effects of Exposure to Chronic Lead-poisoning.—There are four headings in Table L. in which there is evidence of lead poisoning, viz., printers, earthenware makers, painters with plumbers and glaziers, and file-makers. It is only, however, in the two latter, that plumbism prevails to any very great extent, and it is consequently in the mortality figures for those two industries that the best evidence is to be had as to the effect of lead on the several organs. The file-makers, according to the Table, suffer more than the painters, plumbers, and glaziers, probably because among the latter are included a considered number of subsidiary workers who do not come directly or habitually into contact with lead. Had painters and plumbers formed a single group by themselves, without intermixture of other allied trades, their lead poisoning would probably have been marked by a much higher mortality figure. The most striking feature in the mortality figures for these two lead-poisoned industries is the extremely high mortality from diseases of the urinary organs, corroborating the opinion held by English writers, that renal disease is a common consequence of chronic lead-poisoning. There are no other industries in the Table in which the mortality from urinary diseases approaches to that of these two trades (*see* Table L.). There is, as already noticed, some amount of lead-poisoning among earthenware makers, and a slight amount among printers; but in neither of these industries is there any similarly notable excess of mortality from urinary diseases; indeed the mortality from these diseases is below the mean among printers, and, though it is not inconsiderably above the mean among the pottery workers, yet their figure is exceeded by those of several industries which are not concerned with lead, and especially of those industries where there is evidence of excessive indulgence in drink (*see* Table L.). Lead, as is well known, conduces to gout; and the mortality from this disease is higher for painters, plumbers, and glaziers, than for any other trades in Table L, excepting innkeepers and publicans, and cab-drivers. It is curious, however, that, though file-makers in other respects show such unmistakeable tokens of lead-poisoning, not one death among them was attributed to gout out of 528 deaths of which the causes were abstracted. Possibly, had the sample of deaths abstracted been larger, this anomaly would have disappeared; for the mortality of a disease, comparatively so rarely fatal as gout, would require for its proper estimation a very much larger basis than 528 deaths from all causes. The effect of lead on the brain and nervous system generally is shown by the high mortality under this heading in both trades, and especially among the file-makers. Both also have very high figures, and again the file-makers the higher, under the heading Diseases of the Organs of Circulation, probably owing to the injurious action of lead upon the muscular substance of the heart and on the walls of the blood-vessels, which parts share in the general cachexia produced by this mineral. It is believed by Hirt, that chronic lead-poisoning conduces to phthisis; but though the mortality of file-makers under this heading is enormous, that of painters, plumbers, and glaziers is not very greatly above the average; and the phthisical mortality of the file-makers has of course a sufficient explanation in the

metallic dust to which they are exposed, independently of any presumable effect of lead.

Lead-poisoning is luckily not a very common cause of death in this country; and, so far as it is due to occupation, is confined to a small number of trades. In the course of four years (1879-1882) the deaths of males ascribed directly to this cause were only 229; but this number would of course be very largely raised were it possible to include the deaths from renal, nervous, and other affections that originated in lead-poisoning. The 229 deaths were distributed as follows:—

House-painter	-	-	91	Whitesmith	-	-	2
Plumber	-	-	28	Earthenware maker	-	-	16
Glazier	-	-	1	Printer	-	-	6
Coach-painter	-	-	3	File-cutter	-	-	14
Artist	-	-	1	Glass-cutter	-	-	2
Paint, colour maker	-	-	2	Iron-moulder	-	-	2
Lead (? white lead) worker	-	-	8	Calico printer, dyer	-	-	2
Lead roller	-	-	1	Caulker	-	-	1
Lead miner	-	-	3	Children (under 15)	-	-	6
Lead mine agent	-	-	1	Others	-	-	36
Gas fitter	-	-	3				

The annual mortality from lead-poisoning among males over 15 years of age, as deduced from a comparison of these figures with the Census returns of 1881 would be as follows: rates, however, based on such small numbers of deaths are, of course, not very trustworthy:

File-maker	-	-	466	per million living.
Painter, plumber, glazier	-	-	224	" "
Earthenware maker	-	-	152	" "
Gas-fitter	-	-	62	" "
Printer	-	-	27	" "
All other males	-	-	4	" "

And now, Sir, in bringing this introductory letter to a close, it will perhaps be convenient if the main subjects that have come under consideration be very summarily enumerated with page references to the places where they have been severally discussed. It has been shown (pp. iv-vi) that very considerable changes have occurred of late years in this country in the death-rates of both sexes, the mortality having risen at some age-periods and fallen at others; and inquiry has been made by means of a new Life Table, constructed on the basis of the fresh death-rates (pp. vi-ix), into the balance of gain and loss accruing to the community from these changes (pp. ix-xi). Inquiry has also been made as to the diseases under which there has been diminution, and under which there has been on the other hand increase of mortality (pp. xi-xvi).

It has been shown that the death-rates vary greatly in different parts of the country (pp. xvi-xvii); and the question why these differences exist has been taken into consideration (p. xvii).

It has been shown that, independently of all differences in sanitary administration or in geographical position, the death-rates are seriously affected by differences in the age and sex distribution of the population (pp. xvii-xix); in the closeness of its aggregation (pp. xx-xxi); and above all in the character of the occupations in which it is engaged (pp. xxi-lxiii). To this latter element in the question, viz., the influence of occupation, a very considerable space, and indeed the larger part of this introduction, has been allotted, and not only have the death-rates been calculated for the males engaged in each of some hundred different industries, but for some score of these an attempt has been made to calculate the share in such

death-rates that is due to individual diseases. I can but think that the results of this latter inquiry, now undertaken for the first time in the Statistical Branch of your office, will be found to be of much interest by those who give attention to vital and social statistics ; and I would further express my hope that the experience which has been gained in this first attempt may render it possible, when the next Decennial Supplement comes to be undertaken, to conduct a similar inquiry upon a wider basis, and for a larger number of industries, and thus to give statistical results of still greater value and of increased accuracy.

I am, Sir,
Your obedient servant,

WILLIAM OGLE.

To
The Registrar General.

PRELIMINARY TABLES.

LIST AND EXPLANATION

OF

PRELIMINARY TABLES.

PAGES

TABLE 1.—DENSITY of POPULATION and MORTALITY, in the FOUR DECENNIA 1841-50, 1851-60, 1861-70, and 1871-80, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS lxviii-lxxxv

NOTE.—The populations used in constructing this Table are the arithmetical means of the Census populations at the beginning and end of each decennium. These means, multiplied by ten, give with sufficient closeness the Years of Life exposed to risk, and form, with the registered deaths, the data from which the death-rates are calculated.

In all cases of change in the constitution of a registration district in the course of a decennium, due correction has been made in the population, the death-rates being calculated from the Years of Life actually exposed to risk.

A list of the changes in the constitution of registration districts during the decennium 1871-80, will be found on pages 371-8. In the cases of such changes during the ten years 1871-80, involving either the union or partition of registration districts, the rates in the first three decennia have been, whenever practicable, corrected in order that the rates in the four periods may be fairly comparable.

The annual deaths to 1000 persons living in the three decennia 1841-50, 1851-60, and 1861-70, were given in the Supplement to the Registrar-General's 35th Annual Report (and are here reprinted) in whole numbers; for instance, any rate of mortality from 21·50 to 22·40, was given as 22. Under the recently improved sanitary condition of the country, however, the range of death-rates in registration districts has been considerably contracted, and it has been thought desirable to add a decimal place to the death-rates for the last decennium, 1871-80.

The registered mortality in many registration districts is unduly raised by the presence therein of public institutions, such as lunatic asylums, hospitals, &c. This is especially the case in London. The death-rates in the London districts, however, have been corrected by distributing the deaths in public institutions to the several districts in the proportions determined by the respective numbers of deaths recorded in such districts, exclusive of deaths in public institutions.

As the deaths in public institutions (excepting those in the Metropolis) were not abstracted before 1869, it was not possible to correct district deaths for this disturbing element of mortality previously to that date. Thus, no satisfactory basis exists for correcting the district mortality in the two earlier decennia, 1841-50 and 1851-60; and, since it was desirable for purposes of comparison that the rates should be calculated on a uniform plan, the rates shown in this Table (excepting for Metropolitan Districts as already explained) are uncorrected for all four decennia.

Corrected rates for the last decennium, 1871-80, are, however, inserted in notes for all districts containing workhouses not belonging to the district, or county or other large lunatic asylums, or hospitals.

TABLE 2.—ANNUAL DEATH-RATE per 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS lxxxvi-c

NOTE.—This Table was specially prepared for the use of the Medical Department of the Local Government Board, in continuation (with certain modifications) of a Parliamentary Return based upon the Decennial Supplement for the ten years 1861-70, and usually known, from the name of the Member of Parliament who originally moved for it, as "Lowe's Return."

	PAGES
TABLE 3.—ANNUAL DEATH-RATE per 1,000 LIVING, at ALL AGES, and at ELEVEN GROUPS of AGES, in REGISTRATION COUNTIES; PERSONS, MALES, and FEMALES	ci-ciii

NOTE.—The rates for persons are reprinted from the Tables on pages 2-49 to afford the means for more convenient comparison; the rates for males and females are not given elsewhere.

TABLE 4.—ANNUAL RATE of MORTALITY per 1,000 LIVING from SEVERAL CAUSES in REGISTRATION COUNTIES in the TEN YEARS 1871-80; PERSONS, MALES, and FEMALES	civ-cxi
---	---------

NOTE.—The rates for persons are reprinted from the Tables on pages 2-49 to afford the means for more convenient comparison; the rates for males and females do not appear elsewhere.

TABLE 5.—ANNUAL RATE of MORTALITY from SEVERAL CAUSES per MILLION LIVING at ALL AGES and at TWELVE GROUPS of AGES, among PERSONS, MALES, and FEMALES, in each of the last THREE DECENNIA	cxii-cxvi
--	-----------

TABLE 6.—MEAN ANNUAL RATE of MORTALITY in the THREE YEARS 1880-1-2 at SUCCESSIVE PERIODS of LIFE, of MALES engaged in VARIOUS OCCUPATIONS	cxvii-cxxiii
---	--------------

NOTE.—This Table gives the mean annual death-rates of males over 15 years of age, in 100 selected occupations, or groups of occupations, at five successive age-periods. The number of deaths in each occupation, at each age-period, were obtained by abstraction from the Death Registers for the whole of England and Wales, for the three years 1880-1-2; and the Years of Life exposed to risk in each case were obtained by multiplying by three the number of males returned as employed in the occupation at the Census of 1881.

TABLE 1.—Density of Population and Annual Mortality in Four Decennia, in Registration Divisions, Counties, and Districts.

REGISTRATION DIVISIONS AND COUNTIES.		ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1
	ENGLAND -	2'21	1'96	1'74	1'53	23	22	22	
No.	DIVISIONS.								
I.	LONDON - - -	0'04	0'03	0'02	0'02	25	24	24	
II.	SOUTH EASTERN - -	2'62	2'34	1'99	1'72	20	20	19	
III.	SOUTH MIDLAND - -	2'00	2'53	2'34	2'13	21	20	20	
IV.	EASTERN - - -	2'96	2'85	2'72	2'45	20	21	20	
V.	SOUTH WESTERN - -	2'83	2'74	2'68	2'67	20	20	20	
VI.	WEST MIDLAND - -	1'91	1'69	1'50	1'38	22	22	22	
VII.	NORTH MIDLAND - -	3'04	2'83	2'63	2'32	21	21	21	
VIII.	NORTH WESTERN - -	0'88	0'74	0'63	0'53	27	26	26	
IX.	YORK - - -	2'17	1'92	1'68	1'40	23	23	24	
X.	NORTHERN - - -	3'89	3'29	3'77	2'36	22	22	23	
XI.	WELSH - - -	4'63	4'18	3'79	3'40	20	21	21	
	II.—SOUTH EASTERN.								
1	SURREY (<i>extra-metropolitan</i>)	2'44	2'00	1'47	1'10	18	18	18	
2	KENT (<i>extra-metropolitan</i>) -	2'18	1'97	1'67	1'45	21	20	20	
3	SUSSEX - - - -	2'96	2'60	2'41	2'07	18	19	19	
4	HAMPSHIRE - - -	2'81	2'47	2'11	1'90	20	20	19	
5	BERKSHIRE - - -	2'90	2'79	2'61	2'42	20	20	20	
	III.—SOUTH MIDLAND.								
6	MIDDLESEX (<i>extra-metrop.</i>)	1'21	1'04	0'79	0'55	19	20	20	
7	HERTFORDSHIRE - -	2'55	2'44	2'30	2'22	20	19	19	
8	BUCKINGHAMSHIRE -	2'86	2'77	2'67	2'64	21	21	20	
9	OXFORDSHIRE - - -	2'87	2'81	2'72	2'73	21	21	20	
10	NORTHAMPTONSHIRE	3'06	2'84	2'64	2'41	22	21	21	
11	HUNTINGDONSHIRE -	3'54	3'44	3'40	3'68	22	20	20	
12	BEDFORDSHIRE - -	2'52	2'26	2'00	2'01	22	21	21	
13	CAMBRIDGESHIRE -	3'16	3'07	3'07	3'00	23	21	20	
	IV.—EASTERN.								
14	ESSEX - - - - -	2'96	2'72	2'38	1'82	20	20	19	
15	SUFFOLK - - - -	2'86	2'77	2'72	2'64	20	20	20	
16	NORFOLK - - - -	3'10	3'02	3'05	3'01	21	21	21	

Density of Population and Annual Mortality, 1841-80.

TABLE 1. (continued).—Density of Population and Annual Mortality in Four Decennia, in REGISTRAR'S DIVISIONS, COUNTIES, and DISTRICTS.

REGISTRATION COUNTIES.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871
V.—SOUTH WESTERN.								
17 WILTSHIRE - - -	3'22	3'26	3'23	3'22	21	21	19	18'
18 DORSETSHIRE - - -	3'57	3'43	3'29	3'27	20	19	19	17'
19 DEVONSHIRE - - -	3'08	2'81	2'75	2'71	20	20	20	19'
20 CORNWALL - - -	2'52	2'48	2'45	2'57	19	20	21	20'
21 SOMERSETSHIRE - -	2'23	2'34	2'25	2'19	20	20	20	19'
VI.—WEST MIDLAND.								
22 GLOUCESTERSHIRE -	1'76	1'66	1'54	1'38	22	21	21	19'
23 HEREFORDSHIRE - -	4'35	4'13	3'94	4'35	21	20	20	18'
24 SHROPSHIRE - - -	3'72	3'63	3'50	3'50	21	20	20	18'
25 STAFFORDSHIRE - -	1'30	1'08	0'91	0'81	24	25	23	22
26 WORCESTERSHIRE -	1'77	1'57	1'38	1'21	21	20	20	18
27 WARWICKSHIRE - -	1'38	1'17	1'02	0'90	23	23	23	21
VII.—NORTH MIDLAND.								
28 LEICESTERSHIRE - -	2'34	2'23	2'06	1'78	22	22	22	21
29 RUTLANDSHIRE - -	4'54	4'51	4'58	4'63	19	18	19	18
30 LINCOLNSHIRE - -	4'00	4'32	4'16	3'89	20	19	19	18
31 NOTTINGHAMSHIRE -	2'12	1'94	1'77	1'52	21	22	22	21
32 DERBYSHIRE - - -	2'23	2'01	1'82	1'57	21	22	22	20
VIII.—NORTH WESTERN.								
33 CHESHIRE - - - -	1'75	1'53	1'35	1'11	23	22	22	21
34 LANCASHIRE - - -	0'70	0'58	0'40	0'41	28	26	27	25
IX.—YORK.								
35 WEST RIDING - - -	1'34	1'19	1'05	0'88	23	24	25	23
36 EAST RIDING (WITH YORK)	3'07	2'73	2'40	2'08	24	22	23	21
37 NORTH RIDING - -	6'49	6'09	5'54	4'42	19	19	20	19
X.—NORTHERN.								
38 DURHAM - - - -	2'04	1'58	1'22	0'94	22	22	23	23
39 NORTHUMBERLAND -	4'53	3'99	3'54	3'14	22	22	23	22
40 CUMBERLAND - - -	5'19	4'84	4'56	4'12	21	21	22	21
41 WESTMORLAND - -	8'75	8'43	7'98	7'77	19	18	18	17
XI.—WELSH.								
42 MONMOUTHSHIRE - -	2'64	2'31	2'08	1'88	23	23	22	21
43 SOUTH WALES - - -	4'06	4'31	3'81	3'25	20	22	21	21
44 NORTH WALES - - -	4'99	4'81	4'60	4'43	20	20	21	20

TABLE 1. (continued).—Density of Population and Annual Mortality in Four Decennia,
REGISTRATION DISTRICTS.

I.—LONDON.

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY.		
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70
No.								
1	PADDINGTON - - - - -	*076	*048	*014	*012	20	19	21
2	KENSINGTON - - - - -			*023	*015			21
3	FULHAM - - - - -			*075	*044			25
4	CHelsea - - - - -	*018	*014	*012	*011	27	26	26
5	ST. GEORGE HANOVER SQUARE -	*017	*014	*013	*012	19	19	21
6	WESTMINSTER - - - - -	*015	*014	*012	*013	27	26	26
7	ST. JAMES WESTMINSTER (a) -	*004	*005	*004	*004	22	23	23
8	MARYLEBONE - - - - -	*010	*009	*009	*010	24	24	25
9	HAMPSTEAD - - - - -	*204	*145	*087	*058	18	17	18
10	PANCRAS - - - - -	*018	*015	*013	*012	23	22	23
11	ISLINGTON - - - - -	*041	*025	*017	*013	19	21	22
12	HACKNEY - - - - -	*078	*055	*038	*025	19	19	20
13	ST. GILES - - - - -	*005	*005	*005	*005	26	28	29
14	ST. MARTIN-IN-THE-FIELDS -	*012	*012	*013	*015	24	23	23
15	STRAND (a) - - - - -	*004	*004	*005	*006	24	24	24
16	HOLBORN - - - - -	*004	*004	*004	*005	26	26	27
17	CLERKENWELL - - - - -	*006	*006	*006	*006	24	23	25
18	ST. LUKE - - - - -	*004	*004	*004	*005	27	27	28
19	LONDON CITY - - - - -	*005	*006	*007	*010	25	24	26
20	SHOREDITCH - - - - -	*007	*005	*005	*005	27	24	26
21	BETHNAL GREEN - - - - -	*009	*008	*007	*006	25	23	27
22	WHITECHAPEL - - - - -	*005	*005	*005	*005	29	28	30
23	ST. GEORGE-IN-THE-EAST -	*005	*005	*005	*005	29	29	30
24	STEPNEY - - - - -	*012	{	*010	*008	25	{	24
25	MILE END OLD TOWN - - -			*011	*008			25
26	POPLAR - - - - -			*024	*017			26
27	ST. SAVIOUR SOUTHWARK -	*060	*037	*006	*007	22	24	25
28	ST. GEORGE SOUTHWARK -	*006	*005	*005	*005	30	27	27
29	NEWINGTON - - - - -	*010	*009	*007	*006	26	24	24
30	ST. OLAVE - - - - -	—	—	*009	*009	—	—	25
31	BERMONDSEY - - - - -	*017	*013	*009	*008	28	26	26
32	ROTHERHITHE - - - - -	*050	*042	*030	*024	28	25	26
33	LAMBETH - - - - -	*031	*027	*021	*017	25	23	23
34	WANDSWORTH - - - - -	*253	*183	*118	*063	19	20	19
35	CAMBERWELL - - - - -	*092	*069	*049	*030	24	23	23
36	GREENWICH - - - - -	*080	*047	*035	*030	27	24	26
37	LEWISHAM - - - - -	*595	*342	*217	*183	17	18	19
38	WOOLWICH - - - - -	—	—	—	*084	—	—	—

II.—SOUTH EASTERN COUNTIES.

1.—SURREY (Extra-metropolitan).													
30	EPSOM	-	-	-	-	-	2'27	1'00	1'50	1'18	18	16	17
31	CHERTSEY	-	-	-	-	-	2'80	2'50	2'02	1'68	18	18	17
32	GUILDFORD	-	-	-	-	-	2'72	2'41	2'12	1'73	19	19	20
33	FARNHAM	-	-	-	-	-	3'79	2'19	1'58	1'03	18	16	17
34	HAMBLEDON	-	-	-	-	-	4'53	4'40	4'17	3'89	16	17	17
35	DORKING	-	-	-	-	-	3'58	3'36	3'02	2'72	17	17	17
36	REIGATE	-	-	-	-	-	3'58	2'08	2'16	1'78	16	17	17
37	GODSTONE	-	-	-	-	-	4'94	4'74	3'79	2'81	17	17	16
38	CROYDON	-	-	-	-	-	1'10	0'84	0'50	0'32	20	19	19
39	KINGSTON (inc. Teddington and Hampton).	-	-	-	-	-	0'80	0'71	0'54	0'38	18	18	18
40	RICHMOND	-	-	-	-	-	0'29	0'25	0'22	0'17	20	20	19

(a) For the purposes of this Table the parish of St. Anne Soho is included with STRAND, 1841-60, and with ST. WESTMINSTER, 1861-80.

(b) This death-rate would be reduced to 14.5 by the exclusion of the deaths recorded in the Middlesex County Lunatic Asylum.

(c)	"	"	"	15'0	"	"	"	Working Invalid Convict P the Surrey County Lunatic and in the Surrey County
-----	---	---	---	------	---	---	---	--

(d)	"	"	"	15'6"				and in the Surrey County
(e)	"	"	"	12'1"	"	"	"	Cambridge and Station House Metropolitan District Asylums

(e)	"	"	"	12.1	"	"	"	Metropolitan District Asylum for
								Imbeciles.
(f)	"	"	"	12.1	"	"	"	General Hospital.

16'1	16'9	General Hospital.
16'9		Richmond Hospital.

20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH-EASTERN COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
—KENT (Extra-Metropolitan).								
DMLEY - - - - -	2'37	2'10	1'54	0'99	17	16	16	14'6
RITFORD - - - - -	2'02	1'78	1'40	1'09	19	18	19	17'1(a)
AVESDENE - - - - -	0'08	0'07	0'06	0'06	25	23	22	19'3
WTH AYLESFORD (inc. Northfleet d Strood) - - - - -	2'40	2'10	1'84	1'53	23	20	20	18'2
O - - - - -	7'04	6'96	6'62	6'07	24	25	23	18'0
DWAY (inc. Rochester and Chatham)	0'36	0'31	0'22	0'20	25	23	22	18'9(b)
LLING - - - - -	2'53	2'31	2'12	1'92	21	19	20	17'6
TENOAKS - - - - -	3'05	3'06	2'91	2'62	18	18	18	15'7
NEBRIDGE (inc. pt. of Tunbridge ells) - - - - -	1'76	1'47	1'18	0'97	20	20	18	17'1
IDSTONE - - - - -	1'11	1'02	0'96	0'89	23	23	23	22'4(c)
LLINGBOURN - - - - -	4'14	4'17	4'17	4'10	20	19	19	17'9
UNBROOK - - - - -	3'07	3'04	3'02	2'98	19	17	17	15'5
STERDEN - - - - -	4'21	4'22	4'34	4'44	20	19	17	16'8
ST ASHFORD - - - - -	3'40	2'95	2'67	2'43	18	20	19	16'7
ST ASHFORD - - - - -	4'64	4'50	4'31	4'11	17	18	17	15'1
IDGE - - - - -	3'74	3'68	3'69	3'60	18	18	18	19'6(d)
STERBURY - - - - -	0'21	0'20	0'19	0'19	24	23	24	22'7(e)
EAN (inc. Whitstable, Herne Bay, and pt. of Canterbury City) - - - - -	2'27	2'09	1'87	1'53	17	18	20	17'3
FERSHAM - - - - -	2'85	2'61	2'12	1'89	19	20	19	17'4
LTON (inc. Sittingbourne) - - - - -	2'71	2'38	1'88	1'50	21	21	20	17'8
EPPEY (inc. Sheerness) - - - - -	1'85	1'41	1'21	1'22	24	19	19	15'5
ANET (inc. Ramsgate and Margate)	0'94	0'93	0'80	0'56	19	21	20	19'0(f)
TRY (inc. Deal, Walmer, and Sand- wich) - - - - -	2'07	1'99	1'90	1'68	19	19	19	17'3
FER - - - - -	1'13	1'00	0'87	0'81	21	20	20	17'9
HAM (inc. Folkestone and Hythe) - - - - -	2'58	1'89	1'52	1'35	19	18	17	16'7
WNEY MARSH (inc. New Romney) - - - - -	8'44	8'05	7'61	7'24	19	21	18	16'8
3.—SUSSEX.								
E (inc. Winchelsea) - - - - -	3'26	3'24	3'24	3'17	18	20	19	18'0
STINGS - - - - -	0'78	0'59	0'45	0'33	18	18	20	17'5(g)
ITILE - - - - -	4'11	4'01	4'08	3'82	16	17	17	15'3
STBOURNE - - - - -	4'67	3'99	2'88	1'68	15	17	17	14'2
ILSHAM - - - - -	4'23	4'19	4'23	4'17	17	17	17	16'4
EHURST (inc. part of Tunbridge ells) - - - - -	3'48	3'43	3'31	3'09	19	19	17	16'4
FIELD - - - - -	4'36	4'25	4'06	3'83	17	19	17	15'7
ST GRINSTEAD - - - - -	4'75	4'49	4'05	3'53	17	17	16	15'4
ESFIELD - - - - -	3'96	3'77	3'31	2'87	16	18	16	14'3
VES - - - - -	3'37	3'23	2'99	2'72	19	19	20	18'8(h)
GHTON - - - - -	0'03	0'02	0'02	0'02	21	22	22	20'5(i)
YNING (inc. New Shoreham) - - - - -	2'84	2'17	1'62	1'19	16	16	16	14'4
ESHAM - - - - -	4'16	3'89	3'56	3'39	18	18	18	15'8
WORTH - - - - -	4'07	4'13	4'13	4'63	17	19	19	17'0
LEEHAM - - - - -	4'68	4'75	4'77	4'89	18	18	16	15'8
ST PRESTON (inc. Worthing, Little- ampton, and Arundel) - - - - -	2'34	2'25	1'96	1'45	17	18	18	15'9
STAMPNETT (inc. Bognor) - - - - -	5'03	4'98	4'94	3'67	19	18	17	16'2
CHESTER - - - - -	1'59	1'44	1'43	0'23	21	21	19	21'3(k)
SHURST - - - - -	4'88	5'02	5'13	4'93	17	18	18	15'7
STBOURNE - - - - -	4'83	4'73	4'64	4'38	18	17	19	15'5

a death-rate would be reduced to 16'5 by the exclusion of the deaths recorded in the City of London Lunatic Asylum and the Metropolitan Asylum for Imbeciles.

"	"	"	17'6	"	"	"	St. Bartholomew's Hospital, Fort Pitt Hospital, and Melville Hospital.
"	"	"	19'0	"	"	"	County Lunatic Asylum and the West Kent General Hospital.
"	"	"	17'4	"	"	"	East Kent County Lunatic Asylum.
"	"	"	20'5	"	"	"	Kent and Canterbury Hospital.
"	"	"	18'7	"	"	"	Royal Sea Bathing Infirmary.
"	"	"	17'3	"	"	"	East Sussex Infirmary.
"	"	"	15'9	"	"	"	County Lunatic Asylum.
"	"	"	19'4	"	"	"	County Hospital.
"	"	"	19'7	"	"	"	General Infirmary and Dispensary.

TABLE 1. (continued).—Density of Population and Annual Mortality in Four Decennia, 1841-80. REGISTRATION DISTRICTS.

II.—SOUTH EASTERN COUNTIES—continued.

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY.		
						DEATHS TO 1000 LIVING		
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70
4.—HAMPSHIRE.								
No.								
87	HAVANT - - - - -	2'05	1'97	1'85	1'70	18	19	19
88	PORTSEA ISLAND (inc. Portsmouth) - -	0'08	0'06	0'05	0'04	25	23	21
89	ALVERSTOKE (inc. Gosport) - - -	0'25	0'19	0'17	0'17	29	26	23
90	FAREHAM - - - - -	2'64	2'62	2'38	2'24	19	21	23
91	ISLE OF WIGHT (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor) - -	2'15	1'89	1'54	1'33	17	17	17
92	LYMINGTON - - - - -	3'57	3'48	3'26	3'19	17	18	17
93	CHRISTCHURCH (inc. Bournemouth) - -	4'51	3'89	2'39	1'40	16	18	17
94	RINGWOOD - - - - -	6'07	6'04	6'50	6'42	17	18	17
95	FORDINGBRIDGE - - - - -	5'19	5'32	5'48	5'46	20	20	19
96	NEW FOREST - - - - -	5'18	5'13	5'14	5'19	17	17	17
97	SOUTHAMPTON - - - - -	0'04	0'03	0'03	0'03	23	24	23
98	SOUTH STONEHAM - - - - -	1'85	1'28	0'92	0'72	18	17	19
99	ROMSEY - - - - -	2'58	2'61	2'89	2'93	21	19	20
100	STOCKBRIDGE - - - - -	6'22	6'14	6'23	6'61	20	19	18
101	WINCHESTER - - - - -	3'23	3'01	2'79	2'63	21	20	19
102	DROXFORD - - - - -	4'60	4'52	4'36	4'26	18	18	17
103	CATHERINGTON - - - - -	5'42	5'27	4'99	4'77	17	19	16
104	PETERSFIELD - - - - -	5'25	5'12	4'89	4'61	18	19	17
105	ALRESFORD - - - - -	5'48	5'45	5'90	5'99	17	16	17
106	ALTON - - - - -	4'67	4'43	4'24	4'09	19	18	19
107	HARTLEY WINTNEY - - - - -	3'83	3'70	3'79	3'75	18	19	18
108	BASINGSTOKE - - - - -	4'33	4'23	4'16	4'06	20	19	19
109	WHITCHURCH - - - - -	5'31	5'30	5'30	5'67	19	22	19
110	ANDOVER - - - - -	4'88	4'86	4'80	4'85	19	18	18
111	KINGSCLERE - - - - -	5'39	5'37	5'47	5'32	19	19	20
5.—BERKSHIRE.								
112	NEWBURY - - - - -	2'11	2'10	2'11	2'13	21	21	20
113	HUNGERFORD - - - - -	4'88	4'88	5'01	5'23	20	20	19
114	PARINGDON - - - - -	4'10	4'09	4'10	4'50	20	21	21
115	ABINGDON - - - - -	2'84	2'70	2'68	2'62	23	23	22
116	WANTAGE - - - - -	4'42	4'36	4'37	4'45	19	20	19
117	WALLINGFORD - - - - -	2'91	2'90	2'85	2'93	20	20	18
118	BRADFELD - - - - -	3'89	3'87	3'93	3'89	19	19	18
119	BRADING - - - - -	0'23	0'20	0'16	0'13	24	22	22
120	WOKINGHAM - - - - -	3'19	3'00	2'75	2'40	17	18	18
121	COOKHAM (inc. Maidenhead) - - -	2'59	2'39	2'11	1'88	19	18	18
122	EASTHAMPTSTEAD - - - - -	4'10	3'65	2'79	2'32	16	16	16
123	WINDSOR - - - - -	1'16	1'10	0'95	0'77	20	20	20

III.—SOUTH MIDLAND COUNTIES.

6.—MIDDLESEX (Extra-metro.)								
124	STAINES - - - - -	1'83	1'06	1'35	1'11	19	19	18
125	UXBRIDGE - - - - -	1'35	1'22	1'10	1'01	23	22	25
(a)	This death-rate would be reduced to 19'4 by the exclusion of the deaths recorded in the					Royal Portsmouth, Portsea Gosport Hospital and Garrison Station Hospital		
(b)	"	"	19'6	"	"	Naval Hospital at Haslar, the Station Hospital at Gosport		
(c)	"	"	16'7	"	"	County Lunatic Asylum.		
(d)	"	"	16'8	"	"	National Consumption Hospital.		
(e)	"	"	16'2	"	"	Finsbury Home Consumption Hospital.		
(f)	"	"	20'3	"	"	Royal South Hampshire Infirmary.		
(g)	"	"	16'0	"	"	Royal Victoria Hospital, the Military Lunatic Hospital at Netley.		
(h)	"	"	16'5	"	"	County Lunatic Asylum.		
(i)	"	"	18'0	"	"	County Lunatic Asylum.		
(j)	"	"	18'0	"	"	Royal Berkshire Hospital.		
(k)	"	"	12'8	"	"	Broadmoor Criminal Lunatic Asylum.		
(l)	"	"	12'8	"	"	County Lunatic Asylum well).		
(m)	"	"	16'9	"	"			

TABLE I. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
MIDDLESEX (Extra-Metro.) —cont.								
ENTFORD (inc. Hounslow and Wickham) - - - - -	0'52	0'44	0'34	0'24	21	22	20	17'5(a)
NDON (inc. Harrow) - - - -	2'11	1'83	1'19	0'73	17	18	18	16'7
ENET - - - - -	1'81	1'52	1'15	0'87	18	25	24	21'8(b)
WOSTON (inc. Waltham Abbey and Hfield) - - - - -	1'06	0'89	0'66	0'42	19	18	10	10'9(c)
7.—HERTFORDSHIRE.								
RE - - - - -	2'24	2'17	2'10	2'01	19	18	18	16'2
ROF STORTFORD - - - - -	2'70	2'65	2'57	2'51	21	18	19	16'8
STON - - - - -	3'46	3'46	3'47	3'53	21	19	18	16'8
CHIN - - - - -	2'76	2'58	2'44	2'42	21	19	20	18'5(d)
STFORD - - - - -	2'35	2'26	2'20	2'15	20	17	19	16'7(e)
FIELD - - - - -	3'57	3'49	3'46	3'45	18	18	18	17'3
ALBANS - - - - -	1'98	1'87	1'73	1'87	20	19	19	18'2
TFORD - - - - -	1'98	1'87	1'54	1'26	20	20	19	23'1(f)
MEL HEMPSTEAD - - - - -	2'07	1'83	1'78	1'75	20	21	20	19'2(g)
AKHAMSTEAD - - - - -	2'04	1'91	1'89	1'73	22	21	20	18'3
—BUCKINGHAMSHIRE.								
ERHAM - - - - -	2'71	2'70	2'71	2'58	22	23	21	19'1
N (inc. Slough) - - - - -	1'99	1'90	1'80	1'62	18	18	18	16'2
COMBE (inc. Great Marlow) - -	2'83	2'37	2'22	2'11	21	21	20	18'6
ESBURY - - - - -	3'25	3'14	3'04	2'99	21	22	22	20'2(h)
WELW - - - - -	3'77	3'59	3'64	4'06	21	22	20	18'0
WPORT PAGNELL - - - - -	2'98	2'86	2'77	2'07	22	21	20	19'2
WINGHAM - - - - -	3'66	3'72	3'85	4'15	23	23	29	13'7
9.—OXFORDSHIRE.								
LEY - - - - -	—	3'42	3'32	3'14	—	10	18	17'0
ME - - - - -	3'52	3'55	3'63	3'87	22	21	19	18'6
ADINGTON (inc. pt. of Oxford City) -	0'82 {	1'56	1'30	1'17	23 {	22	21	21'1(i)
ORD - - - - -		0'15	0'14	0'07		22	22	18'7(j)
ESTER - - - - -	4'17	4'12	4'12	4'41	21	21	20	17'9
ODSTOCK - - - - -	3'44	3'34	3'31	3'50	21	20	20	18'7
NEY - - - - -	3'02	3'00	3'02	3'51	22	20	20	19'5
PPING NORTON - - - - -	4'55	4'40	4'24	4'04	19	19	19	19'0
BURY - - - - -	2'58	2'51	2'45	2'54	22	21	20	19'3
—NORTHAMPTONSHIRE.								
CKLEY - - - - -	4'33	4'32	4'36	4'61	22	21	20	18'6
CESTER - - - - -	3'33	3'27	3'25	3'30	22	23	20	18'8
ERSPURY - - - - -	2'19	2'01	1'92	1'88	22	20	19	16'9
DRINGSTONE - - - - -	3'64	3'40	3'15	3'07	21	20	20	18'8
THAMPTON - - - - -	0'67	0'56	0'44	0'35	24	25	25	22'7(l)
ENTRY - - - - -	2'02	2'08	3'16	3'33	20	20	20	19'1

death-rate would be reduced to 17'4 by the exclusion of the deaths recorded in the Royal India Lunatic Asylum, Middlesex County Lunatic Asylum (Cooney Hatch), Training Hospital, and in the Strand Union Workhouse.

" " " 15'8 " " " North Hertfordshire and South Bedfordshire Infirmary.

" " " 16'3 " " " Hertfordshire General Infirmary.

" " " 17'2 " " " Metropolitan Asylum for Imbeciles.

" " " 18'6 " " " West Hertfordshire Infirmary.

" " " 18'7 " " " County Lunatic Asylum.

" " " 17'2 " " " Oxford Workhouse, the Radcliffe Infirmary, and the Oxfordshire and Berkshire Counties Lunatic Asylum.

rate in Oxford would be increased to 20'4 by the inclusion of the deaths in the Oxford Union Workhouse situated in District.

death-rate would be reduced to 21'1 by the exclusion of the deaths recorded in the General Infirmary, St. Andrews Lunatic Asylum, and the County Lunatic Asylum.

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECADES
REGISTRATION DISTRICTS.

II.—SOUTH EASTERN COUNTIES—continued.

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY DEATHS TO 1000 LIVES		
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70
4.—HAMPSHIRE.								
No.								
87	HAVANT - - - - -	2'05	1'97	1'85	1'70	18	19	19
88	PORTSEA ISLAND (inc. Portsmouth) - -	0'08	0'06	0'05	0'04	25	23	21
89	ALVERSTOKE (inc. Gosport) - - -	0'25	0'19	0'17	0'17	29	26	23
90	FARNHAM - - - - -	2'64	2'62	2'38	2'24	19	21	23
91	ISLE OF WIGHT (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor) - -	2'15	1'89	1'54	1'33	17	17	17
92	LYMINGTON - - - - -	3'57	3'48	3'26	3'19	17	18	17
93	CHRISTCHURCH (inc. Bournemouth) - -	4'51	3'89	2'39	1'40	16	18	17
94	RINGWOOD - - - - -	0'07	6'04	6'50	6'42	17	18	17
95	FORDINGBRIDGE - - - - -	5'19	5'32	5'48	5'46	20	20	19
96	NEW FOREST - - - - -	5'18	5'13	5'14	5'19	17	17	17
97	SOUTHAMPTON - - - - -	0'04	0'03	0'03	0'03	23	24	23
98	SOUTH STONEHAM - - - - -	1'85	1'28	0'92	0'72	18	17	19
99	ROMSEY - - - - -	2'58	2'61	2'89	2'93	21	19	20
100	STOCKBRIDGE - - - - -	0'22	6'14	6'23	6'61	20	19	18
101	WINCHESTER - - - - -	3'23	3'01	2'79	2'63	21	20	19
102	DROXFORD - - - - -	4'60	4'52	4'36	4'26	18	18	17
103	CATHERINGTON - - - - -	5'42	5'27	4'99	4'77	17	19	16
104	PETERSFIELD - - - - -	5'25	5'12	4'89	4'61	18	19	17
105	ALRESFORD - - - - -	5'48	5'45	5'90	5'99	17	16	17
106	ALTON - - - - -	4'57	4'43	4'24	4'09	19	18	19
107	HARTLEY WINTNEY - - - - -	3'83	3'70	3'79	2'75	18	19	18
108	BASINGSTOKE - - - - -	4'33	4'23	4'16	4'06	20	19	19
109	WHITCHURCH - - - - -	5'31	5'30	5'30	5'67	19	22	19
110	ANDOVER - - - - -	4'88	4'86	4'89	4'85	19	18	18
111	KINGSCLERE - - - - -	5'39	5'37	5'47	5'32	19	19	20
5.—BERKSHIRE.								
112	NEWBURY - - - - -	2'11	2'10	2'11	2'13	21	21	20
113	HUNGERFORD - - - - -	4'88	4'88	5'01	5'23	20	20	19
114	FARINGDON - - - - -	4'10	4'09	4'10	4'50	20	21	21
115	ABINGDON - - - - -	2'84	2'70	2'66	2'62	23	23	22
116	WANTAGE - - - - -	4'42	4'36	4'37	4'45	19	20	19
117	WALLINGFORD - - - - -	2'91	2'90	2'85	2'93	20	20	18
118	BRADFIELD - - - - -	3'89	3'87	3'93	3'89	19	19	18
119	READING - - - - -	0'23	0'20	0'16	0'13	24	22	22
120	WOKINGHAM - - - - -	3'19	3'00	2'75	2'40	17	18	18
121	COOKHAM (inc. Maidenhead) - - -	2'69	2'39	2'11	1'88	19	18	18
122	EASTHAMPTSTEAD - - - - -	4'10	3'65	2'79	2'32	16	16	16
123	WINDSOR - - - - -	1'16	1'10	0'95	0'77	20	20	20

III.—SOUTH MIDLAND COUNTIES.

6.—MIDDLESEX (Extra-metro.)								
124	STAINES - - - - -	1'83	1'66	1'35	1'11	19	19	19
125	UXBRIDGE - - - - -	1'35	1'22	1'10	1'01	23	22	25
(a) This death-rate would be reduced to 19'4 by the exclusion of the deaths recorded in the Royal Portsmouth, Port Gosport Hospital and Garrison Station Hospital.								
(b)	"	"	19'6	"	"	"	Naval Hospital at the Station	
(c)	"	"	18'7	"	"	"	County Lunatic Asylum	
(d)	"	"	18'8	"	"	"	National Ophthalmic Hospital	
(e)	"	"	16'2	"	"	"	Finsbury Hospital	
(f)	"	"	20'3	"	"	"	Royal Bowdoin Hospital	
(g)	"	"	16'0	"	"	"	Royal Victoria Hospital at the M. at Netley	
(h)	"	"	16'5	"	"	"	Royal Ophthalmic Hospital	
(i)	"	"	18'0	"	"	"	...	
(j)	"	"	12'8	"	"	"	...	
(m)	"	"	16'9	"	"	"	...	

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
6.—MIDDLESEX (Extra-Metro.)								
—cont.								
BRENTFORD (inc. Hounslow and Twickenham) - - - - -	0'52	0'44	0'34	0'24	21	22	20	17'5(a)
BENDON (inc. Harrow) - - - -	2'11	1'83	1'19	0'73	17	18	18	16'7
BARNET - - - - -	1'81	1'52	1'15	0'87	15	25	24	21'8(b)
EDMONTON (inc. Waltham Abbey and Enfield) - - - - -	1'06	0'89	0'66	0'42	19	18	19	16'9(c)
7.—HERTFORDSHIRE.								
WARE - - - - -	2'24	2'17	2'10	2'01	19	18	18	16'2
BISHOP STORTFORD - - - - -	2'70	2'65	2'57	2'51	21	18	19	16'8
LOYSTON - - - - -	3'46	3'46	3'47	3'53	21	19	18	16'8
LITCHIN - - - - -	2'76	2'53	2'44	2'42	21	19	20	18'5(d)
HERTFORD - - - - -	2'35	2'26	2'20	2'15	20	17	19	16'7(e)
LEAFIELD - - - - -	3'57	3'49	3'46	3'45	18	18	18	17'3
T. ALBANS - - - - -	1'98	1'87	1'73	1'87	20	19	19	18'2
WATFORD - - - - -	1'98	1'87	1'54	1'26	20	20	19	23'1(f)
HEMEL HEMPSTEAD - - - - -	2'07	1'83	1'73	1'75	20	21	20	19'2(g)
BERKHAMSTEAD - - - - -	2'04	1'91	1'80	1'73	22	21	20	18'3
8.—BUCKINGHAMSHIRE.								
MERTHAM - - - - -	2'71	2'70	2'71	2'58	22	22	21	19'1
TON (inc. Slough) - - - - -	1'99	1'90	1'80	1'62	15	18	18	16'2
FRYCOMBE (inc. Great Marlow) - -	2'83	2'37	2'22	2'11	21	21	20	18'8
LYLBURY - - - - -	3'25	3'14	3'04	2'09	21	22	22	20'2(h)
WINSLOW - - - - -	3'77	3'59	3'64	4'06	21	22	20	18'0
NEWPORT PAGNELL - - - - -	2'98	2'86	2'77	2'97	22	21	20	19'2
BUCKINGHAM - - - - -	3'66	3'72	3'85	4'15	23	23	20	18'7
9.—OXFORDSHIRE.								
LENLEY - - - - -	—	3'42	3'32	3'14	—	19	18	17'0
THAME - - - - -	3'52	3'55	3'63	3'87	23	21	19	18'6
READINGTON (inc. pt. of Oxford City) -	0'82	1'56	1'30	1'17	23	23	21	21'1(i)
OXFORD - - - - -	—	0'15	0'14	0'07	—	22	22	18'7(k)
BICESTER - - - - -	4'17	4'12	4'12	4'41	21	21	20	17'9
WOODSTOCK - - - - -	3'44	3'34	3'31	3'50	21	20	20	18'7
WITNEY - - - - -	3'02	3'00	3'02	3'51	22	20	20	19'5
CHIPPING NORTON - - - - -	4'55	4'40	4'24	4'04	19	19	19	19'0
BANBURY - - - - -	2'58	2'51	2'45	2'54	22	21	20	19'3
10.—NORTHAMPTONSHIRE.								
BRACKLEY - - - - -	4'33	4'32	4'36	4'61	22	21	20	18'6
TOWCESTER - - - - -	3'33	3'27	3'25	3'30	22	23	20	18'8
POTTERS PURDY - - - - -	2'19	2'01	1'92	1'88	22	20	19	16'9
HARDINGSTONE - - - - -	3'64	3'40	3'15	3'07	21	20	20	18'8
NORTHAMPTON - - - - -	0'67	0'56	0'44	0'35	24	25	25	22'7(l)
DAVENTRY - - - - -	2'92	2'98	3'16	3'33	20	20	20	19'1

This death-rate would be reduced to 17'4 by the exclusion of the deaths recorded in the

14'6	"	"	Royal India Lunatic Asylum.
15'8	"	"	Middlesex County Lunatic Asylum (Colney Hatch).
18'4	"	"	Training Hospital, and in the Strand Union Workhouse.
16'3	"	"	North Hertfordshire and South Bedfordshire Infirmary.
17'2	"	"	Hertfordshire General Infirmary.
18'6	"	"	Metropolitan Asylum for Imbeciles.
18'7	"	"	West Hertfordshire Infirmary.
17'2	"	"	County Lunatic Asylum.
	"	"	Oxford Workhouse, the Radcliffe Infirmary, and the Oxfordshire and Berkshire Counties Lunatic Asylum.

Deaths in the Oxford Union Workhouse situated in
 recorded in the General Infirmary, St. Andrews

TABLE 1. (continued).—**Density of Population and Annual Mortality in FOUR DECENNIA, in**
REGISTRATION DISTRICTS.

II. —SOUTH EASTERN COUNTIES—*continued.*

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY.			
						DEATHS TO 1000 LIVING			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
4.—HAMPSHIRE.									
No.									
87	HAVANT - - - - -	2'05	1'97	1'85	1'70	18	19	19	
88	PORTSEA ISLAND (inc. Portsmouth) - -	0'08	0'06	0'05	0'04	25	23	21	
89	ALVERSTOCK (inc. Gosport) - - - -	0'25	0'19	0'17	0'17	29	23	23	
90	PAREHAM - - - - -	2'64	2'62	2'38	2'24	19	21	23	
91	ISLE OF WIGHT (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor) - -	2'15	1'89	1'54	1'33	17	17	17	
92	LYMINGTON - - - - -	3'57	3'48	3'26	3'10	17	18	17	
93	CHRISTCHURCH (inc. Bournemouth) - -	4'51	3'89	2'39	1'40	16	18	17	
94	RINGWOOD - - - - -	0'07	0'04	0'50	0'42	17	18	17	
95	FORDINGBRIDGE - - - - -	5'10	5'32	5'48	5'46	20	20	19	
96	NEW FOREST - - - - -	5'18	5'13	5'14	5'19	17	17	17	
97	SOUTHAMPTON - - - - -	0'04	0'03	0'03	0'03	23	24	23	
98	SOUTH STONEHAM - - - - -	1'85	1'28	0'92	0'72	18	17	19	
99	ROMSEY - - - - -	2'58	2'61	2'89	2'65	21	19	20	
100	STOCKBRIDGE - - - - -	0'23	0'14	0'23	0'61	20	19	18	
101	WINCHESTER - - - - -	3'23	3'01	2'79	2'65	21	20	19	
102	DROGFORD - - - - -	4'60	4'52	4'36	4'26	18	18	17	
103	CATERINGTON - - - - -	5'42	5'27	4'99	4'77	17	18	16	
104	PETERSFIELD - - - - -	5'25	5'12	4'89	4'61	18	19	17	
105	ALRESFORD - - - - -	5'48	5'45	5'90	5'99	17	16	17	
106	ALTON - - - - -	4'57	4'43	4'24	4'09	18	18	19	
107	HARTLEY WINTNEY - - - - -	3'85	3'70	3'79	2'75	19	19	18	
108	BASINGSTOKE - - - - -	4'33	4'23	4'16	4'06	20	19	19	
109	WHITCHURCH - - - - -	5'31	5'30	5'30	5'67	19	22	19	
110	ANDOVER - - - - -	4'88	4'86	4'89	4'85	19	18	18	
111	KINGSCLERE - - - - -	5'39	5'37	5'47	5'32	19	19	20	
5.—BERKSHIRE.									
No.									
112	NEWBURY - - - - -	2'11	2'10	2'11	2'13	21	21	20	
113	HUNGERFORD - - - - -	4'88	4'88	5'01	5'23	20	20	19	
114	FARINGDON - - - - -	4'10	4'09	4'10	4'50	20	21	21	
115	ABINGDON - - - - -	2'84	2'70	2'66	2'62	23	23	23	
116	WANTAGE - - - - -	4'42	4'36	4'37	4'45	19	20	19	
117	WALLINGFORD - - - - -	2'91	2'90	2'85	2'93	20	20	18	
118	BRADFELD - - - - -	3'89	3'87	3'83	3'89	19	19	18	
119	READING - - - - -	0'23	0'20	0'16	0'13	24	22	22	
120	WOKINGHAM - - - - -	3'19	3'00	2'75	2'40	17	18	18	
121	COOKHAM (inc. Maidenhead) - - - -	2'59	2'39	2'11	1'88	19	18	18	
122	EASTHAMPTSTEAD - - - - -	4'10	3'65	2'79	2'32	16	16	16	
123	WINDSOR - - - - -	1'16	1'10	0'95	0'77	20	20	20	

III.—SOUTH MIDLAND COUNTIES.

6.—MIDDLESEX (Extra-metro.)												
124	STAINES	-	-	-	-	1'83	1'60	1'35	1'11	19	19	18
125	UXBRIDGE	-	-	-	-	1'35	1'22	1'10	1'01	23	22	25

(a) This death-rate would be reduced to 19·4 by the exclusion of the deaths recorded in the Royal Portsmouth, Portsea Gosport Hospital and in

(b)	"	"	"	19'6	"	"	"	Garrison Station Hospital. Naval Hospital at Haslar, s
-----	---	---	---	------	---	---	---	---

(c) " " " 187 " " " the Station Hospital at Gloucester County Lunatic Asylum.

(d)	"	"	18.8	"	"	"	National Consumption Home
(e)	"	"	16.9	"	"	"	First Bank Home Consum

(f) 30.2 Hospital, Royal South Hampshire Inf

(9)	"	"	"	20.3	"	"	"	Royal South Hampshire Inf
(10)	"	"	"	16.0	"	"	"	Royal Victoria Hospital, 1

the Military Lunatic Ho
at Notley.

(A)	"	"	"	16' 8	"	"	"	Royal County Hospital.
(B)	"	"	"	18' 0	"	"	"	County Lunatic Asylum.

(k)	"	"	18'0	"	"	"	Royal Berkshire Hospital.
(l)	"	"	12'8	"	"	"	Broadmoor. Criminal.

Asylum.

(M) " " " " " County Lunatic Asylum well).

TABLE I. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
—MIDDLESEX (Extra-Metro.)—cont.								
BENTFORD (inc. Hounslow and Twickenham) - - - - -	0'52	0'44	0'34	0'24	21	22	20	17'5(a)
ENDON (inc. Harrow) - - - - -	2'11	1'85	1'19	0'73	17	18	18	16'7
ARNET - - - - -	1'81	1'52	1'15	0'87	19	25	24	21'8(b)
DMONTON (inc. Waltham Abbey and Enfield) - - - - -	1'05	0'89	0'60	0'42	19	18	19	16'9(c)
7.—HERTFORDSHIRE.								
ARE - - - - -	2'24	2'17	2'10	2'01	19	18	18	16'2
ISHOP STORTFORD - - - - -	2'70	2'65	2'57	2'51	21	18	19	16'8
OSTON - - - - -	3'46	3'40	3'47	3'53	21	19	18	16'8
ITCHIN - - - - -	2'76	2'58	2'44	2'42	21	19	20	18'5(d)
ERTFORD - - - - -	2'35	2'26	2'20	2'15	20	17	19	16'7(e)
ATFIELD - - - - -	3'57	3'49	3'46	3'45	18	18	18	17'3
F. ALDANS - - - - -	1'98	1'87	1'73	1'87	20	19	19	18'2
ATFORD - - - - -	1'98	1'87	1'54	1'26	20	20	19	23'1(f)
EMEL HEMPSTEAD - - - - -	2'07	1'83	1'78	1'75	20	21	20	19'2(g)
ERKHAMSTEAD - - - - -	2'04	1'91	1'80	1'78	22	21	20	18'3
8.—BUCKINGHAMSHIRE.								
MERSHAM - - - - -	2'71	2'70	2'71	2'58	22	22	21	19'1
TON (inc. Slough) - - - - -	1'99	1'90	1'80	1'62	18	18	18	16'2
YCOMBE (inc. Great Marlow) - - - - -	2'85	2'37	2'22	2'11	21	21	20	18'8
YLSBURY - - - - -	3'25	3'14	3'04	2'99	21	22	22	20'2(h)
INSLOW - - - - -	3'77	3'59	3'64	4'06	21	22	20	18'0
EWPORT PAGNELL - - - - -	2'98	2'86	2'77	2'97	22	21	20	19'2
UCKINGHAM - - - - -	3'66	3'72	3'85	4'15	23	22	20	18'7
9.—OXFORDSHIRE.								
ENLEY - - - - -	—	3'42	3'32	3'14	—	19	18	17'0
HANE - - - - -	3'52	3'55	3'63	3'87	22	21	19	18'6
READINGTON (inc. pt. of Oxford City) - - - - -	0'82	1'50	1'30	1'17	23	22	21	21'1(i)
KFORD - - - - -	—	0'15	0'14	0'07	—	22	22	18'7(k)
CESTER - - - - -	4'17	4'12	4'12	4'41	21	21	20	17'9
ODSTOCK - - - - -	3'44	3'34	3'31	3'50	21	20	20	18'7
ITSEY - - - - -	3'02	3'00	3'02	3'51	22	20	20	19'5
IPPING NORTON - - - - -	4'55	4'40	4'24	4'04	19	19	19	19'0
ANBURY - - - - -	2'58	2'51	2'45	2'54	22	21	20	19'3
10.—NORTHAMPTONSHIRE.								
RACKLEY - - - - -	4'33	4'32	4'36	4'61	22	21	20	18'6
OWCESTER - - - - -	3'33	3'27	3'25	3'30	22	23	20	18'8
YTERSFURY - - - - -	2'19	2'01	1'92	1'88	22	20	19	16'9
ARDINGSTONE - - - - -	3'64	3'40	3'15	3'07	21	20	20	18'8
ORTHAMPTON - - - - -	0'67	0'56	0'44	0'35	24	25	25	22'7(l)
VENTRY - - - - -	2'92	2'98	3'16	3'33	20	20	20	19'1

its death-rate would be reduced to 17'4 by the exclusion of the deaths recorded in the

"	"	14'6	"	"	"	Royal India Lunatic Asylum.
"	"	15'8	"	"	"	Middlesex County Lunatic Asylum (Colney Hatch).
"	"	18'4	"	"	"	Training Hospital, and in the Strand Union Workhouse.
"	"	16'3	"	"	"	North Hertfordshire and South Bedfordshire Infirmary.
"	"	17'2	"	"	"	Hertfordshire General Infirmary.
"	"	18'6	"	"	"	Metropolitan Asylum for Imbeciles.
"	"	18'7	"	"	"	West Hertfordshire Infirmary.
"	"	17'2	"	"	"	County Lunatic Asylum.
"	"		"	"	"	Oxford Workhouse, the Radcliffe Infirmary, and the Oxfordshire and Berkshire Counties Lunatic Asylum.

rate in Oxford would be increased to 20'4 by the inclusion of the deaths in the Oxford Union Workhouse situated in on District.

death-rate would be reduced to 21'1 by the exclusion of the deaths recorded in the General Infirmary, St. Andrews (Lunatic Asylum), and the County Lunatic Asylum.

TABLE 1. (continued).—Density of Population and Annual Mortality in Four Decennia, 1841-80. REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—continued.

No.	DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.		
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70
	10.—NORTHAMPTONSHIRE —cont.							
162	BRIXWORTH - - - - -	3'27	3'08	4'13	4'44	22	20	19
163	WELLINGBOROUGH - - - - -	2'43	2'09	1'68	1'68	22	22	21
164	KETTERING - - - - -	3'04	2'08	2'83	2'42	20	20	21
165	THERAPTON - - - - -	4'11	3'80	3'00	3'47	19	20	20
166	OUNDE - - - - -	4'56	4'40	4'64	4'86	21	19	19
167	PETERBOROUGH - - - - -	3'09	3'24	2'86	2'55	21	20	20
	11.—HUNTINGDONSHIRE.							
168	HUNTINGDON (inc. Godmanchester) - -	3'92	3'73	3'71	3'80	22	20	20
169	ST. IVES - - - - -	3'17	3'13	3'27	3'54	22	20	21
170	ST. NEOTS - - - - -	3'54	3'45	3'48	3'68	21	19	19
	12.—BEDFORDSHIRE.							
171	BEDFORD - - - - -	2'89	2'64	2'44	2'39	23	20	20
172	BIGGLESWADE - - - - -	2'63	2'38	2'18	2'10	21	21	22
173	AMPTHILL - - - - -	2'58	2'48	2'41	2'46	22	21	21
174	WOBURN - - - - -	2'53	2'49	2'55	2'77	20	22	20
175	LEIGHTON BUZZARD - - - - -	2'10	2'19	2'09	2'13	21	22	20
176	LUTON (inc. Dunstable) - - - - -	1'46	1'26	1'11	1'11	20	21	21
	13.—CAMBRIDGESHIRE.							
177	CAXTON - - - - -	4'72	4'53	4'41	4'53	19	19	19
178	CHESTERTON - - - - -	3'28	3'05	2'89	2'69	21	20	20
179	CAMBRIDGE - - - - -	0'13	0'13	0'12	0'10	23	20	22
180	LINTON - - - - -	3'53	3'40	3'54	3'66	20	19	19
181	NEWMARKET - - - - -	3'36	3'28	3'35	3'37	20	20	20
182	ELY - - - - -	3'72	3'57	3'67	3'77	23	21	20
183	NORTH WITCHFORD - - - - -	3'86	3'86	3'94	3'85	27	21	20
184	WHITTLESEY - - - - -	3'45	3'43	3'60	3'73	25	23	21
185	WISEBICH - - - - -	3'89	3'78	3'90	3'95	25	22	20

IV.—EASTERN COUNTIES.

	14.—ESSEX.							
186	WEST HAM (inc. Stratford and Wal-	0'64	0'42	0'24	0'13	18	20	20
187	thamstow) - - - - -	2'97	2'89	2'53	2'29	18	18	18
188	EPPING - - - - -	4'01	4'10	4'16	4'26	17	18	18
189	ONGAR - - - - -	2'06	1'87	1'64	1'40	20	20	20
190	ROMFORD (inc. Barking) - - - - -	3'96	3'70	3'33	2'78	24	21	18
191	ORSETT - - - - -	5'37	5'53	3'11	2'76	21	21	19
192	BILLERICAY (inc. Brentwood) - - - -	2'67	2'58	2'52	2'57	20	19	19
193	CHELMSFORD - - - - -	—	6'32	5'51	2'81	—	21	19
194	ROCHFORD (inc. Southend) - - - - -	4'99	4'79	4'61	3'63	21	21	19
195	MALDON - - - - -	3'33	3'28	3'15	2'76	20	20	19
196	TENDRING (inc. Harwich) - - - - -	0'60	0'52	0'45	0'41	24	22	21
197	COLCHESTER - - - - -	3'47	3'31	3'14	2'93	19	19	18
198	LEXDEN - - - - -	2'10	2'06	2'11	2'21	20	22	20
199	HALSTED - - - - -	2'30	2'23	2'25	2'31	21	21	21
200	BRAINTREE - - - - -	3'60	3'61	3'68	3'90	21	20	19
201	DUNMOW - - - - -	3'17	3'10	3'19	3'38	21	19	19
	SAFFRON WALDEN - - - - -							

- (a) This death-rate would be reduced to 17'7 by the exclusion of the deaths recorded in the County Hospital.
 (b) " " " 17'6 " " " General Infirmary and Fever Hospital.
 (c) " " " 18'5 " " " Bedfordshire, Hertfordshire Huntingdonshire Lunatic Asylum, County Lunatic Asylum, Addenbrooke's Hospital.
 (d) " " " 16'9 " " " County Lunatic Asylum.
 (e) " " " 17'8 " " " Addenbrooke's Hospital.
 (f) " " " 15'6 " " " County Lunatic Asylum.
 (g) " " " 18'9 " " " Essex and Colchester Hospital the Camp and Lock Hos

1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

IV.—EASTERN COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
15.—SUFFOLK.								
AGE - - - - -	3'02	3'02	2'98	3'03	22	20	20	18'3
Y - - - - -	2'57	2'52	2'48	2'57	20	20	20	18'4
(inc. Hadleigh) - - -	2'90	2'97	3'06	3'20	21	20	19	18'0
E - - - - -	4'45	4'43	4'60	4'85	18	20	18	16'2 (a)
T. EDMUNDS - - - - -	0'22	0'22	0'21	0'19	24	22	23	21'1 (b)
HALL - - - - -	0'27	0'14	6'51	6'74	20	20	19	18'0
inc. Stowmarket) - - -	2'71	2'63	2'64	2'60	18	19	19	18'3
WERE (inc. Eye) - - -	2'89	2'95	3'15	3'33	21	20	20	18'4
- - - - -	3'35	3'47	3'63	3'91	21	20	19	15'0
- - - - -	3'43	3'47	3'63	3'71	18	19	19	17'9
D - - - - -	4'13	3'98	4'00	4'05	18	20	19	17'8
- - - - -	0'29	0'24	0'21	0'18	23	22	22	22'2 (c)
RIDGE - - - - -	3'61	3'53	3'64	3'42	21	20	21	19'7 (d)
GATE - - - - -	3'63	3'56	3'62	3'69	19	20	18	17'2
WG (inc. Southwold and Hales-								
- - - - -	3'34	3'37	3'46	3'53	18	20	19	17'8
ORD (inc. Bungay) - - -	2'52	2'54	2'54	2'46	19	21	19	18'7
D (inc. Lowestoft and Gorleston)	1'94	1'61	1'28	1'00	17	20	18	17'4
16.—NORFOLK.								
TH (GREAT) - - - - -	0'06	0'05	0'05	0'04	23	25	24	22'0 (e)
- - - - -	3'60	3'40	3'23	3'05	20	20	18	18'5
URGH - - - - -	4'03	4'16	4'33	4'35	20	21	19	17'0
AM (inc. North Walsham) -	3'43	3'40	3'56	3'45	20	21	20	18'2
M - - - - -	3'40	3'49	3'67	3'77	21	21	19	18'0
H'S - - - - -	4'12	4'09	4'35	4'33	20	18	19	17'5
H - - - - -	0'11	0'10	0'10	0'09	24	25	24	23'3 (f)
E - - - - -	2'79	2'87	3'01	3'12	21	20	20	17'4
AD - - - - -	3'78	3'80	3'94	4'05	17	19	19	17'4
D - - - - -	3'99	3'83	3'87	3'85	20	20	21	22'2 (g)
- - - - -	4'02	4'05	4'26	4'34	18	19	18	17'4
SE - - - - -	2'80	2'81	2'94	3'04	20	20	20	17'0
ROSS - - - - -	3'61	3'70	3'91	4'09	21	22	20	18'9
ID - - - - -	4'38	4'31	4'51	4'68	19	20	20	19'4
D (inc. East Dereham) -	3'64	3'67	3'79	3'83	20	20	19	18'4
SHAM (inc. Wells-next-the-Sea)	4'08	4'06	4'24	4'53	21	20	22	18'6
- - - - -	5'77	5'66	5'80	5'81	20	21	21	18'8
EDGE LYNN - - - - -	6'03	5'83	5'85	6'11	18	18	20	18'6
LYNN - - - - -	0'30	0'30	0'34	0'33	23	22	22	20'9 (h)
AM (inc. Downham Market) -	4'16	4'06	4'10	4'19	22	21	20	18'9
AM - - - - -	5'95	5'79	5'94	6'14	19	19	19	16'8
RD (inc. Brandon) - - -	6'44	6'24	6'56	6'76	21	20	21	19'0

V.—SOUTH WESTERN COUNTIES.

17.—WILTSHIRE.								
ORTH (inc. Swindon) - - -	3'02	2'72	2'23	1'66	21	21	18	17'7
ADE (inc. Wootton Bassett) -	3'65	3'63	3'52	3'69	20	20	19	17'9
BURY - - - - -	3'75	3'90	3'93	4'05	19	19	18	17'0
SHAM - - - - -	2'80	2'76	2'66	2'71	19	21	19	17'8
- - - - -	3'09	3'17	3'21	3'26	20	20	18	17'6
BROUGH - - - - -	4'32	4'20	4'17	4'18	20	19	19	16'8

Rate in Thingoe would be increased to 17'8 by the inclusion of the deaths in the Thingoe Union Workhouse by St. Edmunds district.

Rate would be reduced to 19'5 by the exclusion of the deaths recorded in the Suffolk General Hospital, and in the Thingoe Union Workhouse. Borough Lunatic Asylum and in the East Suffolk and Ipswich Hospital. County Lunatic Asylum. Royal Naval Lunatic Hospital. Norfolk and Norwich Hospital. County Lunatic Asylum. West Norfolk and Lynn Hospital.

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—continued.

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY.			
						DEATHS TO 1000 LIVING			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1
No.	17.—WILTSHIRE—cont.								
247	DEVIZES - - - - -	2'86	2'80	2'96	3'04	22	21	21	
248	MELKSHAM (inc. Trowbridge) - - -	0'94	0'99	1'00	0'97	22	22	22	
249	BRADFORD-ON-AVON - - - - -	1'50	1'70	1'78	1'75	20	22	19	
250	WESTBURY - - - - -	2'39	2'55	2'67	2'80	22	22	21	
251	WARMINSTER - - - - -	3'30	3'41	3'61	3'87	21	20	18	
252	PEWSEY - - - - -	5'30	5'26	5'39	5'80	20	19	20	
253	AMESBURY - - - - -	7'82	7'62	7'76	8'17	18	20	18	
254	{ ALDBURY (inc. Downton)	3'68	3'55	3'43	3'20	22	23	22	
254	{ SALISBURY - - - - -	0'05	0'05	0'05	0'05	23	24	20	
255	WILTON - - - - -	5'25	5'16	5'13	5'28	21	21	18	
256	TISBURY - - - - -	3'99	4'04	4'10	4'22	20	19	18	
257	MERE - - - - -	3'92	4'03	4'07	4'26	19	21	19	
	18.—DORSETSHIRE.								
258	SHAFTESBURY - - - - -	2'79	2'81	2'79	2'83	20	20	19	
259	STURMINSTER - - - - -	3'64	3'62	3'58	3'63	19	20	18	
260	BLANDFORD - - - - -	4'02	3'80	3'89	3'96	19	17	18	
261	WIMBORNE - - - - -	4'88	4'69	4'69	4'73	19	18	18	
262	POOLE - - - - -	1'97	1'84	1'72	1'47	20	20	21	
263	WAREHAM - - - - -	5'67	5'58	5'62	5'64	18	19	17	
264	WEYMOUTH (inc. Melcombe Regis) -	1'83	1'51	1'17	1'10	19	18	17	
265	DORCHESTER - - - - -	4'77	4'63	4'55	4'56	20	21	19	
266	SHERBORNE - - - - -	3'16	3'02	2'92	3'00	20	20	19	
267	BEAMINSTER - - - - -	3'66	3'86	4'03	4'37	21	20	19	
268	BRIDPORT - - - - -	1'98	1'97	1'98	2'10	22	21	21	
	19.—DEVONSHIRE.								
269	AXMINSTER (inc. Lyme Regis) - - -	3'02	3'08	3'07	3'15	19	20	19	
270	HONITON (inc. Ottery St. Mary & Sidmouth) -	3'39	3'47	3'59	3'73	18	19	19	
271	ST. THOMAS (inc. Exmouth, Topsham, and Suburbs of Exeter -	2'71	2'68	2'66	2'64	18	19	20	
272	EXETER - - - - -	0'06	0'05	0'05	0'05	25	24	25	
273	NEWTON ABBOT (inc. Dawlish, Torquay, and East and West Teignmouth) -	2'43	2'11	1'85	1'64	19	18	20	
274	TOTNES (inc. Dartmouth, Brixham, and Paignton) - - - - -	2'89	2'94	2'86	2'71	19	19	20	
275	KINGSBRIDGE - - - - -	3'40	3'58	3'76	3'81	17	18	19	
276	PLYMPTON ST. MARY - - - - -	3'82	3'76	3'49	3'22	18	19	19	
277	PLYMOUTH - - - - -	0'04	0'03	0'02	0'02	25	24	23	
278	EAST STONEHOUSE (inc. part of Devonport) - - - - -	0'02	0'01	0'01	0'01	20	27	27	
279	STOKE DAMEREL (inc. pt. of Devonport) -	0'05	0'04	0'04	0'04	26	23	21	
280	TAVISTOCK - - - - -	5'88	4'69	4'79	5'27	19	20	19	
281	OXFHAMPTON - - - - -	5'08	6'51	6'70	7'00	16	18	17	
282	CREDITON - - - - -	4'20	4'37	4'63	4'92	17	18	19	
283	TIVERTON - - - - -	4'64	3'29	3'40	3'54	20	21	20	
284	SOUTH MOLTON - - - - -	5'93	6'20	7'48	8'05	18	18	18	
285	BARNSTAPLE (inc. Ilfracombe and Lynton) - - - - -	3'97	4'02	4'06	3'96	17	18	18	
286	TORRINGTON - - - - -	4'57	4'74	4'91	5'23	17	17	19	
287	BIDEFORD (inc. Northam.) - - - -	3'52	3'52	3'42	3'34	17	19	19	
288	HOLSWORTHY - - - - -	7'32	7'94	8'55	8'95	16	18	18	

(e)	This death rate would be reduced to 18'5 by the exclusion of the deaths recorded in the County Lunatic Asylum.
(b)	" " " 15'2 " " " General Infirmary, and in the House Lunatic Asylum.
(c)	" " " 10'6 " " " County Hospital, Old County Lunatic Asylum, and New Lunatic Asylum.
(d)	" " " 19'7 " " " County Lunatic Asylum and V Counties Idiot Asylum.
(e)	" " " 23'5 " " " Devon and Exeter Hospital.
(f)	" " " 22'2 " " " South Devon and East C Hospital.
(g)	" " " 23'3 " " " Royal Naval Hospital.
(h)	" " " 19'4 " " " Royal Albert Hospital and Infirmary, and in the Military.
(i)	" " " 18'5 " " " North Devon Infirmary.

TABLE 1. (continued).—Density of Population and Annual Mortality in Four Decennia, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
					DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
20.—CORNWALL.								
ITTON - - - - -	6'04	6'55	6'86	7'12	17	20	19	17'3
ILFORD - - - - -	6'23	6'39	6'40	6'47	17	19	18	18'9
CESTON - - - - -	5'25	5'76	5'91	6'08	17	19	18	18'4
HEMANS - - - - -	2'89	2'76	2'49	2'46	21	21	20	19'0
WARD - - - - -	3'76	3'41	3'17	3'41	18	20	19	17'4
GIN - - - - -	4'51	4'43	4'53	4'53	18	20	20	21'7 (a)
OLUMB (inc. Padstow) - - -	4'69	4'61	4'69	4'74	17	18	19	19'1
USTELL - - - - -	1'81	1'74	1'77	1'90	19	20	20	21'0
O - - - - -	2'16	2'16	2'17	2'30	20	20	22	20'4 (b)
OUTH (inc. Penryn) - - -	1'28	1'23	1'15	1'00	21	20	22	19'9
TON - - - - -	2'38	2'48	2'48	2'82	18	20	21	22'0
UTH (inc. Camborne and Gwennap)	0'79	0'73	0'73	0'81	20	21	23	21'4
ANCE (inc. St. Ives and Marazion) -	1'26	1'20	1'19	1'24	20	21	22	21'4
Y ISLANDS - - - - -	1'37	1'41	1'58	1'61	19	18	20	22'1
1.—SOMERSETSHIRE.								
ITON - - - - -	5'56	5'49	5'50	5'67	17	18	18	17'3
ERTON - - - - -	—	12'21	9'69	10'30	—	16	17	16'0
INGTOS (inc. Wiveliscombe) - -	2'75	2'84	2'93	3'02	19	18	18	17'8
TON - - - - -	2'06	1'99	1'98	1'97	20	20	19	18'2 (c)
SWATER - - - - -	2'84	2'73	2'63	2'66	20	19	19	18'7
PORT - - - - -	3'24	3'24	3'32	3'58	18	19	19	18'0
D (inc. Ilminster and Crewkerne)	2'29	2'34	2'32	2'33	19	20	19	19'5
IL - - - - -	1'85	1'84	1'83	1'84	21	21	19	19'6
ASTON - - - - -	3'10	3'09	3'11	3'24	20	20	19	18'1
E - - - - -	2'35	2'09	2'13	2'16	22	22	20	18'7
TON Mallet - - - - -	—	2'96	3'04	3'10	22	20	19	18'0
s (inc. Glastonbury) - - -	3'69	3'00	2'93	2'94	20	21	22	20'3 (d)
EDGE (inc. Weston-super-Mare) -	3'24	3'06	2'81	2'64	18	17	19	17'4 (e)
TON (inc. Midsomer Norton) - -	1'87	1'92	1'98	1'99	19	19	19	18'4
- - - - -	0'44	0'44	0'44	0'43	24	22	22	21'5 (f)
SHAM - - - - -	1'54	1'54	1'49	1'37	19	19	20	18'4
INSTER (inc. Clevedon, and pt. of tol City) - - - - -	1'53	1'44	1'20	0'94	20	20	20	20'4 (g)

VI.—WEST MIDLAND COUNTIES.

—GLOUCESTERSHIRE.								
OL - - - - -	0'01	0'01	0'01	0'01	29	28	29	25'5(h)
ON REGIS - - - - -	0'41	0'34	0'26	0'19	23	20	20	20'0(i)
ING SODBURY - - - - -	3'30	3'34	3'33	3'40	20	19	20	19'1
NBURY - - - - -	4'00	4'00	3'89	3'27	18	17	17	17'2
LEY (inc. Wotton-under-Edge) -	1'69	1'89	2'01	2'02	21	21	20	20'0
BURY-ON-SEVERN - - - - -	2'55	2'26	2'02	1'78	19	18	19	19'0
EST - - - - -	3'73	3'62	3'71	3'93	19	19	19	17'6
ESTER - - - - -	1'09	0'96	0'84	0'73	24	22	22	20'9(k)
Death-rate would be reduced to 19'4 by the exclusion of the deaths recorded in the County Lunatic Asylum.								
"	20'2	"	"	"	Royal Cornwall Infirmary.			
"	17'3	"	"	"	Taunton and Somersetshire Hos- pital.			
"	17'3	"	"	"	County Lunatic Asylum.			
"	17'2	"	"	"	Weston-super-Mare Hospital.			
"	20'2	"	"	"	Royal United Hospital.			
"	19'7	"	"	"	Bristol General Hospital.			
"	24'3	"	"	"	General Hospital and in the Royal Infirmary, and by the inclusion of the deaths recorded in the Bristol City Workhouse situated in Clifton District.			
"	18'7	"	"	"	Bristol Lunatic Asylum and the Bristol Union Workhouse.			
"	18'2	"	"	"	County Lunatic Asylum and in the General Infirmary.			

TABLE 1. (continued).—**Density of Population and Annual Mortality in Four Decennia, in Registration Districts.**

VI.—WEST MIDLAND COUNTIES—continued

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
22.-GLOUCESTERSHIRE--									
<i>cont.</i>									
No.									
328	WHEATENHURST - - - - -	3'07	3'10	3'23	3'11	20	19	17	16
329	STROUD (inc. Bisley) - - - - -	1'15	1'18	1'12	1'06	21	22	21	20
330	TETBURY - - - - -	4'22	4'15	4'19	4'27	18	18	19	18
331	CIRENCESTER - - - - -	4'06	4'04	4'02	4'01	20	20	18	17
332	NORTHLEACH - - - - -	6'25	6'18	6'30	6'58	18	19	18	17
333	STOW-ON-THE-WOLD - - - - -	4'23	4'19	4'26	4'30	18	18	20	19
334	WINCOMBE - - - - -	5'71	5'60	5'63	5'79	17	18	18	17
335	CHELTENHAM - - - - -	0'59	0'53	0'50	0'48	20	19	19	18
336	TEWKESBURY - - - - -	2'59	2'59	2'69	2'87	21	21	20	19
23.-HEREFORDSHIRE.									
337	LEDBURY - - - - -	3'75	3'48	3'49	3'80	19	18	17	16
338	ROSS - - - - -	3'67	3'49	3'38	3'37	20	20	20	19
339	HEREFORD - - - - -	4'17	3'90	3'54	3'38	22	21	21	20
340	WEORLY - - - - -	5'69	5'52	5'43	5'69	20	20	18	17
341	BROMYARD - - - - -	5'32	5'25	5'19	5'56	20	20	19	18
342	LEOMINSTER - - - - -	4'48	4'32	4'17	4'29	22	21	20	19
343	KINGTON - - - - -	7'08	7'10	6'92	7'30	19	19	20	19
24.-SHROPSHIRE.									
344	LUDLOW - - - - -	4'82	4'79	4'65	4'54	20	19	20	19
345	CLUN (inc. Bishops Castle) - - - - -	8'23	8'00	7'75	7'94	20	18	18	17
346	CHURCH STRETTON - - - - -	7'55	7'42	7'36	7'74	19	18	18	17
347	CLEOBURY MORTIMER - - - - -	6'30	6'45	6'58	6'61	19	18	18	17
348	BRIDGNORTH - - - - -	4'44	4'43	4'47	4'56	21	19	18	17
349	SHIFNAL - - - - -	4'09	3'92	3'72	3'60	21	18	19	18
350	MADELEY (inc. Ironbridge and Much Wenlock) - - - - -	1'09	1'01	0'97	1'02	23	21	22	21
351	ATCHAM - - - - -	5'48	5'39	5'52	5'80	18	18	17	16
352	SHREWSBURY - - - - -	0'81	0'74	0'68	0'63	26	25	26	25
353	OSWESTRY - - - - -	3'36	3'31	3'04	3'04	19	19	21	20
354	ELLESMERE - - - - -	4'69	4'76	4'89	5'20	20	19	19	18
355	WEM - - - - -	3'86	4'81	4'90	4'89	20	20	19	18
356	WHITCHURCH - - - - -	3'45	3'44	3'44	3'56	20	20	21	20
357	MARKET DRAYTON - - - - -	4'83	4'78	4'70	4'43	20	20	18	17
358	WELLINGTON - - - - -	1'05	1'59	1'37	1'36	21	22	22	21
359	NEWPORT - - - - -	3'13	3'06	3'03	3'11	20	20	18	17
25.-STAFFORDSHIRE.									
360	STAFFORD - - - - -	2'42	2'20	2'04	2'00	22	22	23	22
361	STONE - - - - -	3'59	3'32	2'94	2'59	21	20	20	19
362	NEWCASTLE-UNDER-LYME - - - - -	1'33	1'18	0'98	0'84	26	23	22	21
363	WOLSTANTON (inc. Burslem and Tunstall) - - - - -	0'37	0'28	0'22	0'19	26	26	25	24
364	STOKE-UPON-TRENT (inc. Hanley and Longton) - - - - -	0'23	0'19	0'15	0'13	27	26	26	25
365	LEEK - - - - -	3'29	3'05	2'66	2'37	21	24	21	20
366	CHEADLE - - - - -	3'06	2'82	2'61	2'51	21	21	21	20
367	UTTOXETER - - - - -	4'18	4'20	4'32	4'54	18	20	20	19
368	BURTON-UPON-TRENT - - - - -	2'99	2'49	2'87	1'37	20	21	21	20
369	TAMWORTH - - - - -	3'48	3'17	2'81	2'51	19	20	20	19
370	LICHFIELD - - - - -	2'90	2'71	2'44	2'18	19	20	20	19
371	CANNOCK (PENKRIDGE) - - - - -	4'30	3'99	3'38	2'41	19	20	18	17

(a)	This death-rate would be reduced to 18·7 by the exclusion of the deaths recorded in the General Hospital.						
(b)	20	20	22	17·5	22	20	General Hospital and Dispensary.
(c)	20	22	22	18·4	22	20	County and City Lunatic Asylum and in the General Infirmary.
(d)	20	20	22	18·4	22	22	Shropshire Infirmary and in Shropshire and Montgomeryshire Counties Lunatic Asylum.
(e)	22	22	22	18·8	22	22	General Infirmary and in the County Lunatic Asylum.
(f)	22	22	22	25·0	22	22	North Staffordshire Infirmary.
(g)	22	22	22	18·7	22	22	Derby County Lunatic Asylum in the Infirmary.
(h)	22	22	22	17·9	22	22	County Lunatic Asylum.

1. (continued).—**Density** OF POPULATION AND ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VI—WEST MIDLAND COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
					DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
STAFFORDSHIRE—cont.								
RAMPTON - - - - -	0·58	0·47	0·42	0·39	27	28	24	22·8 (a)
L (inc. Darlaston) - - -	0·56	0·42	0·33	0·28	24	26	24	22·8
BROMWICH (inc. Oldbury and esbury) - - - - -	0·32	0·24	0·19	0·17	23	24	22	21·0 (b)
r (inc. Tipton, Rowley, and y) - - - - -	0·19	0·15	0·14	0·13	25	26	25	24·2 (c)
WORCESTERSHIRE.								
RIDGE (inc. Halesowen) - -	0·31	0·26	0·23	0·21	24	23	22	21·4
MINSTER (inc. Bewdley) - -	1·20	1·18	1·14	0·99	22	21	21	19·3
Y - - - - -	5·00	4·99	4·73	4·66	19	17	18	18·2
Y - - - - -	3·99	3·72	3·42	3·29	19	18	17	16·6
FER - - - - -	0·24	0·23	0·21	0·21	24	23	25	23·1 (d)
ON-SEVERN (inc. Great Malvern)	3·03	2·71	2·39	2·27	18	20	20	18·5 (e)
M - - - - -	3·29	3·19	3·08	3·03	20	19	18	17·4
EB - - - - -	3·88	3·81	3·73	3·77	19	17	17	16·8
ICH - - - - -	3·17	3·02	2·65	2·26	19	18	19	17·3
BOVE (inc. Redditch) - - -	2·01	1·86	1·76	1·61	22	20	21	19·4
NORTON (inc. pt. of Birmingham gh) - - - - -	1·08	0·73	0·50	0·35	17	17	17	16·5
-WARWICKSHIRE.								
GLAM - - - - -	0·02	0·01	0·01	0·01	26	27	27	25·8
inc. pt. of Birmingham Borough)	0·53	0·37	0·25	0·18	21	21	21	20·7
IN - - - - -	4·32	4·31	4·36	4·34	20	18	18	17·0
ONE - - - - -	2·50	2·37	2·32	2·11	21	20	20	19·4
ON - - - - -	1·53	1·54	1·60	1·58	27	23	23	22·1
ILL (inc. Bedworth) - - -	1·26	1·01	1·04	1·09	25	25	23	23·1
RY - - - - -	0·16	0·14	0·13	0·13	27	25	21	21·6 (f)
- - - - -	3·67	3·37	3·26	3·09	19	19	18	17·0
LL - - - - -	3·86	3·66	3·25	2·58	18	18	16	15·2
CK (inc. Leamington) - - -	1·68	1·55	1·44	1·31	20	21	21	19·8 (g)
ORD-ON-AVON - - - - -	3·86	3·76	3·60	3·50	20	19	18	17·5
ER - - - - -	3·06	3·05	2·99	2·79	21	21	19	19·3
ON-ON-STOUR - - - - -	3·91	3·90	3·99	4·20	20	20	18	17·6
M - - - - -	4·94	4·82	4·82	4·85	21	19	18	17·5

VII.—NORTH MIDLAND COUNTIES.

-LEICESTERSHIRE.												
WORTH	-	-	-	-	3'66	3'72	3'97	4'28	18	19	19	17'9
OF HARBOROUGH	-	-	-	-	4'05	4'02	3'99	3'97	20	20	19	18'8
DOON	-	-	-	-	7'34	7'10	6'84	5'75	18	16	16	18'5 (h)
LEY	-	-	-	-	2'45	2'41	2'36	1'87	20	21	20	18'7 (i)
OF BOSWORTH	-	-	-	-	1'56	1'70	1'73	1'67	22	23	22	22'3
DE-LA-ZOUCH (inc. Whitwick)	-	-	-	-	3'93	3'96	3'91	3'74	19	19	19	19'3
HARBOROUGH	-	-	-	-	2'00	1'85	1'73	1'63	20	21	20	19'8
OF UPON-SOAR	-	-	-	-	1'82	1'84	1'81	1'68	22	23	23	22'6
MELBY	-	-	-	-	2'41	2'40	2'32	1'90	21	22	21	20'2
OF MOWBRAY	-	-	-	-	0'07	0'06	0'04	0'03	27	25	26	24'5 (k)
OF MOWBRAY	-	-	-	-	4'92	4'82	4'89	4'83	17	19	19	19'5

19	20	21'5	22	23	24	South Staffordshire Hospital.
19	20	24'0	21	22	23	West Bromwich District Hospital.
19	20	21'7	21	22	23	Guest Hospital.
19	20	15'4	21	22	23	Infirmary.
19	20	21'2	21	22	23	County and City Lunatic Asylum.
19	20	18'2	21	22	23	C Coventry and Warwick Hospital.
19	20	14'0	21	22	23	County Lunatic Asylum and in the
19	20	18 2	21	22	23	Warneford Hospital.
19	20	23'0	21	22	23	Leicester Borough Lunatic Asylum.
19	20		21	22	23	Leicester Borough Hospital for
19	20		21	22	23	Infectious Diseases.
19	20		21	22	23	General Infirmary, and in the
19	20		21	22	23	Leicester and Rutland Counties
19	20		21	22	23	Lunatic Asylum.

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VII.—NORTH MIDLAND COUNTIES—continued.

DISTRICTS.		ACRES TO A PERSON.				ANNUAL MORTALITY.			
						DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
No.	29.—RUTLANDSHIRE.								
411	OAKHAM	4'84	4'86	4'95	4'96	20	19	20	1
412	UPPINGHAM	4'27	4'19	4'25	4'31	19	18	18	1
	30.—LINCOLNSHIRE.								
413	STAMFORD	2'87	2'78	2'93	2'92	19	20	19	1
414	BOURN	5'00	4'90	4'53	4'66	18	19	19	1
415	SPALDING	3'40	3'32	3'32	3'75	22	20	19	1
416	HOLBEACH	5'94	5'72	5'68	5'66	21	21	19	1
417	BOSTON	3'43	3'29	3'31	3'27	21	19	19	1
418	SLEAFORD	5'52	5'33	5'19	5'11	19	19	18	1
419	GRANTHAM	3'75	3'54	3'60	3'23	18	19	19	1
420	LINCOLN	4'07	3'57	3'20	2'72	21	20	21	1
421	HORNCASTLE	4'70	4'56	4'60	4'97	19	19	18	1
422	SPILSBY	5'04	4'86	4'83	4'92	18	19	18	1
423	LOUTH	5'43	5'01	4'91	4'97	21	20	19	1
424	CAISTON (inc. Grimsby and Market Rasen)	5'68	4'85	4'03	3'01	18	19	19	1
425	GLAYFORD BRIGG (inc. Barton-upon-Humber)	5'20	4'83	4'66	4'33	19	19	20	1
426	GAINSBOROUGH	4'09	4'08	4'06	3'60	22	20	21	1
	31.—NOTTINGHAMSHIRE.								
427	EAST RETFORD	4'15	4'03	4'01	3'96	19	19	19	1
428	WORKSOP	4'35	4'06	3'40	2'94	18	20	20	1
429	MANSFIELD	1'94	1'84	1'63	1'41	20	21	22	1
430	BASFORD (inc. Ilkeston)	1'41	1'27	1'11	0'89	21	23	23	1
431	BASFORD (inc. part of Suburbs of Nottingham)	0'28	0'24	0'21	0'06	23	25	23	1
432	NOTTINGHAM	0'03	0'03	0'02	0'06	26	27	24	1
433	SOUTHWELL	4'64	4'70	4'97	5'45	17	19	19	1
434	NEWARK	3'25	3'10	3'16	3'14	20	20	20	1
434	BINGHAM	4'20	4'27	4'48	4'63	18	19	19	1
	32.—DERBYSHIRE.								
435	SHARDLOW (inc. Melbourne)	2'26	2'31	2'30	1'85	20	20	19	1
436	DERBY	0'06	0'06	0'06	0'06	24	24	23	1
437	BELPER (inc. Alfreton and Ripley)	1'43	1'35	1'26	1'21	21	21	23	1
438	ASHBORNE	4'35	4'86	5'03	4'78	20	20	20	1
439	CHESTERFIELD (inc. Claycross and Staveley)	2'23	1'76	1'36	1'02	21	22	22	1
440	BAKEWELL (inc. Matlock)	—	3'36	3'38	3'47	—	20	21	1
441	CHAPEL-EN-LE-FRITH (inc. Buxton)	—	5'30	4'54	4'74	—	20	21	1
442	HATFIELD	1'82	1'58	1'61	1'13	23	23	23	1

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.								
443	STOCKPORT (inc. Hyde)	0'35	0'33	0'32	0'26	25	26	25	1
444	MACCLESFIELD	1'37	1'31	1'36	1'42	26	25	23	1
445	ALTRINCHAM (inc. Sale)	2'26	1'98	1'63	1'39	21	20	19	1
446	BURCORN	1'79	1'74	1'60	1'46	22	21	23	1

- (a) This death-rate would be reduced to 18'5 by the exclusion of the deaths recorded in the Stamford and Rutland (
- (b) " " " 19'1 " " " " County Hospital, and
- (c) " " " 22'0 " " " " County Lunatic Asylum
- (d) " " " 20'0 " " " " the General Hospital,
- (e) " " " 24'6 " " " " Derbyshire and General
- (f) " " " 22'1 " " " " Manchester Royal I
- General Infirmary and i
- County Lunatic Asylum.

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VIII.—NORTH WESTERN COUNTIES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
33.—CHESHIRE—cont.								
WHITCHURCH (inc. Sandbach)	2'17	2'03	1'78	1'54	21	22	22	21'0
WHITCHURCH (inc. Crewe)	1'78	1'63	1'55	1'51	22	23	23	20'7
WHITCHURCH (inc. Crewe)	3'37	2'89	2'35	1'96	21	20	20	18'6
WHITCHURCH (inc. Crewe)	2'14	1'93	1'71	1'63	23	22	23	21'0 (a)
WHITCHURCH (inc. Crewe)	2'52	1'64	4'21	1'77	20	19	18	15'7
WHITCHURCH (inc. Crewe)			0'33	0'10			23	20'4
34.—LANCASHIRE.								
POOL (inc. pt. of Liverpool)	0'01	0'01	0'01	0'01	36*	33	33	33'6
POOL (inc. pt. of Liverpool)	0'34	0'22	0'14	0'10	26	23	26	23'4
POOL (inc. Widnes)	1'14	0'88	0'67	0'53	23	24	24	22'0 (b)
POOL (inc. Southport)	2'47	2'14	1'72	1'27	20	19	22	20'6
POOL (inc. Hindley)	0'66	0'55	0'47	0'38	28	27	29	25'8
POOL (inc. Hindley)	0'80	0'75	0'63	0'50	26	24	26	22'2 (c)
POOL (inc. Tyldesley)	0'41	0'67	0'61	0'50	27	25	25	23'7
POOL (inc. Farnworth)	0'40	0'36	0'32	0'26	27	27	26	24'3
POOL (inc. Heywood)	0'40	0'35	0'32	0'28	25	23	24	23'5
POOL (inc. Heywood)	0'27	0'66	0'54	0'39	25	22	22	21'0
POOL (inc. pt. of Manchester City)	0'08	0'08	0'06	0'05	28	24	25	23'6
POOL (inc. pt. of Manchester City)	0'06	0'05	0'05	0'04	28	26	27	27'7
POOL (inc. pt. of Manchester City)	0'06	0'05	0'05	0'11	33	31	33	32'9 †
POOL (inc. Stalybridge)	0'35	0'30	0'29	0'27	26	27	25	25'2
POOL (inc. Stalybridge)	0'21	0'17	0'14	0'12	26	25	26	25'1
POOL (inc. pt. of Bacup)	0'52	0'42	0'35	0'30	24	24	24	23'5
POOL (inc. pt. of Bacup)	0'58	0'44	0'36	0'30	22	22	23	22'1
POOL (inc. pt. of Bacup)	1'08	0'91	0'78	0'62	23	24	24	23'4
POOL (inc. Oswaldtwistle and Darwen)	5'25	5'57	5'74	5'35	19	21	20	20'2
POOL (inc. Oswaldtwistle and Darwen)	0'53	0'41	0'35	0'29	25	26	26	25'3
POOL (inc. Oswaldtwistle and Darwen)	1'36	1'32	1'29	1'20	22	22	23	22'6
POOL (inc. Oswaldtwistle and Darwen)	0'78	0'66	0'60	0'55	25	27	28	28'1 (e)
POOL (inc. Fleetwood-on-Wyre and Bacup)	2'75	2'48	2'10	1'65	18	19	21	21'3
POOL (inc. Fleetwood-on-Wyre and Bacup)	4'76	4'57	4'97	4'98	16	18	18	17'9
POOL (inc. Fleetwood-on-Wyre and Bacup)	4'01	3'97	3'69	1'70	23	23	22	22'8 (f)
POOL (inc. Fleetwood-on-Wyre and Bacup)				10'73				17'9
POOL (inc. Fleetwood-on-Wyre and Bacup)				2'34				23'6
POOL (inc. Fleetwood-on-Wyre and Bacup)	5'30	4'58	3'34	3'39	18	20	21	17'9
POOL (inc. Fleetwood-on-Wyre and Bacup)				0'27				18'3

IX.—YORKSHIRE.

5.—WEST RIDING.								
EGH (inc. pt. of Leeds)	11'24	11'80	11'23	11'61	18	19	16	20'2
EGH (inc. pt. of Leeds)	10'91	11'66	10'99	10'50	20	20	18	19'2
EGH (inc. pt. of Leeds)	5'22	5'22	4'99	4'58	20	21	21	20'4
EGH (inc. pt. of Leeds)	8'71	7'87	8'24	8'52	19	21	21	19'0
EGH (inc. pt. of Leeds)	4'49	4'44	4'62	4'52	18	20	20	19'3

dating the mortality of Liverpool, for the 10 years 1841-50, the year 1847 (the year of the Irish famine and immigration omitted; including that year the mortality was 39 annually to every 1000 living.
 on of Prestwich was detached from Manchester, and created a separate Registration District on 1st October 1874.
 poses of this Table the change has been carried back to 1st January 1871. See also pp. 284-5.

path-rate would be reduced to 20'2 by the exclusion of the deaths recorded in the County Lunatic Asylum.
 County Lunatic Asylum (Rainhill).
 Haydock Lodge Lunatic Asylum.
 County Lunatic Asylum.
 County Lunatic Asylum (Whittingham).
 County Lunatic Asylum (Lancaster Moor) and in the Royal Albert Idiot Asylum.

TABLE 1. (continued).—Density of Population and Annual Mortality in FOUR DECENNIA, in REGISTRATION DISTRICTS.

X.—NORTHERN COUNTIES.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
38.—DURHAM.								
LINGTON - - - - -	2'92	2'64	1'96	1'49	20	20	21	20'6
KTON (inc. pt. of Middlesbrough)	2'75	1'84	1'30	0'94	21	22	24	26'6 (a)
LEPOOL - - - - -			0'62	0'48			22	22'5 (b)
ELAND - - - - -	1'51	1'47	1'08	0'84	21	23	24	24'5
SDALE (inc. Barnard Castle) - -	8'84	8'56	8'64	8'66	20	19	19	19'1
RDAL - - - - -	7'95	6'35	5'53	5'36	20	21	21	20'7
CHESTER* - - - - -	2'35	1'77	1'37	1'37	23	23	21	31'6
HAM* - - - - -				0'76			21	25'5
NGTON (inc. Seaham Harbour) - -	2'05	1'57	1'25	1'02	20	20	22	25'2
NGTON-LE-SPRING - - - - -	0'91	0'78	0'68	0'54	20	21	24	24'1
STER-LE-STREET - - - - -	1'68	1'36	1'14	0'91	20	21	24	23'2
DERLAND (inc. Bishopwearmouth	0'19	0'15	0'11	0'09	24	25	24	24'0
id Monkwearmouth) - - - - -								
TH SHIELDS - - - - -	0'43	0'38	0'28	0'18	26	24	24	24'1
ESHEAD - - - - -	0'60	0'45	0'38	0'28	25	26	25	24'9
—NORTHUMBERLAND.								
CASTLE-UPON-TYNE - - - - -	0'09	0'07	0'06	0'05	27	27	23	25'9
ERMOUTH (inc. North Shields and	0'66	0'56	0'45	0'37	24	23	24	22'9
yth) - - - - -								
LE WARD - - - - -	6'42	6'33	5'73	4'99	18	19	19	20'9 (c)
HAM - - - - -	7'06	6'62	6'40	6'19	18	19	20	19'6
TWHISTLE - - - - -	14'56	13'78	14'08	12'94	16	17	17	16'7
LINGHAM - - - - -	35'15	36'14	34'80	37'36	17	14	19	17'5
WETH - - - - -	5'76	4'53	3'54	2'90	18	19	23	24'4 (d)
WICK - - - - -	4'96	4'69	4'84	4'81	19	19	20	19'6
FORD - - - - -	5'91	5'99	6'50	6'79	17	16	18	15'7
WICK - - - - -	2'36	2'31	2'46	2'50	21	19	20	19'9
SDALE - - - - -	10'35	10'73	11'64	12'79	15	15	15	14'7
HBURY - - - - -	22'80	23'04	23'60	24'35	15	15	16	15'5
40.—CUMBERLAND.								
TON - - - - -	5'74	5'59	6'12	7'18	20	20	21	19'9
RITH - - - - -	8'69	8'44	8'17	8'01	18	19	19	18'7
MEPTON - - - - -	8'94	8'81	9'10	9'23	17	17	19	18'4
GTOWN - - - - -	8'95	8'62	9'42	11'04	17	17	19	19'6
LISLE - - - - -	1'82	1'64	1'51	1'39	24	23	24	23'2 (e)
TON - - - - -	5'85	5'87	5'99	5'97	19	19	20	19'2
ERMOUTH (inc. Keswick, Mary-	4'59	4'26	3'87	3'29	21	22	23	21'1
ft, and Workington) - - - - -								
TEHAVEN (inc. Cleator Moor) - -	2'77	2'40	2'07	1'70	25	23	25	24'3
ILE - - - - -	15'85	15'36	12'68	8'80	16	16	18	17'9
41.—WESTMORLAND.								
T WARD (inc. Appleby) - - - -	13'46	12'72	11'43	11'76	17	18	16	18'7
T WARD - - - - -	14'95	14'85	14'94	14'80	18	18	18	16'3
DAL - - - - -	5'50	5'30	5'07	4'82	20	19	19	17'6

tion of Launceston was detached from Durham District and created a separate Registration District on 1st April 1875. Provisions of this Table the change has been carried back to 1st January 1871. See also pp. 327-8.

death-rate would be reduced to 25'9 by the exclusion of the deaths recorded in the County Lunatic Asylum.

"	"	"	21'0	"	"	"	"	Newcastle Borough Lunatic Asylum.
"	"	"	19'7	"	"	"	"	County Lunatic Asylum.
"	"	"	23'2	"	"	"	"	Cumberland and Westmorland
"	"	"	21'9	"	"	"	"	Counties Lunatic Asylum, and
								in the Cumberland Infirmary.

TABLE 1. (continued).—Density of Population and Annual Mortality in Four Decennia, in REGISTRATION DISTRICTS.

XL—MONMOUTHSHIRE AND WALES—continued.

DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
14.—NORTH WALES.								
MONTGOMERYSHIRE.								
CHYNLETH - - - - -	9'55	9'52	9'07	9'03	19	21	22	19'0
WTOWN (inc. Llanidloes) - - -	7'42	7'76	7'83	7'57	21	21	21	19'6 (a)
RDEN (formerly MONTGOMERY) (inc. t. of Welshpool) - - - - -	4'30	4'74	4'63	4'73	20	19	20	17'9
ANFYLLIN (inc. pt. of Welshpool) -	8'65	8'61	8'66	9'01	19	19	20	19'2
FLINTSHIRE.								
LYWELL (inc. Flint and Mold) - -	1'97	1'99	1'93	1'64	21	21	23	21'4
DENBIGHSHIRE.								
HEXHAM (inc. Ruanon) - - - - -	2'12	1'79	1'54	1'32	23	22	24	21'8
THIN - - - - -	5'55	5'64	5'90	6'69	19	19	20	19'5
ASAPH (inc. Rhyl.) - - - - -	3'85	3'56	3'39	3'46	19	21	23	22'6 (b)
ANRWET - - - - -	8'12	7'97	7'79	8'05	19	19	19	20'4
MERIONETHSHIRE.								
EWEN (inc. Llangollen) - - - -	8'12	7'85	7'61	8'34	17	18	20	18'9
LA - - - - -	8'52	8'91	9'00	8'74	18	18	18	18'1
LOGLLY - - - - -	11'09	11'41	10'84	9'85	18	18	21	20'3
STINIOG - - - - -	8'77	8'05	6'54	5'17	18	19	22	20'8
CARNARVONSHIRE.								
LLHEL - - - - -	4'30	4'37	4'42	4'22	17	18	18	19'0
ENARVON - - - - -	3'31	3'11	2'73	2'35	20	22	23	21'9
NGOR - - - - -	3'26	3'07	2'97	2'89	21	21	22	21'0
SWAY (inc. Llandudno) - - - -	5'12	4'48	4'00	3'38	19	18	20	20'9
ANGLESEY.								
GLESEY (inc. Holyhead) - - - -	3'41	3'16	3'36	3'50	17	19	21	20'6

death-rate would be reduced to 19'5 by the exclusion of the deaths recorded in the Montgomeryshire Infirmary, North Wales Counties Lunatic Asylum.

TABLE 2.—Annual Death-rate per 100,000 living, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

ENGLAND: DIVISIONS AND COUNTIES.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phtisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
ENGLAND		6,312	363	53	349	257	365	221	203	412	341
No.	I.—LONDON.										
1	LONDON - - - -	7,276	638	113	307	363	692	300	268	303	424
	II.—SOUTH EASTERN.										
1	SURREY (<i>ex-metrop.</i>) -	4,244	357	14	119	176	300	225	159	297	232
2	KENT (<i>ex-metrop.</i>) - -	4,627	410	20	151	153	291	188	178	313	253
3	SUSSEX - - - -	4,086	361	9	100	119	237	218	194	296	227
4	HAMPSHIRE - - - -	4,435	366	38	162	195	253	242	198	315	256
5	BERKSHIRE - - - -	4,371	354	4	141	153	273	194	190	311	261
	III.—SOUTH MIDLAND.										
6	MIDDLESEX (<i>ex-metrop.</i>)	4,832	515	25	151	216	335	197	161	333	283
7	HERTFORDSHIRE -	4,401	416	13	130	167	306	182	167	321	259
8	BUCKINGHAMSHIRE	4,777	320	4	160	172	317	155	182	317	237
9	OXFORDSHIRE - -	4,685	320	9	167	135	203	184	191	330	265
10	NORTHAMPTONSH. -	5,810	517	50	193	221	277	176	195	344	281
11	HUNTINGDONSHIRE	4,445	384	3	205	92	237	173	213	336	290
12	BEDFORDSHIRE - -	5,538	537	11	242	157	331	190	232	331	261
13	CAMBRIDGESHIRE -	4,247	425	18	112	146	307	196	201	303	238
	IV.—EASTERN.										
14	ESSEX - - - -	4,717	421	31	182	144	338	188	179	319	267
15	SUFFOLK - - - -	4,435	354	12	136	92	293	188	216	311	259
16	NORFOLK - - - -	5,110	463	40	217	100	238	186	201	289	245
	V.—SOUTH WESTERN.										
17	WILTSHIRE - - -	4,069	230	5	210	140	197	171	177	351	296
18	DORSETSHIRE - -	4,007	170	15	152	134	218	163	181	343	289
19	DEVONSHIRE - - -	5,066	362	21	179	270	347	207	207	386	294
20	CORNWALL - - - -	5,701	321	49	268	154	402	236	203	328	245
21	SOMERSETSHIRE -	4,579	308	25	230	135	274	170	161	367	295

TABLE 2. (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

ENGLAND: DIVISIONS AND COUNTIES.		ANNUAL DEATH RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phtisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
No.	VI.—WEST MIDLAND.										
22	GLOUCESTERSHIRE -	5,884	307	25	250	237	284	191	172	387	316
23	HEREFORDSHIRE -	3,904	224	5	166	105	197	152	152	327	262
24	SHROPSHIRE - - -	4,504	327	12	247	125	204	164	164	343	281
25	STAFFORDSHIRE -	7,174	664	89	484	259	320	164	156	457	359
26	WORCESTERSHIRE -	5,446	534	49	369	179	233	155	142	369	286
27	WARWICKSHIRE -	6,889	835	43	439	226	441	221	171	454	370
	VII.—NORTH MIDLAND.										
28	LEICESTERSHIRE -	6,868	963	50	532	265	285	175	179	372	303
29	RUTLANDSHIRE - -	4,247	219	-	236	101	257	150	134	322	250
30	LINCOLNSHIRE - -	4,790	417	50	229	120	241	152	186	311	257
31	NOTTINGHAMSHIRE	6,576	622	65	317	252	268	184	206	383	333
32	DERBYSHIRE - - -	5,737	586	14	364	192	250	178	203	383	315
	VIII.—NORTH WESTERN.										
33	CHESHIRE - - -	6,051	527	18	429	257	302	195	206	404	339
34	LANCASHIRE - - -	8,222	884	45	556	412	442	260	234	549	461
	IX.—YORK.										
35	WEST RIDING - - -	7,491	687	44	600	262	362	232	220	483	390
36	EAST RIDING (WITH Y.K.)	6,326	867	33	245	182	321	194	199	338	292
37	NORTH RIDING - -	5,509	480	29	285	164	259	168	180	334	275
	X.—NORTHERN.										
38	DURHAM - - - -	7,847	660	148	579	245	341	180	206	566	319
39	NORTHUMBERLAND	6,756	589	77	523	160	331	232	223	324	257
40	CUMBERLAND - -	5,687	411	37	363	293	313	208	231	353	314
41	WESTMORLAND - -	3,898	130	12	184	132	178	186	220	239	224
	XI.—WELSH.										
42	MONMOUTHSHIRE -	6,214	295	86	328	306	341	171	188	488	372
43	SOUTH WALES - -	5,811	225	54	420	252	297	251	257	371	288
44	NORTH WALES - -	4,869	124	13	321	166	231	244	271	341	281

TABLE 2. (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 1,000,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phtthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
No.	I.—LONDON.										
1	MIDDLESEX (part of).										
2	KENSINGTON, WITH FULHAM, 1871-74	6,006	772	73	165	392	429	294	187	442	215
3	KENSINGTON, 1875-80	7,214	567	15	276	374	618	309	186	486	221
4	*FULHAM - - - - -	6,599	669	80	275	313	537	241	180	389	320
5	CHELSEA - - - - -	7,463	695	52	267	326	530	343	223	369	456
6	ST. GEORGE HANOVER-SQUARE - - -	7,796	605	124	260	373	601	331	205	526	411
7	WESTMINSTER - - - - -	8,498	658	27	275	397	692	336	239	478	460
8	MARYLEBONE - - - - -	8,191	785	60	317	423	722	341	214	572	467
9	HAMPSTEAD - - - - -	5,721	376	912	118	280	421	210	174	342	219
10	PANCRAS - - - - -	7,297	648	95	265	304	632	334	228	502	441
11	ISLINGTON - - - - -	6,677	698	69	312	364	601	242	175	429	383
12	HACKNEY - - - - -	6,086	540	303	325	250	468	276	171	594	328
13	ST. GILES - - - - -	9,269	942	54	313	479	673	326	229	667	640
14	STRAND - - - - -	9,997	856	33	353	329	628	463	268	638	546
15	HOLBORN - - - - -	8,733	730	54	319	305	724	332	261	544	502
16	LONDON CITY - - - - -	8,248	558	79	363	382	581	380	232	545	469
17	SHOREDITCH - - - - -	7,594	665	144	334	404	695	300	215	560	512
18	BETHNAL GREEN - - - - -	7,868	609	190	354	415	698	337	207	540	460
19	WHITECHAPEL - - - - -	9,583	924	130	336	416	694	448	273	712	576
20	ST. GEORGE-IN-THE-EAST - - -	8,354	894	88	361	408	629	366	264	696	654
21	STEPNEY - - - - -	8,598	814	101	413	303	717	183	202	530	504
22	MILE END OLD TOWN - - - - -	7,247	667	105	373	367	625	274	167	509	471
23	POPLAR - - - - -	7,547	601	119	375	412	573	338	243	535	477
24	SURREY (part of).										
25	ST. SAVIOUR SOUTHWARK - - -	8,291	702	150	333	413	737	321	294	602	537
26	ST. OLAVE SOUTHWARK - - -	7,618	687	90	359	309	632	328	267	589	513
27	LAMBETH - - - - -	7,196	577	156	368	324	636	287	205	490	442
28	WANDSWORTH - - - - -	5,831	500	106	229	273	428	202	172	381	324
29	CAMBERWELL - - - - -	5,835	495	76	257	268	511	232	164	393	354
30	KENT (part of).										
31	GREENWICH - - - - -	6,377	593	107	255	319	459	269	179	470	382
32	LEWISHAM - - - - -	4,847	410	8	212	178	368	198	130	319	224
33	WOOLWICH - - - - -	6,128	469	42	300	358	456	278	230	575	519
34	II.—SOUTH EASTERN COUNTIES.										
35	1.—SURREY (ex-metrop.)										
36	EPSOM - - - - -	3,224	316	13	139	177	392	183	150	270	211
37	CHELTSEY - - - - -	3,787	333	9	90	214	342	195	144	306	231
38	GUILDFORD - - - - -	3,732	237	2	59	95	246	115	113	354	238
39	FARNHAM - - - - -	5,148	555	12	100	167	228	231	185	278	252
40	HAMBLEDON - - - - -	2,870	97	-	68	77	145	170	156	268	175
41	DOCKING - - - - -	3,265	290	5	45	80	260	180	124	245	196
42	REIGATE - - - - -	3,482	215	13	88	163	234	202	161	293	220
43	GODSTONE - - - - -	3,031	166	5	104	124	228	202	260	321	278
44	CHROYDON - - - - -	4,799	429	33	163	237	329	213	144	269	221
45	KINGSTON - - - - -	4,221	328	5	119	154	245	229	144	286	233
46	RICHMOND - - - - -	5,153	574	8	187	231	437	235	147	323	254
47	2.—KENT (ex-metrop.)										
48	BROMLEY - - - - -	4,060	440	11	104	133	282	139	119	268	228
49	DARTFORD - - - - -	4,521	382	20	243	200	258	145	162	308	258
50	GRAVESEND - - - - -	5,412	605	37	330	176	399	186	164	334	215
51	NORTH AYLESFORD - - - - -	5,031	369	59	303	156	267	164	166	330	257
52	HOO - - - - -	5,031	698	-	41	82	309	164	135	345	219
53	MEDWAY - - - - -	5,433	433	24	160	195	395	237	229	319	255
54	MALLING - - - - -	4,382	381	6	237	168	168	162	175	352	295
55	SEVENOAKS - - - - -	5,215	175	-	75	92	221	175	169	214	177
56	TUNBRIDGE - - - - -	4,429	341	8	150	182	396	212	192	316	261
57	MAIDSTONE - - - - -	5,453	496	4	157	183	254	265	222	361	292
58	HOLLINGBURN - - - - -	4,440	257	11	187	95	221	174	191	315	240
59	CRANBROOK - - - - -	5,522	130	-	54	70	337	170	165	326	255
60	TENTERDEN - - - - -	5,540	109	-	95	54	194	196	217	311	262
61	WEST ASHFORD - - - - -	4,216	290	-	97	101	273	168	183	331	270

* FULHAM was separated from KENSINGTON and created a Registration District on 1st April 1875. See also notes on pp. 50, 51.

TABLE 2. (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At all Ages.			
		All Causes.	Diphtheria and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
II.—SOUTH-EASTERN COUNTIES—cont.											
2.—KENT—cont.											
No.											
55	EAST ASHFORD - - - - -	3,372	264	-	53	90	180	123	173	271	258
56	BRIDGE - - - - -	3,845	289	6	69	94	138	163	238	303	219
57	CANTERBURY - - - - -	6,083	492	20	229	193	238	264	226	442	348
58	BLEAN - - - - -	4,580	312	8	117	70	277	159	175	312	232
59	FAVERHAM - - - - -	4,806	401	6	192	180	280	135	178	266	191
60	MILTON - - - - -	5,038	529	12	192	123	237	160	186	270	228
61	SHEPPEY - - - - -	4,264	443	4	87	131	309	193	172	269	216
62	THANET - - - - -	5,116	840	4	170	130	427	189	155	288	240
63	EASTRY - - - - -	3,800	264	-	79	108	246	204	168	286	236
64	DOVER - - - - -	4,757	423	209	96	165	261	188	164	332	284
65	ELHAM - - - - -	4,900	423	8	110	245	295	175	164	302	228
66	ROMNEY MARSH - - - - -	3,847	160	-	148	25	237	133	174	315	227
3.—SUSSEX.											
67	RYE - - - - -	3,582	183	12	43	104	220	180	103	227	234
68	HASTINGS - - - - -	4,913	425	4	68	191	253	306	230	323	247
69	BATTLE - - - - -	3,092	189	-	15	40	124	133	164	239	250
70	EASTBOURNE - - - - -	3,490	312	3	135	90	225	173	164	234	152
71	HAILESHAM - - - - -	3,253	94	10	73	31	173	191	220	207	220
72	TICKHURST - - - - -	3,602	162	4	54	75	223	164	181	304	207
73	UCKFIELD - - - - -	3,410	212	-	119	62	209	152	196	311	206
74	EAST GRIMSTEAD - - - - -	3,507	241	-	67	107	233	146	198	325	274
75	CKEFIELD - - - - -	3,209	190	3	102	75	245	174	166	245	194
76	LEWES - - - - -	3,688	379	5	81	84	239	218	251	251	233
77	BRIGHTON - - - - -	6,258	787	32	192	217	387	292	212	306	314
78	STYNGING - - - - -	4,154	487	4	111	144	298	175	137	290	195
79	HORSHAM - - - - -	3,133	119	-	84	94	174	201	171	326	250
80	PETWORTH - - - - -	3,044	116	-	39	79	124	181	181	264	284
81	THAKEHAM - - - - -	3,248	194	-	88	62	203	188	146	285	245
82	EAST PRESTON (WORTHING) - - - - -	3,492	317	13	69	96	248	217	179	208	177
83	WESTHAMPTON - - - - -	2,715	137	-	52	32	137	233	208	205	161
84	CHICHESTER - - - - -	4,330	575	10	48	201	307	357	227	383	250
85	MIDHURST - - - - -	2,757	118	5	16	89	177	168	163	231	173
86	WESTBOURNE - - - - -	3,055	221	10	181	18	125	188	154	226	192
4.—HAMPSHIRE.											
87	HAVANT - - - - -	3,721	249	9	329	160	373	249	198	304	303
88	PORTSEA ISLAND - - - - -	5,912	640	91	250	286	297	235	203	315	304
89	ALVERSTOCK - - - - -	5,702	517	38	339	568	209	469	197	302	308
90	FAREHAM - - - - -	3,743	282	24	141	112	199	224	243	272	231
91	ISLE OF WIGHT - - - - -	3,772	289	6	96	130	311	290	201	307	233
92	LIMINGTON - - - - -	2,903	166	-	37	49	141	179	175	243	181
93	CHRISTCHURCH - - - - -	4,229	313	4	59	147	338	476	336	261	194
94	RINGWOOD - - - - -	3,006	78	-	78	88	235	180	191	254	172
95	FORDINGBRIDGE - - - - -	3,101	81	-	35	58	116	190	189	252	192
96	NEW FOREST - - - - -	3,361	89	18	149	65	137	146	156	349	281
97	SOUTHAMPTON - - - - -	5,787	491	128	243	278	339	287	218	422	302
98	SOUTH STONEHAM - - - - -	4,357	294	20	217	278	187	226	118	314	225
99	ROMSEY - - - - -	3,329	267	14	128	75	209	119	171	239	197
100	STOCKBRIDGE - - - - -	3,498	265	-	158	74	231	190	127	332	257
101	WINCHESTER - - - - -	4,159	445	5	128	126	213	233	168	361	289
102	DROXFORD - - - - -	3,171	180	7	87	53	253	126	176	226	193
103	CATHERINGTON - - - - -	3,261	108	-	162	135	54	108	161	244	198
104	PETERSFIELD - - - - -	2,965	179	-	67	60	171	129	200	291	213
105	ALRESFORD - - - - -	3,577	120	-	33	-	805	168	183	244	169
106	ALTON - - - - -	3,613	147	-	24	95	175	218	213	310	265
107	HARTLEY WINTNEY - - - - -	3,715	268	4	56	166	218	180	177	280	216
108	BASINGSTOKE - - - - -	3,523	150	-	71	81	143	190	191	307	274
109	WHITCHURCH - - - - -	3,554	186	-	106	12	146	157	179	240	201
110	ANDOVER - - - - -	3,874	163	9	72	149	212	147	190	339	275
111	KINGSCLERE - - - - -	3,220	181	9	112	104	121	83	125	326	262

TABLE 2. (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
II.—SOUTH-EASTERN —cont.											
No.	5.—BERKSHIRE.										
112	NEWBURY - - - - -	4,138	203	-	203	165	163	204	208	303	241
113	HUNGERFORD - - - - -	3,866	191	8	87	95	145	149	177	308	242
114	FARINGDON - - - - -	3,900	142	5	142	117	188	225	225	320	254
115	ABINGDON - - - - -	4,921	384	14	155	212	293	199	237	335	271
116	WANTAGE - - - - -	4,441	418	-	104	182	220	150	211	238	221
117	WALLINGFORD - - - - -	4,011	224	5	99	130	140	180	203	340	315
118	BRADFIELD - - - - -	3,412	288	-	120	146	193	114	148	268	235
119	READING - - - - -	5,530	513	4	190	218	417	247	195	327	271
120	WORKINGHAM - - - - -	3,667	246	-	36	101	209	152	149	334	305
121	COOKHAM - - - - -	4,151	415	-	148	198	329	133	151	290	241
122	EASTHAMSTEAD - - - - -	2,832	126	-	60	113	229	129	161	263	212
123	WINDSOR - - - - -	4,929	588	6	150	183	408	267	193	316	284
III.—SOUTH MIDLAND COUNTIES.											
6.—MIDDLESEX—(ex-met.)											
124	STAINES - - - - -	4,451	472	21	113	203	270	179	164	285	246
125	UXBRIDGE - - - - -	4,305	522	21	191	101	287	198	235	429	390
126	BRENTFORD - - - - -	5,147	570	42	159	245	305	206	147	349	250
127	HENDON - - - - -	5,451	576	37	173	285	440	178	144	344	278
128	BARNET - - - - -	4,975	409	3	105	182	326	214	240	291	276
129	EDMONTON - - - - -	4,554	475	16	144	173	240	181	139	313	269
7.—HERTFORDSHIRE.											
130	WARE - - - - -	3,697	354	-	93	118	249	166	130	293	227
131	BISHOP STORTFORD - - - - -	5,613	183	27	58	125	388	138	133	301	244
132	ROYSTON - - - - -	4,047	412	12	66	63	296	241	143	277	212
133	HITCHIN - - - - -	4,944	361	11	196	233	360	169	160	340	242
134	HERTFORD - - - - -	3,867	323	-	78	208	331	118	124	304	276
135	HATFIELD - - - - -	3,819	214	-	165	123	214	154	139	254	186
136	ST. ALBANS - - - - -	4,692	547	17	160	153	258	239	196	322	280
137	WATFORD - - - - -	4,813	347	14	185	185	292	281	248	368	292
138	HEMEL HEMPSTEAD - - - - -	5,118	442	21	139	237	273	208	160	345	257
139	BERKHAMSTEAD - - - - -	5,275	606	15	147	187	309	162	178	320	277
8.—BUCKINGHAMSH.											
140	AMERSHAM - - - - -	4,975	396	12	254	234	265	123	164	331	286
141	ETON - - - - -	4,215	323	9	120	160	332	180	162	306	228
142	WYCOMBE - - - - -	3,295	430	-	87	198	328	155	163	339	271
143	AILSBURY - - - - -	4,690	409	-	92	144	336	176	141	307	230
144	WINDSLOW - - - - -	4,114	185	9	137	120	214	153	201	250	185
145	NEWPORT PAGNELL - - - - -	4,676	377	3	423	143	328	150	217	279	221
146	BUCKINGHAM - - - - -	4,596	205	6	104	137	271	137	126	261	214
9.—OXFORDSHIRE.											
147	HENLEY - - - - -	5,294	322	-	97	109	233	165	161	348	265
148	THAME - - - - -	4,737	161	-	229	135	265	148	189	305	250
149	HEADINGTON - - - - -	4,977	421	22	184	115	156	262	246	269	210
150	OXFORD - - - - -	6,250	791	41	150	169	240	266	210	450	313
151	BICESTER - - - - -	4,987	200	-	149	144	149	140	100	333	231
152	WOODSTOCK - - - - -	4,171	220	-	100	131	184	161	195	271	235
153	WITNEY - - - - -	4,581	244	3	185	94	250	157	191	345	286
154	CHIPPING NORTON - - - - -	4,654	163	-	135	127	119	155	181	314	284
155	BANBURY - - - - -	4,570	391	5	224	176	216	164	182	329	238

TABLE 2. (continued).—Annual Death-rate per 100,000 living, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
III.—SOUTH MIDLAND COUNTIES—cont.											
No.	10.—NORTHAMPTNSH.										
156	BRACKLEY - - - - -	4,446	155	6	232	137	197	123	180	273	233
157	TOWCESTER - - - - -	4,549	176	6	129	117	211	143	165	304	283
158	POTTERSPURY - - - - -	4,534	180	-	230	149	193	139	187	240	185
159	HARDINGSTONE - - - - -	4,872	470	28	152	152	207	189	222	366	297
160	NORTHAMPTON - - - - -	7,141	1,085	198	207	286	418	241	214	426	363
161	DAVENTRY - - - - -	4,465	236	13	173	173	173	170	184	332	249
162	BRUXWORTH - - - - -	3,774	269	12	205	76	140	169	173	311	207
163	WELLINGBOROUGH - - - - -	6,548	480	-	238	418	319	167	211	357	310
164	KETTERING - - - - -	5,235	418	3	123	270	333	138	172	304	250
165	THRAPSTON - - - - -	4,983	277	10	95	128	277	134	180	390	274
166	OUNDELE - - - - -	4,147	328	-	91	146	312	128	196	271	218
167	PETERBOROUGH - - - - -	5,242	456	9	262	144	165	185	196	335	249
11.—HUNTINGDONSH.											
168	HUNTINGDON - - - - -	4,422	481	7	242	97	224	173	182	329	270
169	ST. IVES - - - - -	4,426	278	-	130	100	252	181	217	332	270
170	ST. NEOTS - - - - -	4,459	378	-	236	77	236	164	214	329	240
12.—BEDFORDSHIRE.											
171	BEDFORD - - - - -	5,058	537	19	138	154	565	195	231	305	255
172	HIGGLESWADE - - - - -	5,471	573	16	231	180	443	185	235	377	332
173	AMPHILL - - - - -	5,147	273	4	226	119	366	111	189	316	239
174	WOBURN - - - - -	4,872	303	50	278	123	173	195	224	319	286
175	LEIGHTON BUZZARD - - - - -	5,296	291	8	198	206	214	145	194	354	281
176	LUTON - - - - -	6,611	855	-	383	162	198	247	256	324	232
13.—CAMBRIDGESH.											
177	CAXTON - - - - -	4,411	280	-	64	121	325	167	210	311	231
178	CHESTERTON - - - - -	4,248	379	8	142	149	227	194	229	284	242
179	CAMBRIDGE - - - - -	5,564	734	45	56	192	384	290	185	362	295
180	LINTON - - - - -	3,174	245	5	80	60	290	139	181	282	205
181	NEWMARKET - - - - -	4,497	424	16	40	132	173	207	240	304	257
182	ELY - - - - -	5,462	323	7	172	130	421	194	247	314	220
183	NORTH WITCHFORD - - - - -	5,171	384	14	187	139	250	149	164	301	301
184	WHITTLESEY - - - - -	5,204	649	-	121	176	330	201	218	321	212
185	WISBECH - - - - -	5,280	354	28	154	145	386	147	149	326	264
IV.—EASTERN COUNTIES.											
14.—ESSEX.											
186	WEST HAM - - - - -	5,554	527	65	236	202	390	225	161	354	311
187	EPFING - - - - -	4,146	373	33	163	116	282	131	139	270	226
188	ONGAR - - - - -	3,897	293	14	105	91	328	145	124	331	247
189	ROMFORD - - - - -	5,099	535	24	291	155	282	193	151	342	253
190	ORSETT - - - - -	4,079	350	-	218	294	282	158	137	283	247
191	BILLERICAY - - - - -	4,102	397	32	92	102	337	222	212	329	228
192	CHELMSFORD - - - - -	4,087	232	2	192	118	273	164	174	295	264
193	ROCHFORD - - - - -	4,225	361	22	121	98	270	127	129	300	351
194	MALDON - - - - -	4,143	254	18	260	67	342	145	184	381	188
195	TENDRING - - - - -	4,124	361	15	137	97	299	164	201	355	247
196	COLCHESTER - - - - -	5,577	720	15	125	222	462	275	221	336	292
197	LEXDEN - - - - -	5,560	278	9	80	83	231	165	221	297	219
198	WITHAM* - - - - -	3,846	348	10	121	76	374	194	186	308	242
199	HALESTED - - - - -	4,580	264	13	273	98	264	151	272	318	271
200	BRAINTREE - - - - -	4,726	340	4	106	146	463	206	249	299	280
200	DUNMOW - - - - -	5,482	169	-	45	70	314	149	198	297	234
201	SAFFRON WALDEN - - - - -	3,905	259	-	144	56	247	137	180	329	244

* The District of WITHAM was abolished and its parts distributed among several other Districts on 1st July 1880. See also notes on pp. 149, 372.

TABLE 2. (continued).—Annual Death-rate per 100,000 living, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phtisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
IV.—EASTERN COUNTIES—cont.											
15.—SUFFOLK.											
No.											
202	RISBRIDGE - - - - -	4,072	290	20	180	75	366	148	178	310	271
203	SUDBURY - - - - -	4,212	293	7	193	108	235	206	223	355	287
204	COSFORD - - - - -	4,081	192	-	82	69	238	132	210	300	273
205	THINGOE - - - - -	3,385	167	-	137	35	194	179	232	241	240
206	BURY ST. EDMUNDS - - - - -	6,072	520	16	345	154	473	250	223	383	337
207	MILDENHALL - - - - -	4,200	143	-	24	56	349	173	201	344	275
208	STOW - - - - -	4,285	227	-	104	106	390	162	206	341	227
209	HARTISMERE - - - - -	3,549	210	5	101	133	302	187	256	296	288
210	HOKNE - - - - -	4,061	152	-	54	81	190	149	230	269	266
211	BOSMERE - - - - -	4,027	193	-	150	96	275	181	225	280	292
212	SANFORD - - - - -	3,577	202	-	63	38	221	170	248	247	273
213	IPSWICH - - - - -	6,325	867	27	202	122	423	278	244	378	305
214	WOODEBRIDGE - - - - -	3,666	265	7	113	65	199	179	196	353	257
215	FLONGESGATE - - - - -	3,686	138	-	82	64	336	170	207	279	266
216	BLITHING - - - - -	3,712	166	11	115	62	351	189	230	235	228
217	WANGFORD - - - - -	4,067	275	11	164	58	117	215	281	278	239
218	MUTFORD - - - - -	4,942	616	39	141	135	210	124	149	269	233
16.—NORFOLK.											
219	YARMOUTH - - - - -	7,537	1,438	56	549	145	263	196	195	328	321
220	FLEGG - - - - -	4,993	507	-	299	67	261	160	187	344	233
221	SMALLBRUGH - - - - -	3,859	235	-	129	37	188	148	201	183	154
222	ERFINGHAM - - - - -	3,337	137	4	136	91	276	162	214	221	211
223	AYLSHAM - - - - -	3,832	180	9	116	47	231	150	191	264	234
224	ST. FAITHS - - - - -	4,229	174	63	91	91	223	130	238	192	298
225	NORWICH - - - - -	7,229	973	135	297	185	470	247	205	338	275
226	FOREHOR - - - - -	3,659	216	20	53	61	182	197	179	282	215
227	HENSTED - - - - -	3,344	224	82	165	30	300	197	204	269	217
228	BLOFIELD - - - - -	4,130	254	7	367	92	205	187	278	269	229
229	LONDON - - - - -	3,412	117	-	89	67	201	150	226	266	207
230	DEFWADE - - - - -	3,992	173	-	114	62	254	181	170	241	189
231	GUILTCROSS - - - - -	3,860	129	-	136	21	200	189	174	222	221
232	WAYLAND - - - - -	4,517	123	7	94	51	216	169	201	324	287
233	MITFORD - - - - -	4,128	238	3	91	79	168	176	210	332	311
234	WALSINGHAM - - - - -	4,091	130	12	114	86	298	181	200	280	213
235	DOCKING - - - - -	4,865	193	-	301	45	287	139	189	250	187
236	FREERIDGE LYNN - - - - -	5,048	330	-	276	102	336	165	168	277	273
237	KINGS LYNN - - - - -	5,651	336	70	378	131	345	211	156	317	245
238	DOWNHAM - - - - -	5,107	345	8	290	132	230	140	224	303	334
239	SWAFFHAM - - - - -	3,918	191	12	77	18	173	115	145	229	226
240	THETFORD - - - - -	4,459	260	9	77	94	281	213	260	298	254
V.—SOUTH-WESTERN COUNTIES.											
17.—WILTSHIRE.											
241	HIGHWORTH - - - - -	4,936	218	15	305	189	218	129	172	325	279
242	CRICKLADE - - - - -	4,047	187	-	106	44	112	163	216	357	289
243	MALMESBURY - - - - -	3,433	134	-	77	69	108	167	179	411	367
244	CHIPPENHAM - - - - -	3,792	179	-	95	137	140	175	161	318	265
245	CALNE - - - - -	3,164	116	-	96	45	276	131	163	330	325
246	MARLBOROUGH - - - - -	3,993	303	8	76	76	177	144	199	245	268
247	DEVIZES - - - - -	3,798	197	8	240	139	270	230	338	433	332
248	MELKSHAM - - - - -	5,089	508	4	315	328	344	177	138	380	367
249	BRADFORD-ON-AVON - - - - -	3,992	205	-	205	68	278	125	110	344	325
250	WESTBURY - - - - -	4,472	328	7	292	243	139	135	134	312	222
251	WIMBORNE - - - - -	3,673	120	-	223	29	97	190	203	342	307
252	PEWSEY - - - - -	3,869	130	-	234	78	238	190	217	356	318
253	AMESBURY - - - - -	3,547	142	-	193	81	264	162	166	401	330
254	ALDBURY - - - - -	3,592	228	-	225	112	229	136	187	371	377
	ALDBURY & SALISBURY - - - - -	5,364	568	9	350	960	300	294	179	361	374
255	WILTON - - - - -	3,580	109	7	158	182	123	145	160	283	292
256	TIERNEY - - - - -	3,231	133	8	110	133	78	134	171	344	298
257	MERE - - - - -	4,010	380	10	160	40	250	98	134	380	305

TABLE 2. (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
No.		V.—SOUTH-WESTERN COUNTIES—cont.									
18.—DORSETSHIRE.											
258	SHAFTESBURY - - - - -	3,243	177	-	153	88	135	120	169	302	255
259	STURMINSTER - - - - -	3,485	203	7	109	15	167	179	214	289	252
260	BLANDFORD - - - - -	3,433	115	-	92	138	219	134	179	265	286
261	WIMBORNE - - - - -	3,806	117	-	67	54	279	116	162	318	272
262	POOLE - - - - -	4,568	250	-	186	229	216	162	231	262	302
263	WAREHAM - - - - -	3,502	96	-	109	74	236	190	192	278	295
264	WYEMOUTH - - - - -	4,439	275	46	169	123	155	149	161	337	330
265	DORCHESTER - - - - -	4,089	167	-	109	134	246	203	193	337	283
266	SHERBORNE - - - - -	3,962	154	-	308	101	313	195	186	303	221
267	BEAMINSTER - - - - -	4,665	154	19	148	142	245	187	178	400	303
268	BRIDPORT - - - - -	4,773	100	72	239	210	210	150	171	407	317
19.—DEVONSHIRE.											
269	AXMINSTER - - - - -	4,299	159	-	142	75	297	151	203	328	257
270	HONITON - - - - -	4,113	214	4	114	88	270	163	182	349	236
271	ST. THOMAS - - - - -	4,208	332	12	168	281	237	216	220	366	279
272	EXETER - - - - -	8,068	773	13	318	707	314	300	240	484	394
273	NEWTON ABBOT - - - - -	4,583	318	5	173	207	323	223	202	368	260
274	TOTNES - - - - -	4,269	205	2	215	200	310	133	160	342	249
275	KINGSBRIDGE - - - - -	4,948	121	-	46	158	403	154	209	403	277
276	PLYMPTON ST. MARY - - - - -	4,160	290	10	125	162	307	167	179	349	277
277	PLYMOUTH - - - - -	7,508	714	102	152	892	561	263	248	450	338
278	EAST STONHOUSE - - - - -	8,350	680	63	159	1,138	342	486	240	618	408
279	STOCK DAMEREL - - - - -	6,784	359	84	225	942	329	194	187	358	309
280	TAVISTOCK - - - - -	4,118	309	14	87	125	244	192	226	380	252
281	OXEHAMPTON - - - - -	3,794	127	-	136	149	294	149	162	338	264
282	CREDITON - - - - -	3,443	105	8	89	110	250	149	154	374	262
283	TYVERTON - - - - -	4,025	189	22	232	200	197	201	182	401	264
284	SOUTH MOLTON - - - - -	3,651	147	13	291	120	249	172	206	336	226
285	BARNSTAPLE - - - - -	4,370	424	13	282	164	242	221	203	354	309
286	TORRINGTON - - - - -	3,721	160	31	258	78	245	177	274	324	229
287	HIDEFORD - - - - -	4,268	250	119	189	213	344	153	138	353	294
288	HOLSWORTHY - - - - -	4,126	164	-	112	112	345	146	272	451	379
20.—CORNWALL.											
289	STRATTON - - - - -	3,687	131	-	121	131	172	202	198	302	203
290	CAMELFORD - - - - -	4,407	220	-	67	38	679	173	154	188	172
291	LAUNCESTON - - - - -	4,357	156	9	151	76	350	158	186	265	316
292	ST. GERMAN'S - - - - -	4,623	346	19	128	171	384	195	199	331	245
293	LISKEARD - - - - -	4,314	168	24	115	175	327	198	184	342	253
294	BODMIN - - - - -	5,068	124	13	243	159	283	199	251	323	250
295	ST. COLUMB - - - - -	4,941	176	-	95	157	443	194	188	277	238
296	ST. AUSTELL - - - - -	6,261	247	25	407	199	456	238	223	317	290
297	TRURO - - - - -	5,528	279	43	211	119	425	245	208	314	229
298	FALMOUTH - - - - -	5,947	447	152	676	254	355	186	196	314	278
299	HELSTON - - - - -	6,142	184	108	238	70	292	334	234	352	225
300	REDBUTH - - - - -	6,593	427	87	473	112	452	303	304	375	255
301	PENANCE - - - - -	6,831	624	43	303	223	433	236	195	329	257
302	SCILLY ISLANDS - - - - -	3,293	120	-	80	-	120	185	185	167	151
21.—SOMERSETSHIRE.											
303	WILLITON - - - - -	3,512	171	-	278	87	290	158	147	354	261
304	DULVERTON - - - - -	3,196	96	-	110	69	193	107	125	418	279
305	WELLINGTON - - - - -	3,392	158	-	146	146	219	128	175	265	294
306	TAUNTON - - - - -	4,026	299	19	200	162	314	200	188	348	252
307	BRIDGWATER - - - - -	4,198	207	87	282	351	193	167	168	326	273
308	LANGPORT - - - - -	3,655	223	-	189	155	243	143	181	298	239
309	CHARD - - - - -	4,854	287	-	241	145	296	168	180	357	278
310	YEovil - - - - -	4,715	227	119	248	305	298	180	179	320	263
311	WINCANTON - - - - -	3,792	222	-	153	80	297	155	163	388	306
312	THROME - - - - -	4,014	350	-	75	128	290	158	118	367	287
313	SHEPTON MALLET - - - - -	3,850	161	-	101	75	151	127	145	320	233
314	WELLS - - - - -	4,017	265	7	76	127	196	152	174	349	325
315	AXBRIDGE - - - - -	3,964	351	6	185	113	243	179	158	329	232
316	CLUTTON - - - - -	4,244	283	3	195	149	228	123	147	310	238
317	BATH - - - - -	5,615	533	28	293	282	396	240	152	434	371
318	KEYNSHAM - - - - -	4,694	318	15	157	169	294	160	178	345	284
319	BEDMINSTER - - - - -	6,148	439	38	412	244	400	159	155	420	338

TABLE 2. (continued).—Annual Death-rate per 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diphtheria and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
VI.—WEST MIDLAND COUNTIES.											
No.	22.—GLOUCESTERSH.										
320	BRISTOL (part of City) - - - - -	7,823	666	35	375	307	425	288	214	565	486
321	CLIFTON (including part of Bristol City) - - - - -	6,253	477	36	803	337	382	235	195	409	324
322	CHIPPING SODBURY - - - - -	4,343	208	8	148	182	165	122	111	331	296
323	THORNHURST - - - - -	3,443	104	13	117	135	187	126	148	264	288
324	DURSLEY - - - - -	3,942	220	-	236	176	170	137	134	339	267
325	WESTBURY-ON-SERVERN - - - - -	5,171	184	23	313	202	219	119	132	369	311
326	NEWENT - - - - -	3,785	95	-	122	115	142	85	113	268	310
327	GLOUCESTER - - - - -	5,548	563	48	339	278	318	190	180	249	275
328	WHEATENHURST - - - - -	3,645	234	-	254	152	183	127	177	224	187
329	STROUD - - - - -	4,698	337	8	157	143	244	147	143	389	322
330	TETBURY - - - - -	3,058	116	-	77	168	103	174	201	262	221
331	CIRENCESTER - - - - -	4,188	237	-	94	102	188	162	141	266	238
332	NORTHLEACH - - - - -	3,691	116	-	89	82	97	98	144	283	249
333	STOW-ON-THE-WOLD - - - - -	3,391	91	-	90	83	272	170	203	304	214
334	WINCOMB - - - - -	3,331	155	-	139	62	194	132	121	278	247
335	CHELTONHAM - - - - -	4,841	484	26	194	321	146	190	151	377	302
336	TWEESEBURY - - - - -	4,116	249	23	191	116	267	148	179	283	221
23.—HEREFORDSHIRE.											
337	LEDGERY - - - - -	3,264	137	7	124	78	98	135	136	295	230
338	ROSS - - - - -	4,309	218	-	128	133	109	130	137	330	253
339	HEREFORD - - - - -	4,291	305	6	218	125	258	183	181	346	271
340	WEOLBY - - - - -	2,961	206	-	170	27	134	135	121	302	258
341	BROMYARD - - - - -	4,018	184	7	92	78	104	106	117	386	276
342	LEOMINSTER - - - - -	3,914	209	11	209	143	148	151	141	315	192
343	KINGTON - - - - -	3,637	114	-	94	61	236	150	137	230	239
24.—SHROPSHIRE.											
344	LEDLLOW - - - - -	4,467	265	13	200	153	191	123	118	390	311
345	CLUN - - - - -	3,833	65	-	231	66	303	132	165	237	217
346	CHURCH STRETTON - - - - -	3,118	134	27	175	40	228	117	140	231	228
347	CLERBURY MORTIMER - - - - -	3,283	168	-	162	65	139	115	114	272	282
348	BRIDGNORTH - - - - -	3,763	274	11	100	142	120	123	121	356	280
349	SHIFFNAL - - - - -	4,222	415	-	316	179	164	135	129	372	304
350	MADELEY - - - - -	6,076	438	5	434	211	235	198	185	384	326
351	ATCHAM - - - - -	3,205	112	-	181	78	181	167	161	328	228
352	OSWESTRY - - - - -	5,373	578	6	264	238	273	248	227	409	361
353	ELLSMERE - - - - -	4,251	141	14	332	79	194	190	212	286	369
354	ELLSMERE - - - - -	3,550	124	-	213	77	183	188	156	286	129
355	WEM - - - - -	3,039	239	-	168	53	168	199	171	219	261
356	WHITCHURCH - - - - -	4,802	403	-	184	154	184	182	178	283	244
357	MARKET DRAYTON - - - - -	3,831	244	5	85	48	159	139	138	354	263
358	WELLINGTON - - - - -	5,751	528	61	311	169	223	135	136	434	335
359	NEWPORT - - - - -	4,110	291	15	177	94	292	110	147	287	214
25.—STAFFORDSHIRE.											
359	STAFFORD - - - - -	5,335	347	5	368	105	356	281	237	358	285
360	STONE - - - - -	5,464	488	5	337	148	181	206	205	395	314
361	NEWCASTLE-UNDER-LYME - - - - -	4,308	461	46	266	334	219	179	187	282	350
362	WOLSTANTON - - - - -	8,273	810	22	479	332	347	172	167	547	289
363	STOKE-UPON-TRENT - - - - -	8,676	991	35	574	306	326	238	210	565	417
364	LEEK - - - - -	6,048	452	2	336	289	257	166	223	447	363
365	CHESDALE - - - - -	4,791	332	9	272	133	278	176	226	100	296
366	UTTOXETER - - - - -	3,508	168	6	184	78	212	137	200	327	250
367	BURTON-UPON-TRENT - - - - -	5,216	415	34	336	216	232	239	199	365	299
368	TAMWORTH - - - - -	4,996	437	37	264	286	202	124	159	462	311
369	LICHFIELD - - - - -	4,768	228	14	317	139	214	144	161	353	279
370	PENKIDGE - - - - -	5,812	374	41	379	109	226	115	130	289	333
371	WOLVERHAMPTON - - - - -	7,326	786	108	524	225	404	156	138	497	404
372	WALSALL - - - - -	7,843	808	185	572	188	373	137	131	477	332
373	WEST BROMWICH - - - - -	7,353	659	47	690	223	314	128	109	453	341
374	DUDLEY - - - - -	8,491	748	260	579	356	343	101	104	464	377

TABLE 2, (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
No.											
VI.—WEST MIDLAND COUNTIES—cont.											
26.—WORCESTERSHIRE.											
375	STOURBRIDGE	7,146	576	113	541	274	261	119	124	416	331
376	KIDDERMINSTER	5,504	638	10	414	244	224	193	163	397	279
377	TENBURY	3,596	165	10	224	136	194	133	103	299	282
378	MARTLEY	3,144	251	5	133	114	187	119	120	326	227
379	WORCESTER	6,824	1110	61	314	391	210	237	187	435	371
380	UPTON-ON-SEVERN	3,341	157	4	124	66	134	159	135	295	219
381	EYESHAM	4,019	282	10	200	33	158	134	165	328	244
382	PERSHORE	3,638	292	6	241	79	129	125	119	297	205
383	DROITWICH	4,306	391	6	207	92	201	111	187	300	244
384	BROMSGROVE	5,581	692	9	445	129	241	181	157	357	296
385	KINGS NORTON	5,090	519	15	366	122	301	162	134	367	285
27.—WARWICKSHIRE.											
386	BIRMINGHAM	8,616	1178	71	580	298	627	300	197	575	474
387	ASTON	7,075	893	33	508	223	480	196	153	430	367
388	MERIDEN	3,563	225	7	180	67	157	129	148	391	291
389	ATHERSTONE	5,124	645	11	201	280	227	118	176	421	341
390	NUNEATON	6,544	415	144	289	127	156	146	195	425	382
391	FOLESHILL	6,925	350	48	306	230	161	142	172	375	247
392	COVENTRY	6,909	1006	116	443	201	256	237	151	413	360
393	RUGBY	4,207	291	9	152	121	152	114	148	364	283
394	SOLIHULL	3,432	257	17	124	73	244	122	112	277	201
395	WARWICK	5,028	459	5	234	181	225	227	173	357	239
396	STRATFORD-ON-AVON	3,850	269	3	177	112	201	131	152	313	202
397	ALCESTER	4,788	288	19	304	175	171	185	181	392	288
398	SHIPSTON-ON-STOUR	3,575	186	4	77	61	235	132	135	325	219
399	SOUTHAM	3,903	135	35	162	134	235	107	139	273	233
VII.—NORTH MIDLAND COUNTIES.											
28.—LEICESTERSH.											
400	LUTTERWORTH	3,810	141	-	67	98	128	132	183	318	256
401	MARKET HARBOUROUGH	4,534	425	5	135	188	237	156	165	279	226
402	BILLESDON	3,797	320	9	156	73	229	180	149	308	211
403	BLAY	5,578	611	38	563	165	149	164	152	352	306
404	HINCKLEY	6,897	548	-	455	333	375	122	184	370	302
405	MARKET BOSWORTH	5,157	408	20	206	192	202	124	130	324	302
406	ASHBY-DE-LA-ZOUCH	5,287	402	113	381	175	252	121	149	313	276
407	LOUGHBOROUGH	6,717	680	31	416	269	253	221	202	532	306
408	BARROW-UPON-SOAR	5,779	680	35	185	215	233	132	207	350	286
409	LEICESTER	9,252	1,781	75	368	382	371	228	188	434	384
410	MELTON MOWBRAY	4,830	417	-	230	164	222	161	182	314	265
29.—RUTLANDSHIRE.											
411	OAKHAM	4,448	193	-	337	115	308	137	159	266	225
412	UPPINGHAM	4,661	242	-	141	88	209	117	110	353	274
30.—LINCOLNSHIRE.											
413	STAMFORD	4,544	362	-	183	223	210	172	154	410	312
414	BOURN	4,474	283	-	244	149	275	145	161	287	248
415	SPALDING	4,574	387	-	210	102	295	142	177	345	292
416	HOLBEACH	4,790	177	11	151	96	317	140	210	363	274
417	BOSTON	4,542	350	8	167	129	234	173	177	291	234
418	SKELFORD	4,133	403	3	279	164	196	136	168	319	267
419	GRANTHAM	4,780	415	7	282	188	310	149	160	335	281
420	LINCOLN	5,944	671	20	320	141	256	183	221	342	283
421	HORNCASTLE	3,941	108	7	169	66	215	171	200	222	167
422	SPILSBY	3,758	164	-	105	48	223	166	214	209	184
423	LOUTH	4,181	295	2	164	73	248	149	174	288	222
424	CAISTON	4,479	643	174	278	117	208	126	168	293	264
425	GLANFORD BRIGG	4,655	425	4	233	143	202	125	194	306	261
426	GAINSBOROUGH	4,778	449	23	232	83	227	148	183	379	289

TABLE 2. (continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHthisis and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
VII.—NORTH MIDLAND COUNTIES—cont.											
No.	31.—NOTTINGHAMSH.										
427	EAST RETFORD - - - - -	4,252	259	7	206	95	170	138	168	333	287
428	WORKSOP - - - - -	5,216	317	45	260	132	217	152	163	386	280
429	MANSFIELD - - - - -	6,534	604	65	411	256	289	155	196	385	325
430	BASFORD - - - - -	6,840	593	77	334	256	274	153	214	354	324
431	NOTTINGHAM (including Radford) -	8,001	966	93	548	373	317	238	219	448	385
432	SOUTHWELL - - - - -	3,730	124	12	189	97	212	175	227	349	248
433	NEWARK - - - - -	5,788	318	5	281	114	177	185	189	368	291
434	BINGHAM - - - - -	4,383	172	27	139	118	247	146	235	297	275
32.—DERBYSHIRE.											
435	SHARDLOW - - - - -	4,975	270	5	262	193	223	159	170	328	228
436	DERBY - - - - -	6,291	633	4	448	233	298	251	229	385	325
437	BELPER - - - - -	5,397	369	10	325	137	219	155	235	367	269
438	ASHBORNE - - - - -	4,125	153	-	275	95	267	193	228	305	240
439	CHESTERFIELD - - - - -	6,376	385	55	395	254	248	143	187	415	372
440	BAKEWELL - - - - -	4,827	119	10	262	44	184	160	183	336	261
441	CHAPEL-EN-LE-FRITH - - - - -	4,782	229	-	310	91	211	186	170	352	276
442	HATFIELD - - - - -	6,487	464	9	443	245	305	227	212	473	378
VIII.—NORTH WESTERN COUNTIES.											
33.—CHESHIRE.											
443	STOCKPORT - - - - -	8,033	905	10	699	306	341	226	229	568	468
444	MACCLESFIELD - - - - -	6,292	468	4	338	301	269	251	255	471	371
445	ALTRINCHAM - - - - -	4,677	405	17	280	159	280	180	203	358	293
446	RUNCORN - - - - -	5,034	386	19	293	264	336	169	194	410	348
447	NORTHWICH - - - - -	6,155	466	7	432	324	296	140	170	329	315
448	CONGLETON - - - - -	5,778	333	6	406	228	299	175	209	393	310
449	NANTWICH - - - - -	5,531	344	19	468	292	189	146	164	341	274
450	CHESTER - - - - -	5,241	481	24	345	179	287	234	211	345	299
451	WIRRAL - - - - -	4,922	385	15	288	97	276	182	155	274	233
452	BIRKENHEAD - - - - -	6,244	603	39	474	346	376	183	172	366	304
34.—LANCASHIRE.											
453	LIVERPOOL - - - - -	11,929	1,413	151	663	700	794	405	328	742	669
453	WEST DERRY (including Toxteth Park (454) which was created a Registration District on 1st Jan. 1881) - - - - -	7,591	814	97	434	376	499	251	224	466	399
456	PRESCOT - - - - -	7,051	821	43	518	380	326	175	189	457	394
457	ORMSKIRK - - - - -	5,515	413	32	334	113	179	265	218	406	391
458	WIGAN - - - - -	5,723	1,113	19	565	448	397	171	176	522	521
459	WARRINGTON - - - - -	6,761	662	16	455	376	401	189	189	406	381
460	LEIGH - - - - -	7,546	659	12	627	409	237	166	211	552	458
461	BOLTON - - - - -	7,854	913	22	530	430	442	219	204	599	485
462	BURY - - - - -	7,584	774	8	604	307	234	246	233	519	423
463	BARTON-UPON-IRWELL - - - - -	6,407	694	33	518	285	281	193	198	520	377
464	CHORLTON - - - - -	7,782	801	31	463	369	469	204	238	543	468
465	SALFORD - - - - -	9,996	1,244	101	577	608	697	307	246	596	515
465	MANCHESTER (including Prestwich), 1871-73 - - - - -	10,382	1,884	87	634	470	636	300	319	651	577
465	MANCHESTER, 1874-80 - - - - -	10,352	1,123	20	596	436	781	306	292	761	673
467	PRESTWICH* - - - - -	7,894	712	65	593	424	501	271	242	545	433
468	ASHTON-UNDER-LYNE - - - - -	5,381	854	7	549	319	332	267	249	545	468
469	OLDHAM - - - - -	8,479	562	21	743	366	461	263	223	582	451
470	ROCHDALE - - - - -	7,725	596	18	563	510	351	263	232	519	399
471	HASLINGDEN - - - - -	7,178	545	4	554	336	322	211	199	509	396
472	BURNLEY - - - - -	8,045	745	18	545	419	298	290	194	569	414
473	CLITHEROE - - - - -	5,892	322	3	336	253	216	139	193	408	356

* PRESTWICH was separated from MANCHESTER and created a Registration District, 1st October 1874. See also notes on pp. 284-5.

TABLE 2. (continued).—Annual Death-rate per 100,000 Living, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
VIII.—NORTH WESTERN COUNTIES—cont.											
34.—LANCASHIRE—continued.											
No.											
474	BLACKBURN	5,033	902	6	759	538	368	231	200	613	500
475	CHORLEY	6,770	420	2	456	346	283	200	227	498	399
476	PRESTON	9,785	1,561	20	683	482	472	279	288	589	499
477	FYLDE	6,085	622	4	490	171	233	204	206	356	289
478	GARSTANG	5,755	206	12	157	79	164	172	212	301	233
479	LANCASTER	5,634	418	12	381	213	309	247	252	463	345
480	LUNESDALE	3,925	330	11	205	114	171	149	229	267	254
481	ULVERSTON (including Barrow-in-Furness), 1871-76	7,062	658	92	450	240	291	207	221	429	803
	ULVERSTON, 1876-80	4,372	325	-	77	248	126	182	231	350	249
482	BARROW-IN-FURNESS*	6,535	604	-	309	341	303	143	153	301	282
IX.—YORKSHIRE.											
35.—WEST RIDING.											
483	SEDRBERGH	4,270	36	18	90	162	162	138	244	358	290
484	SETTLE	4,728	131	71	109	120	185	149	224	316	269
485	SKIPTON	5,400	256	16	260	158	171	215	245	434	371
486	PATELEY BRIDGE	4,127	178	-	169	51	212	209	245	396	334
487	RIPON	4,424	232	35	278	61	121	187	186	319	270
488	GREAT OSERBURN	3,705	280	7	137	117	248	152	137	259	259
489	KNARESBOROUGH	5,030	349	16	166	118	187	227	177	331	276
490	WETHERBY	3,555	232	-	200	37	121	161	211	336	259
491	WHARFEDALE	5,939	347	-	211	201	312	229	252	419	336
492	KEIGHLEY	7,478	307	100	393	279	372	240	290	552	434
493	TODMORDEN	6,827	372	38	802	279	372	173	179	409	384
494	SADDLEWORTH	6,781	505	11	400	273	289	282	275	465	353
495	HUDDESFIELD	6,823	450	5	305	301	367	265	263	464	357
496	HALIFAX	7,384	343	6	605	258	334	238	229	531	387
497	BRADFORD	8,371	741	16	846	429	413	255	246	509	398
498	HUNSLY	8,835	1,075	59	495	330	371	300	192	551	446
499	HOLBECK	9,400	1,083	24	534	349	305	212	215	377	471
500	BRAMLEY	7,493	777	14	450	258	411	185	183	448	366
501	LEEDS	8,747	1,302	26	529	279	462	269	213	539	466
502	DEWSBURY	8,327	636	84	568	342	382	223	213	485	371
503	WAKEFIELD	6,973	704	59	485	232	313	230	228	454	400
504	PONTERFRACT	7,439	843	61	408	259	285	169	181	364	310
505	HEMSWORTH	4,093	123	8	244	101	156	133	164	208	234
506	BARNLEY	7,725	823	11	543	320	273	178	201	416	395
507	WORTLEY	5,879	362	43	394	152	276	196	230	453	361
508	ECCLESALL BIERLOW	6,914	688	39	541	297	382	270	196	465	363
509	SHEFFIELD	9,122	1,096	168	703	302	516	275	212	639	527
510	ROTHERHAM	6,683	408	84	328	187	286	166	172	433	374
511	DONCASTER	6,514	474	48	400	189	268	169	179	415	316
512	THORNE	5,114	342	5	291	178	200	134	193	276	264
513	GOOLE	6,456	920	-	540	190	277	142	158	324	307
514	SELBY	5,355	454	-	478	121	297	157	151	296	231
515	TADCASTER	5,328	380	9	300	116	233	139	190	319	273
36.—E. RIDING. (with Yk.)											
516	YORK	5,947	813	23	194	132	318	290	197	340	310
517	POCCLINGTON	4,271	433	20	214	85	229	129	181	260	262
518	HOWDEN	4,433	389	-	187	80	284	171	209	278	263
519	BEVERLEY	4,615	544	17	162	101	216	160	204	235	201
520	SCULCOATES	7,133	116	37	287	253	365	197	203	345	308
521	HULL	7,789	1,102	64	296	234	400	232	229	436	361
522	PATRINGTON	5,490	486	9	286	113	217	161	181	182	147
523	SKIDLAUGH	4,161	414	8	133	69	184	135	159	270	122
524	DRIFFIELD	5,529	481	7	259	74	237	103	154	308	237
525	BRIDLINGTON	5,045	603	34	177	120	225	157	143	298	264

* BARROW-IN-FURNESS was separated from ULVERSTONE and created a Registration District, 1st July 1876. See also notes on pp. 292-3.

TABLE 2. (continued).—Annual Death-rate per 100,000 living, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phtthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
IX.—YORKSHIRE—cont.											
37.—NORTH RIDING.											
526	SCARBOROUGH - - - - -	5,205	550	69	101	123	224	182	157	312	265
527	MALTON - - - - -	4,511	433	42	248	78	127	143	172	269	249
528	EASINGWOLD - - - - -	3,295	193	-	97	72	105	151	181	288	217
529	THIRSK - - - - -	4,216	230	12	309	101	178	132	177	374	265
530	HELMSLEY - - - - -	4,038	250	7	153	68	243	128	182	310	331
531	PICKERING - - - - -	5,610	268	6	317	122	369	115	140	362	347
532	WHITBY - - - - -	5,093	340	19	268	203	261	149	176	352	292
533	GUISBOROUGH (including part of Middlesbrough), 1871-5 - - -	8,340	914	142	473	214	371	104	106	379	313
534	GUISBOROUGH, 1875-80 - - -	6,511	583	-	447	239	314	139	181	532	288
535	MIDDLESBROUGH* - - - - -	7,048	625	1	445	376	312	147	174	380	369
536	STOKESLEY - - - - -	4,616	222	7	263	81	208	140	186	239	232
537	NORTHALLERTON - - - - -	3,787	206	13	245	58	245	173	184	331	324
538	BEDALE - - - - -	3,906	237	9	155	55	246	148	167	287	278
539	LEYBURN - - - - -	5,839	180	-	218	38	284	201	501	375	260
540	ATSGARTH - - - - -	4,009	103	-	103	162	147	172	239	340	234
541	REETH - - - - -	4,133	122	-	132	30	350	311	288	480	† 169
542	RICHMOND - - - - -	3,902	241	11	115	121	230	211	217	330	254
X.—NORTHERN COUNTIES.											
38.—DURHAM.											
543	DARLINGTON - - - - -	6,223	512	88	341	509	256	189	217	288	270
544	STOCKTON (including part of Mid- dleborough), 1871-5 - - -	8,964	845	221	619	250	285	189	215	320	328
545	STOCKTON, 1875-80 - - - - -	7,044	502	4	510	290	267	228	218	328	286
546	HARTLEPOOL - - - - -	7,550	943	61	562	305	389	178	213	341	319
547	ACCLAND - - - - -	8,749	511	102	649	281	346	138	205	374	331
548	TEESDALE - - - - -	4,461	203	15	232	86	217	164	217	408	286
549	WEARDALE - - - - -	5,716	269	23	322	180	207	210	323	408	236
550	LANCHESTER† - - - - -	6,666	476	-	518	187	220	133	217	370	332
551	DURHAM (inclg. Lanchester), 1871-5	8,716	392	412	564	274	176	161	191	294	230
552	DURHAM, 1875-80 - - - - -	8,529	670	-	708	280	276	190	204	365	329
553	EASINGTON - - - - -	8,593	699	210	690	316	334	118	153	340	273
554	HOUGHTON-LE-SPRING - - - -	7,995	860	107	527	583	302	139	188	365	308
555	CHESTER-LE-STREET - - - - -	7,976	631	93	327	200	209	173	221	345	287
556	SUNDERLAND - - - - -	7,928	808	232	636	259	458	190	186	373	320
557	SOUTH SHIELDS - - - - -	7,297	798	241	613	233	461	182	191	401	377
558	GATESHEAD - - - - -	8,153	671	126	662	246	394	219	216	400	338
39.—NORTHUMBERL.											
559	NEWCASTLE-UPON-TYNE - - -	8,171	799	144	593	206	399	238	225	409	365
560	TYNEMOUTH - - - - -	7,287	654	68	397	205	355	186	208	313	287
561	CASTLE WARD - - - - -	5,285	535	4	437	207	190	204	230	268	230
562	HEXHAM - - - - -	4,791	309	20	325	79	245	220	250	299	254
563	HALTWHISTLE - - - - -	3,372	164	-	96	125	202	205	276	240	184
564	BELLINGHAM - - - - -	3,432	202	12	199	48	119	214	238	220	177
565	MORPETH - - - - -	7,379	629	48	733	230	395	218	238	250	261
566	ALNWICK - - - - -	4,204	170	-	328	130	189	282	285	287	261
567	DELFORD - - - - -	3,186	73	29	59	15	220	164	177	200	184
568	BERWICK - - - - -	4,679	341	45	442	132	257	192	174	224	171
569	GLENDALE - - - - -	2,408	57	7	129	57	205	178	149	191	147
570	ROTHSURY - - - - -	2,797	47	-	140	35	152	210	228	139	131

* The District of MIDDLESBROUGH was formed principally from the Districts of GUISBOROUGH and STOCKTON, 1st October 1875. See also Notes on pp. 318, 324, 376, 377.
† LANCHESTER was separated from DURHAM, and created a Registration District, 1st April 1875. See also Notes on pp. 327, 328.

(continued).—Annual Death-rate PER 100,000 LIVING, among CHILDREN under 5 YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.	ANNUAL DEATH-RATE PER 100,000 LIVING.									
	Under 5 Years of Age.						At All Ages.			
	All Causes.	Diphtheria and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
							Males.	Females.	Males.	Females.
—NORTHERN COUNTIES—cont.										
10.—CUMBERLAND.										
ASTON - - - - -	4,052	540	15	261	216	185	287	223	570	284
BRITH - - - - -	4,256	163	3	170	122	231	199	239	312	290
HAMPTON - - - - -	3,940	314	-	235	17	332	182	202	266	255
IGTOWN - - - - -	3,853	186	-	451	104	167	304	362	242	180
IGLE - - - - -	6,215	629	14	377	238	281	272	267	371	331
ITON - - - - -	4,203	181	17	535	265	222	192	225	288	241
KERMOUTH - - - - -	3,843	564	48	327	379	328	158	196	335	302
KIRKBY - - - - -	6,972	328	83	495	441	321	200	234	434	407
WILE - - - - -	4,581	362	13	318	241	368	178	195	287	221
11.—WESTMORLAND.										
ST WARD - - - - -	4,014	117	35	142	51	182	182	203	215	194
ST WARD - - - - -	3,900	114	10	219	57	174	173	224	204	169
SDAL - - - - -	4,017	139	4	191	176	187	191	226	288	246
—MONMOUTHSHIRE AND WALES.										
2.—MONMOUTHSH.										
EPSTON - - - - -	4,092	74	17	218	111	285	153	182	291	217
EMOUTH - - - - -	4,451	171	7	276	164	239	139	174	450	335
ERGAVENST - - - - -	6,460	285	41	328	492	345	164	172	446	365
EWELLY - - - - -	7,783	324	174	348	562	445	182	185	633	469
STYPOOL - - - - -	5,948	378	49	470	241	231	146	175	543	427
WFOET - - - - -	6,315	390	28	281	463	376	197	269	422	340
3.—SOUTH WALES.										
GLAMORGANSHIRE.										
ADIFF - - - - -	6,029	560	21	454	336	341	224	234	358	295
STYFRID - - - - -	7,800	241	85	394	406	353	188	223	461	391
STYFRID - - - - -	7,578	245	122	430	439	347	260	295	497	379
STYFRID - - - - -	5,432	152	51	300	115	244	203	244	309	305
STYFRID (including part of Pontar-see, 1871-75 - - - - -	6,009	192	162	572	286	328	270	283	331	269
STYFRID, 1875-80 - - - - -	5,893	120	-	475	340	230	241	242	375	258
STYFRID - - - - -	3,197	167	-	377	198	334	287	291	345	212
STYFRID - - - - -	6,951	329	53	603	289	332	235	210	440	357
STYFRID - - - - -	3,878	153	-	327	167	254	190	225	212	192
CARMARTHENSHIRE.										
STYFRID - - - - -	5,782	135	127	501	178	259	243	261	352	279
STYFRID - - - - -	4,784	129	25	293	74	268	343	319	251	177
STYFRID - - - - -	3,911	105	13	352	80	145	312	324	254	165
STYFRID - - - - -	4,301	117	46	282	73	224	335	303	313	229
PEMBROKESHIRE.										
STYFRID - - - - -	3,495	50	8	183	65	208	316	330	242	172
STYFRID - - - - -	4,793	178	3	356	124	248	237	240	264	229
STYFRID - - - - -	4,443	176	5	204	94	282	276	270	235	208
CARDIGANSHIRE.										
STYFRID - - - - -	3,437	53	5	257	92	228	319	280	266	200
STYFRID - - - - -	3,067	52	-	297	35	166	423	350	280	218
STYFRID - - - - -	3,931	33	33	300	41	229	290	212	371	283
STYFRID - - - - -	5,783	73	6	512	44	223	283	232	214	183
STYFRID - - - - -	4,349	71	-	500	124	334	319	269	358	254
STYFRID - - - - -	3,500	31	-	459	46	209	340	290	241	208

District of PONTARDAWE was formed principally from the District of NEATH, lat July 1875. See also notes.

TABLE 2. (continued).—Annual Death-rate per 100,000 living, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

DISTRICTS.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhoea and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
XI.—MONMOUTHSHIRE AND WALES—cont.											
43.—SOUTH WALES—continued.											
No.	BRECKNOCKSHIRE.										
607	BUTH - - - - -	4,182	56	-	373	84	204	214	216	242	262
608	BRECKNOCK - - - - -	4,228	61	47	396	239	235	196	209	297	289
609	CHICKHOWELL - - - - -	6,446	201	82	298	229	297	203	202	281	406
610	HAY - - - - -	4,370	120	8	237	76	275	108	229	257	289
RADNORSHIRE.											
611	PRESTEIGNE, 1871-77† - - - -	3,768	186	-	311	93	289	114	164	224	146
	KNIGHTON, 1871-77 - - - -	3,872	145	-	213	67	247	173	202	226	171
	KNIGHTON (including part of the abolished District of Presteigne, 1877-80) - - - -	5,115	216	-	157	89	335	199	221	422	289
	RHATADER - - - - -	3,612	123	-	201	22	166	184	241	290	226
44.—NORTH WALES.											
MONTGOMERYSHIRE.											
613	MACHYNELLETH - - - - -	4,104	86	6	215	61	270	267	275	234	214
614	BALA - - - - -	4,277	190	3	204	96	252	275	262	326	269
615	FORDEN (MONTGOMERY) - - - -	3,627	169	-	254	102	195	178	194	201	221
616	LLANFYLIN - - - - -	3,736	53	27	153	61	109	220	220	228	254
FLINTSHIRE.											
617	HOLIWELL - - - - -	5,240	73	54	411	81	242	191	228	364	261
DENBIGHSHIRE.											
618	WREXHAM - - - - -	6,013	219	3	450	295	298	174	196	426	344
619	RUTHIN - - - - -	3,827	63	11	159	34	108	226	227	175	191
620	ST. ASAPH - - - - -	4,896	118	45	317	130	290	215	227	236	208
621	LLANRWST - - - - -	4,421	71	-	226	100	242	232	293	323	240
MERIONETHSHIRE.											
622	CORWEN - - - - -	4,117	127	5	201	126	80	295	271	228	197
623	BALA - - - - -	3,247	120	-	413	80	307	213	209	219	212
624	DOLGELLY - - - - -	4,299	163	-	276	99	261	160	263	269	226
625	FESTINIOG - - - - -	5,775	890	5	485	279	250	245	278	286	386
CARNARVONSHIRE.											
626	PWLLHELI - - - - -	3,539	49	-	117	83	145	224	206	229	241
627	CARNARVON - - - - -	5,639	133	11	406	397	196	341	306	374	329
628	BANGOR - - - - -	5,226	81	2	291	240	270	283	311	268	226
629	CONWAY - - - - -	4,509	273	5	182	151	292	281	259	222	229
ANGLESEY.											
630	ANGLESEY - - - - -	4,314	63	2	224	130	180	228	243	281	222

† The District of Presteigne was abolished, and the greater part of it added to Knighton, 1st July 1877. See also notes on pp. 300-1, 318.

TABLE 3.—Annual Death-rate PER 1000 LIVING, at ALL AGES, and at ELEVEN GROUPS of AGES, in REGISTRATION COUNTIES.—Persons.

	ALL AGES.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ENGLAND	21.27	63.12	6.45	5.70	5.33	7.04	8.93	12.62	17.72	31.19	64.85	161.59
I.—LONDON.												
LONDON	22.37	72.70	7.07	5.51	4.08	6.14	9.00	14.34	21.45	37.47	72.08	165.58
II.—SOUTH EASTERN COUNTIES.												
SURREY (<i>extra-met.</i>)	16.77	42.44	4.56	3.12	4.01	5.05	7.46	11.89	16.23	28.45	62.75	157.46
KENT (<i>extra-met.</i>)	17.81	46.27	5.04	3.15	4.54	6.08	7.72	11.38	14.89	26.45	55.86	148.02
SUSSEX	17.05	40.80	4.32	2.85	4.35	5.87	8.15	10.85	14.78	26.06	55.97	148.95
HAMPSHIRE	18.28	44.55	5.09	3.23	4.74	6.90	9.36	12.63	15.75	26.62	56.95	156.88
BERKSHIRE	18.01	43.71	4.51	2.95	4.56	6.90	7.55	10.67	14.39	26.01	58.62	162.48
III.—SOUTH MIDLAND COUNTIES.												
MIDDLESEX	17.06	48.22	4.85	2.84	5.05	4.84	7.54	12.59	18.07	30.97	64.45	152.44
HERTFORDSHIRE	18.57	44.01	4.12	2.88	4.36	6.34	7.98	10.82	14.49	27.54	61.02	161.59
HUCKINGHAMSHIRE	18.62	47.77	4.13	2.77	4.71	6.28	7.48	8.95	12.70	25.09	60.84	167.70
OXFORDSHIRE	19.00	46.85	4.45	3.33	4.61	6.50	8.03	10.09	14.36	25.15	59.92	171.30
NORTHAMPTONSHIRE	19.56	55.10	4.89	3.28	5.16	6.66	7.91	10.29	13.48	25.79	60.70	165.47
HUNTINGDONSHIRE	18.47	44.45	4.64	3.10	4.62	7.31	7.83	9.83	11.93	23.21	54.78	152.46
REDFORDSHIRE	19.37	53.98	4.88	3.22	4.49	6.75	8.27	10.35	13.83	26.82	59.59	168.05
CAMBRIDGESHIRE	18.70	48.47	4.49	3.15	4.99	6.43	8.09	10.08	12.61	24.00	52.56	151.91
IV.—EASTERN COUNTIES.												
ESSEX	17.94	47.17	5.05	3.27	4.83	5.90	7.59	10.23	14.12	25.40	55.94	156.27
SUFFOLK	18.79	44.85	4.50	2.97	5.02	7.06	8.47	10.27	13.00	23.35	52.63	155.25
NORFOLK	19.80	51.10	5.03	3.20	4.97	7.23	8.11	10.05	12.90	23.02	50.84	151.70
V.—SOUTH WESTERN COUNTIES.												
WILTS	18.60	40.69	4.57	3.13	4.91	6.71	7.88	10.72	14.07	26.93	59.19	163.41
DOSETSHIRE	17.46	40.07	4.51	2.79	4.43	6.55	7.50	10.48	13.94	24.36	55.28	151.71
DEVONSHIRE	19.67	50.66	5.21	3.32	5.29	7.10	8.46	10.99	14.32	25.36	55.87	154.15
CORNWALL	20.32	57.01	6.15	4.04	5.67	7.88	8.23	10.28	13.49	26.32	55.37	153.41
SOMERSETSHIRE	19.69	45.79	4.84	3.29	4.72	6.61	8.20	10.47	14.82	26.78	66.19	153.33
VI.—WEST MIDLAND COUNTIES.												
GLOUCESTERSHIRE	19.82	53.84	5.16	3.55	4.75	6.57	8.17	11.60	16.41	28.22	60.75	158.73
HEREFORDSHIRE	18.36	39.04	4.30	3.20	4.64	5.97	7.71	10.19	14.18	27.09	60.64	159.04
SHROPSHIRE	18.80	43.04	5.06	3.12	4.96	6.64	8.02	10.39	13.23	25.86	58.83	164.70
STAFFORDSHIRE	22.44	71.74	6.74	3.52	4.85	6.53	8.23	11.61	18.22	33.48	71.07	170.10
WORCESTERSHIRE	18.95	54.46	5.28	2.80	4.18	6.33	7.02	10.42	15.18	27.75	63.44	161.84
WARWICKSHIRE	21.90	68.80	6.43	3.41	4.92	6.51	8.43	12.66	18.39	32.61	67.90	166.13
VII.—NORTH MIDLAND COUNTIES.												
LEICESTERSHIRE	21.61	68.63	5.09	3.26	4.90	6.74	8.01	11.03	14.81	27.02	61.47	161.14
RUTLANDSHIRE	18.45	42.47	4.69	2.90	4.37	7.19	7.91	9.60	12.74	24.34	57.38	160.74
LINCOLNSHIRE	18.55	47.90	5.01	3.40	5.18	7.15	7.87	9.95	12.85	23.24	53.16	149.94
NOTTINGHAMSHIRE	21.23	65.76	5.09	3.63	5.64	7.93	8.41	11.24	15.10	27.44	62.95	159.76
DERBYSHIRE	20.54	57.37	5.35	3.39	5.63	7.09	8.43	11.49	15.73	31.28	68.62	174.64
VIII.—NORTH WESTERN COUNTIES.												
CHESHIRE	21.04	60.51	6.64	3.64	5.23	7.00	8.94	12.60	18.77	35.05	71.98	170.10
LANCASHIRE	25.17	82.22	8.47	4.34	6.06	7.80	10.44	15.64	23.57	42.62	83.69	176.88
IX.—YORKSHIRE.												
WEST RIDING	23.94	74.01	7.51	4.18	6.44	7.80	9.18	11.04	19.10	35.79	76.50	178.24
EAST RIDING	21.36	63.26	5.80	3.78	4.99	7.01	8.95	12.42	17.25	30.44	63.34	165.40
NORTH RIDING	19.65	55.09	5.07	3.47	5.42	7.23	8.59	10.95	13.74	25.62	57.39	160.32
X.—NORTHERN COUNTIES.												
DURHAM	23.77	78.47	8.80	4.64	6.28	8.54	9.56	12.31	17.70	32.90	69.39	169.41
NORTHUMBERLAND	22.74	67.56	7.93	4.06	6.27	8.29	10.01	13.33	14.43	33.85	65.98	163.80
CUMBERLAND	21.49	66.87	6.78	4.17	6.04	8.44	9.65	12.54	17.94	30.95	65.71	163.93
WESTMORLAND	17.72	38.98	4.82	3.39	5.39	7.63	7.76	10.79	14.57	24.36	69.06	151.23
XI.—MONMOUTHSHIRE AND WALES.												
MONMOUTHSHIRE	21.88	62.14	6.77	4.31	6.58	8.40	10.34	12.79	17.94	32.56	65.69	160.55
SOUTH WALES	21.09	58.11	7.38	4.87	7.05	9.24	10.49	12.51	14.37	28.47	67.65	150.49
NORTH WALES	20.29	48.69	6.33	4.34	6.63	9.48	10.41	11.20	14.81	27.16	57.82	156.04

TABLE 3. (continued).—Annual Death-rate PER 1000 LIVING, at ALL AGES, and at ELEVEN GROUPS OF AGES, in REGISTRATION COUNTIES.—Males.

COUNTIES.	ALL AGES.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ENGLAND - - -	22.61	63.14	6.67	5.69	5.23	7.22	9.50	13.74	20.05	34.76	69.57	169.08
I.—LONDON.												
LONDON - - - -	24.38	77.86	7.42	5.37	5.05	6.95	10.13	16.04	25.27	45.20	80.08	176.81
II.—SOUTH EASTERN COUNTIES.												
SURREY (extra-met.) - -	18.33	51.54	4.63	3.05	3.05	5.69	8.07	14.19	19.04	31.71	67.84	163.62
KENT (extra met.) - - -	18.88	50.81	5.33	3.08	4.26	6.30	8.15	12.71	16.67	28.61	59.54	155.21
SUSSEX - - - - -	18.45	44.80	4.30	2.68	4.00	6.21	8.06	12.25	17.06	28.47	59.95	153.57
HAMPSHIRE - - - -	19.57	48.45	5.20	3.09	4.45	7.76	10.44	15.14	18.18	29.37	60.26	161.15
BERKSHIRE - - - -	18.85	47.59	4.83	2.81	4.08	5.85	7.79	11.60	15.53	28.56	60.00	171.90
III.—SOUTH MIDLAND COUNTIES.												
MIDDLESEX (extra-met.) -	19.58	52.26	4.88	2.91	3.77	5.26	8.46	15.08	21.75	36.00	71.50	163.57
HERTFORDSHIRE - - -	19.42	48.34	3.99	2.68	4.14	6.33	8.32	11.99	16.03	30.10	65.88	166.90
BUCKINGHAMSHIRE - - -	19.42	52.61	4.28	2.61	4.02	5.75	7.46	8.84	13.47	26.61	61.72	171.83
OXFORDSHIRE - - - -	19.94	50.77	4.37	3.12	4.19	6.71	8.24	10.58	15.86	28.94	63.07	173.44
NORTHAMPTONSHIRE - -	20.36	58.88	4.05	3.01	4.02	6.02	7.65	10.61	14.64	28.02	63.08	175.34
HUNTINGDONSHIRE - -	19.45	50.21	4.70	2.92	3.38	6.24	8.07	9.28	13.87	24.86	62.04	158.25
BEDFORDSHIRE - - - -	20.67	59.92	4.36	3.05	5.69	6.40	8.16	10.62	15.47	29.21	60.15	176.10
CAMBRIDGESHIRE - - -	19.58	52.51	4.64	3.09	4.12	6.35	8.20	10.77	13.74	26.79	56.92	159.35
IV.—EASTERN COUNTIES.												
ESSEX - - - - -	18.85	51.02	5.35	3.26	4.56	5.85	7.84	11.21	15.61	27.00	60.02	163.73
SUFFOLK - - - - -	19.65	48.63	4.46	2.80	4.46	6.74	8.21	10.37	13.71	24.99	56.06	160.73
NORFOLK - - - - -	20.84	55.87	5.25	3.22	4.61	7.40	8.05	10.45	14.17	24.56	54.79	157.02
V.—SOUTH WESTERN COUNTIES.												
WILTS - - - - -	19.23	44.72	4.93	2.60	4.26	6.47	8.00	10.95	14.79	27.43	61.61	168.32
DORSETSHIRE - - - -	18.07	43.88	4.45	2.73	4.18	6.58	7.60	11.15	13.81	25.47	58.94	155.29
DEVONSHIRE - - - -	20.55	54.69	5.05	3.01	4.89	7.29	9.23	12.60	16.37	28.13	59.06	161.14
CORNWALL - - - - -	21.85	61.25	6.10	3.92	5.47	8.46	9.04	11.39	17.28	30.74	62.06	162.72
SOMERSETSHIRE - - -	20.44	50.69	4.02	3.25	4.11	7.13	9.05	11.82	17.82	30.16	61.51	160.45
VI.—WEST MIDLAND COUNTIES.												
GLOUCESTERSHIRE - - -	21.50	58.82	5.36	3.43	4.52	6.60	9.14	12.17	19.32	31.66	66.30	167.84
HEREFORDSHIRE - - -	19.51	41.82	4.58	3.30	4.22	6.03	7.69	10.84	16.26	31.76	69.76	171.08
SHROPSHIRE - - - -	19.66	49.37	5.22	3.13	3.90	6.47	7.81	10.71	14.85	25.01	63.35	173.85
STAFFORDSHIRE - - -	22.73	77.29	7.04	3.57	4.69	6.39	8.24	17.57	21.15	54.46	76.65	178.60
WORCESTERSHIRE - - -	20.46	59.19	5.58	2.77	4.15	5.99	7.14	11.52	17.58	31.62	59.68	170.72
WARWICKSHIRE - - -	23.35	73.75	6.65	3.49	4.73	6.93	8.97	17.30	21.03	56.17	75.37	173.88
VII.—NORTH MIDLAND COUNTIES.												
LEICESTERSHIRE - - -	23.02	75.32	8.36	3.17	4.52	6.67	8.20	11.07	15.22	28.91	63.97	168.21
NOTTINGHAMSHIRE - -	19.62	45.00	6.00	2.87	3.97	8.48	9.79	9.11	13.92	29.17	60.67	162.96
LINCOLNSHIRE - - - -	19.26	52.11	5.07	3.17	4.63	6.55	7.53	10.12	13.95	25.24	56.77	155.62
NOTTINGHAMSHIRE - -	22.34	72.13	5.96	3.46	5.43	7.24	7.85	11.00	15.99	28.62	65.61	161.79
DERBYSHIRE - - - -	21.48	63.42	6.09	3.84	5.30	5.30	7.74	11.45	17.31	24.00	71.13	178.90
VIII.—NORTH WESTERN COUNTIES.												
CHESHIRE - - - - -	22.28	65.58	6.83	3.70	5.11	7.08	8.88	10.26	20.28	37.30	74.96	177.13
LANCASHIRE - - - - -	25.59	88.53	8.63	4.54	6.25	8.14	10.99	17.00	26.37	46.81	107.25	199.29
IX.—YORKSHIRE.												
WEST RIDING - - - -	24.73	81.20	7.74	4.16	6.20	7.76	9.77	13.03	21.80	62.81	81.47	187.27
EAST RIDING - - - -	22.30	68.64	6.10	8.79	4.05	6.75	9.02	13.00	18.55	33.82	68.39	175.39
NORTH RIDING - - - -	20.22	59.46	5.15	3.82	5.08	7.40	8.07	10.78	14.63	28.68	60.37	164.65
X.—NORTHERN COUNTIES.												
DURHAM - - - - -	21.23	83.07	9.19	4.83	6.40	8.05	8.07	12.06	19.10	35.74	75.10	170.92
NORTHUMBERLAND - - -	23.76	72.39	8.20	4.80	6.17	8.89	10.06	14.11	20.45	35.95	70.26	178.41
CUMBERLAND - - - -	22.17	61.21	7.08	4.00	5.82	8.42	9.25	13.41	20.06	33.74	70.22	167.15
WESTMORLAND - - - -	18.21	41.84	4.49	3.35	4.62	7.00	7.70	11.05	15.27	26.59	62.74	162.63
XI.—MONMOUTHSHIRE AND WALES.												
MONMOUTHSHIRE - - -	23.17	61.56	6.85	4.76	6.29	9.13	10.88	12.99	20.41	70.60	117.92	165.58
SOUTH WALES - - - -	23.13	62.62	7.55	4.08	7.41	10.18	10.65	12.87	18.42	32.11	63.71	159.98
NORTH WALES - - - -	21.07	52.41	6.89	4.00	6.20	9.65	10.12	11.23	15.98	29.85	65.02	163.20

TABLE 3. (continued).—Annual Death-rate PER 1000 LIVING, at ALL AGES, and at ELEVEN GROUPS of AGES, in REGISTRATION COUNTIES.—Females.

COUNTIES.	ALL AGES.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ENGLAND - - -	20'00	58'10	6'20	3'70	5'45	6'73	8'53	11'58	15'50	26'54	60'82	155'83
I.—LONDON.												
LONDON - - - - -	20'00	67'05	6'73	3'45	4'96	3'46	8'04	12'32	18'06	52'95	66'63	159'50
II.—SOUTH EASTERN COUNTIES.												
SURREY (extra-met.) - - -	15'32	38'51	4'46	3'20	4'03	4'51	6'42	9'82	19'97	25'59	53'47	152'77
KENT (extra met.) - - -	16'75	41'73	4'75	3'22	4'84	5'86	7'80	10'10	15'23	24'59	52'40	145'16
SUSSEX - - - - -	15'78	36'87	4'34	3'03	4'08	5'59	7'45	9'67	12'79	23'95	52'45	145'04
HAMPSHIRE - - - - -	16'98	40'62	4'80	3'38	5'05	6'07	8'32	10'25	13'51	21'90	54'02	153'22
BERKSHIRE - - - - -	17'16	40'01	4'18	3'10	5'11	5'94	7'33	9'75	13'34	23'81	57'24	159'91
III.—SOUTH MIDLAND COUNTIES.												
MIDDLESEX - - - - -	16'49	44'38	4'84	2'75	3'55	4'52	6'77	10'39	14'86	26'83	59'07	145'09
HERTFORDSHIRE - - - - -	17'57	39'64	4'25	3'09	4'61	6'35	7'52	9'80	13'08	23'11	56'08	157'11
BUCKINGHAMSHIRE - - - -	17'85	42'92	3'98	2'04	5'48	6'76	7'51	9'04	11'90	24'82	59'09	153'77
OXFORDSHIRE - - - - -	18'00	42'92	4'53	3'56	5'04	6'41	7'85	9'65	12'97	23'48	56'85	158'05
NORTHAMPTONSHIRE - - - -	18'76	39'40	4'82	3'55	5'83	7'31	8'13	9'97	12'35	23'00	58'48	159'81
HUNTINGDONSHIRE - - - -	17'52	38'84	4'58	3'28	5'97	8'28	7'61	9'36	10'11	21'65	48'24	147'65
REDFORDSHIRE - - - - -	14'22	30'27	4'84	3'89	5'22	7'00	8'36	9'95	12'43	24'68	58'70	152'35
CAMBRIDGESHIRE - - - - -	17'97	44'45	4'35	3'22	5'93	6'52	7'99	9'41	11'56	21'44	48'63	143'70
IV.—EASTERN COUNTIES.												
ESSEX - - - - -	17'03	43'30	4'77	3'27	5'13	5'95	7'55	9'27	12'66	23'81	52'02	149'86
SUFFOLK - - - - -	17'96	40'06	4'53	3'15	5'62	7'34	8'43	10'16	12'35	21'77	49'32	150'42
NORFOLK - - - - -	18'83	46'29	4'81	3'00	5'31	7'07	8'17	9'72	11'95	21'79	47'29	147'37
V.—SOUTH WESTERN COUNTIES.												
WILTS - - - - -	17'99	39'65	4'22	3'59	5'54	6'05	7'76	10'32	13'41	20'46	56'64	156'92
DORSETSHIRE - - - - -	16'87	36'29	4'17	3'85	4'70	6'72	7'41	9'87	12'35	23'72	52'60	148'60
DEVONSHIRE - - - - -	18'61	46'38	5'07	3'73	5'70	6'70	7'83	9'69	12'62	24'07	52'30	148'59
CORNWALL - - - - -	18'97	42'71	6'20	4'17	5'88	7'40	7'81	9'43	10'55	21'03	50'31	150'54
SOMERSETSHIRE - - - - -	17'89	41'47	4'75	3'33	5'31	6'01	7'53	9'35	12'87	23'02	51'84	148'05
VI.—WEST MIDLAND COUNTIES.												
GLOUCESTERSHIRE - - - - -	18'23	48'90	4'91	3'64	4'91	5'88	7'29	10'30	14'02	22'41	56'29	152'43
HEREFORDSHIRE - - - - -	17'24	31'23	4'01	3'10	5'10	5'91	7'74	9'76	12'11	23'65	52'15	150'52
SHROPSHIRE - - - - -	17'05	40'66	4'89	3'11	4'56	6'80	8'25	10'07	11'62	23'06	54'73	157'84
STAFFORDSHIRE - - - - -	21'15	65'24	6'45	3'47	5'01	6'67	8'22	11'18	15'24	29'62	65'93	160'11
WORCESTERSHIRE - - - - -	17'54	45'06	5'18	2'83	4'23	5'25	6'91	9'42	12'67	24'14	57'07	154'64
WARWICKSHIRE - - - - -	20'33	64'03	6'21	3'53	5'11	6'14	8'85	11'68	16'54	29'38	63'97	160'23
VII.—NORTH MIDLAND COUNTIES.												
LEICESTERSHIRE - - - - -	20'27	62'12	4'84	3'35	5'27	6'79	7'84	11'00	14'18	22'21	59'12	159'00
RUTLANDSHIRE - - - - -	17'19	39'84	3'45	2'93	4'85	5'98	6'20	8'90	11'61	19'61	54'20	158'74
LINCOLNSHIRE - - - - -	17'85	43'66	4'95	3'63	6'07	7'73	8'21	9'76	11'76	21'23	49'72	144'05
NOTTINGHAMSHIRE - - - -	20'17	59'44	5'45	3'80	5'84	7'44	9'09	11'46	14'25	25'80	60'42	157'84
DERBYSHIRE - - - - -	19'60	51'37	5'76	3'33	6'08	7'80	9'12	11'52	14'23	29'25	66'16	170'73
VIII.—NORTH WESTERN COUNTIES.												
CHEESHIRE - - - - -	19'92	53'64	6'46	3'55	5'84	7'00	8'09	11'91	17'37	23'01	69'32	154'08
LANCASHIRE - - - - -	23'46	75'06	8'00	4'14	5'87	7'60	9'94	14'38	21'09	39'01	78'79	167'81
IX.—YORKSHIRE.												
WEST RIDING - - - - -	21'80	63'67	7'28	4'16	6'07	7'84	9'29	12'20	16'23	32'02	72'69	170'78
EAST RIDING - - - - -	20'45	67'72	5'82	3'76	5'62	7'21	8'88	11'84	15'94	27'20	59'01	158'20
NORTH RIDING - - - - -	19'04	50'66	5'41	3'63	5'78	7'10	8'71	11'15	12'80	23'22	54'44	136'00
X.—NORTHERN COUNTIES												
DURHAM - - - - -	23'25	75'51	8'60	4'45	6'14	8'61	10'16	12'55	16'22	30'03	64'24	163'82
NORTHUMBRLAND - - - - -	21'73	62'79	7'59	4'51	6'38	7'99	9'67	12'53	16'10	30'01	63'01	158'46
CUMBERLAND - - - - -	20'81	52'50	6'47	4'05	6'25	8'45	10'00	11'72	15'94	28'40	61'32	161'48
WESTMORLAND - - - - -	17'23	39'10	5'17	3'44	6'15	7'66	7'82	11'53	13'53	22'03	57'32	163'89
XI.—MONMOUTHSHIRE AND WALES.												
MONMOUTHSHIRE - - - - -	20'51	57'94	6'70	3'65	6'22	7'56	9'74	11'50	14'08	28'18	59'44	155'96
SOUTH WALES - - - - -	20'05	53'56	7'22	4'76	6'67	8'30	10'15	12'15	14'59	25'05	52'32	149'84
NORTH WALES - - - - -	20'11	44'96	6'95	4'09	7'11	9'21	10'09	11'18	13'09	24'29	53'19	150'67

TABLE 4.—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties in Ten Years 1871-80.

	ALL CAUSES.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Pustular Fever.	Dysentery and Diarrhoea.	Cholera.	Cancer.	Scrofula.	Tubercle Meningitis.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
ENGLAND.																											
Persons -	21.27	0.24	0.38	0.72	0.12	0.51	0.06	0.32	0.11	0.07	0.91	0.03	0.47	0.13	0.32	2.12	0.32	2.77	1.31	3.76	0.88	0.39	0.05	0.09	0.07	0.68	4.36
Males -	22.01	0.27	0.40	0.73	0.13	0.47	0.07	0.32	0.11	—	0.84	0.03	0.33	0.14	0.35	2.21	0.33	3.04	1.31	4.12	1.00	0.32	0.01	—	0.11	1.01	4.77
Females -	20.00	0.21	0.36	0.68	0.12	0.55	0.05	0.32	0.10	0.14	0.84	0.02	0.03	0.11	0.29	2.03	0.36	2.51	1.30	3.41	0.96	0.27	0.10	0.18	0.03	0.53	4.21
LONDON.																											
Persons -	23.37	0.44	0.51	0.60	0.12	0.81	0.06	0.24	0.07	0.08	0.94	0.04	0.55	0.16	0.40	2.51	0.42	2.56	1.29	4.60	0.95	0.46	0.07	0.07	0.08	0.71	3.64
Males -	24.29	0.49	0.56	0.67	0.13	0.78	0.05	0.24	0.07	—	1.05	0.04	0.33	0.18	0.47	3.00	0.51	3.64	1.34	5.08	0.95	0.61	0.03	—	0.13	1.10	3.87
Females -	20.80	0.39	0.46	0.54	0.12	0.84	0.05	0.23	0.07	0.15	0.84	0.03	0.73	0.13	0.34	2.08	0.34	2.31	1.25	4.24	0.96	0.39	0.13	0.14	0.04	0.45	3.42
SUMMARY—(ex-met.)																											
Persons -	16.77	0.08	0.26	0.27	0.16	0.40	0.02	0.22	0.04	0.07	0.57	0.02	0.48	0.10	0.23	1.91	0.30	2.58	1.29	2.63	0.89	0.45	0.04	0.08	0.08	0.44	3.16
Males -	18.25	0.11	0.27	0.29	0.15	0.38	0.02	0.21	0.04	—	0.64	0.02	0.31	0.12	0.26	2.25	0.35	2.97	1.31	2.97	0.87	0.29	0.01	—	0.13	0.47	3.41
Females -	15.12	0.06	0.25	0.25	0.16	0.42	0.02	0.23	0.03	0.13	0.51	0.01	0.64	0.06	0.21	1.60	0.23	2.23	1.27	2.52	0.90	0.32	0.07	0.15	0.03	0.34	2.46
IRELAND—(ex-met.)																											
Persons -	17.81	0.12	0.23	0.34	0.15	0.40	0.02	0.25	0.08	0.05	0.67	0.03	0.48	0.13	0.27	1.83	0.28	2.34	1.35	2.82	0.95	0.41	0.06	0.08	0.08	0.54	3.85
Males -	18.98	0.14	0.25	0.37	0.14	0.37	0.02	0.23	0.07	—	0.74	0.03	0.31	0.13	0.28	1.88	0.33	2.61	1.36	3.13	0.97	0.43	0.01	—	0.13	0.84	4.07
Females -	16.76	0.10	0.22	0.32	0.15	0.43	0.02	0.26	0.06	0.10	0.61	0.02	0.65	0.12	0.26	1.76	0.23	2.17	1.34	2.53	0.94	0.29	0.10	0.15	0.08	0.25	3.63
SUSSEX.																											
Persons -	17.05	0.04	0.17	0.23	0.17	0.34	0.02	0.19	0.05	0.05	0.59	0.01	0.57	0.13	0.18	2.06	0.30	2.20	1.40	2.65	0.94	0.43	0.06	0.07	0.10	0.43	3.08
Males -	18.46	0.05	0.19	0.23	0.16	0.33	0.02	0.18	0.06	—	0.67	0.01	0.40	0.15	0.20	2.18	0.29	2.45	1.44	2.95	0.98	0.61	0.01	—	0.16	0.67	3.99
Females -	15.74	0.03	0.16	0.24	0.16	0.36	0.02	0.20	0.03	0.10	0.58	0.01	0.73	0.11	0.17	1.94	0.24	1.97	1.36	2.37	0.90	0.29	0.11	0.13	0.03	0.21	2.55

TABLE 4. (continued.)—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties in Ten Years 1871-80.

	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Fueral Fever.	Dysentery and Cholera.	Cancer.	Scrofula.	Tubercle Mesenteric.	Phtisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Metabolic System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.	
HAMPSHIRE.																											
Persons -	18-26	0-22	0-28	0-37	0-11	0-34	0-03	0-30	0-11	0-05	0-62	0-01	0-51	0-11	0-20	0-20	0-26	0-34	1-44	2-85	0-91	0-45	0-05	0-09	0-07	0-50	3-84
Males -	19-37	0-23	0-28	0-40	0-10	0-30	0-03	0-28	0-11	—	0-65	0-01	0-54	0-13	0-21	0-42	0-31	0-51	1-56	3-15	0-97	0-50	0-01	—	0-11	0-78	4-05
Females -	16-96	0-20	0-28	0-34	0-12	0-37	0-02	0-32	0-10	0-10	0-59	0-01	0-48	0-10	0-20	0-18	0-22	0-13	1-32	2-53	0-86	0-49	0-17	0-03	0-23	3-63	
BERKSHIRE.																											
Persons -	18-01	0-04	0-24	0-32	0-12	0-37	0-02	0-22	0-06	0-05	0-63	0-02	0-54	0-11	0-16	0-28	0-43	1-51	2-86	0-95	0-46	0-05	0-06	0-07	0-50	3-90	
Males -	18-83	0-05	0-26	0-34	0-10	0-33	0-02	0-23	0-05	—	0-70	0-02	0-54	0-13	0-13	0-34	0-53	1-48	3-11	0-93	0-64	0-01	—	0-10	0-77	4-29	
Females -	17-16	0-03	0-21	0-30	0-13	0-42	0-02	0-22	0-06	0-11	0-56	0-01	0-48	0-10	0-16	0-23	0-51	1-55	2-61	0-95	0-52	0-02	0-17	0-04	0-24	3-72	
MIDDLESEX—(ex-met.)																											
Persons -	17-96	0-14	0-32	0-33	0-15	0-47	0-02	0-24	0-05	0-06	0-80	0-02	0-47	0-12	0-24	1-78	0-31	2-75	1-22	3-09	0-92	0-41	0-05	0-06	0-06	0-50	3-35
Males -	19-53	0-16	0-36	0-30	0-15	0-44	0-02	0-24	0-05	—	0-81	0-02	0-49	0-14	0-23	1-97	0-23	3-22	1-29	3-33	0-92	0-55	0-01	—	0-13	0-75	3-60
Females -	16-40	0-11	0-29	0-31	0-15	0-50	0-01	0-24	0-05	0-12	0-71	0-01	0-42	0-10	0-20	1-61	0-25	2-32	1-16	2-68	0-92	0-38	0-00	0-12	0-04	0-27	3-13
HERTFORDSHIRE.																											
Persons -	18-37	0-12	0-26	0-31	0-10	0-42	0-02	0-24	0-10	0-06	0-71	0-02	0-46	0-09	0-18	1-75	0-21	2-79	1-51	2-89	0-92	0-36	0-05	0-08	0-05	0-50	4-17
Males -	19-42	0-14	0-28	0-31	0-09	0-39	0-02	0-20	0-09	—	0-80	0-02	0-50	0-10	0-21	1-82	0-25	3-02	1-47	3-21	0-87	0-51	0-00	—	0-07	0-78	4-51
Females -	17-37	0-09	0-24	0-30	0-11	0-44	0-03	0-28	0-10	0-13	0-65	0-01	0-46	0-08	0-16	1-67	0-18	2-57	1-55	2-58	0-96	0-23	0-10	0-17	0-03	0-25	3-85
SURREY.																											
Persons -	18-62	0-04	0-27	0-35	0-06	0-44	0-06	0-24	0-09	0-05	0-64	0-02	0-46	0-08	0-26	1-69	0-27	2-40	1-23	2-87	0-99	0-38	0-05	0-10	0-07	0-45	5-06
Males -	19-43	0-04	0-31	0-35	0-06	0-43	0-05	0-21	0-09	—	0-67	0-02	0-42	0-10	0-20	1-85	0-24	2-50	1-18	3-17	1-00	0-51	0-00	—	0-11	0-53	5-42
Females -	17-85	0-04	0-22	0-34	0-06	0-45	0-05	0-26	0-09	0-11	0-60	0-02	0-49	0-07	0-23	1-82	0-21	2-31	1-26	2-57	0-98	0-25	0-09	0-19	0-05	0-23	4-73
OXFORDSHIRE.																											
Persons -	19-00	0-07	0-20	0-38	0-13	0-28	0-03	0-26	0-08	0-06	0-58	0-01	0-51	0-19	0-20	1-86	0-25	2-40	1-48	2-97	0-99	0-45	0-06	0-10	0-07	0-52	4-85
Males -	19-94	0-08	0-23	0-38	0-12	0-35	0-03	0-25	0-09	—	0-64	0-01	0-53	0-19	0-20	1-84	0-30	2-56	1-48	3-20	1-01	0-50	0-00	—	0-11	0-78	5-17
Females -	18-09	0-07	0-19	0-29	0-14	0-23	0-02	0-23	0-07	0-11	0-52	0-01	0-47	0-19	0-20	1-91	0-21	2-35	1-48	2-63	0-93	0-31	0-10	0-20	0-02	0-27	4-57

TABLE 4. (continued).—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties for Ten Years 1871-80.

	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhoea and Dysentery.	Cholera.	Cancer.	Berriola.	Tubercle Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.	
NORTHAMPTONSH.																												
Persons	19.56	0.23	0.33	0.40	0.07	0.40	0.04	0.33	0.11	0.07	0.92	0.01	0.53	0.12	0.23	1.86	0.28	2.46	1.25	3.12	0.93	0.33	0.05	0.08	0.07	0.53	4.81	
Males	20.38	0.25	0.32	0.41	0.08	0.35	0.05	0.29	0.10	—	0.97	0.01	0.59	0.12	0.22	1.76	0.32	2.63	1.22	3.44	0.97	0.45	0.00	—	0.11	0.80	5.10	
Females	18.76	0.20	0.34	0.40	0.07	0.44	0.03	0.36	0.12	0.13	0.87	0.01	0.08	0.12	0.24	1.95	0.24	2.27	1.28	2.81	0.88	0.20	0.00	0.10	0.03	0.27	4.57	
HUNTINGDONSH.																												
Persons	18.47	0.04	0.14	0.44	0.09	0.32	0.03	0.26	0.15	0.05	0.76	0.02	0.78	0.14	0.23	1.93	0.22	2.04	1.33	2.97	0.96	0.37	0.05	0.08	0.06	0.60	4.42	
Males	19.45	0.06	0.17	0.42	0.07	0.29	0.02	0.22	0.14	—	0.85	0.01	0.66	0.15	0.20	1.73	0.23	2.69	1.37	3.50	1.07	0.40	0.01	—	0.00	0.99	4.79	
Females	17.52	0.04	0.11	0.46	0.11	0.35	0.02	0.29	0.13	0.09	0.68	0.02	0.80	0.12	0.20	2.13	0.21	2.00	1.29	2.60	0.83	0.25	0.09	0.15	0.03	0.31	4.06	
REDFORDSHIRE.																												
Persons	19.37	0.09	0.23	0.48	0.16	0.45	0.03	0.22	0.12	0.06	0.89	0.02	0.54	0.11	0.20	2.12	0.22	2.58	1.37	2.94	0.93	0.34	0.04	0.08	0.06	0.46	4.63	
Males	20.67	0.11	0.25	0.50	0.15	0.45	0.03	0.25	0.11	—	1.12	0.01	0.43	0.11	0.21	1.90	0.26	2.85	1.42	3.31	0.91	0.44	0.00	—	0.16	0.72	5.09	
Females	18.22	0.07	0.22	0.47	0.17	0.46	0.03	0.22	0.12	0.12	0.77	0.03	0.63	0.11	0.18	2.20	0.19	2.30	1.32	2.61	0.93	0.21	0.07	0.15	0.02	0.22	4.22	
CAMBRIDGESHIRE.																												
Persons	18.76	0.11	0.21	0.25	0.09	0.42	0.03	0.34	0.10	0.05	0.75	0.02	0.64	0.12	0.23	1.99	0.26	2.16	1.34	2.80	1.02	0.43	0.05	0.08	0.06	0.56	4.75	
Males	19.58	0.12	0.22	0.25	0.09	0.38	0.03	0.34	0.10	—	0.81	0.02	0.59	0.14	0.25	1.90	0.29	2.25	1.38	3.03	1.05	0.29	0.01	—	0.10	0.84	4.95	
Females	17.97	0.09	0.20	0.25	0.09	0.46	0.03	0.25	0.10	0.09	0.68	0.01	0.78	0.11	0.22	2.01	0.26	2.06	1.26	2.58	1.00	0.27	0.09	0.16	0.03	0.29	4.58	
ESSEX.																												
Persons	17.94	0.20	0.22	0.42	0.13	0.49	0.03	0.24	0.07	0.05	0.72	0.02	0.48	0.13	0.28	1.83	0.29	2.37	1.30	2.93	0.84	0.33	0.05	0.08	0.06	0.47	3.91	
Males	18.95	0.24	0.23	0.44	0.13	0.45	0.03	0.25	0.08	—	0.76	0.03	0.52	0.14	0.29	1.88	0.23	2.56	1.34	3.18	0.84	0.45	0.01	—	0.00	0.72	4.06	
Females	17.00	0.17	0.22	0.41	0.14	0.53	0.02	0.24	0.07	0.10	0.68	0.01	0.03	0.12	0.17	1.79	0.25	2.19	1.25	2.67	0.81	0.21	0.09	0.15	0.03	0.22	3.72	
SUFFOLK.																												
Persons	18.79	0.11	0.14	0.33	0.10	0.41	0.02	0.21	0.09	0.05	0.67	0.01	0.54	0.14	0.27	2.02	0.22	2.22	1.35	2.84	0.95	0.39	0.07	0.08	0.08	0.50	4.98	
Males	19.65	0.12	0.16	0.34	0.09	0.40	0.02	0.21	0.10	—	0.71	0.01	0.57	0.14	0.24	1.98	0.26	2.41	1.36	3.11	0.95	0.24	0.01	—	0.12	0.77	5.23	
Females	17.90	0.10	0.13	0.31	0.11	0.41	0.01	0.09	0.22	0.09	0.63	0.01	0.71	0.13	0.26	2.10	0.18	2.03	1.24	2.59	0.94	0.21	0.14	0.10	0.04	0.24	4.67	

TABLE 4. (continued).—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties for Ten Years 1871-80.

	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Pauper's Fever.	Diarrhoea and Dysentery.	Cholera.	Cancer.	Scrofula.	Tubercle Malignant.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Genital System.	Childbirth.	Solids.	Other Violent Deaths.	Other Causes.
NORFOLK.																											
Persons	19.80	0.22	0.15	0.46	0.10	0.38	0.04	0.25	0.09	0.06	0.77	0.02	0.60	0.16	0.23	1.94	0.17	2.34	1.36	2.66	0.91	0.41	0.07	0.08	0.07	0.48	5.78
Males	20.84	0.25	0.16	0.43	0.09	0.37	0.04	0.24	0.08	—	0.86	0.02	0.59	0.17	0.26	1.86	0.21	2.53	1.40	2.80	0.95	0.61	0.01	—	0.12	0.76	6.06
Females	18.83	0.19	0.13	0.45	0.10	0.39	0.05	0.26	0.10	0.13	0.69	0.01	0.80	0.14	0.20	2.01	0.13	2.15	1.33	2.45	0.88	0.22	0.13	0.16	0.03	0.22	5.50
WILTSHIRE.																											
Persons	18.60	0.04	0.21	0.47	0.08	0.27	0.02	0.24	0.06	0.06	0.46	0.01	0.52	0.10	0.27	1.74	0.22	2.46	1.72	3.23	1.02	0.45	0.06	0.10	0.05	0.56	4.18
Males	19.43	0.05	0.21	0.40	0.08	0.25	0.02	0.22	0.06	—	0.49	0.01	0.54	0.10	0.28	1.71	0.25	2.54	1.62	3.51	1.04	0.20	0.01	—	0.07	0.82	4.31
Females	17.59	0.03	0.21	0.41	0.09	0.28	0.02	0.25	0.07	0.12	0.43	0.01	0.69	0.10	0.26	1.77	0.20	2.37	1.73	2.96	0.97	0.22	0.12	0.10	0.03	0.50	4.01
DORSETSHIRE.																											
Persons	17.46	0.09	0.20	0.33	0.10	0.29	0.03	0.19	0.06	0.05	0.35	0.00	0.51	0.12	0.18	1.72	0.22	2.32	1.54	3.15	0.93	0.44	0.05	0.08	0.05	0.49	3.97
Males	18.07	0.10	0.22	0.34	0.09	0.28	0.03	0.16	0.05	—	0.38	0.01	0.57	0.12	0.19	1.63	0.25	2.50	1.45	3.43	0.95	0.30	0.01	—	0.07	0.80	4.06
Females	16.87	0.08	0.18	0.32	0.11	0.30	0.01	0.22	0.06	0.10	0.32	0.00	0.64	0.12	0.16	1.81	0.19	2.14	1.63	2.88	0.92	0.30	0.03	0.15	0.03	0.20	3.86
DEVONSHIRE.																											
Persons	19.67	0.15	0.50	0.34	0.10	0.44	0.03	0.31	0.11	0.05	0.58	0.02	0.60	0.15	0.21	2.07	0.24	2.47	1.46	3.37	0.92	0.40	0.06	0.08	0.07	0.51	4.43
Males	20.80	0.16	0.53	0.37	0.11	0.41	0.03	0.29	0.11	—	0.65	0.02	0.42	0.18	0.23	2.07	0.29	2.70	1.44	3.86	0.96	0.56	0.01	—	0.11	0.79	4.53
Females	18.61	0.14	0.48	0.32	0.10	0.45	0.03	0.32	0.10	0.10	0.53	0.02	0.76	0.13	0.19	2.07	0.20	2.27	1.48	2.94	0.89	0.25	0.11	0.15	0.03	0.25	4.30
CORNWALL.																											
Persons	20.32	0.20	0.23	0.59	0.13	0.51	0.04	0.34	0.12	0.04	0.52	0.01	0.51	0.13	0.28	2.20	0.22	2.37	1.13	2.84	0.93	0.37	0.05	0.09	0.04	0.59	5.84
Males	21.83	0.22	0.25	0.62	0.14	0.53	0.04	0.32	0.11	—	0.50	0.02	0.40	0.15	0.29	2.05	0.28	2.57	1.17	3.28	0.97	0.31	0.01	—	0.03	1.00	5.84
Females	18.97	0.17	0.21	0.55	0.13	0.48	0.04	0.35	0.12	0.07	0.46	0.01	0.61	0.11	0.27	2.05	0.18	2.20	1.09	2.45	0.89	0.25	0.02	0.17	0.02	0.24	5.76
SOMERSETSHIRE.																											
Persons	19.09	0.11	0.27	0.47	0.09	0.36	0.04	0.26	0.09	0.05	0.54	0.01	0.54	0.13	0.22	1.65	0.22	2.49	1.58	3.29	1.02	0.42	0.07	0.08	0.07	0.60	4.42
Males	20.44	0.12	0.29	0.50	0.09	0.34	0.04	0.25	0.10	—	0.61	0.02	0.37	0.14	0.23	1.70	0.27	2.77	1.55	3.67	1.06	0.61	0.01	—	0.10	0.93	4.65
Females	17.89	0.09	0.25	0.44	0.09	0.38	0.04	0.26	0.09	0.09	0.48	0.01	0.69	0.11	0.21	1.61	0.18	2.25	1.61	2.96	0.97	0.25	0.12	0.16	0.03	0.28	4.24

TABLE 4. (continued).—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties in Ten Years 1871-80.

	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple (continued) Fever.	Tubercular Fever.	Diarrhoea and Dysentery.	(Cholera.	Cancer.	Scrofula.	Tuberc Mesenterica.	Phthisis.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Genital System.	Childbirth.	Fuicide.	(Other Violent Deaths.	Other Causes.	
GLOUCESTERSHIRE.																											
Persons -	19.82	0.15	0.33	0.49	0.09	0.38	0.03	0.26	0.07	0.06	0.65	0.01	0.51	0.12	0.23	1.81	2.62	1.48	3.50	0.95	0.43	0.06	0.09	0.06	0.61	4.55	
Males -	21.20	0.18	0.37	0.53	0.08	0.38	0.04	0.26	0.08	—	0.73	0.02	0.34	0.15	0.28	1.91	2.83	1.51	3.87	1.00	0.60	0.01	—	0.10	0.84	4.83	
Females -	18.33	0.12	0.30	0.45	0.10	0.38	0.03	0.26	0.07	0.11	0.58	0.01	0.67	0.10	0.20	1.72	2.35	1.40	3.10	0.90	0.28	0.10	0.17	0.03	0.20	4.26	
HEREFORDSHIRE.																											
Persons -	18.38	0.04	0.16	0.35	0.15	0.26	0.02	0.19	0.10	0.08	0.41	0.01	0.56	0.08	0.16	1.52	2.61	1.72	2.94	0.92	0.37	0.07	0.09	0.07	0.57	4.76	
Males -	19.21	0.08	0.16	0.53	0.15	0.25	0.03	0.21	0.09	—	0.44	0.01	0.37	0.07	0.16	1.58	3.11	1.75	3.97	0.94	0.53	0.01	—	0.09	0.83	4.91	
Females -	17.24	0.03	0.10	0.36	0.17	0.25	0.02	0.18	0.11	0.11	0.58	0.01	0.55	0.09	0.10	1.52	2.12	1.68	2.62	0.90	0.22	0.13	0.10	0.04	0.26	4.63	
SHERBORN.																											
Persons -	18.80	0.08	0.19	0.52	0.19	0.27	0.03	0.25	0.08	0.07	0.60	0.01	0.52	0.09	0.19	1.64	2.51	1.36	3.12	1.10	0.40	0.05	0.09	0.05	0.64	4.52	
Males -	19.66	0.09	0.20	0.54	0.17	0.25	0.04	0.23	0.07	—	0.64	0.01	0.39	0.10	0.22	1.64	3.00	1.35	3.43	1.13	0.55	0.01	—	0.08	0.89	4.68	
Females -	17.93	0.07	0.17	0.49	0.21	0.29	0.03	0.26	0.08	0.14	0.56	0.01	0.67	0.08	0.16	1.64	2.33	1.45	2.81	1.06	0.25	0.10	0.10	0.03	0.30	4.12	
STAFFORDSHIRE.																											
Persons -	22.44	0.36	0.40	1.01	0.11	0.49	0.04	0.36	0.12	0.08	1.15	0.02	0.39	0.09	0.35	1.60	2.97	1.13	4.06	0.95	0.33	0.04	0.10	0.05	0.75	5.21	
Males -	23.73	0.39	0.40	1.04	0.11	0.45	0.04	0.37	0.12	—	1.19	0.02	0.36	0.09	0.37	1.64	3.24	1.10	4.37	0.96	0.45	0.00	—	0.07	1.13	5.41	
Females -	21.15	0.33	0.40	0.99	0.12	0.54	0.03	0.36	0.12	0.17	1.10	0.02	0.53	0.09	0.33	1.55	2.69	1.16	3.59	0.93	0.22	0.08	0.21	0.03	0.30	4.99	
WORCESTERSHIRE.																											
Persons -	18.95	0.19	0.26	0.71	0.15	0.33	0.02	0.26	0.08	0.06	0.88	0.01	0.45	0.08	0.25	1.48	2.39	1.34	3.27	0.93	0.39	0.04	0.09	0.06	0.56	4.47	
Males -	20.46	0.21	0.30	0.75	0.15	0.30	0.02	0.25	0.08	—	0.95	0.02	0.50	0.09	0.28	1.55	2.24	1.33	3.60	0.96	0.55	0.01	—	0.09	0.83	4.77	
Females -	17.64	0.17	0.26	0.67	0.15	0.35	0.02	0.27	0.08	0.13	0.81	0.01	0.60	0.07	0.28	1.43	2.64	1.27	3.08	0.98	0.25	0.08	0.17	0.03	0.28	4.18	
WARWICKSHIRE.																											
Persons -	21.90	0.29	0.34	0.86	0.19	0.63	0.03	0.30	0.09	0.06	1.34	0.01	0.49	0.09	0.24	1.95	2.48	1.20	4.13	0.94	0.40	0.08	0.09	0.09	0.81	4.54	
Males -	23.25	0.33	0.35	0.90	0.19	0.59	0.03	0.30	0.08	—	1.47	0.02	0.51	0.10	0.27	2.21	2.68	1.17	4.54	0.95	0.55	0.01	—	0.14	1.04	4.93	
Females -	20.55	0.26	0.33	0.83	0.20	0.67	0.05	0.29	0.09	0.13	1.21	0.01	0.63	0.08	0.23	1.71	2.30	1.23	3.70	0.93	0.20	0.11	0.17	0.06	0.29	4.29	

TABLE 4. (continued).—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties in Ten Years 1871-80.

	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Etiotic Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhea and Dysentery.	Cholera.	Cancer.	Scrofula.	Tubercle.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Disease of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
LEICESTERSHIRE.																											
Persons -	21.61	0.21	0.39	0.62	0.10	0.41	0.02	0.34	0.08	0.07	1.50	0.02	0.49	0.14	0.31	1.77	0.27	2.86	1.31	3.36	1.00	0.38	0.05	0.09	0.08	0.55	5.19
Males -	23.02	0.20	0.39	0.66	0.09	0.38	0.02	0.33	0.09	—	1.64	0.02	0.33	0.15	0.35	1.75	0.33	3.10	1.29	3.72	1.01	0.25	0.06	—	0.12	0.83	5.04
Females -	20.37	0.17	0.39	0.59	0.10	0.43	0.02	0.35	0.07	0.18	1.37	0.01	0.64	0.11	0.27	1.79	0.22	2.55	1.23	3.03	0.99	0.22	0.00	0.18	0.04	0.70	4.83
RUTLANDSHIRE.																											
Persons -	18.46	0.03	0.16	0.49	0.16	0.33	0.01	0.31	0.07	0.03	0.53	0.02	0.60	0.08	0.12	1.42	0.14	2.48	1.24	2.86	1.04	0.34	0.04	0.05	0.15	0.46	5.30
Males -	19.02	0.04	0.17	0.54	0.15	0.28	0.01	0.28	0.08	—	0.51	0.03	0.45	0.09	0.16	1.50	0.50	2.44	1.24	3.22	1.03	0.47	0.01	—	0.21	0.74	5.66
Females -	17.29	0.03	0.15	0.44	0.16	0.39	0.01	0.23	0.03	0.05	0.56	0.00	0.74	0.07	0.05	1.34	0.69	2.53	1.14	2.50	1.00	0.22	0.08	0.10	0.09	0.17	5.00
LINCOLNSHIRE.																											
Persons -	18.55	0.13	0.18	0.51	0.13	0.33	0.03	0.27	0.08	0.06	0.75	0.02	0.54	0.10	0.20	1.69	0.22	2.71	1.30	2.84	0.94	0.37	0.05	0.08	0.08	0.57	4.37
Males -	19.26	0.14	0.19	0.51	0.11	0.20	0.03	0.24	0.08	—	0.78	0.02	0.38	0.11	0.20	1.62	0.25	2.93	1.22	3.11	1.00	0.32	0.00	—	0.12	0.65	4.54
Females -	17.85	0.11	0.17	0.52	0.15	0.26	0.03	0.30	0.09	0.11	0.72	0.02	0.60	0.09	0.19	1.85	0.19	2.49	1.28	2.57	0.89	0.23	0.09	0.16	0.03	0.29	4.22
NOTTINGHAMSH.																											
Persons -	21.23	0.27	0.37	0.64	0.07	0.37	0.05	0.43	0.11	0.07	1.00	0.04	0.48	0.15	0.41	1.96	0.29	2.80	1.36	3.58	0.90	0.34	0.08	0.08	0.08	0.60	4.72
Males -	22.34	0.29	0.40	0.65	0.08	0.34	0.04	0.42	0.11	—	1.09	0.03	0.30	0.15	0.45	1.84	0.34	3.18	1.31	3.83	0.94	0.48	0.00	—	0.12	0.61	5.08
Females -	20.17	0.24	0.34	0.64	0.07	0.41	0.05	0.44	0.10	0.13	0.91	0.04	0.63	0.14	0.37	2.03	0.24	2.47	1.40	3.23	0.67	0.21	0.11	0.17	0.04	0.31	4.41
DERBYSHIRE.																											
Persons -	20.54	0.10	0.30	0.79	0.08	0.37	0.04	0.34	0.12	0.08	0.70	0.02	0.37	0.12	0.31	1.90	0.29	3.08	1.36	3.49	1.04	0.34	0.06	0.11	0.08	0.66	4.36
Males -	21.48	0.11	0.30	0.82	0.07	0.34	0.04	0.32	0.12	—	0.76	0.02	0.24	0.14	0.23	1.78	0.35	3.05	1.23	3.93	1.08	0.43	0.01	—	0.13	1.01	4.54
Females -	19.60	0.09	0.29	0.76	0.09	0.40	0.04	0.26	0.12	0.17	0.64	0.02	0.50	0.10	0.29	2.03	0.24	2.81	1.45	3.15	1.01	0.22	0.11	0.21	0.03	0.50	4.17
CHEESHIRE.																											
Persons -	21.04	0.11	0.38	0.87	0.17	0.42	0.07	0.29	0.09	0.08	0.88	0.02	0.44	0.14	0.26	2.01	0.30	2.87	1.37	3.70	1.12	0.37	0.05	0.10	0.07	0.70	4.16
Males -	22.22	0.13	0.40	0.90	0.16	0.29	0.07	0.29	0.10	—	0.95	0.04	0.31	0.15	0.29	1.95	0.35	3.29	1.54	4.04	1.13	0.49	0.01	—	0.11	1.09	4.57
Females -	19.02	0.09	0.25	0.83	0.18	0.45	0.05	0.28	0.06	0.16	0.82	0.01	0.56	0.12	0.24	2.08	0.25	2.57	1.40	3.59	1.11	0.23	0.09	0.29	0.03	0.59	3.99

TABLE 4. (continued).—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties for Ten Years 1871-80.

	Alt. Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid Fever.	Kutaria Fever.	Simple Continued Fever.	Puerperal Fever.	Dysentery and Cholera.	Cancer.	Scrofala.	Tubercularia.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Genitive System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.	
LANCASHIRE.																											
Persons	25.17	0.22	0.61	1.13	0.12	0.64	0.13	0.39	0.15	0.09	1.40	0.04	0.38	0.13	0.34	2.47	0.37	3.07	1.29	5.08	1.07	0.39	0.05	0.11	0.07	0.82	4.66
Males	29.90	0.36	0.61	1.19	0.11	0.59	0.14	0.43	0.16	—	1.31	0.04	0.24	0.15	0.29	2.60	0.45	3.45	1.29	5.00	1.10	0.20	0.01	—	0.11	1.24	4.97
Females	23.46	0.10	0.57	1.07	0.13	0.68	0.11	0.38	0.14	0.18	1.50	0.03	0.51	0.11	0.31	2.34	0.29	2.73	1.31	5.01	1.04	0.29	0.02	0.21	0.03	0.83	4.40
WEST RIDING.																											
Persons	23.24	0.18	0.38	1.03	0.09	0.52	0.06	0.45	0.14	0.09	1.13	0.04	0.40	0.12	0.38	2.26	0.39	3.37	1.26	4.36	1.00	0.36	0.05	0.11	0.07	0.61	4.38
Males	24.73	0.29	0.40	1.06	0.09	0.47	0.07	0.47	0.14	—	1.10	0.04	0.25	0.13	0.41	2.32	0.46	3.76	1.25	4.83	1.01	0.47	0.01	—	0.11	0.85	4.64
Females	21.80	0.17	0.30	1.00	0.09	0.57	0.05	0.44	0.14	0.18	1.07	0.03	0.54	0.10	0.35	2.20	0.33	2.99	1.27	3.90	0.98	0.25	0.02	0.21	0.04	0.29	4.13
EAST RIDING.																											
Persons	21.36	0.16	0.27	0.51	0.11	0.44	0.04	0.40	0.17	0.06	1.36	0.03	0.48	0.11	0.35	1.97	0.22	3.37	1.40	3.15	0.97	0.38	0.06	0.08	0.07	0.69	4.51
Males	22.30	0.17	0.26	0.51	0.10	0.40	0.04	0.39	0.12	—	1.44	0.02	0.29	0.12	0.40	1.94	0.24	3.67	1.44	3.38	0.97	0.32	0.01	—	0.11	1.08	4.63
Females	20.48	0.14	0.27	0.50	0.12	0.49	0.04	0.41	0.17	0.12	1.28	0.03	0.67	0.10	0.31	1.99	0.21	3.09	1.37	3.22	0.98	0.24	0.11	0.17	0.04	0.31	4.37
NORTH RIDING.																											
Persons	19.68	0.15	0.25	0.67	0.12	0.37	0.04	0.44	0.09	0.07	0.78	0.02	0.47	0.11	0.32	1.69	0.34	2.63	1.38	3.05	1.01	0.37	0.05	0.10	0.06	0.68	4.42
Males	20.23	0.17	0.24	0.67	0.12	0.34	0.01	0.46	0.10	—	0.79	0.03	0.31	0.12	0.31	1.58	0.29	2.80	1.56	3.33	1.01	0.48	0.09	—	0.08	1.43	4.40
Females	19.04	0.12	0.25	0.67	0.12	0.40	0.04	0.43	0.03	0.14	0.76	0.02	0.64	0.10	0.32	1.84	0.29	2.44	1.30	2.75	1.01	0.25	0.10	0.20	0.04	0.31	4.20
DURHAM.																											
Persons	23.77	0.63	0.41	1.38	0.09	0.54	0.13	0.56	0.17	0.10	1.17	0.03	0.33	0.15	0.75	1.93	0.45	3.12	1.14	3.43	1.02	0.28	0.05	0.12	0.05	0.85	4.80
Males	21.96	0.68	0.40	1.35	0.09	0.48	0.14	0.57	0.16	—	1.16	0.03	0.22	0.16	0.76	1.80	0.58	3.41	1.13	3.66	0.99	0.33	0.03	—	0.07	1.33	4.94
Females	21.25	0.35	0.42	1.40	0.09	0.63	0.12	0.54	0.17	0.21	1.17	0.02	0.43	0.14	0.74	1.62	0.29	2.92	1.13	3.19	1.03	0.21	0.06	0.24	0.03	0.33	4.36
NORTHUMBERLAND.																											
Persons	22.74	0.37	0.28	1.15	0.13	0.49	0.10	0.37	0.13	0.10	1.02	0.04	0.44	0.11	0.62	2.27	0.40	3.07	1.46	3.06	1.15	0.36	0.06	0.11	0.07	0.87	4.51
Males	23.76	0.42	0.29	1.22	0.14	0.42	0.11	0.37	0.12	—	1.03	0.03	0.29	0.12	0.66	2.32	0.43	3.26	1.52	3.24	1.13	0.37	0.01	—	0.10	1.26	4.60
Females	21.72	0.23	0.27	1.07	0.12	0.55	0.09	0.36	0.13	0.20	1.00	0.04	0.58	0.10	0.57	2.21	0.30	2.85	1.40	2.91	1.13	0.26	0.12	0.22	0.03	0.29	4.45

TABLE 4. (continued).—Annual Rate of Mortality from Several Causes per 1000 Living in Registration Counties for Ten Years 1871-80.

	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Euteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhoea and Dysentery.	Cholera.	Cancer.	Scrofula.	Tubercle Mesenteric.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Genital System.	Childbirth.	Selfide.	Other Violent Deaths.	Other Causes.
CUMBERLAND.																											
Persons	21.49	0.23	0.44	0.82	0.10	0.45	0.14	0.29	0.07	0.10	0.74	0.01	0.49	0.11	0.27	2.20	0.43	2.44	1.51	3.34	1.05	0.40	0.05	0.10	0.09	0.81	4.81
Males	22.17	0.28	0.44	0.81	0.10	0.40	0.15	0.31	0.07	—	0.75	0.02	0.47	0.13	0.28	2.08	0.46	2.54	1.50	3.55	1.08	0.20	0.01	—	0.14	1.26	4.94
Females	20.81	0.19	0.44	0.83	0.10	0.49	0.12	0.28	0.08	0.20	0.72	0.01	0.51	0.09	0.24	2.31	0.39	2.33	1.53	3.14	1.01	0.39	0.09	0.19	0.04	0.26	4.71
WESTMORLAND.																											
Persons	17.72	0.07	0.19	0.42	0.11	0.24	0.05	0.30	0.06	0.05	0.28	0.01	0.47	0.10	0.18	2.03	0.26	2.61	1.30	2.41	1.12	0.39	0.06	0.08	0.08	0.56	4.29
Males	18.21	0.10	0.20	0.46	0.10	0.24	0.06	0.26	0.05	—	0.33	0.02	0.56	0.11	0.16	1.94	0.27	2.74	1.32	2.59	1.12	0.75	—	—	0.14	0.89	4.21
Females	17.23	0.04	0.19	0.38	0.13	0.25	0.04	0.31	0.06	0.10	0.28	0.00	0.38	0.08	0.20	2.10	0.25	2.48	1.25	2.34	1.12	0.28	0.13	0.16	0.03	0.72	4.55
MONMOUTHSHIRE.																											
Persons	21.88	0.41	0.57	0.69	0.15	0.49	0.06	0.33	0.13	0.08	0.54	0.03	0.41	0.17	0.29	1.79	0.28	2.89	1.21	4.32	0.99	0.32	0.04	0.13	0.04	1.21	4.31
Males	22.17	0.48	0.54	0.69	0.14	0.43	0.07	0.26	0.13	—	0.50	0.03	0.51	0.18	0.28	1.71	0.32	3.13	1.23	4.88	0.99	0.40	0.01	—	0.06	1.98	4.35
Females	20.51	0.35	0.50	0.70	0.15	0.53	0.06	0.30	0.13	0.17	0.58	0.04	0.52	0.16	0.30	1.88	0.25	2.64	1.16	3.72	0.98	0.23	0.07	0.27	0.02	0.29	4.28
SOUTH WALES.																											
Persons	21.09	0.23	0.39	0.86	0.15	0.43	0.06	0.45	0.13	0.09	0.41	0.01	0.40	0.15	0.22	2.54	0.27	3.09	1.02	3.29	0.80	0.36	0.03	0.12	0.05	0.83	4.66
Males	22.13	0.34	0.40	0.89	0.14	0.38	0.07	0.46	0.14	—	0.43	0.02	0.51	0.17	0.25	2.51	0.33	3.23	1.01	3.71	0.83	0.47	0.09	—	0.06	1.38	4.51
Females	20.05	0.22	0.38	0.85	0.15	0.48	0.05	0.43	0.13	0.19	0.38	0.01	0.46	0.13	0.20	2.57	0.22	2.85	1.03	3.83	0.78	0.25	0.07	0.25	0.03	0.28	4.76
NORTH WALES.																											
Persons	20.59	0.07	0.25	0.70	0.20	0.32	0.05	0.24	0.11	0.08	0.29	0.01	0.50	0.10	0.18	2.57	0.23	3.83	1.08	3.11	1.06	0.37	0.05	0.12	0.03	0.62	4.42
Males	21.07	0.08	0.27	0.70	0.18	0.27	0.05	0.23	0.12	—	0.29	0.01	0.42	0.11	0.19	2.44	0.27	4.07	1.08	3.41	1.10	0.51	0.09	—	0.03	1.01	4.19
Females	20.11	0.04	0.24	0.70	0.23	0.36	0.05	0.25	0.10	0.16	0.28	0.01	0.59	0.09	0.17	2.71	0.19	3.59	1.08	2.81	1.02	0.24	0.09	0.24	0.01	0.24	4.02

TABLE 5.—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 G of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	
ALL CAUSES.												
1851-60 } Persons {	22,165	67,602	8,464	4,968	7,039	8,678	9,758	12,310	16,544	28,856	61,737	1
1861-70 } {	22,416	68,305	7,952	4,472	6,363	8,192	9,785	12,722	17,302	30,379	62,463	1
1871-80 } {	21,272	63,116	6,435	3,695	5,327	7,039	8,927	12,618	17,722	31,486	64,850	1
1851-60 } Males {	23,048	72,483	8,510	4,881	6,689	8,829	9,574	12,481	17,966	30,854	65,332	1
1861-70 } {	23,609	73,162	8,148	4,460	6,161	8,453	9,897	13,464	19,165	32,995	66,669	1
1871-80 } {	22,612	68,140	6,673	3,691	5,227	7,323	9,304	13,735	20,049	34,766	69,574	1
1851-60 } Females {	21,323	62,744	8,418	5,056	7,395	8,530	9,925	12,147	15,198	27,007	58,656	1
1861-70 } {	21,282	63,430	7,756	4,484	6,622	7,958	9,685	12,034	15,534	27,773	58,797	1
1871-80 } {	20,001	59,098	6,198	3,700	5,426	6,780	8,582	11,583	15,587	28,538	60,815	1
SMALL-POX.												
1851-60 } Persons {	221	1,034	257	73	93	130	92	53	33	24	18	
1861-70 } {	163	654	145	56	86	136	102	73	49	36	26	
1871-80 } {	236	527	284	137	197	300	239	169	111	71	46	
1851-60 } Males {	242	1,047	271	70	105	174	119	69	53	34	27	
1861-70 } {	182	601	150	50	91	181	136	98	68	48	38	
1871-80 } {	267	538	301	136	206	377	300	211	145	86	61	
1851-60 } Females {	202	1,021	243	76	81	91	68	37	23	14	10	
1861-70 } {	145	648	140	56	80	95	70	50	32	25	15	
1871-80 } {	207	516	267	139	189	230	183	128	81	58	34	
MEASLES.												
1851-60 } Persons {	412	2,798	276	38	13	9	6	4	2	1	1	
1861-70 } {	440	2,998	242	29	11	9	7	5	2	1	1	
1871-80 } {	378	2,568	207	22	7	6	5	4	3	2	1	
1851-60 } Males {	426	2,847	262	32	11	8	5	3	2	1	1	
1861-70 } {	459	3,067	230	26	9	7	4	4	2	1	1	
1871-80 } {	396	2,642	193	22	5	6	4	3	3	2	1	
1851-60 } Females {	398	2,740	288	44	15	10	8	4	2	2	1	
1861-70 } {	422	2,929	254	32	13	10	9	5	3	1	1	
1871-80 } {	300	2,494	217	22	8	6	7	5	3	1	1	
SCARLET FEVER.												
1851-60 } Persons {	876	4,191	1,992	494	159	73	44	31	19	15	10	
1861-70 } {	972	4,624	2,182	591	133	93	61	28	14	9	6	
1871-80 } {	716	3,489	1,515	325	104	63	46	24	9	5	3	
1851-60 } Males {	909	4,311	1,984	461	146	67	39	30	20	15	10	
1861-70 } {	1,011	4,745	2,220	468	149	80	47	23	15	8	5	
1871-80 } {	750	3,591	1,554	313	107	53	35	21	10	5	3	
1851-60 } Females {	845	4,071	1,999	528	154	79	48	31	19	14	11	
1861-70 } {	934	4,503	2,144	534	157	105	78	33	12	10	6	
1871-80 } {	683	3,387	1,475	330	101	70	56	28	7	5	3	

TABLE 5. (continued).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	
DIPHTHERIA.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	109 185 121	431 767 472	254 393 291	104 136 88	41 59 33	20 38 21	13 26 17	12 21 17	10 22 14	10 26 18 19	
1851-60 } 1861-70 } 1871-80 }		Males - {	106 177 117	431 757 472	228 338 256	85 107 72	39 58 28	21 35 20	13 24 14	12 20 16	9 22 17	11 30 19 20
1851-60 } 1861-70 } 1871-80 }			Females - {	112 191 125	430 778 473	280 448 325	124 166 105	44 61 38	19 41 22	15 23 19	12 22 19	10 21 12
WHOPING-COUGH.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	503 527 512		3,024 3,766 3,652	174 152 135	10 8 6	2 2 1	0 1 0	1 0 0	0 1 0	0 0 0	0 0 0 1
1851-60 } 1861-70 } 1871-80 }		Males - {	460 487 474	3,246 3,394 3,309	133 123 112	6 5 4	1 1 1	1 0 —	1 0 0	0 1 0	0 0 0	0 1 0 0
1851-60 } 1861-70 } 1871-80 }			Females - {	545 566 547	4,063 4,139 3,994	215 182 157	14 11 8	2 3 1	0 1 1	1 1 0	0 0 0	0 0 0
FEVER (Including TYPHUS, ENTERIC FEVER, and ILL-DEFINED FORMS OF CONTINUED FEVER).												
1851-60 } 1861-70 } 1871-80 }	Persons - {	908 885 454		1,417 1,248 651	1,007 924 518	782 709 439	943 850 543	813 770 509	649 671 411	622 748 379	712 842 402	962 1,055 458 1,410 1,299 553
1851-60 } 1861-70 } 1871-80 }		Males - {	907 896 494	1,401 1,230 644	937 881 483	687 622 390	858 787 513	850 823 579	673 704 436	649 793 395	779 903 437	1,043 1,159 503 1,568 1,409 629
1851-60 } 1861-70 } 1871-80 }			Females - {	909 875 477	1,434 1,266 658	1,077 966 559	878 798 487	1,026 911 573	781 722 445	627 641 387	597 706 362	647 784 369
PUERPERAL FEVER AND CHILDBIRTH.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	164 165 167		— — —	— — —	0 0 0	72 81 84	322 334 355	465 484 494	464 461 461	36 31 27	— — —
1851-60 } 1861-70 } 1871-80 }		Males - {	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
1851-60 } 1861-70 } 1871-80 }			Females - {	320 321 325	— — —	— — —	0 0 1	144 161 167	612 633 678	886 921 946	904 888 886	71 60 53

TABLE 5. (continued).—Annual Mortality from SEVERAL CAUSES, per MILLION LIVING, at ALL AGE at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	
DIARRHEAL DISEASES.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	1,080 1,076 936	5,263 5,985 5,723	229 160 69	106 67 23	111 61 21	175 95 33	257 155 59	346 217 96	492 319 161	932 600 411	2,191 1,640 1,198
1851-60 } 1861-70 } 1871-80 }	Males - {	1,135 1,143 1,008	5,625 6,377 6,138	233 160 64	111 74 22	113 61 21	180 90 30	241 139 51	319 204 94	402 337 169	938 683 438	2,230 1,601 1,244
1851-60 } 1861-70 } 1871-80 }	Females - {	1,027 1,011 867	4,899 5,591 5,319	224 161 74	101 62 25	109 60 21	171 100 39	271 169 66	372 228 97	473 300 153	926 638 386	2,157 1,613 1,140
CANCER.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	317 387 473	22 13 13	9 8 7	9 8 8	17 18 17	23 30 28	103 115 125	389 449 530	860 1,051 1,263	1,410 1,776 2,214	1,960 2,378 3,116
1851-60 } 1861-70 } 1871-80 }	Males - {	195 244 315	21 13 13	10 8 7	8 8 8	16 20 18	27 27 28	63 61 71	174 205 211	422 539 709	931 1,208 1,596	1,504 1,877 2,623
1851-60 } 1861-70 } 1871-80 }	Females - {	431 523 622	23 13 12	9 7 7	9 8 8	18 17 16	30 33 27	141 163 175	592 673 797	1,278 1,538 1,771	1,853 2,300 2,770	2,351 2,810 3,536
PHTHISIS.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	2,679 2,475 2,110	1,305 968 707	572 454 358	1,025 825 664	2,961 2,651 2,086	4,181 3,928 3,117	4,317 4,243 3,619	4,091 4,026 3,745	3,466 3,340 3,132	2,840 2,656 2,449	1,983 1,803 1,476
1851-60 } 1861-70 } 1871-80 }	Males - {	2,579 2,467 2,209	1,329 990 783	525 431 340	763 605 481	2,309 2,190 1,675	4,052 3,883 3,092	4,031 4,094 3,699	4,001 4,166 4,120	3,830 3,861 3,960	3,331 3,297 3,195	2,389 2,024 1,024
1851-60 } 1861-70 } 1871-80 }	Females - {	2,774 2,483 2,028	1,281 947 750	620 477 375	1,293 1,045 846	3,516 3,112 2,397	4,288 3,967 3,140	4,575 4,378 3,543	4,178 3,900 3,401	3,121 2,850 2,461	2,383 2,065 1,777	1,635 1,239 1,068
HYDROCEPHALUS.												
1851-60 } 1861-70 } 1871-80 }	Persons - {	397 347 317	2,539 2,213 1,900	363 291 301	102 89 118	31 21 49	10 8 24	7 5 16	6 3 11	6 2 5	7 2 4	7 3 2
1851-60 } 1861-70 } 1871-80 }	Males - {	464 412 377	2,915 2,578 2,212	396 326 331	105 93 110	31 20 48	12 9 25	7 5 17	7 3 12	7 2 6	8 2 4	8 3 2
1851-60 } 1861-70 } 1871-80 }	Females - {	334 285 261	2,162 1,847 1,559	331 256 272	98 85 116	30 22 49	8 8 23	6 4 15	4 3 10	5 2 5	5 2 4	7 2 3

5. (continued).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
OTHER TUBERCULAR DISEASES.												
Persons — {	407	1,920	283	232	208	170	139	111	117	139	164	113
	437	2,267	244	196	181	147	116	98	107	139	139	92
	445	2,550	211	150	139	102	80	69	75	95	112	56
Males — {	451	2,066	312	250	228	212	160	115	126	143	185	119
	481	2,429	278	218	191	168	128	97	107	140	157	91
	490	2,756	237	162	146	115	83	69	76	100	111	52
Females — {	366	1,773	253	214	180	132	120	106	108	136	146	108
	396	2,105	210	173	171	128	106	98	108	121	123	92
	403	2,342	186	140	132	90	77	69	76	91	113	59
DISEASES OF NERVOUS SYSTEM.												
Persons — {	2,741	10,828	583	359	403	437	593	1,022	1,832	3,952	9,333	16,166
	2,785	10,152	568	327	381	423	623	1,128	2,023	4,327	10,071	18,465
	2,770	9,082	569	332	360	375	535	1,204	2,247	4,910	11,432	21,281
Males — {	2,998	12,169	607	361	397	440	638	1,180	1,990	4,098	9,831	17,397
	3,072	11,390	597	335	371	442	703	1,342	2,244	4,665	10,948	19,898
	3,044	10,260	606	342	367	389	684	1,432	2,432	5,328	12,470	23,172
Females — {	2,495	9,479	558	356	408	434	532	872	1,681	3,818	8,905	15,221
	2,513	8,910	540	318	390	406	550	930	1,816	4,015	9,314	17,358
	2,509	7,905	532	321	362	362	514	992	2,077	4,535	10,545	19,825
DISEASES OF CIRCULATORY SYSTEM (See also next Table).*												
Persons — {	773	98	124	109	244	272	399	760	1,376	2,878	5,267	5,554
	1,022	99	139	219	277	309	544	1,011	1,788	3,734	6,993	8,110
	1,308	90	143	236	304	341	622	1,314	2,268	4,807	9,479	12,085
Males — {	779	108	119	153	236	270	397	774	1,412	2,935	5,597	6,430
	1,031	105	138	201	263	297	586	1,077	1,865	3,806	7,219	8,955
	1,312	97	136	203	296	327	657	1,463	2,388	4,965	9,722	12,791
Females — {	768	88	130	185	253	273	400	748	1,342	2,807	4,985	4,880
	1,014	92	140	238	291	320	505	949	1,716	3,668	6,797	7,458
	1,304	83	151	269	312	353	590	1,185	2,158	4,666	9,272	11,542
DISEASES OF CIRCULATORY SYSTEM AND DROPSY.*												
Persons — {	1,247	391	227	257	337	370	561	1,062	1,983	4,352	8,823	11,655
	1,349	374	221	269	327	368	647	1,211	2,181	4,674	9,337	12,375
	1,477	263	181	262	331	372	672	1,415	2,465	5,249	10,611	14,631
Males — {	1,180	426	240	241	322	347	514	1,002	1,898	4,130	8,714	12,203
	1,311	399	233	252	312	345	665	1,233	2,187	4,581	9,229	12,825
	1,457	283	178	230	319	349	692	1,535	2,559	5,341	10,698	15,003
Females — {	1,311	356	215	272	352	390	603	1,118	2,064	4,558	8,916	11,234
	1,385	340	210	287	341	390	631	1,191	2,176	4,762	9,431	12,027
	1,406	242	185	293	343	393	654	1,304	2,378	5,166	10,537	14,346

formerly large, but now decreasing number of deaths referred indefinitely to dropsy (a large proportion due to heart disease) somewhat destroys the value of the rates from diseases of the circulatory purposes; an extra Table giving the rates from diseases of the circulatory system, together with dropsy.

TABLE 6. (continued)—Mean Annual Mortality, in the Three Years 1880-1-2, at SUCCESSIVE PERIODS OF LIFE, of Males engaged in various Occupations.

Reference Number.	OCCUPATIONS.	AGES.				
		15 -	20 -	25 -	45 -	65 and upwards.
12	Bargeman, Lighterman, Waterman - - - - -	{ Years of Life - - 11,250 { Deaths - - - 70 { Mortality per 1000 6'22	{ Years of Life - - 12,711 { Deaths - - - 100 { Mortality per 1000 7'87	{ Years of Life - - 38,946 { Deaths - - - 555 { Mortality per 1000 14'35	{ Years of Life - - 20,810 { Deaths - - - 623 { Mortality per 1000 31'13	{ Years of Life - - 4,407 { Deaths - - - 482 { Mortality per 1000 109'37
13	Carter, Carrier, Haulier - - - - -	{ Years of Life - - 43,578 { Deaths - - - 188 { Mortality per 1000 4'28	{ Years of Life - - 60,111 { Deaths - - - 381 { Mortality per 1000 6'34	{ Years of Life - - 180,015 { Deaths - - - 2,254 { Mortality per 1000 12'52	{ Years of Life - - 71,283 { Deaths - - - 2,362 { Mortality per 1000 33'00	{ Years of Life - - 10,298 { Deaths - - - 1,338 { Mortality per 1000 120'28
14	Groom, Domestic Coachman - - - - -	{ Years of Life - - 49,635 { Deaths - - - 104 { Mortality per 1000 2'10	{ Years of Life - - 57,132 { Deaths - - - 244 { Mortality per 1000 4'27	{ Years of Life - - 158,898 { Deaths - - - 1,355 { Mortality per 1000 8'53	{ Years of Life - - 60,603 { Deaths - - - 1,411 { Mortality per 1000 23'28	{ Years of Life - - 9,132 { Deaths - - - 833 { Mortality per 1000 91'22
15	Commercial Traveller - - - - -	{ Years of Life - - 2,928 { Deaths - - - 11 { Mortality per 1000 3'76	{ Years of Life - - 12,405 { Deaths - - - 46 { Mortality per 1000 3'71	{ Years of Life - - 65,408 { Deaths - - - 591 { Mortality per 1000 9'04	{ Years of Life - - 23,049 { Deaths - - - 577 { Mortality per 1000 25'03	{ Years of Life - - 2,556 { Deaths - - - 188 { Mortality per 1000 73'55
16	Brewer - - - - -	{ Years of Life - - 4,808 { Deaths - - - 42 { Mortality per 1000 3'47	{ Years of Life - - 9,159 { Deaths - - - 48 { Mortality per 1000 4'59	{ Years of Life - - 38,070 { Deaths - - - 589 { Mortality per 1000 15'90	{ Years of Life - - 17,490 { Deaths - - - 599 { Mortality per 1000 34'25	{ Years of Life - - 2,775 { Deaths - - - 596 { Mortality per 1000 109'91
17	Innkeeper, Publican, Spirit, Wine, Beer-Dealer - - - - -	{ Years of Life - - 2,610 { Deaths - - - 4 { Mortality per 1000 1'53	{ Years of Life - - 8,067 { Deaths - - - 63 { Mortality per 1000 7'81	{ Years of Life - - 117,060 { Deaths - - - 2,109 { Mortality per 1000 18'02	{ Years of Life - - 90,702 { Deaths - - - 3,065 { Mortality per 1000 33'68	{ Years of Life - - 14,451 { Deaths - - - 1,840 { Mortality per 1000 85'81
18	Inn, Hotel, Servant - - - - -	{ Years of Life - - 25,584 { Deaths - - - 70 { Mortality per 1000 2'74	{ Years of Life - - 27,278 { Deaths - - - 206 { Mortality per 1000 7'53	{ Years of Life - - 41,400 { Deaths - - - 937 { Mortality per 1000 22'63	{ Years of Life - - 8,970 { Deaths - - - 496 { Mortality per 1000 55'30	{ Years of Life - - 1,125 { Deaths - - - 168 { Mortality per 1000 149'33
19	Maltster - - - - -	{ Years of Life - - 1,452 { Deaths - - - 2 { Mortality per 1000 1'38	{ Years of Life - - 3,546 { Deaths - - - 9 { Mortality per 1000 2'54	{ Years of Life - - 14,013 { Deaths - - - 102 { Mortality per 1000 7'28	{ Years of Life - - 7,659 { Deaths - - - 177 { Mortality per 1000 23'11	{ Years of Life - - 1,517 { Deaths - - - 199 { Mortality per 1000 123'07
20	Law Clerk - - - - -	{ Years of Life - - 20,400 { Deaths - - - 55 { Mortality per 1000 2'70	{ Years of Life - - 17,523 { Deaths - - - 80 { Mortality per 1000 4'57	{ Years of Life - - 24,895 { Deaths - - - 298 { Mortality per 1000 10'77	{ Years of Life - - 6,789 { Deaths - - - 209 { Mortality per 1000 30'79	{ Years of Life - - 1,050 { Deaths - - - 88 { Mortality per 1000 83'81
21	Commercial Clerk and Insurance Service - - - - -	{ Years of Life - - 140,535 { Deaths - - - 373 { Mortality per 1000 2'65	{ Years of Life - - 123,723 { Deaths - - - 752 { Mortality per 1000 6'08	{ Years of Life - - 220,101 { Deaths - - - 2,307 { Mortality per 1000 10'48	{ Years of Life - - 58,443 { Deaths - - - 1,451 { Mortality per 1000 24'49	{ Years of Life - - 9,213 { Deaths - - - 675 { Mortality per 1000 73'27
22	Bookseller, Stationer - - - - -	{ Years of Life - - 9,036 { Deaths - - - 27 { Mortality per 1000 2'99	{ Years of Life - - 7,611 { Deaths - - - 41 { Mortality per 1000 5'39	{ Years of Life - - 23,799 { Deaths - - - 203 { Mortality per 1000 8'53	{ Years of Life - - 11,325 { Deaths - - - 233 { Mortality per 1000 20'57	{ Years of Life - - 1,963 { Deaths - - - 186 { Mortality per 1000 76'16
23	Chemist, Druggist - - - - -	{ Years of Life - - 9,840 { Deaths - - - 23 { Mortality per 1000 2'34	{ Years of Life - - 8,531 { Deaths - - - 49 { Mortality per 1000 5'88	{ Years of Life - - 23,718 { Deaths - - - 261 { Mortality per 1000 10'58	{ Years of Life - - 10,653 { Deaths - - - 298 { Mortality per 1000 25'16	{ Years of Life - - 1,755 { Deaths - - - 154 { Mortality per 1000 87'75
24	Tobacconist - - - - -	{ Years of Life - - 4,182 { Deaths - - - 13 { Mortality per 1000 3'11	{ Years of Life - - 4,563 { Deaths - - - 36 { Mortality per 1000 7'89	{ Years of Life - - 15,894 { Deaths - - - 177 { Mortality per 1000 11'14	{ Years of Life - - 6,819 { Deaths - - - 190 { Mortality per 1000 23'46	{ Years of Life - - 999 { Deaths - - - 84 { Mortality per 1000 84'85
25	Grocer - - - - -	{ Years of Life - - 60,309 { Deaths - - - 128 { Mortality per 1000 2'09	{ Years of Life - - 46,005 { Deaths - - - 210 { Mortality per 1000 4'56	{ Years of Life - - 116,545 { Deaths - - - 933 { Mortality per 1000 8'00	{ Years of Life - - 62,475 { Deaths - - - 1,197 { Mortality per 1000 19'16	{ Years of Life - - 14,046 { Deaths - - - 1,008 { Mortality per 1000 71'41
26	Draper and Manchester Warehouseman - - - - -	{ Years of Life - - 36,276 { Deaths - - - 85 { Mortality per 1000 2'34	{ Years of Life - - 33,979 { Deaths - - - 191 { Mortality per 1000 5'79	{ Years of Life - - 67,221 { Deaths - - - 658 { Mortality per 1000 9'70	{ Years of Life - - 22,380 { Deaths - - - 499 { Mortality per 1000 20'96	{ Years of Life - - 3,135 { Deaths - - - 234 { Mortality per 1000 74'64

TABLE 6. (continued)—Mean Annual Mortality, in the Three Years 1880-1-2, at SUCCESSIVE PERIODS OF LIFE, of Males engaged in various Occupations.

Reference Number.	OCCUPATIONS.	AGES.				
		15—	20—	25—	45—	65 and upwards.
27	Ironmonger - - - { Years of Life - - - Deaths - - - Mortality per 1000	9,291 19 2'04	7,581 35 4'35	18,765 158 8'42	7,068 183 23'87	1,440 120 83'33
28	Coal Merchant - - - { Years of Life - - - Deaths - - - Mortality per 1000	2,151 4 1'86	4,128 22 5'33	25,521 176 6'90	20,565 424 20'62	4,929 386 78'31
29	General Shopkeeper - - { Years of Life - - - Deaths - - - Mortality per 1000	9,333 23 2'46	8,709 42 4'82	35,748 826 9'12	25,110 533 21'33	6,357 569 56'63
30	Cheesemonger. Milk, { Years of Life - - - Buttermilk - - - { Deaths - - - Mortality per 1000	11,775 21 1'78	10,143 48 4'73	30,900 293 9'48	16,062 432 26'90	3,684 389 105'59
31	Greengrocer, Fruiterer - { Years of Life - - - Deaths - - - Mortality per 1000	6,858 10 1'46	6,900 30 4'35	30,372 305 10'04	19,122 508 26'57	3,438 247 71'84
32	Fishmonger, Poulterer - { Years of Life - - - Deaths - - - Mortality per 1000	6,069 14 2'31	6,978 36 5'16	26,013 274 10'53	13,176 309 23'45	2,085 185 88'73
33	Shopkeepers as represented { Years of Life - - - by the eleven groups, 22-32 { Deaths - - - Mortality per 1000	165,129 365 2'27	143,928 738 5'13	414,516 3,748 9'04	215,355 4,716 21'90	43,842 3,317 75'66
34	Butcher - - - { Years of Life - - - Deaths - - - Mortality per 1000	41,010 69 1'68	37,689 160 4'48	97,869 1,190 12'16	43,260 1,258 29'08	8,418 856 101'69
35	Baker, Confectioner - - { Years of Life - - - Deaths - - - Mortality per 1000	44,034 89 2'02	34,068 153 4'41	89,124 775 8'70	43,143 1,127 26'12	8,232 737 89'53
36	Corn Miller - - - { Years of Life - - - Deaths - - - Mortality per 1000	8,970 25 2'79	9,444 40 5'19	29,394 247 8'40	17,130 456 26'62	3,183 490 153'94
37	Hatter - - - { Years of Life - - - Deaths - - - Mortality per 1000	5,970 7 1'17	5,778 35 6'06	17,352 187 10'78	7,941 214 26'95	2,403 225 93'63
38	Hairdresser - - - { Years of Life - - - Deaths - - - Mortality per 1000	7,386 26 3'52	6,303 41 6'50	17,004 232 13'64	8,031 267 33'25	1,911 182 95'24
39	Tailor - - - { Years of Life - - - Deaths - - - Mortality per 1000	35,286 125 3'54	37,539 255 6'79	125,472 1,346 10'73	92,928 2,460 26'47	26,340 2,160 81'00
40	Shoemaker - - - { Years of Life - - - Deaths - - - Mortality per 1000	62,277 181 2'91	59,196 339 5'73	208,400 1,922 9'51	153,807 3,593 23'36	46,227 3,775 81'66
41	Tanner, Fellmonger - - { Years of Life - - - Deaths - - - Mortality per 1000	3,168 5 1'58	3,834 18 4'69	13,794 110 7'97	7,647 194 25'37	1,578 145 91'89

TABLE 6. (continued)—**Mean Annual Mortality**, in the Three Years **1880-1-2**, at
SUCCESSIVE PERIODS OF LIFE, of **Males** engaged in various **Occupations**.

Reference Number.	OCCUPATIONS.	AGES.				
		15—	20—	25—	45—	65 and upwards.
42	Carrier - - - - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>5,436</div> <div>12</div> <div>2'21</div>	<div>6,150</div> <div>19</div> <div>3'08</div>	<div>20,199</div> <div>173</div> <div>8'56</div>	<div>10,386</div> <div>250</div> <div>24'07</div>	<div>2,025</div> <div>216</div> <div>106'07</div>
43	Saddler, Harness Maker - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>10,194</div> <div>17</div> <div>1'67</div>	<div>8,844</div> <div>63</div> <div>5'99</div>	<div>27,642</div> <div>254</div> <div>9'19</div>	<div>13,512</div> <div>368</div> <div>26'49</div>	<div>3,066</div> <div>317</div> <div>86'47</div>
44	Tallow Chandler, Soap-boiler <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>1,992</div> <div>6</div> <div>3'01</div>	<div>1,803</div> <div>9</div> <div>4'99</div>	<div>6,075</div> <div>47</div> <div>7'74</div>	<div>3,033</div> <div>103</div> <div>26'19</div>	<div>867</div> <div>72</div> <div>83'04</div>
45	Tallow, Soap, Glue, Manure <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>2,538</div> <div>7</div> <div>2'76</div>	<div>2,292</div> <div>10</div> <div>4'36</div>	<div>8,349</div> <div>61</div> <div>7'31</div>	<div>5,259</div> <div>145</div> <div>27'57</div>	<div>1,008</div> <div>90</div> <div>81'97</div>
46	Printer - - - - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>46,191</div> <div>144</div> <div>3'12</div>	<div>29,013</div> <div>214</div> <div>7'38</div>	<div>65,397</div> <div>727</div> <div>11'12</div>	<div>20,565</div> <div>547</div> <div>26'60</div>	<div>2,871</div> <div>264</div> <div>91'95</div>
47	Bookbinder - - - - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>5,760</div> <div>22</div> <div>3'82</div>	<div>4,896</div> <div>40</div> <div>8'17</div>	<div>11,424</div> <div>134</div> <div>11'73</div>	<div>4,542</div> <div>135</div> <div>20'72</div>	<div>789</div> <div>75</div> <div>95'06</div>
48	Watch and Clock Maker - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>8,955</div> <div>26</div> <div>2'00</div>	<div>9,966</div> <div>84</div> <div>8'43</div>	<div>28,617</div> <div>265</div> <div>9'26</div>	<div>15,372</div> <div>348</div> <div>22'64</div>	<div>3,588</div> <div>282</div> <div>78'60</div>
49	Watch, Clock, Phil. Inst. <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>22,383</div> <div>58</div> <div>2'59</div>	<div>23,748</div> <div>154</div> <div>6'48</div>	<div>68,638</div> <div>633</div> <div>9'22</div>	<div>29,892</div> <div>717</div> <div>23'99</div>	<div>6,279</div> <div>535</div> <div>85'20</div>
50	Paper Manufacture - - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>5,433</div> <div>16</div> <div>2'94</div>	<div>4,335</div> <div>23</div> <div>5'31</div>	<div>12,336</div> <div>80</div> <div>6'48</div>	<div>5,760</div> <div>113</div> <div>19'62</div>	<div>1,116</div> <div>110</div> <div>98'57</div>
51	Glass Manufacture - - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>12,291</div> <div>35</div> <div>2'85</div>	<div>9,033</div> <div>56</div> <div>6'20</div>	<div>25,149</div> <div>282</div> <div>11'21</div>	<div>8,703</div> <div>276</div> <div>31'71</div>	<div>1,110</div> <div>142</div> <div>127'95</div>
52	Earthenware Manufacture - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>15,897</div> <div>40</div> <div>2'52</div>	<div>11,376</div> <div>52</div> <div>4'57</div>	<div>35,754</div> <div>490</div> <div>13'70</div>	<div>14,127</div> <div>726</div> <div>51'39</div>	<div>1,791</div> <div>229</div> <div>127'86</div>
53	Cotton, Linen, Manufacture <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>98,064</div> <div>460</div> <div>3'63</div>	<div>69,546</div> <div>1,546</div> <div>6'61</div>	<div>154,749</div> <div>1,546</div> <div>9'99</div>	<div>65,319</div> <div>1,923</div> <div>29'44</div>	<div>9,066</div> <div>1,234</div> <div>123'82</div>
54	Silk Manufacture - - - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>6,723</div> <div>24</div> <div>3'57</div>	<div>5,166</div> <div>39</div> <div>7'55</div>	<div>15,498</div> <div>121</div> <div>7'81</div>	<div>17,025</div> <div>388</div> <div>22'79</div>	<div>7,116</div> <div>508</div> <div>71'39</div>
55	Wool, Worsted, Manufacture <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>49,836</div> <div>190</div> <div>3'21</div>	<div>34,038</div> <div>230</div> <div>6'76</div>	<div>93,882</div> <div>912</div> <div>9'71</div>	<div>50,688</div> <div>1,294</div> <div>27'50</div>	<div>10,749</div> <div>1,331</div> <div>123'83</div>
56	Carpet, Rug-Manufacture - <div> <div>Years of Life - -</div> <div>Deaths - - - -</div> <div>Mortality per 1000</div> </div>	<div>4,143</div> <div>8</div> <div>1'93</div>	<div>3,537</div> <div>29</div> <div>8'20</div>	<div>10,020</div> <div>95</div> <div>9'48</div>	<div>5,856</div> <div>141</div> <div>24'10</div>	<div>1,677</div> <div>108</div> <div>100'28</div>

TABLE 6. (continued)—Mean Annual Mortality, in the Three Years 1880-1-2, at SUCCESSIVE PERIODS OF LIFE, of Males engaged in various Occupations.

Reference Number.	OCCUPATIONS.	AGES.				
		15—	20—	25—	45—	65 and upwards.
57	Lace Manufacture - - - { Years of Life - - - Deaths - - - Mortality per 1000	7,093 12 1'69	5,412 28 5'17	11,955 81 6'78	8,036 125 20'71	1,350 114 84'44
58	Hosiery Manufacture (Leicester- shire, Notts) - - - { Years of Life - - - Deaths - - - Mortality per 1000	6,936 10 1'44	6,435 29 4'51	18,987 127 6'69	16,704 321 19'22	5,256 514 97'79
59	Dyer, Bleacher, Printer, &c. of Textile Fabrics - - - { Years of Life - - - Deaths - - - Mortality per 1000	20,628 63 3'05	17,484 88 5'03	42,927 406 9'46	23,046 624 27'08	4,935 528 106'99
60	Rope, Twine, Cord-Maker - - { Years of Life - - - Deaths - - - Mortality per 1000	5,106 17 3'33	2,523 13 5'15	8,556 68 7'95	7,011 156 22'25	1,743 140 80'32
61	Builder, Mason, Bricklayer - { Years of Life - - - Deaths - - - Mortality per 1000	82,959 164 1'98	111,225 472 4'24	351,834 3,255 9'25	168,804 4,320 25'59	33,990 3,137 92'29
62	Slater, Tiler - - - - { Years of Life - - - Deaths - - - Mortality per 1000	2,715 5 1'84	3,588 20 5'57	10,365 93 8'97	4,452 111 24'93	978 83 84'87
63	Plasterer, Whitewasher - - { Years of Life - - - Deaths - - - Mortality per 1000	11,181 26 2'33	13,341 54 4'05	41,331 322 7'79	16,155 405 25'07	3,003 257 85'58
64	Plumber, Painter, Glazier - { Years of Life - - - Deaths - - - Mortality per 1000	62,403 102 2'60	61,203 294 4'80	194,328 2,151 11'07	74,973 2,436 32'49	9,672 940 98'12
65	Upholsterer, Cabinet Maker, French Polisher - - - { Years of Life - - - Deaths - - - Mortality per 1000	26,382 76 2'88	27,381 148 5'41	80,142 765 9'55	35,523 880 24'77	7,080 623 87'99
66	Carpenter, Joiner - - - { Years of Life - - - Deaths - - - Mortality per 1000	100,830 220 2'24	104,013 506 4'86	307,500 2,390 7'77	145,569 3,165 21'74	37,068 3,165 81'78
67	Sawyer - - - - - { Years of Life - - - Deaths - - - Mortality per 1000	6,660 21 3'15	8,085 35 4'70	29,874 223 7'46	23,253 552 23'74	5,196 505 97'19
68	Wood Turner, Box Maker, Cooper - - - - - { Years of Life - - - Deaths - - - Mortality per 1000	11,832 24 2'03	11,631 59 5'07	30,105 413 10'56	20,070 573 28'55	4,324 439 91'00
69	Coach Builder - - - - { Years of Life - - - Deaths - - - Mortality per 1000	10,272 27 2'63	10,050 52 5'17	33,075 302 9'13	14,040 347 24'72	2,658 250 94'06
70	Wheelwright - - - - { Years of Life - - - Deaths - - - Mortality per 1000	12,423 27 2'17	11,712 43 3'67	34,128 233 6'83	20,091 396 19'21	6,342 552 87'04
71	Shipbuilder, Shipwright - { Years of Life - - - Deaths - - - Mortality per 1000	16,650 63 3'78	17,466 72 4'12	63,867 444 6'95	32,079 683 21'29	4,452 457 102'65

TABLE 6. (continued)—Mean Annual Mortality, in the Three Years 1880-1-2, at
SUCCESSIVE PERIODS OF LIFE, of Males engaged in various Occupations.

Reference Number.	OCCUPATIONS.	AGES.				
		15—	20—	25—	45—	65 and upwards.
72	Locksmith, Bellhanger, Gas- fitter - - - - -	Years of Life - - 9,270 Deaths - - - 18 Mortality per 1000 1'94	8,538 38 4'45	26,448 242 9'15	11,418 293 25'66	1,911 150 78'49
73	Gunsmith - - - - -	Years of Life - - 2,418 Deaths - - - 4 Mortality per 1000 1'65	2,178 10 4'59	10,260 109 10'62	6,168 159 25'78	993 163 103'73
74	Cutler, Scissors Maker - - -	Years of Life - - 6,909 Deaths - - - 13 Mortality per 1000 1'86	6,827 36 5'69	21,630 266 12'30	11,046 386 34'94	2,016 220 109'13
75	File Maker - - - - -	Years of Life - - 3,258 Deaths - - - 9 Mortality per 1000 2'76	3,327 17 5'11	10,857 166 15'29	4,431 200 45'14	645 74 114'73
76	Cutler, Scissors, File, Needle, Saw, Tool-Maker - - -	Years of Life - - 15,786 Deaths - - - 30 Mortality per 1000 1'90	15,645 86 5'50	50,196 588 11'71	24,261 835 34'42	4,152 460 110'79
77	Engine, Machine, Maker, Fitter, Millwright - - -	Years of Life - - 50,628 Deaths - - - 143 Mortality per 1000 2'82	55,701 276 4'96	153,876 1,226 7'97	57,576 1,340 23'27	6,435 642 99'77
78	Boiler Maker - - - - -	Years of Life - - 11,253 Deaths - - - 30 Mortality per 1000 2'67	11,868 66 5'56	39,588 367 9'27	12,984 346 26'65	999 163 103'10
79	Last two together (77-78) - -	Years of Life - - 61,881 Deaths - - - 173 Mortality per 1000 2'80	67,569 342 5'06	193,464 1,593 8'23	70,560 1,686 23'89	7,434 745 100'22
80	Blacksmith - - - - -	Years of Life - - 50,478 Deaths - - - 111 Mortality per 1000 2'19	47,643 220 4'62	140,319 1,304 9'29	74,706 1,918 25'67	16,764 1,676 99'98
81	Other Iron and Steel Workers	Years of Life - - 94,494 Deaths - - - 240 Mortality per 1000 2'54	96,546 477 4'94	296,532 2,478 8'36	115,962 2,648 22'84	14,883 1,387 93'19
82	Tin Workers - - - - -	Years of Life - - 21,945 Deaths - - - 55 Mortality per 1000 2'51	15,948 84 5'27	37,617 301 8'00	13,800 335 24'17	2,646 211 79'74
83	Copper, Lead, Zinc, Brass, Ac. Workers - - - - -	Years of Life - - 39,069 Deaths - - - 114 Mortality per 1000 2'87	32,313 176 5'45	86,259 789 9'15	32,769 878 26'79	4,884 477 97'67
84	Metal Workers (Numbers 72- 83) - - - - -	Years of Life - - 295,941 Deaths - - - 745 Mortality per 1000 2'52	286,380 1,433 5'00	841,095 7,404 8'80	340,704 8,752 25'03	53,667 5,209 97'06
85	Miner (Durham and North- umberland) - - - - -	Years of Life - - 46,647 Deaths - - - 260 Mortality per 1000 5'57	42,420 270 6'36	109,725 855 7'79	45,375 1,091 24'04	6,402 762 119'03
86	Miner (Lancashire) - - -	Years of Life - - 30,561 Deaths - - - 140 Mortality per 1000 4'58	33,537 211 6'29	84,480 668 7'91	29,653 780 26'30	3,054 320 104'78

TABLE 6. (continued)—Mean Annual Mortality, in the Three Years 1880-1-2, at SUCCESSIVE PERIODS OF LIFE, of Males engaged in various Occupations.

Reference Number.	OCCUPATIONS.	AGES.				
		15—	20—	25—	45—	65 and upwards.
87	Miner (West Riding of Yorkshire) - - - {					
	Years of Life - - -	30,285	27,384	75,162	24,720	2,334
	Deaths - - -	80	140	495	539	201
	Mortality per 1000	2'64	5'11	6'59	21'80	111'83
88	Miner (Derbyshire and Nottinghamshire) - - {					
	Years of Life - - -	19,395	18,021	49,680	16,905	1,830
	Deaths - - -	61	74	325	342	246
	Mortality per 1000	3'15	3'91	6'54	20'23	134'43
89	Miner (Staffordshire) - - {					
	Years of Life - - -	18,630	19,632	53,142	24,114	2,635
	Deaths - - -	82	103	415	639	355
	Mortality per 1000	4'40	5'25	7'81	26'50	132'22
90	Miner (South Wales and Monmouthshire) - - {					
	Years of Life - - -	26,528	23,558	61,013	24,940	3,823
	Deaths - - -	183	224	552	770	425
	Mortality per 1000	6'90	9'51	9'05	30'87	111'17
91	Coalminers as represented by the above six (85 to 90) - {					
	Years of Life - - -	172,046	165,452	433,202	165,712	20,128
	Deaths - - -	806	1,022	3,310	4,161	2,309
	Mortality per 1000	4'68	6'18	7'64	25'11	117'70
92	Miner (North Riding of Yorkshire and other Ironstone Districts)* - - - {					
	Years of Life - - -	6,330	8,175	26,322	8,055	651
	Deaths - - -	21	54	212	176	71
	Mortality per 1000	3'32	6'61	8'05	21'85	109'06
93	Miner (Cornwall) - - {					
	Years of Life - - -	9,279	6,168	11,100	7,842	1,401
	Deaths - - -	47	51	164	421	250
	Mortality per 1000	5'07	8'27	14'77	53'69	178'44
94	Stone, Slate-quarrier - - {					
	Years of Life - - -	17,985	21,759	72,465	33,750	5,817
	Deaths - - -	68	131	721	1,048	653
	Mortality per 1000	3'78	6'02	9'95	31'04	112'20
95	Railway, Road, Clay, Sand, &c. Labourer - - - {					
	Years of Life - - -	11,745	20,769	72,669	45,198	11,657
	Deaths - - -	54	130	800	1,121	872
	Mortality per 1000	4'60	6'69	11'01	24'80	74'93
96	Coalheaver - - - {					
	Years of Life - - -	3,858	4,572	20,358	9,843	1,407
	Deaths - - -	16	20	208	234	135
	Mortality per 1000	4'15	4'37	10'22	23'77	90'18
97	Chimney Sweep - - - {					
	Years of Life - - -	2,118	2,529	9,687	4,839	759
	Deaths - - -	8	29	133	201	63
	Mortality per 1000	3'78	11'47	13'73	41'54	83'00
98	Messenger, Porter, Watchman (not Government) - {					
	Years of Life - - -	105,204	26,496	70,782	42,150	8,619
	Deaths - - -	234	174	1,208	1,575	606
	Mortality per 1000	2'22	6'57	17'07	37'37	77'27
99	Costermonger, Hawker, Street Seller - - - {					
	Years of Life - - -	7,833	8,337	34,842	26,100	8,223
	Deaths - - -	32	74	706	1,183	651
	Mortality per 1000	4'09	8'88	20'26	45'33	79'17
100	General Labourer (London) {					
	Years of Life - - -	31,077	34,362	104,238	53,547	8,091
	Deaths - - -	210	434	2,149	2,723	786
	Mortality per 1000	6'76	12'63	20'62	50'85	97'14

* Namely, the Registration districts of Ulverston and Barrow-in-Furness and the sub-districts of Harrington and Egremont in Whitehaven Registration District.

MORTALITY

IN

ENGLAND AND WALES,

IN

LONDON,

AND IN

REGISTRATION COUNTIES AND DISTRICTS,

In the Ten Years 1871-80.

Explanatory Notes.

The following Tables, excepting those on pages 2 and 3, which give figures for **MALES** and **FEMALES** separately, relate to the Mortality of **PERSONS**, that is of **MALES** and **FEMALES** taken together.

The numbers of Deaths given are the total numbers registered in the ten years 1871 to 1880.

The Mean Populations are the arithmetical means of the Populations enumerated in 1871 and 1881.

Where changes have been made in the course of the ten years in the boundaries of any Registration Counties or Districts, corresponding corrections have been made in the estimated Mean Populations of those Counties or Districts, in order to obtain the true death-rates. An account of these changes is given on pages 371-78.

The first vertical column of figures on the left of each Table gives the average annual death-rates *at all ages* from the several causes.

The first horizontal column of figures below the age headings gives the average annual death-rates from all causes *at successive age-periods*.

Deaths in the 10 Years 1871-80.

ENGLAND AND WALES.—(PERSONS.)

	Annual Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	21.27	—	—	—	—	—	63.12	6.43	3.70	5.33	7.04	8.93	12.62	17.72	31.49	64.85	161.89
Mean Population 1871-80	—	21,437,308	729,092	620,212	620,295	644,006	633,375	3,296,070	2,025,960	2,612,284	2,365,828	2,166,463	3,567,016	2,755,964	2,085,586	1,457,470	808,817	322,576
ALL CAUSES	21.27	5,178,311	1,277,329	421,230	182,765	115,654	83,065	2,080,258	198,336	90,628	125,927	162,403	318,446	347,748	369,011	462,006	531,516	621,743
Small-pox	0.54	57,122	7596	9292	8923	5928	2882	17802	8319	3291	4628	6197	8395	4623	2730	1037	374	114
Measles	0.78	91,638	19565	34596	18254	8945	4967	40400	6946	378	162	180	101	108	50	23	7	11
Scarlet Fever	0.72	17,622	10168	25348	22691	27589	3168	11205	4187	8174	9422	1159	1045	475	182	74	94	4
Diphtheria	0.12	29126	2965	3136	3163	3734	8261	15570	8502	2708	774	431	234	481	297	223	160	46
Whooping-cough	0.31	12,132	22289	38610	19133	18964	4293	129364	3988	164	24	7	13	7	5	6	2	3
Typhus	0.06	1875	90	117	187	281	381	699	1547	1392	1041	1460	2176	1898	1243	688	429	183
Typhoid Fever	0.32	24,224	1747	2716	3104	2925	2713	13164	1993	4123	2165	1896	1967	1717	1094	3293	3643	761
Enteric Fever	0.11	11,914	1108	1550	1704	1690	1782	7381	3977	1686	1265	1266	1967	1717	1094	1700	1870	781
Puerperal Fever	0.07	13,914	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	0.91	29,152	14067	35422	6753	2967	1132	163463	1797	518	480	615	1834	2280	2876	4316	9225	11149
Cholera	0.03	6104	2214	602	205	147	161	1244	311	83	77	90	288	357	477	563	419	185
Cancer	0.17	11,801	59	25	95	117	63	411	205	303	409	598	4476	14294	29211	31899	23896	10761
Scabies	0.07	11,801	59	25	95	117	63	411	205	303	409	598	4476	14294	29211	31899	23896	10761
Typhus	0.07	11,801	59	25	95	117	63	411	205	303	409	598	4476	14294	29211	31899	23896	10761
Typhoid	0.07	11,801	59	25	95	117	63	411	205	303	409	598	4476	14294	29211	31899	23896	10761
Phthisis	0.12	61,669	10131	7653	3531	2170	1913	62940	5781	2015	1410	902	812	602	444	358	188	24
Hydrocephalus	0.32	77,909	19259	8929	4677	3731	3731	6300	10473	17324	48132	67544	129045	103213	65318	33210	11897	1359
(Cerebral System)	2.77	67,429	48068	10298	17778	10298	6023	292833	16445	8655	4488	8116	21253	31170	47881	70598	92466	97110
(Respiratory)	1.31	31,873	196	416	353	374	10476	10314	18174	25076	7181	5211	1808	27186	47168	72186	10748	17641
(Circulatory)	0.58	22,041	10848	2406	3616	1745	10476	42900	10314	4953	4867	5691	21063	21809	24683	30874	43015	13015
(Digestive)	0.20	95413	1115	6071	1062	593	893	4972	5885	1641	2496	5317	18677	11764	12664	17171	17646	14911
(Genital)	0.03	13541	27	16	16	8	6	181	273	12	213	549	1827	2892	3068	2518	1767	615
Childbirth	0.09	39617	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies	0.07	10667	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.06	10667	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	4.96	1,633,540	431191	61089	19815	11919	8464	2,080,258	17790	8533	8773	12801	18624	22673	27037	42940	101060	212681

Deaths of Infants (under 1 year) to 1000 Births { 140 } Marriage - 1,000,555 Annual Rate { Persons Married - 16.11 }
 Births - 8,688,762 per 1000 Living { Births - 35.29 }

Deaths in the 10 Years 1871-80.

LONDON.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	22.37	—	—	—	—	—	72.76	7.07	3.51	4.68	6.14	9.00	14.54	21.45	37.47	72.08	165.59
MEAN POPULATION 1871-80	3,536,372	104,633	91,401	90,546	87,021	85,335	450,836	384,713	337,884	337,862	358,410	506,619	438,043	305,751	190,093	97,007	34,101
ALL CAUSES	22.37	196,343	73,230	82,098	19,314	13,669	334,563	27,210	11,837	15,816	21,693	53,725	62,812	65,570	71,232	69,923	56,565
Small-pox	0.44	15,539	2106	742	748	763	3212	2229	890	1170	1602	2014	1293	558	210	62	20
Measles	0.16	5577	1513	3299	1748	891	16903	986	61	31	21	32	14	8	2	1	1
Scarlet Fever	0.60	21,975	3513	3253	3343	2831	13,112	1110	580	273	175	290	107	25	8	1	1
Diphtheria	0.12	4819	634	569	511	562	3913	1110	31	2	1	1	70	46	47	25	6
Whooping-cough	0.81	28,728	10,227	4183	2118	1133	37,708	678	31	2	1	3	8	2	2	2	2
Typhus	0.65	1887	21	36	40	48	171	173	135	168	187	260	396	221	145	69	12
Typhoid Fever	0.24	8596	183	354	344	393	1479	1079	898	1078	1068	1146	740	507	391	186	69
Scarlet and Typhoid Fever	0.10	1010	151	222	217	181	922	426	139	102	107	167	134	146	182	162	72
Erysipelas	0.06	3721	171	168	168	168	633	398	141	141	633	1299	608	50	—	—	—
Diarrhoea and Dysentery	0.94	30,168	22720	4647	658	232	29,645	298	69	8	14	253	253	511	625	924	980
Cholera	0.04	1328	684	47	34	18	917	89	8	8	14	62	69	171	68	54	17
Cancer	0.55	16,574	7	21	21	18	80	41	30	45	129	248	3077	5023	4395	3465	1227
Scalds	0.16	5577	1893	447	265	251	984	439	251	221	117	205	147	138	119	82	12
Tubercular Mesenterica	0.16	5577	1893	447	265	251	984	439	251	221	117	205	147	138	119	82	12
Pathosis	2.51	88,725	3112	1683	417	224	13,982	1543	206	105	47	67	40	13,980	1753	202	2
Hydrocephalus	0.42	14,575	1346	1769	1092	788	12,824	1996	1362	124	61	18	51	10	7	3	—
Nervous System	2.56	90,528	20,199	6365	1693	1394	37,940	2232	907	982	1021	3060	5170	7708	10737	15540	8935
Cerebrum	1.29	46,219	260	72	78	90	620	601	1104	1278	1296	3907	6429	7757	9443	8643	4100
Cerebellum	0.09	1627.27	39718	7678	8307	1928	73,888	3650	732	966	1232	4919	8311	13,507	20033	22061	24638
Digestive	0.09	42,823	1198	312	236	139	5787	673	438	658	805	2909	4281	8390	6088	4578	2740
Respiratory	0.46	16,844	1198	111	113	111	6813	425	260	469	270	1122	2433	2225	3603	5313	1269
Genital	0.07	3571	16	4	2	1	30	2	9	57	106	412	688	619	426	281	111
Childbirth	0.07	2687	—	—	—	—	—	—	—	84	266	1177	923	37	—	—	—
Other Causes	0.08	2903	—	—	—	—	—	—	—	108	213	321	696	465	540	267	63
Other Causes	5.64	128,600	6443	726	503	812	9222	1469	597	1066	1153	2319	3387	625	1904	1261	948
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under one) to 1000 Births } 163
 Marriages } 334,675
 Births } 1,246,441
 Annual Rate of Persons Married per 1000 living } 35.23

Deaths in Registration Counties in the 10 Years 1871-80.

3.—SUNSEX.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	6—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	17.05	—	—	—	—	—	40.86	4.32	2.85	4.35	5.87	8.16	10.45	14.76	28.06	55.97	148.96
MEAN POPULATION 1871-80	—	157,522	12,330	11,563	11,808	11,545	11,575	58,981	58,760	50,007	44,015	38,803	64,371	51,000	40,198	29,540	17,961	7678
ALL CAUSES	17.05	78,021	15,089	4428	1841	1218	926	24,102	2321	1426	1917	2535	6260	5580	6685	7700	10,053	11,458
Small-pox	0.94	1361	26	7	7	8	7	35	13	1	0	17	20	23	13	0	8	—
Measles	0.17	719	188	277	121	74	42	702	64	13	6	3	3	3	1	1	2	—
Scarlet Fever	0.25	1072	48	131	142	140	117	787	301	85	23	24	25	15	7	1	2	—
Diphtheria	0.17	790	21	37	73	92	93	316	288	92	21	9	17	10	7	7	3	—
Whooping cough	0.31	1262	608	489	191	98	47	1318	40	1	2	—	—	—	—	—	—	1
Typhus	0.02	161	—	1	1	3	1	6	11	19	18	0	10	11	9	5	5	—
Euteric Fever	0.10	864	10	15	23	27	26	101	98	90	113	102	108	11	72	70	48	—
Simple Continued Fever	0.05	247	4	9	14	22	12	61	42	16	18	12	20	11	22	23	14	11
Puerperal Fever	0.05	252	—	—	—	—	—	—	—	—	—	41	41	62	1	1	—	—
Diarrhoea and Dysentery	0.30	2708	1691	396	80	34	17	1298	33	4	7	4	28	32	40	66	137	243
Cholera	0.01	39	19	3	1	3	1	27	—	—	1	—	4	3	7	11	6	—
Cancer	0.37	2921	—	1	4	2	—	7	4	5	6	15	95	275	520	723	629	803
Scrofula	0.15	500	150	77	22	18	17	284	42	35	47	28	43	21	14	28	38	—
Tubercle	0.18	846	352	152	50	19	27	600	64	41	33	10	26	11	17	13	7	—
Furunculæ	0.15	639	190	80	49	85	31	400	134	280	801	1194	2491	1804	1178	137	260	87
Phthisis	0.30	1374	402	537	186	103	67	1637	167	78	95	14	31	7	4	1	—	—
Hydrocephalus	0.02	1070	2114	498	172	107	92	1573	108	142	147	124	267	513	798	1022	1306	1532
Varicella System	1.40	1289	22	5	6	5	—	40	21	105	98	133	266	483	643	723	1045	1516
Scrofula System	0.05	12116	1770	1298	416	180	117	4700	251	92	108	131	354	613	749	1398	1840	1980
Scrofula System	0.04	4291	435	44	29	21	27	535	80	69	78	87	278	449	618	835	818	1041
Scrofula System	0.43	1900	10	6	6	12	13	46	31	37	45	66	378	235	235	235	277	423
Scrofula System	0.06	270	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula System	0.07	310	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.10	447	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.43	1671	242	94	68	52	43	490	113	101	105	116	180	291	172	177	145	13
Other Causes	3.98	16747	6286	612	219	173	126	7447	294	135	150	133	391	381	400	606	1454	2854

Deaths of Infants (under one) to 1000 Births } 115
 Marriages } 31,832
 Births } 180,005
 Annual Rate (Persons Married per 1000 living (Births) } 13.91
 } 29.62

Deaths in Registration Counties in the 10 Years 1871-80.

4.—HAMPSHIRE.*

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and above.
ANNUAL DEATH RATE PER 1000	—	18.26	—	—	—	—	—	44.35	5.09	3.23	4.74	6.90	9.26	12.63	15.75	20.52	26.92	158.56
MEAN POPULATION 1871-80	—	531,277	15,437	13,897	14,469	13,503	13,891	71,407	61,519	58,290	52,127	45,523	80,186	63,005	46,632	34,980	20,474	8772
ALL CAUSES	18.26	100,607	19,879	61,09	26,09	1772	1362	31,831	32,99	18,86	2471	3347	7562	7067	7660	9875	11,660	13,760
Small-pox	0.22	1186	131	26	34	40	43	275	301	117	97	114	177	107	84	27	6	7
Measles	0.28	1325	246	63	202	187	226	1157	611	153	52	57	34	10	3	3	1	—
Diphtheria	0.11	619	31	39	55	65	72	256	218	70	18	9	17	8	11	8	3	—
Whooping cough	0.34	1861	872	659	221	103	53	1810	107	2	1	—	1	—	—	—	—	—
Typhus	0.03	154	2	4	4	3	3	18	23	23	19	12	22	13	7	8	9	—
Enteric Fever	0.30	1658	26	53	63	46	27	240	202	189	15	123	237	122	114	92	27	11
Simple continued Fever	0.11	584	16	33	42	41	30	137	84	33	10	50	144	74	6	36	41	19
Scarlet Fever	0.05	268	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parvina and Dysentery	0.03	3427	1076	484	105	21	18	2314	31	17	5	17	81	79	54	97	100	263
Cholera	0.01	72	32	6	1	3	2	44	2	1	—	1	2	2	2	6	10	3
Cancer	0.31	2937	2	—	3	1	2	8	2	7	4	11	107	313	592	703	691	365
Scrophulous	0.11	1404	77	182	86	12	15	212	25	39	29	14	46	10	18	10	4	—
Phthisis	0.20	12122	244	137	66	33	23	265	174	304	906	1614	2242	2306	1406	836	146	43
Hydrocephalus	0.26	1441	328	339	167	83	82	1109	213	75	28	11	5	4	1	—	—	—
Nervous System	2.34	12911	2901	664	233	133	116	4067	394	181	200	204	476	848	1037	1609	2161	1773
Circulatory	1.41	7513	377	171	228	9	10	68	37	69	126	144	561	979	1031	1281	2058	1831
Respiratory	2.87	12715	3814	1711	329	203	221	6070	214	77	107	132	295	531	746	1201	2249	2209
Genitourinary	0.45	2154	110	10	31	10	10	60	43	31	67	67	326	337	356	451	664	521
Generative	0.03	294	2	—	—	—	—	2	1	—	4	9	37	31	72	57	37	16
Childbirth	0.90	473	—	—	—	—	—	—	—	—	24	79	200	185	11	—	—	—
Suicide	0.07	392	564	111	69	—	54	632	167	118	101	22	526	80	73	41	19	130
Other Violence	0.30	1274	7304	883	297	212	173	9650	319	170	161	110	440	472	372	501	2248	6039
OTHER CAUSES	3.74	21171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under 1 year) to 1000 Births — 116
 Marriages — 42,081
 Births — 171,540
 Annual Rate (Persons Married per 1000 living) Births — 15.26
 — 31.08

* Changes were made in the boundary of this Registration County during the decade, see pp. 271-72.

Deaths in Registration Counties in the 10 Years 1871-80.

5.—BERKSHIRE.*

Annual Death Rate per 100.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
—	18'01	—	—	—	—	—	43'71	4'31	2'05	4'56	5'90	7'55	10'47	14'39	20'01	58'62	162'48
—	237'520	6887	6149	6897	6155	6111	31'540	20'053	24'126	22'200	19'519	32'065	26'156	20'145	15'043	9838	4115
ANNUAL DEATH RATE per 1000.	18'01	2553	1140	707	496	13'772	1300	779	1013	1151	2124	2790	3015	4079	5707	6886	—
MEAN POPULATION 1871-80	101	7	1	2	1	1	12	5	2	9	20	19	11	8	5	4	6
ALL CAUSES	101	121	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Small-pox	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Scarlet Fever	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Diphtheria	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Whooping cough	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Measles	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Paratyphoid	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Enteric Fever	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Simple (Continued) Fever	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Typhoid	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Diarrhoea and Dysentery	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Cholera	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Cancer	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Scrophula	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Tubercular	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Hydrocephalus	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Nervous System	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Circulatory	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Respiratory	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Digestive	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Genitourinary	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Genenerative	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Childbirth	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Self-destruction	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
Violence	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—
OTHER CAUSES	564	131	136	150	112	60	400	212	61	14	14	12	12	2	1	—	—

Deaths of Infants (under 1 Year) - 118
 Births - 75,127
 Annual Rate per 1000 living Births - 1'565

Marrriages - 16,219
 Births - 75,127
 Annual Rate per 1000 living Births - 1'565

* Changes were made in the boundary of this Registration County during the decade, see pp. 71-72.

Deaths in Registration Counties in the 10 Years 1871-80.

6.—MIDDLESEX (Extra-Metropolitan).

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000 —	—	17.96	—	—	—	—	—	48.32	4.80	2.84	3.55	4.94	7.54	12.09	18.07	30.97	64.45	182.44
MEAN POPULATION 1871-80 —	—	322,834	9454	8317	8679	8560	8460	43,579	30,080	36,331	30,387	28,718	48,363	37,404	24,655	17,487	10,104	4176
ALL CAUSES —	17.96	57,971	13,474	3967	1742	1097	779	21,020	1930	1031	1110	1391	3645	4700	4817	5401	6312	6366
Small pox —	0.14	444	54	15	10	16	10	110	38	22	46	41	75	30	25	17	6	2
Measles —	0.32	1060	222	130	185	106	55	980	80	11	17	2	14	1	1	1	—	—
Scarlet Fever —	0.33	1045	44	42	44	140	112	626	267	65	35	7	14	1	1	—	—	—
Diphtheria —	0.15	484	27	42	44	87	60	260	137	35	6	—	6	2	6	3	2	—
Whooping-cough —	0.37	1512	670	444	180	100	58	1401	50	1	—	—	—	—	—	—	—	—
Typhus —	0.02	55	1	1	1	1	2	5	6	6	7	4	8	9	6	—	5	4
Enteric Fever —	0.24	770	9	23	28	26	22	106	134	74	97	75	97	81	47	20	53	5
Simple Continued Fever —	0.05	262	1	7	6	11	3	31	30	15	16	10	17	6	11	6	6	3
Puerperal Fever —	0.01	262	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery and Cholera —	0.01	238	1808	341	32	19	15	2235	15	7	1	6	18	20	32	57	88	112
Cholera —	0.02	55	28	7	1	1	—	37	—	—	—	—	2	7	1	3	2	2
Cancer —	0.47	1292	1	—	—	1	—	2	3	—	3	9	40	100	320	384	408	148
Scrophula —	0.19	381	131	62	28	17	9	247	36	28	16	5	11	14	6	0	10	2
Tubercular —	0.24	778	437	147	58	18	9	689	46	31	8	4	9	3	3	1	4	—
Phthisis —	1.78	124	124	79	83	10	18	254	97	100	415	568	1360	1320	969	433	153	24
Hydrocephalus —	0.31	1040	354	232	116	62	37	821	124	56	9	8	—	—	2	—	—	—
Cerebral System —	0.75	1695	1077	303	198	91	64	2938	101	97	83	114	323	975	1019	1185	1375	1011
Respiratory System —	3.00	3088	2011	1077	525	101	4	4052	165	75	70	77	264	448	608	830	979	511
Urinary System —	0.02	2688	180	43	25	13	16	467	81	41	41	61	181	313	455	618	511	1383
Generative System —	0.05	151	12	15	11	7	8	53	33	26	13	20	90	155	205	263	280	167
Other Causes —	0.06	300	—	—	—	—	—	—	—	—	1	3	18	19	37	35	58	14
Stillbirth —	0.06	577	—	—	—	—	—	—	—	—	7	23	82	85	3	—	—	—
Violence —	0.30	1020	273	56	67	35	34	465	114	91	9	73	106	160	201	117	20	8
Other Causes —	3.35	10851	4585	495	196	120	85	5490	200	100	91	104	175	231	361	431	1007	2780

Deaths of Infants (under one) to 1000 Births — 183

Marriages — 16,712

Annual Rate { Persons Married — 10.35
per 1000 living { Births — 31.48

Deaths in Registration Counties in the 10 Years 1871-80.

7.—HERTFORDSHIRE.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	18-37	—	—	—	—	—	44-01	4-12	2-88	4-36	6-34	7-98	10-82	14-49	27-54	61-02	101-50
MEAN POPULATION 1871-80	108,403	5008	5321	5174	5220	5250	24,543	24,971	22,800	18,190	15,348	25,849	21,408	17,706	13,546	8423	3400
ALL CAUSES	18-37	36,167	2026	911	553	360	11,593	1024	659	807	978	2067	2517	2565	3780	5140	5508
Small pox	0-19	24	3	3	3	1	33	15	0	10	30	42	28	27	17	7	4
Measles	0-26	111	106	55	50	20	442	67	3	11	7	1	—	—	—	—	—
Scarlet Fever	0-31	32	71	53	25	23	312	100	46	11	—	8	—	—	1	—	—
Diphtheria	0-10	12	12	24	24	23	97	69	21	3	—	—	—	—	—	2	—
Whooping cough	0-42	202	237	102	51	34	806	21	3	—	—	—	—	—	—	—	—
Typhus Fever	0-02	—	1	2	—	—	11	6	0	11	4	7	2	2	2	3	—
Erysipelas	0-24	7	12	12	12	13	51	24	40	10	44	56	43	42	37	20	6
Simple Continued Fever	0-10	5	8	7	5	3	31	18	18	10	7	16	15	15	13	23	15
Febrile	0-08	—	—	—	—	—	—	—	—	6	22	56	25	2	—	—	—
Paratyphoid and Dysentery	0-71	1419	194	45	9	7	1007	10	4	2	4	21	10	19	37	77	159
Cholera	0-02	11	4	—	—	—	20	1	1	—	—	—	2	2	4	4	—
Cancer	0-46	601	—	—	—	—	87	3	—	3	5	24	105	104	283	203	108
Scrophulous	0-47	47	32	13	2	1	12	16	10	12	10	14	0	—	—	3	—
Tubercular	0-19	361	102	32	5	5	205	19	14	12	4	4	4	—	—	—	—
Fatal Mesenteric	1-75	108	60	18	13	13	292	46	112	275	413	83	672	468	265	149	33
Phthisis	0-21	429	146	99	34	20	356	51	18	4	8	3	3	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Varicella	0-70	3307	1089	70	44	31	1369	78	68	80	86	248	364	465	701	1194	928
Scrophulous System	0-11	1384	609	185	92	56	2232	129	63	60	64	132	228	228	694	1094	917
Scrophulous	0-20	184	69	31	17	7	293	28	28	30	33	61	117	248	344	1094	917
Scrophulous	0-38	184	69	31	17	7	293	28	28	30	33	61	117	248	344	1094	917
Scrophulous	0-05	101	—	—	—	—	21	11	1	1	5	8	13	35	29	15	118
Scrophulous	0-08	101	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophulous	0-08	101	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophulous	0-20	101	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophulous	4-17	101	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under 1 year) to 1000 Births . . . 121
 Marriages . . . 11,720
 Annual Ratio of Persons Married per 1000 living { Births . . . 68,531 . . . 11-81 . . . 32-01

Deaths in Registration Counties in the 10 Years 1871-80.

8.—BUCKINGHAMSHIRE.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total 5 under Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and over.
ANNUAL DEATH RATE PER 1000	—	18·02	—	—	—	—	—	47·77	4·13	2·77	4·71	6·23	7·48	8·96	12·70	26·09	60·84	167·70
MEAN POPULATION 1871-80	—	155,438	4477	4001	4280	4092	4230	21,080	10,773	18,023	14,464	11,984	10,722	10,008	13,823	10,583	6629	2777
ALL CAUSES	18·02	28,942	6127	1833	734	409	356	10,069	817	500	681	753	1476	1486	1756	2714	4033	4657
Small-pox	0·04	56	5	1	1	1	1	1	2	5	9	7	10	3	7	3	2	—
Scarlet Fever	0·27	147	95	147	24	46	20	323	45	34	2	8	13	3	1	—	1	—
Measles	0·35	641	36	100	69	10	74	338	122	34	11	8	13	3	1	—	1	—
Diphtheria	0·06	91	6	9	10	10	10	39	31	4	5	4	2	—	2	—	—	—
Whooping-cough	0·44	686	201	201	84	76	19	608	18	2	—	—	—	—	—	—	—	—
Typhus	0·00	87	1	2	1	1	3	7	8	10	15	8	7	8	8	8	2	2
Enteric Fever	0·00	142	4	1	13	10	10	42	31	44	22	32	48	34	28	28	18	18
Typhoid Fever	0·00	142	4	1	13	10	10	42	31	44	22	32	48	34	28	28	18	18
Erysipelas	0·05	344	5	2	9	18	—	34	30	13	8	5	11	29	7	13	13	1
Erysipeloid	0·05	344	5	2	9	18	—	34	30	13	8	5	11	29	7	13	13	1
Diarrhoea and Dysentery	0·44	990	563	153	22	6	4	738	8	—	3	3	11	1	11	24	90	96
Cholera	0·02	27	8	1	—	—	1	10	—	1	1	—	—	—	2	4	3	2
Cancer	0·46	712	—	15	—	—	2	2	1	—	1	1	16	62	176	202	208	87
Protrusion of the Uterus	0·00	72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metritis	0·00	218	—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	1·69	2925	169	39	29	7	5	365	16	7	12	16	16	8	3	7	3	1
Hydrocephalus	0·27	426	138	108	42	21	20	320	48	92	250	383	647	473	312	192	69	10
Nervous System	2·40	3734	724	185	69	41	32	1053	73	45	48	45	114	132	246	485	771	792
Cerebrum	2·22	3615	704	185	69	41	32	1053	73	45	48	45	114	132	246	485	771	792
Spinal Cord	0·18	119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	0·47	1329	187	134	111	82	47	529	74	34	41	35	76	110	235	440	700	728
Trachea	0·38	344	1	4	4	3	3	15	11	17	17	17	41	45	207	200	331	379
Urinary	0·05	73	—	—	—	—	—	—	—	—	—	—	—	—	14	104	161	92
Genital	0·05	73	—	—	—	—	—	—	—	—	—	—	—	—	14	104	161	92
Childbirth	0·10	118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infants	0·47	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0·47	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	5·06	7885	2956	399	129	72	54	3311	117	69	60	51	103	131	168	307	886	2402

Deaths of Infants (under 1 year) to 1000 Births } 129
 Marriages } 9,890
 Births } 61,336
 Annual Rate of Persons Married } 12·09
 per 1000 living } Births } 33·03

Deaths in Registration Counties.

Deaths in Registration Counties in the 10 Years 1871-80.

9.—OXFORDSHIRE.*

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	19.00	—	—	—	—	—	40.45	4.45	3.33	4.61	6.56	8.03	10.09	14.80	25.15	50.92	171.50
Mean Population 1871-80.	171,504	5092	4463	4881	4074	4782	23,812	22,339	20,849	16,907	13,972	22,631	19,234	16,112	12,510	7950	3268
ALL CAUSES.	34,114	7335	1967	899	550	418	11,160	994	695	778	916	1817	1941	2313	3146	4764	5381
Small-pox	131	9	2	2	3	5	21	11	17	13	10	24	17	9	3	6	—
Measles	261	121	73	109	42	21	31	31	7	1	2	2	5	1	1	—	—
Diphtheria	684	78	31	18	22	54	237	149	67	6	10	4	5	5	—	—	—
Scarlet fever	732	135	31	18	28	31	183	65	14	3	4	4	4	2	2	1	—
Whooping cough	545	280	134	63	30	16	493	30	2	—	—	—	—	—	—	—	—
Typhus	45	—	—	1	2	3	4	7	8	5	5	9	3	1	2	1	—
Euteric Fever	430	10	18	10	10	12	65	60	73	65	47	60	34	18	22	11	—
Simple Continued Fever	141	4	3	8	0	3	26	18	18	11	13	16	8	15	0	6	—
Intermittent Fever	106	—	—	—	—	—	—	—	—	6	28	37	28	3	—	—	—
Diarrhoea and Dysentery	1028	671	146	28	10	5	762	15	4	3	3	10	8	13	47	61	168
Cholera	22	8	—	—	2	—	10	1	—	—	—	—	—	4	2	1	—
Cancer	903	—	—	—	—	—	—	—	—	1	3	18	18	107	283	231	110
Scrofula	343	107	64	25	8	11	216	14	17	23	15	16	11	16	9	6	—
Phthisis	333	174	68	22	7	6	375	19	22	13	3	5	3	3	3	—	—
Hydrocephalus	859	103	74	32	16	17	242	87	123	294	423	777	613	463	260	110	—
Hydrothorax	454	138	116	49	20	19	332	71	37	12	6	4	1	—	1	—	—
Nervous System	2740	663	295	86	45	27	1223	98	63	39	61	127	168	274	610	915	920
Circulatory	2650	50	2	3	—	—	52	23	31	44	41	123	194	233	471	838	467
Respiratory	1480	268	264	102	4	3	215	81	32	49	41	131	173	266	474	888	774
Digestive	1773	34	17	13	13	15	251	40	20	17	30	102	163	254	433	364	172
Genitourinary	814	5	—	—	—	—	38	22	11	21	24	64	77	91	144	197	140
Genitourinary	80	—	—	—	—	—	1	—	—	—	4	4	11	16	18	16	—
Childbirth	180	—	—	—	—	—	—	—	—	0	24	63	75	8	—	14	—
Fetide	130	—	—	—	—	—	—	—	—	4	9	19	19	23	24	86	—
Other Violence	946	66	20	41	29	53	211	75	64	25	25	83	89	13	39	67	—
Other Causes	8741	3311	280	105	74	61	3861	97	64	55	56	160	140	200	319	1000	2683

Deaths of Infants (under one) to 1000 Births — 125
 Marriage — 11,088
 Births — 57,068
 Annual Rate of Persons Married per 1000 living (Births) — 31.52
 — 31.50

* Changes were made in the boundary of this Registration County during the decade, see pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871-80.

10.—NORTHAMPTONSHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19.56	—	—	—	—	—	55.10	4.89	3.28	5.16	6.66	7.91	10.29	13.48	25.79	60.70	105.47
Mean Population 1871-80	—	292,034	7818	6945	7295	6998	6987	35,043	32,708	29,204	26,213	21,372	35,053	28,531	23,121	10,336	10,292	4161
ALL CAUSES	19.56	51,369	13,326	3510	1457	913	625	19,861	1602	958	1300	1424	2771	2935	3117	4368	6247	6783
Small-pox	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Measles	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Whooping-cough	0.40	1041	481	301	133	49	33	969	37	5	—	—	—	—	—	—	—	—
Typhus	0.04	104	—	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Interic Fever	0.33	555	29	34	31	27	17	131	103	101	118	85	121	63	52	29	31	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Puerperal Fever	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Diarrhoea and Dysentery	0.02	2419	1470	365	37	22	9	1863	19	4	8	5	13	23	38	61	164	503
Cholera	0.01	32	2	3	—	—	—	9	2	—	—	—	—	—	8	5	2	—
Cancer	0.53	1398	1	1	1	1	1	5	1	8	4	7	42	158	273	417	332	136
Scrophulous	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Typhoid	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Measles	0.25	503	162	92	123	178	143	607	563	63	27	1	3	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Whooping-cough	0.40	1041	481	301	133	49	33	969	37	5	—	—	—	—	—	—	—	—
Typhus	0.04	104	—	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Interic Fever	0.33	555	29	34	31	27	17	131	103	101	118	85	121	63	52	29	31	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Puerperal Fever	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Diarrhoea and Dysentery	0.02	2419	1470	365	37	22	9	1863	19	4	8	5	13	23	38	61	164	503
Cholera	0.01	32	2	3	—	—	—	9	2	—	—	—	—	—	8	5	2	—
Cancer	0.53	1398	1	1	1	1	1	5	1	8	4	7	42	158	273	417	332	136
Scrophulous	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Typhoid	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Measles	0.25	503	162	92	123	178	143	607	563	63	27	1	3	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Whooping-cough	0.40	1041	481	301	133	49	33	969	37	5	—	—	—	—	—	—	—	—
Typhus	0.04	104	—	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Interic Fever	0.33	555	29	34	31	27	17	131	103	101	118	85	121	63	52	29	31	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Puerperal Fever	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Diarrhoea and Dysentery	0.02	2419	1470	365	37	22	9	1863	19	4	8	5	13	23	38	61	164	503
Cholera	0.01	32	2	3	—	—	—	9	2	—	—	—	—	—	8	5	2	—
Cancer	0.53	1398	1	1	1	1	1	5	1	8	4	7	42	158	273	417	332	136
Scrophulous	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Typhoid	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Measles	0.25	503	162	92	123	178	143	607	563	63	27	1	3	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Whooping-cough	0.40	1041	481	301	133	49	33	969	37	5	—	—	—	—	—	—	—	—
Typhus	0.04	104	—	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Interic Fever	0.33	555	29	34	31	27	17	131	103	101	118	85	121	63	52	29	31	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Puerperal Fever	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Diarrhoea and Dysentery	0.02	2419	1470	365	37	22	9	1863	19	4	8	5	13	23	38	61	164	503
Cholera	0.01	32	2	3	—	—	—	9	2	—	—	—	—	—	8	5	2	—
Cancer	0.53	1398	1	1	1	1	1	5	1	8	4	7	42	158	273	417	332	136
Scrophulous	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Typhoid	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Measles	0.25	503	162	92	123	178	143	607	563	63	27	1	3	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Whooping-cough	0.40	1041	481	301	133	49	33	969	37	5	—	—	—	—	—	—	—	—
Typhus	0.04	104	—	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Interic Fever	0.33	555	29	34	31	27	17	131	103	101	118	85	121	63	52	29	31	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Puerperal Fever	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Diarrhoea and Dysentery	0.02	2419	1470	365	37	22	9	1863	19	4	8	5	13	23	38	61	164	503
Cholera	0.01	32	2	3	—	—	—	9	2	—	—	—	—	—	8	5	2	—
Cancer	0.53	1398	1	1	1	1	1	5	1	8	4	7	42	158	273	417	332	136
Scrophulous	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Typhoid	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Measles	0.25	503	162	92	123	178	143	607	563	63	27	1	3	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Whooping-cough	0.40	1041	481	301	133	49	33	969	37	5	—	—	—	—	—	—	—	—
Typhus	0.04	104	—	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Interic Fever	0.33	555	29	34	31	27	17	131	103	101	118	85	121	63	52	29	31	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Puerperal Fever	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—
Diarrhoea and Dysentery	0.02	2419	1470	365	37	22	9	1863	19	4	8	5	13	23	38	61	164	503
Cholera	0.01	32	2	3	—	—	—	9	2	—	—	—	—	—	8	5	2	—
Cancer	0.53	1398	1	1	1	1	1	5	1	8	4	7	42	158	273	417	332	136
Scrophulous	0.23	493	25	36	29	32	36	179	143	47	40	44	63	30	28	13	—	—
Typhoid	0.25	503	162	92	123	178	143	607	563	7	27	1	2	—	—	—	—	—
Measles	0.25	503	162	92	123	178	143	607	563	63	27	1	3	—	—	—	—	—
Scarlet Fever	0.40	1053	69	135	172	178	143	607	563	63	27	1	3	—	—	—	—	—
Diphtheria	0.07	179	16	10	15	33	22	94	66	15	8	—	—	3	—	—	—	—

Deaths in Registration Counties in the 10 Years 1871-80.

11.—HUNTINGDONSHIRE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65-75	75 and upwards.
ANNUAL DEATH RATE PER 1000	18.47							41.45	4.04	3.10	4.62	7.31	7.83	9.33	11.93	23.21	54.78	162.48
MEAN POPULATION 1871-80	55,835		1511	1398	1514	1445	1473	7311	7117	6554	5237	4078	6543	3808	5003	4028	2845	1202
ALL CAUSES	18.47	10,274	2188	550	221	157	134	3250	330	203	248	298	512	548	604	935	1440	1009
Small-pox	0.04	25	1	1	10	5	1	2	8	2	2	6	6	2	2	2	2	1
Measles	0.14	77	28	26	31	27	46	123	66	13	5	2	2	4	1	1	1	1
Scarlet Fever	0.14	245	9	1	1	6	7	173	18	5	1	1	1	1	1	1	1	1
Diphtheria	0.09	51	1	1	1	11	4	173	6	1	1	1	1	1	1	1	1	1
Whooping-cough	0.32	179	85	58	15	11	4	173	6	1	1	1	1	1	1	1	1	1
Typhus	0.02	11	1	1	2	2	2	3	1	2	1	1	1	1	1	1	1	1
Enteric Fever	0.30	145	3	3	2	2	4	16	11	19	18	23	15	14	14	13	6	2
Septicæmic Fever	0.15	82	2	2	2	2	2	11	11	11	11	11	11	11	11	11	11	11
Paratyphoid Fever	0.05	22	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Diarrhoea and Dysentery	0.76	425	223	43	9	4	3	291	4	1	1	3	3	6	3	16	53	75
Cholera	0.02	9																
Cancer	0.78	433																
Scrophulous	0.14	77	24	10	8	4	2	44	1	2	2	4	12	33	63	127	131	26
Phthisis	0.13	77	24	10	8	4	2	44	1	2	2	4	12	33	63	127	131	26
Hydrocephalus	0.22	121	39	23	5	9	8	84	25	7	2	2	2	104	112	77	24	5
Nervous System	2.04	1156	146	44	20	8	7	265	26	21	19	12	31	47	73	127	243	273
Circulatory	1.35	740	139	46	21	8	7	141	13	13	13	11	27	39	77	169	235	162
Respiratory	2.17	1655	307	139	46	21	9	614	33	13	13	11	33	41	84	146	202	289
Genital	0.17	106	16	12	1	1	1	71	10	10	10	10	10	15	23	37	112	121
Urinary	0.17	106	16	12	1	1	1	71	10	10	10	10	10	15	23	37	112	121
Generative	0.05	86						4	7	3	1	1	4	3	5	7	7	4
Childbirth	0.06	44																
Stillbirth	0.06	44																
Other Causes	0.08	332	26	10	23	15	9	73	43	29	16	7	11	24	2	6	2	2
Other Causes	4.42	2449	973	89	37	23	11	1161	25	16	16	15	28	30	37	53	20	294

Deaths of Infants (under one) to 1000 Births } 134
 Marriages } 3717
 Annual Rate (Persons Married per 1000 living Births) } 31.64

Deaths in Registration Counties in the 10 Years 1871-80.

12.—BEDFORDSHIRE.

Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE FOR 1000	19.37	—	—	—	—	—	55.38	4.88	3.22	4.49	6.75	8.27	10.26	13.83	26.82	59.50	160.05
Mean Population 1871-80	152,899	4324	3893	4039	3958	4033	20,247	18,936	17,599	15,122	12,507	10,996	10,526	13,492	10,037	6041	2536
ALL CAUSES	29,617	7546	1870	790	568	432	11,213	924	567	679	848	1654	1695	1866	2692	3000	3879
Small-pox	140	15	1	4	9	1	93	14	5	8	17	17	26	10	7	0	1
Measles	354	78	130	68	91	10	317	39	3	1	10	1	6	1	1	—	—
Scarlet Fever	739	43	113	123	111	101	490	169	47	12	3	4	4	3	1	2	—
Diphtheria	245	6	16	27	56	43	128	73	25	5	—	—	—	—	—	—	—
Whooping-cough	693	371	167	75	86	22	671	22	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Continued Fever	18	6	12	12	11	13	64	45	3	42	40	34	30	20	17	9	4
Puerperal Fever	99	—	—	—	—	—	43	21	20	14	18	12	9	4	17	7	9
Diarrhoea and Dysentery	1558	881	170	29	8	—	1088	6	5	6	5	7	13	8	50	64	123
Cholera	31	10	5	1	1	1	18	1	1	—	1	—	0	—	3	2	2
Cancer	811	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Scrophulous	41	—	—	—	—	—	7	12	2	1	1	19	60	173	249	216	75
Tubercles	299	164	42	7	4	—	230	19	11	11	4	16	9	6	6	3	2
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	3259	194	93	58	11	20	583	69	108	207	403	797	245	347	225	719	13
Hydrocephalus	343	164	79	34	22	20	593	44	22	4	3	4	1	1	—	—	—
Of Nervous System	3938	844	183	61	34	29	1161	65	37	52	66	135	197	374	487	717	707
Cerebrum	1080	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cerebrum	1275	—	—	—	—	—	12	19	30	36	33	135	155	243	497	653	395
Spinal Cord	403	—	—	—	—	—	20	30	27	30	58	116	176	243	419	660	651
Digestive	1454	166	17	169	57	42	216	49	21	28	27	69	196	196	285	303	143
Urinary	613	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	62	—	—	—	—	—	17	9	9	—	3	8	9	12	17	8	6
Childbirth	139	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	7086	3289	271	160	55	69	3313	129	62	43	27	160	117	132	265	647	1680

Deaths of Infants (under one) to 1000 Births } 147
 Marriages } 10,718
 Births } 51,242
 Annual Rate of Persons Married per 1000 living Births } 14.01
 } 33.51

Deaths in Registration Counties in the 10 Years 1871-80.

18.—CAMBRIDGESHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE { PER 1000	—	18.70	—	—	—	—	—	48.47	4.49	8.15	4.00	6.43	8.09	10.06	12.81	24.00	52.56	151.91
MEAN POPULATION { 1871-80	—	101,574	5371	4770	5072	5019	5027	25,250	25,073	21,371	15,337	15,631	24,461	30,123	16,679	15,371	9833	4047
ALL CAUSES	18.76	35,939	8401	2105	831	504	341	12,243	1064	674	915	1005	1078	2029	2137	3200	4537	6148
Small-pox	0.11	204	31	6	4	3	1	45	12	5	14	31	53	13	11	12	6	—
Scarlet Fever	0.21	404	103	137	78	65	15	388	99	5	—	1	3	1	1	—	—	—
Diphtheria	0.21	154	34	37	32	14	12	263	161	80	12	11	6	6	—	—	—	—
Whooping-cough	0.42	799	402	228	112	45	17	776	22	16	1	—	—	—	—	—	—	—
Typhus	0.08	79	—	—	—	—	—	2	11	9	8	7	3	5	6	4	4	1
Euteric Fever	0.24	419	10	6	10	16	18	60	52	55	64	44	44	44	37	30	28	11
Simple Continued Fever	0.10	163	5	4	4	9	6	36	41	17	16	13	15	15	9	13	21	6
Diarrhoea and Dysentery	0.75	1429	820	598	30	11	7	1074	14	6	4	8	13	18	15	36	98	164
Cholera	0.02	30	7	—	2	—	2	11	1	—	—	—	2	—	4	5	4	3
Cancer	0.64	1220	—	—	—	1	—	1	1	4	3	7	41	110	249	352	323	283
Scrophulous	0.12	234	83	30	12	13	4	13	18	30	34	12	16	16	16	10	8	—
Measles	0.25	366	205	80	27	16	8	543	80	120	22	494	374	67	43	25	106	—
Hydrocephalus	0.56	498	146	97	53	26	20	532	73	36	14	9	13	6	4	—	—	—
Neurotic System	3.16	4130	687	1780	61	59	29	1054	104	66	89	43	143	191	340	494	633	893
Circulatory	2.62	3463	118	3	5	3	25	25	41	41	46	44	114	137	256	536	727	897
Respiratory	2.90	3665	1086	366	148	71	46	2250	369	36	60	46	186	176	224	311	384	596
Genitival	1.87	2305	370	70	15	10	9	870	13	15	19	23	46	55	103	133	163	243
Genitival	0.45	412	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Genitival	0.03	96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.06	160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neuritis	0.06	125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.06	1067	106	84	60	54	26	265	99	73	66	61	90	78	30	70	73	106
OTHER CAUSES	4.75	9140	2628	402	93	55	28	4016	99	68	89	64	110	131	137	293	773	2861

Annual Rate (Persons Married - 13.07
per 1000 living { Births - 32.39Marriages - 12.515
Births - 62.082

Deaths of Infants (under 1 year) to 1000 Births - 135

Deaths in Registration Counties in the 10 Years 1871-80.

14—ESSEX.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	17.04	—	—	—	—	—	47.17	5.06	3.27	4.85	5.90	7.60	10.23	14.12	25.40	55.94	156.27
Mean Population 1871-80	490,574	14,737	13,420	15,919	13,082	13,742	60,500	64,578	57,572	45,052	30,218	66,302	54,022	42,281	30,436	18,002	7811
ALL CAUSES	80,089	20,640	6822	2755	1780	1282	32,780	3266	1880	2904	2315	5079	5588	5069	7752	10,070	12,296
Small-pox	0.20	1012	29	27	53	27	314	69	61	96	129	267	112	73	32	16	4
Scarlet Fever	0.22	1115	37	36	111	26	314	83	71	108	118	21	8	2	5	—	—
Diphtheria	0.42	2104	246	234	310	265	1262	683	128	28	8	13	10	4	5	—	—
Whooping-cough	0.13	670	53	67	82	74	314	228	71	17	8	—	—	—	—	—	—
Typhus	0.49	2428	736	291	156	69	2849	75	4	—	—	—	—	—	—	—	—
Enteric Fever	0.05	128	1	1	2	2	6	13	11	26	5	15	15	10	13	11	3
Simplex Fever	0.24	1184	58	34	58	34	369	107	128	148	93	146	125	23	34	27	32
Paratyphoid	0.17	111	17	19	19	16	83	48	37	5	60	123	68	1	30	14	22
Diarrhoea and Dysentery	0.05	350	46	94	48	20	225	34	17	9	9	29	29	20	37	155	247
Cholera	0.72	3560	2361	463	48	1	81	4	—	—	1	1	1	4	7	7	2
Cancer	0.02	113	14	2	2	2	—	—	—	—	—	—	—	—	—	—	—
Consumption	0.48	2375	5	2	2	1	8	3	1	5	6	24	265	461	625	581	292
Phthisis	0.33	1893	107	107	29	15	326	68	32	54	34	74	58	34	25	13	7
Hydrocephalus	0.29	1433	349	144	50	57	1169	262	371	805	1080	2191	1795	1262	719	251	49
Nervous System	0.27	11783	721	316	181	128	4250	371	161	185	136	341	533	770	1276	1927	1884
Cerebral " "	0.49	1484	46	6	10	13	85	89	194	311	90	322	327	356	376	376	1796
Spinal " "	0.20	1411	10	535	255	178	6878	268	107	32	135	232	618	576	1429	1534	2154
Respiratory " "	0.84	4176	1663	585	555	310	1185	107	268	271	58	232	405	555	747	803	1453
Urinary " "	0.03	1654	13	15	18	13	82	42	35	81	44	132	157	224	296	354	257
Genital " "	0.05	227	—	1	—	—	1	—	—	—	3	10	23	58	35	40	15
Childbirth	0.68	363	—	—	—	—	—	—	—	—	30	55	164	146	—	—	—
Stillbirth	0.06	397	—	—	—	—	—	—	—	—	13	14	44	6	37	47	15
Violence	0.47	177	110	85	83	44	469	164	72	119	147	282	241	265	293	157	151
OTHER CAUSES	3.91	19284	503	321	225	155	9397	346	292	170	137	282	319	444	727	1730	5538

Annual Rate (Persons Married - 11 '85 per 1000 living { Births - 33 '10

Marriages - 29,428 Births - 164,363

Deaths of Infants (under one) to 1000 Births - 126

Deaths in Registration Counties in the 10 Years 1871-80.

15.—SUFFOLK.

Annual Death Rate per 1000.		Under 1 Year.					10-15-20-25-35-45-55-65-75 and upwards.									
ALL AGES.		1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
ANNUAL DEATH RATE FOR 1899	14.70	—	—	—	—	44.35	4.50	9.97	5.02	7.06	8.47	10.27	13.00	23.35	53.62	155.25
Mean Population 1871-80	354,378	5945	9078	9503	9822	40,854	43,078	40,053	32,831	26,985	49,378	86,078	31,894	23,033	16,382	8002
ALL CAUSES	65,954	11,034	3651	1505	909	20,779	1964	1101	1649	1902	3005	3704	4152	5844	8021	12,123
Small-pox	0.11	20	9	8	4	68	33	27	35	51	62	42	37	16	18	11
Measles	0.14	114	147	91	24	431	61	12	8	12	1	1	—	—	—	—
Scarlet Fever	0.23	53	137	161	133	637	337	81	37	16	21	11	3	2	3	—
Diphtheria	0.10	34	18	32	46	142	125	39	11	8	8	11	5	—	—	—
Whooping cough	0.41	696	441	134	34	1374	48	5	7	6	10	7	7	6	6	3
Typhus	0.08	75	1	1	1	8	7	9	7	6	10	7	7	6	6	3
Eruptive Continued Fever	0.21	14	14	19	20	89	87	85	71	72	82	74	60	60	48	17
Puerperal Fever	0.03	6	20	13	8	52	49	31	21	14	27	24	24	25	37	30
Diarrhoea and Dysentery	0.07	2502	202	22	16	1600	26	4	12	30	81	34	6	68	170	316
Cholera	0.01	4	1	1	2	8	—	—	—	—	—	—	3	6	8	4
Cancer	0.04	1808	2	1	3	10	2	3	8	9	45	172	273	221	311	244
Neurula	0.14	400	119	15	7	145	41	31	35	28	20	85	26	31	31	6
Tuberc Mesenterica	0.27	950	468	62	28	730	66	34	38	15	13	10	10	12	14	9
Phthisis	0.02	7080	140	46	33	246	133	250	748	1003	1708	1253	845	526	244	28
Hydrocephalus	0.22	775	237	194	92	606	85	43	18	6	8	5	4	2	1	—
Nervous System	2.22	7780	394	165	71	1894	202	126	136	121	219	416	611	971	1160	1850
Cerebrum	1.55	4726	19	6	6	35	121	46	59	84	204	266	460	963	1319	1040
Respiratory	2.74	9096	2445	504	148	3928	172	63	89	72	228	364	608	919	1008	2025
Digestive	0.53	2541	364	201	17	405	47	48	65	65	141	264	379	647	725	1319
Urinary	0.29	1240	9	4	5	81	25	29	18	35	11	10	10	25	34	201
Genital	0.07	217	1	—	—	2	—	—	9	9	15	49	75	58	89	21
Childbirth	0.08	283	—	—	—	—	—	—	10	40	116	105	10	74	47	29
Maternal	0.08	285	—	—	—	—	—	—	6	11	84	40	45	171	167	136
Other Violence	0.20	1741	135	76	44	286	149	101	126	89	164	123	123	171	158	6808
OTHER CAUSES	4.99	17676	6788	191	116	7916	128	115	110	125	255	541	325	205	1508	6808

Deaths of Infants (under one) to 1000 Births — 125

Marriages — 24,100

Annual Rate { Persons Married — 13,790

Births — 112,567

per 1000 living { Births — 82.12

Deaths in Registration Counties in the 10 Years 1871-80.

16.—NORFOLK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19·80	—	—	—	—	—	51·10	5·03	3·26	4·97	7·23	8·11	10·05	12·99	23·02	50·84	161·70
MEAN POPULATION 1871-80.	—	434,174	11,893	10,450	11,020	11,019	10,822	55,213	51,563	47,926	40,629	34,049	53,648	46,171	41,257	31,941	21,514	10,863
ALL CAUSES.	19·80	85,955	10,941	4415	1713	1169	978	28,216	2393	1543	2020	2461	4351	4542	5360	7332	10,988	16,479
Small-pox	0·29	671	134	31	22	15	18	230	167	29	125	130	167	82	50	17	10	4
Measles	0·15	401	67	25	14	15	46	164	123	7	—	1	2	1	1	3	—	—
Scarlet Fever	0·46	207	103	22	22	20	28	117	103	19	34	29	23	14	2	7	—	—
Diphtheria	0·10	419	22	28	25	20	41	178	124	37	35	8	8	12	—	—	—	—
Whooping cough	0·38	1642	811	488	179	60	47	1501	43	6	—	—	1	—	—	—	—	—
Typhus	0·04	134	—	2	—	2	11	15	17	16	25	21	18	11	12	5	9	5
Typhoid Fever	0·25	1090	53	31	32	29	55	160	162	124	132	100	117	83	60	69	32	24
Stomach Continued Fever	0·22	1212	19	26	15	20	12	92	70	35	27	12	18	21	20	40	38	19
Puerperal Fever	0·06	281	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	0·77	3343	2171	298	51	18	30	2538	54	9	46	14	127	54	41	61	163	336
Cholera	0·02	67	23	4	1	2	1	31	2	—	—	—	1	3	3	11	10	1
Cancer	0·60	2610	—	2	3	—	3	8	1	5	5	10	33	270	550	660	569	361
Consumption	0·99	5629	192	177	39	21	29	340	43	32	43	34	56	90	34	33	27	7
Tubercles Mesenterics	0·23	1039	102	177	39	21	29	340	43	32	43	34	56	90	34	33	27	7
Pneumonia	1·24	8413	555	140	43	44	53	522	173	37	83	132	16	147	1046	659	260	82
Hydrocephalus	0·17	735	228	170	73	46	28	515	91	54	12	10	7	8	6	2	—	—
of Nervous System	2·34	10168	1362	445	171	100	68	2717	213	141	135	121	207	535	756	1108	2000	2945
Cerebratory	5·96	5211	23	1055	333	161	5	47	41	54	76	82	229	380	657	1213	1812	1329
Spinal Cord	1·35	1555	2624	333	161	11	102	4305	191	74	88	111	392	394	599	1065	2025	2399
Digestive	0·20	3353	32	32	21	14	27	491	194	65	76	76	182	359	497	767	844	559
Urinary	0·41	1770	31	6	11	—	0	20	43	33	3	15	125	125	159	314	453	520
Generative	0·07	504	1	—	—	—	—	1	—	1	3	11	28	68	69	69	54	22
Childbirth	0·08	362	—	—	—	—	—	—	—	—	—	17	66	134	6	—	—	—
Accidents	0·07	301	—	—	—	—	—	—	—	—	—	8	14	44	64	73	46	23
Violence	0·07	293	—	—	—	—	—	—	—	—	—	14	29	186	174	231	155	274
OTHER CAUSES	5·78	25110	10694	353	295	137	107	11952	262	156	127	132	238	324	595	810	2338	8716

Deaths of Infants (under one) to 1000 Births } 149
 Marriages } 31,895
 Births } 133,756
 Annual Rate of Persons Married per 1000 living Births } 14·46
 } 30·81

Deaths in Registration Counties in the 10 Years 1871-80.

15.—SUFFOLK.

Deaths in Registration Counties

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	18-79	—	—	—	—	—	44-35	4-50	2-97	5-02	7-08	8-47	10-27	13-00	23-35	33-62	155-25			
MEAN POPULATION 1871-80	—	350,378	1884	9078	9345	922	9322	46,854	43,678	40,053	32,931	26,965	42,578	86,078	31,894	25,033	16,382	8002			
ALL CAUSES	18-79	65,854	11,051	3051	1505	909	677	20,770	1964	1191	1049	1902	3005	3704	4182	5844	8621	12,125			
Small-pox	0-11	390	9	8	6	4	4	56	33	27	35	61	62	42	37	16	18	11			
Measles	0-14	600	118	91	61	34	34	431	51	12	12	1	1	1	3	1	1	1			
Scarlet Fever	0-33	53	137	161	123	123	123	637	337	81	37	16	21	11	3	2	3	3			
Diphtheria	0-10	554	18	32	31	46	46	142	122	39	11	8	5	11	5	2	5	5			
Whooping-cough	0-41	1122	694	124	67	34	34	1374	48	48	5	6	10	7	7	8	6	3			
Typhus	0-08	75	1	1	1	20	20	5	7	9	7	6	10	7	7	8	6	3			
Erysipelas	0-21	732	14	19	22	20	20	89	87	83	71	72	83	74	60	60	48	17			
Simple Continued Fever	0-60	382	6	13	5	8	8	52	49	31	21	14	27	24	24	25	37	10			
Febrile Fever	0-63	173	20	22	13	8	8	106	36	4	7	39	81	34	36	68	170	310			
Intermittent Fever	0-67	2532	262	56	22	16	16	1060	36	4	7	7	1	4	3	6	8	310			
Malaria and Dysentery	0-01	36	4	1	2	2	2	8	—	—	—	—	—	—	—	—	—	—			
Cholera	0-54	1898	2	1	3	3	3	10	2	3	8	9	45	172	373	521	511	214			
Gonorrhea	0-14	480	119	15	7	5	5	145	41	31	35	28	30	53	26	30	21	8			
Trachoma	0-37	950	498	157	24	21	21	736	66	54	59	115	13	14	10	12	24	8			
as Measles	2-02	7049	149	46	13	18	18	548	122	250	742	103	1708	1258	845	529	241	29			
as Typhus	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13	6	8	5	4	2	1	1			
as Typhoid	0-22	775	257	92	45	40	40	608	53	43	13										

2014年11月

100

Persons Married - 5100
Annual Rate { Births
per 1000 living

21,407
111,370

Chapman - America -

Enlightenment

11/11/11

10

Deaths in Registration Counties in the 10 Years 1871-80.

15.—SUFFOLK.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	18.79	—	—	—	—	—	44.35	4.50	2.97	5.02	7.08	8.47	10.27	13.00	23.35	53.62	155.25
Mean Population 1871-80	—	350,378	9945	9078	9343	922	9322	40,954	43,078	40,053	32,831	26,985	42,578	36,078	31,324	24,033	16,382	8002
ALL CAUSES	18.79	65,834	11,034	3654	1505	909	677	20,779	1964	1191	1640	1002	3605	3704	4132	5844	8631	12,123
Small-pox	0.11	390	29	9	8	6	4	58	33	27	35	51	63	42	37	16	18	11
Scarlet Fever	0.21	240	147	147	147	147	147	431	51	12	12	16	21	11	3	1	1	1
Diphtheria	0.35	1145	137	137	137	137	137	637	337	81	37	16	21	11	3	1	1	1
Whooping cough	0.10	354	15	15	15	15	15	132	125	39	11	8	8	11	6	3	3	3
Typhus	0.41	1122	604	441	134	67	34	1374	43	6	7	6	10	7	7	8	6	3
Erysipelas	0.08	73	1	1	1	1	1	3	7	9	7	6	10	7	7	8	6	3
Enteric Fever and Typhoid	0.21	732	14	14	14	14	14	92	87	83	71	72	27	74	24	24	48	17
Impetigo	0.05	20	6	6	6	6	6	23	40	31	21	14	14	24	24	24	37	39
Paratyphoid	0.03	173	30	30	30	30	30	138	49	13	13	13	31	34	6	6	6	316
Diarrhoea and Dysentery	0.67	2632	1315	263	55	22	16	1680	26	4	7	7	22	29	29	69	170	316
Cholera	0.01	36	1	1	1	1	1	8	—	2	2	—	1	1	3	6	4	4
Cancer	0.54	1896	2	1	1	1	1	10	2	3	8	9	45	172	373	231	611	214
Scalds	0.17	318	1	1	1	1	1	10	41	31	35	26	30	20	26	30	21	8
Measles	0.17	320	448	157	62	29	21	736	66	34	33	15	13	15	10	12	14	9
Phthisis	2.03	7089	119	119	46	43	18	348	133	250	743	1003	1708	1236	945	244	244	23
Hydrocephalus	0.22	775	237	104	92	43	40	608	85	43	13	6	8	5	4	5	1	1
Nervous System	3.22	7780	1068	394	165	144	71	1804	287	136	186	121	219	416	911	974	1110	1550
Circulatory	1.35	4726	19	19	19	19	19	125	176	46	66	66	84	226	226	226	226	1040
Respiratory	1.35	4726	19	19	19	19	19	125	176	46	66	66	84	226	226	226	226	1040
Digestive	0.85	3241	244	93	304	148	91	2028	176	66	66	73	226	354	503	619	1003	2023
Genitourinary	0.24	864	34	34	34	34	34	463	17	48	65	65	141	379	579	773	1003	2023
Genitourinary	0.09	337	9	9	9	9	9	81	25	29	19	33	81	109	124	237	349	511
Genitourinary	0.07	237	1	1	1	1	1	2	25	29	19	33	81	109	124	237	349	511
Childbirth	0.08	281	—	—	—	—	—	—	—	—	10	40	116	103	10	—	—	29
Infanticide	0.06	216	—	—	—	—	—	—	—	—	4	11	24	40	45	74	47	29
Other Violence	0.06	1741	133	76	76	44	45	265	149	101	130	80	124	133	137	171	167	136
Other Causes	4.99	17575	6798	702	191	116	67	7814	186	115	110	135	253	241	323	505	1506	6806

Deaths of Infants (under 1 year) to 1000 Births . . . 125
 Marriages . . . 24,100
 Births . . . 112,597
 Annual Rate of Persons Married per 1000 living Births . . . 13.79
 . . . 33.12

Deaths in Registration Counties in the 10 Years 1871-80.

16.—NORFOLK.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
—	19·80	—	—	—	—	—	51·10	5·03	3·26	4·97	7·23	8·11	10·05	12·99	23·02	50·84	151·70
—	434,174	11,893	10,450	11,020	11,019	10,822	55,213	51,563	47,826	40,620	34,049	53,448	46,171	41,237	31,941	21,514	10,863
ALL CAUSES —	85,955	10,941	4415	1713	1160	978	28,216	2503	1548	2020	2401	4351	4642	5360	7382	10,388	16,479
Small-pox —	971	134	31	22	15	18	230	107	59	125	130	167	82	50	17	10	4
Measles —	631	149	296	15	5	16	424	62	7	7	1	23	14	1	3	—	—
Scarlet Fever —	2067	163	223	286	293	288	1107	689	137	34	29	23	12	3	7	—	—
Diphtheria —	419	22	28	35	59	44	178	134	57	35	8	8	12	—	—	—	—
Whooping cough —	1642	811	438	179	66	47	1501	42	6	—	—	—	—	—	—	—	—
Typhus Fever —	154	—	2	—	2	11	15	17	16	25	21	18	11	12	5	9	5
Erysipelas —	1035	83	31	12	29	35	160	122	124	132	100	117	83	80	69	52	24
Simple Continued Fever —	392	19	23	13	20	12	92	70	35	27	12	11	11	20	40	38	19
Puerperal Fever —	284	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery —	3343	2171	296	51	18	20	2558	34	9	16	14	27	34	41	63	182	335
Cholera —	67	23	4	1	2	1	31	2	1	—	—	—	3	3	11	10	—
Cancer —	2110	—	2	3	—	8	8	1	5	5	10	33	279	530	690	699	261
Scalds —	77	109	7	30	31	30	240	43	32	43	34	56	30	34	33	27	7
Tuberc Mesenterics —	983	283	146	47	31	32	718	11	10	15	10	17	7	104	637	293	—
Pothitis —	8413	255	143	48	46	30	323	151	214	820	1247	1883	1473	1043	620	293	—
Hydrocephalus —	735	228	170	73	46	28	545	91	64	12	10	7	8	8	9	2	1
Nervous System —	1068	1302	446	171	100	68	2717	243	141	183	121	207	535	756	1168	2000	2945
Cerebrum —	6211	23	105	9	3	5	47	41	54	76	82	220	380	637	1213	1812	1020
Spinal Cord —	1363	293	32	32	161	102	4305	181	74	88	111	292	394	599	1065	2035	2299
Respiratory —	1353	383	161	32	111	7	481	191	74	88	111	292	394	599	1065	2035	2299
Digestive —	3968	383	35	32	111	7	481	191	74	88	111	292	394	599	1065	2035	2299
Urinary —	1770	11	6	11	11	9	48	29	23	40	35	106	139	185	349	444	530
Genital —	304	1	—	—	—	—	1	—	1	—	11	20	63	59	69	54	22
Generative —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth —	862	—	—	—	—	—	—	—	—	—	66	140	124	6	—	46	33
Stillbirth —	391	—	—	—	—	—	—	—	—	—	14	29	44	37	73	46	33
Other Violence —	2938	120	—	56	—	45	520	164	149	166	133	156	156	374	251	153	254
OTHER CAUSES —	25110	10894	830	205	137	107	11652	262	136	127	132	235	354	565	810	238	8716

Deaths of Infants (under 1 year) to 1000 Births — 149
 Marriages — 31,595
 Annual Rate (Persons Married) — 14·46
 per 1000 living (Births) — 30·81

Deaths in Registration Counties in the 10 Years 1871-80.

17.—WILTS.*

Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
—	18'60	—	—	—	—	—	40'09	4'57	3'13	4'91	6'71	7'88	10'73	14'07	23'93	53'19	103'41
—	246'102	6795	6297	6550	6121	6336	32,399	30,835	28,113	25,216	18,884	30,282	25,082	22,611	17,541	11,181	5018
18'60	15,778	8155	2383	1078	740	547	13,184	1499	881	1140	1268	2385	2733	3186	4724	6618	8200
0'04	110	13	1	1	—	2	16	8	5	4	22	15	11	11	9	3	1
0'21	122	89	100	65	—	26	433	47	11	3	3	2	3	2	—	—	—
0'21	121	74	120	117	126	124	611	321	72	2	2	10	8	2	—	—	—
0'27	394	10	28	11	38	27	639	61	23	7	11	3	6	—	6	4	1
0'27	635	345	129	67	40	16	639	12	5	—	—	—	—	—	—	—	—
0'02	57	1	—	—	—	—	1	5	7	9	13	7	—	6	6	2	—
0'31	581	6	15	15	13	25	71	70	85	77	61	43	59	33	26	30	9
0'06	131	4	4	5	11	—	37	26	19	14	23	11	7	7	9	11	8
0'06	116	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0'46	1130	646	128	37	21	13	744	18	11	4	6	10	14	15	47	90	171
0'01	31	1	4	—	—	—	74	1	—	8	—	3	—	4	1	2	—
0'03	1390	—	—	1	2	—	3	2	—	8	6	28	140	257	254	325	125
0'10	255	31	17	7	8	4	63	18	21	29	28	25	25	16	19	14	6
1'77	4529	323	135	22	15	11	512	62	14	45	12	7	890	535	849	141	—
0'23	544	147	126	48	31	28	363	63	39	19	61	11	—	—	—	—	—
2'46	6433	1000	175	90	60	27	1243	187	37	104	85	239	354	287	248	248	1046
1'72	4239	113	—	—	1	—	19	35	24	26	66	128	201	467	345	1315	893
3'25	7949	1797	694	228	116	72	2297	117	47	60	29	183	273	423	260	1455	1840
0'42	1111	11	28	12	12	12	321	45	17	32	51	125	170	139	204	245	139
0'06	145	1	1	—	—	—	3	—	—	3	7	13	23	84	205	244	183
0'10	295	—	—	—	—	—	—	—	—	8	29	27	92	10	68	31	9
0'05	186	—	—	—	—	—	—	—	—	—	9	12	12	14	80	21	15
0'26	1271	186	66	63	17	27	400	129	27	67	23	12	16	14	119	114	139
5'15	10231	3609	404	123	115	27	4809	145	81	83	84	134	160	187	261	303	3723

Deaths of Infants (under one) to 1000 Births - 110
 Marriages - 16,077
 Births - 77,089
 Annual Ratio { Persons Married - 13'07
 per 1000 living Births - 31'33
 * Changes were made in the boundary of this Registration County during the decade, see pp. 251-252.

Deaths in Registration Counties in the 10 Years 1871-80.

18.—DORSET.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	17.46	—	—	—	—	—	40.07	4.31	2.79	4.43	6.65	7.50	10.48	18.04	24.56	55.28	151.71
MEAN POPULATION 1871-80	—	186,088	4082	4010	4848	4725	4074	23,315	22,438	20,701	19,205	15,297	24,279	19,917	17,008	12,900	8500	3707
ALL CAUSES	17.46	32,645	5935	1798	862	588	410	9543	963	580	1018	1821	2088	2217	3192	4099	5715	
Small-pox	0.09	165	19	2	9	8	7	36	27	31	14	22	20	13	9	6	—	—
Scarlet fever	0.20	235	24	11	65	40	15	530	173	47	12	1	8	2	2	—	—	—
Measles	0.33	613	29	91	123	70	87	323	173	47	11	9	8	3	3	—	—	—
Diphtheria	0.10	191	6	8	13	25	27	79	76	19	4	4	3	1	2	—	—	—
Whooping-cough	0.29	537	263	145	56	31	20	520	14	2	1	—	—	—	—	—	—	—
Typhus	0.03	29	1	—	2	2	2	7	6	9	7	5	9	1	8	4	2	1
Enteric Fever	0.19	555	2	5	16	12	12	60	46	88	42	54	41	26	20	27	23	8
Enteric Cholera	0.03	103	2	3	7	3	—	13	9	7	12	18	45	27	2	—	—	—
Diarrhoea and Dysentery	0.35	631	393	55	19	15	11	403	10	2	—	—	14	10	15	24	62	100
Cholera	0.00	9	1	—	—	—	—	1	1	—	—	—	—	1	2	1	—	—
Cancer	0.31	932	1	—	1	—	3	5	3	2	3	3	30	91	173	246	247	147
Scrofula	0.12	225	53	27	13	6	10	95	34	11	10	10	24	17	8	11	5	1
Phthisis	0.18	333	132	44	15	16	16	234	54	74	347	621	803	611	356	231	88	—
Pneumonia	1.72	3215	52	44	14	8	16	124	24	35	6	7	14	6	—	—	—	—
Hydrocephalus	0.22	407	116	91	45	14	16	282	57	55	6	—	—	—	—	—	—	—
Nervous System	2.32	4533	897	173	8	50	28	1247	69	64	68	69	123	240	310	561	887	745
Circulatory	1.54	2581	11	—	8	1	—	19	20	40	44	58	106	258	346	580	891	551
Respiratory	0.55	1321	579	194	104	92	53	2207	83	41	40	31	138	373	517	878	1047	1183
Genitive	0.33	1724	114	23	14	12	6	210	52	35	31	31	80	150	217	319	519	399
Urinary	0.44	834	7	3	2	3	6	21	17	12	13	20	50	76	111	128	216	129
Genitive	0.03	91	—	—	—	—	—	—	—	—	1	3	12	13	23	24	11	4
Childbirth	0.08	145	—	—	—	—	—	—	—	—	8	19	57	60	1	—	—	—
Suicide	0.05	94	—	—	—	—	—	—	—	—	1	2	5	4	10	34	12	6
Other Violence	0.09	109	—	—	—	—	—	—	—	—	46	61	58	13	20	81	67	54
OTHER CAUSES	3.97	7435	2164	324	135	59	56	3060	115	53	47	61	110	145	170	283	791	2019

Annual Rate of Persons Married
per 1000 living BirthsMarriages
BirthsDeaths of Infants (under
one) to 1000 BirthsAnnual Rate of Persons Married
per 1000 living BirthsDeaths of Infants (under
one) to 1000 BirthsAnnual Rate of Persons Married
per 1000 living Births

Deaths in Registration Counties in the 10 Years 1871-80:

19.—DEVON.

Annual Death Rate per 1000.	ALL AGE.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	—	—	—	—	—	50.06	5.21	3.52	5.29	7.10	8.46	10.99	14.32	25.38	55.37	154.15
Mean Population 1871-80.	607,351	15,865	14,461	14,904	14,816	14,409	74,513	70,687	64,883	60,557	60,970	79,271	64,648	56,001	45,088	28,503	13,123
ALL CAUSES.	19.07	110,472	22,056	3545	2162	1519	37,746	3684	2284	3204	3620	6729	7106	8017	11,149	16,703	20,228
Small-pox	0.15	915	111	32	34	20	229	172	90	99	96	122	68	32	8	1	—
Measles	0.30	1056	564	579	506	213	2745	230	32	15	6	7	6	6	—	—	—
Scarlet Fever	0.34	2061	180	333	291	256	1534	545	121	23	16	18	7	3	2	1	—
Diphtheria	0.10	620	140	165	145	89	1243	123	26	6	11	11	7	3	5	—	—
Whooping-cough	0.44	2082	1154	371	180	68	2666	68	6	1	2	—	—	—	—	—	—
Typhus	0.06	168	2	1	2	8	9	16	84	28	23	23	19	13	14	8	4
Enteric Fever	0.31	1907	25	30	48	25	210	227	225	283	222	226	149	126	110	84	25
Simple (continued) Fever	0.11	614	31	89	41	31	169	111	29	48	31	44	30	31	41	46	23
Puerperal Fever	0.05	310	—	—	—	—	—	—	—	11	29	124	61	6	—	—	—
Fever and Dysentery	0.06	310	2961	343	23	10	2629	28	6	7	20	40	48	41	120	216	327
Cholera	0.02	111	40	2	3	2	57	4	1	2	1	4	—	6	10	13	4
Cancer	0.60	3620	3	1	8	2	9	6	6	17	11	115	300	712	1016	974	205
Scrofula	0.15	935	253	167	60	27	641	24	45	63	44	28	24	20	26	81	5
Tubercles Mesenterica	0.31	1271	335	109	47	75	1011	75	27	33	17	15	14	8	12	205	94
Tubercles Pulmonum	2.07	12447	243	254	60	23	1371	245	44	1200	1772	2060	2190	1421	974	205	94
Hydrocephalus	0.24	1467	445	154	105	75	1107	214	84	36	14	14	—	8	1	—	—
Nervous System	2.47	12016	3197	734	323	193	4618	323	317	308	186	596	703	1035	1258	2809	2617
Circulatory	1.46	4677	22	10	6	6	92	84	154	145	125	438	766	1001	1794	2614	1616
Respiratory	8.37	26472	4366	2011	290	169	7386	208	119	197	221	200	727	1214	2136	3633	3713
Digestive	0.99	2606	628	77	39	26	653	126	65	126	121	269	496	710	1034	1153	676
Urinary	0.40	1205	15	1	14	9	37	23	45	46	14	26	277	230	431	477	437
Genital	0.06	375	—	—	—	—	5	—	1	6	—	—	—	63	80	61	20
Childbirth	0.08	477	—	—	—	—	—	—	1	21	76	163	181	16	107	64	29
Suicide	0.27	419	—	—	—	—	—	—	163	10	17	47	291	269	305	270	279
Other Violent Deaths	0.51	894	254	117	96	70	629	296	266	340	249	416	568	698	1076	2709	9877
OTHER CAUSES	4.45	26615	8311	317	261	126	10336	270	266	340	249	416	568	698	1076	2709	9877

Deaths of Infants (under one) to 1000 Births — } 123
 Marriages — 46,185
 Births — 161,584
 Annual Rate { Persons Married — 15.21
 per 1000 living { Births — 20.90

Deaths in Registration Counties in the 10 Years 1871-80.

20.—CORNWALL.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	20.32	—	—	—	—	—	57.01	6.15	4.04	5.67	7.88	8.53	10.28	13.49	25.32	55.37	155.41
Mean Population 1871-80	—	342,305	8793	7972	8520	8191	8240	41,716	41,863	38,997	36,641	28,298	41,916	35,036	30,487	24,347	15,892	7172
ALL CAUSES	20.32	69,563	15,039	4693	2011	1138	902	23,783	2975	1577	2979	2231	3491	3602	4114	6165	8800	11,146
Small pox	0.20	529	111	34	25	19	17	290	90	57	96	45	80	42	20	8	4	1
Measles	0.23	783	135	229	126	73	56	614	106	117	117	5	2	3	—	—	—	—
Scarlet Fever	0.59	2904	189	222	278	255	241	1116	616	176	45	16	26	9	—	—	—	—
Diphtheria	0.13	462	21	31	43	48	47	109	182	52	12	6	5	—	—	—	—	—
Whooping-cough	0.31	1735	881	488	172	87	47	1675	34	6	—	—	—	—	—	—	—	—
Triphus	0.04	128	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.14	1153	15	34	27	27	3	5	10	16	38	12	13	12	10	6	7	—
Simple Continued Fever	0.12	399	14	7	16	29	13	72	64	29	124	183	122	22	59	75	43	21
Puerperal Fever	0.04	137	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	0.32	1783	1124	145	42	14	12	1387	18	4	11	13	21	31	23	63	103	23
Cholera	0.01	51	10	4	3	—	—	17	2	—	—	—	—	—	—	—	—	—
Cancer	0.51	1758	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula	0.13	443	97	55	28	11	2	197	21	32	27	43	55	158	200	513	593	225
Tubercle Mesenterica	0.28	962	430	232	66	22	13	783	56	28	37	23	8	19	81	20	13	1
Phthisis	2.20	7524	272	181	63	33	26	223	147	226	771	1065	1543	1038	927	808	339	46
Hydrocephalus	0.22	766	106	197	74	41	23	511	142	57	28	18	6	—	—	—	—	—
Nervous System	5.37	8122	1647	450	190	69	65	2446	294	151	331	118	212	320	492	924	1636	1453
Cerebrum	2.84	5720	1040	272	125	45	40	3723	175	84	171	59	129	253	433	853	1147	710
Respiratory	0.93	3181	601	1069	325	165	103	3723	175	84	171	59	129	253	433	853	1147	710
Digestive	0.37	1258	14	10	34	15	23	322	88	70	64	63	145	216	267	1509	1369	1269
Urinary	0.05	177	—	—	9	7	10	60	28	30	82	38	89	147	114	296	623	283
Genital	0.05	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	6.09	307	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stillbirth	0.04	203	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.29	2931	116	58	54	50	40	318	121	146	213	172	263	253	138	59	25	7
OTHER CAUSES	5.84	20690	7445	1183	381	190	180	9675	281	188	132	107	245	289	356	750	2154	6943

Deaths of Infants (under one) to 1000 Births } 145
 Marriages } 22,015
 Births } 103,466
 Annual Rate of Persons Married } 18.86
 per 1000 living } 30.22

Deaths in Registration Counties.

Deaths in Registration Counties in the 10 Years 1871-80.

21.—SOMERSET.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19.00	—	—	—	—	—	45.70	4.84	3.20	4.72	6.51	8.20	10.47	14.62	20.78	50.10	153.33
MEAN POPULATION 1871-80	—	483,627	12,395	12,125	12,347	12,274	12,403	62,144	50,121	84,940	47,679	38,908	62,000	51,063	48,813	33,963	22,139	10,791
ALL CAUSES	19.00	92,011	18,160	52,914	23,31	1,988	11,06	29,155	2,559	1,809	22.10	2,535	5,087	53.46	6,492	9,094	12,140	10,546
Small-pox	0.11	522	76	24	19	13	25	157	70	40	43	65	92	32	17	6	1	—
Measles	0.37	1,300	256	416	219	135	71	1,147	122	30	3	4	5	5	6	1	—	—
Scarlet Fever	0.47	2,297	143	336	357	333	273	1,433	618	167	38	14	18	10	4	—	—	—
Diphtheria	0.00	440	30	33	30	37	43	169	131	54	20	10	15	6	7	—	—	—
Whooping-cough	0.36	1,755	645	809	194	111	43	1,701	50	2	1	—	—	1	—	—	—	—
Typhus	0.04	186	—	2	3	6	4	15	18	19	41	27	24	10	9	18	8	2
Euteric Fever	0.26	1,251	22	24	26	37	36	127	128	174	210	134	145	90	70	66	26	34
Simple Continued Fever	0.00	457	14	25	20	25	30	104	72	45	41	25	27	27	19	40	67	19
Puerperal Fever	0.55	243	—	—	—	—	—	—	—	—	11	44	123	63	2	—	—	—
Diarrhoea and Dysentery	0.54	2,644	1,540	278	66	22	9	1,915	23	10	6	1	34	31	46	69	194	319
Cholera	0.01	87	10	5	—	5	—	19	8	—	—	—	—	4	9	7	4	—
Cancer	0.54	2,220	—	—	1	2	1	4	8	6	10	10	80	225	236	731	651	369
Scrophula	0.13	626	146	81	50	16	16	303	43	37	43	47	47	23	28	25	23	4
Tubercular	0.22	1,080	476	224	63	20	34	889	75	44	40	17	22	17	26	9	6	—
Phthisis	1.05	940	100	161	26	34	21	263	114	289	798	1,144	2072	1,465	1,010	680	245	81
Hydrocephalus	0.22	1,076	345	238	97	61	45	774	149	85	84	11	12	8	8	—	—	—
of Nervous System	3.49	2,628	2628	504	189	140	92	3,543	225	109	173	181	345	453	883	1,611	651	2290
Cerebral	1.46	7,089	—	—	2	6	6	60	72	115	142	121	486	297	915	1,671	2,224	1,574
Respiratory	8.20	10,111	3,513	1,485	606	265	149	8,651	280	63	134	124	365	575	971	1,746	2,725	3,169
Digestive	1.08	4,660	487	61	44	28	23	648	87	83	85	97	260	494	646	967	1,086	686
Urinary	0.43	2,049	14	16	12	16	10	68	29	26	45	54	153	317	263	276	435	314
Genital	0.07	384	—	—	—	—	—	—	—	—	—	—	—	—	90	63	50	25
Childbirth	0.04	408	—	—	—	—	—	—	—	—	7	28	172	167	7	—	—	—
Self-suffice	0.07	416	—	—	—	—	—	—	—	1	12	17	37	127	79	65	26	12
Other Violence	0.60	2,801	254	133	106	76	70	639	200	166	167	187	224	304	501	268	279	224
OTHER CAUSES	4.48	21,656	723	837	277	175	119	8,650	303	179	168	132	309	805	539	940	2,211	7,984

Deaths of Infants (under one) to 1000 Births — 121

Marriages — 22,210
Births — 150,711

Annual Ratio of Persons Married to 1000 living Births — 13.24

— 30.97

Deaths in Registration Counties in the 10 Years 1871-80.

23.—HEREFORDSHIRE.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	18-86	—	—	—	—	—	39-04	4-30	3-20	4-64	5-97	7-71	10-29	14-18	27-69	60-64	189-64
Mean Population 1871-80	—	119,257	3069	2753	3078	2949	2979	14,798	14,433	13,470	11,091	9079	15,076	13,211	11,300	8976	5534	2589
ALL CAUSES	18-86	21,901	3078	808	405	302	224	5777	620	431	515	542	1163	1390	1692	2402	3350	4133
Small pox	0-04	46	4	3	—	1	—	7	1	1	—	—	—	—	—	4	—	—
Measles	0-16	193	36	56	—	18	14	155	21	5	3	2	8	8	—	—	4	—
Scarlet Fever	0-35	423	22	42	61	67	64	946	119	36	11	2	10	10	—	—	—	—
Diphtheria	0-12	175	4	12	12	16	23	69	27	34	11	—	8	3	—	1	—	—
Whooping-cough	0-26	311	124	81	26	35	5	291	19	—	—	—	—	—	—	—	—	—
Typhus	0-02	27	—	—	—	—	—	—	3	6	4	—	4	—	—	—	—	—
Enteric Fever	0-19	231	9	6	11	5	4	45	16	27	26	15	24	24	17	8	—	—
Simple Continued Fever	0-10	115	3	5	1	4	3	15	23	11	6	2	10	10	7	13	21	9
Febrile Fever	0-06	67	—	—	—	—	—	—	—	—	7	8	27	24	9	—	—	—
Parison and Dysentery	0-41	464	251	20	94	4	3	329	6	8	7	1	6	6	12	24	34	25
Cholera	0-01	12	1	1	—	—	—	3	—	—	1	—	—	—	—	—	—	—
Cancer	0-54	699	—	8	—	1	—	1	1	1	4	2	18	65	186	171	191	99
Scrofula	0-06	96	20	8	—	1	—	1	1	14	5	5	12	9	4	6	1	—
Tubercular	0-16	187	90	27	16	6	3	143	14	11	5	4	5	5	1	1	—	—
Phthisis	1-32	1814	33	12	15	7	2	69	23	51	108	256	451	398	220	145	68	—
Hydrocephalus	0-14	170	54	31	14	9	11	119	23	16	5	4	5	3	—	—	—	—
Neurotic System	3-91	3113	733	97	40	25	6	990	43	49	29	33	190	128	288	448	532	594
Cerebrum	1-71	2031	6	2	—	—	—	10	13	20	32	36	73	118	224	477	644	822
Respiratory	3-94	3312	719	229	66	42	29	1098	75	26	20	14	101	105	243	426	633	641
Diaphragm	0-89	1088	115	18	7	6	5	163	94	19	19	14	67	106	145	215	239	214
Stomach	0-27	489	5	—	2	3	—	11	7	8	11	11	54	25	73	76	117	84
Genitourinary	0-07	80	—	—	—	—	—	—	1	—	3	2	13	15	21	8	14	9
Childbirth	0-49	112	—	—	—	—	—	—	—	—	—	15	46	44	7	—	—	—
Self-killing	0-07	79	—	—	—	—	—	—	—	—	4	6	15	15	19	12	12	4
Other Violence	0-27	674	46	26	21	25	17	137	41	39	43	25	64	65	73	81	148	204
OTHER CAUSES	4-79	5729	1694	123	90	33	33	1851	60	60	47	53	77	124	169	271	713	2304

Deaths of Infants (under 115
one) to 1000 Births - } 115
 Marriages - 4999
 Births - 24,673
 Annual Rate { Persons Married - 11,577
 per 1000 living { Births - 29,077

* Changes were made in the boundary of this Registration County during the decade, see pp. 271-272.

Deaths in Registration Counties in the 10 Years 1871-80.

24.—SHROPSHIRE.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.		18'80	—	—	—	—	—	45'04	5'06	3'12	4'36	6'04	8'02	10'80	13'23	23'86	58'88	164'70
Mean Population 1871-80	—	266,442	7267	6490	7074	6823	6953	34,587	33,205	29,944	25,411	20,450	33,638	25,851	24,316	18,817	12,097	6216
ALL CAUSES	18'80	50,096	10,372	2583	1188	842	593	15,578	1680	934	1107	1357	2699	2507	3217	4866	7070	8691
Small-pox	0'08	206	25	5	6	5	9	43	14	13	12	19	34	25	34	15	5	5
Measles	0'23	163	163	178	241	42	17	433	42	86	28	15	20	12	3	1	—	—
Scarlet Fever	0'32	183	163	178	241	168	160	633	383	66	66	20	9	9	3	2	—	—
Diphtheria	0'19	507	59	35	42	65	46	208	181	69	16	8	—	—	—	—	—	—
Whooping-cough	0'27	734	724	222	61	36	31	704	18	2	—	—	—	—	—	—	—	—
Typhus	0'05	89	2	—	—	—	2	4	13	5	12	8	9	14	8	9	5	—
Enteric Fever	0'25	657	18	17	26	23	16	94	60	62	31	6	7	16	13	35	46	11
Simple Continued Fever	0'02	182	8	—	8	4	—	13	41	24	13	9	16	10	12	13	20	5
Intermittent Fever	0'02	182	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	0'60	1395	910	166	38	19	9	1132	9	5	1	8	34	17	26	27	114	212
Cholera	0'01	31	4	4	—	—	—	8	4	2	2	—	—	4	3	3	2	1
Cancer	0'52	1381	1	—	1	1	1	4	2	1	2	9	27	164	259	395	594	183
Scrophula	0'09	249	51	30	8	1	—	90	24	26	13	25	27	13	12	15	6	3
Phthisis	0'19	437	270	89	25	11	13	427	169	119	75	113	10	817	55	6	113	28
Hydrocephalus	0'17	440	131	99	34	20	19	591	76	135	405	335	1072	817	565	355	143	—
Nervous System	2'51	6090	2055	279	103	63	42	2512	181	73	72	69	297	354	418	704	1197	1075
Cerebrum	1'39	3704	9	6	1	1	1	18	35	61	75	69	177	284	35	704	1197	1075
Respiratory	1'12	3312	1391	717	247	125	60	3300	121	43	47	40	172	258	467	735	1250	1444
Respiratory	1'12	3312	1391	717	247	125	60	3300	121	43	47	40	172	258	467	735	1250	1444
Uterine	0'40	1063	18	9	9	5	6	47	23	20	19	20	85	100	154	202	211	181
Generative	0'05	136	1	1	—	—	—	2	—	—	3	6	14	25	27	35	19	5
Childbirth	0'09	251	—	—	—	—	—	—	—	—	10	31	115	91	4	—	—	—
Self-poisoning	0'03	144	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'61	1712	76	65	70	60	37	217	143	68	112	98	172	140	131	107	150	133
Other Causes	4'25	12056	3878	877	135	94	74	4553	149	111	87	73	161	225	285	555	1491	4560

Annual Rate of Persons Married - 19'41
per 1000 living Births - 31'25Marriages - 10,535
Births - 83,270Deaths of Infants (under
one) to 1000 Births - 125

Deaths in Registration Counties in the 10 Years 1871-80.

25.—STAFFORDSHIRE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	22.44	—	—	—	—	—	71.74	6.74	8.52	4.85	6.53	8.53	12.51	18.22	33.48	71.07	170.10
Mean Population 1871-80	—	142,067	31,126	27,223	28,043	27,686	27,385	141,343	123,840	104,705	92,538	81,702	132,313	102,691	76,073	40,804	25,983	9200
ALL CAUSES	—	211.440	61,925	20,797	19,031	5739	3020	101,492	8354	3754	4408	5354	10,887	12,838	13,938	16,676	18,190	15,649
Small-pox	0.36	3431	515	179	490	165	101	1520	801	246	235	258	296	177	83	84	9	4
Measles	0.40	3782	816	1443	1085	367	192	3333	225	11	5	3	4	1	—	—	1	—
Diphtheria	0.11	1078	62	108	140	115	118	633	217	82	0	17	25	23	9	—	1	—
Whooping cough	0.40	4645	2144	1386	555	289	136	4319	123	3	—	—	—	—	—	10	4	—
Typhus	0.04	333	5	2	5	10	18	40	44	38	38	37	35	38	24	24	7	8
Erysipelas	0.36	3421	68	163	149	149	133	601	492	384	403	315	424	296	211	138	65	20
Scarlet fever	0.12	1770	53	96	107	108	74	437	167	80	55	80	80	106	63	67	45	11
Enteric fever	1.13	1075	6575	2135	462	145	70	8388	80	38	17	138	16	108	111	248	390	388
Diarrhoea and Dysentery	0.02	150	33	10	9	5	2	59	4	7	4	7	11	16	16	16	14	5
Cholera	0.30	3085	2	4	4	6	6	21	5	13	9	26	139	292	687	1088	748	297
Scarlet fever	0.09	1483	152	47	26	21	21	465	60	61	67	86	12	34	36	33	14	3
Typhoid fever	0.35	1826	1826	268	123	76	55	344	112	64	10	104	306	314	307	108	21	—
Phthisis	0.36	3440	924	610	253	137	87	3080	228	85	33	113	15	14	2	1	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 (Nervous System)	2.97	27038	11782	3986	785	468	280	13311	668	344	383	533	929	1340	1786	2441	2781	1887
3 (Circulatory)	1.13	10445	42	10	8	13	10	94	176	273	294	273	880	1276	1761	2416	2309	1006
4 (Respiratory)	4.08	38466	10680	3258	1767	819	486	18832	974	213	276	372	1087	2004	2669	2416	2781	1887
5 (Urinary)	0.83	3183	1028	283	120	138	89	3523	116	66	10	113	273	373	479	1238	1238	423
6 (Genital)	0.04	369	3	1	—	—	—	4	—	—	—	17	59	67	91	78	38	14
Childbirth	0.10	687	—	—	—	—	—	—	—	—	23	167	369	365	14	100	64	17
Suicide	0.03	407	—	—	—	—	—	—	—	—	21	43	72	66	83	134	76	24
Other Violence	0.75	7020	280	226	363	254	273	1015	965	484	446	450	763	694	705	894	776	294
Other Causes	3.21	46920	2347	3860	1166	609	416	20420	736	386	816	336	692	946	1167	1910	4311	9467

Deaths of Infants (under 1 year) to 1000 Births . . . 160
 Marriages . . . 79,449
 Births . . . 89,271
 Annual Rate of Persons Married per 1000 living { Births . . . 41.21

Deaths in Registration Counties in the 10 Years 1871-80.

26.—WORCESTERSHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
ANNUAL DEATH RATE PER 1000	18.95							54.46	5.38	2.80	4.18	5.53	7.02	10.42	15.18	27.73	63.44	161.54
MEAN POPULATION 1871-80	350,643	10,538	9766	9469	9708	48,793	44,081	39,941	35,806	31,276	49,630	39,432	50,579	21,758	12,733	5314		
ALL CAUSES	18.95	68,137	17,073	2140	1459	1022	26,672	2371	1120	1497	1790	3482	4109	6054	7951	8284		
Small-pox	0.19	377	153	38	32	220	110	41	46	78	69	41	30	33	4			
Measles	0.26	528	172	45	32	872	38	8	5	7	21	8	2	9	1			
Scarlet Fever	0.71	2539	176	455	504	1800	549	168	31	17	20	13	3	3				
Diphtheria	0.15	658	34	32	57	348	179	83	20	8	1							
Whooping-cough	0.32	1169	547	145	73	25	1138	27	3									
Typhus	0.02	83	2	2	3	9	13	0	0	0	0	0	0	0	0			
Enteric Fever	0.25	97	24	21	21	35	105	105	120	59	117	75	13	45	4			
Simple Continued Fever	0.08	228	21	21	20	97	44	13	20	19	15	15	13	33	50			
Intermittent Fever	0.08	3167	1992	483	85	31	2007	58	4	2	8	46	146	56	2			
Diarrhoea and Dysentery	0.83	3167	13	3	16	24	1	4	2	11	3	1	1	72	141			
Cholera	0.01	61	1	1	1	7	2	3	0	0	0	0	0	0	0			
Cancer	0.45	1617	1	2	1	1	14	54	14	16	10	9	47	205	354	472	560	178
Scrophulous	0.28	570	15	15	15	15	769	29	23	18	18	6	12	3	14	11	4	3
Membranous	0.28	215	65	20	15	201	73	131	475	716	1330	1087	716	354	144	14	14	14
Phthisis	1.48	6291	155	68	25	37	291	89	23	13	10	5	1	1				
Hydrocephalus	0.20	510	201	159	61	48	296	89	23	13	10	5	1	1				
Nervous System	2.39	8579	2103	379	170	100	2905	205	113	132	132	117	253	449	623	1017	1501	1192
Cerebrum	3.34	4830	115	124	226	120	5075	355	113	132	132	117	253	449	623	1017	1501	1192
Respiratory	3.37	1835	397	419	226	120	5075	355	113	132	132	117	253	449	623	1017	1501	1192
Trachea	0.71	3515	87	80	319	50	601	69	46	49	49	66	175	317	505	658	864	1036
Urinary	0.39	1315	16	23	11	5	73	25	27	33	33	40	123	171	205	289	378	160
Generative	0.04	157						1	1	1	1	2	22	28	37	26	31	14
Diagnosed																		
Childbirth	0.06	323																
Suicide	0.06	217																
Violence	0.06	217																
Other Causes	4.47	10989	7097	837	253	169	8434	222	96	131	131	59	210	291	378	549	1461	4212

Annual Rate of Persons Married per 1000 living { Births

Marrriages Births

Deaths of Infants (under one) to 1000 Births

Annual Rate of Persons Married per 1000 living { Births

Marrriages Births

Deaths in Registration Counties in the 10 Years 1871-80.

27.—WARWICKSHIRE.

	Annual Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 100	—	21.90	—	—	—	—	—	68.89	6.43	3.41	4.92	6.51	8.43	12.66	18.39	32.01	67.00	168.13
Mean Population 1871-80	—	680,501	20,536	18,330	19,066	18,543	18,306	94,631	83,017	73,668	67,295	60,128	58,921	77,324	57,901	38,768	21,077	7779
ALL CAUSES	21.90	140,043	40,319	12,914	5754	3038	2578	65,193	5336	3512	3313	3817	8343	9780	10,764	12,641	14,311	12,923
Small-pox	0.39	1003	281	57	43	42	49	454	523	146	264	301	331	145	93	34	10	3
Measles	0.34	2994	696	677	423	314	184	2134	133	17	17	4	5	6	6	3	—	—
Scarlet Fever	0.96	5917	865	660	1125	1031	764	4157	1336	201	37	51	48	15	—	—	—	—
Diphtheria	0.19	1318	107	175	165	173	156	766	358	96	30	16	18	14	—	9	4	6
Whooping-cough	0.63	4371	1764	1369	876	316	151	4174	94	3	3	—	—	—	—	—	—	—
Typhus	0.03	1394	1	6	6	8	5	33	33	30	30	51	30	7	12	7	5	1
Enteric Fever	0.30	2013	39	43	64	75	85	310	310	220	287	268	230	175	130	70	67	30
Simile Continued Fever	0.09	613	24	43	40	39	49	204	109	45	43	33	53	40	39	40	59	20
Puerperal Fever	0.06	423	—	—	—	—	—	—	—	—	16	100	100	114	3	—	—	—
Diarrhoea and Dysentery	1.34	9000	6022	1476	370	87	56	7897	89	10	14	33	50	64	97	186	208	349
Cholera	0.01	83	14	11	6	6	6	39	6	3	3	1	4	6	6	6	9	3
Cancer	0.49	3305	—	—	3	1	3	6	14	9	21	16	141	454	764	925	718	264
Beriberi	0.09	634	125	90	42	27	21	314	48	45	47	28	43	28	83	57	14	7
Typhoid	0.34	1690	908	361	109	57	53	1443	64	33	36	23	16	28	83	7	6	—
Phthisis	1.85	13801	245	185	93	46	46	633	212	245	1080	1633	2343	2636	1943	961	270	83
Hydrocephalus	0.36	1776	684	415	180	106	77	1423	232	61	29	11	15	9	5	3	—	—
Varicella	0.04	18944	4323	1109	470	297	216	6194	485	268	254	263	685	939	1400	1916	2400	1712
Scarlet System	1.30	9163	28	11	1174	527	263	12314	431	136	116	201	889	1009	1300	1740	2100	1712
Respiratory	4.13	23713	7268	2429	1174	527	263	12314	431	136	116	201	889	1009	1300	1740	2100	1712
Dysentery	0.14	6416	565	149	86	27	40	1289	133	100	134	123	400	672	868	1139	1008	3313
Urinary	0.40	2741	33	33	33	44	38	179	119	60	65	53	246	237	440	479	437	436
Generative	0.06	409	—	—	—	—	—	—	—	—	1	3	61	91	97	85	39	14
Childbirth	0.09	583	—	—	—	—	—	—	—	—	38	53	263	322	7	185	78	16
Stillbirth	0.08	636	—	—	—	—	—	—	—	—	28	42	77	106	379	244	318	284
Other Violent Deaths	0.81	5097	1615	273	239	197	146	2400	421	243	231	163	345	264	379	244	318	284
Other Causes	4.44	8087	14846	1913	537	294	216	17925	444	243	219	200	475	873	713	1127	2044	6178

Annual Ratio { Persons Married
per 1000 living { BirthsMarriages : 55,756
Births : 823,796Deaths of Infants (under
one) to 1000 Births { 109

Deaths in Registration Counties in the 10 Years 1871-80.

28.—LEICESTERSHIRE.

Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
—	21 '61	—	—	—	—	—	68 '68	5 '09	3 '26	4 '90	6 '74	8 '01	11 '03	14 '83	27 '02	61 '47	103 '14
—	300,906	9238	8156	8250	8137	7906	41,675	36,811	32,363	29,370	25,865	41,846	32,434	25,002	18,778	11,235	4007
21 '61	65,914	19,502	4021	1957	1320	863	28,623	1875	1054	1438	1740	3352	3532	3342	5073	6919	7516
Small-pox	644	104	22	26	20	35	268	107	31	57	86	77	41	23	7	5	2
Measles	1175	278	437	216	125	49	1101	59	6	12	11	10	7	1	—	—	—
Scarlet Fever	1874	132	335	366	345	216	1384	326	29	12	11	7	9	1	7	3	1
Diphtheria	256	27	35	26	31	20	119	26	20	—	3	1	—	—	—	—	—
Whooping-cough	1229	468	283	137	68	31	1157	51	—	—	—	1	—	—	—	—	—
Typhoid	65	—	—	—	—	5	3	8	8	13	7	11	4	8	5	3	—
Enteric Fever	1028	31	45	47	34	24	182	131	133	138	97	127	73	23	20	31	5
Septicæmia	252	9	12	17	17	14	69	59	30	12	12	82	49	14	—	17	—
Septicæmia Continued Fever	198	—	—	—	—	—	—	—	—	—	42	16	25	26	62	140	201
Intermittent Fever	4519	3255	618	105	28	9	4015	37	—	—	6	1	1	3	10	7	4
Diarrhoea and Dysentery	51	7	1	4	2	2	16	4	1	—	—	—	—	—	—	—	—
Cholera	1482	1	—	1	2	3	7	—	1	6	13	52	129	324	416	265	187
Cancer	949	155	45	14	11	15	240	18	23	22	19	74	11	27	24	2	9
Scrophulous	922	513	168	47	21	10	789	80	23	23	17	44	13	7	9	2	1
Phthisis	524	229	113	33	13	20	498	87	125	532	791	1355	1004	275	288	87	4
Hydrocephalus	807	278	184	84	59	41	615	84	42	16	6	12	2	2	—	—	—
Nervous System	8220	3228	495	146	120	84	4133	182	104	101	83	260	366	325	828	1183	853
Cerebrum	8030	315	—	6	2	—	31	47	81	81	80	241	430	272	243	905	1384
Spinal Cord	19123	2743	352	32	211	105	4611	171	63	72	101	191	376	451	1339	1821	1383
Brain	326	1180	1180	40	18	10	674	67	12	33	44	81	131	153	191	465	256
Urinary	3905	580	76	40	13	7	57	42	11	33	6	18	53	25	35	19	6
Genital	1120	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	147	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	284	—	—	—	—	—	—	—	1	21	42	94	117	9	—	—	—
Quarrel	246	—	—	—	—	—	—	—	—	12	12	23	37	15	62	31	5
Other Violence	1658	194	70	81	70	26	471	123	93	79	73	139	111	137	182	139	157
OTHER CAUSES	13002	7185	634	135	113	80	8341	153	101	88	101	269	249	297	472	1568	4144
Deaths of Infants (under one) to 1000 Births	176	—	—	—	—	—	24,907	—	—	—	—	—	—	—	—	—	—
Marriages Births	111,370	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual Rate of Persons Married per 1000 Living Births	16 '40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths in Registration Counties in the 10 Years 1871-80.

29.—RUTLANDSHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	18.46	—	—	—	—	—	43.47	4.69	9.90	4.37	7.19	7.93	9.00	12.74	24.33	57.38	100.74
Mean Population 1871-80	—	23,190	569	575	573	573	562	2882	2833	2783	2264	1683	2800	2468	2143	1703	1166	512
ALL CAUSES	18.46	4281	890	170	84	65	45	1224	133	79	99	121	222	224	273	414	609	823
Small-pox	0.03	6	12	6	5	4	1	29	7	—	3	—	1	2	—	3	—	—
Measles	0.16	27	13	12	19	14	15	68	20	9	—	1	—	2	—	—	—	—
Scarlet Fever	0.49	114	7	3	2	2	2	10	18	8	3	—	—	—	—	—	—	—
Diphtheria	0.16	36	1	—	10	1	1	74	3	1	—	—	—	—	—	—	—	—
Whooping-cough	0.33	77	40	23	10	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	11	6	14	14	—	—	—	1	—	—	—
Enteric Fever	0.21	71	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	—
Simple Continued Fever	0.07	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intermittent Fever	0.03	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	0.23	134	50	6	5	3	—	63	1	—	1	—	1	1	—	6	18	27
Cholera	0.02	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.60	129	—	—	—	1	—	1	—	1	—	—	4	11	29	42	57	15
Nephritis	0.08	25	1	5	—	—	—	6	1	—	—	—	2	—	2	—	1	—
Tuberculosis	0.12	25	14	2	—	1	—	15	6	4	—	—	3	—	—	—	—	—
Meningitis	0.13	23	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Phthisis	1.43	329	4	2	3	—	1	10	6	13	41	47	63	61	44	15	6	1
Hydrocephalus	0.14	33	20	6	1	2	—	30	—	—	—	—	—	2	—	—	—	—
Nervous System	2.48	576	151	25	12	10	3	200	19	5	7	10	19	21	27	62	112	28
Circulatory "	1.34	267	14	1	—	—	—	6	16	5	4	12	15	20	29	67	112	28
Respiratory "	1.04	245	146	4	11	7	6	286	14	5	4	12	15	20	29	67	112	28
Infective "	0.04	80	—	—	—	—	—	—	4	2	6	3	14	15	12	33	48	16
Genitourinary "	0.04	10	1	—	—	—	—	1	—	—	—	—	—	2	3	—	—	—
Childbirth	0.05	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infants	0.15	94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.12	106	—	4	—	—	—	16	5	6	1	6	12	11	15	17	26	9
OTHER CAUSES	0.90	129	203	26	8	8	4	499	13	5	7	11	15	17	26	44	129	493

Deaths of Infants (under one) to 1000 Births — 151

Marriages — 1,495

Annual Ratio { Persons Married — 12.59

Births — 7,121

per 1000 living { Births — 30.70

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65	75 and upwards.
ANNUAL DEATH RATE per 1000	18-55	—	—	—	—	—	47-90	5-01	3-40	5-18	7-15	7-87	9-06	12-85	23-24	53-16	140-94
Mean Population 1871-80	445,568	19,697	11,576	12,095	11,952	11,719	60,039	54,949	49,193	42,598	35,759	57,995	47,470	39,014	30,102	19,301	8768
ALL CAUSES -	82,075	10,927	4513	2063	1296	1018	28,756	2755	1674	2226	2355	4567	4728	5012	6905	10,200	13,147
Small-pox	558	87	27	21	20	23	183	44	23	43	69	90	45	26	16	6	1
Measles	795	205	51	127	64	51	719	57	10	2	3	2	3	—	—	—	—
Scarlet Fever	2563	114	258	344	335	281	1372	608	155	61	33	30	24	6	2	—	—
Diphtheria	592	57	39	48	29	78	242	189	74	25	18	16	8	7	8	4	—
Whooping-cough	1476	776	413	167	69	28	1444	30	2	—	—	—	—	—	—	—	—
Typhus	159	1	2	3	2	6	14	33	24	21	15	12	8	9	9	4	3
Erysipelas	1210	19	27	30	46	31	153	113	132	117	158	145	107	165	80	82	16
Simple Continued Fever	272	13	9	13	16	12	64	56	36	38	30	16	21	21	31	34	24
Puerperal Fever	948	—	—	—	—	—	—	—	—	16	57	111	60	4	—	—	—
Varicella and Dysentery	5330	2028	350	73	35	19	2505	48	11	6	5	20	14	33	89	194	385
Cholera	87	22	5	—	—	1	28	3	—	1	2	5	7	10	20	3	7
Cancer	2955	—	1	—	—	—	—	—	1	6	5	66	210	464	695	639	287
Scalds	442	89	53	23	8	10	180	33	23	31	25	49	33	27	20	18	2
Tales Mesenterica	876	407	137	39	21	9	674	57	42	36	12	19	14	10	7	4	—
Phthisis	7522	1114	72	31	52	16	252	146	317	890	1258	2003	1393	721	454	167	19
Hydrocephalus	194	284	194	104	57	58	697	153	78	26	13	0	5	1	2	—	—
10 Nervous System	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
11 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
12 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
13 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
14 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
15 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
16 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
17 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
18 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
19 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
20 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
21 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
22 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
23 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
24 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
25 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
26 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
27 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
28 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
29 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
30 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
31 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
32 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
33 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
34 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
35 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
36 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
37 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
38 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
39 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
40 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
41 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
42 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
43 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
44 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
45 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
46 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
47 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
48 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
49 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
50 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
51 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
52 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
53 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
54 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
55 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
56 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
57 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
58 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
59 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
60 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
61 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
62 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
63 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
64 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
65 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
66 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
67 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
68 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162	140	223	485	794	1140	1868	1818
69 Cerebrum	1940	4065	494	229	181	73	5005	285	165	162							

Deaths in Registration Counties in the 10 Years 1871-80.

31.—NOTTINGHAMSHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	21.23	—	—	—	—	—	65.76	5.00	3.63	5.64	7.33	8.41	11.24	15.10	27.44	63.95	159.76
Mean Population 1871-80	—	397,023	11,933	10,558	10,668	10,628	10,630	54,367	43,253	42,590	38,796	35,144	50,506	43,634	33,778	23,800	14,344	5715
ALL CAUSES	21.23	84,279	23,840	6247	2693	1763	1308	35,750	2746	1548	2188	2577	4751	4903	5101	6556	9029	9180
Small-pox	0.37	1055	164	57	41	35	54	351	156	72	107	133	131	73	16	16	—	1
Measles	0.37	1470	312	576	248	166	118	1350	56	8	—	2	2	—	1	—	—	—
Scarlet Fever	0.64	2560	159	880	435	408	331	1723	645	116	38	15	18	3	9	2	4	—
Diphtheria	0.07	235	20	26	26	44	34	144	77	22	17	8	6	7	—	1	—	—
Whooping cough	0.37	1487	679	461	183	91	40	1457	28	1	1	—	—	—	—	—	—	—
Typhus	0.05	180	1	1	3	5	3	13	22	25	35	24	24	15	14	6	1	1
Enteric Fever	0.43	1707	26	46	57	53	65	247	201	214	248	216	224	121	103	69	54	15
Simple Continued Fever	0.11	439	16	27	36	33	25	139	63	34	37	23	28	18	24	31	27	16
Paratyphoid Fever	0.07	273	—	—	—	—	—	—	—	—	—	—	138	74	74	—	—	—
Diarrhoea and Dysentery	1.00	3946	2753	474	87	43	24	3360	20	7	7	12	27	27	20	92	169	165
Cholera	0.04	140	48	14	8	5	1	76	4	3	3	4	6	3	11	15	9	6
Cancer	0.15	1903	—	—	2	2	2	6	5	3	8	8	98	576	444	472	408	195
Scrophulous	0.16	803	243	85	34	12	11	295	27	26	26	21	40	15	15	14	15	7
Tuberc Mesenteric	0.41	1612	921	369	87	45	16	1488	770	34	72	14	13	10	7	4	—	—
Phthisis	1.96	7745	183	99	81	23	20	185	175	293	863	1238	1991	1610	849	431	129	22
Hydrocephalus	0.23	1153	491	263	96	77	60	923	137	49	53	17	14	4	—	1	—	—
Nervous System	2.90	11106	4639	585	245	144	100	5705	234	130	115	115	235	463	633	944	1472	1004
Cerebrum	1.34	4384	1314	167	72	42	22	2122	102	54	54	54	115	235	463	944	1472	1004
Respiratory	3.96	14194	3340	1745	567	300	167	6372	231	74	108	133	246	467	510	1440	2395	1981
Digestive	0.30	3375	533	30	15	20	16	656	66	61	64	90	324	328	491	633	675	593
Urinary	0.04	1363	14	14	19	13	16	76	37	20	26	43	134	150	133	268	265	199
Genitative	0.03	231	2	—	—	—	1	3	1	—	—	6	25	31	49	44	45	6
Childbirth	0.08	335	—	—	—	—	—	—	—	—	29	59	119	128	3	—	—	—
Stillbirth	0.07	247	—	—	—	—	—	—	—	—	1	—	15	16	75	62	39	17
Violence	0.00	230	216	109	97	97	73	491	263	143	144	147	228	314	307	185	179	151
Other Causes	4.73	18788	6518	913	253	139	58	10085	230	139	118	101	245	331	467	633	1004	6678

Deaths of Infants (under 1 year) to 1000 Births

Marriages - 84,824
Births - 145,329

Annual Ratio of Persons Married to 1000 living Births - 17.53

Deaths in Registration Counties in the 10 Years 1871-80.

33.—CHESHIRE.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	21.04	—	—	—	—	—	60.51	6.64	3.64	5.23	7.03	8.94	13.80	19.77	35.05	71.93	170.10
MEAN POPULATION 1871-80	—	880,788	17,091	15,345	15,949	16,486	15,825	78,946	60,884	62,846	57,295	82,136	85,195	66,346	50,122	33,738	17,951	6274
ALL CAUSES	21.04	132,171	29,421	9287	4300	2883	2033	47,774	4637	3290	2905	3664	7615	8300	9406	11,846	12,913	10,872
Small-pox	0.11	645	75	11	9	23	25	140	63	29	43	96	137	77	30	17	3	1
Measles	0.29	2133	535	204	205	214	113	2300	134	227	3	3	40	1	1	2	—	—
Scarlet Fever	0.25	875	127	101	113	129	112	2235	124	227	15	37	50	10	10	4	—	—
Diphtheria	0.17	976	177	781	237	137	77	2337	76	1	—	17	—	—	—	—	—	—
Whooping-cough	0.43	2464	1115	781	237	137	77	2337	76	1	—	17	—	—	—	—	—	—
Typhus	0.07	286	4	4	4	4	6	28	25	27	29	25	76	49	16	16	15	4
Enteric Fever	0.36	1671	38	63	73	63	66	292	219	146	183	109	294	183	125	108	47	8
Eruptive Continued Fever	0.09	450	14	24	25	25	25	115	79	36	35	64	156	154	40	43	25	16
Diarrhoea and Dysentery	0.26	8084	3310	737	135	88	33	4168	29	30	10	24	28	115	90	141	240	265
Cholera	0.02	86	35	9	1	3	5	43	5	4	1	1	3	10	10	11	9	2
Cancer	0.44	2509	1	2	1	2	1	7	4	5	6	15	90	212	601	739	649	240
Peritonitis	0.14	754	290	129	125	29	29	445	66	45	49	32	43	25	25	22	12	1
Phthisis	0.21	1126	117	117	125	40	31	1299	227	227	111	164	236	232	162	7	270	41
Hydrocephalus	0.30	1746	435	435	136	133	94	1415	210	75	22	10	7	10	2	1	—	—
Nervous System	2.37	10694	6000	967	423	266	165	7828	415	204	173	228	668	867	1232	1735	2148	1591
Cerebratory	1.37	7367	36	6	13	3	11	28	100	175	129	161	544	609	1262	1597	1807	765
Respiratory	3.70	21497	2122	2357	690	265	228	6960	444	113	124	203	640	1081	1777	2500	2679	2196
Tracheitis	0.17	1175	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129
Laryngitis	0.17	1175	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129	129
Consumptive	0.65	2395	1	1	—	—	—	3	72	2	6	11	49	49	79	40	41	8
Childbirth	6.10	609	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Maternity	6.10	609	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent	0.70	4451	225	196	166	194	110	2305	215	265	294	243	469	73	89	76	68	14
UNCAUSED CAUSES	4.16	2117	1070	160	423	261	173	12864	445	136	216	139	466	467	267	1361	532	2053

Deaths of Infants (under one) to 1000 Births } 146
 Marriages } 44,378
 Births } 203,960
 Annual Rate of Persons Married per 1000 living Births } 15.23
 } 25.12

* Changes were made in the boundary of this Registration County during the decade, see p. 871-72.

Deaths in Registration Counties in the 10 Years 1971-80.

34.—LANCASHIRE.

Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5 -	10 -	15 -	20 -	25 -	35 -	45 -	55 -	65 -	75 and upwards
—	25 '17	—	—	—	—	—	82 '22	8 '47	4 '34	6 '06	7 '86	10 '44	15 '64	23 '57	42 '62	53 '05	176 '88
—	3,167,539	98,133	85,823	87,816	85,620	82,302	439,703	375,795	333,654	311,652	300,003	504,590	370,114	294,547	163,337	75,788	22,643
—	797,162	208,741	80,540	35,070	21,980	15,178	351,518	31,813	14,476	18,844	23,567	52,716	58,829	62,342	69,613	43,394	40,060
0.22	6805	856	266	255	306	302	1995	931	438	531	866	1188	616	267	77	19	7
0.61	12533	4296	7679	3413	1853	202	1004	1004	1004	15	13	26	6	3	2	1	1
1.13	3909	2685	5368	4715	2435	475	2435	8727	1482	415	222	273	87	15	6	1	1
0.12	3308	617	1317	637	401	768	2387	853	172	50	57	68	46	29	1	13	2
0.94	20159	7580	6345	2876	1560	443	19451	707	172	4	—	—	—	—	—	—	—
0.13	4075	17	21	33	50	45	166	295	289	415	415	753	696	601	314	317	55
0.39	12338	329	877	610	511	445	372	1635	1283	337	260	392	430	360	332	204	75
0.15	4769	250	325	545	547	283	1555	1685	283	127	701	1342	690	25	—	—	—
0.10	4219	27714	8923	1596	440	235	38357	291	96	70	116	302	420	605	1003	1018	1941
0.94	11255	841	139	38	54	15	557	42	11	15	20	83	83	128	150	66	24
0.38	13018	112	9	6	18	7	52	15	34	47	71	552	1947	3323	3241	2124	679
0.13	4017	11239	763	310	172	117	247	346	226	215	142	192	137	106	108	24	4
0.24	78154	2913	2913	925	372	207	9331	501	280	143	103	114	101	67	33	18	183
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0.37	11859	4418	3151	560	397	563	10129	1697	2681	7629	10197	20238	16532	9663	4475	1154	—
0																	

Annual Rate of Persons Married	18'20
per 1000 living { Births	38'39

Marriages -	288,309
Births -	1,215,960

Deaths of Infants (under one) to 1000 Births	172
--	-----

1

Deaths in Registration Counties in the 10 Years 1871-80.

35.—WEST RIDING (YORKSHIRE).

Annual Death Rate per 1000	Annual Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 15 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
—	—	23-24	—	—	—	—	—	74-91	7-51	4-16	6-44	7-80	9-18	13-04	19-10	35-79	76-50	178-24
—	—	2,020,065	65,346	55,728	55,752	55,144	53,983	283,053	248,213	217,376	199,384	183,946	308,721	234,527	170,413	110,132	54,680	17,271
—	25-24	470,869	128,761	45,404	18,560	11,619	8337	212,701	18,410	9040	12,576	14,344	28,344	30,590	32,580	39,421	41,794	30,783
Small-pox	0-16	3653	608	302	176	134	149	1359	523	197	236	415	527	274	111	50	11	1
Measles	0-39	7945	1335	3305	1285	715	375	7460	460	34	8	6	15	9	2	—	—	—
Scarlet Fever	1-03	20083	1224	3167	2895	3268	2724	14186	2323	903	254	145	129	48	9	—	—	—
Diphtheria	0-06	1792	169	285	194	243	140	1021	503	95	61	22	40	35	15	18	8	2
Whooping-cough	0-23	10571	4553	3386	1394	667	343	10335	281	5	1	1	1	1	—	—	—	—
Typhus	0-06	1354	8	7	19	33	80	97	119	113	135	123	135	163	110	69	30	0
Enteric Fever	0-45	9166	210	523	233	315	313	1243	1013	883	1101	985	1265	853	699	460	246	20
Simple Continued Fever	0-14	2908	116	305	214	190	154	579	430	—	183	155	238	234	191	133	135	26
Febrile Fever	0-09	1833	—	—	70	—	—	—	455	—	107	455	630	490	311	—	—	—
Diarrhoea and Dysentery	1-13	23919	14856	4168	700	165	135	1921	217	11	15	17	154	254	317	548	594	713
Cholera	0-04	752	200	88	25	22	110	445	33	19	11	13	26	34	23	37	68	34
Cancer	0-40	8058	6	4	11	10	7	28	19	15	25	47	370	1534	2112	2269	1415	483
Scrofula	0-12	2286	571	377	137	88	64	1237	197	160	169	119	120	135	90	86	55	8
Typhoid	0-23	7671	3319	2040	258	234	140	6485	353	185	184	101	134	145	69	41	30	1
Phthisis	2-25	45768	650	335	265	203	184	10112	1012	1280	6472	6350	11046	8623	5594	2949	872	63
Hydrocephalus	0-36	7659	3758	2134	531	513	336	6386	625	280	103	205	46	23	10	4	—	—
Nervous System	8-27	68214	22721	4327	2108	1370	770	23310	1569	980	808	696	1715	3073	2047	6151	7326	2623
Cerebratory	1-26	25320	74	43	31	25	35	220	333	277	703	743	2146	4237	4389	4690	6151	1763
Respiratory	4-26	25320	25753	11941	8940	1773	1089	43445	1611	420	680	923	2785	4399	6766	10277	11699	6355
Digestive	1-00	20946	2673	613	316	166	123	3709	477	394	494	297	1409	2186	3090	3764	3123	1094
Urinary	0-06	7317	73	149	95	55	106	249	215	169	219	263	711	983	1065	1501	1382	345
Genesative	0-06	1046	30	1	5	2	1	16	2	—	22	47	160	230	230	186	118	24
Childbirth	0-11	2166	—	—	—	—	—	—	—	1	109	370	529	753	34	—	—	—
Sexual	0-07	1436	—	—	—	—	—	—	—	15	65	87	219	236	304	298	131	23
Other Violence	0-61	13490	914	284	538	263	220	2709	959	696	757	875	1493	1411	3233	1077	1779	489
Other Causes	4-33	86904	41247	6719	1739	1101	766	61763	1567	833	907	691	1473	1929	2173	2607	5393	13695

Annual Rate { Persons Married - 17-31
per 1000 living { Births - - - 85-30Marriages - 175,395
Births - 775,986Deaths of Infants (under 1000
one) to 1000 Births { 106

Deaths in Registration Counties in the 10 Years 1871-80.

36.—EAST RIDING (YORKSHIRE).

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	21.56	—	—	—	—	—	63.59	5.80	3.78	4.99	7.01	8.95	12.42	17.23	30.44	63.34	105.40
Mean Population 1871-80	—	334,478	9856	8620	8093	8805	8623	44,987	39,333	34,939	32,006	29,085	45,980	37,572	28,937	20,641	12,029	4670
ALL CAUSES	21.36	71,451	19,111	5288	2066	1173	901	28,459	2283	1320	1630	2080	4384	4687	4986	6284	7619	7739
Small-pox	0.16	630	62	20	14	28	25	149	107	35	32	58	70	37	22	12	8	—
Measles	0.27	891	124	332	158	73	66	817	57	7	2	8	2	1	1	—	1	—
Scarlet Fever	0.31	1695	101	224	315	249	211	1190	418	60	26	11	29	10	4	—	—	—
Diphtheria	0.11	370	27	83	135	103	88	515	112	31	1	9	9	—	—	—	—	—
Whooping-cough	0.44	1458	674	487	159	77	38	1445	41	—	—	—	—	—	—	—	—	—
Typhus	0.04	180	2	2	1	3	4	12	15	14	15	14	17	15	9	8	6	4
Enteric Fever	0.40	1333	23	40	41	26	42	163	120	113	143	139	211	131	103	83	58	20
Simple Continued Fever	0.17	569	28	64	69	34	35	210	93	41	20	19	37	31	23	35	36	19
Puerperal Fever	0.08	210	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	1.38	4381	317	690	84	52	17	3900	24	8	2	6	35	35	2	98	164	219
Cholera	0.05	87	34	5	2	3	2	45	6	—	—	1	2	5	6	9	5	6
Cancer	0.48	1614	1	—	1	1	—	3	2	6	6	11	66	272	414	421	323	140
Scrophula	0.11	373	90	25	18	10	6	185	26	29	23	11	31	31	19	11	7	—
Tubercular	0.33	1182	612	261	60	55	14	1018	156	29	29	16	18	10	7	—	—	—
Phthisis	0.28	678	83	167	22	24	42	218	112	27	43	91	172	120	73	414	153	—
Hydrocephalus	0.23	745	243	167	65	43	42	562	112	43	13	5	—	—	—	—	—	—
Nervous System	3.37	11281	4918	711	222	127	79	5554	193	100	100	116	384	631	735	1146	1343	1031
Cerebrum	1.40	4696	18	6	7	6	3	40	65	73	68	83	310	550	669	1008	1164	611
Respiratory	3.15	10542	2527	1255	430	133	110	4476	153	65	77	120	323	502	731	1216	1561	1354
Digestive	0.97	3249	405	59	35	12	13	234	68	44	56	75	215	329	452	591	848	544
Urinary	0.38	1261	16	9	6	12	6	40	31	30	30	5	21	126	148	291	352	183
Genital	0.06	205	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.08	283	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbed	0.07	246	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.07	2312	162	77	90	52	74	459	205	140	155	168	256	246	229	167	129	11
Other Causes	0.43	16090	6395	745	195	124	75	7555	156	152	117	107	254	281	353	604	1372	3887

Deaths of Infants (under one) to 1000 Births } 162
 Marriages } 30,079
 Births } 117,989
 Annual Rate { Persons Married - 17,999
 per 1000 living { Births - 35.27

Deaths in Registration Counties in the 10 Years 1871-80.

37.—NORTH RIDING (YORKSHIRE)*.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-9	10-14	15-19	20-24	25-29	35-39	45-49	55-59	65-69	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19-68	—	—	—	—	—	55-00	5-67	3-47	5-43	7-25	8-30	10-06	13-74	25-03	57-39	100-82
Mean Population 1871-80.	—	293,605	8501	7509	7990	7683	7709	30,548	35,308	31,118	27,440	24,198	39,444	30,640	23,712	17,164	10,405	4620
ALL CAUSES.	19-68	55,911	14,309	3011	1694	1072	836	21,783	2002	1080	1498	1765	3308	3368	3237	4403	5971	7407
Small-pox	0-15	435	49	15	11	13	16	115	60	20	29	40	66	44	26	20	6	1
Measles	0-25	708	172	209	109	71	36	647	43	2	2	4	4	—	3	1	—	—
Scarlet Fever	0-67	1803	98	241	205	275	298	1155	456	121	26	26	53	13	13	3	—	1
Diphtheria	0-12	341	27	29	29	44	43	163	99	84	14	5	7	10	6	3	—	—
Whooping-cough	0-27	1050	217	225	110	45	27	1024	24	3	—	—	—	—	—	—	—	—
Typhus	0-04	116	—	2	—	—	4	6	15	14	16	13	23	15	8	3	2	1
Erysipelas	0-15	25	15	25	42	17	23	103	124	97	146	161	228	125	85	27	45	17
Simple Continued Fever	0-00	248	11	15	15	17	9	70	25	25	35	15	30	14	10	18	18	2
Intermittent Fever	0-07	121	—	—	—	—	—	—	—	—	—	—	71	51	4	—	—	—
Parasitic and Dysentery	0-07	2807	1409	291	24	14	10	1778	19	1	3	6	20	20	22	20	115	123
Cholera	0-02	67	19	10	3	1	—	33	5	3	—	—	3	3	4	9	5	4
Cancer	0-47	1259	—	2	2	3	—	6	2	3	2	10	47	147	239	244	223	126
Epilepsy	0-11	315	83	45	15	7	17	167	26	11	27	15	15	20	12	9	4	1
Tubercle Meningitis	0-28	885	443	213	25	25	17	753	26	35	11	18	15	—	8	6	1	—
Phthisis	1-00	4733	61	245	29	28	23	114	114	206	255	718	1273	946	487	299	96	8
Hydrocephalus	0-04	971	239	245	29	28	49	770	119	43	11	11	6	—	—	—	—	—
Varicella	0-03	7403	2999	272	128	98	53	3708	164	99	99	74	123	208	298	661	1099	883
Measles	1-26	2913	14	6	1	5	7	23	26	26	26	70	124	204	294	795	1094	883
Scarlet Fever	3-05	6646	2971	1675	263	167	26	4017	129	24	79	98	378	419	419	777	1145	1198
Diphtheria	1-01	2971	264	26	24	13	23	46	26	26	26	26	125	200	278	265	288	278
Whooping-cough	0-27	1045	13	13	13	11	9	66	31	17	27	27	28	130	108	123	218	165
Cholera	0-06	149	—	1	—	—	—	1	—	—	—	1	8	25	25	31	25	7
Cholera Infantum	0-19	279	—	—	—	—	—	—	—	—	12	53	107	108	—	—	—	—
Cholera Asiatica	0-08	147	—	—	—	—	—	—	—	—	6	9	23	27	24	21	17	7
Other Diseases	0-08	1217	169	72	46	51	41	608	113	125	145	146	235	166	125	145	121	117
Other Causes	4-48	1260	2114	203	129	111	77	908	138	94	97	109	219	223	270	445	1141	2704

Deaths of Infants (under 1 year) 140 Marriages = 31,023 Annual Rate { Persons Married = 14-08
 one) to 1000 Births = 108,465 Births = 108,465 per 1000 living { Births = 36-14

* Changes were made in the boundary of this Registration County during the decade, see pp. 271-2.

Deaths in Registration Counties in the 10 Years 1871-80.

38.—DURHAM.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE per 1000	—	23.77	—	—	—	—	—	78.47	8.89	4.24	6.28	8.34	9.36	12.34	17.70	32.90	69.39	109.41
Mean Population 1871-80	—	809,681	27,480	23,633	25,114	24,234	23,751	124,212	107,284	89,864	78,942	72,789	122,184	89,222	61,251	38,314	19,948	6581
ALL CAUSES	23.77	192,472	58,522	20,951	8558	5450	3302	97,473	9542	4171	4955	6908	11,442	11,005	10,843	12,005	13,218	11,140
Small-pox	0.63	5091	761	955	540	279	294	1829	822	293	280	504	650	364	194	99	30	5
Measles	0.41	3208	629	1229	615	339	177	3033	241	16	132	2	4	30	1	4	1	1
Scarlet Fever	1.38	11142	629	1575	1797	1801	1369	7101	3155	312	332	56	60	19	6	8	3	0
Diphtheria	0.59	736	76	114	96	76	83	445	162	40	26	14	14	10	1	—	—	—
Whooping-cough	0.54	4375	1827	1456	535	288	123	4239	134	1	—	—	—	—	—	—	—	—
Typhus	0.13	1681	7	7	19	18	19	70	107	103	112	129	171	131	125	61	59	11
Erysipelas	0.13	1253	125	279	311	153	124	1073	215	45	45	47	47	130	123	123	113	37
Suppurated Fever	0.19	1823	40	79	114	83	85	403	312	95	70	77	117	89	76	86	47	47
Puerperal Fever	0.10	889	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea and Dysentery	1.17	9457	5596	2265	404	90	37	8192	82	19	16	31	78	100	108	108	319	223
Cholera	0.03	248	75	28	14	5	6	128	19	—	2	2	13	13	26	20	11	10
Cancer	0.33	2665	5	3	8	2	4	14	3	2	21	12	140	415	609	718	489	197
Typhoid	0.40	404	—	—	75	38	38	70	108	72	66	32	32	13	13	13	3	3
Typhoid Malignant	0.75	8052	2711	2069	526	143	83	5570	298	81	55	53	39	30	30	31	19	19
Phthisis	1.93	15357	2845	298	196	80	77	805	401	729	1728	2508	3294	2784	1644	855	250	18
Hydrocephalus	0.45	5620	1344	982	372	211	170	3079	590	106	33	13	16	8	2	3	—	—
Nervous System	3.12	25247	11469	1682	743	499	279	14852	708	361	271	278	678	688	1897	1891	2400	14.2
Circulatory	3.14	2509	10	10	15	14	14	1579	180	180	215	232	332	1259	1254	1254	1011	760
Respiratory	1.71	8256	4328	143	633	403	41	638	215	215	215	215	215	215	215	215	215	215
Urinary	1.02	5571	339	539	128	71	54	2230	207	141	177	228	542	891	1078	1262	1461	1309
Genital	0.28	2284	42	94	66	46	35	283	111	53	65	106	243	299	358	358	353	153
Generative	0.05	383	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
Childbirth	0.12	602	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.05	384	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Causes	4.89	19867	492	3948	293	156	185	1223	451	579	576	405	690	690	816	1318	2931	5847

Deaths of Infants (under 1 year) to 1000 Births - 126
 Annual Rate of Persons Married - 10.85
 per 1000 living - 43.69
 Births - 353,003
 Annual Rate of this Registration County during the decade, see pp. 371-75.
 * Changes were made in the boundary of this Registration County during the decade, see pp. 371-75.

Deaths in Registration Counties in the 10 Years 1871-80.
39.—NORTHUMBERLAND.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE per 1000	—	22.74	—	—	—	—	—	67.66	7.93	4.66	6.27	8.39	10.01	13.33	18.48	33.96	68.98	166.90
Mean Population 1871-80	—	410,366	12,559	11,070	11,609	11,254	11,084	57,546	50,495	44,163	40,433	37,303	60,434	45,616	33,897	22,933	12,632	4626
ALL CAUSES	22.74	93,315	23,769	7904	8391	2349	1663	39,376	4006	2066	3240	3129	6031	6032	6932	7561	8713	9050
Small-pox	0.37	1335	181	56	57	67	81	445	224	79	104	164	226	149	75	39	23	5
Measles	0.26	1130	253	409	102	116	65	1035	81	18	2	4	3	1	1	—	—	—
Scarlet Fever	1.15	4099	273	639	756	736	253	3109	1370	226	70	28	56	15	7	5	3	—
Diphtheria	0.13	535	48	72	89	73	63	314	122	38	13	11	13	10	4	6	8	1
Whooping-cough	0.49	1991	860	266	253	134	64	1906	81	3	—	—	—	—	1	—	—	—
Typhus	0.10	398	4	5	6	12	5	32	36	25	35	43	60	53	53	39	30	2
Erysipelas	0.37	1499	27	37	71	53	60	277	195	124	173	164	186	112	83	76	45	17
Simple Continued Fever	0.15	498	26	31	31	26	30	146	97	42	36	16	35	29	33	23	29	16
Intermittent Fever	0.10	413	—	—	—	—	—	—	—	—	—	107	133	96	—	—	—	—
Paratyphoid Fever	1.02	4965	2396	896	122	44	20	3399	41	9	36	14	24	49	76	112	294	249
Diarrhoea and Dysentery	0.64	181	83	20	6	4	2	125	7	4	4	1	4	5	8	14	14	—
Cholera	0.44	1797	—	1	1	—	2	4	5	1	7	13	79	221	413	481	400	172
Cancer	0.11	443	196	49	115	9	13	213	26	24	33	21	31	31	30	14	14	—
Scrophula	0.63	2255	1060	833	523	89	60	3255	117	34	33	14	55	7	12	5	1	2
Tubercle Meneries	2.27	8334	1117	106	62	28	31	261	222	402	969	1333	2499	1713	1099	299	189	32
Phthisis	0.40	1661	561	413	153	106	96	1261	186	61	94	14	9	4	1	—	—	—
Hydrocephalus	0.07	12699	4193	896	302	183	139	5615	323	174	151	147	374	540	824	1490	1965	1946
Nervous System	1.46	5999	31	10	15	6	7	296	61	110	126	146	403	693	933	1299	1725	1846
Cerebrum	3.06	12544	2473	514	614	247	175	5933	241	116	116	173	403	693	933	1299	1725	1846
Respiratory	1.15	4730	613	127	23	25	27	1049	97	78	113	115	253	473	644	819	1044	1174
Digestive	0.86	1690	27	33	30	21	28	1394	60	45	41	68	173	166	166	266	366	566
Urinary	0.06	263	5	3	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Genital	0.11	444	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.07	273	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.07	273	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	4.51	15671	9941	1621	86	74	137	686	176	215	218	253	476	499	390	316	315	14
OTHER CAUSES	—	—	—	—	—	—	—	10485	396	138	171	142	218	326	400	712	1099	2746

Deaths of Infants (under one) to 1000 Births . . . 113
 Marriages . . . 37,464
 Births . . . 186,063
 Annual Rate of Persons Married per 1000 living { Births . . . 19.26
 . . . 38.03

Deaths in Registration Counties in the 10 Years 1871-80.

41.—WESTMORLAND.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	17.78	—	—	—	—	—	38.98	4.88	3.30	5.30	7.68	7.76	10.70	14.87	24.36	60.00	163.28
Mean Population 1871-80	—	64,723	1886	1640	1677	1673	1616	8481	7716	7250	6869	6518	6846	6868	6566	4331	2654	1171
ALL CAUSES	17.78	11,468	2144	545	276	182	189	3286	372	246	343	421	687	741	811	1065	1594	1912
Small-pox	0.07	47	4	1	1	3	1	10	4	—	4	4	9	8	4	3	1	—
Measles	0.19	126	31	47	22	6	2	111	11	1	—	—	7	—	—	—	—	—
Scarlet Fever	0.18	71	16	20	47	26	27	136	23	17	12	7	7	—	1	—	—	—
Diphtheria	0.11	71	8	8	10	11	8	130	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0.24	166	73	40	16	11	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	0.65	33	—	—	—	1	—	1	4	3	3	5	5	2	5	3	2	—
Enteric Fever	0.20	195	—	6	8	3	—	25	19	12	19	18	30	25	22	13	9	—
Simple Continued Fever	0.06	38	1	8	1	1	—	6	7	1	4	6	3	3	6	3	1	—
Purpuric Fever	0.06	38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intermittent and Typhoid	0.26	161	—	—	—	—	—	110	—	—	—	—	13	5	4	10	13	—
Cholera	0.01	6	—	17	4	1	—	—	2	—	1	—	3	—	2	1	2	—
Cancer	0.47	305	—	1	—	—	—	1	—	—	—	1	4	17	27	92	90	43
Scrofula	0.10	63	—	3	3	4	1	13	4	6	5	2	4	4	4	4	3	1
False Membranitis	0.15	117	—	16	4	4	—	32	15	44	13	21	817	265	34	—	1	—
Hydrocephalus	0.26	168	—	36	22	7	7	136	23	8	8	8	—	—	—	—	—	—
% Nervous System	3.61	1680	216	87	41	26	23	691	46	83	23	29	43	45	103	125	260	242
Cerebrum	1.20	630	—	—	—	3	3	15	15	15	22	17	23	25	46	160	184	186
Cerebellum	2.41	1050	—	—	—	21	12	286	31	12	14	16	24	24	83	104	214	201
Respiratory	3.11	1363	—	114	47	4	—	—	16	12	19	15	24	25	101	123	143	75
Digestive	1.13	478	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urinary	0.06	262	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.06	43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.08	63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infants	0.08	53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other	0.06	210	—	19	6	—	10	—	16	10	3	3	4	10	12	14	5	2
Other Violence	0.26	207	—	93	35	25	16	1012	21	27	27	25	41	46	27	41	36	37
OTHER CAUSES	4.26	207	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under 100) to 1000 Births — 13.40
 Annual Rate { Persons Married — 13.40
 Births — 31.13

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	21.88	—	—	—	—	—	62.14	6.77	4.31	6.53	8.40	10.34	12.76	17.36	32.56	65.09	100.35
mean Population 1871-80	—	227,020	67,600	59,160	6,405	6,261	6,200	31,541	25,763	25,088	22,100	19,765	31,815	24,726	19,262	13,510	7,423	30,220
ALL CAUSES	21.88	40,076	11,651	4,004	1,848	1,227	870	19,690	19,47	10,81	14,55	16,60	32,89	31,63	33,43	43,99	48,76	48,63
Small-pox	0.41	931	105	46	44	33	43	271	110	47	96	124	168	64	22	12	6	1
Scarlet Fever	0.37	1,283	234	440	257	131	83	1,144	104	14	14	5	5	3	1	—	—	—
Diphtheria	0.15	1,570	252	252	275	237	188	1,034	359	91	28	8	15	4	2	1	—	—
Whooping-cough	0.49	1,110	497	323	181	90	35	1,070	323	25	13	6	15	5	4	2	2	2
Typhus	0.08	147	—	4	2	4	7	17	14	23	19	16	22	14	18	5	4	1
Enteric Fever	0.13	287	40	24	37	22	25	328	111	31	90	86	115	40	30	24	20	7
Simple Continued Fever	0.13	287	7	13	11	17	10	64	47	31	16	13	19	21	25	26	19	7
Typhoid	0.08	192	—	—	—	—	—	—	—	—	12	43	77	53	2	—	—	—
Diarrhoea and Dysentery	0.54	1,222	646	215	46	16	9	232	8	2	5	10	20	16	24	37	82	80
Cholera	0.03	79	44	13	—	3	1	61	—	—	1	—	4	4	4	—	—	1
Cancer	0.41	334	2	—	1	—	—	2	1	2	4	6	37	101	214	235	201	110
Scrophulous	0.17	183	—	60	22	16	7	203	30	29	28	25	27	14	17	8	—	—
Salmon Typhus	0.17	665	280	191	37	17	16	561	58	19	13	11	9	6	—	—	—	—
Typhoid	1.79	4,004	84	71	30	21	35	224	103	135	431	561	1,046	723	465	268	185	8
Hydrocephalus	0.25	640	206	157	55	43	35	495	58	26	13	6	6	3	2	1	—	—
Nervous System	2.89	6,932	2,605	410	152	119	83	3,429	156	92	110	83	180	264	585	603	794	547
Cerebrum	1.21	2,742	1,010	3	3	3	11	4,029	182	57	83	37	83	321	634	624	412	337
Circulatory	1.21	2,742	1,010	3	3	3	11	4,029	182	57	83	37	83	321	634	624	412	337
Respiratory	0.99	2,946	303	60	23	13	19	408	56	35	45	47	144	251	694	1,284	1,494	1,060
Digestive	0.32	728	14	20	15	11	30	70	19	17	24	22	71	96	821	429	366	140
Urinary	0.04	91	1	—	1	—	—	2	—	—	—	1	—	—	19	20	13	4
Generative	0.13	292	—	—	—	—	—	—	—	—	10	48	121	105	8	—	—	—
Childbirth	0.04	91	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
Suicide	1.21	9776	113	64	54	60	43	519	163	211	231	267	432	323	263	207	137	3
Other Violence	0.31	—	3833	549	183	125	87	4,297	163	85	88	75	297	205	255	455	936	2370
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under 1 year) to 1000 Births } 135
 Marriages } 18,330
 Births } 80,925

Annual Rate of Persons Married per 1000 living Births } 37.80

Deaths in Registration Counties in the 10 Years 1871-80.

43.—SOUTH WALES.*

	Annual Death Rate per 1,000	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1,000	—	21.09	—	—	—	—	—	58.11	7.38	4.87	7.05	9.24	10.40	12.51	16.37	28.47	57.65	150.40
Mean Population 1871-80	—	82,471	24,205	21,348	23,019	22,576	22,455	113,603	105,299	91,771	82,516	75,068	110,356	87,744	67,536	48,106	27,432	12,940
ALL CAUSES	21.09	173,764	39,465	12,670	6344	4317	3255	69,011	7627	4467	5800	6753	12,101	10,070	11,050	13,004	15,315	10,474
Small-pox	0.24	2312	284	65	28	94	108	670	532	163	211	340	377	162	68	25	12	1
Measles	0.20	3296	609	1100	572	337	190	2953	246	53	7	4	4	7	4	4	—	—
Scarlet Fever	0.86	7020	495	1091	1217	1071	586	4773	1708	346	131	76	87	52	0	—	—	—
Diphtheria	0.13	1107	97	137	106	154	139	695	219	109	32	16	50	18	17	10	3	—
Whooping-cough	0.43	3375	1369	1017	418	323	130	3376	143	9	5	—	—	—	1	—	—	—
Typhus	0.06	518	4	7	6	11	9	37	62	67	50	63	80	88	40	32	23	6
Enteric Fever	0.45	5715	56	124	168	136	145	613	486	403	506	416	334	285	299	134	66	31
Simple Continued Fever	0.11	1103	41	77	71	63	61	319	162	106	90	71	79	67	37	65	65	31
Intermittent Fever	0.09	779	—	—	—	—	—	—	—	—	84	140	408	182	12	—	—	—
Malaria	0.41	3011	1864	477	114	24	24	3553	40	18	17	22	46	66	93	111	127	241
Cholera and Dysentery	0.01	121	31	8	4	5	5	80	3	2	—	2	—	9	14	14	15	3
Cancer	0.40	3279	—	3	5	6	3	17	4	3	14	14	128	239	653	660	754	417
Scrofula	0.15	1346	238	132	71	42	43	125	104	109	99	94	131	23	48	43	65	9
Tubercular	0.22	1551	681	474	178	75	45	1464	149	79	25	37	28	304	10	13	7	—
Hydrocephalus	0.14	2911	293	388	204	94	91	1073	667	971	2331	3061	4974	3944	2774	1004	710	121
Hydrothorax	0.27	2306	514	476	207	150	131	1466	415	177	65	56	—	—	8	5	1	—
Nervous System	3.09	3507	1291	1701	646	374	281	12973	668	314	383	297	374	237	1994	1615	2037	1840
Cerebrum	1.02	8300	39	8	10	10	10	67	136	210	234	241	339	284	1533	1861	1870	1844
Cerebellum	3.29	27128	1853	2977	1170	667	541	10676	635	197	314	302	977	1366	1919	2302	2476	2476
Spinal Cord	0.80	6631	685	137	65	65	32	1033	185	133	181	270	418	716	962	1172	1066	454
Urinary	0.26	2905	31	36	45	37	29	171	75	69	76	113	301	540	473	640	423	224
Genital	0.61	2905	3	1	—	—	—	4	1	—	—	13	24	27	63	45	25	16
Childbirth	0.19	1000	—	—	—	—	—	—	—	—	34	145	427	401	25	—	—	—
Scalds	0.06	340	—	—	—	—	—	—	—	—	14	29	55	38	30	77	48	31
Other Violence	0.81	4096	274	213	545	165	163	1090	539	540	644	775	1047	844	674	323	531	553
OTHER CAUSES	0.44	86143	12785	2915	772	449	271	16454	761	433	319	375	677	810	997	1736	2701	11671

Deaths of Infants (under 1 year) to 1000 Births - 132
 Marriages - 65,043
 Births - 208,400
 Annual Ratio (Persons Married per 1000 living) Births - 30.21
 * Changes were made in the boundary of this Registration County during the decade, see pp. 371-74.

Deaths in Registration Counties in the 10 Years 1871-80.

44.—NORTH WALES.*

	Annual Deaths per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	20.59	—	—	—	—	—	45.09	6.33	4.34	6.73	0.48	10.41	11.20	14.81	27.16	57.82	158.04
MEAN POPULATION 1871-80	—	448,953	12017	10863	11849	11735	11360	57844	63589	49407	42673	35053	00353	48005	40110	31655	19216	9498
ALL CAUSES	20.59	92,415	17253	5065	2183	1738	1340	25107	3715	2144	2820	3410	6273	8454	5042	8593	11111	14763
Small-pox	0.07	504	42	14	3	3	11	73	21	14	18	47	54	37	25	13	9	—
Measles	0.23	115	981	360	137	59	65	192	130	10	5	3	5	6	—	—	—	—
Scarlet Fever	0.50	219	175	401	474	421	381	1860	846	272	80	48	48	19	4	6	—	—
Diphtheria	0.30	1035	333	285	165	87	160	3350	368	135	49	10	23	15	4	—	—	—
Whooping-cough	0.32	1420	612	282	176	93	51	1329	73	12	2	—	—	—	—	—	—	—
Typhus	0.05	216	—	8	6	2	4	14	19	23	32	28	31	19	15	29	12	8
Intermittent Fever	0.21	1071	22	26	28	50	22	159	105	105	135	107	160	113	82	72	54	19
Simple Continued Fever	0.11	591	11	11	12	9	8	51	58	40	49	38	32	37	40	49	60	83
Septic Fever	0.08	369	—	—	—	—	—	—	—	—	17	78	187	89	3	—	—	—
Typhoid and Dysentery	0.25	1155	528	143	28	—	—	709	13	10	12	10	28	34	40	91	135	188
Cholera	0.04	155	6	—	—	—	—	6	—	1	1	—	—	5	8	11	7	11
Cancer	0.20	2320	2	1	—	—	—	8	1	6	9	9	60	183	465	478	277	299
Scrophula	0.10	441	49	36	28	10	8	129	34	43	35	44	25	35	20	21	22	7
Valves Aneurism	0.18	554	292	16	59	21	25	577	79	39	32	19	34	15	8	6	—	—
Hydrocephalus	0.15	1157	223	210	100	84	81	1712	282	213	1283	1821	2988	1774	1215	876	411	268
Nervous System	3.83	17190	8129	1057	391	243	167	10022	414	191	185	167	320	413	652	1153	1793	1878
Cerebratory	1.98	4830	5	6	—	—	4	28	66	91	120	102	213	408	608	1071	886	886
Respiratory	3.11	13753	2109	1682	404	247	138	5962	291	127	166	166	263	601	911	1868	2538	2538
Uterine	0.16	657	573	105	40	41	27	659	163	80	97	14	213	464	647	902	91	53
Genital	0.16	3126	147	22	16	8	1	57	48	29	48	1	134	164	192	263	58	191
Genital	0.05	297	—	—	—	—	—	1	1	—	2	11	27	33	41	42	52	17
Childbirth	0.12	548	—	—	—	—	—	—	—	—	16	71	247	191	23	—	—	—
Suicide	0.03	143	—	—	—	—	—	—	—	—	—	5	11	—	—	—	—	—
Other Violence	0.29	1299	71	103	94	69	68	375	172	162	218	200	374	268	31	32	19	8
Other Causes	4.12	18782	427	719	349	218	165	8839	401	128	190	183	569	411	614	1104	243	251

* Changes were made in the boundary of this Registration County during the decade, see pp. 31-78.

Deaths of Infants (under one) to 1000 Births } 125

Marriages } 30,848

Annual Rate of Persons Married per 1000 living } 13.74

Deaths } 21.39

I.—KENSINGTON* (including the Unions of Paddington, Kensington, and Fulham).

During the 4 Years 1871-74.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19.28	—	—	—	—	—	65.06	5.43	2.95	4.23	5.16	7.71	11.81	17.71	30.94	65.07	152.26
Mean Pop. } 1871-74 - }	—	302,288	8805	7025	7200	6975	6730	36388	20560	25200	29108	33228	56201	38246	26666	10,006	8458	3131
ALL CAUSES	19.28	23,317	6113	1922	760	475	345	9615	642	297	402	686	1735	1807	1880	1981	2266	1907
Small-pox - -	0.20	241	50	18	13	14	12	106	28	8	4	20	42	15	16	4	2	1
Measles - - -	0.43	798	151	243	103	52	22	571	21	3	2	-	1	-	-	-	-	-
Scarlet Fever -	0.29	367	19	52	69	59	50	340	87	16	4	3	12	4	-	1	2	-
Diphtheria - -	0.12	146	16	17	11	18	18	81	41	2	4	3	5	4	1	2	2	2
Whooping-cough	0.54	649	246	207	90	46	29	625	24	-	-	-	-	-	-	-	-	-
Typhus - - -	0.04	41	-	-	-	2	2	4	3	2	4	3	7	6	4	5	5	1
Enteric Fever -	0.22	260	11	9	8	10	8	40	40	27	34	56	26	21	17	11	10	-
Simple Cont. Fev.	0.69	161	3	7	10	12	8	40	13	3	4	3	9	8	5	13	7	1
Puerp. Fever -	0.10	123	-	-	-	-	-	-	-	2	2	0	67	25	-	-	-	-
Diarr. and Dys.	1.01	1248	963	141	10	7	2	1123	4	3	1	1	7	10	23	14	30	32
Cholera - - -	0.05	58	31	11	2	-	-	44	2	-	1	-	1	3	1	2	4	-
Cancer - - -	0.25	632	-	-	1	1	-	2	-	-	1	2	56	62	163	174	133	61
Serofula - - -	0.09	113	38	13	7	3	1	64	6	8	3	4	6	6	19	3	4	-
Tuberc. Mesent.	0.23	335	133	74	28	8	6	31	19	9	2	1	2	-	-	1	-	-
Phthisis - - -	2.30	2783	59	50	24	11	8	152	45	52	180	320	179	107	288	169	55	8
Hydrocephalus	0.46	552	219	141	48	40	28	476	45	12	8	2	7	2	-	-	-	-
Diseases of {	2.18	2970	630	133	65	88	27	943	58	28	24	31	90	153	225	501	465	314
Nervous Syst.	1.21	1450	18	8	1	-	-	24	26	21	39	35	152	215	194	269	349	145
Circulatory	2.67	4186	1169	497	176	87	65	1944	54	22	28	43	151	215	842	468	617	220
Respiratory	0.95	1144	150	8	6	5	6	175	24	18	39	24	94	154	109	184	176	91
Digestive	0.47	569	2	2	2	6	3	15	12	5	19	11	42	77	102	117	105	64
Urinary	0.07	57	-	-	-	-	-	-	-	-	1	1	16	12	26	28	9	4
Generative	0.08	94	-	-	-	-	-	-	-	-	-	-	4	11	47	62	-	-
Childbirth - -	0.08	93	-	-	-	-	-	-	-	-	2	2	8	19	28	19	12	3
Suicide - - -	0.07	694	178	88	10	17	23	278	40	18	32	80	87	61	65	60	24	33
Other Violence -	3.14	3223	1943	229	80	69	38	3329	53	40	41	41	94	103	112	143	233	615
OTHER CAUSES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Deaths of Infants (under one) to 1000 Births } 100 Marriages* - 11,006 Annual Rate } Persons Married* - 17.09
Births } 39,156 per 1000 living } Births } 31.53

* The Union of Fulham was detached from KENSINGTON District on 1st April 1875, and created a distinct Registration District. The births and deaths in Fulham were separately abstracted from the commencement of 1875, but the number of marriages and the corresponding rate apply to the 4 years ending 31st March 1875. The marriages, births, and deaths in KENSINGTON District, exclusive of Fulham, for the remainder of the decade 1871-80 are given in the following Table.

1.—KENSINGTON* (including the Unions of Paddington and Kensington).
During the 6 Years 1875-80.

	Annual Death Rate per 1000.	19.02	—	—	—	—	—	72.14	6.47	3.36	3.64	4.50	7.12	11.80	17.88	20.15	22.08	155.67
Mean Pop. 1875-80.	—	253,726	5850	5335	5152	5225	4375	26545	23920	20060	23613	30536	49187	32874	22106	14444	7722	2715
ALL CAUSES	19.02	24,959	6874	2525	1012	672	470	11489	800	404	559	824	2060	2328	2851	2013	2878	2384
Small-pox	0.05	76	14	4	2	1	1	24	10	2	4	5	10	14	5	2	2	—
Measles	0.42	625	172	239	101	52	32	596	25	4	3	1	3	2	1	—	—	—
Scarlet Fever	0.15	694	36	90	115	99	19	439	100	35	12	3	10	5	2	—	—	—
Diphtheria	0.14	215	9	20	33	23	26	113	40	19	7	4	8	2	—	2	1	—
Whooping-cough	0.65	1040	409	328	141	60	47	1657	31	3	—	—	—	1	—	—	—	—
Typhus	0.02	24	—	—	—	1	2	3	4	1	0	3	2	4	—	2	2	—
Enteric Fever	0.13	146	2	6	7	6	11	32	22	23	20	19	41	24	8	7	13	4
Simple Cont. Fev.	0.03	50	4	3	5	4	5	19	5	3	2	2	3	3	3	2	5	—
Puerp. Fever	0.06	93	—	—	—	—	—	—	—	—	1	24	47	19	2	—	—	—
Diarr. and Dys.	0.71	1083	772	182	18	8	5	975	5	1	—	2	17	12	10	23	32	46
Cholera	0.02	31	16	1	1	—	—	18	1	1	2	2	1	1	4	4	2	1
Cancer	0.02	940	1	—	—	—	1	2	4	—	2	5	32	194	194	272	222	90
Serofula	0.13	194	45	45	23	0	15	135	14	5	13	7	4	4	3	6	3	—
Tuberc. Mesent.	0.32	463	267	107	31	9	10	416	14	7	4	1	3	3	3	2	—	—
Phthisis	2.35	3552	62	47	17	8	12	193	52	22	25	403	1015	791	501	103	78	5
Hydrocephalus	0.41	625	207	155	66	40	56	350	26	21	5	5	2	1	—	—	—	—
Diseases of	2.66	3112	720	215	80	52	37	1114	78	39	35	56	99	177	277	587	485	467
Nervous Syst.	1.31	2078	17	3	4	5	2	45	25	24	43	38	144	209	549	409	464	237
Circulatory	2.77	3835	1320	794	271	103	61	2376	84	26	26	69	177	271	582	628	759	722
Respiratory	0.95	1452	177	28	20	10	6	241	23	18	27	53	121	194	121	202	246	116
Digestive	0.26	848	3	4	2	4	5	18	14	8	11	19	82	97	145	178	193	90
Urinary	0.02	154	—	—	—	—	—	—	—	—	—	4	14	32	27	27	93	9
Generative	0.05	76	—	—	—	—	—	—	—	—	6	11	32	27	—	—	—	—
Childbirth	0.08	123	—	—	—	—	—	—	—	—	7	9	25	27	20	17	11	1
Suicide	0.31	752	210	21	31	19	15	206	63	20	24	56	66	74	71	57	41	44
Other Violence	2.92	4453	2149	277	72	48	28	2574	88	66	40	40	94	104	117	162	266	721

Deaths of Infants (under one) to 1000 Births } 153 Marriages* - 11,734 Annual Rate } Persons Married* - 20.09
Births } 45,027 per 1000 living } Births } 29.85

* This Table relates to the District of KENSINGTON, as constituted after the separation of the Union of Fulham. The number of marriages and the corresponding rate are for the 6 years from 1st April 1875, and the births and deaths for the 6 years 1875-80. See also Note to previous Table.

2.—FULHAM.*
During the 6 Years 1875-80.

	Annual Deaths per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS PER 1000	—	20.78	—	—	—	—	—	65.90	6.91	3.44	4.61	5.64	7.50	11.61	18.34	36.63	65.24	175.71
Pop. 80	—	99,500	3312	2000	2803	2632	2010	14373	11700	9703	9173	9560	17022	12318	7572	4608	2555	981
CAUSES	20.78	12.415	3484	1205	501	297	204	5001	435	200	254	324	703	858	835	1023	1000	981
Ex -	0.64	332	27	12	5	11	14	69	43	24	37	53	64	57	24	5	1	1
Fever -	0.48	259	124	109	60	15	12	279	14	2	1	2	2	1	—	—	—	—
typh -	0.83	497	32	72	81	83	54	322	138	15	7	2	8	5	—	—	—	—
g-cough	0.10	59	7	5	5	5	11	33	13	3	—	1	2	2	1	2	2	—
—	0.89	480	172	172	64	39	16	463	13	4	—	—	—	—	—	—	—	—
Fever -	0.03	20	—	—	1	1	1	3	2	3	1	2	3	5	2	—	—	1
Int. Fev.	0.16	96	5	1	5	12	2	25	9	9	13	11	9	11	4	5	1	1
and Dys.	0.05	27	2	4	1	1	—	8	6	1	—	1	3	2	—	—	—	—
—	0.03	34	—	—	—	—	—	—	—	—	3	7	14	6	—	—	—	—
—	1.05	626	411	102	11	1	2	677	7	1	—	—	3	1	3	7	11	19
—	0.05	52	28	—	—	1	—	27	2	—	1	—	—	—	1	—	—	1
—	0.52	211	—	—	1	—	—	1	1	1	1	1	14	46	74	67	64	21
—	0.13	79	34	9	8	7	1	82	7	4	3	2	4	2	2	1	2	—
—	0.34	305	123	43	18	7	—	101	9	—	—	—	—	—	—	—	—	—
phalus -	2.08	1245	29	18	11	12	6	76	55	37	79	159	319	290	160	82	44	4
—	0.43	237	102	43	35	18	13	210	37	—	1	1	—	—	1	—	—	—
ous Syst.	2.50	1495	489	126	43	23	14	686	32	21	15	12	46	69	101	170	182	182
alatory "	1.29	716	6	2	3	2	2	15	11	16	12	16	53	87	101	171	187	77
atory "	5.62	2153	647	312	93	21	25	1103	44	9	15	22	59	80	135	218	208	248
ative "	0.96	373	108	22	4	9	3	145	15	9	10	11	41	56	73	101	65	45
ary "	0.38	223	3	1	3	1	4	12	3	5	12	2	21	27	35	40	44	24
ative "	0.05	32	1	1	—	—	—	2	—	—	1	1	5	8	6	3	4	2
th -	0.08	45	—	—	—	—	—	—	—	—	3	8	23	11	—	—	—	—
—	0.07	40	—	—	—	—	—	—	—	—	4	7	10	8	6	3	2	2
olence -	6.69	356	67	15	13	10	7	110	23	17	21	18	31	39	31	24	22	20
CAUSES	3.35	2157	1073	163	34	22	17	1254	31	17	17	14	44	43	68	100	154	303

Deaths of Infants (under one) to 1000 Births - 161 Marriages - 4,368 Annual Rate (Persons Married per 1000 living) Births - 15.06
Births - 21,587 Births - 36.13

The Union of Fulham was created a separate Registration District on 1st April 1875, but the births and deaths in this Table relate to the entire years 1875-80. The births and deaths in FULHAM for the 4 years 1871-4, and the marriages in the 4 years to 31st 1875, are merged with those of KENSINGTON, of which district Fulham then formed part. See Notes to the two preceding Tables.

3.—CHELSEA.

	Annual Deaths per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS PER 1000	—	23.19	—	—	—	—	—	74.63	6.42	3.62	3.77	4.83	7.78	14.66	22.79	37.65	74.28	104.48
Pop. 80	—	79,609	2357	2042	2009	2026	1820	10254	8300	7439	6768	7758	13945	10082	7002	4508	2488	1003
CAUSES	23.19	18,463	4751	1501	712	424	265	7553	533	269	255	376	1082	1478	1596	1720	1848	1033
Ex -	0.16	124	23	14	8	5	9	53	21	4	5	11	16	7	4	1	2	—
Fever -	0.44	354	85	136	67	37	18	314	18	1	—	—	—	—	1	—	—	—
typh -	0.45	331	23	66	69	76	50	274	84	10	1	2	3	—	—	1	—	—
g-cough	0.13	101	15	15	7	14	10	61	21	6	5	—	2	2	2	—	—	—
—	0.71	605	232	169	81	39	21	643	19	3	—	—	—	—	—	—	—	—
Fever -	0.01	29	—	1	1	1	1	4	3	2	4	—	5	6	1	3	1	—
Int. Fev.	0.19	132	4	4	13	3	15	37	19	13	16	12	15	6	10	11	9	—
Fever -	0.08	61	6	2	1	5	8	22	10	6	2	5	3	3	1	6	4	1
and Dys.	0.04	50	—	—	—	—	—	—	—	—	4	11	26	9	—	—	—	—
—	0.99	789	597	96	9	6	3	711	1	—	1	1	7	4	8	13	24	19
—	0.03	20	11	2	—	—	1	14	1	—	—	—	—	—	3	2	—	—
—	1.13	902	—	—	5	—	—	4	2	1	2	4	59	178	245	243	120	44
—	0.15	123	—	20	12	9	2	40	15	7	5	3	1	5	2	4	—	—
—	0.95	850	229	73	27	10	7	351	21	3	1	1	—	—	—	—	—	—
phalus -	2.79	2221	57	34	22	10	6	129	41	29	100	197	544	550	351	184	73	13
—	0.48	384	135	83	67	36	19	332	34	14	2	1	—	—	—	—	—	—
ous Syst.	2.69	2143	615	155	77	33	15	925	41	17	14	15	56	124	190	245	310	205
alatory "	1.49	1188	7	6	1	2	4	20	31	29	22	27	76	164	183	224	297	112
atory "	5.98	4044	987	498	193	93	54	1783	61	25	19	25	80	180	201	435	584	532
ative "	0.95	354	104	4	6	5	2	129	10	14	10	15	48	89	122	140	170	67
ary "	0.20	259	5	1	3	3	2	14	13	6	4	4	24	25	58	68	54	31
ative "	0.07	56	—	—	—	—	—	—	—	—	—	4	4	17	11	11	3	6
th -	0.06	45	—	—	—	—	—	—	—	—	2	8	17	17	1	—	—	—
—	0.07	59	—	—	—	—	—	—	—	1	—	5	9	12	11	5	11	2
olence -	0.43	342	112	16	12	9	5	154	17	7	16	12	28	21	27	50	21	19
CAUSES	3.65	2996	1437	167	42	31	19	1666	52	35	20	19	47	81	76	114	246	336

Deaths of Infants (under one) to 1000 Births - 180 Marriages - 7,061 Annual Rate (Persons Married per 1000 living) Births - 19.25
Births - 26,393 Births - 33.16

4.—ST. GEORGE, HANOVER SQUARE.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total and 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70— and over.
ANNUAL DEATH RATE PER 1000	—	22.29	—	—	—	—	—	77.96	6.96	4.24	4.72	6.21	9.09	16.12	23.77	40.39	73.00	120.20				
Mean Pop. 1871-80	—	152,842	3165	2991	2222	2517	2713	14505	12319	10886	14277	18619	30503	21101	14537	9158	4508	1525				
ALL CAUSES	22.29	33,931	7002	2467	1037	662	454	11122	858	470	674	1156	2772	3401	3327	3090	3318	1434				
Small-pox	0.27	496	76	51	27	28	23	181	47	20	22	24	45	33	31	5	3	1				
Measles	0.39	590	124	203	199	58	32	556	26	1	1	1	1	1	1	1	1	1				
Scarlet Fever	0.39	595	34	75	105	97	77	398	142	29	8	12	7	8	1	1	1	1				
Diphtheria	0.10	152	11	19	17	17	19	83	28	9	4	4	6	4	1	1	1	1				
Whooping-cough	0.61	838	339	314	124	68	31	891	37	8	1	1	1	1	1	1	1	1				
Typhus	0.01	59	2	1	1	2	1	5	6	6	3	7	6	2	4	4	4	3				
Enteric Fever	0.25	399	6	6	12	11	20	55	39	41	49	66	69	20	32	22	6	5				
Simple Cont. Fev.	0.07	103	4	9	8	8	4	36	17	3	1	10	6	12	3	6	7	5				
Puerp. Fever	0.07	108	—	—	—	—	—	—	—	—	8	23	35	29	19	9	24	43				
Diarr. and Dys.	0.73	1165	831	137	12	5	6	991	6	2	1	5	11	19	9	24	43	43				
Cholera	0.03	41	19	1	3	—	—	23	—	—	—	—	4	3	3	3	3	3				
Cancer	0.77	1121	—	1	—	3	—	4	1	—	3	15	68	187	203	330	175	35				
Serofula	0.11	205	56	33	18	13	8	128	17	13	9	14	7	6	1	3	1	—				
Tuberc. Mesent.	0.32	467	247	102	47	19	14	429	28	6	4	6	7	2	1	3	1	—				
Phthisis	2.02	4,011	56	57	25	13	13	144	62	68	215	409	1032	1055	647	566	77	4				
Hydrocephalus	0.29	505	192	162	80	32	26	499	63	17	8	3	—	5	2	2	—	—				
Diseases of																						
Nervous Syst.	2.23	2425	829	208	90	50	30	1207	52	23	48	57	147	236	248	450	516	565				
Circulatory	1.08	2273	16	3	2	2	1	24	41	49	59	57	267	430	432	519	464	190				
Respiratory	4.64	7045	1437	724	236	140	73	2604	73	21	44	97	273	408	470	1035	1093	768				
Digestive	1.14	1738	151	18	5	14	7	195	18	24	32	52	138	247	318	325	233	116				
Urinary	0.73	1117	8	6	6	6	6	34	14	15	27	44	109	125	279	216	166	64				
Generative	0.11	165	—	—	2	1	—	3	—	—	3	—	32	34	45	34	11	7				
Childbirth	0.06	94	—	—	—	—	—	—	—	—	1	15	40	36	2	—	—	—				
Suicide	0.12	182	—	—	—	—	—	—	—	—	5	14	45	39	41	28	16	1				
Other Violence	0.83	1277	184	10	39	19	27	587	61	38	75	85	137	181	163	124	77	57				
OTHER CAUSES	8.43	5259	2333	325	80	54	57	2842	78	79	72	105	217	211	219	279	296	754				

Deaths of Infants (under one) to 1000 Births . . . 168

Marriages . . . 15,008
Births . . . 41,667Annual Rate of Persons Married . . . 20.95
per 1000 living (Births) . . . 27.26

5.—WESTMINSTER.

	Annual Death Rate per 1000	20.91	—	—	—	—	—	34.98	6.34	2.54	3.03	4.00	7.87	13.52	20.27	35.87	74.68	100.21				
Mean Pop. 1871-80	—	48,865	1156	938	925	946	902	4867	4226	4023	4088	5721	8870	6678	4814	2855	1300	433				
ALL CAUSES	20.91	10,220	2423	946	379	242	146	4136	268	102	151	229	608	903	976	1024	1038	635				
Small-pox	0.08	41	5	2	5	1	—	13	5	2	2	3	9	4	1	1	1	—				
Measles	0.42	207	51	16	21	20	9	193	13	1	—	—	—	—	—	—	—	—				
Scarlet Fever	0.39	194	7	31	31	36	29	134	40	7	3	8	8	3	—	—	—	—				
Diphtheria	0.10	51	5	8	6	7	9	83	8	2	2	1	1	2	1	1	1	—				
Whooping-cough	0.72	353	124	118	47	29	19	337	15	1	—	—	—	—	—	—	—	—				
Typhus	0.02	12	—	—	—	—	—	—	3	1	—	—	2	1	2	2	1	—				
Enteric Fever	0.16	74	2	2	5	3	2	14	10	6	4	8	7	9	9	5	2	—				
Simple Cont. Fev.	0.05	41	—	—	8	6	2	16	11	2	2	—	1	1	3	2	2	1				
Puerp. Fever	0.08	37	—	—	—	—	—	—	—	—	3	10	16	7	1	—	—	—				
Diarr. and Dys.	0.75	367	269	45	2	4	—	820	—	2	—	1	4	6	5	9	18	5				
Cholera	0.05	15	7	2	—	—	—	2	—	—	—	—	—	—	—	3	2	1				
Cancer	0.55	569	—	—	—	—	—	—	—	—	—	1	19	39	78	77	44	13				
Serofula	0.10	50	14	12	6	2	2	56	6	1	1	—	2	1	1	1	1	—				
Tuberc. Mesent.	0.34	165	90	46	11	4	1	132	6	1	—	1	3	1	1	1	—	—				
Phthisis	2.86	1399	32	21	13	6	3	77	23	20	72	119	337	375	223	105	23	3				
Hydrocephalus	0.42	238	76	56	39	24	10	505	23	4	3	2	1	—	—	—	—	—				
Diseases of																						
Nervous Syst.	2.78	1161	836	74	94	23	11	478	73	7	8	11	37	65	107	148	186	81				
Circulatory	1.17	571	3	1	1	1	1	6	9	11	19	15	45	89	117	131	111	29				
Respiratory	4.64	2365	493	339	105	46	32	1004	23	10	4	15	48	168	198	397	474	259				
Digestive	0.98	477	68	8	3	5	1	85	6	5	9	8	47	57	81	94	64	21				
Urinary	0.25	172	2	2	1	—	2	7	2	1	1	4	11	55	29	38	35	19				
Generative	0.25	120	—	—	—	—	—	—	—	2	1	4	21	42	32	10	7	1				
Childbirth	0.08	40	—	—	—	—	—	—	—	—	3	8	15	12	2	—	—	—				
Suicide	0.11	52	—	—	—	—	—	—	—	—	1	4	12	3	7	9	4	—				
Other Violence	0.39	199	83	4	3	5	9	94	6	2	1	2	10	13	20	50	9	10				
OTHER CAUSES	0.39	1636	761	94	53	20	11	919	24	12	13	9	27	40	60	71	126	323				

Deaths of Infants (under one) to 1000 Births . . . 179

Marriages . . . 5,431
Births . . . 13,551Annual Rate of Persons Married . . . 22.31
per 1000 living (Births) . . . 27.73

LONDON.] *Deaths in Registration Districts in the Ten Years 1871-80.*

6.—MARYLEBONE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000.	—	23.71	—	—	—	—	—	81.91	6.98	3.48	3.99	5.07	8.06	15.52	25.85	40.56	76.75
Mean Pop. 1871-80	—	157,082	3909	3282	3198	3141	3023	16555	13338	12374	14913	17083	28704	20002	15213	9866	3287
ALL CAUSES	23.71	37,280	8397	2810	1201	731	513	13561	952	430	595	897	2570	3243	3629	4002	4035
Small-pox	0.13	208	62	13	11	5	9	100	23	11	15	17	21	14	3	3	—
Measles	0.48	734	169	280	132	70	39	700	46	2	1	1	2	1	—	—	—
Scarlet Fever	0.48	7.0	61	199	130	120	114	524	179	24	5	5	9	1	1	2	—
Diphtheria	0.11	184	12	18	37	28	12	87	47	10	3	3	7	1	6	2	1
Whooping-cough	0.79	1242	405	413	187	86	45	1196	42	3	—	—	—	—	1	—	—
Typhus	0.02	31	—	—	2	—	1	3	6	2	2	6	6	5	5	2	—
Enteric Fever	0.21	334	2	11	14	10	19	56	37	26	37	43	51	33	17	22	8
Simple Cont. Fcv	0.06	91	6	5	6	9	7	33	11	5	8	5	7	3	8	10	6
Puerp. Fever	0.12	165	—	—	—	—	—	—	—	—	10	46	90	59	—	—	—
Diarr. and Dys.	0.93	1458	1123	128	27	8	4	1200	6	3	1	2	9	8	20	19	43
Cholera	0.02	37	19	2	—	—	—	21	3	—	—	1	2	2	3	3	2
Cancer	1.04	1631	1	—	—	3	—	4	2	1	7	7	100	295	447	408	291
Scrofula	0.22	340	140	60	23	12	8	243	18	17	6	9	15	7	12	8	6
Tuberc. Mesent.	0.28	440	231	93	34	21	5	391	17	12	5	5	4	3	1	1	1
Phthisis	2.69	4232	61	38	39	16	22	171	70	92	224	391	1120	1054	716	333	72
Hydrocephalus	0.43	765	274	201	84	55	42	660	66	15	12	3	8	2	1	—	—
Diseases of Nervous Syst.	2.72	4279	843	213	74	29	51	1249	83	27	31	42	130	242	424	604	894
Cerebro-motor	1.47	2403	13	6	1	2	3	23	26	22	22	46	165	213	411	475	489
Respiratory	5.13	8053	1705	855	195	110	78	5074	99	22	43	66	232	471	736	1171	1312
Digestive	1.04	1334	165	19	9	4	5	203	27	14	26	40	172	214	274	532	758
Urinary	0.68	1073	5	5	7	7	8	32	19	9	21	27	108	164	171	219	105
Generative	0.23	356	1	—	—	—	—	1	—	1	4	10	72	98	93	48	10
Childbirth	0.69	141	—	—	—	—	—	—	—	—	3	22	74	41	1	—	—
Suicide	0.08	124	—	—	—	—	—	—	—	1	2	6	16	35	24	26	13
Other Violence	0.54	948	256	37	24	14	17	429	41	18	20	24	57	63	79	74	59
OTHER CAUSES	3.62	5,884	2593	291	84	59	31	3070	79	54	42	68	135	186	175	239	474

Deaths of Infants (under one) to 1000 Births } 164

Marriages - 17,059
Births - 50,474

Annual Rate of Persons Married per 1000 living (Births - 32.43
Births - 32.13

7.—HAMPSTEAD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000.	—	19.96	—	—	—	—	—	37.21	13.64	7.69	7.94	9.65	12.16	13.69	16.47	20.19	66.54
Mean Pop. 1871-80	—	38,867	908	772	794	791	801	4066	3700	3733	4190	4850	6335	4623	3121	1980	1031
ALL CAUSES	19.96	7767	1272	463	211	173	202	2326	513	287	557	408	831	633	514	578	686
Small-pox	5.17	2009	87	48	54	71	112	371	308	139	201	308	396	188	68	25	4
Measles	0.31	122	29	57	19	10	5	114	7	1	—	—	—	1	—	—	—
Scarlet Fever	0.17	86	1	9	13	12	11	48	29	7	—	—	—	1	—	—	—
Diphtheria	0.25	57	5	9	9	17	20	58	22	9	1	1	1	2	1	1	1
Whooping-cough	0.48	181	67	76	13	9	6	171	8	1	—	—	—	—	—	1	—
Typhus	0.01	4	—	—	—	—	1	1	1	—	—	—	—	—	1	—	1
Enteric Fever	0.17	65	—	3	1	3	2	9	7	12	8	7	9	5	6	1	1
Simple Cont. Fcv	0.03	10	—	—	—	—	—	—	—	2	1	—	1	3	—	—	—
Puerp. Fever	0.05	20	—	—	—	—	—	—	—	—	1	3	6	10	—	—	—
Diarr. and Dys.	0.49	191	129	18	2	4	—	133	3	1	2	—	3	2	3	7	7
Cholera	0.61	8	2	—	—	—	1	3	—	1	—	—	—	—	—	—	1
Cancer	0.46	178	—	—	—	—	—	—	1	—	—	1	8	12	40	56	56
Scrofula	0.74	53	10	4	2	3	—	28	6	5	1	1	7	1	3	—	1
Tuberc. Mesent.	0.17	63	24	15	8	—	4	51	6	4	3	—	1	1	—	—	—
Phthisis	1.48	730	10	4	2	2	2	30	17	28	69	92	217	145	87	41	11
Hydrocephalus	0.40	118	67	27	14	8	3	91	13	11	1	—	—	—	—	—	—
Diseases of Nervous Syst.	1.90	739	125	34	17	10	8	194	23	16	8	7	37	51	69	100	137
Cerebro-motor	1.03	393	1	1	—	1	—	3	5	6	20	5	23	38	54	73	103
Respiratory	5.47	1046	253	108	55	17	6	419	17	9	12	12	27	60	61	104	185
Digestive	0.83	331	46	5	1	1	2	65	4	6	5	5	27	29	44	59	55
Urinary	0.41	177	1	—	—	—	1	2	3	4	4	3	14	22	31	33	33
Generative	0.03	29	—	—	—	—	—	—	—	—	—	—	2	3	8	—	4
Childbirth	0.64	17	—	—	—	—	—	—	—	—	—	2	8	7	—	—	—
Suicide	0.08	31	—	—	—	—	—	—	—	—	2	8	9	4	5	6	1
Other Violence	0.53	135	50	2	2	1	2	57	8	6	7	8	5	13	11	8	9
OTHER CAUSES	2.44	929	397	43	18	9	11	476	23	19	11	8	17	20	22	45	90

Deaths of Infants (under one) to 1000 Births } 136

Marriages - 2,332
Births - 9,323

Annual Rate of Persons Married per 1000 living (Births - 12.00
Births - 23.98

8.—PANCRA8.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	22.97	—	—	—	—	—	72.97	6.77	3.12	4.75	5.95	9.21	14.98	22.85	30.44	77.50	171.79
Mean Pop. 1871-80	—	228,862	6008	5830	5754	5490	5191	28873	23587	20630	21052	23601	40279	28797	20262	12740	6757	2304
ALL CAUSES	22.97	52,771	12716	4467	1963	1154	770	31170	1596	644	1000	1404	3709	4315	4629	5025	5221	3695
Small-pox - -	0.27	619	129	45	37	32	37	273	85	18	27	49	69	40	21	16	1	1
Measles - - -	0.49	1125	229	424	214	119	63	1632	60	5	2	5	1	7	—	—	—	
Scarlet Fever -	0.49	1116	74	177	199	180	126	766	228	40	10	8	16	7	1	—	—	
Diphtheria - -	0.15	339	17	33	83	36	47	206	100	5	9	3	6	5	—	4	1	
Whooping-cough	0.49	2042	796	658	281	170	63	1868	71	1	—	—	—	2	—	—	—	
Typhus - - - -	0.03	61	1	1	—	1	2	5	5	7	4	4	18	8	8	5	2	
Enteric Fever -	0.22	483	11	11	17	15	22	76	60	51	65	50	67	52	39	19	12	
Simple Cont. Fev.	0.04	126	4	8	7	9	7	35	20	6	6	9	15	9	9	—	1	
Puerp. Fever - -	0.08	185	—	—	—	—	—	—	—	—	12	33	91	47	2	—	—	
Diarr. and Dys. -	0.90	2068	1629	202	31	7	9	1879	9	2	1	8	6	16	23	27	32	
Cholera - - - -	0.03	65	88	5	2	—	—	45	3	—	—	—	4	1	4	3	—	
Cancer - - - -	0.67	1830	1	1	1	1	3	7	2	5	8	10	59	257	878	434	294	
Serofula - - - -	0.19	430	152	83	33	18	14	300	20	28	14	8	20	9	10	9	7	
Tuberc. Mesent.	0.39	897	523	263	78	18	14	878	21	17	5	4	7	1	1	1	1	
Phthisis - - - -	0.78	6362	97	65	46	28	17	283	75	104	367	641	1664	1576	1018	512	156	
Hydrocephalus -	0.47	1959	386	277	123	71	60	907	115	20	7	2	10	6	1	—	—	
Diseases of	Nervous Syst.	2.35	5369	1291	298	134	82	62	1867	153	45	65	57	105	311	825	744	865
	Cerebratory " "	1.41	3275	13	11	5	2	5	36	44	70	52	81	271	418	549	719	322
	Respiratory " "	4.70	10747	2701	1339	469	186	110	4505	194	45	60	162	800	518	839	1215	1697
	Digestive " "	1.99	5290	315	24	20	11	12	592	41	32	42	63	195	280	394	379	317
	Urinary " "	0.53	1260	15	8	9	8	5	45	16	49	45	128	147	251	329	183	114
Generative " "	0.07	151	1	1	—	—	—	2	—	1	1	8	23	27	33	31	28	
Childbirth - - -	0.07	161	—	—	—	—	—	—	—	—	6	23	82	47	3	—	—	
Suicide - - - - -	0.09	214	—	—	—	—	—	—	—	1	4	19	32	54	42	31	24	
Other Violence -	0.87	1985	590	73	52	40	32	787	91	43	47	75	182	173	180	164	137	
OTHER CAUSES -	3.73	8600	5707	510	154	100	64	4535	135	89	99	97	249	296	276	363	874	107

Deaths of Infants (under one) to 1000 Births 158

Marriages 22,028
Births 60,447Annual Rate of Persons Married per 1000 living (Births 19.25
Deaths 35.15)

9.—ISLINGTON.

ANNUAL DEATH RATE PER 1000.	20.13	—	—	—	—	66.77	6.38	3.06	4.07	5.33	7.50	11.20	17.82	32.96	60.15	104.21		
Mean Pop. 1871-80	246,322	7504	6679	6409	6340	6165	33137	27406	23375	23748	25222	42888	30211	20432	12810	6653	2400	
ALL CAUSES	20.13	49,577	13243	4704	2037	1221	873	22138	1749	715	967	1344	3217	3412	3940	4222	4599	3074
Small-pox	0.41	1618	114	39	22	28	26	229	72	55	90	149	226	117	59	10	7	1
Measles	0.52	1298	253	532	224	130	69	1208	70	3	1	2	3	—	1	—	—	—
Scarlet Fever	0.68	1651	86	211	264	240	232	1033	431	86	39	31	45	13	2	1	—	—
Diphtheria	0.13	337	26	32	43	57	35	193	88	15	9	2	9	7	1	3	—	—
Whooping-cough	0.63	2061	102	654	209	148	78	1993	68	—	—	—	—	—	—	—	—	—
Typhus	0.67	169	1	—	3	2	1	7	10	12	17	11	33	43	19	14	4	—
Enteric Fever	0.25	630	14	10	16	21	21	82	68	64	86	94	108	58	34	22	10	—
Simple Cont. Fev.	0.05	114	3	6	9	11	6	35	16	8	5	5	9	6	11	11	8	—
Puerp. Fever	0.08	208	—	—	—	—	—	—	—	10	37	98	42	1	—	—	—	—
Diarr. and Dys.	0.94	2254	1710	253	39	11	2	2017	18	8	—	6	9	11	12	27	48	71
Cholera	0.04	106	49	8	3	4	2	66	5	—	2	1	4	6	11	5	6	—
Cancer	0.48	1191	—	1	1	2	—	4	—	1	4	4	25	143	208	354	226	86
Scrofula	0.21	528	236	110	39	19	9	413	27	21	11	11	18	10	6	6	4	1
Tuberc. Mesent.	0.39	575	374	100	70	35	16	894	39	12	14	2	3	3	5	1	—	—
Phthisis	2.06	5119	131	159	31	35	30	545	86	99	341	764	1326	1155	726	387	90	17
Hydrocephalus	0.45	1112	390	296	140	64	63	953	114	25	10	7	3	—	—	—	—	—
Diseases of Nervous Syst.	2.27	5619	1375	264	163	78	66	2045	146	60	89	70	175	284	469	709	960	673
Cerebrum	1.56	3123	12	11	4	4	1	32	57	62	66	56	211	375	455	709	747	372
Respiratory	4.04	10044	2754	1382	456	219	116	4927	187	38	61	74	270	455	736	1008	1245	1035
Digestive	0.92	2278	322	28	15	8	17	400	47	30	43	48	168	269	330	407	331	184
Urinary	0.35	889	6	11	3	7	3	30	24	14	18	29	99	115	138	167	128	67
Generative	0.03	173	—	—	—	—	—	—	—	—	—	1	24	23	33	23	17	—
Childbirth	0.08	170	—	—	—	—	—	—	—	—	5	25	99	66	3	—	—	—
Suicide	0.07	167	—	—	—	—	—	—	—	1	7	15	30	32	36	27	14	5
Other Violence	0.67	931	392	43	40	31	21	527	38	23	15	26	61	54	49	42	25	44
OTHER CAUSES	3.17	7819	3963	439	144	69	59	4704	134	81	54	54	137	164	195	285	616	154

Deaths of Infants (under one) to 1000 Births 148

Marriages 20,963
Births 80,627Annual Rate of Persons Married per 1000 living (Births 16.88
Deaths 36.00)

LONDON.] *Deaths in Registration Districts in the Ten Years 1871-80.*

10.—HACKNEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	20.78	—	—	—	—	—	60.86	8.33	4.77	5.87	7.67	9.48	13.35	18.28	31.03	62.58	106
Mean Pop. 1871-80	—	133,707	4320	4038	4006	3300	3085	20947	17340	13514	16307	15443	24083	17065	12713	8247	4570	17
ALL CAUSES	20.78	32,358	7537	2517	1171	763	573	12560	1409	740	938	1185	2369	2309	2324	2633	2309	28
Small-pox	1.51	2352	183	114	110	111	110	625	394	161	228	362	843	175	85	31	7	
Measles	0.53	519	121	181	79	47	41	474	35	4	2	2	1	—	1	—	—	
Scarlet Fever	0.72	1124	40	121	176	190	143	672	200	73	97	15	22	7	3	1	—	
Diphtheria	0.10	161	9	16	18	24	18	83	54	5	1	1	—	6	1	2	3	
Whooping-cough	0.64	1003	405	533	142	57	27	960	63	1	—	—	1	—	—	—	—	
Typhus	0.14	216	1	1	4	1	—	7	7	10	21	16	44	53	20	21	8	
Enteric Fever	0.46	710	8	9	19	21	20	77	61	104	114	102	105	61	40	32	11	
Simple Cont. Fev.	0.05	94	2	4	10	12	2	30	13	7	5	4	7	4	6	9	—	
Puerp. Fever	0.02	22	—	—	—	—	—	—	—	—	—	2	14	53	17	1	—	
Diarr. and Dys.	0.82	1280	919	162	21	9	3	1114	8	7	4	3	6	9	12	21	93	
Cholera	0.05	74	40	10	1	1	—	52	3	2	—	2	—	1	3	3	—	
Cancer	0.30	794	—	—	3	—	1	4	—	—	5	7	32	107	197	210	168	
Scrofula	0.11	174	58	30	11	10	2	111	15	7	8	2	9	5	8	4	5	
Tuberc. Mement.	0.33	540	338	111	28	7	7	403	21	10	7	4	1	1	3	1	—	
Phtisis	2.18	3230	84	31	23	13	11	142	69	83	253	370	890	794	441	235	59	
Hydrocephalus	0.32	491	183	115	50	31	22	463	55	12	6	2	4	4	1	1	—	
Diseases of																		
Nervous Syst.	2.35	3537	975	245	104	72	33	1429	95	63	53	41	103	205	232	395	552	4
Circulatory	1.29	2097	42	2	—	—	—	15	47	32	44	50	131	211	272	430	447	3
Respiratory	5.62	9514	1421	638	231	92	70	2472	85	50	45	64	130	232	371	590	791	7
Digestive	0.09	1445	190	31	14	9	4	257	37	25	26	54	104	160	252	362	107	1
Urinary	0.42	659	11	6	4	2	6	29	22	15	11	24	66	77	162	127	106	1
Generative	0.03	65	1	—	—	—	—	1	—	—	2	3	9	14	17	21	13	
Childbirth	0.07	109	—	—	—	—	—	—	—	—	3	18	45	42	3	—	—	
Suicide	0.09	147	—	—	—	—	—	—	—	—	6	10	22	28	33	23	10	
Other Violence	0.47	735	210	33	81	37	13	398	47	23	32	41	45	58	71	45	37	
OTHER CAUSES	3.14	4812	2318	273	91	42	36	2742	80	44	53	42	113	97	113	174	393	2

Deaths of Infants (under one) to 1000 Births } 144 Marriages } 13,644 Annual Rate } Persons Married } 17.63
 Births } 52,433 Births } 83.67

11.—ST. GILES.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	23.42	—	—	—	—	—	32.69	6.61	3.09	3.41	4.26	7.85	13.77	22.45	32.03	70.10	170
Mean Pop. 1871-80	—	43,469	1272	1046	1035	1020	988	5361	4545	4268	4757	5351	8820	6371	4804	3653	1451	4
ALL CAUSES	23.42	11,584	2969	1190	447	258	165	4969	206	132	162	228	693	905	1692	1211	1149	7
Small-pox	0.12	57	9	5	5	5	5	29	4	6	7	3	5	2	—	—	1	
Measles	0.56	277	62	111	54	20	10	237	15	3	—	—	1	—	—	—	—	
Scarlet Fever	0.49	242	17	30	42	40	33	168	57	8	3	—	4	1	1	—	—	
Diphtheria	0.09	45	2	4	11	3	10	30	9	3	1	—	—	1	1	—	—	
Whooping-cough	0.76	376	182	1.5	51	27	16	861	15	—	—	—	—	—	—	—	—	
Typhus	0.01	6	—	—	1	—	—	1	—	—	—	1	—	1	2	—	1	
Enteric Fever	0.19	94	3	3	5	3	17	14	8	10	4	16	6	7	10	2	—	
Simple Cont. Fev.	0.05	50	1	1	2	1	5	10	2	2	—	2	2	2	4	4	—	
Puerp. Fever	0.03	46	—	—	—	—	—	—	—	—	1	17	20	8	—	—	—	
Diarr. and Dys.	1.11	520	300	101	11	3	—	505	6	—	2	—	—	3	1	8	11	
Cholera	0.03	9	5	1	—	—	—	6	—	—	—	—	—	2	—	1	—	
Cancer	0.35	171	—	—	—	—	—	—	—	—	—	—	6	25	37	43	46	
Scrofula	0.15	76	24	23	3	4	1	60	7	3	3	1	1	1	1	—	—	
Tuberc. Mement.	0.34	177	81	50	19	5	4	1.9	11	3	1	—	2	—	—	—	—	
Phtisis	2.76	1361	12	12	9	8	1	42	2	23	60	115	306	345	254	145	41	
Hydrocephalus	0.42	207	80	55	20	16	13	184	21	1	1	—	—	—	—	—	—	
Diseases of																		
Nervous Syst.	2.32	1143	302	87	30	27	16	462	22	14	11	13	59	73	99	151	167	
Circulatory	1.25	908	4	1	—	—	—	1	8	19	11	10	49	79	122	141	115	
Respiratory	6.63	3229	673	370	137	57	35	1572	32	7	19	12	111	101	344	479	506	
Digestive	0.85	494	59	5	1	—	1	66	7	9	8	8	29	56	83	81	50	
Urinary	0.43	215	3	1	4	3	2	13	2	1	3	6	22	23	43	45	40	
Generative	0.03	16	—	—	—	—	—	—	—	—	1	—	—	3	5	4	2	
Childbirth	0.08	38	—	—	—	—	—	—	—	—	—	6	13	15	1	—	—	
Suicide	0.08	98	—	—	—	—	—	—	—	—	—	1	7	9	9	8	3	
Other Violence	0.55	281	156	7	1	3	1	168	8	3	2	4	12	20	31	15	16	
OTHER CAUSES	0.72	1838	950	123	43	23	8	1154	23	17	15	16	41	41	47	72	141	2

Deaths of Infants (under one) to 1000 Births } 176 Marriages } 4,909 Annual Rate } Persons Married } 16.21
 Births } 16,845 Births } 38.63

12.—STRAND.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	28.58	—	—	—	—	—	99.97	12.44	5.31	8.29	8.27	14.22	34.33	34.00	49.65	75.17	159.9
Mean Pop. 1871-80	—	37,461	847	708	702	679	661	3597	3134	3069	3824	4426	6773	6121	3035	2311	1065	298
ALL CAUSES	28.58	10,705	1991	830	361	242	172	3596	390	163	317	306	963	1246	1338	1147	784	425
Small-pox	0.11	41	6	2	—	4	—	12	10	—	5	2	6	5	1	—	—	—
Measles	0.36	135	29	53	25	14	8	129	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.49	185	15	25	18	25	23	127	46	5	2	2	3	—	—	—	—	—
Diphtheria	0.19	71	3	14	6	17	15	60	15	2	1	—	—	1	1	—	—	—
Whooping-cough	0.63	234	71	87	33	21	14	220	6	2	—	—	—	—	—	—	—	—
Typhus	0.05	20	—	—	—	—	—	—	1	2	3	1	2	4	9	3	1	—
Enteric Fever	0.34	141	3	5	8	5	4	23	20	11	22	18	12	14	7	6	1	—
Simple Cont. Fev.	0.07	28	—	—	—	—	—	6	4	3	—	—	3	1	5	2	—	—
Puerp. Fever	0.09	34	—	—	—	—	—	—	—	—	—	6	19	9	—	—	—	—
Diarr. and Dys.	0.92	344	247	52	4	5	—	308	2	—	—	—	3	6	5	4	7	9
Cholera	0.03	10	3	2	—	1	—	6	1	—	—	—	—	—	2	1	—	—
Cancer	0.91	341	—	—	1	—	—	1	2	1	2	6	20	65	109	77	48	19
Serofula	0.25	92	20	17	8	4	6	55	12	4	6	—	5	—	—	—	—	—
Tuberc. Mesent.	0.28	104	42	21	19	2	3	89	8	4	—	1	—	—	—	—	—	—
Phthisis	3.65	1363	8	16	6	4	5	39	28	20	81	116	224	268	232	106	29	—
Hydrocephalus	0.61	229	70	32	32	22	15	191	24	3	2	7	—	—	—	—	—	—
Diseases of Nervous Syst.	2.42	908	236	61	24	15	15	356	19	14	16	14	53	68	104	118	90	24
Cerebral	2.51	929	2	—	—	2	2	8	26	20	45	37	129	184	189	146	121	45
Respiratory	5.92	2216	500	276	111	58	168	987	49	17	31	78	143	241	308	245	125	—
Digestive	1.51	564	33	9	3	2	2	89	11	7	11	21	55	93	125	132	54	—
Urinary	1.18	441	—	4	1	2	4	11	18	7	18	15	59	90	101	69	13	—
Generative	0.10	37	—	—	—	—	—	—	2	1	2	5	13	8	3	1	—	—
Childbirth	0.04	81	—	—	—	—	—	—	—	—	2	3	13	19	1	—	—	—
Suicide	0.24	89	—	—	—	—	—	—	—	—	1	9	18	15	24	19	6	1
Other Violence	1.61	602	80	17	11	19	14	130	40	14	41	37	78	61	27	68	25	—
OTHER CAUSES	4.09	1501	634	168	31	26	13	612	41	30	39	54	90	86	74	59	78	138

Deaths of Infants (under one) to 1000 Births } 208 Marriages - 5,304 Annual Rate { Persons Married - 23.28
Births } 9,827 per 1000 living { Births } 28.23

13.—HOLBORN.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	23.64	—	—	—	—	—	47.32	8.13	3.23	4.01	5.62	9.07	14.43	21.68	39.06	59.42	151.1
Mean Pop. 1871-80	—	157,063	4791	4037	3954	3738	3672	20212	16532	13225	15673	18895	26192	19780	14345	8062	3967	115
ALL CAUSES	23.64	37,273	9983	4014	1880	1073	701	17651	1344	492	629	893	2176	2855	3110	3383	2747	179
Small-pox	0.14	286	50	15	10	17	15	110	62	9	19	21	38	11	11	2	1	—
Measles	0.69	1084	216	413	205	102	54	1213	69	4	—	—	14	3	—	—	—	—
Scarlet Fever	0.58	919	86	134	186	117	112	643	267	81	7	7	14	3	9	—	—	—
Diphtheria	0.13	291	16	28	32	36	27	139	35	9	3	1	5	7	1	—	—	—
Whooping-cough	0.96	1521	563	434	215	139	73	1453	56	2	—	—	—	—	—	—	—	—
Typhus	0.04	64	1	1	1	2	1	6	10	3	7	8	4	11	7	5	3	—
Enteric Fever	0.21	333	5	10	21	19	14	67	37	31	42	32	44	25	19	25	1	4
Simple Cont. Fev.	0.06	101	6	6	7	7	9	35	14	4	6	3	9	5	7	9	8	1
Puerp. Fever	0.08	119	—	—	—	—	—	—	—	—	3	31	68	26	1	—	—	—
Diarr. and Dys.	1.03	1622	1145	267	41	17	5	1475	15	5	3	1	4	6	51	39	33	2
Cholera	0.02	39	11	7	2	1	—	21	—	—	—	—	—	1	—	—	—	—
Cancer	0.41	650	—	1	5	4	5	15	4	3	2	4	27	29	105	195	108	2
Serofula	0.29	371	94	59	43	28	15	339	32	14	11	6	5	4	1	4	4	1
Tuberc. Mesent.	0.54	885	489	205	71	22	14	891	39	10	—	—	2	4	1	1	—	—
Phthisis	3.06	4927	87	76	47	20	20	289	129	92	273	468	1551	1166	772	356	53	1
Hydrocephalus	0.61	559	826	240	138	78	33	855	99	15	4	1	2	3	—	—	—	—
Diseases of Nervous Syst.	2.56	4014	1273	316	152	88	63	1834	101	45	40	37	146	228	385	471	449	27
Cerebral	1.16	1823	5	4	6	2	5	22	33	68	38	55	159	253	347	416	290	11
Respiratory	5.23	8245	1992	1159	429	205	112	2817	169	37	47	89	258	488	725	1129	98	48
Digestive	0.93	1448	591	34	10	17	4	278	25	15	23	28	116	179	257	275	192	7
Urinary	0.39	613	2	3	11	11	5	22	27	19	7	10	49	99	121	117	80	6
Generative	0.04	62	—	2	—	—	—	2	—	—	1	1	4	12	11	12	—	—
Childbirth	0.07	116	—	—	—	—	—	—	—	—	2	13	55	44	8	—	—	—
Suicide	0.19	135	—	—	—	—	—	—	—	—	8	7	13	32	32	23	13	1
Other Violence	0.56	881	497	44	29	19	15	586	37	9	6	10	21	36	56	39	33	3
OTHER CAUSES	3.81	5089	3037	304	123	87	79	1631	162	73	88	46	18	136	163	222	258	78

Deaths of Infants (under one) to 1000 Births } 168 Marriages - 10,622 Annual Rate { Persons Married - 13.47
Births } 89,321 per 1000 living { Births } 37.63

14.—LONDON CITY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (ATE PER 1000.)	—	27.08	—	—	—	—	—	82.48	10.25	6.06	6.03	9.61	16.58	25.91	34.50	47.10	71.82	153.55
San Pop. 1871-80	—	63,711	1333	1137	1129	1120	1005	5810	5355	6156	7853	7836	9939	7705	6176	4110	2117	648
ALL CAUSES	27.08	17,239	2464	1146	566	387	234	4797	549	373	544	753	1648	1999	2131	1936	1514	965
Ill-pox -	0.17	106	23	5	4	7	7	46	17	5	8	7	12	4	7	-	-	-
Measles -	0.28	241	46	96	49	22	9	222	15	2	1	-	-	-	-	-	-	-
Scarlet Fever -	0.49	399	16	45	54	37	39	211	72	9	6	3	6	1	1	-	-	-
Diphtheria -	0.14	90	4	16	12	16	11	59	18	4	2	1	2	2	1	1	-	-
Crouping-cough -	0.56	359	105	125	62	30	16	338	17	-	-	-	1	-	-	-	-	-
Whooping-cough -	0.06	38	-	-	2	1	1	4	3	4	2	6	6	2	4	4	3	-
Erysipelas -	0.39	248	2	6	6	3	2	23	19	29	83	45	36	26	13	11	6	1
Scarlet Cont. Fev. -	0.08	42	2	3	4	5	4	18	9	3	4	-	5	3	4	3	3	2
Scarlet Fever -	0.06	41	-	-	-	-	-	-	-	-	-	2	8	22	8	1	-	-
Tr. and Dys. -	0.61	358	232	69	8	4	1	313	2	2	2	4	6	8	2	14	16	13
Tr. and Dys. -	0.02	14	2	1	-	-	-	9	-	1	-	-	2	1	-	1	-	-
Consumption -	0.85	539	-	-	-	1	1	2	2	2	7	9	4	110	144	141	61	14
Tuberculosis -	0.16	104	16	17	8	5	6	52	12	7	9	4	4	5	6	5	1	-
Measles -	0.26	164	78	39	9	11	2	189	10	6	6	2	-	-	-	-	-	-
Diphtheria -	0.05	1942	24	24	13	15	2	78	33	45	128	213	464	475	820	130	53	3
Scarlet -	0.43	284	88	67	42	20	16	235	28	11	3	3	2	3	-	1	-	-
Nervous Syst. -	2.63	1674	405	103	59	25	20	612	53	24	28	47	79	115	177	214	193	131
Circulatory -	2.34	1504	3	3	1	2	1	12	20	44	63	100	194	295	295	285	186	67
Respiratory -	5.05	3234	483	317	127	65	29	1023	57	15	26	47	183	270	295	428	478	274
Digestive -	1.77	1130	75	12	6	4	2	97	19	16	34	41	113	185	229	238	189	58
Urinary -	1.35	784	2	2	2	7	2	13	18	20	37	57	133	153	160	167	81	75
Generative -	0.16	99	1	1	-	-	-	2	1	-	1	10	21	21	22	14	3	4
Birth -	0.06	41	-	-	-	-	-	-	-	-	1	9	12	19	-	-	-	-
Infants -	0.17	111	-	-	-	-	-	-	-	1	2	6	20	22	28	22	3	1
Violence -	2.92	1290	96	39	41	42	31	254	65	71	72	65	140	170	178	156	81	58
ALL CAUSES	3.88	2462	753	157	57	42	26	1985	59	52	61	66	136	147	167	152	226	294

Deaths of Infants (under one) to 1000 Births } 162 Marriages - 11,355 Annual Rate { Persons Married - 35.65
Births - 15,241 per 1000 living { Births - 23.92

15.—SHOREDITCH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (ATE PER 1000.)	—	24.10	—	—	—	—	—	77.04	7.43	2.89	3.90	5.50	7.88	13.31	20.81	40.03	82.73	197.60
San Pop. 1871-80	—	126,878	4360	3661	3565	3514	3352	18442	14355	12297	11697	12035	21106	14961	10586	6633	3491	1215
ALL CAUSES	24.10	30,574	8206	3176	1456	798	571	14207	1066	355	456	662	1664	1992	2263	2679	2888	2402
Ill-pox -	0.42	836	101	42	45	41	73	265	103	27	32	88	46	16	2	4	3	-
Measles -	0.63	795	156	392	252	83	52	745	49	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0.71	899	44	154	159	149	119	616	231	30	9	6	3	2	1	1	-	-
Diphtheria -	0.05	64	6	9	13	4	9	41	12	5	-	-	3	1	1	1	-	-
Crouping-cough -	1.04	1323	485	440	219	93	82	1282	41	-	-	-	-	-	-	-	-	-
Whooping-cough -	0.05	29	-	1	1	1	2	5	11	3	3	4	9	11	8	7	2	1
Erysipelas -	0.25	316	8	9	13	21	13	64	52	30	50	29	43	23	22	13	6	4
Scarlet Cont. Fev. -	0.06	101	2	3	11	6	6	28	21	8	6	4	6	10	5	6	3	-
Scarlet Fever -	0.07	86	-	-	-	-	-	-	-	-	7	23	26	19	1	-	-	-
Tr. and Dys. -	1.13	1433	968	216	32	7	4	1237	5	2	2	1	6	17	14	40	61	86
Tr. and Dys. -	0.07	85	31	16	3	-	2	72	2	-	-	-	1	5	3	2	-	-
Consumption -	0.38	476	-	2	-	-	1	3	1	1	-	4	14	84	123	123	80	37
Tuberculosis -	0.14	172	60	21	12	6	4	103	15	5	8	3	7	4	8	9	7	-
Measles -	0.58	732	49	152	55	25	8	694	24	5	3	-	2	-	1	3	-	-
Diphtheria -	0.34	8250	165	84	35	22	19	265	51	45	171	318	781	786	508	244	73	8
Scarlet -	0.32	406	114	111	52	25	21	373	23	6	2	-	1	1	-	-	-	-
Nervous Syst. -	3.10	3331	1234	310	158	88	49	1869	102	31	37	35	134	299	295	424	537	290
Circulatory -	1.17	1495	6	6	-	-	5	29	30	46	35	44	133	173	229	240	228	142
Respiratory -	5.36	6730	1544	572	252	124	77	2969	116	26	34	51	162	299	256	1036	1064	283
Digestive -	0.94	1188	20	35	16	14	17	302	27	15	19	23	60	124	126	193	146	87
Urinary -	0.25	329	5	2	10	8	7	32	20	3	9	10	33	45	47	66	29	23
Generative -	0.04	47	2	1	1	-	-	4	1	-	-	1	6	7	8	5	9	7
Birth -	0.07	93	-	-	-	-	-	-	-	-	1	16	37	33	6	-	-	-
Infants -	0.06	105	-	-	-	-	-	-	-	2	6	8	13	16	22	17	6	1
Violence -	0.32	653	296	99	24	13	12	391	53	15	12	18	28	22	39	31	51	34
ALL CAUSES	4.69	5218	3316	319	127	74	59	2294	93	46	50	31	77	84	100	215	234	1114

Deaths of Infants (under one) to 1000 Births } 159 Marriages - 13,847 Annual Rate { Persons Married - 21.83
Births - 51,023 per 1000 living { Births - 40.64

16.—BETHNAL GREEN.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	23.87	—	—	—	—	—	78.68	6.44	2.42	4.43	6.33	9.16	13.07	20.47	37.39	73.73	171.7
Mean Pop. 1871-80	—	123,533	4217	3753	5725	3565	3501	18761	15489	13318	11658	11178	18903	13948	9832	6242	3124	105
ALL CAUSES	23.87	29,434	8258	3516	1568	852	509	14761	993	322	517	707	1731	1906	2013	2334	2360	196
Small-pox	0.46	567	131	90	60	42	33	356	98	23	14	16	37	14	6	2	—	1
Measles	0.78	812	190	229	147	84	31	773	33	—	1	—	—	—	—	—	—	—
Scarlet Fever	0.75	927	72	154	173	151	115	663	213	29	4	2	9	2	—	—	—	—
Diphtheria	0.67	85	9	12	14	14	14	63	17	1	—	—	—	1	—	—	—	—
Whooping-cough	1.09	1332	437	472	225	98	37	1809	43	1	—	—	—	—	—	—	—	—
Typhus	0.06	72	1	5	1	4	1	12	8	11	10	7	8	5	6	2	3	—
Enteric Fever	0.22	275	5	8	15	16	20	67	30	35	22	22	38	20	13	9	11	—
Simple Cont. Fev.	0.11	139	2	14	15	9	7	47	27	15	7	6	7	4	7	10	8	1
Puerp. Fever	0.07	88	—	—	—	—	—	—	—	—	5	32	34	15	2	—	—	—
Diarr. and Dys.	1.01	1247	815	267	45	10	6	1142	3	2	—	1	4	10	12	10	33	3
Cholera	0.07	86	41	14	7	2	—	64	2	—	—	—	5	4	2	4	5	—
Cancer	0.54	424	—	—	—	—	—	—	1	—	1	2	18	60	104	135	68	8
Serofula	0.11	134	44	53	6	4	7	94	6	8	4	5	—	6	2	3	—	—
Tuberc Mesent.	0.36	584	374	229	45	19	10	649	23	4	—	—	—	—	—	—	—	—
Phthisis	2.71	2347	495	63	26	22	6	166	62	51	247	397	688	757	483	254	33	4
Hydrocephalus	0.40	488	503	140	67	23	21	456	26	5	—	—	—	1	—	—	—	—
Diseases of Nervous Syst.	2.91	3391	1277	306	127	79	53	1827	92	14	27	35	116	222	307	374	461	121
Circulatory	1.09	1318	7	2	3	7	4	23	28	30	33	47	125	182	211	259	241	10
Respiratory	3.06	6173	1354	922	360	151	92	2699	138	22	33	43	129	270	466	733	719	38
Digestive	0.75	926	176	93	19	11	15	237	21	16	15	29	64	117	134	129	104	3
Urinary	0.25	312	—	3	10	9	6	34	9	8	4	10	33	46	43	26	48	2
Generative	0.03	39	—	—	—	—	—	—	—	—	—	—	—	4	14	8	7	—
Childbirth	0.07	91	—	—	—	—	—	—	—	—	3	14	47	28	1	—	—	—
Suicide	0.08	97	—	—	—	—	—	—	—	—	1	8	14	15	23	23	11	1
Other Violence	0.54	549	409	86	29	24	12	591	40	10	11	12	21	22	42	51	26	3
OTHER CAUSES	4.29	5245	2366	466	178	89	62	3922	87	37	55	59	51	95	108	200	380	98

Deaths of Infants (under one) to 1000 Births . . . 160

Marriages . . . 24,912
Births . . . 51,574Annual Rate { Persons Married . . . 40.33
per 1000 living { Births . . . 41.75

17.—WHITECHAPEL.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	33.03	—	—	—	—	—	95.83	9.72	5.53	7.70	10.74	18.08	28.97	39.98	61.43	101.64	187.1
Mean Pop. 1871-80	—	73,964	2129	1700	1843	1810	1783	9337	8232	7458	7581	7354	11750	9224	6094	3977	1708	80
ALL CAUSES	33.03	24,434	4363	2128	989	582	403	8967	800	414	684	790	2180	2672	2676	2443	1798	111
Small-pox	0.31	329	42	25	20	21	22	130	46	8	7	10	15	8	2	8	—	—
Measles	0.34	491	88	170	84	37	19	389	12	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.60	447	22	79	81	74	56	314	121	8	—	1	2	—	1	—	—	—
Diphtheria	0.11	82	9	16	14	12	10	61	12	2	1	—	4	—	1	—	—	—
Whooping-cough	0.79	863	220	174	91	49	31	563	30	1	—	—	—	—	—	—	—	—
Typhus	0.05	39	1	—	1	2	2	6	3	3	—	2	9	5	4	4	3	—
Enteric Fever	0.26	190	3	2	9	6	9	29	21	27	16	33	31	13	9	7	2	1
Simple Cont. Fev.	0.11	78	1	3	12	9	10	35	19	4	3	1	1	1	6	6	2	—
Puerp. Fever	0.08	60	—	—	—	—	—	—	—	—	3	17	24	18	—	—	—	—
Diarr. and Dys.	1.53	965	533	221	33	14	4	865	7	3	1	2	11	15	22	29	26	11
Cholera	0.04	29	12	6	—	—	—	18	1	—	—	—	—	4	2	3	1	—
Cancer	0.87	642	1	1	—	—	2	4	1	2	6	5	44	129	100	165	77	2
Serofula	0.22	162	16	29	20	10	5	80	24	5	12	2	14	10	3	9	2	1
Tuberc Mesent.	0.41	392	133	92	23	9	8	270	16	4	4	1	2	3	1	—	—	—
Phthisis	3.63	2683	14	18	10	15	7	62	32	49	142	278	727	708	617	189	48	1
Hydrocephalus	0.47	345	144	90	24	28	10	290	26	10	6	3	—	3	1	—	—	—
Diseases of Nervous Syst.	3.66	2707	739	199	68	30	22	1074	68	25	50	37	130	205	297	338	380	28
Circulatory	2.34	1729	2	2	3	—	6	13	26	39	74	71	209	336	372	317	191	6
Respiratory	6.46	4775	943	567	246	96	51	1903	61	29	37	74	231	392	363	638	373	26
Digestive	1.41	1046	65	27	15	4	6	110	23	18	24	36	105	161	200	190	130	4
Urinary	1.05	777	7	7	6	7	12	39	20	14	27	37	123	165	151	113	67	2
Generative	0.13	98	1	—	—	1	—	2	—	1	3	—	20	22	21	14	8	—
Childbirth	0.08	37	—	—	—	—	—	—	—	—	2	7	25	25	—	—	—	—
Suicide	0.14	104	—	—	—	—	—	—	—	—	1	3	20	34	20	15	12	1
Other Violence	2.75	2035	249	76	86	67	44	522	145	84	100	96	233	237	319	195	122	6
OTHER CAUSES	3.12	2852	1358	828	156	82	67	2171	90	87	61	69	160	183	174	220	353	40

Deaths of Infants (under one) to 1000 Births . . . 151

Marriages . . . 4,925
Births . . . 23,941Annual Rate { Persons Married . . . 13.32
per 1000 living { Births . . . 36.42

18.—SAINT GEORGE-IN-THE-EAST.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	25.97	—	—	—	—	—	88.54	6.36	2.80	3.89	6.59	9.54	15.59	23.41	44.61	82.32	100.4
Mean Pop. 1871-80	—	47,605	1563	1231	1302	1239	1255	6599	5475	4708	4188	4419	7770	5951	4284	2571	1261	388
ALL CAUSES	25.97	12,365	3360	1373	585	315	202	5835	548	132	163	201	741	928	1003	1147	1038	739
Small-pox	0.21	102	27	9	8	11	3	58	14	4	10	2	8	2	2	—	2	—
Measles	0.72	241	64	136	80	33	15	378	12	1	—	—	—	—	—	—	—	
Scarlet Fever	0.65	309	26	61	62	54	35	228	39	11	1	—	—	—	—	—	—	
Diphtheria	0.09	42	8	4	5	8	3	23	13	2	—	—	1	—	—	1	—	
Whooping-cough	1.19	565	227	187	71	38	23	546	19	—	—	—	—	—	—	—	—	
Typhus	0.07	35	—	—	1	—	1	2	4	4	1	4	6	8	2	2	2	
Enteric Fever	0.20	97	2	10	7	1	6	26	13	8	7	10	10	13	4	3	2	
Simple Cont. Fev.	0.13	62	6	3	5	5	7	26	13	3	4	2	6	1	2	2	3	
Paup. Fever	0.07	34	—	—	—	—	—	—	—	—	5	10	9	10	—	—	—	
Diarr. and Dys.	1.41	673	443	119	18	8	1	589	1	2	2	—	6	5	12	18	19	
Cholera	0.03	13	3	2	—	—	—	5	—	—	—	—	1	1	3	1	2	
Cancer	0.33	156	—	—	—	—	—	—	—	1	—	—	9	28	45	45	33	
Scrofula	0.24	114	29	29	10	3	4	75	8	4	9	8	3	1	2	7	1	
Tuberc Mesent.	0.47	224	111	71	20	10	2	214	5	4	1	1	—	—	1	—	—	
Phthisis	0.85	1327	12	16	4	5	8	45	23	21	58	150	374	849	204	104	28	
Hydrocephalus	0.63	311	147	78	34	17	16	292	12	4	1	1	—	—	1	—	—	
Diseases of Nervous Syst.	3.00	1426	490	122	37	23	13	710	54	10	11	10	35	73	162	168	169	
Circulatory	1.20	660	2	3	2	—	—	7	14	23	14	21	90	167	151	145	113	
Respiratory	0.10	2904	669	271	131	56	33	1260	58	8	6	36	91	160	302	429	274	
Digestive	0.75	538	44	8	5	2	1	60	10	7	4	5	38	44	62	73	38	
Urinary	0.33	129	3	1	2	5	1	13	6	1	3	4	16	26	23	27	28	
Generative	0.07	32	1	—	1	—	—	2	—	—	—	1	6	5	7	8	3	
Childbirth	0.08	40	—	—	—	—	—	—	—	—	—	5	20	15	—	—	—	
Suicide	0.05	30	—	—	—	—	—	—	—	2	5	5	5	5	13	3	3	
Other Violence	0.71	337	182	6	3	4	2	197	11	7	9	5	19	55	24	22	12	
OTHER CAUSES	4.17	1394	869	137	59	32	23	1120	41	7	13	16	31	63	62	98	214	366

Deaths of Infants (under one) to 1000 Births } 181

Marriages - 3,320
Births - 18,500Annual Rate of Persons Married per 1000 living Births - 13.95
- 33.99

19.—STEPNEY.

ANNUAL DEATH RATE PER 1000	—	22.09	—	—	—	—	—	85.98	8.50	3.82	3.93	5.08	7.40	11.12	16.82	30.15	52.13	139.1
Mean Pop. 1871-80	—	58,117	1832	1025	1581	1331	1540	8118	7086	6446	5452	4000	8811	7129	5256	3058	1341	481
ALL CAUSES	22.09	12,840	3772	1684	800	433	291	6980	602	246	214	254	660	793	884	922	699	586
Small-pox -	0.50	175	33	19	7	9	14	52	27	8	7	12	20	10	6	2	1	—
Measles -	0.74	439	91	169	94	49	14	406	21	—	—	—	1	—	—	—	—	—
Scarlet Fever -	0.82	478	33	71	102	67	62	335	130	12	5	—	2	4	—	—	—	—
Diphtheria -	0.12	70	11	7	14	11	7	50	15	1	—	—	2	1	1	—	—	—
Whooping-cough -	1.03	596	237	188	93	43	22	582	14	—	—	—	—	—	—	—	—	—
Typhus -	0.06	46	1	1	1	3	3	9	4	4	4	5	6	3	7	3	1	—
Enteric Fev. -	0.19	113	—	3	3	10	5	21	22	12	10	8	14	10	5	5	6	—
Simple Cont. Fev. -	0.06	35	1	1	1	1	5	9	8	3	—	2	4	1	1	3	2	—
Paup. Fever -	0.09	51	—	—	—	—	—	—	—	—	2	17	16	16	—	—	—	—
Diarr. and Dys. -	1.23	714	490	138	24	7	4	661	7	—	2	—	2	5	7	11	8	11
Cholera -	0.04	23	9	5	1	1	2	18	—	—	—	1	2	—	1	1	—	—
Cancer -	0.28	165	—	1	—	—	—	1	—	—	—	—	5	33	44	49	23	10
Scrofula -	0.19	113	20	32	14	13	8	93	15	2	—	—	—	2	—	1	—	—
Tuberc. Mesent. -	0.51	294	167	74	22	10	4	277	6	7	3	—	—	—	—	1	—	—
Phthisis -	1.93	1121	34	20	14	11	10	79	39	45	30	60	101	260	245	173	93	21
Hydrocephalus -	0.46	268	95	69	34	21	15	235	25	5	—	2	—	1	—	—	—	—
Diseases of Nervous Syst. -	2.43	1416	584	194	67	36	20	831	44	13	10	8	25	62	99	132	115	86
Circulatory -	0.94	549	3	1	3	2	3	17	33	22	19	9	47	68	107	120	77	31
Respiratory -	0.17	3003	826	324	203	73	43	1671	65	25	19	18	65	112	224	300	277	213
Digestive -	0.77	446	63	18	3	3	3	90	17	4	3	6	29	55	86	88	51	21
Urinary -	0.28	161	—	7	4	3	3	19	15	6	7	3	13	30	24	23	14	7
Generative -	0.03	18	1	—	—	—	—	1	—	—	1	1	4	5	1	2	3	—
Childbirth -	0.06	37	—	—	—	—	—	—	—	—	1	7	16	13	—	—	1	—
Suicide -	0.05	37	—	—	—	—	—	—	—	—	2	2	12	6	4	8	1	—
Other Violence -	1.17	682	146	22	19	12	9	278	48	47	51	45	97	76	63	28	13	13
OTHER CAUSES	3.11	1805	99	201	77	47	23	1288	57	30	8	7	18	34	30	46	86	50

Deaths of Infants (under one) to 1000 Births } 176

Marriages - 5,586
Births - 21,483Annual Rate of Persons Married per 1000 living Births - 19.22
- 36.97

20.—MILE END OLD TOWN.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85--	95--	100--
ANNUAL DEATH RATE PER 1000	—	22.20	—	—	—	—	—	72.47	0.47	2.07	3.60	5.61	7.08	11.73	18.30	35.81	73.43	100			
Mean Pop. 1871-80	—	90,383	3538	2830	2875	2700	2644	14467	11822	10113	8979	8970	15005	11752	8412	5320	2674	95			
ALL CAUSES	22.20	22,063	6147	2300	1038	606	333	10484	765	270	323	503	1269	1404	1547	1903	1964	26			
Small-pox	0.34	336	75	16	19	25	17	132	50	21	14	28	34	24	8	5	—	—			
Measles	0.86	652	115	204	117	58	23	517	22	1	—	—	2	—	—	—	—	—			
Scarlet Fever	0.77	768	61	116	136	112	169	540	181	20	13	4	4	2	1	—	—	—			
Diphtheria	0.11	110	14	21	13	12	12	72	29	4	1	—	1	1	—	—	—	—			
Whooping-cough	0.94	838	349	531	140	52	32	934	34	—	—	—	—	—	—	—	—	—			
Typhus	0.07	71	—	—	2	3	—	5	13	10	8	6	8	3	9	3	5	—			
Euteric Fever	0.25	245	3	12	16	11	40	29	22	27	26	30	27	16	16	9	1	—			
Simple Cont. Fev.	0.10	95	3	2	6	10	8	29	20	2	2	8	30	8	1	8	3	—			
Puerp. Fever	0.08	83	—	—	—	—	—	—	—	—	6	21	29	17	—	—	—	—			
Diarr. and Dys.	1.08	1078	788	145	27	7	3	965	9	2	1	2	4	6	10	24	29	3			
Cholera	0.06	57	37	7	2	1	1	48	1	1	—	—	3	—	—	2	—	—			
Cancer	0.29	390	—	1	—	1	—	2	1	—	—	—	2	21	50	104	167	78	3		
Scrofula	0.07	73	24	17	4	4	3	52	4	3	3	—	2	2	2	3	2	—			
Tubes Mesent.	0.44	441	263	110	80	12	3	420	9	5	4	1	—	—	—	—	—	—			
Phthisis	2.34	2327	19	27	16	7	12	81	43	60	124	228	656	344	331	189	57	4			
Hydrocephalus	0.35	351	142	95	46	25	13	321	22	6	—	—	2	—	—	—	—	—			
Diseases of																					
Nervous Syst.	2.78	2759	296	242	165	69	41	1433	67	22	20	50	63	104	168	237	319	181			
Circulatory	1.01	1001	8	4	—	1	5	18	54	37	22	25	85	136	176	212	187	47			
Respiratory	4.29	4258	1253	644	254	109	49	2399	81	14	27	36	107	243	283	612	664	273			
Digestive	0.76	762	117	9	4	9	6	141	17	8	10	22	50	71	121	138	110	40			
Urinary	0.27	308	—	3	2	4	5	14	12	6	6	6	27	29	28	62	46	13			
Generative	0.04	44	—	—	—	—	—	—	—	—	1	2	8	5	13	8	3	—			
Childbirth	0.07	74	—	—	—	—	—	—	—	—	2	11	31	23	1	—	—	—			
Suicide	0.06	65	—	—	—	—	—	—	—	—	3	6	9	9	13	9	4	1			
Other Violence	0.47	471	229	19	15	10	6	279	29	11	6	16	23	25	22	50	15	13			
OTHER CAUSES	3.90	3866	1647	282	93	64	35	2113	69	23	21	28	53	67	80	166	411	81			

Deaths of Infants (under one) to 1000 Births } 152

Marriages } 9,680
Births } 40,483Annual Rate { Persons Married } 19.50
per 1000 living { Births } 40.73

21.—POPLAR.

ANNUAL DEATH RATE PER 1000	—	25.03	—	—	—	—	—	73.47	7.24	3.74	5.25	7.76	10.67	15.90	23.77	46.54	90.21	100		
Mean Pop. 1871-80	—	136,443	4730	4132	4128	4036	3858	20904	17656	14529	12217	11097	21050	16992	11471	6429	2961	100		
ALL CAUSES	25.03	34,154	8757	3532	1563	831	655	15358	1281	544	642	861	2249	2702	2727	2992	3671	212		
Small-pox	0.46	639	97	34	44	41	32	248	113	46	40	35	71	49	20	11	3	—		
Measles	0.28	322	148	324	153	84	62	861	84	5	—	—	1	1	—	—	—	—		
Scarlet Fever	0.24	312	68	171	219	181	154	783	282	47	9	4	14	2	1	—	—	—		
Diphtheria	0.08	112	11	14	14	14	14	70	32	6	—	—	2	—	—	1	—	—		
Whooping-cough	0.90	1229	492	491	132	75	48	1199	31	—	—	—	—	—	—	—	—	—		
Typhus	0.05	68	—	1	3	2	1	7	9	12	6	3	8	10	3	6	2	—		
Euteric Fever	0.22	292	10	8	18	18	16	67	57	30	37	20	27	27	16	15	2	—		
Simple Cont. Fev.	0.10	120	6	3	6	11	9	49	22	11	6	3	10	9	3	9	3	—		
Puerp. Fever	0.06	76	—	—	—	—	—	—	—	—	6	5	15	35	19	3	—	—		
Diarr. and Dys.	1.67	1465	295	217	23	13	8	1236	16	5	3	4	12	17	29	57	53	21		
Cholera	0.04	58	32	6	3	1	—	42	3	—	1	1	4	2	1	2	1	1		
Cancer	0.44	591	—	—	—	—	—	—	—	2	1	2	23	87	165	172	178	21		
Scrofula	0.25	345	166	74	21	15	7	591	17	9	12	2	4	10	2	3	—	—		
Tubes Mesent.	0.56	783	480	290	55	18	8	761	17	4	—	—	2	1	—	—	—	—		
Phthisis	2.91	3008	76	30	29	16	14	296	75	82	232	425	103	9.8	600	217	55	4		
Hydrocephalus	0.39	631	208	169	67	21	27	476	43	7	3	1	3	—	—	—	—	—		
Diseases of																				
Nervous Syst.	2.91	3998	1164	295	129	63	42	1896	168	40	42	45	100	283	349	491	499	100		
Circulatory	1.29	1734	15	6	6	3	33	58	37	42	60	172	243	342	392	267	139	—		
Respiratory	5.05	6289	1820	1068	290	147	106	5471	137	32	48	68	188	542	489	702	807	491		
Digestive	0.76	1211	191	57	30	19	9	272	24	8	19	34	95	177	197	210	132	40		
Urinary	0.36	361	3	3	3	3	3	24	21	14	4	15	42	73	108	115	60	17		
Generative	0.03	74	2	—	—	—	—	2	—	—	1	3	4	13	19	17	11	4		
Childbirth	0.09	122	—	—	—	—	—	—	—	—	6	12	65	29	2	—	—	—		
Suicide	0.18	104	—	—	—	—	—	—	—	1	7	9	21	11	25	18	7	3		
Other Violence	1.08	1476	256	47	27	20	24	378	91	115	86	90	203	185	194	109	44	25		
OTHER CAUSES	4.14	3665	2327	402	121	79	49	5188	89	34	32	28	10	145	179	277	739	100		

Deaths of Infants (under one) to 1000 Births } 156

Marriages } 9,887
Births } 50,296Annual Rate { Persons Married } 14.49
per 1000 living { Births } 41.22

22.—ST. SAVIOUR, SOUTHWARK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000.	—	23.01	—	—	—	—	—	82.91	7.41	3.03	3.05	5.40	7.87	13.69	21.94	38.79	74.32	165
Mean Pop. 1871-80	—	185,107	5873	5141	4987	4812	4714	25530	20818	18175	16920	17328	30022	23106	16027	9965	4941	107
ALL CAUSES	23.01	44,300	12172	4862	2117	1204	811	31166	1542	551	669	935	2410	3163	3516	3865	3672	277
Small-pox	0.39	720	171	74	46	42	48	343	104	34	29	49	64	39	13	3	1	—
Measles	0.59	1096	250	435	196	112	41	1054	36	—	3	1	1	—	—	—	—	—
Scarlet Fever	0.67	1244	74	187	246	194	109	851	327	42	10	4	4	—	—	—	—	—
Diphtheria	0.15	218	21	25	32	30	19	132	12	5	1	2	—	—	—	—	—	—
Whooping-cough	1.05	1945	692	639	328	152	89	1851	59	2	1	—	—	—	—	—	—	—
Typhus	0.05	91	5	2	5	4	6	18	12	12	11	11	9	6	5	2	4	—
Enteric Fever	0.20	364	15	12	26	22	16	91	65	32	31	54	43	28	18	14	8	—
Simple Cont. Fev.	0.11	146	13	19	27	14	16	89	37	14	4	4	5	7	11	14	8	—
Purp. Fever	0.08	146	—	—	—	—	—	—	—	—	10	39	63	54	—	—	—	—
Diarr. and Dys.	1.07	1987	1386	344	43	13	7	1793	13	3	3	2	9	14	21	36	36	—
Cholera	0.04	68	22	8	6	2	2	50	1	1	—	—	—	—	3	6	2	—
Cancer	0.13	707	—	—	—	1	1	3	4	2	2	3	33	119	226	221	154	—
Scrofula	0.18	261	77	83	31	11	14	186	37	8	8	6	6	6	5	8	2	—
Tuberc. Mesent.	0.41	760	404	291	64	28	14	709	31	5	5	2	2	2	1	2	1	—
Phthisis	2.77	5127	171	121	49	28	25	539	102	196	238	495	1186	1275	880	332	98	—
Hydrocephalus	0.45	803	223	225	67	49	48	714	64	18	3	2	3	1	—	—	—	—
Diseases of Nervous Syst.	2.97	5592	1951	453	212	111	62	2814	142	46	52	52	141	285	422	565	609	8
Circulatory	0.92	1719	19	—	—	12	7	50	44	26	34	49	186	241	314	348	276	1
Respiratory	5.69	10,335	2539	1396	512	246	119	4822	167	35	53	83	240	518	910	1407	1463	8
Digestive	0.81	1333	214	21	15	8	15	273	33	28	28	37	114	165	237	302	187	—
Urinary	0.20	664	7	2	6	7	7	29	26	9	15	10	53	81	112	116	88	—
Generative	0.04	70	1	—	—	—	—	1	—	—	2	1	9	11	21	16	8	—
Childbirth	0.07	124	—	—	—	—	—	—	—	—	5	23	57	30	2	—	—	—
Stillbirth	0.07	131	—	—	—	—	—	—	—	—	5	6	29	29	25	34	11	—
Other Violence	0.01	794	307	40	21	16	15	406	40	21	18	22	48	58	51	55	44	—
OTHER CAUSES	4.01	7458	301	561	177	101	69	4417	133	65	66	66	140	139	214	372	670	12

Deaths of Infants (under one) to 1000 Births } 109

Marriages - 20,579
Births - 71,902Annual Rate of Persons Married per 1000 living { Births - 22.23
- 38.51

23.—ST. OLAVE, SOUTHWARK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000.	—	27.00	—	—	—	—	—	76.18	7.90	4.40	7.53	10.15	13.68	10.22	29.14	18.39	33.01	178
Mean Pop. 1871-80	—	128,511	4447	3914	3813	3686	3517	19,777	16098	13802	11640	11047	20,204	15,522	10,671	6346	3032	97
ALL CAUSES	27.00	34,004	8122	3493	1563	931	652	14,761	1271	599	876	1121	2642	2984	3109	3071	2517	174
Small-pox	0.23	411	93	19	22	50	21	175	82	25	24	28	41	21	8	5	—	—
Measles	0.61	819	175	335	165	78	32	773	48	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.59	1011	62	145	179	170	119	69	170	22	9	7	6	2	—	—	—	—
Diphtheria	0.16	291	15	27	37	19	31	119	62	10	6	6	3	2	2	1	—	—
Whooping-cough	1.62	1396	534	442	291	163	54	1540	55	—	1	—	—	—	—	—	—	—
Typhus	0.08	97	1	2	1	6	7	17	5	12	5	13	16	11	13	3	1	—
Enteric Fever	0.25	326	9	9	12	6	13	51	31	40	47	37	53	25	15	5	—	—
Simple Cont. Fev.	0.03	78	3	1	6	6	1	16	12	2	9	3	5	3	2	3	2	—
Purp. Fever	0.10	123	—	—	—	—	—	—	—	7	34	60	22	2	—	—	—	—
Diarr. and Dys.	1.18	1517	1019	243	50	10	8	1332	14	8	2	2	11	8	26	47	43	—
Cholera	0.04	75	44	9	2	—	—	55	—	1	—	2	3	6	2	1	3	—
Cancer	0.78	1040	—	2	1	—	1	4	3	1	7	14	68	184	275	271	199	—
Scrofula	0.23	219	84	82	14	12	9	175	16	15	8	8	12	11	3	5	1	—
Tuberc. Mesent.	0.47	668	318	144	51	18	6	547	32	8	4	5	8	2	4	2	1	—
Phthisis	2.94	2824	115	59	32	22	21	248	64	92	234	329	92	907	170	239	66	—
Hydrocephalus	0.43	853	201	111	57	43	2	437	49	15	7	4	5	6	1	1	—	—
Diseases of Nervous Syst.	2.94	3740	152	370	141	56	68	1932	161	45	44	43	178	275	275	391	413	—
Circulatory	1.35	1758	14	5	1	2	5	27	49	61	63	82	241	254	321	278	217	—
Respiratory	5.31	702	1657	1021	568	177	87	2599	113	49	41	82	258	40	677	977	825	—
Digestive	0.97	1252	119	22	10	2	8	18	19	14	43	31	125	174	254	246	125	—
Urinary	0.02	891	3	6	5	4	4	22	14	15	35	45	116	71	154	125	76	—
Generative	0.12	131	1	—	—	—	—	1	—	—	6	14	40	54	32	9	14	—
Childbirth	0.10	127	—	—	—	—	—	—	—	—	3	21	32	50	1	—	—	—
Stillbirth	0.10	133	—	—	—	—	—	—	—	—	5	14	21	31	70	27	14	—
Other Violence	1.46	1882	228	57	50	44	44	478	106	99	127	132	274	523	215	148	78	—
OTHER CAUSES	4.27	5462	2123	591	101	98	79	2539	124	74	75	77	165	191	262	262	489	—

Deaths of Infants (under one) to 1000 Births } 154

Marriages - 9,116
Births - 52,840Annual Rate of Persons Married per 1000 living { Births - 14.19
- 41.12

24.—LAMBETH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	23.23	—	—	—	—	—	71.91	8.29	4.25	5.98	7.46	9.75	14.79	21.96	30.28	70.52	179.9
Mean Pop. 1871-80	—	231,021	7110	6194	6169	5878	5631	31012	26726	22187	21302	22486	30336	28310	19249	12430	6304	1209
ALL CAUSES	23.23	53,662	13205	4691	2052	1366	1023	22337	2134	943	1279	1678	3837	4188	4228	4510	4670	5538
Small-pox	0.94	2141	191	81	73	67	71	483	236	127	108	317	436	242	93	33	10	4
Measles	0.47	1691	247	391	198	104	65	1065	75	15	3	—	6	—	—	—	—	—
Scarlet Fever	0.80	1:55	95	221	275	229	255	1141	517	82	42	19	39	11	2	—	—	—
Diphtheria	0.18	407	34	45	49	69	50	247	104	15	—	12	13	4	—	—	—	—
Whooping-cough	0.89	5046	756	678	292	169	83	1973	71	1	—	1	—	—	—	—	—	—
Typhus	0.13	229	3	—	1	—	3	7	15	14	24	44	41	71	49	25	5	1
Enteric Fever	0.34	789	13	18	29	24	26	107	79	86	152	101	120	89	43	34	28	4
Simple Cont. Fev.	0.09	215	7	—	14	14	16	58	55	15	6	—	15	9	13	15	22	14
Erupt. Fever	0.02	200	—	—	—	—	—	—	—	—	10	49	95	45	1	—	—	—
Diarr. and Dys.	0.89	2054	1493	253	24	11	8	1791	13	8	2	5	16	35	17	34	79	7
Cholera	0.03	74	33	7	2	3	—	47	2	—	1	2	3	4	6	—	3	2
Cancer	0.52	1212	—	—	1	—	1	2	1	3	5	7	53	182	316	341	532	6
Serofula	0.17	368	147	68	21	18	13	267	33	18	12	6	17	8	19	7	9	1
Tuberc Mesent.	0.56	826	497	199	85	21	16	753	33	15	3	—	6	—	—	—	—	—
Phthisis	0.45	5:22	119	82	47	18	25	291	114	350	549	573	1435	1844	862	377	116	2
Hydrocephalus	0.42	968	316	243	128	68	59	816	99	27	5	4	6	8	2	—	—	—
Diseases of																		
Nervous Syst.	2.46	5739	1892	405	155	104	63	2529	136	50	54	60	152	254	445	671	894	200
Circulatory	1.24	2873	11	5	3	8	7	34	69	73	83	90	231	426	483	590	872	251
Respiratory	4.64	10724	2729	1346	459	193	126	4853	182	49	61	49	321	496	784	1278	1505	108
Digestive	1.07	2474	324	39	26	16	423	110	32	35	43	4	200	312	421	613	548	26
Urinary	0.48	1110	11	8	7	12	8	46	22	19	21	4	131	177	37	245	169	7
Generative	0.03	173	1	1	—	—	—	2	—	2	3	7	32	35	44	21	25	1
Childbirth	0.03	179	—	—	—	—	—	—	—	—	6	22	84	85	2	—	—	—
Suicide	0.07	171	—	—	—	—	—	—	—	—	4	7	45	81	33	30	16	1
Other Violence	0.63	1413	292	75	45	40	43	495	88	68	54	69	111	153	198	122	94	6
OTHER CAUSES	3.70	8:27	4050	361	119	103	69	4963	164	106	111	98	211	235	289	331	615	168

Deaths of Infants (under one) to 1000 Births } 183 Marriages - 24,663 Annual Rate { Persons Married per 1000 living { Births - . . . 21.28
Births - 86,606 Births - . . . 37.49

25.—WANDSWORTH.

	Annual Death Rate per 1000	18.06	—	—	—	—	—	58.31	5.30	2.84	3.65	4.22	6.78	10.80	16.22	30.86	66.45	143.1
Mean Pop. 1871-80	—	167,747	5176	4722	4748	4589	4320	23755	20306	17560	15715	13457	27349	20719	13372	7945	4078	1499
ALL CAUSES	18.06	30,201	8536	2830	1164	799	523	13852	1076	499	573	652	1853	2237	2169	2432	2710	2211
Small-pox	0.52	531	114	38	87	29	33	281	72	24	23	25	65	28	28	13	5	—
Measles	0.42	712	159	219	119	77	33	649	55	3	—	2	1	2	—	—	—	—
Scarlet Fever	0.51	883	47	112	146	144	94	543	239	43	15	6	13	1	1	1	—	—
Diphtheria	0.10	167	7	21	50	23	28	99	40	10	3	1	7	1	3	1	—	—
Whooping-cough	0.62	1042	451	303	134	85	44	1017	28	1	—	—	—	—	—	—	—	—
Typhus	0.05	84	1	—	1	4	3	9	9	7	9	8	10	9	10	9	2	—
Enteric Fever	0.19	527	15	10	17	13	14	69	64	52	23	19	31	39	30	16	6	—
Simple Cont. Fev.	0.05	91	9	8	6	9	4	36	12	3	—	8	7	5	2	6	11	—
Erupt. Fever	0.08	126	—	—	—	—	—	—	—	—	4	24	66	22	—	—	—	—
Diarr. and Dys.	0.80	1345	975	170	24	13	5	1187	7	—	1	2	8	14	18	29	41	4
Cholera	0.03	52	30	12	3	—	—	35	3	—	—	—	3	2	4	5	2	—
Cancer	0.29	648	2	1	1	1	1	6	2	1	1	1	21	99	149	169	133	1
Serofula	0.11	391	63	41	50	7	5	156	8	7	11	5	8	8	3	2	3	—
Tuberc Mesent.	0.45	732	467	144	53	23	12	629	24	20	3	1	4	5	1	1	3	—
Phthisis	1.86	3115	138	78	32	22	10	275	65	106	200	281	736	735	800	200	60	1
Hydrocephalus	0.32	563	217	196	49	26	20	454	53	14	5	2	3	1	1	—	—	—
Diseases of																		
Nervous Syst.	2.41	4043	1694	242	95	69	54	1558	90	40	47	40	166	314	597	668	690	21
Circulatory	1.03	1724	14	7	3	7	54	26	31	43	31	140	192	261	322	355	229	21
Respiratory	3.51	8846	1755	828	274	157	82	3126	92	32	50	65	169	281	382	555	629	61
Digestive	0.79	1318	240	31	13	10	12	2291	26	19	27	28	96	145	168	219	210	1
Urinary	0.30	303	5	3	4	2	—	12	12	10	14	21	58	29	61	90	60	4
Generative	0.01	65	—	—	—	—	—	1	1	—	—	1	3	16	16	14	8	—
Childbirth	0.07	310	—	—	—	—	—	—	—	—	3	16	54	44	3	—	—	—
Suicide	0.04	132	—	—	—	—	—	—	—	1	6	6	19	32	32	32	23	—
Other Violence	0.29	652	135	81	18	16	16	216	23	50	34	32	58	69	49	42	37	1
OTHER CAUSES	3.12	5233	2606	840	93	66	37	3142	76	53	50	34	96	117	140	211	420	26

Deaths of Infants (under one) to 1000 Births } 140 Marriages - 11,073 Annual Rate { Persons Married per 1000 living { Births - . . . 18.20
Births - 57,210 Births - . . . 36.10

26.—CAMBERWELL.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS PER 1000	—	19.11	—	—	—	—	—	58.55	5.22	2.43	3.42	4.97	7.14	11.07	17.14	32.50	65.21	161.96
In Pop. 1-80	—	148,950	4688	4267	4234	4134	4123	21448	18450	15608	14133	18150	23344	17840	11908	7330	4048	1001
CAUSES	19.11	28,457	7005	2000	1092	678	523	12558	963	379	483	653	1600	2082	2057	2382	2041	2593
Pox -	0.25	374	82	29	18	22	20	162	48	24	24	18	50	31	10	5	1	1
Fever -	0.42	630	118	253	99	63	39	374	51	2	1	—	1	1	—	—	—	
Inf. -	0.53	796	40	104	114	125	139	509	207	88	11	11	13	7	—	—	—	
Inf. -	0.11	172	14	15	27	21	23	102	44	8	4	—	4	—	5	—	1	
Inf. -	0.77	1142	435	389	155	89	47	1097	45	—	—	—	—	—	—	—	—	
Inf. -	0.03	39	—	—	2	3	2	7	5	2	4	3	6	6	3	3	—	
Fever -	0.19	281	15	17	17	15	19	83	29	23	29	21	29	19	12	14	8	
Cent. Fev.	0.11	363	22	24	19	14	10	89	18	8	6	7	4	6	10	4	6	
Fever -	0.07	102	—	—	—	—	—	—	—	—	—	4	10	55	27	—	—	
Inf. and Dys.	0.61	1391	877	161	22	7	4	1061	9	2	—	—	5	17	9	18	34	
Inf. -	0.05	74	37	15	3	3	1	50	1	—	—	—	3	3	3	3	1	
Inf. -	0.28	573	1	1	—	1	—	3	1	2	—	2	17	87	114	163	121	
Inf. -	0.11	150	58	24	9	8	107	14	8	6	4	8	1	3	2	4	2	
Mesent.	0.38	563	255	116	31	12	10	324	24	9	2	1	—	2	1	2	1	
Inf. -	1.90	2914	61	45	27	17	6	154	47	50	180	319	726	743	414	212	69	
Inf. -	0.29	439	161	103	67	23	19	378	56	10	9	1	3	2	—	—	—	
Inf. -	2.52	4504	1130	265	108	59	42	1691	101	32	41	57	186	223	573	211	561	
Inf. -	0.94	1599	7	4	2	3	2	18	26	39	35	93	95	150	251	299	284	
Inf. -	3.72	5519	1423	747	240	104	70	3364	92	12	30	41	142	223	594	609	790	
Inf. -	0.55	1305	177	19	10	14	8	225	28	11	18	21	95	128	184	239	295	
Inf. -	0.20	446	4	4	6	2	5	21	11	7	6	13	42	56	81	79	53	
Inf. -	0.05	77	1	—	—	—	—	1	—	—	3	2	0	5	20	13	6	
Inf. -	0.03	118	—	—	—	—	—	—	—	—	2	13	44	59	—	—	—	
Inf. -	0.07	103	—	—	—	—	—	—	—	—	6	7	15	17	23	22	11	
Inf. -	0.31	456	124	54	11	11	12	192	44	33	21	12	25	39	63	102	11	
Inf. -	3.46	5103	2963	317	105	66	51	3092	72	47	41	37	91	92	126	167	444	

Deaths of Infants (under
one) to 1000 Births - } 147Marriages - 10,921
Births - 51,808Annual Rate (Persons Married - 14.06
per 1000 living (Births - 34.78

27.—GREENWICH.

AL DEATH PER 1000	—	21.38	—	—	—	—	—	63.77	6.17	3.30	5.08	7.45	9.60	13.42	19.76	33.51	65.83	156.82
In Pop. 1-80	—	115,917	3614	3168	3190	3124	3044	16130	14066	12906	10787	10045	17240	13748	9821	6377	3374	1327
CAUSES	21.38	24,778	6156	2141	944	598	447	10280	808	437	543	748	1660	1845	1941	2137	2221	2081
Pox -	0.37	660	72	10	20	27	37	172	98	28	53	65	105	57	37	9	3	1
Fever -	0.48	560	92	209	122	63	23	514	29	5	—	8	4	—	—	—	—	—
Inf. -	0.54	622	31	87	94	102	94	412	150	32	6	7	8	6	1	—	—	—
Inf. -	0.12	140	18	14	18	20	18	88	26	5	2	5	6	3	2	3	—	—
Inf. -	0.65	752	302	248	109	53	27	711	15	1	—	—	—	1	—	1	—	—
Inf. -	0.05	53	2	1	1	—	2	6	7	1	2	6	4	9	0	5	3	—
Inf. -	0.21	390	7	19	11	18	20	75	54	23	45	48	44	21	23	15	9	4
Inf. -	0.07	81	3	4	7	4	10	23	10	6	1	1	5	9	4	11	3	—
Inf. -	0.07	80	—	—	—	—	—	—	—	—	4	21	29	16	—	—	—	—
Inf. -	0.96	1117	796	135	16	5	5	937	3	—	2	6	34	22	19	26	27	31
Inf. -	0.03	32	16	2	1	1	1	21	1	—	—	—	2	4	3	1	—	—
Inf. -	0.51	594	—	—	1	1	—	2	1	1	—	3	25	78	143	168	129	41
Inf. -	0.10	115	44	12	5	5	—	69	7	7	7	3	3	8	5	4	1	1
Inf. -	0.41	477	289	104	22	12	7	444	10	9	5	1	5	—	5	1	1	—
Inf. -	2.22	2575	72	27	18	15	12	124	63	72	178	1	294	670	560	288	121	51
Inf. -	0.31	589	125	87	29	24	20	295	38	19	1	—	3	1	1	1	—	—
Inf. -	2.51	2912	931	211	83	43	41	1331	90	33	35	27	94	129	121	316	389	236
Inf. -	1.21	1491	5	5	3	4	3	18	28	24	28	23	148	290	223	284	235	100
Inf. -	4.24	4918	1250	619	276	115	60	3279	93	33	37	156	260	377	581	621	426	168
Inf. -	0.83	1028	142	21	10	4	7	136	17	14	25	23	75	121	135	175	148	77
Inf. -	0.40	463	1	4	3	4	4	18	12	5	13	11	37	79	80	83	82	58
Inf. -	0.04	60	—	—	—	—	—	—	—	—	—	2	5	4	15	12	8	4
Inf. -	0.60	74	—	—	—	—	—	—	—	—	3	10	26	25	—	—	—	—
Inf. -	0.07	86	—	—	—	—	—	—	—	—	5	7	10	18	16	22	4	6
Inf. -	0.69	781	193	31	14	12	15	204	42	42	63	46	75	93	69	63	80	34
Inf. -	3.93	4381	1820	287	166	32	32	2392	64	43	84	42	85	117	142	197	449	1000

Deaths of Infants (under
one) to 1000 Births - } 148Marriages - 7,963
Births - 41,591Annual Rate (Persons Married - 13.72
per 1000 living (Births - 33.97

28.—LEWISHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000.	—	14.94	—	—	—	—	—	48.47	4.08	2.44	2.86	3.14	5.30	9.18	13.92	20.71	34.67	148
Mean Pop. 1871-80	—	62,442	1662	1516	1555	1485	1467	7685	6708	6104	6085	6787	10463	7309	5016	3223	1778	61
ALL CAUSES	14.94	9530	2397	745	266	199	118	3725	274	149	191	213	564	671	698	861	973	101
Small-pox	0.04	25	5	1	—	—	—	6	—	1	5	2	8	3	1	—	—	—
Measles	0.24	132	39	58	21	14	9	197	11	1	—	—	1	1	—	—	—	—
Scarlet Fever	0.41	253	1	39	43	49	3	193	41	16	5	2	5	2	2	—	1	—
Diphtheria	0.12	74	5	8	15	6	13	43	2	6	2	2	—	—	—	1	—	—
Whooping-cough	0.47	293	18	94	24	22	7	283	10	—	—	—	—	—	—	—	—	—
Typhus	0.02	1	2	—	—	1	—	3	1	1	3	—	1	—	1	1	—	—
Enteric Fever	0.16	102	—	2	3	5	5	15	12	7	15	8	15	8	7	8	2	1
Simple Cont. Fer.	0.04	22	—	1	4	2	1	8	5	—	1	1	5	12	—	—	—	—
Puerp. Fever	0.01	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.57	154	24	34	4	4	—	315	2	1	1	—	1	8	5	7	11	9
Cholera	0.02	1	8	1	—	1	—	10	—	—	—	—	—	—	1	1	—	—
Cancer	0.47	291	—	—	—	—	—	—	—	—	2	—	12	34	63	72	80	5
Scrofula	0.03	31	8	5	3	1	—	17	2	4	2	1	—	—	—	—	1	—
Tuber. Menstr.	0.22	149	66	35	12	5	—	119	11	4	—	—	—	—	—	—	—	—
Phthisis	1.59	292	90	8	6	4	5	41	13	32	74	108	259	230	146	65	26	1
Hydrocephalus	0.37	128	98	87	24	14	6	197	16	8	3	1	1	2	—	—	—	—
Diseases of Nervous Syst.	1.84	1172	312	61	24	13	6	429	28	13	9	19	32	67	76	139	196	17
Circulatory	1.12	740	7	3	2	2	1	16	8	14	15	15	41	73	102	155	161	19
Respiratory	2.64	1599	437	210	45	23	13	745	24	12	13	14	44	100	103	173	227	22
Digestive	0.59	359	125	4	4	6	1	83	10	12	10	10	39	54	83	95	68	4
Urinary	0.33	207	3	1	1	2	—	9	2	—	4	7	18	25	34	30	29	3
Generative	0.06	33	—	—	—	—	—	—	—	—	—	—	6	6	4	7	7	3
Childbirth	0.06	35	—	—	—	—	—	—	—	—	3	8	14	18	—	—	—	—
Suicide	0.03	25	—	—	—	—	—	—	—	—	3	2	7	4	9	7	2	1
Other Violence	0.27	171	41	10	5	3	—	69	14	2	3	5	10	8	13	13	14	3
OTHER CAUSES	2.90	1793	859	131	28	2	10	1608	33	18	12	10	31	47	42	54	130	28

Deaths of Infants (under one) to 1000 Births } 128

Marriages : 3,777
Births : 18,993Annual Rate { Persons Married : 12.10
per 1000 living { Births : 30.43

29.—WOOLWICH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000.	—	20.19	—	—	—	—	—	61.28	7.44	3.84	5.07	6.73	9.00	15.42	17.84	33.36	62.68	159
Mean Pop. 1871-80	—	77,113	2253	2074	2080	2034	2012	10453	9248	7789	7579	7300	12094	9470	6969	3965	1849	68
ALL CAUSES	20.19	15,569	3668	1392	635	418	293	6406	688	299	354	402	1090	1463	1190	1332	1159	101
Small-pox	0.12	94	20	2	9	8	1	44	9	3	8	7	14	7	2	1	1	—
Measles	0.34	417	81	168	66	30	20	374	58	3	1	—	1	—	—	—	—	—
Scarlet Fever	0.62	475	19	59	82	95	54	314	144	23	4	2	3	5	—	—	—	—
Diphtheria	0.23	153	3	17	16	16	14	68	63	9	1	1	2	2	1	2	—	—
Whooping-cough	0.64	473	203	132	64	34	21	436	17	—	—	—	—	—	—	—	—	—
Typhus	0.04	30	—	—	1	9	2	5	3	4	6	1	3	2	5	3	—	—
Enteric Fever	0.21	165	2	8	7	8	8	31	26	13	20	16	37	19	12	7	1	—
Simple Cont. Fer.	0.11	81	10	13	6	10	5	44	14	5	3	2	5	1	1	5	1	—
Puerp. Fever	0.18	69	—	—	—	—	—	—	—	—	6	11	56	10	1	—	—	—
Diarr. and Dys.	0.53	373	381	89	10	4	6	49	9	2	—	2	7	10	7	7	23	2
Cholera	0.03	37	22	6	—	1	—	29	1	—	—	—	—	1	1	5	—	—
Cancer	0.43	378	—	—	—	—	—	—	1	—	1	4	16	51	96	115	70	2
Scrofula	0.11	127	30	26	9	6	5	76	6	9	11	4	6	5	3	6	1	—
Tuber. Menstr.	0.9	299	190	77	25	16	9	277	15	4	2	—	—	1	—	—	—	—
Phthisis	2.55	1964	32	20	18	8	5	86	43	75	120	211	457	568	280	141	49	1
Hydrocephalus	0.52	443	10	109	86	2	31	339	46	10	6	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.49	1452	678	192	54	34	2	871	52	20	20	23	45	90	139	198	224	17
Circulatory	1.24	949	4	7	3	1	1	16	22	20	27	74	190	172	194	183	183	27
Respiratory	3.47	2673	684	309	124	54	23	1176	54	10	15	32	103	175	181	233	268	26
Digestive	0.89	617	101	19	7	6	5	136	20	7	18	12	40	91	73	112	20	4
Urinary	0.60	297	4	8	4	3	1	15	7	7	5	9	32	49	46	64	47	2
Generative	0.04	28	—	—	—	—	—	—	—	—	—	—	1	7	3	7	2	—
Childbirth	0.07	54	—	—	—	—	—	—	—	—	3	6	24	20	1	—	—	—
Suicide	0.05	34	—	—	—	—	—	—	—	—	4	4	13	17	11	10	4	—
Other Violence	1.27	977	91	35	23	20	17	168	68	72	85	90	182	135	84	49	23	3
OTHER CAUSES	2.94	2274	1609	168	51	30	10	1347	49	21	25	26	61	71	27	105	130	23

Deaths of Infants (under one) to 1000 Births } 133

Marriages : 7,225
Births : 27,559Annual Rate { Persons Married : 18.75
per 1000 living { Births : 36.74

30.—EPSOM.*

	Annual Death Rate (per 1000.)	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (PER 1000.)	—	16.46	—	—	—	—	—	39.24	4.86	2.68	3.39	4.58	7.32	13.17	17.04	23.79	63.42	155.49
Pop. (1-80)	—	35,563*	921	848	871	868	893	4401	4587	4508	3188	2989	5111	4018	2981	2105	1203	402
CAUSES	16.46	5854	1104	295	145	98	85	1727	222	121	108	131	374	529	508	606	763	765
POX -	0.07	24	6	1	—	—	1	8	1	1	1	1	4	2	5	1	—	—
Fever -	0.26	92	25	28	23	5	9	78	11	1	1	—	—	—	1	—	—	—
aria -	0.23	136	5	8	17	25	15	70	46	9	3	—	4	3	—	—	1	—
ing-cough	0.17	60	2	2	5	5	15	29	15	5	3	—	7	—	—	—	1	—
ag-cough	0.39	140	73	37	17	4	7	153	7	—	—	—	—	—	—	—	—	—
Fever -	0.02	6	—	—	—	—	—	—	1	2	—	—	1	—	1	—	—	—
Cont. Fev.	0.12	43	—	1	—	—	1	5	3	4	4	—	8	—	1	—	—	—
Fever -	0.06	21	—	—	—	—	—	—	—	—	—	—	3	11	7	—	—	—
and Dys.	0.49	173	111	17	4	4	3	139	3	—	—	—	1	3	4	3	7	13
—	0.01	2	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
—	0.46	163	—	—	—	1	—	1	—	—	—	—	1	9	20	29	42	38
—	0.10	35	9	7	1	—	—	16	5	—	—	—	3	1	1	1	—	—
Desent.	0.19	66	25	10	5	3	—	46	10	—	4	—	—	—	2	—	1	—
ephalus -	1.65	590	9	9	5	2	4	29	23	21	40	60	136	130	63	53	31	2
ephalus -	0.32	115	26	29	16	9	5	83	24	5	—	—	1	—	—	—	—	—
rons Syst.	2.09	1098	127	28	11	8	2	176	16	13	11	18	78	156	187	140	197	134
alatory -	1.20	461	4	1	—	—	—	5	5	11	8	9	18	43	61	102	129	89
iratory -	2.40	852	177	71	25	9	7	289	19	9	8	10	25	46	63	108	132	143
ative -	0.06	315	39	—	—	—	1	42	9	13	7	7	18	26	41	57	69	39
ary -	0.29	138	1	—	—	2	—	5	—	4	2	—	10	19	17	26	32	13
ative -	0.03	10	—	—	—	—	—	—	—	—	—	—	—	—	4	2	2	1
rth -	0.07	26	—	—	—	—	—	—	—	2	2	11	11	—	—	—	—	—
—	0.05	23	—	—	—	—	—	—	—	—	—	—	6	4	6	3	4	—
tolence -	0.29	138	13	2	7	5	—	27	4	6	6	1	10	21	25	10	16	12
CAUSES -	3.10	1109	448	48	14	13	12	535	18	12	8	8	15	25	32	44	118	294

Deaths of Infants (under one) to 1000 Births - 110 Marriages - 1,524 Annual Rate { Persons Married - 8.57
Births - 10,059 per 1000 living { Births - 28.29

* Changes were made in the boundary of this District during the decade; see pp. 371-378.

31.—CHERTSEY.

	Annual Death Rate (per 1000.)	ALL AGES.	Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (PER 1000.)	—	15.91	—	—	—	—	—	37.87	4.17	3.02	4.52	5.91	6.81	9.87	14.05	22.00	54.87	151.69
Pop. (1-80)	—	25,088	685	714	681	691	683	3454	3004	2883	2210	2066	3398	2328	2163	1502	913	377
CAUSES	15.91	3992	843	252	110	66	37	1308	129	87	100	122	245	279	304	344	501	573
POX -	0.09	23	2	—	—	—	1	3	1	1	1	2	7	2	5	—	—	—
Fever -	0.23	84	15	27	15	12	5	74	6	2	—	1	1	—	—	—	—	—
aria -	0.24	89	2	8	9	5	7	31	15	7	5	1	—	—	—	—	—	—
ria -	0.21	53	2	5	5	7	4	33	16	3	2	1	2	3	—	2	1	—
ing-cough	0.51	127	63	33	12	9	1	118	8	1	—	—	—	—	—	—	—	—
Fever -	0.05	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cont. Fev.	0.25	63	—	—	—	—	—	2	10	9	—	4	6	—	4	6	2	1
Fever -	0.06	15	—	1	—	—	—	2	—	2	—	—	—	—	4	3	1	—
and Dys.	0.65	162	89	21	4	1	—	115	—	—	1	1	2	4	3	3	18	15
—	0.04	9	6	2	—	—	—	8	—	—	—	—	—	1	—	—	—	—
—	0.43	167	—	—	—	—	—	1	—	—	—	—	2	7	25	24	31	17
—	0.08	20	3	5	1	—	—	9	3	—	—	—	1	—	—	1	—	—
Desent.	0.12	51	9	7	2	4	2	24	1	2	3	1	1	—	—	—	—	—
ephalus -	1.69	423	6	1	1	1	1	10	7	18	82	57	112	86	51	36	18	1
ephalus -	0.26	65	18	12	10	2	3	45	7	10	2	—	—	1	—	—	—	—
rons Syst.	2.00	502	107	21	6	3	2	159	7	4	10	4	10	28	40	64	89	107
alatory -	1.20	301	1	1	—	—	—	3	3	5	4	2	12	33	37	54	98	31
iratory -	2.64	662	156	68	27	9	5	265	13	3	5	5	27	29	55	46	110	124
ative -	0.08	222	20	3	2	1	1	35	2	6	4	4	11	21	35	43	42	25
ary -	0.41	103	—	1	—	—	—	2	—	—	1	4	5	10	20	23	29	17
ative -	0.04	9	—	—	—	—	—	1	—	—	—	—	—	—	1	2	3	2
rth -	0.10	24	—	—	—	—	—	—	—	—	1	5	12	6	—	—	—	—
—	0.08	19	—	—	—	—	—	—	—	—	—	—	3	6	4	4	2	—
tolence -	0.48	129	15	5	5	2	1	26	10	5	9	7	14	12	18	4	6	9
CAUSES -	3.01	762	324	29	9	8	4	374	18	9	9	11	14	11	20	28	62	206

Deaths of Infants (under one) to 1000 Births - 107 Marriages - 1,398 Annual Rate { Persons Married - 11.14
Births - 7,544 per 1000 living { Births - 31.27

32.—GUILDFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	19.38	—	—	—	—	—	37.32	4.05	2.90	4.73	7.54	12.10	16.30	20.70	33.68	68.78	165.88
Mean Pop. 1871-80	—	39,181	994	934	935	958	904	4725	4442	4243	3637	3310	5700	4786	3696	2586	1448	336
ALL CAUSES	19.38	7595	1177	318	111	103	64	1773	180	123	173	250	693	785	763	869	906	992
Small-pox	0.05	20	1	—	—	—	—	1	—	1	2	3	5	3	3	—	—	2
Measles	0.13	50	10	19	5	2	3	45	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.16	61	3	7	3	10	5	28	20	8	3	1	—	1	—	—	—	—
Diphtheria	0.13	51	2	2	2	0	6	21	16	8	—	—	1	3	1	—	—	1
Whooping-cough	0.50	118	57	24	18	15	4	116	2	—	—	—	—	—	—	—	—	—
Typhus	0.02	6	—	—	—	—	—	—	—	—	2	1	3	—	—	—	—	—
Enteric Fever	0.18	69	—	1	2	3	3	9	6	7	9	5	6	10	8	3	4	2
Simp. Cont. Fev.	0.06	22	—	1	2	1	1	5	6	3	1	—	—	—	1	—	2	1
Puerp. Fever	0.06	23	—	—	—	—	—	—	—	—	1	3	15	6	—	—	—	—
Diarr. and Dys.	0.41	169	84	17	5	4	2	112	2	—	1	—	3	2	5	6	13	15
Cholera	0.02	8	0	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0.03	247	2	—	—	—	—	2	—	2	5	—	10	18	40	76	51	51
Scrofala	0.13	78	14	6	5	1	2	28	3	2	5	7	13	6	3	4	3	1
Tubes Mesent.	0.20	100	60	15	4	2	—	51	6	3	3	4	1	—	2	—	—	—
Phthisis	2.03	1029	6	9	2	4	3	24	16	27	63	119	325	217	150	72	14	2
Hydrocephalus	0.27	104	24	21	8	13	5	71	16	8	4	2	1	—	—	1	—	—
Diseases of																		
Nervous Syst.	3.61	1435	158	32	9	14	6	194	9	10	23	27	122	284	204	224	228	138
Circulatory	1.51	595	2	—	—	—	—	3	3	—	—	—	—	61	97	121	161	99
Respiratory	2.94	1155	258	114	28	9	11	420	22	7	13	11	39	67	89	137	232	148
Digestive	1.01	396	33	6	3	2	3	47	6	3	6	11	30	49	55	81	86	31
Urinary	0.33	207	—	2	1	—	2	5	—	6	4	5	15	51	30	53	39	16
Generative	0.13	12	—	—	—	—	—	—	—	—	—	—	—	2	4	—	3	1
Childbirth	0.09	35	—	—	—	—	—	—	—	—	2	8	15	16	—	—	—	—
Suicide	0.10	41	—	—	—	—	—	—	—	—	—	—	—	—	9	10	6	2
Other Violence	0.54	210	25	7	3	6	5	46	17	10	9	11	22	27	20	20	15	15
OTHER CAUSES	3.48	1378	451	38	11	10	3	508	22	13	11	17	53	33	27	61	173	460

Deaths of Infants (under
one) to 1000 Births } 107Marriages - 2,402
Births - 11,032Annual Rate of Persons Married - 12.26
per 1000 living (Births - 23.16)

33.—FARNHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	16.33	—	—	—	—	—	51.46	4.61	3.16	3.89	5.15	7.37	14.53	15.90	28.31	62.48	148.79
Mean Pop. 1871-80	—	40,131	1180	1085	1009	1000	936	5210	4233	3389	4105	5421	7874	4556	2541	1535	821	356
ALL CAUSES	16.33	6523	1836	486	183	92	85	2682	195	107	163	279	580	662	404	485	513	533
Small-pox	0.07	29	1	1	—	1	3	6	2	3	5	6	1	2	3	—	—	1
Measles	0.24	94	23	39	18	12	4	87	9	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.23	161	1	18	17	12	4	32	22	8	4	3	5	1	—	—	—	—
Diphtheria	0.09	25	2	2	3	2	4	13	8	1	—	—	—	2	—	—	1	—
Whooping-cough	0.59	122	64	35	19	8	—	119	3	—	—	—	—	—	—	—	—	—
Typhus	0.01	3	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
Enteric Fever	0.19	75	1	3	1	2	2	9	9	8	12	9	14	4	5	1	2	—
Simp. Cont. Fev.	0.04	17	—	2	2	—	1	5	2	1	4	3	—	—	—	—	—	—
Puerp. Fever	0.09	57	—	—	—	—	—	—	—	—	2	9	10	8	2	—	—	—
Diarr. and Dys.	0.85	343	214	60	9	3	—	289	2	—	—	—	11	9	3	7	10	12
Cholera	0.01	6	5	1	—	—	—	4	—	—	—	—	—	—	—	1	1	—
Cancer	0.34	128	—	—	—	—	—	—	—	—	2	—	6	27	23	57	24	20
Scrofala	0.49	34	19	6	1	—	1	20	4	1	1	2	2	1	2	2	1	—
Tubes Mesent.	0.24	104	64	13	9	5	2	93	7	2	1	1	2	—	—	—	—	—
Phthisis	2.13	873	15	7	8	—	4	34	11	26	69	119	234	215	91	45	17	3
Hydrocephalus	0.32	121	45	34	14	7	6	106	14	2	3	2	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.18	866	391	62	22	12	19	415	24	18	14	14	34	56	50	71	105	91
Circulatory	1.18	413	5	—	—	—	—	5	9	8	8	13	70	107	68	79	86	59
Respiratory	2.58	1074	238	128	36	6	17	545	24	6	14	33	52	84	57	74	100	63
Digestive	0.72	284	43	2	1	—	4	50	8	5	11	13	23	55	56	45	28	14
Urinary	0.34	157	1	2	3	—	1	7	2	2	—	6	14	20	25	10	23	20
Generative	0.02	10	—	—	—	—	—	—	—	—	—	—	3	2	2	3	—	—
Childbirth	0.05	38	—	—	—	—	—	—	—	—	1	8	17	11	1	—	—	—
Suicide	0.10	39	—	—	—	—	—	—	—	—	3	1	13	11	4	4	1	2
Other Violence	0.41	164	29	6	6	8	4	53	9	11	9	15	23	12	10	8	10	5
OTHER CAUSES	2.27	1257	657	69	21	14	9	770	24	5	9	20	37	34	24	37	107	230

Deaths of Infants (under
one) to 1000 Births } 122Marriages - 3,204
Births - 15,007Annual Rate of Person Married - 16.27
per 1000 living (Births - 37.51)

34.—HAMBLEDON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (FEB 1880)	—	15'09	—	—	—	—	—	28'70	4'35	3'37	4'71	5'23	7'27	8'32	11'32	24'58	57'70	120'24
Pop. (1880)	—	15,314	440	382	417	413	418	2070	1954	1898	1445	1261	2037	1706	1407	1070	644	262
CAUSES	15'09	2386	389	85	56	35	29	594	85	64	68	66	148	142	106	263	372	418
Measles	0'02	3	—	—	—	—	—	—	—	—	—	21	—	1	—	—	—	—
Fever	0'15	24	5	5	3	—	—	16	3	2	1	—	1	—	—	—	—	—
Scarlatina	0'16	25	2	1	5	4	2	14	6	2	2	1	—	—	—	—	—	—
Cough	0'18	29	—	1	3	3	5	12	11	4	1	1	—	—	—	—	—	—
Whooping Cough	0'20	31	15	5	6	4	—	30	1	—	—	—	—	—	—	—	—	—
Diphtheria	0'01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Fever	0'22	33	—	—	—	—	—	—	2	6	2	5	4	4	4	3	1	2
Cont. Fever	0'01	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Fever	0'06	9	—	—	—	—	—	—	—	—	1	6	1	1	—	—	—	—
and Dys.	0'21	34	15	1	1	3	—	20	2	—	—	2	1	—	2	1	—	—
and Dys.	0'04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0'51	80	1	—	—	—	—	1	—	1	—	—	2	7	14	24	22	8
Scarlatina	0'04	7	1	1	—	—	—	2	—	—	—	1	—	2	—	—	1	1
Cough	0'12	19	3	4	2	—	1	10	3	4	1	—	1	—	—	—	—	—
Whooping Cough	1'64	289	6	3	3	3	1	16	5	11	28	34	64	59	29	25	7	1
Diphtheria	0'02	50	12	12	7	1	2	34	11	5	—	—	—	—	—	—	—	—
Measles	1'66	282	39	9	2	3	1	54	6	6	7	2	3	14	20	31	72	47
Scarlatina	1'65	261	3	1	—	—	—	4	2	1	3	4	11	13	29	47	99	57
Cough	2'24	344	77	31	10	6	7	181	6	5	4	3	15	14	18	42	55	61
Whooping Cough	0'04	149	10	1	—	2	1	14	5	1	5	1	9	13	18	31	33	32
Diphtheria	0'49	77	—	—	—	—	1	1	—	2	2	2	13	8	9	12	17	13
Scarlatina	0'04	7	1	—	—	—	—	1	—	1	—	—	—	1	2	—	—	1
Measles	0'02	10	—	—	—	—	—	—	—	—	—	2	4	3	1	—	—	—
Scarlatina	0'06	10	—	—	—	—	—	—	—	—	1	—	1	—	3	2	5	—
Whooping Cough	0'52	82	2	3	7	1	1	14	7	6	3	2	7	10	9	16	3	3
CAUSES	3'59	568	197	7	7	5	4	220	15	7	7	5	5	9	12	25	66	194

Deaths of Infants (under one) to 1000 Births - 82 Marriages - 906 Annual Rate (Persons Married) - 12'22
Births - 4,762 per 1000 living (Births) - 30'11

35.—DORKING.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (FEB 1880)	—	15'34	—	—	—	—	—	33'65	8'96	2'85	4'17	5'03	6'48	8'42	15'35	20'41	54'79	146'00
Pop. (1880)	—	14,011	428	380	395	401	399	2003	1791	1615	1319	1193	2037	1710	1333	1019	637	254
CAUSES	15'34	2288	448	123	54	20	30	674	71	46	55	60	182	144	178	208	349	371
Measles	0'02	4	1	—	—	—	—	1	—	—	—	—	1	—	1	1	—	—
Fever	0'12	19	5	5	4	1	1	16	1	1	—	—	—	—	1	—	—	—
Scarlatina	0'12	22	—	2	1	2	4	9	10	3	—	—	—	—	—	—	—	—
Cough	0'15	22	—	2	5	1	4	12	7	3	—	—	—	—	—	—	—	—
Whooping Cough	0'36	83	20	17	8	—	1	32	1	—	—	—	—	—	—	—	—	—
Diphtheria	0'02	3	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Fever	0'23	37	1	—	2	1	3	7	5	3	6	1	7	2	3	2	1	2
Cont. Fever	0'07	10	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Fever	0'04	6	—	—	—	—	—	—	—	—	2	1	2	1	1	—	—	—
and Dys.	0'49	60	30	7	3	—	—	40	—	—	1	—	1	2	1	1	6	8
and Dys.	0'01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0'56	85	—	2	—	—	—	1	—	—	—	—	3	6	17	23	27	5
Scarlatina	0'13	20	1	4	1	—	1	7	3	1	2	2	1	2	—	—	2	—
Cough	0'06	14	3	2	1	—	1	7	3	1	1	1	1	—	—	—	—	—
Whooping Cough	1'42	226	4	2	—	—	1	4	13	23	39	53	47	53	14	4	—	—
Diphtheria	0'02	48	12	10	5	2	4	33	6	5	1	—	2	1	—	—	—	—
Measles	1'95	293	65	18	5	4	3	95	4	2	3	5	10	13	26	30	20	55
Scarlatina	1'19	177	1	1	1	—	—	3	—	4	2	5	7	10	21	24	64	27
Cough	2'29	325	67	33	9	2	2	113	9	1	4	2	8	10	20	34	68	29
Whooping Cough	0'54	131	15	2	1	1	2	54	3	2	2	3	6	10	18	21	25	15
Diphtheria	0'05	7	—	—	—	—	—	—	—	—	—	4	7	13	11	16	15	13
Scarlatina	0'05	7	—	—	—	—	—	—	—	—	—	—	1	1	1	2	1	—
Measles	0'07	10	—	—	—	—	—	—	—	—	—	—	4	5	1	—	—	—
Scarlatina	0'05	7	—	—	—	—	—	—	—	—	—	—	—	4	2	1	—	—
Whooping Cough	0'42	62	5	2	3	3	—	13	2	2	5	3	7	6	9	6	4	5
CAUSES	3'73	665	211	16	4	3	8	257	10	5	4	2	9	19	19	20	81	179

Deaths of Infants (under one) to 1000 Births - 59 Marriages - 845 Annual Rate (Persons Married) - 11'33
Births - 4,527 per 1000 living (Births) - 30'36

SURREY (ex-met.)] Deaths in Registration Districts in the Ten Years 1871-80.

38.—CROYDON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	up
ANNUAL DEATH RATE PER 1000.]	—	16.30	—	—	—	—	—	47.99	5.15	3.05	3.19	4.51	6.47	10.19	14.99	28.90	27.80	14
Mean Pop. 1871-80 -]	—	101,513	2923	2505	2550	2606	2589	13333	12,109	10964	9833	9905	15878	11958	121	5259	2057	1
ALL CAUSES	16.30	16,544	4086	1156	506	375	276	6399	624	334	314	447	1027	1210	1217	1523	1709	1
Small-pox -	0.15	140	21	4	6	7	6	44	7	—	10	24	28	11	10	6	2	
Measles -	0.24	345	73	124	61	37	21	216	25	2	—	—	1	—	—	—	—	
Scarlet Fever -	0.24	349	12	46	27	57	37	204	106	25	4	2	6	1	—	1	—	
Diphtheria -	0.22	227	5	13	24	24	35	101	84	18	7	2	2	5	4	—	—	
Whooping-cough -	0.45	460	219	128	47	30	17	439	20	—	1	—	—	—	—	—	—	
Typhus -	0.02	24	—	—	—	1	—	1	2	2	1	7	2	2	2	—	5	
Enteric Fever -	0.29	290	8	4	10	5	10	37	29	42	40	38	28	23	10	18	5	
Simple Cont. Fev. -	0.05	53	2	3	2	5	5	17	7	5	4	5	5	2	1	1	5	
Puerp. Fever -	0.08	78	—	—	—	—	—	—	—	—	1	12	42	21	2	—	—	
Diarr. and Dys. -	0.66	665	497	64	6	2	3	572	8	2	2	5	2	2	2	12	23	
Cholera -	0.03	30	14	6	2	1	—	23	—	—	—	1	1	1	1	1	2	
Cancer -	0.49	502	1	—	1	—	—	2	—	—	1	1	18	60	108	142	127	
Scrofula -	0.11	110	38	18	11	5	4	76	9	4	3	1	3	4	4	3	3	
Tubes Mesent. -	0.33	331	174	80	21	6	6	287	17	10	6	3	1	2	—	3	2	
Phthisis -	1.75	1777	65	19	8	8	7	117	44	66	96	192	450	294	214	129	49	
Hydrocephalus -	0.30	304	111	66	29	17	21	244	40	11	4	—	—	2	1	2	—	
Diseases of Nervous Syst. -	2.03	2036	523	127	47	27	26	730	49	22	21	39	50	96	137	222	336	
Circulatory " -	1.17	1198	12	—	—	3	2	17	10	26	24	29	84	140	166	245	282	
Respiratory " -	2.56	2597	670	276	103	62	34	1147	60	18	24	24	68	123	154	276	565	
Digestive " -	0.80	809	114	14	10	5	4	147	18	17	16	14	61	103	120	141	143	
Urinary " -	0.52	520	4	2	2	1	4	13	8	4	3	15	43	78	91	108	89	
Generative " -	0.04	45	—	—	—	—	—	—	—	—	—	—	3	6	8	12	11	
Childbirth -	0.07	71	—	—	—	—	—	—	—	—	—	9	21	30	1	—	—	
Suicide -	0.06	60	—	—	—	—	—	—	—	1	3	8	9	13	9	7	6	
Other Violence -	0.35	347	56	29	13	16	8	122	22	17	12	7	58	41	26	41	17	
OTHER CAUSES -	2.03	2077	1467	125	49	66	26	1723	36	35	30	27	61	53	76	96	224	

Deaths of Infants (under one) to 1000 Births -] 123

Marriages - 7,211
Births - 31,817

Annual Rate { Persons Married - 14.21
per 1000 living { Births - 31.34

39.—KINGSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	up
ANNUAL DEATH RATE PER 1000.]	—	15.66	—	—	—	—	—	42.21	4.03	2.61	3.35	3.57	6.57	10.57	15.44	26.60	28.87	14
Mean Pop. 1871-80 -]	—	66,493	1863	1761	1791	1692	1639	8056	7077	6561	6363	6521	10691	8012	5447	3632	2057	8
ALL CAUSES	15.66	10,411	2370	638	324	200	134	3666	309	171	213	233	702	847	841	966	1211	1
Small-pox -	0.08	50	2	—	—	2	—	4	4	5	4	10	11	5	6	3	3	
Measles -	0.24	190	30	52	24	18	10	134	24	1	—	1	—	—	—	—	—	
Scarlet Fever -	0.26	171	9	24	28	26	16	103	36	16	5	4	6	1	—	—	—	
Diphtheria -	0.15	89	8	10	9	15	5	47	30	3	1	1	2	1	2	—	—	
Whooping-cough -	0.46	309	141	90	43	21	3	309	9	—	—	—	—	—	—	—	—	
Typhus -	0.03	17	—	—	1	—	—	1	7	—	1	2	1	2	1	2	—	
Enteric Fever -	0.18	117	1	3	9	6	6	25	11	18	11	4	14	15	12	3	5	
Simple Cont. Fev. -	0.05	56	—	1	1	5	2	9	7	3	3	1	1	—	4	3	4	
Puerp. Fever -	0.07	46	—	—	—	—	—	—	—	—	2	7	28	9	4	4	—	
Diarr. and Dys. -	0.54	338	247	40	3	3	1	294	1	—	—	—	1	1	1	4	22	
Cholera -	0.01	8	4	—	1	—	—	5	—	—	—	—	1	1	1	—	—	
Cancer -	0.43	285	—	—	—	—	—	—	1	—	1	1	7	49	50	70	71	
Scrofula -	0.10	64	15	12	5	2	2	36	5	4	5	1	4	—	1	4	—	
Tubes Mesent. -	0.22	145	90	26	7	3	6	132	3	6	2	—	1	—	—	—	—	
Phthisis -	1.82	1212	35	18	7	4	7	71	23	25	69	79	296	283	183	125	43	
Hydrocephalus -	0.33	220	84	59	25	12	19	188	23	4	1	1	3	—	—	—	—	
Diseases of Nervous Syst. -	2.17	1442	298	72	30	17	11	428	29	15	16	19	50	68	120	186	263	
Circulatory " -	1.54	894	7	3	—	1	—	11	6	15	18	21	63	106	110	185	228	
Respiratory " -	2.57	1795	485	152	67	25	20	749	31	9	12	18	51	79	95	136	245	
Digestive " -	0.80	570	73	5	3	5	3	89	7	12	7	7	44	61	94	100	92	
Urinary " -	0.41	274	6	—	—	1	2	9	3	3	5	6	13	35	45	81	63	
Generative " -	0.01	22	—	—	—	—	—	—	—	—	—	—	1	10	7	7	3	
Childbirth -	0.06	41	—	—	—	—	—	—	—	—	1	3	24	12	1	—	—	
Suicide -	0.11	71	—	—	—	—	—	—	—	—	4	6	7	14	22	9	9	
Other Violence -	0.45	301	32	14	12	4	3	65	19	14	23	23	31	36	32	17	17	
OTHER CAUSES -	2.70	1790	803	66	49	20	18	966	29	18	19	18	42	55	30	39	159	

Deaths of Infants (under one) to 1000 Births -] 113

Marriages - 4,298
Births - 20,944

Annual Rate { Persons Married - 12.93
per 1000 living { Births - 31.50

70 *Deaths in Registration Districts in the Ten Years 1871-80. [SURREY (ex-met.*

40.—RICHMOND.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upward
ANNUAL DEATH RATE PER 1000.)	—	17·34	—	—	—	—	—	51·33	4·40	2·87	4·08	4·29	5·87	12·00	17·37	28·40	31·00	157·
Mean Pop. 1871-80 -}	—	20,889	776	699	723	676	716	3390	3646	2399	3037	3215	4989	8532	8527	1710	592	38
ALL CAUSES	17·34	5183	1180	341	163	100	60	1859	134	82	124	138	293	424	430	420	606	60
Small-pox -	0·06	10	2	—	—	—	1	3	—	—	—	1	3	1	2	—	—	—
Measles -	0·19	87	19	31	20	10	3	83	3	—	—	—	—	1	—	—	—	—
Scarlet Fever -	0·75	165	6	18	18	18	7	67	21	7	2	4	1	2	1	—	—	—
Diphtheria -	0·10	21	1	1	5	6	5	18	6	1	1	—	—	—	—	—	1	1
Whooping-cough	0·55	165	69	54	27	11	5	157	7	1	—	—	—	—	—	—	—	—
Typhus -	0·02	5	—	—	—	—	—	—	1	—	1	1	—	1	—	—	1	—
Euteric Fever -	0·23	69	1	—	6	5	3	15	7	6	8	7	7	9	2	3	—	—
Simple Cont. Fev. -	0·01	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Putr. Fever -	0·06	10	—	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—
Diarr. and Dys. -	0·76	229	182	18	4	2	—	206	—	1	—	—	—	—	2	4	4	—
Cholera -	0·00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer -	0·55	164	—	—	—	2	—	2	—	—	1	1	4	23	29	43	37	24
Serofula -	0·07	21	4	—	2	1	1	12	3	1	1	1	2	—	—	1	—	—
Tuberc. Mesent. -	0·24	73	41	12	7	2	1	65	4	3	1	—	—	—	—	—	1	—
Phthisis -	0·75	162	8	7	3	1	1	19	13	16	32	57	125	159	90	46	12	1
Hydrocephalus -	0·34	101	32	25	12	6	11	84	13	3	—	—	—	—	—	—	—	—
Diseases of Nervous Syst. -	2·14	649	159	33	19	6	3	222	7	6	9	7	17	31	59	75	159	77
Circulatory " -	1·13	377	2	—	—	—	1	3	2	7	11	5	29	34	55	60	81	39
Respiratory " -	2·84	848	295	85	23	12	8	331	9	4	7	5	15	20	62	94	166	111
Digestive " -	1·14	346	49	6	—	—	1	56	7	4	2	8	19	47	37	64	49	32
Urinary " -	0·43	129	1	—	—	2	1	4	3	—	1	3	11	18	25	20	30	14
Generative " -	0·08	21	—	—	—	—	—	—	—	—	—	—	4	3	6	5	4	—
Childbirth -	0·07	20	—	—	—	—	—	—	—	2	2	2	8	8	—	—	—	—
Suicide -	0·07	20	—	—	—	—	—	—	—	—	—	—	4	2	6	1	—	1
Other Violence -	0·81	247	20	4	7	6	8	55	14	10	26	25	29	17	23	31	15	9
OTHER CAUSES -	3·21	930	377	45	11	10	6	490	12	12	18	6	16	20	23	32	61	261

Deaths of Infants (under one) to 1000 Births - } 125

Marriages Births - 1,693 8,764

Annual Rate of Persons Married per 1000 living { Births - 12·70 29·32

[KENT (ex-met.

41.—BROMLEY.

	Annual Death Rate per 1000.)	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upward
ANNUAL DEATH RATE PER 1000.)	—	14·55	—	—	—	—	—	10·60	1·17	2·61	2·63	4·14	5·14	9·22	13·15	25·26	51·73	142·4
Mean Pop. 1871-80 -}	—	40,578	1187	1060	1114	1112	1095	5574	4815	3696	3728	3816	6698	4840	5278	2153	1201	47
ALL CAUSES	14·55	5906	1501	412	158	110	82	2263	215	704	98	153	344	447	431	546	631	675
Small-pox -	0·06	23	2	2	2	—	—	6	2	2	—	1	4	6	1	1	—	—
Measles -	0·22	88	16	27	13	9	9	74	12	1	—	—	—	1	—	—	—	—
Scarlet Fever -	0·26	107	4	17	16	9	12	58	36	10	—	2	—	—	1	—	—	—
Diphtheria -	0·26	107	4	16	15	17	9	61	34	2	3	2	—	—	1	—	1	1
Whooping-cough	0·59	169	88	41	17	11	3	187	3	—	—	—	—	—	—	—	—	—
Typhus -	0·01	5	—	—	—	—	1	1	—	2	—	—	—	2	—	—	—	—
Euteric Fever -	0·22	90	2	4	4	4	9	23	16	3	8	10	12	7	4	5	1	1
Simple Cont. Fev. -	0·03	21	1	1	—	3	2	7	1	1	2	3	2	1	—	1	2	1
Putr. Fever -	0·03	19	—	—	—	—	—	—	—	—	—	2	13	4	—	—	—	—
Diarr. and Dys. -	0·75	267	212	31	6	—	1	250	—	—	1	—	3	2	1	7	15	18
Cholera -	0·01	12	6	2	—	—	—	8	1	—	—	—	1	1	—	—	1	—
Cancer -	0·56	147	—	—	—	—	—	—	—	1	—	—	1	17	33	39	33	14
Serofula -	0·07	29	7	7	2	—	—	19	—	2	—	—	3	—	—	2	—	—
Tuberc. Mesent. -	0·16	63	22	19	7	2	2	52	4	2	2	1	—	1	1	—	—	—
Phthisis -	1·28	526	10	8	2	—	1	91	9	13	36	64	145	123	72	31	6	—
Hydrocephalus -	0·29	116	41	29	14	7	6	97	8	10	—	—	—	—	1	—	—	—
Diseases of Nervous Syst. -	1·64	683	189	39	11	5	4	298	16	9	13	12	19	35	62	79	154	117
Circulatory " -	1·21	488	7	—	—	2	2	11	2	11	4	9	20	41	71	109	239	85
Respiratory " -	2·55	1034	271	115	14	19	10	429	29	5	8	10	44	69	62	716	353	126
Digestive " -	0·77	297	45	2	3	2	2	52	7	2	—	8	36	41	44	39	43	32
Urinary " -	0·36	147	1	2	1	1	—	5	3	1	5	7	22	26	16	31	23	13
Generative " -	0·04	17	—	—	—	—	—	—	—	—	—	1	1	2	6	5	2	1
Childbirth -	0·10	42	—	—	—	—	—	—	—	2	2	4	18	16	2	—	—	—
Suicide -	0·04	27	—	—	—	—	—	—	—	1	—	2	5	—	—	—	—	1
Other Violence -	0·30	127	26	8	6	4	2	46	10	7	3	10	10	23	9	14	11	10
OTHER CAUSES -	2·98	1205	382	52	25	12	7	678	31	19	7	9	17	27	29	46	82	248

Deaths of Infants (under one) to 1000 Births - } 115

Marriages Births - 2,370 13,668

Annual Rate of Persons Married per 1000 living { Births - 11·48 32·20

KENT (ex-met.)] Deaths in Registration Districts in the Ten Years 1871-80.

42.—DARTFORD.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000	—	17.05	—	—	—	—	—	45.21	5.43	5.50	5.14	5.23	6.48	10.07	14.86	26.17	57.07	100.00
Mean Pop. 1871-80	—	47,889	1437	1263	1346	1280	1268	6594	6136	5431	4667	4014	6601	5304	4025	2801	1686	600
ALL CAUSES	17.05	8164	1842	591	241	165	142	2981	333	190	240	212	428	634	698	733	945	1000
Small-pox - -	0.20	56	8	2	—	—	5	13	7	5	13	17	17	15	2	2	6	—
Measles - - -	0.31	150	31	47	23	16	15	132	17	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.54	290	115	41	35	41	39	169	65	16	4	7	1	12	1	—	1	—
Diphtheria - -	0.15	75	5	5	8	9	8	25	19	9	2	2	—	2	4	—	—	—
Whooping-cough	0.37	175	78	49	14	8	11	170	5	—	—	—	—	—	—	—	—	—
Typhus - - -	0.03	12	—	—	—	—	—	—	—	1	1	—	1	12	4	2	—	—
Enteric Fever -	0.20	91	—	2	7	3	4	16	13	19	12	2	11	11	4	4	8	—
Simple Cont. Fev.	0.08	35	1	1	3	1	2	8	1	—	1	2	1	3	1	1	7	—
Pump. Fever - -	0.05	22	—	—	—	—	—	—	—	—	2	4	11	4	1	—	—	—
Diarr. and Dys.	0.65	200	196	44	7	3	2	252	3	1	3	—	2	4	5	6	14	—
Cholera - - -	0.05	32	110	5	—	3	—	18	—	—	—	—	—	2	—	1	1	—
Cancer - - -	0.49	237	—	—	—	1	—	1	—	2	—	5	4	30	50	63	56	—
Scrofula - - -	0.10	47	113	7	1	—	2	21	4	—	—	—	1	3	3	2	1	—
Tuberc. Mensent.	0.31	147	85	29	15	2	4	135	4	5	4	4	1	1	—	—	—	—
Phthisis - - -	1.54	756	29	12	5	4	6	47	14	20	92	83	169	158	111	55	16	—
Hydrocephalus	0.29	135	20	39	11	10	5	106	14	12	2	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.21	1660	281	57	30	17	13	398	58	20	21	13	40	37	80	107	151	—
Circulatory -	1.31	627	5	4	—	—	1	10	9	15	11	14	37	65	81	133	163	—
Respiratory -	2.83	1365	353	159	34	29	17	576	43	9	24	13	36	59	94	148	204	—
Digestive - -	0.29	425	62	9	1	4	3	89	16	12	7	6	12	32	48	83	85	—
Urinary - - -	0.31	150	2	2	—	1	—	5	1	4	3	2	14	9	24	24	44	—
Generative -	0.04	29	—	—	—	—	—	—	—	—	—	—	2	2	11	3	2	—
Childbirth - -	0.09	44	—	—	—	—	—	—	—	—	—	9	13	19	1	—	—	—
Suicide - - -	0.06	39	—	—	—	—	—	—	—	—	1	1	6	3	6	6	7	—
Other Violence	0.62	297	34	11	14	5	6	69	22	16	27	19	30	32	34	22	20	—
OTHER CAUSES	3.34	1599	601	174	33	15	13	556	35	22	10	11	25	67	51	71	165	—

Deaths of Infants (under one) to 1000 Births } 117 Marriages } 2,818 Annual Rate } Persons Married } 11.77
 Births } 15,784 Births } per 1000 living } Births } 32.96

43.—GRAVESEND.

ANNUAL DEATH RATE PER 1000	—	19'25	—	—	—	—	—	54'12	6'30	3'56	4'83	5'24	7'13	12'60	18'35	30'08	69'35	100
Mean Pop. 1871-80	—	22,233	591	506	556	533	543	2729	2540	2414	2310	2188	3298	2515	1875	1330	783	—
ALL CAUSES	19'25	4290	908	290	142	74	63	1477	160	86	100	112	235	317	344	400	543	100
Small-pox —	0'19	43	6	1	3	—	—	10	—	4	5	6	9	5	2	2	—	—
Measles —	0'25	55	9	24	7	5	3	48	6	—	—	—	1	—	—	—	—	—
Scarlet Fever —	0'68	151	8	15	31	16	20	90	36	12	2	4	6	1	1	—	—	—
Diphtheria —	0'09	21	3	1	—	1	3	8	8	—	1	1	1	—	—	—	—	2
Whooping-cough —	0'31	114	48	42	15	3	1	169	5	—	—	—	—	—	—	—	—	—
Typhus —	0'08	18	—	—	—	—	1	1	5	1	2	1	5	1	1	—	1	1
Enteric Fever —	0'16	35	1	2	—	1	1	5	2	5	8	1	3	2	3	4	1	1
Simple Cont. Fev. —	0'10	28	—	1	—	1	2	4	5	6	2	2	4	1	1	—	—	3
Pump. Fever —	0'04	9	—	—	—	—	—	—	—	—	—	2	4	5	—	—	—	—
Diarr. and Dys. —	0'85	190	138	21	6	—	—	165	2	1	—	1	12	1	1	1	5	—
Cholera —	0'06	14	5	2	—	—	1	8	2	1	—	—	—	1	2	—	—	—
Cancer —	0'58	130	—	—	1	—	—	1	—	—	—	—	3	13	16	38	42	—
Scrofula —	0'10	22	4	6	2	—	—	12	2	1	2	1	—	1	1	—	—	1
Tuberc. Mensent. —	0'18	40	17	10	5	1	—	33	3	1	1	—	2	—	—	—	—	—
Phthisis —	1'75	699	13	7	4	4	1	29	9	14	25	42	94	76	48	33	17	—
Hydrocephalus —	0'26	67	25	15	6	5	4	65	2	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst. —	2'41	355	97	30	7	12	6	152	19	3	4	5	18	33	49	74	100	—
Cerebratory —	1'56	304	2	—	1	—	—	3	5	6	7	6	14	24	50	80	81	—
Respiratory —	3'24	722	165	55	29	17	10	289	15	3	8	9	15	27	42	65	137	—
Digestive —	1'25	274	19	4	1	1	—	25	4	2	6	4	8	38	65	48	45	—
Urinary —	0'43	169	1	1	—	1	—	3	3	2	3	2	1	14	15	12	31	—
Generative —	0'06	11	—	—	—	—	—	—	—	—	—	—	3	3	—	3	1	—
Childbirth —	0'03	7	—	—	—	—	—	—	—	1	2	1	3	—	—	—	—	—
Suicide —	0'09	20	—	—	—	—	—	—	—	—	1	5	3	7	3	1	—	—
Other Violence —	0'90	201	31	7	6	2	2	48	8	8	15	10	25	38	19	13	15	—
OTHER CAUSES	5'35	740	313	45	18	4	8	385	18	17	8	12	13	24	29	34	67	—

Deaths of Infants (under one) to 1000 Births } 136 Marriages } 1,671 Annual Rate } Persons Married } 15.00
 Births } 6,655 Births } per 1000 living } Births } 29.87

44.—NORTH AYLESFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18'23	—	—	—	—	—	50'31	5'53	3'31	4'63	6'31	7'26	9'05	14'83	20'11	29'53	141'1
Mean Pop. 1871-80	—	24,409	796	691	716	694	698	3595	3179	2627	2247	1997	3457	3829	2030	1367	839	321
ALL CAUSES	18'23	4407	1164	334	129	110	72	1809	176	87	104	126	251	256	301	398	406	453
Small-pox	0'28	69	10	1	1	1	1	14	8	4	8	9	15	4	2	3	—	—
Measles	0'31	75	14	28	15	4	2	67	7	1	—	—	—	—	—	—	—	—
Scarlet Fever	0'71	174	12	25	24	24	24	109	48	6	4	3	3	1	—	—	—	—
Diphtheria	0'11	27	1	4	3	3	3	14	11	—	1	—	—	—	1	—	—	—
Whooping-cough	0'41	101	48	30	9	5	4	96	4	—	—	—	—	—	—	1	—	—
Typhus	0'03	8	—	—	1	—	1	2	1	—	1	1	—	—	2	—	—	1
Euteric Fever	0'54	132	45	16	4	6	7	78	8	5	9	8	—	6	4	3	2	3
Simple Cont. Fev.	0'14	35	2	1	2	—	—	7	6	—	1	—	—	—	1	7	3	4
Puerp. Fever	0'03	8	—	—	—	—	—	—	—	—	—	2	3	5	—	—	—	—
Diarr. and Dys.	0'79	193	113	21	4	1	1	140	2	—	1	2	4	1	4	8	16	15
Cholera	0'07	17	3	7	—	2	—	12	1	—	—	1	1	1	—	1	—	—
Cancer	0'42	104	—	2	1	—	—	1	—	1	2	—	6	15	17	25	30	7
Serofula	0'13	33	16	2	2	1	1	22	1	1	1	1	1	2	—	—	—	—
Tuberc Mesent.	0'22	55	30	15	4	1	1	51	9	—	2	—	—	—	—	—	—	—
Hythia	1'66	406	35	12	5	—	2	44	11	18	96	51	72	65	61	44	10	4
Hydrocephalus	0'24	60	20	16	5	7	3	51	4	3	—	—	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'12	519	175	37	14	7	6	239	12	10	8	8	15	13	38	63	71	53
Circulatory	1'24	303	4	—	—	—	—	4	9	10	6	4	22	33	41	63	81	32
Respiratory	2'96	724	204	69	20	17	10	330	11	2	2	5	23	24	34	82	125	94
Digestive	0'86	211	51	15	2	1	—	69	2	4	2	—	7	23	35	29	26	17
Urinary	0'37	90	1	1	—	1	1	4	1	1	1	—	3	11	14	18	19	11
Generative	0'05	15	—	—	—	—	—	—	—	—	—	2	2	—	2	4	3	—
Childbirth	0'07	17	—	—	—	—	—	—	—	—	1	—	8	8	—	—	—	—
Suicide	0'11	27	—	—	—	—	—	—	—	1	1	1	3	6	8	3	3	3
Other Violence	0'95	232	25	3	5	3	3	39	11	11	24	21	30	25	18	25	16	14
OTHER CAUSES	3'41	832	355	31	8	20	2	416	16	6	7	4	20	25	27	29	98	124

Deaths of Infants (under
one) to 1000 Births } 133Marriages : 1,852
Births : 8,860Annual Rate { Persons Married : 15'12
per 1000 living { Births : 36'04

45.—HOO.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	17'96	—	—	—	—	—	50'31	4'56	2'90	6'16	8'95	6'11	9'68	14'18	26'37	61'47	121'7
Mean Pop. 1871-80	—	3274	107	90	93	106	89	485	439	345	292	237	458	372	275	201	109	41
ALL CAUSES	17'96	588	172	41	15	11	5	244	20	10	18	23	28	36	39	53	67	50
Small-pox	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0'12	4	2	1	1	—	—	4	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'12	4	—	—	—	2	—	2	1	—	—	1	—	—	—	—	—	—
Diphtheria	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0'49	16	8	3	1	2	1	15	—	1	—	—	—	—	—	—	—	—
Typhus	0'09	3	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—
Euteric Fever	0'89	29	4	5	—	2	1	12	4	3	2	2	2	1	—	—	3	1
Simple Cont. Fev.	0'18	6	1	—	—	—	—	1	2	—	—	—	—	—	—	—	1	1
Puerp. Fever	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	1'10	36	22	5	2	—	—	29	—	—	—	—	1	—	—	1	3	2
Cholera	0'15	5	1	—	1	—	—	2	—	—	—	—	—	—	2	1	—	—
Cancer	0'37	12	—	—	1	—	—	1	—	—	—	—	—	—	—	—	3	—
Serofula	0'15	5	3	1	—	—	—	4	—	—	1	—	—	—	—	2	—	—
Tuberc Mesent.	0'13	5	3	1	1	—	—	5	—	—	—	—	—	—	—	—	—	—
Hythia	1'59	52	3	3	—	—	1	7	2	1	6	6	8	7	4	5	6	—
Hydrocephalus	0'12	4	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'63	86	50	5	2	2	1	60	1	1	—	2	1	3	3	4	8	5
Circulatory	1'24	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	2'87	94	20	9	4	—	—	33	1	—	3	2	2	9	11	14	14	6
Digestive	0'70	23	4	2	1	—	—	7	—	—	—	1	3	4	3	—	3	1
Urinary	0'31	10	—	—	—	—	—	—	—	1	—	1	2	—	—	3	1	2
Generative	0'03	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Childbirth	0'15	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Suicide	0'06	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	1'10	36	1	1	—	2	—	4	4	3	4	7	1	2	3	3	4	1
OTHER CAUSES	3'67	110	47	3	1	1	1	55	4	—	2	—	2	4	5	7	14	29

Deaths of Infants (under
one) to 1000 Births } 141Marriages : 187
Births : 1,224Annual Rate { Persons Married : 11'42
per 1000 living { Births : 27'36

KENT (ex-met.)] Deaths in Registration Districts in the Ten Years 1871-80.

46.—MEDWAY.

	Annual Death Rate per 10-0.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70 and over
ANNUAL DEATH RATE PER 1000	—	18'80	—	—	—	—	—	54'39	4'97	3'18	4'40	6'94	9'64	13'91	16'52	28'33	61'32	151
Mean Pop. 1871-80	—	60,397	1747	1560	1565	1551	1507	7990	7041	5876	5674	6080	9844	7277	5012	3180	1665	75
ALL CAUSES	18'80	11,412	2700	906	346	229	160	4341	350	187	255	422	949	1012	828	901	1021	11
Small-pox	0'18	108	8	4	1	3	5	19	16	12	11	16	17	11	1	4	—	—
Measles	0'28	167	36	65	29	21	5	156	9	—	—	—	—	2	—	—	—	—
Scarlet Fever	0'22	150	7	12	19	25	17	80	37	5	2	4	2	—	—	—	—	—
Diphtheria	0'13	76	5	7	8	16	12	47	23	3	1	2	1	—	—	—	1	—
Whooping-cough	0'24	325	146	97	43	23	7	316	9	—	—	—	—	—	—	—	—	—
Typhus	0'03	16	—	—	1	—	—	1	2	1	1	4	2	2	3	—	—	—
Enteric Fever	0'22	192	3	16	9	16	12	56	33	15	16	12	21	10	13	7	—	—
Simple Cont. Fev.	0'03	20	—	2	—	—	1	3	2	1	3	2	2	—	—	—	3	—
Febr. Fever	0'04	23	—	—	—	—	—	—	—	—	—	1	15	7	—	—	—	—
Diarr. and Dys.	0'65	398	263	73	5	2	1	346	4	—	1	4	8	4	6	8	4	—
Cholera	0'06	38	23	7	1	1	—	34	—	1	—	1	—	1	—	—	1	—
Cancer	0'44	267	—	—	—	—	—	—	1	—	1	—	11	36	67	81	44	—
Nervous	0'13	81	27	16	2	3	1	49	7	6	5	6	2	2	—	—	—	—
Tuberc. Mesent.	0'36	210	122	49	12	4	4	191	8	7	4	2	1	3	2	1	—	—
Phthisis	2'43	1470	34	34	8	7	7	90	35	40	89	198	392	340	187	69	27	—
Hydrocephalus	0'31	156	71	45	18	14	10	165	15	4	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2'22	1519	439	116	56	57	28	601	41	25	29	80	57	77	97	137	296	19
Circulatory	1'87	825	2	2	1	1	5	11	9	16	16	18	81	141	121	166	146	19
Respiratory	2'29	1744	444	290	74	29	22	799	59	6	11	49	98	116	114	154	390	19
Digestive	1'09	657	125	17	12	10	1	165	9	11	9	14	62	74	80	90	27	—
Urinary	0'48	287	3	2	1	2	2	10	6	4	10	9	29	47	54	46	49	—
Generative	0'05	29	—	—	—	—	—	—	—	1	—	3	7	—	—	—	2	—
Childbirth	0'09	32	—	—	—	—	—	—	—	—	—	7	28	16	1	—	—	—
Suicide	0'10	58	—	—	—	—	—	—	—	—	1	8	17	11	4	10	7	—
Other Violence	0'86	358	80	18	8	7	6	69	19	17	30	23	51	41	54	27	10	—
OTHER CAUSES	3'08	2185	909	91	40	19	15	1073	35	12	23	19	48	64	69	91	232	8

Deaths of Infants (under one to 1000 Births) } 135

Marriages } 5,134
Births } 19,936

Annual Rate { Persons Married } 17'00
per 1000 living { Births } 33'01

47.—MALLING.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70 and over
ANNUAL DEATH RATE PER 1000	—	17'64	—	—	—	—	—	43'82	5'01	3'14	5'17	7'11	7'38	9'90	15'47	26'22	50'57	151
Mean Pop. 1871-80	—	24,712	773	684	725	743	701	3636	3251	2803	2203	1928	3294	2668	2079	1490	965	3
ALL CAUSES	17'64	4360	1062	267	129	68	63	1589	163	88	114	137	243	264	280	393	488	6
Small-pox	0'03	12	2	—	—	—	—	2	—	—	—	1	4	—	—	—	1	—
Measles	0'28	69	19	24	6	7	5	61	7	—	1	—	—	—	—	—	—	—
Scarlet Fever	0'22	153	8	13	25	19	21	86	48	13	1	1	4	—	—	—	—	—
Diphtheria	0'14	35	5	3	2	1	5	16	11	2	4	1	—	—	—	—	—	—
Whooping-cough	0'26	64	31	19	8	2	1	61	5	—	—	—	—	—	—	—	—	—
Typhus	0'04	10	—	—	—	—	—	—	1	1	4	—	—	2	—	2	—	—
Enteric Fever	0'34	84	3	4	4	2	3	16	9	10	9	6	11	7	10	8	3	—
Simple Cont. Fev.	0'02	5	—	—	—	—	—	—	2	1	—	—	—	—	—	2	—	—
Febr. Fever	0'05	13	—	—	—	—	—	—	—	—	1	3	6	3	—	—	—	—
Diarr. and Dys.	0'69	179	97	30	8	1	2	138	8	—	1	1	1	1	—	4	8	—
Cholera	0'02	6	4	1	—	—	—	5	—	—	—	—	—	—	—	1	—	—
Cancer	0'45	118	—	—	1	—	—	—	—	—	—	1	3	18	19	34	25	—
Nervous	0'14	35	8	3	4	2	—	17	1	5	2	2	1	2	4	—	1	—
Tuberc. Mesent.	0'34	85	54	14	2	1	—	71	2	2	4	—	3	—	3	—	—	—
Phthisis	1'68	415	27	8	1	1	1	38	12	16	47	67	93	79	38	23	10	—
Hydrocephalus	0'21	52	27	6	5	—	6	44	6	1	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2'54	578	163	36	20	8	6	233	15	8	6	8	16	24	33	57	85	—
Circulatory	1'05	262	1	—	—	—	—	—	2	3	1	7	13	39	41	69	71	—
Respiratory	3'24	861	189	78	23	9	5	304	13	4	2	14	21	30	44	96	139	—
Digestive	1'92	252	38	4	4	4	1	51	5	4	8	3	13	22	33	42	47	—
Urinary	0'27	66	—	—	1	—	—	1	1	—	2	4	9	6	8	10	17	—
Generative	0'05	13	—	—	—	—	—	—	—	—	—	2	2	2	2	4	—	—
Childbirth	0'07	17	—	—	—	—	—	—	—	—	1	3	6	7	—	—	—	—
Suicide	0'05	16	—	—	—	—	—	—	—	—	—	4	2	4	2	4	—	—
Other Violence	0'39	146	10	4	5	6	4	29	10	10	12	11	14	8	18	16	9	—
OTHER CAUSES	3'38	883	376	29	10	5	3	414	12	8	13	14	16	11	23	40	64	2

Deaths of Infants (under one to 1000 Births) } 123

Marriages } 1,516
Births } 8,629

Annual Rate { Persons Married } 10'65
per 1000 living { Births } 34'92

48.—SEVENOAKS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE	—	15.70	—	—	—	—	—	33.16	3.71	3.00	4.67	5.00	6.74	9.77	13.41	24.02	34.41	145
Mean Pop. 1871-80	—	25,720	716	685	702	683	701	3487	3184	2903	2332	2042	3503	2867	2222	1703	1020	48
ALL CAUSES	15.70	4039	797	800	74	43	42	1156	118	87	169	102	236	280	298	409	535	68
Small-pox	0.04	11	—	—	—	—	—	32	7	1	—	—	—	4	2	—	—	—
Measles	0.16	40	10	5	6	6	5	26	13	5	—	—	—	—	—	—	—	—
Scarlet Fever	0.21	53	2	6	7	5	6	26	13	5	2	—	2	—	—	—	—	—
Diphtheria	0.14	37	—	2	3	4	5	14	19	1	—	—	—	—	1	—	—	—
Whooping-cough	0.21	59	47	28	3	1	8	77	3	—	—	—	—	—	—	—	—	—
Typhus	0.02	5	—	—	—	—	—	—	2	—	—	1	—	—	2	—	—	—
Enteric Fever	0.21	55	1	1	1	—	1	4	5	8	9	6	—	—	—	3	5	—
Simple Cont. Fev.	0.03	14	—	—	—	1	—	2	—	—	—	3	—	1	1	4	2	—
Putrid Fever	0.03	14	—	—	—	—	—	—	—	—	2	1	—	8	5	—	—	—
Diarr. and Dys.	0.32	83	50	9	1	1	—	61	1	—	—	—	—	1	3	1	9	1
Cholera	0.02	4	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Cancer	0.40	103	—	—	—	—	1	1	—	—	1	2	2	11	50	29	57	1
Scrofula	0.14	37	6	5	2	—	—	13	5	2	1	2	4	3	2	4	1	—
Tuberc. Mesent.	0.23	60	27	7	4	3	4	45	5	5	1	—	1	—	—	2	—	—
Phthisis	1.72	442	4	2	1	—	—	7	6	17	45	57	106	80	63	60	11	—
Hydrocephalus	0.24	68	17	18	6	3	3	47	11	3	2	—	—	—	1	—	—	—
Diseases of Nervous Syst.	2.20	563	124	24	7	3	2	160	10	7	8	6	17	24	41	64	116	1
Cerebratory	1.28	256	1	—	1	—	—	2	—	4	5	3	16	32	40	85	112	—
Respiratory	1.96	503	133	54	14	6	3	210	7	4	5	4	13	28	27	49	72	—
Digestive	0.84	213	18	3	2	—	—	25	5	3	4	1	6	20	29	42	86	—
Urinary	0.79	101	—	—	—	—	—	—	—	2	3	3	6	10	11	17	37	—
Generative	0.06	13	—	—	—	—	—	—	—	—	—	1	—	2	6	3	1	—
Childbirth	0.10	26	—	—	—	—	—	—	—	—	—	3	9	14	—	—	—	—
Suicide	0.08	20	—	—	—	—	—	—	—	—	—	—	—	7	3	5	1	—
Other Violence	0.44	112	2	10	3	1	1	17	6	6	7	7	19	16	16	11	6	—
OTHER CAUSES	3.28	1022	354	29	12	9	8	412	10	16	10	1	16	25	28	49	95	3

Deaths of Infants (under
one) to 1000 Births } 80Marriages - 1,351
Births - 8,633Annual Rate { Persons Married - 10.74
per 1000 living { Births - 31.24

49.—TUNBRIDGE.

ANNUAL DEATH RATE	—	17.12	—	—	—	—	—	44.20	5.25	2.77	4.23	5.89	7.35	10.53	11.10	26.60	55.42	152
Mean Pop. 1871-80	—	48,687	1314	1264	1253	1271	1211	6313	5834	5313	4654	4105	6816	5428	4192	2981	1735	70
ALL CAUSES	17.12	8231	1732	569	222	151	122	2796	306	147	197	242	501	575	591	793	1626	70
Small-pox	4.03	29	2	—	—	—	—	2	2	3	3	1	6	2	6	1	2	—
Measles	0.55	123	50	44	17	15	9	115	6	1	—	—	2	—	—	—	—	—
Scarlet Fever	0.23	157	10	31	17	31	10	85	29	12	2	3	2	3	1	—	—	—
Diphtheria	0.29	85	4	5	7	13	13	42	26	5	3	1	3	—	—	2	2	—
Whooping-cough	0.34	259	118	84	84	10	4	250	9	—	—	—	—	—	—	—	—	—
Typhus	0.01	5	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—
Enteric Fever	0.22	105	—	—	2	4	5	11	11	12	12	12	17	8	11	8	2	—
Simple Cont. Fev.	0.03	15	—	1	—	1	—	2	2	1	—	—	—	—	—	3	2	—
Putrid Fever	0.03	23	—	—	—	—	—	—	—	—	—	6	14	4	—	—	—	—
Diarr. and Dys.	0.66	265	153	49	16	3	3	216	1	—	—	—	2	2	6	4	11	3
Cholera	0.01	5	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Cancer	0.55	245	—	—	—	—	—	—	2	—	2	2	10	35	46	76	87	3
Scrofula	0.09	44	14	1	2	1	1	19	5	4	4	2	3	1	3	2	—	—
Tuberc. Mesent.	0.29	145	26	40	6	4	1	169	10	7	5	2	5	2	2	—	—	—
Phthisis	0.62	364	12	3	3	3	3	27	13	9	27	82	153	240	267	129	75	30
Hydrocephalus	0.25	184	45	50	17	16	14	142	25	5	6	1	17	2	2	—	—	—
Diseases of Nervous Syst.	2.01	592	215	43	17	6	16	297	22	9	23	9	17	35	79	122	197	16
Cerebratory	1.44	657	1	1	—	—	1	3	9	12	7	10	30	48	86	147	218	11
Respiratory	2.87	1375	345	143	41	26	12	567	30	8	10	12	37	63	75	137	222	21
Digestive	0.85	409	24	3	1	3	3	64	9	6	9	14	20	40	48	67	81	3
Urinary	0.61	292	4	1	3	2	3	13	7	4	9	4	20	26	36	37	74	3
Generative	0.06	27	—	—	—	—	—	—	—	—	—	—	—	6	1	3	3	—
Childbirth	0.18	39	—	—	—	—	—	—	—	—	3	3	13	21	—	—	—	—
Suicide	0.04	20	—	—	—	—	—	—	—	—	—	1	2	1	7	8	—	—
Other Violence	0.22	156	12	5	8	2	4	51	16	12	9	10	12	15	9	13	16	1
OTHER CAUSES	3.19	1544	609	75	28	12	16	791	48	15	12	17	29	32	35	65	161	23

Deaths of Infants (under
one) to 1000 Births } 113Marriages - 3,452
Births - 15,327Annual Rate { Persons Married - 14.36
per 1000 living { Births - 31.57

50.—MAIDSTONE.

	Annual Deaths per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
AL DEATHS PER 1000.	—	22.43	—	—	—	—	—	54.53	6.13	3.22	5.31	7.47	10.47	17.29	21.82	34.05	68.05	101.54
in Pop. 1-80	—	43,534	1190	1140	1144	1127	1135	5745	5153	4035	4086	3697	6144	4945	3886	2819	1715	741
CAUSES	22.43	9770	2106	543	240	131	113	3183	316	149	217	276	643	855	848	960	1176	1197
pox	0.05	21	1	—	—	—	1	2	4	—	6	1	3	1	1	2	1	—
as	0.27	116	29	42	19	14	19	165	7	2	—	—	1	—	—	—	—	—
t Fever	0.35	132	3	11	26	23	23	99	48	10	2	—	1	—	—	—	—	—
beria	0.15	62	3	3	3	7	7	23	28	4	2	1	1	—	1	—	1	—
ing-cough	0.35	154	74	44	22	6	—	146	8	—	—	—	—	—	—	—	—	—
s	0.01	6	—	—	—	—	—	—	—	—	1	1	3	1	—	—	—	—
o Fever	0.27	118	2	1	1	4	3	11	18	11	18	16	7	10	9	12	8	—
Cont. Fev.	0.67	31	—	—	2	—	1	3	—	2	—	1	5	2	3	2	7	1
and Dys.	0.79	346	221	47	8	3	—	279	2	—	1	—	6	4	3	6	23	32
a	0.02	9	3	—	—	—	—	3	1	1	—	—	—	—	2	2	—	—
la	0.56	245	—	—	1	—	1	2	—	—	2	1	6	39	45	72	70	18
is	0.20	87	34	15	4	2	2	57	9	1	4	3	4	3	2	1	1	—
is	0.25	108	51	18	6	1	—	79	10	—	—	—	4	2	2	—	—	—
cephalus	0.43	169	39	14	10	8	8	65	34	34	75	121	205	202	165	99	34	6
	0.40	174	68	34	15	11	8	156	26	5	1	1	4	—	—	1	—	—
rious Syst.	4.10	1757	307	60	24	8	12	411	20	16	29	24	147	275	229	583	289	162
ulatory	1.49	694	—	—	1	—	—	2	6	11	18	19	42	83	99	134	193	67
piratory	3.26	1419	351	142	58	29	9	682	22	5	7	13	38	75	108	147	226	186
gestive	0.96	417	39	8	1	3	3	51	13	7	6	8	31	51	58	79	75	38
inary	0.41	173	1	1	—	1	2	5	6	7	4	—	12	21	24	41	38	30
nerative	0.06	27	—	—	—	—	—	—	—	—	—	2	5	4	9	1	3	3
irth	0.06	28	—	—	—	—	—	—	—	—	1	4	12	9	2	—	—	—
is	0.13	55	—	—	—	—	—	—	—	—	5	3	6	9	15	11	6	—
Violence	0.60	293	21	11	9	8	7	54	22	16	14	22	25	26	24	26	14	18
CAUSES	5.02	1282	878	92	30	14	14	1028	29	10	14	21	28	36	55	80	239	682

Deaths of Infants (under one) to 1000 Births - 148 Marriages - 3,383 Annual Rate { Persons Married - 15.56
Births - 14,270 per 1000 living { Births - 32.73

51.—HOLLINGBOURN.

AL DEATHS (PER 1000)	—	17.83	—	—	—	—	—	44.40	5.32	4.21	3.24	7.02	8.29	10.52	11.33	22.52	53.55	134.25
in Pop. 1-80	—	14,044	379	375	373	391	385	1903	1824	1616	1326	1082	1736	1454	1244	950	588	312
CAUSES	17.88	2511	568	156	51	41	29	845	97	68	43	76	144	153	141	216	302	410
pox	0.03	7	2	—	—	—	—	2	—	1	1	—	—	2	1	—	—	—
as	0.19	26	6	7	—	4	1	18	7	—	—	—	1	—	—	—	—	—
t Fever	0.35	51	3	7	4	6	6	26	14	3	1	1	—	1	1	—	—	—
beria	0.15	21	—	1	1	2	2	6	10	3	—	1	—	—	1	—	—	—
ing-cough	0.51	44	21	14	3	3	1	42	1	1	—	—	—	—	—	—	—	—
s	0.03	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
o Fever	0.25	35	1	—	—	1	3	6	3	5	5	5	5	2	1	2	—	1
Cont. Fev.	0.76	9	—	—	—	—	—	—	—	4	—	—	2	1	—	1	—	—
Fever	0.62	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
and Dys.	0.47	66	35	10	1	2	1	49	2	—	—	—	—	—	—	2	3	9
a	0.02	3	1	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—
la	0.40	26	3	1	—	—	—	5	—	—	—	1	1	3	17	9	29	5
Mezent.	0.69	13	—	—	—	1	—	—	—	3	1	—	—	—	1	—	—	—
is	0.11	15	8	3	—	—	—	11	4	—	—	—	—	—	—	—	—	—
is	1.92	295	1	3	1	1	1	7	6	17	22	35	77	49	17	17	8	3
cephalus	0.10	14	5	2	2	1	—	10	2	2	—	—	—	—	—	—	—	—
rious Syst.	2.13	229	92	27	10	3	7	129	7	5	1	8	7	14	29	38	40	31
ulatory	1.07	192	—	1	—	—	—	1	1	1	3	7	12	20	24	43	47	31
piratory	2.83	397	89	31	14	7	2	143	19	6	4	8	16	19	17	38	69	70
gestive	0.81	121	13	8	3	2	—	31	2	4	—	3	8	18	18	29	14	14
inary	0.33	46	—	—	—	—	—	—	1	2	—	—	1	—	3	4	13	17
nerative	0.07	10	—	—	—	—	—	—	—	—	—	—	—	3	3	1	1	2
irth	0.10	14	—	—	—	—	—	—	—	—	1	2	1	9	1	—	—	—
is	0.14	19	—	—	—	—	—	—	—	—	—	2	2	1	4	5	2	3
Violence	0.52	73	6	2	3	3	1	15	2	6	2	4	6	8	7	6	8	12
CAUSES	5.10	1717	277	38	8	5	4	332	18	3	2	4	9	13	10	25	96	204

Deaths of Infants (under one) to 1000 Births - 124 Marriages - 925 Annual Rate { Persons Married - 13.17
Births - 4,574 per 1000 living { Births - 32.57

52.—CRANBROOKE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	15.53	—	—	—	—	—	33.32	3.86	1.77	4.07	7.25	6.14	9.43	10.76	23.41	32.41	159
Mean Pop. } 1871-80 - }	—	13,890	309	358	370	369	368	1864	1735	1695	1327	1062	1726	1453	1223	967	661	24
ALL CAUSES	15.53	2157	421	98	48	36	18	621	67	30	54	77	106	137	132	224	315	39
Small-pox -	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Measles -	0.13	18	1	5	3	2	2	13	5	—	1	—	—	—	1	—	—	—
Scarlet Fever -	0.22	30	1	2	1	6	—	10	16	2	1	—	—	—	1	—	—	—
Diphtheria -	0.17	23	1	1	1	5	3	11	7	4	1	—	—	—	—	—	—	—
Whooping-cough	0.44	61	94	18	6	—	3	61	—	—	—	—	—	—	—	—	—	—
Typhus -	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever -	0.18	25	—	1	1	2	1	5	—	1	—	2	2	3	—	2	4	—
Simple Cont. Fev.	0.05	7	—	—	—	—	—	—	1	—	—	2	2	—	1	—	1	—
Puerp. Fever -	0.08	11	—	—	—	—	—	—	—	—	2	4	2	—	—	1	—	—
Diarr. and Dys.	0.57	52	18	6	2	2	—	28	2	—	—	1	—	—	—	—	—	—
Cholera -	0.02	3	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Cancer -	0.51	71	2	—	—	—	—	2	—	—	—	—	5	11	13	21	17	1
Serofula -	0.09	13	—	1	1	—	—	2	1	—	—	1	2	2	2	—	—	—
Tuberc. Mesent.	0.19	27	11	—	3	1	—	15	4	3	—	2	2	1	1	—	—	—
Phthisis -	1.08	233	3	1	—	—	—	4	2	5	20	40	46	51	53	23	7	1
Hydrocephalus -	0.15	21	8	8	1	—	—	17	2	—	—	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.03	282	63	10	7	10	1	91	5	2	7	3	14	8	16	34	43	8
Circulatory	1.29	166	—	—	—	—	—	—	1	3	2	4	7	9	15	41	48	8
Respiratory	2.09	403	84	25	11	5	2	127	12	1	4	7	8	12	20	42	77	8
Digestive	0.78	108	17	—	—	—	—	17	1	2	2	3	3	9	8	26	21	3
Urinary	0.49	55	—	—	—	—	—	17	1	—	—	—	3	7	5	10	19	1
Generative	0.06	9	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	—
Childbirth -	0.67	10	—	—	—	—	—	—	—	—	—	2	4	4	—	—	—	—
Suicide -	0.09	12	—	—	—	—	—	—	—	1	—	—	1	1	3	3	3	—
Other Violence -	0.29	40	1	3	7	—	2	13	1	1	3	2	3	7	3	1	4	—
OTHER CAUSES -	8.41	475	177	16	4	2	4	263	0	5	4	2	4	7	9	14	39	18

Deaths of Infants (under
one) to 1000 Births } 98Marriages - 825
Births - 4,284Annual Rate { Persons Married - 11.88
per 1000 living { Births - 30.84

53.—TENTERDEN.

	Annual Death (Rate per 1000)	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH (RATE PER 1000)	—	16.84	—	—	—	—	—	35.40	4.79	3.53	4.00	7.31	7.79	7.51	11.50	20.18	38.13	142
Mean Pop. } 1871-80 - }	—	10,666	316	274	325	268	286	1469	1337	1191	1000	807	1206	1119	940	763	564	2
ALL CAUSES	16.84	1796	347	90	29	28	26	520	64	42	40	59	161	84	110	154	239	32
Small-pox -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles -	0.10	11	2	3	1	1	1	8	2	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0.22	23	2	4	1	4	3	14	5	3	1	—	—	—	—	—	—	—
Diphtheria -	0.46	49	1	1	2	6	12	22	22	4	1	—	—	—	—	—	—	—
Whooping-cough	0.25	27	17	4	4	2	—	27	—	—	—	—	—	—	—	—	—	—
Typhus -	0.01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever -	0.12	14	—	—	—	—	1	—	2	—	2	—	5	—	2	—	—	—
Simple Cont. Fev.	0.04	4	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	—
Puerp. Fever -	0.04	4	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Diarr. and Dys.	0.54	36	8	6	1	1	—	16	4	—	—	—	—	—	4	1	7	4
Cholera -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer -	0.29	31	—	—	—	—	—	—	1	—	—	—	2	2	8	8	7	1
Serofula -	0.09	10	2	1	—	1	—	4	—	1	—	3	—	—	—	2	—	—
Tuberc. Mesent.	0.18	19	4	5	1	1	—	11	4	1	1	—	1	—	—	—	1	—
Phthisis -	2.05	219	6	2	2	1	1	12	1	7	20	38	55	33	22	16	15	3
Hydrocephalus -	0.17	18	5	6	1	1	—	13	3	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.49	266	53	13	6	4	2	78	6	3	3	3	11	8	17	22	56	8
Circulatory	1.19	117	1	—	—	—	—	1	—	1	—	—	4	5	9	21	43	3
Respiratory	2.04	315	79	24	6	2	—	111	2	7	2	—	3	9	16	36	66	6
Digestive	1.09	116	8	—	—	2	1	15	2	4	1	3	5	7	15	21	30	3
Urinary	0.36	38	1	—	—	—	1	2	—	—	1	2	1	5	5	4	8	3
Generative	0.03	3	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Childbirth -	0.12	13	—	—	—	—	—	—	—	—	2	1	6	4	—	—	—	—
Suicide -	0.04	4	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Other Violence -	0.32	34	4	1	1	—	1	7	4	2	—	2	3	3	1	4	4	—
OTHER CAUSES -	3.97	424	154	15	3	2	3	177	6	2	4	2	7	4	9	14	36	16

Deaths of Infants (under
one) to 1000 Births } 99Marriages - 721
Births - 3,450Annual Rate { Persons Married - 13.32
per 1000 living { Births - 32.71

54.—WEST ASHFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH (EX-FER 1000)	—	16.69	—	—	—	—	—	42.16	5.46	2.60	5.11	6.37	6.96	8.81	13.75	21.95	51.21	147.70
an Pop. 71-80	—	17,428	496	449	473	476	485	2379	2178	2037	1643	1413	2313	1830	1491	1148	705	282
L CAUSES	16.69	2908	641	172	87	58	45	1003	119	53	84	90	161	162	295	252	361	418
-pox -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ies -	0.18	31	3	12	6	2	1	24	6	—	—	—	—	—	—	—	—	—
st Fever -	0.29	51	—	6	3	8	6	23	20	5	2	—	—	—	1	—	—	—
thria -	0.11	20	1	—	2	3	1	7	9	1	1	1	—	—	—	—	—	—
ping-cough -	0.38	66	39	17	2	6	1	65	1	—	—	—	—	—	—	—	—	—
is -	0.01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
ic Fever -	0.17	29	—	2	—	—	—	11	8	—	5	—	—	—	1	1	—	—
e Cont. Fev. -	0.07	15	—	—	4	1	4	1	2	1	—	—	4	3	1	1	—	—
l. Fever -	0.03	5	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—
and Dys. -	0.03	92	50	13	3	1	2	69	1	—	2	—	2	—	1	3	6	8
ra -	0.03	5	1	—	—	—	—	1	—	—	—	—	—	1	1	1	—	—
te -	0.40	70	—	—	—	—	—	—	—	2	1	1	5	18	16	14	4	4
ala -	0.07	12	4	1	2	2	—	9	2	—	—	—	—	1	—	—	—	—
Mesent. -	0.24	46	20	9	6	—	1	39	2	2	2	—	—	—	—	—	—	—
sis -	1.76	306	4	3	—	1	1	9	8	12	33	51	72	64	96	14	4	2
cephalus -	0.42	74	26	14	8	5	6	69	9	2	3	—	—	—	—	—	—	—
ervous Syst. -	2.22	404	91	26	15	8	5	142	19	4	11	7	14	17	32	20	64	49
respiratory -	1.58	223	2	—	—	—	—	2	5	5	3	4	7	13	10	40	61	49
igestive -	2.01	324	130	51	24	11	5	221	11	3	2	8	15	16	40	32	73	88
inary -	0.69	172	9	2	2	2	2	17	2	5	4	3	12	14	29	50	39	59
enerative -	0.27	47	—	—	—	—	—	—	2	1	2	1	4	4	7	4	12	10
enerative -	0.09	15	—	—	—	—	—	—	—	—	1	1	1	2	4	2	4	1
irth -	0.07	12	—	—	—	—	—	—	—	—	1	3	4	4	—	—	—	—
is -	0.04	11	—	—	—	—	—	—	—	—	—	—	3	2	2	2	—	—
Violence -	0.38	66	2	3	2	5	2	14	5	4	5	8	4	7	5	6	2	9
L CAUSES -	3.51	612	259	12	8	3	8	290	12	6	6	7	7	7	12	21	66	178

Deaths of Infants (under one) to 1000 Births } 110 Marriages - 1,281 Annual Rate { Persons Married - 14.70
Births - 5,808 per 1000 living { Births - 33.33

55.—EAST ASHFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH (EX-FER 1000)	—	15.06	—	—	—	—	—	33.72	3.29	2.34	6.00	5.89	5.25	7.98	9.91	18.40	46.78	135.19
an Pop. 71-80	—	13,357	405	346	393	391	353	1892	1796	1582	1166	984	1563	1403	1150	929	605	287
L CAUSES	15.06	2012	391	150	60	30	18	638	59	37	70	53	82	112	114	171	283	388
-pox -	0.01	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
ies -	0.18	24	3	7	3	2	2	17	7	—	—	—	—	—	—	—	—	—
st Fever -	0.14	19	—	2	1	5	2	10	4	2	1	1	1	—	—	—	—	—
thria -	0.06	5	—	1	1	1	1	4	2	2	—	—	—	—	—	—	—	—
ping-cough -	0.25	84	13	11	1	6	3	34	—	—	—	—	—	—	—	—	—	—
is -	0.01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
ic Fever -	0.19	26	—	—	1	1	—	2	8	1	4	2	—	2	1	1	4	1
e Cont. Fev. -	0.10	15	—	2	—	—	—	2	—	1	2	1	1	2	1	1	2	—
l. Fever -	0.06	8	—	—	—	—	—	—	—	—	1	1	2	4	—	—	—	—
and Dys. -	0.52	70	32	9	7	2	—	50	—	—	1	—	1	1	—	1	6	10
ra -	0.01	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
te -	0.43	57	—	—	—	—	—	—	—	—	1	1	2	6	11	16	15	5
ala -	0.09	12	5	1	1	—	—	7	—	—	1	—	—	—	1	2	—	—
Mesent. -	0.11	15	8	2	2	1	—	13	2	—	—	—	—	—	—	—	—	—
sis -	1.49	199	5	5	2	2	1	15	4	8	21	34	37	32	21	10	7	—
cephalus -	0.19	25	8	10	2	2	1	23	—	—	—	2	—	—	—	—	—	—
ervous Syst. -	1.86	243	63	13	8	1	1	86	6	3	5	2	4	10	14	24	47	47
respiratory -	1.65	140	1	1	—	—	—	2	1	3	3	2	5	8	14	23	45	34
igestive -	2.65	351	90	43	18	9	5	165	8	4	5	1	8	14	15	31	59	40
inary -	0.84	112	5	1	1	1	2	10	1	4	4	1	9	10	8	28	29	8
enerative -	0.32	43	2	2	—	—	—	4	1	—	2	3	2	4	4	5	7	11
enerative -	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
irth -	0.07	9	—	—	—	—	—	—	—	—	1	1	1	6	—	—	—	—
is -	0.11	15	—	—	—	—	—	—	—	—	—	1	1	3	7	5	—	—
Violence -	0.38	51	2	1	5	1	—	9	6	4	—	2	5	3	8	6	4	4
L CAUSES -	3.92	521	154	19	7	5	—	185	9	4	8	2	2	7	11	12	54	217

Deaths of Infants (under one) to 1000 Births } 92 Marriages - 855 Annual Rate { Persons Married - 12.80
Births - 4,254 per 1000 living { Births - 31.85

56.—BRIDGE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	19.59	—	—	—	—	—	38.46	4.69	2.09	7.28	8.02	8.75	14.02	14.64	23.50	33.77	125.6
Mean Pop. 1871-80	—	11,772	328	304	340	306	311	1589	1429	1246	989	823	1509	1248	1134	898	614	223
ALL CAUSES	19.59	2306	420	108	35	31	17	611	67	26	72	66	132	175	166	211	324	436
Small-pox	0.03	4	1	—	—	—	—	1	1	—	—	—	—	—	—	1	1	—
Measles	0.14	16	4	8	—	1	2	15	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.21	25	1	2	3	5	—	11	11	—	2	—	—	1	—	—	—	—
Diphtheria	0.29	21	—	2	1	2	3	8	13	1	—	1	—	—	—	—	—	—
Whooping-cough	0.19	22	10	7	1	3	1	22	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	3	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—
Enteric Fever	0.13	15	—	1	1	—	—	2	3	2	1	1	2	—	1	1	3	—
Simp. Cont. Fever	0.08	9	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—
Puerp. Fever	0.06	7	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—
Diarr. and Dys.	0.60	71	36	8	1	1	—	46	1	—	—	—	—	2	2	5	5	19
Cholera	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.44	52	—	—	—	—	—	—	—	—	1	—	1	4	9	13	11	13
Scrophula	0.09	11	5	—	1	—	—	6	—	—	—	1	1	1	—	—	2	—
Tuberc. Mesent.	0.23	27	15	4	2	1	—	22	4	—	1	—	—	—	—	—	—	—
Phthisis	2.00	265	5	5	—	—	—	10	2	8	25	37	51	46	27	22	7	1
Hydrocephalus	0.27	32	14	9	—	2	1	26	3	—	—	—	—	—	—	—	1	—
Nervous Syst.	3.75	394	44	18	5	1	3	69	5	3	14	5	27	48	59	59	71	41
Circulatory	1.92	225	2	—	—	—	—	4	3	—	4	2	11	23	23	41	38	45
Respiratory	2.91	342	82	39	9	9	1	131	8	—	7	4	15	18	25	13	49	28
Digestive	1.12	132	14	2	1	—	2	19	4	1	22	26	3	12	12	22	25	18
Urinary	0.41	48	1	—	—	—	—	1	1	1	1	1	4	4	8	11	9	7
Generative	0.15	6	—	—	—	—	—	—	—	—	1	—	—	1	—	3	—	1
Childbirth	0.05	6	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—
Suicide	0.11	13	—	—	—	—	—	—	—	—	—	2	2	—	1	2	5	—
Other Violence	0.41	44	3	2	3	2	1	11	1	3	3	4	2	5	7	—	—	7
OTHER CAUSES	4.26	508	183	12	5	4	3	267	4	4	2	3	8	7	11	14	50	228

Deaths of Infants (under one) to 1000 Births } 113.

Marriages - 739
Births - 3,729Annual Rate { Persons Married - 12.56
per 1000 living { Births - 31.67

57.—CANTERBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	22.73	—	—	—	—	—	60.88	7.06	3.04	5.17	7.40	9.75	16.28	21.36	33.24	62.12	138.9
Mean Pop. 1871-80	—	16,785	417	376	520	406	382	1971	1300	1000	1740	1602	2553	1863	1423	1101	718	34
ALL CAUSES	22.73	3816	764	212	95	73	53	1189	127	63	96	123	240	303	304	306	446	546
Small-pox	0.10	16	1	—	1	—	2	4	—	3	2	2	1	3	1	—	—	—
Measles	0.17	45	6	16	7	5	4	38	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	81	4	11	13	13	10	53	21	5	1	—	2	1	—	1	—	—
Diphtheria	0.10	17	—	1	—	1	4	6	10	1	—	—	—	—	—	—	—	—
Whooping-cough	0.28	47	21	21	1	3	1	47	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.18	59	—	—	—	1	—	1	3	2	6	8	3	1	4	2	1	1
Simp. Cont. Fev.	0.10	17	—	—	3	—	—	3	3	1	3	—	1	4	1	—	—	—
Puerp. Fever	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.70	117	78	13	4	2	—	97	1	—	1	1	1	1	1	3	8	4
Cholera	0.2	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
Cancer	0.77	150	—	—	—	—	—	—	1	2	—	1	7	15	27	56	23	11
Scrophula	0.11	18	4	2	3	—	2	10	1	—	1	—	1	3	1	1	—	—
Tuberc. Mesent.	0.28	57	7	19	4	7	—	36	7	—	—	—	—	1	1	—	—	—
Phthisis	2.45	411	12	2	2	1	1	18	6	14	38	49	97	80	69	33	6	1
Hydrocephalus	0.29	65	18	16	2	4	5	47	10	5	—	2	1	—	—	—	—	—
Nervous Syst.	3.75	394	85	19	7	5	4	113	8	3	7	4	16	28	38	57	75	77
Circulatory	2.22	272	2	—	1	3	2	10	9	2	9	8	27	35	40	71	86	31
Respiratory	3.94	462	115	62	28	12	11	208	16	4	6	14	16	38	39	71	10	22
Digestive	1.34	162	22	—	—	1	—	25	4	5	2	6	22	15	35	50	50	39
Urinary	0.58	114	—	1	—	—	—	—	7	—	—	2	6	24	12	14	21	17
Generative	0.14	23	—	—	—	—	—	—	—	1	—	—	2	3	7	3	—	—
Childbirth	0.08	14	—	—	—	—	—	—	—	—	—	6	8	5	—	—	—	—
Suicide	0.13	21	—	—	—	—	—	—	—	—	—	—	4	1	6	4	2	7
Other Violence	0.73	29	9	3	2	1	2	17	6	7	1	7	11	12	10	6	4	7
OTHER CAUSES	4.62	789	239	52	17	10	6	331	8	10	9	9	19	24	23	50	—	246

Deaths of Infants (under one) to 1000 Births } 114.

Marriages - 1,605
Births - 3,318Annual Rate { Persons Married - 19.12
per 1000 living { Births - 31.68

58.—BLEAN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS	—	17.34	—	—	—	—	—	48.80	4.82	2.71	4.80	6.64	7.57	9.80	12.05	24.98	44.57	147.09.
IN POP. 71-80	—	18,068	539	490	521	499	517	2566	2511	2291	1710	1265	2271	2011	1569	1221	792	361.
CAUSES	17.34	3220	744	199	82	57	42	1124	121	62	82	84	172	197	189	305	359	531.
-pox -	0.09	15	1	-	-	1	-	2	4	1	2	-	2	2	-	2	-	-
ies -	0.13	24	6	-	1	2	1	18	2	3	2	-	-	1	-	-	-	-
rt Fever -	0.22	41	2	10	3	6	9	90	5	2	2	-	1	-	-	-	1	-
beria -	0.19	35	1	1	5	6	3	16	17	1	-	-	-	-	-	-	1	-
ping-cough	0.28	71	35	25	6	6	-	71	-	-	-	-	-	-	-	-	-	-
is	0.01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ie Fever -	0.23	46	1	-	-	1	3	5	7	5	7	2	5	2	4	1	4	4
s Cont. Fev.	0.17	31	1	1	1	2	-	5	3	3	3	-	1	2	1	2	4	7
. Fever -	0.07	13	-	-	-	-	-	-	-	-	2	5	5	1	-	-	-	-
. and Dys.	0.57	105	61	16	1	1	1	80	2	-	-	-	1	-	-	-	3	19
ra -	0.03	5	1	1	1	-	-	3	1	-	-	-	-	-	-	1	-	-
r -	0.44	81	-	-	-	-	-	-	-	-	1	-	-	8	20	23	18	11
la -	0.12	23	5	5	-	-	2	12	4	3	1	-	1	-	-	-	2	-
Mesent.	0.54	100	58	21	1	2	1	85	5	3	2	1	-	1	2	1	-	-
is -	1.68	312	3	2	5	-	-	11	7	6	33	50	75	53	38	24	12	3
cephalus	0.24	43	17	8	2	4	1	32	6	6	-	-	1	-	-	-	-	-
erous Syst.	2.21	411	107	22	8	1	1	139	9	6	6	5	9	17	27	59	29	84
respiratory	1.25	251	2	1	2	1	-	6	6	7	4	4	8	39	16	57	65	48
spiratory	2.71	503	114	42	20	8	7	191	16	1	5	5	13	19	19	65	65	118
igestive	1.29	239	21	4	1	-	2	28	7	5	3	4	14	16	25	32	53	58
inary	0.40	75	2	-	1	-	-	3	-	2	2	3	3	6	6	10	19	21
enerative	0.04	7	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-
Birth -	0.08	15	-	-	-	-	-	-	-	-	-	2	4	9	-	-	-	-
de -	0.07	13	-	-	-	-	-	-	-	-	-	-	3	5	2	3	-	-
r Violence -	0.27	68	5	1	4	4	1	15	-	4	3	2	10	9	3	5	5	7
CAUSES	3.70	690	301	31	20	13	9	374	20	4	6	1	9	13	21	38	43	161.

Deaths of Infants (under one) to 1000 Births } 128

Marriages - 1,297
Births - 6,121

Annual Rate { Persons Married - 13.65
per 1000 living { Births - 38.97

59.—FAVERSHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS	—	17.42	—	—	—	—	—	48.96	5.81	2.76	3.20	5.09	6.39	9.41	12.86	21.11	49.00	140.29
IN POP. 71-80	—	23,051	757	693	711	661	671	3493	3114	2829	2158	1881	3083	2456	1900	1383	847	417.
CAUSES	17.42	4120	1090	325	113	104	71	1710	181	78	69	107	197	234	252	292	415	585.
-pox -	0.02	4	1	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-
ies -	0.30	72	15	22	13	3	10	63	8	1	-	-	-	-	-	-	-	-
rt Fever -	0.47	111	7	15	14	17	14	67	25	5	1	1	-	1	1	-	-	-
beria -	0.21	73	3	3	8	19	8	41	25	4	1	-	1	-	-	1	-	-
ping-cough	0.44	105	56	33	9	2	1	101	4	-	-	-	-	-	-	-	-	-
is	0.03	7	-	-	-	-	2	2	-	2	1	-	1	-	-	-	-	-
ie Fever -	0.22	51	3	4	6	5	6	24	3	4	1	4	-	8	5	1	-	1
s Cont. Fev.	0.28	66	1	1	3	5	1	11	15	10	3	4	2	6	5	3	6	1
. Fever -	0.08	18	-	-	-	-	-	-	-	-	-	7	7	4	-	-	-	-
. and Dys.	0.70	165	102	32	5	1	-	140	-	-	-	-	-	1	-	5	8	10
ra -	0.02	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
r -	0.42	99	-	-	-	-	-	1	1	-	-	1	1	10	27	21	28	11
la -	0.10	24	9	5	-	-	-	14	-	1	-	2	-	3	1	1	1	1
Mesent.	0.23	53	35	9	2	1	1	48	4	1	1	-	-	1	-	-	-	-
is -	1.36	309	14	9	4	3	3	33	9	13	22	46	100	63	42	1	12	2
cephalus	0.23	55	25	11	4	3	2	46	4	2	2	-	-	-	-	-	-	-
erous Syst.	1.83	457	122	43	19	8	-	193	11	4	4	3	11	18	24	47	70	52
respiratory	1.12	261	1	-	-	1	-	2	3	5	8	6	11	25	28	45	88	45
spiratory	2.30	543	164	66	12	18	7	262	14	3	3	8	13	24	43	41	70	62
igestive	0.83	207	32	7	1	-	3	43	7	5	8	4	8	15	31	37	27	22
inary	0.24	69	1	-	-	1	-	2	3	3	1	4	10	9	9	8	10	7
enerative	0.05	12	-	-	-	-	-	-	-	-	-	-	3	2	3	3	1	-
Birth -	0.05	13	-	-	-	-	-	-	-	-	3	2	3	2	2	-	-	-
de -	0.05	13	-	-	-	-	-	-	-	-	-	2	2	1	3	-	2	-
r Violence -	0.49	117	9	10	6	2	2	19	10	5	7	5	9	20	8	10	6	8
CAUSES	4.93	1168	484	56	14	20	10	584	24	10	3	7	14	20	16	37	88	263.

Deaths of Infants (under one) to 1000 Births } 131

Marriages - 1,707
Births - 8,321

Annual Rate { Persons Married - 14.43
per 1000 living { Births - 35.85

60.—MILTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	17·82	—	—	—	—	—	50·38	5·19	8·25	4·52	5·58	7·39	9·62	11·09	26·25	55·17	142·08
Mean Pop. } 1871-80 }	—	21,344	714	652	608	671	624	3329	2834	2397	1991	1739	2854	2276	1737	1143	667	277
ALL CAUSES	17·82	3785	1079	316	137	92	53	1677	147	78	90	97	211	219	203	300	363	295
Small-pox - -	0·15	32	9	-	1	-	1	4	4	3	4	2	4	6	2	2	1	-
Measles - -	0·21	46	7	20	8	3	3	41	5	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0·47	100	9	8	19	16	12	64	21	13	-	-	2	-	-	-	-	-
Diphtheria - -	0·17	29	2	1	3	6	2	14	13	1	-	-	-	1	-	-	-	-
Whooping-cough	0·39	82	36	23	10	8	2	79	3	-	-	-	-	-	-	-	-	-
Typhus - -	0·03	6	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-
Enteric Fever -	0·53	112	-	1	2	4	2	8	21	8	10	10	10	15	6	13	9	4
Simple Cont. Fev.	0·19	41	-	3	1	4	1	9	4	6	-	-	-	-	-	-	-	-
Puerp. Fever -	0·12	25	-	-	-	-	-	-	-	-	2	3	13	8	-	-	-	-
Diarr. and Dys. -	0·08	187	134	37	5	-	-	176	-	-	-	-	1	2	1	2	4	1
Cholera - -	0·05	11	4	2	1	1	-	8	-	-	-	-	2	-	-	-	-	-
Cancer - -	0·48	102	-	-	-	-	1	1	-	-	-	1	8	10	24	34	17	7
Scrofula - -	0·20	43	16	6	2	1	1	26	3	7	3	1	-	-	-	-	-	-
Tuberc Mesent. -	0·29	62	37	13	1	9	2	55	1	-	-	-	-	-	-	-	-	-
Phthisis - -	1·58	336	6	5	3	1	1	16	7	12	33	48	78	50	34	38	9	2
Hydrocephalus -	0·12	26	9	11	1	2	-	23	3	-	-	-	-	-	-	-	-	-
Diseases of (Nervous Syst.	2·15	437	163	41	19	11	3	230	9	5	6	5	11	14	21	42	65	40
Circulatory " -	1·00	213	-	1	-	-	1	2	1	3	6	5	14	15	20	44	72	25
Respiratory " -	2·49	529	177	82	34	14	7	314	7	1	4	5	11	21	19	45	89	52
Digestive " -	0·67	143	19	6	2	2	1	25	2	-	5	1	8	10	9	22	37	6
Urinary " -	0·23	79	3	-	-	-	-	9	4	-	-	-	1	2	-	-	-	-
Generative " -	0·03	7	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Childbirth - -	0·08	18	-	-	-	-	-	-	-	-	-	3	7	8	-	-	-	-
Suicide - -	0·05	11	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-
Other Violence -	0·48	105	7	7	2	3	2	25	9	7	7	4	7	15	7	11	6	7
OTHER CAUSES -	4·67	994	445	49	21	11	11	537	23	10	3	7	21	9	20	28	31	240

Deaths of Infants (under one) to 1000 Births } 131 Marriages - 1,543 Annual Rate { Persons Married - 14·52
Births - 8,254 per 1000 living { Births - 38·83

61.—SHEPPEY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	15·50	—	—	—	—	—	42·64	4·30	3·23	4·40	5·28	6·39	10·95	15·21	27·50	55·68	153·89
Mean Pop. } 1871-80 }	—	18,385	553	502	405	500	478	2528	2188	1826	1682	1708	3035	2210	1558	928	458	174
ALL CAUSES	15·50	2850	689	220	93	61	45	1078	94	59	74	95	194	242	237	256	253	206
Small-pox - -	0·05	9	-	14	3	-	-	1	1	-	-	1	-	4	2	-	-	-
Measles - -	0·21	39	9	4	6	3	4	33	5	-	-	1	-	-	-	-	-	-
Scarlet Fever -	0·21	38	4	6	4	6	2	22	10	4	1	-	1	-	-	-	-	-
Diphtheria - -	0·07	12	1	1	2	-	2	6	5	-	-	-	-	-	1	-	-	-
Whooping-cough	0·44	81	32	25	14	5	4	78	3	-	-	-	-	-	-	-	-	-
Typhus - -	0·01	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Enteric Fever -	0·17	32	-	1	-	-	3	7	6	1	4	3	2	2	2	3	2	-
Simple Cont. Fev.	0·05	10	-	1	-	-	-	4	2	2	-	-	1	-	1	-	-	-
Puerp. Fever -	0·05	9	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-
Diarr. and Dys. -	0·71	131	80	22	5	2	3	112	1	1	-	-	2	2	-	1	5	7
Cholera - -	0·04	8	4	1	-	-	-	5	-	-	1	-	-	1	-	-	-	-
Cancer - -	0·35	64	-	3	2	-	1	1	-	-	-	1	1	8	24	14	12	2
Scrofula - -	0·12	22	16	5	4	2	1	28	3	-	-	2	2	1	2	-	-	-
Tuberc Mesent. -	0·17	31	2	3	3	1	2	11	7	15	38	36	55	70	47	22	3	1
Phthisis - -	1·03	537	2	3	3	1	2	11	7	-	-	-	-	-	-	-	-	-
Hydrocephalus -	0·25	46	17	9	7	5	4	42	2	2	-	-	-	-	-	-	-	-
Diseases of (Nervous Syst.	2·15	396	106	22	9	9	2	158	11	6	5	5	17	19	32	40	56	38
Circulatory " -	0·84	161	-	-	-	1	-	1	6	8	-	3	14	24	36	32	25	17
Respiratory " -	2·45	451	133	69	25	14	7	247	8	6	7	10	16	51	27	38	41	29
Digestive " -	0·67	104	11	-	-	1	-	15	5	3	5	3	16	14	20	15	4	-
Urinary " -	0·41	76	2	-	-	-	-	3	-	2	3	-	5	8	13	15	14	6
Generative " -	0·04	8	-	-	-	-	-	1	-	-	-	-	-	3	3	-	-	-
Childbirth - -	0·07	13	-	-	-	-	-	-	-	-	-	1	5	7	-	-	-	-
Suicide - -	0·05	10	-	-	-	-	-	-	-	-	-	-	3	3	2	1	-	-
Other Violence -	0·58	101	6	2	4	4	2	14	4	5	2	10	15	22	8	9	9	4
OTHER CAUSES -	3·37	654	235	27	7	4	5	276	13	4	5	8	16	19	22	59	69	171

Deaths of Infants (under one) to 1000 Births } 109 Marriages - 1,123 Annual Rate { Persons Married - 12·27
Births - 6,949 per 1000 living { Births - 31·90

62.—THANET.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000	—	18.97	—	—	—	—	—	51.16	4.67	4.14	5.33	6.50	3.33	12.57	16.75	23.16	53.15	153.74
Pop. } 71-80	—	46,475	1234	1074	1127	1080	1083	5598	5501	5773	4758	4064	6480	4838	3798	3047	1816	802
ALL CAUSES	18.97	8814	1917	517	207	123	100	2864	257	239	296	264	543	608	634	568	1066	1235
Di-pox -	0.01	17	2	—	—	—	—	2	—	1	2	3	3	—	—	1	2	—
Scarlet Fever -	0.17	78	18	29	10	10	6	73	3	—	—	—	—	—	—	1	—	—
Erysipelas -	0.32	149	9	18	23	28	17	95	34	8	4	2	5	—	1	—	—	—
Dysentery -	0.10	45	1	6	1	7	7	22	17	4	1	—	—	—	—	—	1	—
Whooping-cough -	0.55	247	113	69	36	13	8	239	8	—	—	—	—	—	—	—	—	—
Measles -	0.01	6	—	—	—	—	1	1	—	—	—	1	—	—	—	2	1	—
Scarlet Fever -	0.25	118	1	5	8	4	—	19	12	27	15	6	18	7	7	4	2	1
Scarlet Cont. Fev. -	0.04	13	1	2	2	1	—	8	1	—	1	—	—	—	1	2	—	—
Dysentery -	0.06	27	—	—	—	—	—	—	—	—	—	7	12	8	—	—	—	—
Whooping-cough -	1.12	519	387	69	11	2	1	470	—	1	—	—	—	4	4	5	13	17
Measles -	0.01	5	3	1	—	—	—	4	—	—	—	—	—	—	1	—	—	—
Scarlet -	0.05	265	—	—	—	—	—	—	2	—	2	—	8	30	50	92	81	34
Scarlet Cont. Fev. -	0.27	120	10	22	5	3	2	61	7	12	12	13	11	5	5	6	6	—
Measles -	0.07	87	40	16	5	4	3	67	4	7	—	—	—	—	—	—	—	—
Whooping-cough -	1.70	792	15	5	7	—	—	27	14	83	78	112	188	170	92	60	26	2
Measles -	0.31	144	27	40	13	5	7	97	24	13	2	2	5	2	—	—	—	—
Nervous Syst.	2.18	1005	168	33	11	9	8	227	22	22	21	15	52	63	71	148	201	161
Circulatory	1.46	677	3	—	—	—	1	4	6	14	11	9	46	69	116	132	188	82
Respiratory	2.64	1224	315	121	33	13	17	439	29	12	15	14	42	37	77	124	183	194
Digestive	1.20	556	60	6	3	2	—	71	8	17	17	12	39	37	60	110	104	35
Urinary	0.48	223	5	—	1	2	—	10	5	—	—	—	18	28	44	42	49	33
Generative	0.06	27	—	—	—	—	—	—	—	—	—	—	3	5	8	8	—	—
Birth -	0.06	30	—	—	—	—	—	—	—	—	4	7	8	10	1	—	—	—
Infants -	0.09	40	—	—	—	—	—	—	—	—	—	3	8	10	4	9	3	5
Violence -	0.50	272	29	5	4	6	2	46	8	9	23	29	35	50	32	21	11	26
ALL CAUSES	4.45	2012	703	70	29	14	16	832	82	51	40	28	41	50	49	97	177	646

Deaths of Infants (under one) to 1000 Births } 142 Marriages } 3,153 Annual Rate } Persons Married } 13.57
Births } 13,479 per 1000 living (Births } 29.00

63.—EASTRY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000	—	17.34	—	—	—	—	—	38.00	3.50	2.57	4.44	6.25	8.13	10.81	12.41	23.63	40.35	146.95
Pop. } 71-80	—	27,691	709	677	683	685	659	3413	3313	2913	2928	2255	3492	2878	2460	2014	1311	668
ALL CAUSES	17.34	4795	865	230	90	64	48	1297	116	75	130	141	284	311	306	477	647	1011
Di-pox -	0.02	15	—	—	—	—	—	—	1	1	2	1	2	5	1	1	—	1
Scarlet Fever -	0.15	41	2	13	6	5	3	33	5	—	—	—	—	—	—	—	—	—
Erysipelas -	0.16	43	6	6	5	10	4	27	9	2	3	3	—	—	—	—	—	—
Dysentery -	0.12	32	—	2	7	3	5	17	8	4	2	1	—	—	—	—	—	—
Whooping-cough -	0.31	86	53	16	9	3	1	84	2	—	—	—	—	—	—	—	—	—
Measles -	0.01	4	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—
Scarlet Fever -	0.27	74	—	4	2	2	5	13	14	6	16	8	5	1	4	2	2	3
Scarlet Cont. Fev. -	0.08	17	—	—	—	—	—	—	3	—	2	—	—	—	—	1	2	—
Dysentery -	0.04	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Whooping-cough -	0.20	139	73	14	1	2	—	90	—	—	—	1	2	4	4	3	9	26
Measles -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet -	0.49	155	—	8	—	—	—	—	1	—	2	—	5	9	24	42	35	19
Scarlet Cont. Fev. -	0.08	22	—	—	—	—	—	—	—	5	2	—	1	—	—	—	—	—
Measles -	0.23	64	37	9	8	8	2	93	2	—	—	2	2	2	—	1	1	2
Dysentery -	1.33	514	12	8	6	3	2	51	9	14	53	64	129	88	58	53	13	2
Whooping-cough -	0.23	64	21	15	6	2	4	48	9	4	1	—	1	1	—	—	—	—
Nervous Syst.	2.27	627	140	34	9	0	5	293	10	7	11	6	14	31	43	73	98	126
Circulatory	1.63	469	4	1	—	—	—	—	3	8	3	5	22	42	52	96	140	83
Respiratory	2.61	721	164	69	23	13	6	273	11	3	6	13	18	24	22	67	119	168
Digestive	0.96	265	16	3	1	1	1	24	7	2	2	9	12	18	33	56	82	45
Urinary	0.39	160	—	—	—	—	3	3	—	1	2	4	11	13	4	21	32	18
Generative	0.09	26	—	—	—	—	—	—	—	—	1	—	2	4	5	7	6	1
Birth -	0.05	13	—	—	—	—	—	—	—	—	1	—	8	4	—	—	—	—
Infants -	0.10	29	—	—	—	—	—	—	—	1	—	2	2	5	7	7	3	2
Violence -	0.54	150	14	5	5	1	3	28	6	6	11	12	23	23	10	6	6	18
ALL CAUSES	4.11	1156	304	23	5	11	4	330	16	9	7	8	20	20	20	40	129	800

Deaths of Infants (under one) to 1000 Births } 109 Marriages } 1,703 Annual Rate } Persons Married } 12.32
Births } 7,911 per 1000 living (Births } 23.61

64.—DOVER.

	ANNUAL DEATH RATE PER 1,000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up
ANNUAL DEATH RATE PER 1,000	—	17.10	—	—	—	—	—	17.57	3.00	3.69	4.33	6.01	8.35	12.20	15.19	20.17	17.51	16.60
Mean Pop. 1871-80	—	85,031	972	892	917	845	802	4185	4,639	5,579	3,642	3,612	5,475	40,055	23,922	21,021	13,921	625
ALL CAUSES	17.00	6451	1588	414	157	106	90	2123	202	132	165	217	417	480	455	590	720	591
Small-pox	0.74	205	22	14	11	11	19	94	40	23	27	17	23	14	14	1	2	1
Measles	0.22	79	17	25	15	3	3	54	2	2	1	1	—	—	—	—	—	—
Scarlet Fever	0.20	72	8	5	17	6	7	40	14	8	2	1	1	—	—	—	—	—
Diphtheria	0.05	14	1	1	1	2	3	8	8	2	—	—	—	—	—	—	—	—
Whooping-cough	0.51	121	55	34	11	12	2	117	4	—	—	—	—	—	—	—	—	—
Typhus	0.02	8	—	—	—	—	—	—	3	1	1	1	—	1	—	1	—	—
Enteric Fever	0.15	51	1	—	2	2	1	6	12	6	6	3	4	2	8	3	8	1
Simple Cont. Fev.	0.03	29	—	1	2	—	1	4	6	1	1	6	1	3	—	3	2	2
Paup. Fever	0.06	23	—	—	—	—	—	—	—	—	2	7	8	6	—	—	—	—
Diarr. and Dys.	0.66	227	160	23	5	1	1	109	9	1	—	2	—	7	8	6	11	12
Cholera	0.01	3	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer	0.47	159	—	—	—	—	—	—	1	1	—	—	4	20	26	44	52	14
Serofula	0.10	40	13	4	3	1	—	21	2	1	2	3	2	1	4	—	—	—
Tuberc. Mesent.	0.22	79	49	14	2	—	—	63	3	—	—	—	—	—	—	—	—	—
Phthisis	1.71	615	5	7	—	5	1	16	19	16	55	82	174	284	231	111	11	2
Hydrocephalus	0.23	83	23	23	5	14	1	68	9	2	1	—	1	2	—	—	—	—
Diseases of	2.11	813	225	57	14	11	14	233	19	12	7	10	31	41	57	82	124	121
Nervous Syst.	1.15	413	—	—	—	—	—	12	6	4	8	4	43	56	45	87	124	121
Circulatory	0.15	1147	249	123	26	14	8	454	13	8	11	24	37	69	111	131	133	130
Respiratory	0.19	155	32	5	1	1	2	41	4	9	10	11	23	28	49	71	54	49
Digestive	0.10	142	2	—	1	2	—	5	2	4	1	2	15	16	26	29	28	13
Urinary	0.06	23	—	—	—	—	—	—	—	—	—	—	1	5	3	6	7	1
Generative	0.05	17	—	—	—	—	—	—	—	—	1	2	7	7	—	—	—	—
Childbirth	0.05	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fuicide	0.20	53	—	—	—	—	—	—	—	—	—	4	7	5	7	10	2	1
Other Violence	0.75	253	50	9	5	4	6	41	17	16	16	23	35	32	25	21	17	13
OTHER CAUSES	0.71	152	49	14	12	12	10	52	23	12	12	10	25	55	25	62	149	62

Deaths of Infants (under one) to 1000 Births } 123

Marriages - 5,075
Births - 11,523Annual Rate (Persons Married - 16.98
per 1000 living } Births - 31.44

65.—ELHAM.

	ANNUAL DEATH RATE PER 1,000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up
ANNUAL DEATH RATE PER 1,000	—	16.68	—	—	—	—	—	12.00	5.51	2.67	3.01	4.16	7.88	11.00	13.82	26.06	51.01	14.22
Mean Pop. 1871-80	—	51,753	574	793	800	767	757	3,994	5,163	5,072	5,375	3,992	6,116	33,396	25,391	17,773	10,048	445
ALL CAUSES	16.68	5207	1282	347	145	169	82	1957	101	82	122	141	498	380	351	462	506	635
Small-pox	0.04	12	5	—	—	—	—	3	—	—	1	2	4	1	—	1	—	—
Measles	0.24	115	25	37	15	16	5	89	13	5	—	—	—	—	—	—	—	—
Scarlet Fever	0.21	72	4	5	19	16	2	44	18	5	2	—	8	—	—	—	—	—
Diphtheria	0.12	58	1	1	2	3	4	11	22	3	1	—	—	1	—	—	—	—
Whooping-cough	0.55	124	52	26	12	6	5	118	6	—	—	—	—	—	—	—	—	—
Typhus	0.01	4	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
Enteric Fever	0.18	54	—	1	1	1	3	6	8	7	11	6	12	1	4	2	1	—
Simple Cont. Fev.	0.06	19	—	—	—	—	1	1	2	2	1	1	4	1	2	2	3	—
Paup. Fever	0.03	15	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Diarr. and Dys.	0.65	246	187	21	7	4	—	169	2	1	1	3	4	1	3	5	6	11
Cholera	0.01	3	1	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer	0.52	154	—	—	—	—	1	1	—	—	—	—	8	28	31	29	26	19
Serofula	0.17	83	25	11	3	1	1	41	5	1	1	1	2	1	5	—	—	—
Tuberc. Mesent.	0.24	120	73	29	4	3	1	101	6	4	2	—	8	1	2	1	—	—
Phthisis	1.63	538	10	9	1	2	4	26	12	13	45	62	171	311	63	35	17	1
Hydrocephalus	0.31	78	29	16	13	6	11	77	16	2	1	1	1	—	—	—	—	—
Diseases of	2.27	721	215	58	18	5	13	237	27	5	6	13	31	45	48	61	114	84
Nervous Syst.	1.46	465	2	—	—	—	1	5	5	6	7	4	37	23	26	39	119	79
Circulatory	0.25	711	249	58	20	10	11	391	9	3	6	18	35	44	33	39	107	113
Respiratory	0.39	251	27	6	3	2	3	43	8	4	5	5	26	33	24	40	40	26
Digestive	0.42	182	2	—	1	—	—	3	2	1	1	1	11	11	24	24	23	24
Urinary	0.06	18	—	—	—	—	—	—	—	—	—	—	2	4	5	4	1	1
Generative	0.05	26	—	—	—	—	—	—	—	—	1	4	10	1	—	—	—	—
Childbirth	0.11	51	—	—	—	—	—	—	—	—	—	1	6	8	9	—	—	—
Fuicide	0.20	134	12	4	5	5	—	24	12	1	15	10	19	24	17	27	10	11
Other Violence	0.75	253	50	9	5	4	6	41	17	16	16	23	35	32	25	21	17	13
OTHER CAUSES	0.71	152	49	14	12	12	10	52	23	12	12	10	25	55	25	62	149	62

Deaths of Infants (under one) to 1000 Births } 130

Marriages - 2,575
Births - 9,892Annual Rate (Persons Married - 16.00
per 1000 living } Births - 31.13

66.—ROMNEY MARSH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and above
ANNUAL DEATH RATE PER 1000	—	16.73	—	—	—	—	—	38.97	4.03	4.07	4.04	3.43	5.77	10.37	14.31	26.01	38.60	142.7
Mean Pop. 1871-80	—	6123	195	159	181	169	172	876	760	663	544	477	810	723	515	357	223	10
ALL CAUSES	16.70	1026	207	74	27	16	13	317	31	27	22	43	71	75	78	103	88	14
Small-pox	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.03	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.41	25	2	2	1	6	2	15	6	3	3	—	—	—	—	—	—	—
Diphtheria	0.11	7	—	1	1	—	1	3	2	2	—	—	—	—	—	—	—	—
Whooping-cough	0.44	27	7	11	3	1	1	23	1	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.42	26	4	2	2	—	2	10	7	1	—	1	—	2	—	1	1	—
Simple Cont. Fev.	0.07	4	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—
Puemp. Fev.	0.04	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Diarr. and Dys.	0.33	20	12	1	—	—	1	14	—	—	—	—	—	—	1	—	1	4
Cholera	0.03	3	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—
Cancer	0.33	29	—	—	—	—	—	—	—	—	—	—	1	1	6	6	6	1
Scrofula	0.10	6	—	1	—	1	—	2	1	—	—	—	1	1	—	—	—	—
Tubes Mesent.	0.21	15	8	1	1	1	—	11	1	—	—	1	—	1	—	—	—	—
Phtisis	1.52	91	1	1	—	—	—	2	1	3	4	17	23	16	10	12	—	—
Hydrocephalus	0.23	20	8	5	3	—	1	17	3	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.12	130	64	13	3	—	—	59	3	4	3	2	2	4	4	19	16	23
Cerebro-motor	0.93	59	1	—	—	2	—	3	—	2	1	1	4	8	13	12	9	—
Respiratory	2.74	153	25	18	0	1	1	31	—	3	—	2	8	12	17	13	25	43
Digestive	1.14	70	8	1	—	—	1	10	1	1	4	3	3	5	9	12	11	16
Urinary	0.23	11	—	1	—	—	1	2	2	—	—	1	—	—	1	1	5	2
Generative	0.07	4	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—
Childbirth	0.11	7	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Suicide	0.04	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.08	60	1	2	3	1	1	8	—	2	4	10	8	13	5	6	4	—
OTHER CAUSES	5.97	242	94	11	4	3	1	113	7	6	3	4	11	8	13	13	11	31

Deaths of Infants (under one) to 1000 Births 103 Marriages 361 Annual Rate { Persons Married 11.79
Births 2,023 per 1000 living { Births 33.04

SUSSEX.]

67.—RYE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and above
ANNUAL DEATH RATE PER 1000	—	17.97	—	—	—	—	—	35.82	6.22	2.96	4.80	6.80	8.13	9.58	15.23	23.88	51.94	168.7
Mean Pop. 1871-80	—	12,019	845	313	317	323	338	1636	1464	1352	1063	882	1725	1263	1110	892	593	23
ALL CAUSES	17.97	2160	400	99	41	24	22	586	91	40	51	60	124	121	169	213	308	39
Small-pox	0.08	5	2	—	—	—	—	2	—	—	—	—	—	1	2	—	—	—
Measles	0.16	19	5	4	3	2	3	17	—	1	1	—	—	—	—	—	—	—
Scarlet Fever	0.24	29	—	1	2	3	1	7	11	6	1	1	2	1	—	—	—	—
Diphtheria	0.12	19	—	—	1	—	1	2	9	4	—	—	1	—	—	—	—	—
Whooping-cough	0.34	41	23	9	1	3	—	36	5	—	—	—	—	—	—	—	—	—
Typhus	0.06	7	—	—	—	—	—	—	1	2	2	—	1	—	—	—	1	—
Enteric Fever	0.12	15	—	1	1	—	1	3	3	2	1	1	1	1	2	1	—	—
Simple Cont. Fev.	0.10	19	—	—	—	2	—	2	7	—	1	—	1	1	1	2	—	4
Puemp. Fev.	0.02	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Diarr. and Dys.	0.41	49	16	7	6	1	—	30	1	1	—	1	1	—	—	2	5	8
Cholera	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Cancer	0.60	72	—	—	—	—	—	—	—	—	—	—	1	7	15	48	21	10
Scrofula	0.04	5	1	—	1	—	—	2	1	—	2	—	—	—	—	—	—	—
Tubes Mesent.	0.27	33	12	5	4	—	—	21	1	1	1	—	3	—	2	1	2	1
Phtisis	1.91	230	1	—	1	—	1	3	4	5	21	35	62	48	29	14	9	—
Hydrocephalus	0.14	17	5	6	—	3	—	14	3	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.63	202	31	7	1	2	2	43	8	3	3	1	7	5	21	35	42	34
Cerebro-motor	1.34	163	2	—	—	—	—	2	2	1	2	6	4	12	22	29	47	36
Respiratory	2.89	337	80	26	7	2	4	119	11	1	3	5	7	15	26	57	60	35
Digestive	0.99	119	7	3	1	—	2	13	8	—	—	2	7	5	24	22	24	13
Urinary	0.43	52	—	1	—	—	—	1	—	—	2	1	4	3	6	13	9	13
Generative	0.12	3	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Childbirth	0.06	7	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—
Suicide	0.04	5	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1
Other Violence	0.52	71	6	4	2	1	2	13	10	7	5	4	5	6	7	4	6	5
OTHER CAUSES	3.34	640	209	23	10	5	5	254	6	6	6	—	10	15	11	30	81	220

Deaths of Infants (under one) to 1000 Births 107 Marriages 863 Annual Rate { Persons Married 14.36
Births 3,727 per 1000 living { Births 31.01

68.—HASTINGS.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	17.49	—	—	—	—	—	40.13	4.66	3.17	4.25	5.89	9.78	12.13	15.50	24.43	35.56	139.6
Mean Pop. 1871-80	—	42,885	1113	994	1031	991	980	5129	4508	4255	4377	4243	6800	5013	3727	2644	1521	673
ALL CAUSES	17.49	7499	1397	483	217	135	88	2320	213	135	189	250	695	608	589	646	845	851
Small-pox	0.02	7	2	—	—	—	—	2	1	—	—	1	1	—	—	—	1	—
Measles	0.25	107	23	36	23	10	6	98	8	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.13	57	1	9	9	11	5	35	18	2	—	—	1	1	—	—	—	—
Diphtheria	0.18	77	2	3	18	6	8	35	30	6	2	1	3	—	—	—	—	—
Whooping-cough	0.51	134	56	39	20	10	5	139	4	—	—	—	—	—	—	—	—	—
Typhus	0.02	7	—	—	—	—	—	—	1	1	2	1	—	—	—	1	—	—
Enteric Fever	0.13	56	1	—	2	1	—	4	2	3	11	8	8	3	3	9	3	3
Stimp. Cont. Fev.	0.03	14	—	1	3	2	—	6	2	—	—	—	2	—	2	—	1	—
Puerp. Fever	0.05	31	—	—	—	—	—	—	—	—	2	3	6	8	—	—	—	—
Diarr. and Dys.	0.57	216	108	23	1	1	—	218	2	—	2	—	1	3	2	2	7	9
Cholera	0.01	6	3	—	—	—	—	3	—	—	1	—	—	—	1	—	1	—
Cancer	0.45	179	—	1	—	—	—	1	—	—	—	2	12	30	66	68	71	28
Scrofula	0.16	67	10	14	3	1	1	29	4	4	7	3	10	5	1	2	1	1
Tuberc. Mesent.	0.23	97	35	18	7	2	7	69	8	6	6	2	1	2	2	1	—	—
Phthisis	2.62	1125	18	15	6	1	4	44	15	28	85	140	379	237	157	49	18	4
Hydrocephalus	0.47	200	69	52	13	10	10	160	24	12	1	1	2	—	—	—	—	—
Diseases of	1.50	852	199	47	10	12	13	287	21	16	5	11	34	48	60	118	122	109
Nervous Syst.	1.37	803	2	1	—	—	—	4	5	19	5	19	39	81	83	108	153	85
Circulatory	2.79	1198	293	148	57	23	9	430	20	12	12	19	66	56	71	117	152	141
Respiratory	0.53	329	50	9	2	1	2	64	7	5	8	7	24	45	55	66	81	51
Digestive	0.26	154	1	1	1	—	1	4	1	1	2	3	17	23	24	23	28	14
Urinary	0.07	28	—	—	—	—	—	—	—	—	1	3	6	6	4	4	4	4
Generative	0.06	24	—	—	—	—	—	—	—	—	3	2	9	9	1	—	—	—
Childbirth	0.00	34	—	—	—	—	—	—	—	—	1	1	6	7	12	6	2	1
Suicide	0.43	134	29	8	7	7	3	54	8	11	19	12	20	39	14	11	16	11
Other Violence	3.57	1533	609	18	29	31	16	743	34	16	19	17	30	35	40	59	146	404
OTHER CAUSES																		

Deaths of Infants (under
one) to 1000 Births } 133Marriages - 3,019
Births - 12,063Annual Rate { Persons Married - 14.08
per 1000 living { Births - 28.13

69.—BATTLE

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	15.34	—	—	—	—	—	30.92	5.01	3.46	5.80	6.20	7.69	7.88	9.88	18.57	55.99	132.98
Mean Pop. 1871-80	—	14,141	418	374	430	388	405	2015	1816	1075	1258	1097	1782	1472	1235	975	608	246
ALL CAUSES	15.34	2169	429	107	30	31	28	623	91	58	73	68	137	116	122	184	319	379
Small-pox	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0.00	8	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.11	16	—	—	—	—	—	—	12	—	—	—	1	—	—	—	—	—
Diphtheria	0.45	41	—	1	2	6	8	17	21	12	5	1	2	1	1	—	1	—
Whooping-cough	0.20	28	13	9	4	—	1	27	1	—	—	—	—	—	—	—	—	—
Typhus	0.03	8	—	—	—	—	—	—	2	1	2	1	1	1	—	—	—	—
Enteric Fever	0.24	37	—	1	—	—	3	6	5	4	7	4	3	2	5	1	—	—
Stimp. Cont. Fev.	0.06	4	—	—	—	—	—	2	1	—	—	—	1	1	2	—	—	—
Puerp. Fever	0.03	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.59	35	27	7	2	2	—	38	2	1	—	—	1	—	1	2	4	4
Cholera	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.45	64	—	—	—	—	—	—	—	—	—	—	1	8	13	13	17	11
Scrofula	0.07	10	3	1	—	1	—	5	2	2	—	2	1	1	—	—	—	—
Tuberc. Mesent.	0.17	24	10	3	—	—	—	13	2	—	—	—	1	—	—	—	1	1
Phthisis	1.48	269	3	—	—	—	—	3	3	14	29	38	62	28	12	12	7	1
Hydrocephalus	0.25	32	7	10	2	—	2	21	6	3	—	1	2	—	—	—	—	—
Diseases of	1.75	248	62	14	2	3	—	81	6	2	6	10	6	11	17	31	28	40
Nervous Syst.	1.47	208	2	2	—	—	—	4	2	7	1	1	12	7	25	25	75	30
Circulatory	2.44	345	88	28	7	4	5	134	9	5	7	2	14	13	13	40	61	43
Respiratory	0.51	115	14	1	—	1	—	16	5	1	—	1	7	10	15	21	22	19
Digestive	0.25	47	—	—	—	—	—	—	—	—	—	—	2	8	5	6	14	12
Urinary	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.06	12	—	—	—	—	—	—	—	—	1	1	4	6	—	—	—	—
Childbirth	0.00	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.43	134	29	8	7	7	3	54	8	11	19	12	20	39	14	11	16	11
Other Violence	3.57	1533	609	18	29	31	16	743	34	16	19	17	30	35	40	59	146	404
OTHER CAUSES																		

Deaths of Infants (under
one) to 1000 Births } 95Marriages - 1,000
Births - 4,502Annual Rate { Persons Married - 16.14
per 1000 living { Births - 31.54

70.—EASTBOURNE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	14.19	—	—	—	—	—	3490	3.89	3.35	4.09	5.05	7.15	9.09	13.52	24.34	44.58	135
Mean Pop. 1871-80	—	21,741	631	580	584	552	551	2888	2460	2322	2296	2140	3315	2422	1731	1212	655	2
ALL CAUSES	14.19	3086	672	177	68	47	44	1008	96	78	94	108	237	242	234	205	222	4
Small-pox	0.02	4	1	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—
Measles	0.13	78	7	13	5	1	—	28	1	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.30	66	1	7	13	11	7	39	20	—	1	1	3	1	1	—	—	—
Diphtheria	0.14	31	—	3	5	1	5	14	11	5	1	—	—	—	—	—	—	—
Whooping-cough	0.20	65	20	24	8	3	—	65	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0.25	55	—	1	1	1	3	6	8	9	4	5	6	4	4	5	3	—
Simp. Cont. Fev.	0.05	10	1	—	—	—	—	1	2	2	—	1	—	—	1	1	1	—
Puerp. Fever	0.11	24	—	—	—	—	—	—	—	—	3	4	12	5	—	—	—	—
Diarr. and Dys.	0.53	116	76	12	—	1	1	99	2	—	—	—	—	3	2	2	4	—
Cholera	0.01	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0.52	112	—	—	—	—	—	—	—	—	1	2	2	18	25	29	25	—
Serofula	0.04	13	6	1	—	—	—	7	—	—	2	—	—	2	1	1	—	—
Tubes Mesent.	0.21	32	31	7	1	—	1	40	4	3	1	1	—	1	2	—	—	—
Phthisis	1.68	266	7	3	—	3	1	14	3	14	28	20	108	71	40	25	3	—
Hydrocephalus	0.28	60	25	13	3	3	3	47	5	2	2	1	2	1	—	—	—	—
Diseases of Nervous Syst.	1.51	312	65	20	6	5	4	161	10	5	2	3	15	19	33	37	55	—
Circulatory	1.91	225	—	—	—	—	—	—	7	3	3	7	21	27	34	46	42	—
Respiratory	1.90	414	168	42	8	6	5	169	6	6	3	5	9	13	20	49	51	—
Digestive	0.95	267	45	4	4	1	—	54	2	5	8	4	12	17	18	39	24	—
Urinary	0.42	92	—	—	1	1	1	3	4	3	5	2	8	9	13	16	15	—
Generative	0.05	10	—	—	—	—	—	—	—	—	—	—	2	2	2	1	3	—
Childbirth	0.67	15	—	—	—	—	—	—	—	—	—	3	4	8	—	—	—	—
Suicide	0.07	15	—	—	—	—	—	—	—	—	—	1	1	2	4	6	1	—
Other Violence	0.52	114	10	4	4	1	3	22	7	5	9	11	17	11	11	7	5	—
OTHER CAUSES	3.03	457	228	21	9	9	10	268	9	11	9	5	13	14	15	30	61	1

Deaths of Infants (under
one) to 1000 Births } 108Marriages - 1,447
Births - 6,201Annual Rate of Persons Married - 13.31
per 1000 living } Births - 25.52

71.—HAILSHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	16.33	—	—	—	—	—	32.53	4.06	2.57	3.09	6.63	8.49	10.81	11.11	14.46	53.22	14
Mean Pop. 1871-80	—	13,213	299	556	371	372	368	1906	1750	1520	1178	993	1637	1332	1135	932	538	2
ALL CAUSES	16.33	2164	411	107	46	37	19	620	71	39	60	68	189	144	120	228	504	3
Small-pox	0.02	4	1	1	—	—	—	2	—	—	1	1	—	—	—	—	—	—
Measles	0.04	8	1	4	—	1	—	6	1	—	—	—	—	—	—	—	1	—
Scarlet Fever	0.17	21	3	2	2	2	5	14	6	2	—	1	—	—	—	—	—	—
Diphtheria	0.20	27	—	1	1	4	2	8	15	2	1	—	—	1	—	—	—	—
Whooping-cough	0.25	33	12	11	3	5	2	33	—	—	—	—	—	—	—	—	—	—
Typhus	0.02	3	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—
Enteric Fever	0.16	35	1	1	—	—	—	2	5	3	1	6	3	5	4	4	3	—
Simp. Cont. Fev.	0.07	9	—	—	—	1	—	1	—	—	2	1	—	1	1	1	2	—
Puerp. Fever	0.07	9	—	—	—	—	—	—	—	—	1	2	4	2	—	—	—	—
Diarr. and Dys.	0.28	37	11	4	3	—	—	18	—	—	2	—	1	—	1	2	4	—
Cholera	0.04	5	—	—	1	2	—	3	—	—	—	—	—	—	—	1	1	—
Cancer	0.62	82	—	—	—	—	—	—	1	1	—	—	4	7	11	24	20	—
Serofula	0.12	16	5	1	—	—	—	6	1	—	2	1	1	1	1	1	—	—
Tubes Mesent.	0.20	26	9	8	1	1	1	20	2	3	—	1	1	—	—	—	—	—
Phthisis	2.08	271	7	4	1	1	—	13	3	5	28	56	73	20	28	21	8	—
Hydrocephalus	0.10	13	3	4	2	—	—	9	2	2	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.73	224	46	14	9	3	1	73	7	5	3	4	6	17	5	27	46	—
Circulatory	1.93	232	—	—	—	—	—	—	—	1	4	5	11	8	20	20	63	—
Respiratory	2.00	345	96	33	12	11	5	159	8	2	4	2	6	18	18	33	46	—
Digestive	1.16	153	17	—	2	—	1	20	4	5	3	2	9	14	17	25	32	—
Urinary	0.47	62	—	—	—	1	1	2	1	1	1	2	2	8	2	12	20	—
Generative	0.04	5	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—
Childbirth	0.08	11	—	—	—	—	—	—	—	—	1	2	6	2	—	—	—	—
Suicide	0.03	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violence	0.23	41	5	5	4	3	—	17	4	1	—	1	3	5	2	7	5	—
OTHER CAUSES	3.94	508	102	14	5	2	1	214	11	5	4	—	6	8	6	18	53	—

Deaths of Infants (under
one) to 1000 Births } 95Marriages - 905
Births - 4,321Annual Rate of Persons Married - 13.70
per 1000 living } Births - 32.70

72.—TICEHURST.

—	ANNUAL DEATH RATE PER 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	16.38	—	—	—	—	—	36.02	3.08	2.54	4.14	5.45	7.43	9.71	12.30	22.07	33.16	163			
Mean Pop. 1871-80	—	16,968	493	493	471	483	471	2411	2313	1888	1320	1413	2222	1772	1422	1101	711	298			
ALL CAUSES	16.38	2779	595	146	61	49	52	883	88	48	63	77	165	172	179	243	378	483			
Small-pox	0.02	3	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—			
Measles	0.15	29	6	6	4	—	2	18	6	—	—	—	1	—	—	—	—	—			
Scarlet Fever	0.15	26	2	3	3	4	1	13	5	4	4	—	—	—	—	—	—	—			
Diphtheria	0.31	51	2	2	3	6	2	15	23	8	1	—	—	1	2	—	—	—			
Whooping-cough	0.54	58	28	15	9	3	—	55	3	—	—	—	—	—	—	—	—	—			
Typhus	0.04	10	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—			
Enteric Fever	0.24	41	1	1	3	—	—	5	3	5	5	—	—	—	—	—	—	—			
Simple Cont. Fev.	0.05	8	—	—	—	1	2	3	—	1	—	—	—	—	—	—	—	—			
Puerp. Fever	0.05	9	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—			
Diarr. and Dys.	0.02	55	27	4	3	3	2	39	1	—	—	—	—	—	—	—	—	—			
Cholera	0.02	4	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—			
Cancer	0.55	93	—	—	—	—	—	—	—	2	—	1	3	5	24	32	54	10			
Serofula	0.07	12	2	—	—	—	—	3	—	—	1	1	3	1	2	—	—	—			
Tuberc Mesent.	0.18	31	8	12	3	—	1	24	3	1	—	—	—	—	—	—	—	—			
Phthisis	1.73	281	12	4	3	—	1	20	4	7	18	47	63	45	29	31	27	2			
Hydrocephalus	0.51	53	16	12	8	6	3	45	5	2	1	—	—	—	—	—	—	—			
Diseases of Nervous Syst.	2.69	254	75	12	5	5	—	97	1	5	6	5	12	23	17	22	67	8			
Cerebratory	1.45	244	1	—	—	—	—	2	5	3	7	3	7	24	23	41	77	5			
Respiratory	2.55	453	118	46	9	8	3	184	8	1	4	6	10	14	18	39	68	11			
Digestive	0.57	164	24	—	3	3	4	34	1	2	2	3	17	11	22	38	38	18			
Urinary	0.54	94	1	1	—	—	—	2	1	1	4	—	9	8	8	18	20	20			
Generative	0.05	9	—	—	—	—	—	—	—	—	—	—	2	1	2	2	—	—			
Childbirth	0.15	25	—	—	—	—	—	—	—	—	1	—	5	18	1	—	—	—			
Suicide	0.09	16	—	—	—	—	—	—	—	—	1	—	—	2	4	—	—	—			
Other Violence	0.31	57	6	7	2	3	2	50	3	—	3	1	5	2	7	3	4	—			
OTHER CAUSES	3.69	606	163	19	3	6	9	500	13	5	3	2	11	9	15	14	47	17			

Deaths of Infants (under one) to 1000 Births } 104

Marriages - 1,210
Births - 5,730Annual Rate of Persons Married per 1000 living { Births - 14.28
Deaths - 32.77

73.—UCKFIELD.

—	ANNUAL DEATH RATE PER 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	15.66	—	—	—	—	—	34.10	3.39	2.36	5.17	5.66	7.43	7.93	10.97	23.37	35.40	149.91			
Mean Pop. 1871-80	—	19,703	610	569	600	551	579	2918	2650	2332	1798	1502	2463	1980	1637	1245	778	347			
ALL CAUSES	15.66	3085	639	176	69	65	46	995	90	55	93	85	183	157	185	291	431	429			
Small-pox	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Measles	0.11	22	7	3	—	—	1	15	1	—	—	—	—	—	—	—	—	—			
Scarlet Fever	0.59	69	3	8	5	5	8	32	18	3	2	3	—	—	—	—	—	—			
Diphtheria	0.17	35	1	—	2	4	4	11	18	4	1	2	—	—	—	—	—	—			
Whooping-cough	0.52	63	30	19	5	5	2	61	2	—	—	—	—	—	—	—	—	—			
Typhus	0.03	6	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—			
Enteric Fever	0.13	26	—	—	—	—	—	—	1	5	6	3	3	2	1	—	—	—			
Simple Cont. Fev.	0.02	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			
Puerp. Fever	0.02	14	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—			
Diarr. and Dys.	0.24	75	36	11	6	8	1	62	2	—	—	—	—	—	—	—	—	—			
Cholera	0.01	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—			
Cancer	0.41	81	—	—	—	1	—	1	—	—	1	—	—	—	5	16	29	25			
Serofula	0.19	18	4	2	—	—	—	6	—	2	3	—	—	4	3	2	1	—			
Tuberc Mesent.	0.34	67	28	10	7	1	2	48	10	8	5	2	4	3	2	2	—	—			
Phthisis	1.74	242	4	1	1	4	—	10	10	8	36	50	91	63	96	34	18	1			
Hydrocephalus	0.21	42	16	10	4	—	—	39	7	3	—	—	—	—	—	—	—	—			
Diseases of Nervous Syst.	2.62	289	72	29	6	5	9	121	3	10	11	5	10	14	29	45	76	88			
Cerebratory	1.73	301	—	—	—	1	—	1	2	3	1	4	9	21	31	66	115	36			
Respiratory	2.59	511	122	48	19	10	9	208	6	6	7	5	11	11	26	38	50	30			
Digestive	0.80	158	19	—	1	—	3	23	5	—	4	3	11	7	19	36	37	13			
Urinary	0.59	77	1	—	—	—	—	1	—	1	2	—	8	2	14	18	17	—			
Generative	0.07	13	—	—	—	—	—	—	—	—	—	—	3	1	3	2	—	—			
Childbirth	0.19	17	—	—	—	—	—	—	—	—	2	1	7	7	—	—	—	—			
Suicide	0.04	8	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—			
Other Violence	0.23	65	4	8	5	3	2	22	5	4	1	—	6	4	8	4	3	4			
OTHER CAUSES	3.46	619	292	23	8	10	4	339	13	5	6	3	4	12	8	18	46	224			

Deaths of Infants (under one) to 1000 Births } 93

Marriages - 1,234
Births - 6,030Annual Rate of Persons Married per 1000 living { Births - 12.53
Deaths - 33.93

74.—EAST GRINSTEAD.*

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000	—	15.86	—	—	—	—	—	35.07	4.23	2.27	4.70	6.72	7.11	8.03	10.75	22.40	53.21	13
Mean Pop. 1871-80	—	17,057	509	507	501	503	512	2535	2319	2026	1553	1333	2387	1917	1497	1098	643	1
ALL CAUSES	15.86	2712	599	184	77	40	30	889	98	46	73	93	170	134	161	246	376	1
Small-pox	0.02	4	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—
Measles	0.19	34	6	7	7	2	5	27	4	1	1	—	—	1	—	—	—	—
Scarlet Fever	0.23	41	4	3	5	4	1	17	11	8	2	1	2	—	—	—	—	—
Diphtheria	0.23	41	1	1	4	5	6	17	11	6	5	—	2	—	—	—	—	—
Whooping-cough	0.36	61	32	20	5	4	3	64	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	5	—	—	—	—	—	—	—	2	2	—	—	—	1	—	—	—
Euteric Fever	0.16	29	1	1	—	—	—	2	5	1	4	4	4	2	2	4	—	—
Simple Cont. Fev.	0.03	6	—	1	1	—	—	2	1	—	1	—	1	—	—	1	—	—
Puerp. Fever	0.02	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarr. and Dys.	0.50	87	39	14	6	—	2	61	2	—	—	—	2	1	1	2	5	—
Cholera	0.01	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Cancer	0.51	90	—	—	—	—	—	—	1	—	—	2	4	9	16	25	24	—
Scrofula	0.14	24	6	2	—	—	—	8	1	1	2	1	5	1	—	2	5	—
Tuberc. Mesent.	0.15	26	11	2	2	3	—	18	4	1	1	—	2	—	—	—	—	—
Phthisis	1.71	302	5	3	4	1	2	13	8	7	22	52	79	40	28	26	17	—
Hydrocephalus	0.31	54	14	19	7	3	6	40	7	5	—	1	—	—	—	1	—	—
Diseases of Nervous Syst.	1.67	295	55	11	4	3	—	73	7	2	7	7	8	10	20	24	73	—
Cerebratory	1.23	216	2	—	—	—	—	3	1	—	—	—	6	13	22	33	76	—
Respiratory	3.00	500	146	42	14	4	6	212	12	—	7	6	15	23	28	50	79	—
Digestive	0.73	125	13	1	1	1	—	16	6	1	4	4	13	6	13	24	23	—
Urinary	0.45	80	1	—	—	1	1	3	1	2	—	2	9	11	7	9	19	—
Generative	0.05	9	—	—	—	—	—	—	—	—	1	—	1	3	—	3	1	—
Childbirth	0.09	16	—	—	—	—	—	—	—	—	—	1	7	5	1	—	—	—
Scalds	0.16	18	—	—	—	—	—	—	—	—	2	1	3	3	4	4	—	—
Other Violence	0.57	66	10	3	5	4	1	23	5	3	2	5	8	4	4	2	8	—
OTHER CAUSES	3.07	536	253	13	12	5	6	289	11	3	8	2	4	7	11	16	47	1

Deaths of Infants (under one) to 1000 Births } 105

Marriages - 971
Births - 5,695Annual Rate of Persons Married - 11.00
per 1000 living } Births - 32.25

* Changes were made in the boundary of this District, during the decade; see Table, pp. 371-8.

75.—CUCKFIELD.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000	—	14.26	—	—	—	—	—	32.00	3.83	2.21	4.21	6.48	6.78	7.79	10.92	22.66	48.35	13
Mean Pop. 1871-80	—	21,716	612	595	575	578	582	2942	2731	2765	2065	1729	2905	2285	1785	1350	810	3
ALL CAUSES	14.26	3000	626	162	83	43	30	944	106	61	87	112	107	178	195	308	596	2
Small-pox	0.02	4	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—	—
Measles	0.12	29	3	10	6	1	2	22	6	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.25	55	1	9	8	6	6	30	17	3	3	—	1	1	—	—	—	—
Diphtheria	0.14	31	2	—	3	3	3	11	13	4	—	1	1	—	—	1	—	—
Whooping-cough	0.25	75	38	20	10	2	2	72	3	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Euteric Fever	0.16	34	—	—	—	—	—	4	3	4	6	6	4	3	—	1	2	—
Simple Cont. Fev.	0.04	9	—	—	2	1	—	3	1	1	—	—	1	—	—	1	1	—
Puerp. Fever	0.08	18	—	—	—	—	—	—	—	—	1	4	9	4	—	—	—	—
Diarr. and Dys.	0.50	85	38	10	5	2	1	66	—	—	—	—	2	1	4	3	6	—
Cholera	0.02	4	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—
Cancer	0.38	85	—	—	—	—	—	—	—	—	—	1	7	3	16	25	27	—
Scrofula	0.05	11	3	1	—	—	1	5	—	1	3	—	—	—	—	—	1	—
Tuberc. Mesent.	0.12	29	17	6	2	—	—	25	1	1	1	1	—	—	—	—	—	—
Phthisis	1.70	369	4	4	3	1	2	14	6	13	43	55	94	63	54	58	15	—
Hydrocephalus	0.19	42	12	9	4	2	1	28	8	2	—	3	—	1	—	—	—	—
Diseases of Nervous Syst.	2.01	456	95	19	4	6	1	128	9	3	10	6	13	14	26	49	80	—
Cerebratory	1.50	325	1	—	—	—	—	3	3	12	4	6	16	21	29	67	91	—
Respiratory	3.21	679	112	45	21	4	3	155	11	2	5	5	10	18	32	58	72	—
Digestive	0.78	165	25	3	2	—	—	7	20	3	1	4	7	13	13	32	36	—
Urinary	0.34	73	—	—	—	—	1	1	1	1	1	2	7	7	4	19	19	—
Generative	0.06	13	—	—	—	—	—	—	—	—	1	—	1	5	—	4	1	—
Childbirth	0.05	11	—	—	—	—	—	—	—	—	—	2	4	5	—	—	—	—
Scalds	0.07	16	—	—	—	—	—	—	—	—	—	—	1	4	2	6	2	—
Other Violence	0.50	66	5	3	2	3	3	16	9	6	1	7	4	4	4	3	8	—
OTHER CAUSES	2.92	651	269	23	8	11	8	311	12	5	4	9	12	8	10	23	49	—

Deaths of Infants (under one) to 1000 Births } 96

Marriages - 1,267
Births - 6,525Annual Rate of Persons Married - 11.67
per 1000 living } Births - 30.05

76.—LEWES.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Fifty- under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75- and aged
ANNUAL DEATH RATE PER 1000	—	18.76	—	—	—	—	—	36.88	3.71	2.86	5.51	7.30	10.62	15.71	18.87	22.86	22.63	133.7
Mean Pop. 1871-80	—	31,419	881	779	787	774	830	4051	3856	3642	2830	2615	4235	3520	2814	2033	1271	522
ALL CAUSES	18.76	5895	972	372	125	74	51	1494	143	104	156	191	450	553	531	603	796	874
Small-pox	0.04	12	1	1	—	—	—	2	2	—	2	3	—	1	—	—	2	—
Measles	0.12	39	11	10	5	7	1	84	2	1	1	—	—	1	—	—	—	—
Scarlet Fever	0.20	62	3	10	6	9	5	33	15	8	2	—	2	2	—	—	—	—
Diphtheria	0.10	32	5	1	1	7	1	15	10	4	—	—	—	1	—	—	1	—
Whooping-cough	0.32	101	34	27	10	3	3	97	2	1	1	—	—	—	—	—	—	—
Typhus	0.03	10	—	—	—	—	1	1	—	2	1	4	—	2	—	—	—	—
Enteric Fever	0.30	93	1	1	2	1	—	6	14	10	12	13	15	5	8	6	6	—
Simple Cont. Fev.	0.03	15	—	1	—	—	1	2	3	3	1	2	—	1	3	—	—	—
Pneum. Fever	0.03	10	—	—	—	—	—	—	—	—	—	1	5	4	—	—	—	—
Diarr. and Dys.	0.57	178	89	18	4	1	1	113	2	—	—	—	2	6	5	7	10	27
Cholera	0.01	3	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Cancer	0.55	174	—	—	—	—	—	—	—	1	—	—	10	24	31	52	57	19
Scrofula	0.16	51	17	6	5	3	—	31	3	4	1	3	1	5	8	—	—	—
Tuberc. Mesent.	0.27	84	43	18	9	2	2	74	4	1	2	—	1	2	—	—	—	—
Phthisis	2.44	768	29	6	2	2	2	41	3	17	61	100	160	172	107	55	22	1
Hydrocephalus	0.34	90	29	20	9	8	6	72	15	4	3	—	1	—	1	—	—	—
Diseases of																		
Nervous Syst.	3.60	1131	167	47	21	5	10	280	20	12	22	13	99	143	133	133	174	141
Circulatory	1.67	524	2	—	1	—	—	3	10	11	9	8	27	43	67	111	161	71
Respiratory	3.42	761	133	62	27	10	7	151	12	2	5	7	22	43	37	74	131	136
Digestive	0.94	295	24	3	2	1	1	31	6	6	6	8	25	21	46	57	43	25
Urinary	0.37	117	2	—	1	—	—	3	—	4	2	4	10	11	10	23	27	13
Generative	0.06	19	—	—	—	—	—	—	—	—	—	1	—	7	5	2	2	2
Childbirth	0.05	15	—	—	—	—	—	—	—	—	1	3	5	6	—	—	—	—
Swindle	0.12	39	—	—	—	—	—	—	—	—	—	3	5	6	8	10	6	1
Other Violence	0.51	169	9	12	4	1	1	27	5	4	12	9	22	16	27	37	11	9
OTHER CAUSES	3.49	1197	359	29	16	13	9	426	22	10	8	10	16	22	22	40	125	298

Deaths of Infants (under one) to 1000 Births - 108 Marriages - 1,736 Annual Rate { Persons Married - 11.08
Births - 8,997 per 1000 living { Births - 22.00

77.—BRIGHTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Fifty- under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75- and aged
ANNUAL DEATH RATE PER 1000	—	20.46	—	—	—	—	—	62.58	5.08	3.00	4.27	5.86	8.80	13.48	20.06	33.44	64.70	131.7
Mean Pop. 1871-80	—	94,561	2426	2154	2160	2000	2104	10934	9820	9658	9608	9259	14077	11290	8606	5867	3365	1398
ALL CAUSES	20.46	19,342	4370	1360	525	327	251	6942	469	298	414	543	1291	1522	1726	1962	2177	2368
Small-pox	0.08	79	13	5	7	4	6	35	9	—	4	8	9	6	2	4	2	—
Measles	0.17	259	43	35	40	27	12	237	19	3	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	269	14	12	46	53	43	210	25	25	9	14	4	6	5	—	1	—
Diphtheria	0.08	77	1	10	9	7	8	33	15	9	—	—	—	2	—	2	—	—
Whooping-cough	0.46	451	170	141	61	29	19	421	8	—	—	—	—	—	—	—	—	—
Typhus	0.01	13	—	1	—	—	—	1	4	2	2	—	1	1	2	—	—	—
Enteric Fever	0.17	157	1	3	2	6	0	18	13	14	17	20	31	13	17	15	6	1
Simple Cont. Fev.	0.06	48	1	4	0	7	3	21	7	5	2	2	4	4	5	—	—	—
Pneum. Fever	0.03	80	—	—	—	—	—	—	—	—	4	9	17	10	—	—	—	—
Diarr. and Dys.	1.01	967	724	111	20	3	2	600	6	1	—	—	8	7	9	19	27	26
Cholera	0.02	16	5	2	—	—	—	7	—	—	—	—	1	2	1	3	2	—
Cancer	0.73	705	—	—	2	—	—	2	1	1	4	6	29	80	175	180	167	26
Scrofula	0.15	140	29	25	6	9	7	76	14	10	8	10	8	7	2	7	4	—
Tuberc. Mesent.	0.17	163	65	29	12	3	8	117	13	10	7	9	3	4	3	1	—	—
Phthisis	2.47	2253	81	28	18	14	11	132	36	69	161	250	553	534	378	167	28	4
Hydrocephalus	0.49	453	119	109	41	23	24	331	61	20	9	4	4	3	1	—	—	—
Diseases of																		
Nervous Syst.	2.52	2230	584	125	44	23	24	769	42	26	32	27	71	113	193	311	455	261
Circulatory	1.47	1246	4	—	2	1	4	11	9	24	24	22	112	167	219	319	327	149
Respiratory	3.30	3245	774	284	128	64	29	1379	45	13	13	31	84	130	251	331	331	431
Digestive	1.19	1424	99	7	3	5	3	117	11	14	17	23	76	143	165	239	374	65
Urinary	0.31	511	2	1	—	4	4	11	11	11	18	22	35	89	81	96	96	44
Generative	0.02	88	—	—	—	—	—	—	—	—	1	3	14	18	22	14	13	1
Childbirth	0.01	20	—	—	—	—	—	—	—	—	1	8	24	17	—	—	—	—
Swindle	0.12	111	—	—	—	—	—	—	—	—	2	4	18	10	31	39	12	1
Other Violence	0.47	444	83	12	12	10	13	180	18	17	27	27	41	40	41	44	28	25
OTHER CAUSES	3.16	5745	1574	502	53	33	23	1890	52	32	47	49	91	14	123	134	243	577

Deaths of Infants (under one) to 1000 Births - 157 Marriages - 8,780 Annual Rate { Persons Married - 15.59
Births - 27,606 per 1000 living { Births - 29.31

78.—STEYNING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw
ANNUAL DEATH RATE PER 1000	—	14.44	—	—	—	—	—	41.54	3.54	2.29	2.79	3.99	6.10	8.10	11.76	24.61	53.70	132
Mean Pop. 1871-80	—	40,281	1040	948	976	975	925	4370	4377	4152	4226	3907	6309	4500	3453	2422	1406	53
ALL CAUSES	14.44	5810	1329	307	145	100	52	2023	155	95	118	156	385	372	406	506	755	75
Small-pox	0.03	13	1	—	—	1	—	2	—	—	1	1	1	4	2	1	1	—
Measles	0.19	77	16	33	11	5	2	70	5	—	—	1	1	—	1	—	—	—
Scarlet Fever	0.06	23	10	11	12	10	11	54	19	4	—	—	—	—	—	—	—	—
Diphtheria	0.13	33	2	3	—	9	11	23	14	4	2	1	—	1	3	—	—	—
Whooping-cough	0.37	149	64	54	16	9	2	145	2	—	1	—	—	—	—	—	—	—
Typhus	0.02	9	—	—	—	—	—	14	1	—	1	1	1	3	1	—	1	—
Enteric Fever	0.15	59	2	—	3	—	5	14	9	5	3	6	7	7	5	1	2	—
Simple Cont. Fev.	0.06	23	1	1	—	3	1	6	5	2	1	2	2	2	2	1	—	—
Puerr. Fever	0.03	20	—	—	—	—	—	—	—	—	—	5	10	4	1	—	—	—
Diarr. and Dys.	0.72	291	195	36	6	—	—	237	1	1	1	—	2	3	4	8	18	1
Cholera	0.02	8	4	—	—	1	—	5	—	—	—	—	—	—	1	2	—	—
Cancer	0.51	205	—	—	1	1	—	2	—	—	—	—	7	22	23	69	36	2
Scrofula	0.12	47	18	10	2	4	1	35	1	1	1	2	2	1	1	2	1	—
Tuberc. Mesent.	0.13	54	30	9	4	1	1	45	4	1	2	—	—	—	1	—	1	—
Phthisis	1.54	521	16	4	5	5	2	30	7	19	31	74	162	125	37	43	23	—
Hydrocephalus	0.30	119	33	30	16	13	3	93	15	1	3	1	2	1	1	—	—	—
Diseases of Nervous Syst.	1.80	700	170	27	16	9	4	226	17	10	10	8	30	36	44	94	161	12
Circulatory " "	1.16	467	1	—	1	—	—	2	2	8	6	0	26	42	62	103	126	7
Respiratory " "	2.20	885	219	101	19	9	4	332	14	11	4	10	33	30	32	99	140	14
Digestive " "	0.80	324	31	5	5	1	1	41	11	3	5	10	22	24	49	63	89	3
Urinary " "	0.38	153	—	1	1	3	1	6	3	4	4	3	20	12	23	30	36	1
Generative " "	0.04	15	—	—	—	—	—	—	—	—	1	—	4	3	1	3	—	—
Childbirth	0.05	22	—	—	—	—	—	—	—	—	1	3	10	7	1	—	—	—
Suicide	0.12	43	—	—	—	—	—	—	—	—	2	2	5	6	11	8	9	—
Other Violence	0.36	147	19	5	4	—	—	23	8	12	9	4	20	19	10	16	12	—
OTHER CAUSES	2.89	1164	497	69	20	11	3	603	17	7	9	11	17	20	23	43	106	20

Deaths of Infants (under one) to 1000 Births - 117

Marriages - 2,416
Births - 11,335

Annual Rate { Persons Married - 12.06
per 1000 living { Births - 28.14

79.—HORSHAM.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw
ANNUAL DEATH RATE PER 1000	—	15.83	—	—	—	—	—	31.33	4.58	3.00	3.97	6.30	6.93	9.88	13.74	25.24	55.20	155
Mean Pop. 1871-80	—	20,601	610	541	602	550	563	2866	2663	2352	1916	1572	2669	2248	1512	1355	917	32
ALL CAUSES	15.83	3261	575	148	79	53	43	898	122	70	76	90	185	222	249	342	451	54
Small-pox	0.01	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Measles	0.17	35	6	12	5	1	3	27	5	2	—	—	1	—	—	—	—	—
Scarlet Fever	0.20	42	1	3	9	7	4	24	10	5	1	—	1	—	—	—	1	—
Diphtheria	0.27	55	1	1	6	7	6	21	23	7	—	—	—	1	—	—	—	—
Whooping-cough	0.25	52	22	19	6	—	3	50	2	—	—	—	—	—	—	—	—	—
Typhus	0.02	5	—	—	—	2	—	2	—	1	—	—	1	—	—	1	—	—
Enteric Fever	0.18	37	1	—	—	2	—	3	2	4	0	5	7	3	1	3	2	—
Simple Cont. Fev.	0.06	13	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
Puerr. Fever	0.05	12	—	—	—	—	—	—	—	—	—	3	5	4	—	—	—	—
Diarr. and Dys.	0.33	68	24	4	4	2	—	34	3	—	1	—	2	—	4	4	4	1
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.43	68	—	—	1	—	—	1	1	—	—	1	1	10	13	29	54	1
Scrofula	0.15	31	10	5	1	—	2	18	5	2	3	1	—	—	1	—	1	—
Tuberc. Mesent.	0.09	10	9	3	—	—	—	12	1	—	—	—	—	—	—	—	—	—
Phthisis	1.94	283	8	3	1	3	—	15	8	10	36	43	97	73	61	41	3	—
Hydrocephalus	0.18	38	12	6	5	3	1	27	6	4	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.03	418	81	18	7	5	5	116	9	8	6	6	15	19	22	48	87	7
Circulatory " "	1.17	241	2	—	—	—	—	2	3	5	3	5	5	16	27	53	77	4
Respiratory " "	2.88	594	113	45	21	6	6	191	19	4	4	4	16	24	37	61	104	12
Digestive " "	1.01	298	13	1	1	1	1	18	3	3	3	3	6	5	22	45	47	1
Urinary " "	0.37	153	—	—	—	—	—	1	—	—	3	2	7	13	13	18	21	1
Generative " "	0.06	12	—	—	—	—	—	—	—	—	—	1	2	1	3	4	—	—
Childbirth	0.05	11	—	—	—	—	—	—	—	—	1	1	5	4	—	—	—	—
Suicide	0.10	20	—	—	—	—	—	—	—	—	—	1	1	6	6	3	3	—
Other Violence	0.45	94	13	5	3	3	2	26	4	0	3	6	1	7	7	12	10	1
OTHER CAUSES	3.35	683	239	53	9	11	8	310	14	4	3	10	9	8	17	25	59	25

Deaths of Infants (under one) to 1000 Births - 89

Marriages - 1,297
Births - 6,429

Annual Rate { Persons Married - 12.59
per 1000 living { Births - 31.21

* Changes were made in the boundary of this district during the decade; see Table, pp. 371-8.

80.—PETWORTH.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	17.03	—	—	—	—	—	80.44	5.14	2.08	4.42	7.80	7.02	9.35	12.31	24.62	55.50	127.7
Mean Pop. 1871-80	9867	257	268	268	200	248	1291	1245	1100	860	751	1100	1000	934	751	505	28
ALL CAUSES	17.03	1680	252	71	35	16	19	303	64	33	38	59	95	97	115	180	231
Small-pox	0.04	4	—	—	—	—	—	—	—	—	—	1	—	—	2	—	1
Measles	0.11	11	6	2	—	1	9	1	—	—	—	1	—	—	—	—	—
Scarlet Fever	0.10	10	—	—	3	1	1	3	2	—	—	—	—	—	—	—	—
Diphtheria	0.42	41	2	2	4	5	3	16	5	1	—	—	—	—	1	—	—
Whooping cough	0.16	16	7	5	4	—	16	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.23	23	—	2	—	1	4	3	1	—	2	1	3	5	—	—	—
Simple Cont. Fev.	0.04	4	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—
Purp. Fever	0.07	7	—	—	—	—	—	—	—	—	—	2	—	4	—	—	—
Diarr. and Dys.	0.24	24	10	2	1	—	2	15	1	—	—	1	1	—	3	3	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.47	46	—	—	—	—	—	—	—	—	1	1	—	5	7	20	7
Scrofula	0.06	6	—	1	—	—	1	2	—	—	—	—	1	—	—	—	—
Tuberc. Mesent.	0.13	13	4	3	2	—	10	1	1	—	—	—	—	—	—	—	—
Phthisis	1.81	179	2	1	—	—	3	5	4	23	27	45	51	22	16	5	—
Hydrocephalus	0.23	23	3	10	4	—	17	4	4	—	2	—	1	—	—	—	—
Diseases of Nervous Syst.	2.50	247	46	17	4	1	60	3	2	2	3	12	19	7	31	31	4
Circulatory	1.42	140	—	—	—	—	—	2	2	—	—	8	7	25	24	27	—
Respiratory	2.74	270	43	13	8	1	68	5	4	2	3	8	7	10	15	19	—
Urinary	1.00	99	6	1	—	—	8	4	1	—	—	5	6	4	2	11	—
Generative	0.35	35	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Childbirth	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.11	11	—	—	—	—	—	—	—	1	1	5	4	1	2	3	—
Other Violence	0.10	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Causes	0.44	47	3	4	2	1	11	2	2	3	5	3	5	5	4	4	—
OTHER CAUSES	4.08	400	120	8	3	4	8	140	9	4	1	4	8	10	12	40	28

Deaths of Infants (under one) to 1000 Births } 36

Marriages - 550
Births - 2,338Annual Rate of Persons Married - 11.33
per 1000 living (Births) - 20.73

81.—THAKEHAM.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	15.75	—	—	—	—	—	32.48	1.03	2.32	5.40	4.51	6.74	6.78	15.00	22.47	55.70	127.1
Mean Pop. 1871-80	8351	232	225	214	234	228	1133	1000	948	747	621	1024	900	754	502	377	28
ALL CAUSES	15.75	1316	241	60	27	11	20	308	18	22	41	23	69	61	98	133	210
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.08	8	3	3	1	—	7	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	14	—	4	3	—	10	2	—	—	1	1	—	—	—	—	—
Diphtheria	0.05	4	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—
Whooping cough	0.08	8	29	17	6	4	1	57	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0.14	10	—	1	—	—	1	2	—	1	—	—	1	2	—	1	—
Simple Cont. Fev.	0.01	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Purp. Fever	0.05	4	—	—	—	—	—	—	—	1	—	—	1	2	—	—	—
Diarr. and Dys.	0.42	35	13	2	2	2	3	22	1	—	—	—	—	1	—	1	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.60	50	—	—	—	—	—	—	—	—	—	1	1	7	14	29	1
Scrofula	0.15	11	4	—	—	—	4	1	—	—	—	1	1	—	4	—	—
Tuberc. Mesent.	0.16	16	1	2	—	—	3	—	2	4	—	1	1	1	—	1	—
Phthisis	1.41	141	—	3	—	—	1	4	1	4	15	10	24	20	14	12	—
Hydrocephalus	0.19	19	1	3	2	—	1	7	5	2	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.21	183	40	7	1	1	2	51	1	2	4	2	5	6	19	17	—
Circulatory	1.31	131	—	—	—	—	—	1	2	3	—	1	3	6	7	15	—
Respiratory	2.53	212	41	10	8	1	4	70	1	5	6	2	2	12	17	20	—
Urinary	0.82	69	5	2	—	—	1	8	—	1	3	2	2	12	17	19	—
Generative	0.41	34	—	—	1	—	—	1	2	—	—	—	1	1	3	6	—
Childbirth	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.14	12	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Other Violence	0.49	51	6	1	—	1	9	—	1	2	4	3	3	3	1	2	—
Other Causes	0.57	58	18	8	2	1	110	1	2	4	3	4	6	7	10	12	—

Deaths of Infants (under one) to 1000 Births } 38

Marriages - 502
Births - 2,732Annual Rate of Persons Married - 12.02
per 1000 living (Births) - 33.70

82.—EAST PRESTON.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	15.87	—	—	—	—	—	34.92	4.45	2.85	4.02	6.23	7.15	9.00	12.87	24.76	40.43	142.52
San Pop. 1871-80	—	23,977	635	571	612	618	594	3630	2809	2704	2336	2022	3247	2646	2122	1583	1610	468
ALL CAUSES	15.87	8306	694	185	74	51	54	1058	125	77	94	127	232	262	273	592	409	667
D-pox - -	0.04	10	2	-	-	1	1	4	-	-	-	-	4	1	1	-	-	-
dys - -	0.13	32	9	15	3	1	1	19	3	-	-	-	-	-	-	-	-	-
et Fever -	0.19	45	2	4	6	5	4	21	15	5	-	2	-	2	-	-	-	-
theria - -	0.22	70	1	4	7	12	14	38	25	7	1	2	-	-	-	2	-	-
oping-cough	0.31	75	37	22	11	4	1	75	-	-	-	-	-	-	-	-	-	-
rys - -	0.03	6	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-
ric Fever -	0.15	36	1	-	3	2	4	10	2	-	5	7	-	2	2	5	2	1
de Cont. Fev.	0.04	10	-	-	-	-	1	1	4	-	-	2	-	-	-	1	1	1
p. Fever -	0.04	9	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-
r. and Dys. -	0.22	135	75	17	2	2	-	96	2	-	-	1	-	-	1	2	3	14
era - -	0.01	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
er - -	0.54	129	-	-	-	-	-	-	-	-	-	-	2	10	18	42	36	21
ula - -	0.08	18	4	2	1	-	-	7	2	2	3	1	1	-	-	-	2	-
s Mercur. -	0.12	29	7	2	2	4	-	15	5	4	-	3	2	-	-	-	-	-
isia - -	1.97	472	15	2	1	2	1	21	4	11	32	69	114	90	50	45	13	3
occephalus	0.18	44	12	10	3	1	2	28	4	7	1	-	4	-	-	-	-	-
eruous Syst.	1.97	473	102	23	7	5	6	143	10	8	6	5	10	22	44	54	79	99
irculatory -	1.26	350	1	1	-	-	-	2	5	4	3	8	16	23	42	74	95	55
espiratory -	1.91	449	88	20	17	5	6	166	8	8	5	7	18	25	22	48	73	77
igestive - -	0.95	228	18	3	1	1	2	25	4	9	3	1	11	29	32	42	42	20
inary - -	0.54	82	1	1	-	-	-	2	3	1	1	1	6	8	9	12	24	15
enerative -	0.03	13	-	-	-	-	-	-	-	-	-	-	2	3	4	-	3	1
Birth - -	0.07	17	-	-	-	-	-	-	-	-	1	2	9	4	-	-	-	-
de - -	0.15	32	-	-	-	-	-	-	-	-	-	1	6	4	6	5	8	2
e Violence -	0.48	116	13	1	3	3	2	22	6	6	7	10	11	12	14	8	7	13
ALL CAUSES	3.92	938	304	28	7	3	9	331	22	5	5	3	9	20	27	51	104	341

Deaths of Infants (under
one) to 1000 Births } 102Marriages
Births - 6,775Annual Rate of Persons Married
per 1000 living (Births - 12.64
- 28.26

83.—WESTHAMPNETT.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	16.22	—	—	—	—	—	27.15	3.86	5.15	5.22	5.55	8.90	10.74	12.28	22.88	47.71	147.52
San Pop. 1871-80	—	10,256	494	488	502	452	363	2479	2386	2126	1687	1406	2381	2122	1759	1400	1006	444
ALL CAUSES	16.22	3123	442	123	43	38	27	673	92	67	85	78	212	228	216	534	480	655
D-pox - -	0.01	1	-	-	-	-	-	13	-	-	-	-	-	-	-	-	1	-
dys - -	0.08	16	3	6	2	-	-	13	1	-	1	-	-	-	-	-	1	-
et Fever -	0.16	34	-	1	5	3	4	13	13	4	-	-	1	1	1	1	-	-
theria - -	0.11	21	1	-	2	3	5	11	7	2	-	-	-	-	-	-	-	-
oping-cough	0.20	38	18	15	1	2	2	34	4	-	-	-	-	-	-	-	-	-
rys - -	0.04	7	-	-	1	1	-	2	-	1	1	-	1	1	-	-	1	-
ric Fever -	0.29	55	-	-	-	1	-	1	10	7	8	-	4	10	4	1	3	7
de Cont. Fev.	0.08	12	-	1	1	1	-	3	1	-	-	-	1	1	2	1	2	1
p. Fever -	0.05	5	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
r. and Dys. -	0.23	54	22	5	2	1	1	34	1	-	1	-	2	1	1	4	6	4
era - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er - -	0.55	107	-	-	-	-	-	-	-	-	-	-	4	13	15	50	29	16
ula - -	0.17	32	5	3	1	-	3	12	3	-	3	1	4	3	1	2	3	-
s Mercur. -	0.15	28	12	5	1	1	-	19	5	5	1	1	-	-	-	1	-	-
isia - -	1.20	424	5	4	1	-	-	8	2	18	40	42	109	91	53	47	11	3
occephalus	0.16	50	12	7	1	4	-	24	3	1	1	-	1	-	-	-	-	-
eruous Syst.	2.38	459	109	26	8	5	4	143	12	10	7	2	10	19	22	48	88	88
irculatory -	1.40	265	-	-	-	-	-	-	1	2	3	6	17	24	34	45	81	45
espiratory -	1.82	251	70	20	11	6	2	119	14	4	3	3	10	15	15	34	69	75
igestive - -	0.82	157	8	-	-	-	-	8	2	3	5	1	7	10	24	24	48	25
inary - -	0.32	75	-	-	-	-	-	-	2	1	1	5	4	4	8	17	24	9
enerative -	0.03	12	-	-	-	-	-	-	-	-	-	-	1	5	1	4	2	1
Birth - -	0.07	15	-	-	-	-	-	-	-	-	3	1	4	5	-	-	-	-
de - -	0.11	22	-	-	-	-	-	-	-	-	3	-	2	4	6	4	2	2
e Violence -	0.48	92	8	3	2	3	2	18	2	8	4	4	8	11	8	9	8	12
ALL CAUSES	4.18	810	182	16	4	5	4	211	11	2	6	4	15	18	16	48	105	374

Deaths of Infants (under
one) to 1000 Births } 80Marriages
Births - 5,509Annual Rate of Persons Married
per 1000 living (Births - 12.43
- 25.61

84.—CHICHESTER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1,000	—	21.25	—	—	—	—	—	43.30	5.89	4.00	5.78	6.19	10.79	15.88	21.64	33.15	67.06	129
Mean Pop. } 1871-80	—	8387	225	200	197	197	216	1044	900	876	865	759	1177	943	744	546	363	14
ALL CAUSES	21.25	1782	288	73	32	33	26	452	53	35	50	47	127	145	161	181	240	25
Small-pox - -	0.05	4	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-
Measles - -	0.20	22	8	7	4	1	1	21	1	5	-	-	-	-	-	-	-	-
Scarlet Fever -	0.12	10	-	-	1	3	1	5	1	5	-	-	-	-	-	-	-	-
Diphtheria - -	0.26	22	-	2	1	4	1	8	10	-	1	-	-	-	-	-	-	-
Whooping-cough	0.39	33	14	8	4	5	1	32	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	0.54	46	-	2	1	4	2	9	4	7	12	1	8	4	1	1	1	1
Simple Cont. Fev.	0.11	9	-	-	-	-	-	1	3	1	-	1	2	1	-	-	-	-
Puerp. Fever -	0.02	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Digestive - -	0.01	76	50	8	2	-	-	60	-	-	-	1	-	1	1	-	-	1
Diarr. and Dys.	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.78	65	-	-	-	-	-	6	-	3	-	2	6	22	17	11	1	1
Scrophula - -	0.29	17	4	-	1	-	1	6	-	3	3	1	1	1	1	1	-	-
Tuberc. Mesent.	0.30	25	9	2	1	1	1	14	5	3	-	-	-	-	-	-	-	-
Phthisis - -	2.79	234	3	2	1	-	1	7	4	7	18	24	87	51	31	20	8	1
Hydrocephalus	0.27	23	4	7	1	2	3	17	3	1	1	-	-	-	-	-	-	-
Diseases of																		
Nervous Syst.	2.77	232	37	8	5	5	2	57	1	2	3	14	8	30	21	35	3	3
Circulatory -	1.53	133	-	-	-	-	-	1	2	3	3	7	17	20	23	22	1	1
Respiratory -	3.12	262	30	10	6	3	1	79	1	3	3	2	9	14	24	33	43	1
Digestive - -	1.01	85	5	-	-	-	2	7	2	1	1	4	9	8	14	22	1	1
Urinary - -	0.64	54	1	-	1	1	-	3	-	-	2	2	4	8	5	8	11	1
Generative -	0.07	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth - -	0.12	10	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
Suicide - -	0.10	8	-	-	-	-	-	-	-	1	-	-	1	3	2	-	-	-
Other Violence	0.28	49	3	1	-	1	2	7	6	2	3	3	4	6	3	4	3	1
OTHER CAUSES	4.25	355	99	7	3	3	3	115	6	4	3	-	9	10	14	14	20	25

Deaths of Infants (under one) to 1000 Births } 119 Marriages : 596 Annual Rate of Persons Married : 14.21
Births : 2,123 per 1000 living (Births : 25.73

85.—MIDHURST.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1,000	—	15.65	—	—	—	—	—	27.57	4.00	2.32	3.43	6.05	7.84	7.70	0.67	22.77	37.38	139
Mean Pop. } 1871-80	—	13,402	381	366	381	396	374	1868	1604	1511	1163	1008	1710	1444	1231	982	619	20
ALL CAUSES	15.65	2112	356	83	59	21	17	515	68	35	40	61	134	112	119	223	335	40
Small-pox - -	0.03	4	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-
Measles - -	0.10	15	2	5	2	1	1	11	2	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0.05	7	-	1	-	2	-	3	4	-	-	-	-	-	-	-	-	-
Diphtheria - -	0.15	29	-	2	-	2	1	5	10	2	-	1	1	-	-	1	-	-
Whooping-cough	0.25	34	16	11	5	1	-	33	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.01	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Enteric Fever -	0.12	16	-	-	-	-	-	5	1	3	-	2	3	2	4	-	1	-
Simple Cont. Fev.	0.10	13	-	-	-	1	2	5	2	-	-	1	2	1	-	-	-	-
Puerp. Fever -	0.05	7	-	-	-	-	-	-	-	-	2	1	5	1	-	-	-	-
Digestive - -	0.24	53	10	4	4	3	1	22	-	-	-	-	2	2	1	1	1	1
Diarr. and Dys.	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.49	66	-	-	-	-	-	2	-	-	-	-	3	4	9	22	16	20
Scrophula - -	0.00	12	1	-	1	-	-	2	1	1	-	1	2	1	2	2	2	1
Tuberc. Mesent.	0.15	29	4	5	-	-	2	11	3	4	-	2	2	-	-	-	-	-
Phthisis - -	1.05	223	2	-	1	-	2	5	7	9	17	34	63	44	13	14	12	1
Hydrocephalus	0.17	23	9	4	2	1	1	17	4	2	-	-	-	-	-	-	-	-
Diseases of																		
Nervous Syst.	2.01	271	43	9	4	2	1	59	5	4	4	3	6	9	19	26	63	63
Circulatory -	1.73	234	1	-	1	-	-	2	-	-	3	4	5	14	25	50	60	47
Respiratory -	2.61	274	61	22	7	1	1	92	9	5	2	2	9	9	12	28	61	61
Digestive - -	0.91	123	14	2	1	2	2	21	4	1	1	2	6	7	15	27	31	17
Urinary - -	0.48	65	-	-	-	-	-	1	1	2	-	1	4	1	1	1	1	1
Generative -	0.06	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth - -	0.10	14	-	-	-	-	-	-	-	-	2	3	4	4	3	-	-	-
Suicide - -	0.09	12	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	1
Other Violence	0.23	34	6	3	1	1	-	11	3	2	2	1	3	2	2	2	2	1
OTHER CAUSES	4.09	579	181	15	8	3	2	214	31	3	4	3	8	8	7	21	69	20

Deaths of Infants (under one) to 1000 Births } 86 Marriages : 873 Annual Rate of Persons Married : 12.97
Births : 4,135 per 1000 living (Births : 29.55

86.—WESTBOURNE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	15.54	—	—	—	—	—	30.55	3.98	3.63	3.63	5.40	6.95	8.70	14.08	10.31	42.70	122.67
Male Pop. } 71-80	—	7321	218	204	206	210	203	1041	954	815	606	500	906	805	639	518	336	180
L CAUSES	15.54	1138	193	56	26	23	20	318	38	30	22	27	63	70	90	100	152	223
Diphtheria	0.04	3	1	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—
Scarlet Fever	0.10	7	2	—	—	—	—	4	1	2	—	—	—	—	—	—	—	—
Erysipelas	0.31	23	5	3	4	5	4	19	2	2	—	—	—	—	—	—	—	—
Whooping-cough	0.12	9	—	1	—	1	2	4	3	1	—	1	—	—	—	—	—	—
Measles	0.20	15	4	6	2	1	—	13	2	—	—	—	—	—	—	—	—	—
Smallpox	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.33	24	—	—	—	2	—	2	5	2	3	—	3	4	3	2	—	—
Erysipelas	0.03	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Whooping-cough	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles	0.36	26	16	4	1	2	—	23	1	—	—	—	—	—	1	—	—	—
Smallpox	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis	0.45	33	—	—	—	—	—	—	—	—	—	—	—	2	9	5	11	6
Consumption	0.41	30	—	2	—	—	1	21	1	3	2	—	1	—	—	1	1	—
Measles	0.18	13	7	3	1	—	—	11	1	—	—	—	—	—	—	—	—	—
Whooping-cough	1.71	125	—	2	—	—	—	2	5	9	7	16	34	20	19	10	5	—
Cerebral	0.15	11	1	5	1	—	1	8	1	1	1	—	—	—	—	—	—	—
Nervous Syst.	2.29	168	40	8	2	3	3	56	6	2	1	2	1	5	16	24	37	23
Circulatory	0.85	65	—	—	—	—	—	—	1	1	1	—	5	7	11	8	22	7
Respiratory	2.00	153	29	8	10	2	5	54	5	1	1	1	4	8	4	15	28	32
Digestive	0.85	62	—	1	—	—	—	2	1	—	1	2	5	5	13	13	14	6
Urinary	0.22	16	—	—	—	1	—	1	—	—	—	1	1	3	—	4	4	2
Generative	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Birth	0.10	7	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—
Infants	0.07	5	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	1
Violence	0.42	31	2	1	2	1	3	9	4	2	—	—	1	4	4	4	3	3
ALL CAUSES	4.19	307	70	10	3	4	1	88	1	2	3	3	4	5	7	12	22	148

Deaths of Infants (under
one) to 1000 Births } 85Marriages - 434
Births - 2,274Annual Rate of Persons Married - 11.86
per 1000 living { Births - 31.06

HMPSHIRE.]

87.—HAVANT.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	17.64	—	—	—	—	—	37.21	5.40	2.90	4.01	6.26	9.96	9.93	13.43	23.55	50.00	135.17
Male Pop. } 71-80	—	8408	245	216	234	211	220	1126	1037	965	760	591	1084	937	752	586	396	174
L CAUSES	17.64	1483	249	88	33	30	19	419	56	28	35	37	108	93	101	138	198	270
Diphtheria	0.07	6	1	—	—	—	—	1	—	—	1	2	—	1	1	—	—	—
Scarlet Fever	0.25	21	5	9	2	1	1	15	2	—	—	—	—	—	—	—	—	—
Erysipelas	0.73	61	4	6	5	12	10	37	17	5	—	—	2	—	—	—	—	—
Whooping-cough	0.11	9	—	—	—	—	—	1	6	1	—	—	—	—	1	—	—	—
Measles	0.32	44	22	13	5	2	—	42	2	—	—	—	—	—	—	—	—	—
Smallpox	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.27	23	—	—	—	2	—	3	2	2	3	3	2	2	2	4	1	—
Erysipelas	0.21	18	1	—	—	—	—	1	2	—	—	—	—	4	—	1	—	—
Whooping-cough	0.05	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Measles	0.43	36	19	6	2	1	—	28	—	—	—	—	—	—	1	—	2	5
Smallpox	0.01	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Tuberculosis	0.08	57	—	—	—	—	—	—	—	—	—	—	—	2	8	13	15	7
Consumption	0.20	17	5	2	2	—	1	10	1	—	2	1	2	1	—	—	—	—
Measles	0.31	26	11	10	—	1	—	22	1	1	—	1	1	1	—	—	—	—
Whooping-cough	2.22	187	3	2	1	1	—	7	3	3	17	20	53	39	21	18	5	1
Cerebral	0.34	29	3	5	6	2	—	18	6	3	2	—	—	—	—	—	—	—
Nervous Syst.	1.83	154	36	10	5	1	—	52	5	3	1	—	3	2	8	14	36	28
Circulatory	1.49	125	—	—	—	1	—	1	—	—	4	—	9	9	7	22	40	31
Respiratory	2.51	211	46	15	3	3	3	70	2	2	2	1	11	8	11	29	58	46
Digestive	1.01	85	9	—	—	—	—	10	—	2	—	—	1	6	4	16	13	15
Urinary	0.31	26	—	—	—	—	—	—	—	—	—	—	1	2	3	7	7	6
Generative	0.05	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1
Birth	0.15	13	—	—	—	—	—	—	—	—	—	2	4	6	1	—	—	—
Infants	0.06	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3	1
Violence	0.32	27	2	1	—	—	—	3	3	1	1	2	2	4	3	4	2	2
ALL CAUSES	3.50	293	79	9	2	2	1	93	4	1	—	2	3	6	10	18	31	125

Deaths of Infants (under
one) to 1000 Births } 97Marriages - 480
Births - 2,572Annual Rate of Persons Married - 11.63
per 1000 living { Births - 50.59

88.—PORTSEA ISLAND.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	19'85	—	—	—	—	—	59'12	7'05	5'98	4'32	6'11	8'94	13'64	18'32	26'36	41'64	102'4
Mean Pop. } 1871-80 - }	—	120,808	5590	3121	3181	3045	3005	16002	13812	11964	11639	11595	19607	14648	10183	6611	5337	124
ALL CAUSES	10'83	24,022	5726	1951	840	565	349	9461	974	476	503	708	1752	1908	1836	2222	2470	217
Small-pox - -	0'56	671	67	14	16	26	23	140	142	66	51	49	79	42	17	4	2	1
Measles - -	0'40	487	83	100	94	67	24	458	24	2	—	2	1	—	—	—	—	—
Scarlet Fever -	0'55	690	23	71	112	113	81	409	194	36	4	5	11	8	—	2	—	—
Diphtheria - -	0'12	140	10	4	12	17	11	54	62	11	2	2	7	2	—	—	—	—
Whooping-cough	0'41	492	229	130	60	26	11	476	15	1	—	—	—	—	—	—	—	—
Typhus - -	0'05	63	2	4	3	5	2	16	9	12	6	1	8	4	3	2	3	1
Enteric Fever -	0'52	630	9	25	31	33	22	120	84	75	61	55	100	69	26	29	19	1
Simple Cont. Fev.	0'17	200	10	18	24	22	11	85	28	14	6	12	11	6	14	9	19	—
Fuemp. Fever -	0'07	90	—	—	—	—	—	—	—	—	5	19	46	15	2	—	—	—
Diarr. and Dys.	1'01	1214	790	188	85	6	5	1094	5	4	—	4	23	21	18	20	26	2
Cholera - -	0'02	27	14	1	1	1	1	16	—	—	—	1	—	1	1	2	3	1
Cancer - -	0'47	572	—	—	—	—	—	—	2	1	—	2	27	79	145	161	110	4
Serofula - -	0'09	109	44	10	6	3	3	69	6	11	6	9	4	2	2	—	2	1
Tubes Mesent.	0'31	389	212	86	29	14	7	348	11	12	4	2	2	1	—	—	—	—
Phthisis - -	2'10	2640	54	29	22	10	7	122	52	67	165	277	705	641	261	181	88	1
Hydrocephalus	0'10	358	92	113	40	25	25	293	49	10	5	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2'67	3228	968	236	99	44	28	1392	91	46	49	51	118	215	220	233	290	29
Circulatory "	1'29	1555	9	4	—	3	4	20	17	27	26	35	133	202	207	229	224	29
Respiratory "	3'08	3721	987	522	147	78	39	1773	44	19	16	35	162	204	238	379	466	68
Digestive "	0'78	947	105	14	4	8	3	131	22	15	14	25	107	119	157	176	128	68
Urinary "	0'43	522	5	3	4	2	1	15	11	6	14	17	61	94	76	105	87	4
Generative "	0'05	66	1	—	—	—	—	1	—	—	—	4	14	13	20	9	4	1
Childbirth - -	0'08	100	—	—	—	—	—	—	—	—	5	23	41	30	1	—	—	—
Suicide - -	0'03	99	—	—	—	—	—	—	—	—	4	8	14	21	15	25	4	1
Other Violence -	0'43	521	74	20	21	14	7	138	41	15	34	53	99	47	45	31	28	8
OTHER CAUSES	5'81	4766	1266	292	80	53	34	2365	65	35	33	55	91	100	99	174	491	119

Deaths of Infants (under
one) to 1000 Births } 140

Marriages - 11,518
Births - 40,803

Annual Rate { Persons Married - 19'73
per 1000 living { Births - - 33'77

89.—ALVERSTOKE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	23'86	—	—	—	—	—	57'02	7'30	3'70	10'13	12'84	15'59	21'54	24'54	11'58	61'22	150
Mean Pop. } 1871-80 - }	—	22,112	646	578	592	500	546	2922	2494	2081	2003	2297	3822	2614	1732	1177	686	28
ALL CAUSES	23'86	5275	951	351	188	102	74	1660	182	77	203	295	536	565	425	407	420	44
Small-pox - -	0'29	64	3	—	3	2	3	11	7	6	7	11	12	4	5	1	—	—
Measles - -	0'81	179	33	36	30	17	10	166	11	6	—	—	—	1	—	—	—	—
Scarlet Fever -	0'79	175	3	21	30	20	17	109	61	1	7	2	—	—	—	—	—	—
Diphtheria - -	0'12	27	—	2	2	3	4	19	8	2	—	—	—	—	1	—	—	—
Whooping-cough	0'28	63	20	28	6	4	3	61	2	—	—	—	—	—	—	—	—	—
Typhus - -	0'09	5	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—
Enteric Fever -	0'40	89	3	7	5	3	4	22	4	1	13	14	18	8	5	2	2	1
Simple Cont. Fev.	0'23	50	3	—	1	2	2	8	10	3	3	3	3	1	5	1	7	1
Fuemp. Fever -	0'03	7	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Diarr. and Dys.	0'87	193	109	84	6	2	—	161	—	2	—	2	12	7	3	6	4	1
Cholera - -	0'03	10	8	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—
Cancer - -	0'26	124	—	—	—	—	—	—	—	—	—	2	5	16	24	41	22	14
Serofula - -	0'17	57	18	3	—	—	—	16	3	1	5	4	7	2	—	—	1	—
Tubes Mesent.	0'29	64	27	11	9	—	—	47	5	5	4	3	3	—	—	—	—	—
Phthisis - -	3'44	760	26	12	2	4	1	45	11	11	55	116	224	169	85	33	11	—
Hydrocephalus	0'22	48	13	18	3	2	1	37	8	3	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'16	622	141	84	15	10	11	211	13	4	15	16	35	51	55	85	89	68
Circulatory "	1'61	550	4	—	—	—	—	4	4	2	10	9	61	82	46	62	61	29
Respiratory "	3'53	781	171	61	32	12	10	286	16	2	14	23	50	67	78	74	300	29
Digestive "	1'19	263	26	2	3	—	1	32	6	3	9	12	33	23	46	37	37	13
Urinary "	0'58	85	1	1	—	—	1	3	—	1	3	4	19	15	15	9	8	7
Generative "	0'07	15	—	—	—	—	—	—	—	—	2	1	5	—	—	—	—	—
Childbirth - -	0'09	23	—	—	—	—	—	—	—	—	1	3	9	7	—	—	—	—
Suicide - -	0'10	22	—	—	—	—	—	—	—	—	—	1	2	4	1	1	1	1
Other Violence -	1'24	175	18	6	2	5	—	31	7	9	41	51	63	49	17	8	5	4
OTHER CAUSES	4'22	951	327	51	19	8	5	414	16	11	15	18	31	48	40	44	80	27

Deaths of Infants (under
one) to 1000 Births } 127

Marriages - 1,871
Births - 7,403

Annual Rate { Persons Married - 16'96
per 1000 living { Births - - 33'78

90.—FAREHAM.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS PER 1000.	—	21.31	—	—	—	—	—	37.43	4.25	3.30	6.30	8.38	11.37	19.03	20.21	31.42	68.32	166.12
an Pop. } 71-80 - }	—	16,810	445	377	415	305	428	2000	1004	1788	1470	1384	2314	1939	1593	1235	748	306
L CAUSES	21.31	3582	500	129	67	37	38	771	81	59	94	116	203	369	322	388	511	608
Ex-pox - -	0.09	15	4	—	—	1	—	5	1	1	—	2	4	—	2	—	—	—
Ex - -	0.17	29	5	7	7	3	1	23	2	3	—	1	—	—	—	—	—	—
Ex Fever - -	0.24	41	3	4	8	5	9	29	7	1	1	1	1	—	—	—	—	—
Ex - -	0.10	17	2	1	1	6	3	10	3	2	—	—	1	—	1	—	—	—
Ex - cough -	0.20	43	22	9	8	1	1	41	2	—	—	—	—	—	—	—	—	—
Ex - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ex Fever - -	0.40	67	2	1	1	2	4	10	6	7	11	6	7	7	5	5	5	—
Ex Cont. Fev. -	0.15	26	—	1	2	1	1	5	—	4	5	2	6	5	1	—	—	—
Ex Fever - -	0.06	19	—	—	—	—	—	—	—	—	2	2	5	3	—	—	—	—
Ex and Dye. -	0.40	78	30	9	5	—	1	54	1	—	—	—	3	3	—	7	5	5
Ex - -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Ex - -	0.62	105	—	—	—	—	—	—	—	1	—	1	1	11	17	34	29	11
Ex - -	0.11	18	4	4	1	1	1	11	1	—	1	—	—	2	1	1	1	—
Ex - -	0.16	27	11	3	6	—	1	29	3	2	—	—	—	—	—	—	—	—
Ex - -	2.93	302	9	2	—	—	—	11	5	12	30	44	91	91	59	30	18	3
Ex - cephalus -	0.18	30	13	5	3	2	1	26	4	—	—	—	—	—	—	—	—	—
Ex - Sys. -	5.43	899	108	18	5	1	3	135	11	10	29	28	73	125	115	135	154	87
Ex - -	1.20	218	2	3	—	—	—	5	2	—	5	1	11	21	22	50	55	35
Ex - -	2.92	423	82	42	11	9	5	149	11	5	4	7	18	21	30	40	68	70
Ex - -	0.91	157	13	2	1	—	—	16	6	3	6	3	4	14	16	24	35	29
Ex - -	0.46	78	—	2	—	2	—	4	3	5	2	1	6	14	12	10	15	8
Ex - -	0.90	10	—	—	—	—	—	—	—	1	—	—	1	1	1	4	—	2
Ex - -	0.09	14	—	—	—	—	—	—	—	—	1	3	7	3	—	—	—	—
Ex - -	0.15	22	—	—	—	—	—	—	—	—	2	3	3	2	—	5	4	1
Ex - -	0.40	61	4	3	4	4	3	18	3	1	4	9	8	13	5	6	11	5
Ex - CAUSES -	4.95	779	173	13	4	2	3	125	30	4	5	3	10	17	22	28	114	563

Deaths of Infants (under
one) to 1000 Births. - } 105Marriages - 910
Births - 4783Annual Rate (Persons Married - 10.83
per 1000 living } Births - 28.45

91.—ISLE OF WIGHT.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS PER 1000.	—	16.99	—	—	—	—	—	37.72	4.04	3.29	4.73	7.72	9.70	11.51	14.56	24.58	54.44	152.63
an Pop. } 71-80 - }	—	93,926	1820	1683	1811	1687	1709	5712	7976	7061	6531	6152	10521	8285	6238	4513	2726	1159
L CAUSES	16.99	11,880	2154	602	239	153	135	3286	322	232	309	475	1021	954	911	1117	1184	1760
Ex-pox - -	0.05	33	4	—	—	—	1	5	2	1	4	2	10	4	2	3	—	—
Ex - -	0.18	177	19	29	18	11	6	113	10	2	—	—	2	—	—	—	—	—
Ex Fever - -	0.21	149	11	16	21	19	17	84	45	9	2	3	4	1	—	—	1	—
Ex - -	0.18	129	4	7	9	16	22	58	43	13	4	—	2	3	3	2	—	1
Ex - cough -	0.40	283	127	78	56	14	16	271	12	—	—	—	—	—	—	—	—	—
Ex - -	0.03	19	—	—	—	—	—	—	2	2	3	—	2	3	2	4	1	—
Ex Fever - -	0.35	230	1	7	5	5	4	22	31	21	27	27	31	21	25	9	14	3
Ex Cont. Fev. -	0.07	52	—	—	5	—	1	6	4	3	4	3	6	4	1	9	7	5
Ex Fever - -	0.03	35	—	—	—	—	—	—	—	—	2	3	21	9	—	—	—	—
Ex and Dye. -	0.48	319	193	45	8	2	2	252	1	1	1	2	3	5	7	13	19	53
Ex - -	0.02	13	5	2	—	—	1	8	1	1	—	—	1	—	—	1	1	—
Ex - -	0.82	569	1	—	—	—	—	2	—	1	1	2	14	24	89	67	95	33
Ex - -	0.12	84	21	11	8	1	2	43	5	4	4	3	6	7	4	4	5	1
Ex - -	0.14	98	44	12	3	3	1	63	9	5	3	4	6	1	1	2	4	—
Ex - -	2.44	1703	9	8	2	4	3	24	8	44	159	278	543	326	177	93	49	6
Ex - cephalus -	0.21	165	41	49	13	11	15	121	24	16	1	1	—	2	—	—	—	—
Ex - Sys. -	1.97	1379	309	54	39	15	11	409	29	28	21	19	40	86	160	161	294	227
Ex - -	1.40	861	4	—	3	1	2	10	3	9	11	29	59	110	121	181	273	184
Ex - -	2.68	1876	469	169	54	26	12	718	23	13	12	21	61	78	112	200	294	261
Ex - -	0.99	640	38	11	4	2	1	76	13	9	12	13	33	62	99	58	154	81
Ex - -	0.47	331	4	1	—	1	2	8	3	6	7	11	27	43	40	24	74	50
Ex - -	0.16	40	—	—	—	—	—	—	—	—	—	—	6	4	14	10	3	1
Ex - -	0.00	45	—	—	—	—	—	—	—	—	2	8	16	17	2	—	—	—
Ex - -	0.06	41	—	—	—	—	—	—	—	—	1	5	4	12	9	6	4	—
Ex - -	0.48	337	22	11	11	6	3	53	21	15	29	33	47	53	34	23	14	29
Ex - CAUSES -	3.42	2382	815	80	19	10	17	947	33	23	18	21	68	85	75	120	247	743

Deaths of Infants (under
one) to 1000 Births. - } 104Marriages - 4,810
Births - 26,719Annual Rate (Persons Married - 13.76
per 1000 living } Births - 23.83

92.—LYMINGTON.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	15.40	—	—	—	—	—	28.03	2.51	1.57	4.07	6.08	6.31	9.15	11.58	23.53	47.31	158
Mean Pop. 1871-80	—	12,524	350	319	315	324	319	1627	1551	1463	1154	938	1506	1384	1183	896	602	27
ALL CAUSES	15.40	1920	314	73	80	19	20	456	39	23	47	57	95	122	137	211	235	4
Small-pox	0.02	3	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—
Measles	0.06	8	1	5	—	1	1	8	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.07	9	1	1	1	2	1	6	3	—	—	—	—	—	—	—	—	—
Diphtheria	0.02	3	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.18	23	17	1	4	1	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.10	12	—	—	—	—	—	—	—	1	2	1	1	3	—	1	2	—
Simp. Cont. Fever	0.03	4	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.03	4	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—
Diarr. & Dys.	0.31	43	25	1	—	1	—	27	1	—	—	—	—	—	—	2	3	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.46	58	—	—	1	—	—	1	1	—	—	—	—	—	5	11	16	14
Scrofula	0.03	10	—	2	—	—	—	2	—	1	2	2	—	2	—	1	—	—
Tuberc. Mesent.	0.07	9	4	1	—	—	—	5	3	—	—	—	—	—	—	—	—	—
Phthisis	1.77	221	2	2	—	1	—	5	1	6	19	54	57	41	30	21	8	—
Hydrocephalus	0.18	23	5	8	2	1	—	16	6	—	—	1	—	—	—	—	—	—
Nervous Syst.	2.13	274	44	7	3	3	5	62	7	6	4	4	6	16	27	50	67	4
Circulatory	1.65	217	1	—	—	—	—	2	2	3	3	1	4	13	15	45	54	4
Respiratory	2.13	267	73	28	6	2	3	112	3	2	1	1	10	7	16	32	37	3
Digestive	0.91	116	9	—	—	—	—	13	2	2	5	3	1	16	14	21	29	2
Urinary	0.51	42	—	—	—	—	—	1	—	—	1	—	2	7	8	6	4	1
Generative	0.03	8	—	—	—	—	—	—	—	—	—	—	1	—	1	2	3	—
Childbirth	0.05	6	—	—	—	—	—	—	—	—	1	1	4	—	—	—	—	—
Suicide	0.05	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.30	38	6	1	—	1	1	9	1	1	3	4	2	2	4	5	5	—
OTHER CAUSES	4.29	534	123	16	10	5	6	163	7	3	4	3	5	7	7	27	53	22

Deaths of Infants (under one) to 1000 Births } 88

Marriages - 759
Births - 3,268Annual Rate { Persons Married - 12.12
per 1000 living { Births - 25.47

93.—CHRISTCHURCH.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	16.77	—	—	—	—	—	42.29	4.62	3.01	6.04	8.64	10.78	13.32	13.82	25.67	47.91	148
Mean Pop. 1871-80	—	22,896	603	530	548	514	524	2719	2422	2192	2417	2374	3746	2661	1983	1348	784	2
ALL CAUSES	16.77	3839	758	222	81	54	35	1150	112	66	146	205	404	353	274	346	366	4
Small-pox	0.03	3	1	—	—	—	—	4	—	—	—	—	—	—	1	1	—	—
Measles	0.20	46	7	18	5	7	3	40	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	39	1	4	4	7	—	16	12	3	2	1	1	2	—	—	—	—
Diphtheria	0.05	12	3	—	1	1	1	6	5	—	—	—	—	—	—	—	—	—
Whooping-cough	0.43	98	46	29	12	5	—	92	5	—	—	—	1	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Euteric Fever	0.14	31	1	1	1	2	—	5	9	3	3	5	3	—	3	—	—	—
Simp. Cont. Fever	0.03	7	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
Puerp. Fever	0.03	8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarr. & Dys.	0.41	94	67	13	5	—	—	85	1	1	—	—	1	—	1	—	—	—
Cholera	0.09	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.34	124	—	—	1	—	—	1	—	—	—	—	—	15	18	39	32	14
Scrofula	0.02	20	5	4	2	—	1	12	1	1	1	3	2	1	—	—	—	—
Tuberc. Mesent.	0.23	53	23	6	9	1	—	39	6	1	3	1	—	1	1	1	—	—
Phthisis	3.06	907	5	6	5	1	—	17	8	20	84	154	103	182	69	53	47	1
Hydrocephalus	0.35	81	23	16	4	8	3	54	14	8	2	2	—	—	—	—	—	—
Nervous Syst.	1.64	374	98	25	5	4	9	141	11	3	5	5	8	25	25	49	56	4
Circulatory	1.50	298	—	—	—	1	—	1	5	3	5	4	7	26	49	65	80	10
Respiratory	2.23	511	130	55	14	5	10	221	10	4	10	9	19	38	38	47	60	10
Digestive	0.76	174	23	2	1	2	2	30	1	2	4	3	10	16	29	30	30	3
Urinary	0.47	104	—	2	1	—	—	3	—	—	4	1	10	15	15	22	21	3
Generative	0.09	20	1	—	—	—	—	1	—	—	—	—	—	5	5	5	5	—
Childbirth	0.09	21	—	—	—	—	—	—	—	—	1	3	7	9	1	—	—	—
Suicide	0.03	11	—	—	—	—	—	—	—	—	—	—	1	1	3	1	4	3
Other Violence	0.48	109	16	4	4	—	3	27	4	5	14	9	11	12	15	2	4	8
OTHER CAUSES	2.99	683	228	37	7	10	3	335	14	11	7	4	9	12	15	29	61	29

Deaths of Infants (under one) to 1000 Births } 113

Marriages - 1,714
Births - 6,767Annual Rate { Persons Married - 14.97
per 1000 living { Births - 29.56

94.—RINGWOOD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20	25-	35-	45-	55-	65-	75 and upwards.
DEATHS in 1880	—	15.84	—	—	—	—	—	30.06	2.47	5.16	5.82	5.61	6.78	9.23	11.88	19.36	30.42	160.00
Pop. in 80 —	—	5443	135	131	139	157	120	682	688	633	493	410	631	674	501	412	237	124
CAUSES	15.84	862	123	46	15	12	9	205	17	29	23	23	45	53	57	82	145	186
—	0.02	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
—	0.11	6	1	4	—	1	—	6	—	—	—	—	—	—	—	—	—	—
Fever	0.18	10	—	—	—	2	3	3	1	2	1	—	1	—	—	—	—	—
Ris	0.09	5	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—
g-cough	0.23	16	5	9	1	—	1	16	—	—	—	—	—	—	—	—	—	—
—	0.04	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Fever	0.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cont. Fer.	0.06	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1
ev.	0.07	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
d Dys.	0.11	6	4	—	1	—	—	5	—	—	—	—	—	—	—	—	—	1
—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.42	23	—	—	—	—	—	—	—	—	—	—	—	4	3	3	3	8
—	0.13	7	2	2	—	—	—	5	1	—	1	—	—	—	—	—	—	—
—	0.04	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
—	1.26	101	2	—	—	—	—	2	1	3	9	15	10	19	12	9	9	2
—	0.23	18	3	1	1	1	1	7	2	3	1	—	—	—	—	—	—	—
ous Syst.	2.36	121	8	4	2	1	—	15	4	4	4	3	4	7	9	15	23	23
istory	2.04	111	—	—	—	—	—	—	—	1	1	2	1	3	9	20	37	37
atory	2.14	116	37	13	6	1	1	29	1	2	2	1	4	5	7	10	14	11
ative	0.94	51	5	—	—	—	—	6	—	1	1	—	1	5	6	7	13	7
ry	0.25	19	—	—	—	1	—	1	—	—	1	—	1	2	1	6	4	—
rative	0.02	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
—	0.09	5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
—	0.02	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
—	0.29	21	2	2	1	1	—	6	3	—	2	—	2	2	1	3	3	1
—	2.88	212	51	9	2	3	3	71	5	2	1	1	4	2	7	9	21	63

Deaths of Infants (under one) to 1000 Births } 79 Marriages - 408 Annual Rate (Persons Married } 14.99
 Births - 1,549 per 1000 living (Births - - - 28.46

95.—FORDINGBRIDGE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20	25-	35-	45-	55-	65-	75 and upwards.
DEATHS in 1880	—	16.36	—	—	—	—	—	31.61	3.23	2.41	4.30	5.22	8.28	8.40	11.06	22.99	51.71	167.97
Pop. in 80 —	—	6338	181	159	183	158	180	861	806	700	532	460	761	607	597	500	321	124
CAUSES	16.36	1037	171	47	24	15	10	267	26	17	25	24	63	51	66	117	166	215
—	0.03	2	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
—	0.09	6	2	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—
Fever	0.13	8	—	—	1	2	—	3	2	2	—	1	—	—	—	—	—	—
Ris	0.05	3	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
g-cough	0.17	11	4	3	2	—	1	10	1	—	1	—	—	—	—	—	—	—
—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fever	0.05	3	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—
Cont. Fer.	0.04	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Fever	0.02	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
d Dys.	0.16	10	4	2	1	—	—	7	1	—	—	—	—	—	—	—	1	1
—	0.04	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
—	0.47	30	—	—	—	—	—	—	—	—	—	—	5	4	4	8	2	7
—	0.53	21	4	2	—	1	—	7	1	—	2	2	3	2	2	2	—	—
—	0.01	4	2	—	1	—	—	3	1	—	1	—	12	33	22	16	12	1
—	1.69	120	6	—	1	1	—	2	1	1	10	12	33	22	16	12	10	1
—	0.21	13	6	4	1	—	—	11	2	—	—	—	—	—	—	—	—	—
ous Syst.	1.76	118	23	8	3	—	—	36	3	2	5	—	8	2	11	19	17	22
istory	1.18	75	1	—	—	—	—	1	1	2	1	1	2	3	6	24	25	6
atory	2.22	141	41	18	5	4	2	70	3	4	—	1	2	13	9	15	21	16
ative	0.88	55	2	—	1	—	—	8	—	2	2	2	2	5	9	19	2	—
ry	0.16	10	—	—	—	—	—	—	—	—	1	2	—	2	2	2	1	—
rative	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.08	5	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—
—	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
—	0.27	17	1	3	1	1	—	6	1	—	1	—	1	1	1	3	2	1
—	5.93	578	75	7	5	4	7	101	8	1	4	3	2	3	6	25	68	104

Deaths of Infants (under one) to 1000 Births } 86 Marriages - 433 Annual Rate (Persons Married } 13.66
 Births - 1,988 per 1000 living (Births - - - 33.33

96.—NEW FOREST.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	16.48	—	—	—	—	—	33.61	4.48	2.29	3.77	6.15	7.43	9.56	10.82	21.63	30.75	35.7
Mean Pop. 1871-80	—	13,350	339	329	324	310	340	1681	1652	1531	1193	1041	1895	1443	1239	994	617	2
ALL CAUSES	16.48	2201	309	89	34	38	35	565	74	35	45	64	126	138	134	215	373	4
Small-pox	0.17	23	2	—	—	1	—	3	—	—	5	7	6	1	1	—	—	—
Measles	0.11	15	1	4	1	4	1	11	2	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.39	52	4	2	3	7	9	25	16	8	2	1	—	—	—	—	—	—
Diphtheria	0.07	10	—	—	1	—	1	2	4	—	1	—	1	—	—	2	—	—
Whooping-cough	0.18	24	16	5	1	—	1	23	1	—	—	—	—	—	—	—	—	—
Typhus	0.05	7	—	—	—	—	—	—	—	1	—	4	—	1	—	—	1	—
Enteric Fever	0.18	24	1	—	—	—	—	1	5	2	2	3	2	4	2	2	1	1
Simple Cont. Fev.	0.04	6	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
Putr. Fever	0.04	6	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—
Diarr. and Dys.	0.29	27	12	1	—	—	2	15	1	—	—	—	1	1	1	1	4	1
Cholera	0.01	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cancer	0.49	66	—	—	—	—	—	—	—	—	—	—	3	10	6	11	22	11
Scrofula	0.07	9	2	—	—	—	1	3	1	—	—	—	1	2	—	—	—	—
Tubes Mesent.	0.11	15	5	4	1	2	1	13	—	1	—	—	1	—	—	—	—	—
Phthisis	1.51	202	10	3	3	1	2	19	6	2	16	29	42	40	31	13	4	—
Hydrocephalus	0.22	30	14	6	3	4	2	29	1	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.13	284	48	11	9	2	2	72	6	3	1	4	9	13	19	48	62	6
Circulatory	1.27	170	4	—	2	—	—	6	—	—	—	—	3	13	22	28	37	3
Respiratory	3.00	401	89	27	6	6	6	125	11	5	3	3	14	9	21	46	67	6
Digestive	0.85	113	6	1	1	2	—	10	3	4	—	1	6	10	13	14	23	2
Urinary	0.35	47	—	—	1	—	—	1	—	—	1	1	2	3	6	13	14	1
Generative	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.07	10	—	—	—	—	—	—	—	—	—	3	4	3	1	—	—	—
Suicide	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.58	78	4	3	—	3	1	11	3	3	4	3	12	14	5	11	7	1
OTHER CAUSES	4.34	572	190	11	4	4	6	183	8	6	5	3	6	8	6	20	78	26

Deaths of Infants (under one) to 1000 Births . . . 87

Marriages . . . 768
Births . . . 3,503Annual Rate of Persons Married per 1000 living { Births . . . 11.50
Births . . . 25.31

97.—SOUTHAMPTON.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	21.40	—	—	—	—	—	57.87	6.26	4.04	4.93	7.11	11.57	15.91	22.02	34.34	65.73	147
Mean Pop. 1871-80	—	50,522	1433	1284	1305	1281	1236	6339	5935	5377	4804	4570	7555	6052	4595	2956	1871	6
ALL CAUSES	21.40	10,812	2295	752	351	236	150	3784	365	217	237	325	874	963	1012	1615	1633	9
Small-pox	0.62	513	27	12	14	8	13	54	44	29	19	27	47	36	23	4	—	—
Measles	0.28	192	31	69	47	26	9	182	7	2	—	—	1	—	—	—	—	—
Scarlet Fever	0.51	259	16	21	40	38	139	74	14	4	2	5	1	—	—	—	—	—
Diphtheria	0.06	30	3	3	4	2	3	15	8	3	—	1	—	1	—	—	—	—
Whooping-cough	0.48	241	98	75	33	24	5	235	6	—	—	—	—	—	—	—	—	—
Typhus	0.05	25	—	—	—	—	—	—	8	3	3	3	2	2	1	2	1	—
Enteric Fever	0.28	139	1	2	8	5	6	22	16	25	10	10	22	11	11	6	—	—
Simple Cont. Fev.	0.14	70	—	3	3	6	3	15	10	11	2	6	13	4	3	3	1	—
Putr. Fever	0.06	30	—	—	—	—	—	—	—	—	—	4	13	13	—	—	—	—
Diarr. and Dys.	0.25	430	242	62	10	5	2	321	5	1	2	4	14	14	14	18	16	2
Cholera	0.01	3	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Cancer	0.53	279	—	—	1	—	—	1	—	—	—	—	2	15	42	70	64	2
Scrofula	0.09	47	12	8	—	—	1	21	2	7	3	1	6	1	1	3	—	—
Tubes Mesent.	0.16	79	32	21	7	3	1	64	7	—	—	—	2	3	1	—	—	—
Phthisis	2.46	1103	60	30	11	5	2	168	17	23	27	120	224	240	151	78	23	—
Hydrocephalus	0.23	156	59	39	30	16	11	154	30	6	2	2	1	—	1	—	—	—
Diseases of Nervous Syst.	2.64	1331	212	68	23	13	11	484	32	23	16	18	40	95	141	185	204	12
Circulatory	1.33	704	—	—	—	—	—	—	3	9	12	21	51	129	187	155	111	6
Respiratory	3.55	1811	424	221	72	27	12	779	29	11	11	21	67	191	159	174	225	20
Digestive	1.18	323	43	2	1	1	1	48	14	6	10	15	51	94	105	121	86	2
Urinary	0.22	161	3	—	3	1	2	9	6	4	2	5	29	53	40	48	35	2
Generative	0.08	28	—	—	—	—	—	—	—	—	2	—	8	5	6	9	—	—
Childbirth	0.08	41	—	—	—	—	—	—	—	—	—	3	5	21	10	2	—	—
Suicide	0.10	46	—	—	—	—	—	—	—	—	—	1	2	12	11	4	11	1
Other Violence	0.72	562	40	10	10	7	7	74	14	20	17	27	32	42	49	105	17	1
OTHER CAUSES	4.12	2088	871	102	32	29	23	1057	33	18	21	19	60	53	89	100	139	46

Deaths of Infants (under one) to 1000 Births . . . 138

Marriages . . . 5,410
Births . . . 16,653Annual Rate of Persons Married per 1000 living { Births . . . 21.42
Births . . . 27.06

98.—SOUTH STONEHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
REAL DEATH RATE PER 1000.	—	17'69	—	—	—	—	—	42'57	5'11	2'80	3'99	8'69	11'58	12'94	14'60	25'38	56'01	145'33
Pop. 71-80	—	36,738	1106	965	1016	1002	983	5072	4619	4071	3358	3039	5241	4251	3130	2208	1257	492
ALL CAUSES	17'69	6500	1280	409	215	140	106	2159	236	114	134	264	607	550	457	500	704	715
Diphtheria	0'13	46	6	2	1	1	—	10	1	7	1	7	9	5	1	4	1	—
Measles	0'43	159	28	45	33	26	9	141	13	—	2	—	3	—	—	—	—	
Scarlet Fever	0'53	195	8	19	50	26	27	110	64	7	5	4	8	2	—	—	—	
Diphtheria	0'12	43	5	7	4	8	4	25	11	3	1	1	1	—	1	2	—	
Crouping-cough	0'26	97	49	28	6	8	4	95	1	—	1	—	—	—	—	—	—	
Whooping-cough	0'02	6	—	—	—	—	—	—	1	—	2	1	2	—	—	—	—	
Scarlet Fever	0'24	90	2	2	2	—	5	11	8	14	3	13	14	10	5	0	5	
Diphtheria	0'08	30	—	4	4	2	1	11	4	6	—	—	5	3	2	—	1	
Scarlet Fever	0'05	19	—	—	—	—	—	—	—	—	1	—	10	7	1	—	—	
Diphtheria	0'60	220	112	24	9	3	1	149	3	—	1	4	16	17	4	4	7	
Crouping-cough	0'01	3	3	1	—	—	—	4	—	—	—	—	—	—	—	—	1	
Whooping-cough	0'20	185	—	—	—	—	1	1	—	4	1	1	9	25	46	39	33	
Measles	0'10	36	4	4	1	2	—	11	—	2	1	1	9	6	4	2	1	
Scarlet Fever	0'24	88	51	14	8	3	—	76	5	2	—	—	1	1	—	—	—	
Diphtheria	2'30	844	12	9	6	1	3	31	9	14	6	134	263	176	82	45	20	
Crouping-cough	0'18	67	21	18	8	2	6	54	8	—	1	2	—	—	1	—	—	
Scarlet Fever	2'95	826	192	51	18	13	8	283	27	14	17	16	29	52	59	102	149	
Respiratory	1'45	552	4	1	—	—	1	6	2	6	9	8	49	65	70	102	144	
Digestive	2'68	984	215	118	40	32	15	459	50	5	7	16	43	33	28	97	104	
Urinary	0'98	361	30	7	—	2	3	48	8	2	1	14	47	30	48	66	61	
Generative	0'45	175	1	—	—	1	—	2	9	5	6	6	23	23	26	29	19	
Whooping-cough	0'02	8	—	—	—	—	—	—	—	—	—	2	1	2	2	—	1	
Measles	0'11	40	—	—	—	—	—	—	—	—	—	3	23	14	—	—	—	
Scarlet Fever	0'05	29	—	—	—	—	—	—	—	—	—	—	8	4	5	4	3	
Diphtheria	0'38	141	27	9	8	3	3	50	12	8	3	7	13	14	11	9	8	
Whooping-cough	5'30	1253	474	46	28	21	16	585	30	15	4	15	36	53	54	50	136	

Deaths of Infants (under one) to 1000 Births } 111

Marriages - 2,215
Births - 11,531Annual Rate (Persons Married per 1000 living (Births - 12'06
Births - 31'39

99.—ROMSEY.

REAL DEATH RATE PER 1000.	—	16'02	—	—	—	—	—	33'29	3'70	2'20	3'44	5'55	7'32	8'41	12'49	23'02	54'47	161'46
Pop. 71-80	—	10,746	300	304	288	284	287	1403	1325	1274	980	703	1207	1165	1009	756	470	205
ALL CAUSES	16'02	1722	319	87	56	27	18	487	40	28	34	44	95	98	126	174	256	331
II-Pox	0'05	5	1	—	—	—	1	2	1	—	—	—	1	1	—	—	—	—
Measles	0'12	13	4	6	1	—	11	11	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'40	45	2	3	2	6	5	18	14	6	3	1	1	—	—	—	—	—
Diphtheria	0'13	14	1	—	2	2	2	7	2	4	—	—	—	—	—	—	—	—
Crouping-cough	0'33	35	18	12	5	1	1	35	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0'01	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0'22	24	—	1	1	—	—	2	1	3	3	2	3	6	2	1	—	—
Scarlet Fever	0'03	3	1	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—
Diphtheria	0'09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Crouping-cough	0'21	55	33	4	1	—	1	39	—	—	—	—	—	—	—	3	6	7
Whooping-cough	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0'46	49	—	—	—	1	—	1	—	—	—	—	2	2	10	18	9	7
Scarlet Fever	0'09	10	4	2	1	—	—	7	—	1	—	—	—	1	—	1	—	—
Diphtheria	0'07	8	5	—	—	1	—	6	1	1	—	—	—	—	—	—	—	—
Crouping-cough	1'50	161	1	1	—	1	—	3	1	3	11	29	44	24	50	10	4	2
Whooping-cough	0'19	20	7	5	4	2	1	19	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	2'09	225	39	8	4	3	5	57	5	4	4	4	7	15	23	17	44	43
Respiratory	1'25	184	1	—	—	—	1	2	—	2	1	7	11	13	87	34	27	27
Digestive	2'18	234	57	19	2	2	1	81	5	2	3	1	5	18	8	34	40	34
Urinary	1'00	107	18	1	2	1	—	17	5	1	2	—	3	6	10	25	24	18
Generative	0'45	32	1	—	—	—	—	1	—	—	1	2	8	8	10	6	6	6
Whooping-cough	0'05	5	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1
Measles	0'09	10	—	—	—	—	—	—	—	—	—	1	7	2	—	—	—	—
Scarlet Fever	0'07	7	—	—	—	—	—	—	—	—	—	—	—	2	3	2	3	3
Diphtheria	0'52	55	3	7	4	1	2	17	4	1	3	1	4	2	7	6	8	8
Whooping-cough	4'17	450	130	18	7	4	—	159	7	2	2	1	2	5	6	12	70	160

Deaths of Infants (under one) to 1000 Births } 98

Marriages - 674
Births - 3,253Annual Rate (Persons Married per 1000 living (Births - 12'54
Births - 38'32

100.—STOCKBRIDGE

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and over
ANNUAL DEATH RATE PER 1000.	—	16·81	—	—	—	—	—	34·98	3·98	2·87	3·27	5·26	4·83	9·07	11·86	22·20	65·57	153·
Mean Pop. 1871-80	—	7145	194	172	202	180	204	932	905	837	642	475	829	794	683	545	334	148
ALL CAUSES	16·81	1201	206	67	23	16	21	333	36	24	21	25	40	72	81	121	219	229
Small-pox	0·00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0·13	5	1	3	5	3	4	15	12	6	—	—	1	—	—	—	—	—
Scarlet Fever	0·04	4	—	1	1	—	1	3	1	—	—	—	—	—	—	—	—	—
Diphtheria	0·04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0·21	22	9	6	2	2	2	21	1	—	—	—	—	—	—	—	—	—
Typhus	0·03	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Enteric Fever	0·15	11	—	1	1	—	1	3	1	2	—	2	1	—	2	—	—	—
Simple Cont. Fev.	0·00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0·03	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Diarr. and Dys.	0·45	52	15	8	1	1	1	23	—	—	—	—	—	—	—	3	4	—
Cholera	0·00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·29	21	—	—	—	—	—	—	—	—	—	—	—	1	6	4	5	7
Serofula	0·04	4	1	1	2	1	—	4	—	1	—	1	1	—	—	1	—	—
Tuberc Mesent.	0·11	8	1	2	1	—	—	3	6	1	3	18	13	2	—	—	—	—
Phthisis	0·24	32	3	1	—	1	1	6	1	2	—	—	—	—	—	—	—	—
Hydrocephalus	0·18	13	2	5	2	—	1	10	2	1	—	—	—	—	—	—	—	—
Diseases of	Nervous Syst.	2·35	183	28	6	—	2	39	3	2	—	2	3	6	19	18	16	13
	Circulatory	1·18	127	—	—	—	—	1	—	—	—	—	2	8	9	15	33	44
	Respiratory	2·86	204	36	17	4	1	58	6	1	3	8	2	13	13	29	43	60
	Digestive	0·87	62	3	—	—	2	1	6	2	2	—	—	1	4	4	11	19
	Urinary	0·59	25	—	—	—	—	—	—	—	—	—	—	2	2	5	7	6
Generative	0·01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth	0·07	5	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—
Suicide	0·04	6	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Other Violence	0·24	24	—	1	2	2	1	6	—	4	1	—	3	2	5	—	—	—
OTHER CAUSES	4·29	307	107	13	3	1	4	128	4	3	—	2	3	3	3	9	24	114

Deaths of Infants (under one) to 1000 Births - 99

Marriages - 404
Births - 2,075Annual Rate (Persons Married - 11·21
per 1000 living (Births - 20·01

101.—WINCHESTER.

ANNUAL DEATH RATE PER 1000.	—	17·58	—	—	—	—	—	41·50	3·02	3·36	3·50	5·84	8·45	13·20	15·43	25·37	58·00	160
Mean Pop. 1871-80	—	30,209	821	687	753	703	700	3094	3389	3271	3183	2656	4298	3342	2663	2038	1205	200
ALL CAUSES	17·58	5310	977	282	132	70	63	1524	153	110	123	155	363	441	411	517	700	835
Small-pox	0·07	21	1	—	—	—	1	2	—	3	5	4	1	2	1	1	—	2
Measles	0·18	55	13	21	10	3	3	50	3	1	—	—	1	—	—	—	—	
Scarlet Fever	0·29	88	5	6	17	9	9	46	22	9	6	—	3	2	1	—	—	
Diphtheria	0·13	39	2	2	3	2	8	17	12	5	2	1	—	—	—	2	—	
Whooping-cough	0·28	84	38	25	7	6	2	58	6	—	—	—	—	—	—	—	—	
Typhus	0·01	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	
Enteric Fever	0·23	70	2	3	1	1	1	8	11	11	8	4	8	4	7	7	8	
Simple Cont. Fev.	0·05	16	—	2	1	1	1	5	3	1	1	1	1	1	—	—	—	
Puerp. Fever	0·07	21	—	—	—	—	—	—	—	—	—	—	12	2	—	—	—	
Diarr. and Dys.	0·68	205	127	26	6	3	1	163	—	—	1	7	1	3	1	3	14	
Cholera	0·00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	0·67	202	—	—	—	—	—	—	1	—	—	—	6	23	37	51	21	
Serofula	0·04	18	5	4	—	—	1	10	2	1	1	—	—	—	—	—	—	
Tuberc. Mesent.	0·10	31	15	7	2	1	—	25	1	—	4	—	1	1	—	—	—	
Phthisis	0·20	635	8	6	2	—	—	14	5	20	44	72	162	140	91	41	15	
Hydrocephalus	0·23	69	8	13	16	4	8	49	12	5	2	1	—	—	—	—	—	
Diseases of Nervous Syst.	2·15	651	131	21	15	15	7	181	18	15	9	9	10	33	28	74	124	
Circulatory	1·50	515	1	—	—	—	1	2	3	9	8	8	8	60	70	113	154	
Respiratory	3·21	962	212	95	32	12	6	357	32	7	8	16	36	59	53	97	160	
Digestive	0·86	239	25	2	1	—	2	31	4	9	5	6	17	32	34	39	55	
Urinary	0·47	142	—	—	—	—	1	2	4	2	—	—	15	21	19	28	18	
Generative	0·17	22	—	—	—	—	—	—	1	—	—	—	3	6	4	5	—	
Childbirth	0·09	28	—	—	—	—	—	—	—	—	1	6	10	10	1	—	—	
Suicide	0·07	20	—	—	—	—	—	—	—	—	—	3	5	5	2	4	—	
Other Violence	0·52	136	13	4	7	7	7	38	8	4	6	8	13	24	16	13	10	
OTHER CAUSES	3·25	979	371	44	14	8	4	441	10	8	10	9	23	16	20	38	200	

Deaths of Infants (under one) to 1000 Births - 112

Marriages - 2,258
Births - 8,743Annual Rate (Persons Married - 14·93
per 1000 living (Births - 26·06

102.—DROXFORD.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
DEATHS PER 1000	—	15.47	—	—	—	—	—	31.71	3.20	2.63	4.27	4.76	6.91	8.21	9.74	18.00	47.01	146.15
Pop. 1-80	—	11,474	305	273	314	302	302	1501	1399	1301	1031	840	1380	1182	1093	903	557	273
CAUSES	15.47	1775	313	92	31	21	19	476	46	35	44	40	96	97	167	168	267	399
Pox -	0.03	9	1	—	—	—	—	1	—	—	—	—	3	2	1	—	1	1
Fever -	0.03	9	4	2	1	1	—	8	—	—	—	—	—	—	—	—	—	—
aria -	0.23	26	4	3	1	5	2	19	9	5	—	1	—	—	—	—	—	—
ing-cough	0.07	8	1	—	—	—	2	3	2	1	1	—	—	—	1	—	—	—
—	0.34	39	29	12	5	1	—	38	1	—	—	—	—	—	—	—	—	—
Fever -	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cont. Fev.	0.22	25	—	2	1	1	1	5	2	3	4	3	1	2	—	3	1	1
and Dys.	0.05	4	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—
—	0.02	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
—	0.48	55	50	3	3	—	1	27	—	1	—	—	1	2	1	1	4	16
—	0.01	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
—	0.41	47	—	—	—	—	—	—	—	—	—	—	2	6	12	10	10	7
—	0.07	8	—	3	1	—	2	6	—	—	—	—	1	1	—	—	—	—
Mesent.	0.13	15	6	5	—	—	2	13	1	—	—	—	—	—	—	—	—	—
cephalus	1.51	173	3	2	—	—	2	7	3	9	13	23	37	28	20	17	14	2
—	0.13	15	4	3	1	0	1	12	2	1	—	—	—	—	—	—	—	—
erous Syst.	1.85	212	39	14	6	2	1	62	3	5	4	1	5	4	9	27	29	63
piratory	1.92	220	—	—	—	—	—	—	—	2	4	2	9	16	14	24	31	58
erative	2.14	246	68	27	8	3	2	103	4	—	1	4	8	6	21	39	64	64
erative	0.08	112	10	1	1	1	—	13	3	2	4	3	8	9	14	19	25	12
erative	0.04	96	1	—	—	—	—	1	1	1	2	2	7	8	10	16	20	18
erative	0.04	5	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	1
erth -	0.08	9	—	—	—	—	—	—	—	1	—	—	7	1	—	—	—	—
Violence -	0.10	11	—	—	—	—	—	—	—	1	—	1	4	1	1	1	2	—
Violence -	0.18	82	1	5	—	—	—	6	4	1	5	1	—	2	3	2	5	3
CAUSES	3.42	395	131	10	3	5	2	131	10	3	5	—	6	5	13	16	24	160

Deaths of Infants (under one) to 1000 Births } 92 Marriages - 630 Annual Rate per 1000 living { Persons Married - 10.98
Births - 3,301 Births - 29.55

103.—CATHERINGTON.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
DEATHS PER 1000	—	14.79	—	—	—	—	—	32.61	3.16	2.23	5.26	7.35	5.97	6.80	11.46	17.17	43.04	133.83
Pop. 1-80	—	2758	87	68	74	64	80	371	348	314	266	204	318	294	253	198	132	60
CAUSES	14.79	408	79	21	13	5	3	121	11	7	14	15	19	20	20	34	58	80
Pox -	0.07	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Fever -	0.22	6	—	4	1	—	—	5	1	—	—	—	—	—	—	—	—	—
aria -	0.25	7	—	2	2	1	1	6	—	1	—	—	—	—	—	—	—	—
ing-cough	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.07	2	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Fever -	0.07	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Cont. Fev.	0.04	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Fever -	0.04	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
and Dys.	0.22	6	2	1	—	—	1	4	—	—	—	—	—	—	—	1	1	—
—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.33	9	—	—	—	—	—	—	—	—	—	—	—	1	1	3	3	1
—	0.18	5	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—
Mesent.	0.56	19	10	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
cephalus	1.34	37	—	—	—	—	—	—	—	2	4	9	7	4	7	3	1	—
—	0.35	9	5	1	2	1	—	9	—	—	—	—	—	—	—	—	—	—
erous Syst.	1.09	55	10	2	—	—	—	12	2	1	1	1	—	—	7	5	8	16
piratory	0.76	21	—	—	—	—	—	—	1	—	—	—	1	3	1	4	10	1
erative	2.21	61	10	4	3	—	1	18	2	—	2	1	3	3	3	4	15	2
erative	1.49	41	4	—	—	1	—	5	—	3	3	1	4	5	2	2	5	1
erative	0.29	8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
erative	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
erth -	0.07	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Violence -	0.04	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence -	0.40	11	1	—	—	1	—	4	2	—	1	3	1	1	1	1	1	1
CAUSES	3.08	119	34	7	2	—	1	41	—	—	1	3	1	3	1	8	7	42

Deaths of Infants (under one) to 1000 Births } 102 Marriages - 167 Annual Rate per 1000 living { Persons Married - 12.11
Births - 778 Births - 28.22

100.—STOCKBRIDGE

101.—WINCHESTER.

[illegible]

Age		Sex		Total		Males		Females	
1871	1880	1871	1880	1871	1880	1871	1880	1871	1880
1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57	57	57
58	58	58	58	58	58	58	58	58	58
59	59	59	59	59	59	59	59	59	59
60	60	60	60	60	60	60	60	60	60
61	61	61	61	61	61	61	61	61	61
62	62	62	62	62	62	62	62	62	62
63	63	63	63	63	63	63	63	63	63
64	64	64	64	64	64	64	64	64	64
65	65	65	65	65	65	65	65	65	65
66	66	66	66	66	66	66	66	66	66
67	67	67	67	67	67	67	67	67	67
68	68	68	68	68	68	68	68	68	68
69	69	69	69	69	69	69	69	69	69
70	70	70	70	70	70	70	70	70	70
71	71	71	71	71	71	71	71	71	71
72	72	72	72	72	72	72	72	72	72
73	73	73	73	73	73	73	73	73	73
74	74	74	74	74	74	74	74	74	74
75	75	75	75	75	75	75	75	75	75
76	76	76	76	76	76	76	76	76	76
77	77	77	77	77	77	77	77	77	77
78	78	78	78	78	78	78	78	78	78
79	79	79	79	79	79	79	79	79	79
80	80	80	80	80	80	80	80	80	80
81	81	81	81	81	81	81	81	81	81
82	82	82	82	82	82	82	82	82	82
83	83	83	83	83	83	83	83	83	83
84	84	84	84	84	84	84	84	84	84
85	85	85	85	85	85	85	85	85	85
86	86	86	86	86	86	86	86	86	86
87	87	87	87	87	87	87	87	87	87
88	88	88	88	88	88	88	88	88	88
89	89	89	89	89	89	89	89	89	89
90	90	90	90	90	90	90	90	90	90
91	91	91	91	91	91	91	91	91	91
92	92	92	92	92	92	92	92	92	92
93	93	93	93	93	93	93	93	93	93
94	94	94	94	94	94	94	94	94	94
95	95	95	95	95	95	95	95	95	95
96	96	96	96	96	96	96	96	96	96
97	97	97	97	97	97	97	97	97	97
98	98	98	98	98	98	98	98	98	98
99	99	99	99	99	99	99	99	99	99
100	100	100	100	100	100	100	100	100	100

• 11.78
• 29.01

	1871	1872	1873	1874	1875	1876	1877	1878	1879	1880
702	792	623	425	182						
79	134	205	326							
2	-	-	-	-	-	-	-	-	-	-
1	1	2	4	-	-	-	-	-	-	-
1	1	3	-	-	-	-	-	-	-	-
1	-	3	4	-	-	-	-	-	-	-
2	7	11	6	8	-	-	-	-	-	-
2	1	1	1	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-
26	10	9	7	-	-	-	-	-	-	-
4	8	13	19	23	40	-	-	-	-	-
10	9	11	21	41	32	-	-	-	-	-
9	6	8	10	42	65	-	-	-	-	-
2	6	12	16	28	25	-	-	-	-	-
1	2	8	20	11	9	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-
1	3	2	1	-	-	-	-	-	-	-
-	1	-	-	1	-	-	-	-	-	-
-	2	3	3	3	1	-	-	-	-	-
3	9	11	6	15	26	143	-	-	-	-

Rate of Persons Married • 12.43
Living at Birth • 30.44

100.—STOCKBRIDGE

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	16.81	—	—	—	—	—	34.98	3.98	2.87	3.27	5.20	4.83	9.07	11.86	22.20	63.37	153.7
Mean Pop. 1871-80	—	7145	104	172	202	180	201	952	905	837	642	475	829	704	683	545	334	12
ALL CAUSES	16.81	12.01	206	67	23	16	21	333	86	24	21	25	40	72	81	121	210	22
Small-pox	0.00	5	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—
Measles	0.13	34	1	3	5	3	4	13	13	6	—	—	1	—	—	—	—	—
Scarlet Fever	0.04	4	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—
Diphtheria	0.31	22	9	6	2	2	2	21	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.03	2	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
Typhus	0.15	11	—	1	1	—	—	3	1	2	—	2	1	—	—	—	—	—
Enteric Fever	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.45	32	15	8	1	1	—	25	—	—	—	—	—	1	1	—	3	4
Diarr. and Dys.	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.29	21	—	—	—	—	—	2	—	—	—	—	—	—	1	6	4	7
Scrofula	0.04	4	1	1	1	—	—	4	1	—	—	1	1	2	—	1	—	—
Tuberc. Mesent.	0.11	8	3	1	—	—	—	6	1	2	13	13	13	24	13	6	1	—
Phthisis	1.24	92	3	5	2	—	1	10	2	1	—	—	—	—	—	—	—	—
Hydrocephalus	0.18	13	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.35	183	28	6	—	2	3	39	3	2	—	2	3	6	19	54	76	1
Circulatory	1.78	127	—	—	—	1	—	1	—	—	—	—	2	8	9	13	23	41
Respiratory	2.86	204	66	17	4	1	—	68	5	1	3	8	2	13	13	20	41	17
Digestive	0.57	62	3	—	—	2	1	6	2	2	2	—	1	4	4	13	19	8
Urinary	0.33	28	—	—	—	—	—	—	—	—	—	—	—	2	2	7	6	4
Generative	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth	0.07	5	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—
Suicide	0.04	6	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Other Violence	0.24	24	—	1	2	2	1	6	4	4	1	—	3	2	2	—	—	—
OTHER CAUSES	4.29	297	107	18	8	1	4	125	4	3	—	2	3	3	3	9	56	14

Deaths of Infants (under
one) to 1000 Births - } 99Marriages - 404
Births - 2,075Annual Rate (Persons Married
per 1000 living (Births - } 11.21
- } 29.04

101.—WINCHESTER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	17.59	—	—	—	—	—	41.50	3.02	3.36	3.96	5.84	5.45	13.20	15.45	25.37	58.96	107.7
Mean Pop. 1871-80	—	30,209	821	687	733	703	700	3064	3589	3271	3183	2650	1298	3342	2603	2039	1202	30
ALL CAUSES	17.59	5310	977	282	133	70	63	1521	153	110	123	155	503	441	411	517	700	35
Small-pox	0.07	21	1	—	—	—	1	2	—	3	5	4	1	2	1	1	—	2
Measles	0.18	55	13	21	10	—	3	50	5	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.29	88	5	6	17	—	9	40	22	9	5	—	3	2	1	—	—	—
Diphtheria	0.13	39	2	2	3	—	8	17	12	5	2	1	—	—	—	2	—	—
Whooping-cough	0.28	84	38	25	7	—	2	78	6	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.25	70	2	3	—	—	1	8	11	11	8	4	1	4	7	—	—	—
Simple Cont. Fev.	0.05	16	—	2	—	—	1	5	2	1	1	1	1	—	—	—	—	—
Puerp. Fever	0.07	21	—	—	—	—	—	—	—	—	—	7	13	2	—	—	—	—
Diarr. and Dys.	0.68	205	127	26	6	—	1	163	—	—	1	—	1	3	1	3	14	19
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.47	202	—	—	—	—	—	—	1	—	—	—	6	23	27	51	22	21
Scrofula	0.04	18	5	4	—	—	1	10	2	1	—	—	1	—	—	1	—	—
Tuberc. Mesent.	0.10	31	15	7	2	1	—	25	1	—	4	—	—	1	—	—	—	—
Phthisis	2.09	645	8	6	2	—	—	14	5	20	44	72	162	149	91	41	13	1
Hydrocephalus	0.23	69	8	13	13	4	8	49	12	5	2	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.15	611	131	21	13	13	7	183	15	15	9	9	19	33	88	74	124	17
Circulatory	1.80	545	1	—	—	—	1	2	3	9	8	8	35	65	70	117	134	17
Respiratory	3.23	982	212	95	52	12	6	357	12	7	8	16	26	51	55	57	160	17
Digestive	0.66	259	25	2	1	—	2	31	4	9	5	6	17	32	34	79	33	2
Urinary	0.47	112	—	—	—	—	1	2	4	2	3	4	15	21	19	28	23	16
Generative	0.47	22	—	—	—	—	—	—	1	—	—	—	3	6	4	3	—	—
Childbirth	0.09	28	—	—	—	—	—	—	—	1	6	10	10	1	—	—	—	—
Suicide	0.07	20	—	—	—	—	—	—	—	—	—	5	5	5	2	4	—	1
Other Violence	0.52	146	13	4	7	7	7	78	8	4	6	5	12	24	18	13	16	19
OTHER CAUSES	3.27	979	371	44	14	8	4	441	10	8	10	9	23	16	26	28	29	29

Deaths of Infants (under
one) to 1000 Births - } 112Marriages - 2,258
Births - 8,749Annual Rate (Persons Married
per 1000 living (Births - } 14.93
- } 28.96

102.—DROXFORD.

—	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH } FEB 1900 }	—	15.47	—	—	—	—	—	31.71	3.29	2.69	4.27	4.76	6.91	8.21	9.74	18.60	47.94	140.15
n Pop. } 1-80 }	—	11,474	805	278	314	302	302	1501	1399	1301	1631	840	1389	1182	1098	908	557	273
CAUSES	15.47	1775	313	92	31	21	19	476	46	35	44	40	96	97	107	163	267	899
pox - -	0.08	9	1	—	—	—	—	1	—	—	—	—	3	2	1	—	1	1
se - -	0.08	9	4	2	1	1	—	8	—	—	—	1	—	—	—	—	—	—
Fever -	0.23	26	4	3	1	3	—	13	9	3	1	1	—	—	—	—	—	—
eria - -	0.07	8	1	—	—	—	—	3	2	1	—	—	—	—	1	—	—	—
ing-cough	0.34	39	20	12	5	1	—	59	1	—	—	—	—	—	—	—	—	—
Fever -	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Fever -	0.22	25	—	2	1	1	—	5	2	3	4	3	1	2	—	3	1	1
Cont. Fev.	0.03	4	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Fever - -	0.02	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
and Dys. -	0.46	55	1	3	3	—	1	27	—	1	—	—	1	2	1	1	9	16
Fever -	0.01	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
- - -	0.41	47	—	—	—	—	—	6	—	—	—	—	2	6	12	10	10	7
- - -	0.07	8	—	3	1	—	2	—	—	—	—	—	1	—	1	—	—	—
Messen. -	0.13	15	6	3	—	—	—	13	1	—	—	1	—	—	—	—	—	—
- - -	1.51	173	3	2	—	—	2	7	3	9	15	23	37	28	20	17	12	2
cephalus -	0.15	15	4	3	1	3	—	12	2	1	—	—	—	—	—	—	—	—
rous Syst.	1.83	212	39	14	6	2	1	62	3	5	4	1	5	4	9	27	29	63
ulmonary	1.92	229	—	—	—	—	—	—	2	2	4	2	9	16	14	34	81	58
spiratory "	2.14	246	58	27	8	3	2	104	4	4	1	1	4	6	21	39	54	14
sensitive "	0.08	112	10	1	1	1	—	13	3	2	4	3	8	8	14	19	25	12
iary "	0.04	95	1	—	—	—	—	1	1	—	2	2	7	8	10	16	59	16
acervative "	0.04	5	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
rth - -	0.04	9	—	—	—	—	—	—	—	1	—	—	7	1	—	—	—	—
- - -	0.10	11	—	—	—	—	—	—	—	1	—	1	4	1	1	—	2	—
Violence -	0.18	32	—	5	—	—	—	6	4	1	3	1	—	2	3	5	5	5
CAUSES	3.42	393	131	10	3	5	2	131	19	3	5	—	6	5	13	16	25	100

Deaths of Infants (under } 92
one) to 1000 Births - }

Marriages - 630
Births - 3,301

Annual Rate	{ Persons Married	-	10.98
per 1000 living	{ Births	.	29.55

103.—CATHERINGTON.

AL DEATH & PER 1000 }	—	14'79	—	—	—	—	—	32'61	5'16	2'23	5'26	7'35	5'97	6'80	11'46	17'17	43'04	133'83
IN Pop. 1-80 }	—	2758	87	68	74	64	80	371	348	314	266	204	318	294	253	198	132	60
CAUSES	14'79	408	79	21	13	5	3	121	11	7	14	15	19	20	29	34	58	80
pox	0'07	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
meas	0'23	6	—	4	1	—	—	5	1	—	—	—	—	—	—	—	—	—
fever	0'25	7	—	2	2	1	1	6	—	1	—	—	—	—	—	—	—	—
beria	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ping-cough	0'07	2	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
scar	0'07	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
fever	0'04	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cont. Fev.	0'01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
fever	0'04	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
and Dys.	0'22	6	2	1	—	1	—	4	—	—	—	—	—	—	—	—	1	1
ra	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
rub	0'33	9	—	—	—	—	—	2	—	—	—	—	—	1	1	3	3	1
la	0'18	5	2	—	—	—	—	2	—	—	—	—	2	—	1	—	—	—
Mesent.	0'55	10	10	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
dis	1'34	57	—	—	—	—	—	—	—	2	4	9	7	4	7	3	1	—
cephalus	0'33	9	5	1	2	1	—	9	—	—	—	—	—	—	—	—	—	—
erous Ryst.	1'09	55	10	2	—	—	—	12	2	1	1	1	—	—	7	5	8	18
regulator	0'76	21	—	—	—	—	—	—	—	—	—	—	1	3	4	10	10	9
spiratory	2'21	61	10	4	3	—	1	18	2	—	2	1	3	3	3	4	16	9
igestive	1'49	41	4	—	—	1	—	5	—	3	—	1	1	4	3	4	10	5
inary	0'29	8	—	—	—	—	—	—	1	—	—	—	—	—	2	2	—	1
enerative	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
orth	0'07	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
ph	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Violence	0'40	11	1	—	2	—	1	—	2	—	—	—	—	1	1	1	7	—
CAUSES	3'98	110	34	7	2	—	1	4	—	—	1	3	1	3	1	8	7	4

Deaths of Infants (under 1 year) to 1000 Births 102

Marriages - 167
Births - 778

Annual Rate of Persons Married	-	12.11
per 1000 living Births	-	25.21

104.—PETERSFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	16.24	—	—	—	—	—	29.66	4.44	3.58	4.40	5.12	6.38	10.30	11.50	22.50	33.64	16.79
Mean Pop. 1871-80	—	9061	288	270	251	282	251	1342	1228	1089	886	781	1253	1039	102	759	481	261
ALL CAUSES	16.24	1618	261	79	51	18	9	398	55	39	89	40	80	108	107	109	258	215
Small-pox	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0.09	9	1	5	1	1	—	8	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.16	16	1	2	3	2	1	9	4	2	1	—	—	—	—	—	—	—
Diphtheria	0.26	26	—	—	4	3	1	8	10	4	—	—	—	—	—	1	—	—
Whooping-cough	0.24	24	10	10	3	—	—	23	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.14	14	—	—	1	—	—	1	5	—	2	—	1	2	1	2	—	—
Simple Cont. Fev.	0.03	3	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1
Puerp. Fever	0.05	5	—	—	—	—	—	—	—	—	—	1	2	5	—	—	—	—
Diarr. and Dys.	0.48	48	16	3	2	3	—	24	2	1	—	—	1	—	1	1	6	12
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0.50	50	—	—	—	—	—	—	1	—	—	—	3	7	5	14	22	6
Scrofula	0.12	12	4	—	—	—	—	4	1	2	1	—	1	1	—	—	2	—
Tuberc. Mesent.	0.15	15	3	5	1	—	—	9	1	3	1	—	—	—	—	—	—	—
Phthisis	1.84	184	4	4	—	—	—	8	7	9	16	18	51	28	23	23	14	4
Hydrocephalus	0.23	23	10	7	2	—	—	19	—	4	—	—	—	—	—	—	—	—
Diseases of	1.86	183	24	4	1	1	1	31	1	1	2	5	8	12	13	22	46	44
Nervous Syst.	1.23	123	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory	0.32	32	60	25	5	8	2	91	7	4	2	1	3	7	11	16	21	33
Respiratory	0.74	74	5	—	—	—	—	1	6	2	1	1	3	7	5	22	20	7
Digestive	0.54	54	—	—	—	1	—	1	1	—	2	2	3	4	4	8	18	11
Urinary	0.08	8	—	—	—	—	—	—	—	—	1	1	—	—	3	1	2	1
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.09	9	—	—	—	—	—	—	—	—	—	1	3	5	—	—	—	—
Suicide	0.10	10	—	—	—	—	—	—	—	—	—	—	1	—	4	4	1	—
Other Violence	0.49	49	2	1	2	2	—	7	4	4	5	2	2	5	6	6	1	2
OTHER CAUSES	4.09	409	121	13	5	2	3	144	5	3	4	3	11	9	10	15	4	12

Deaths of Infants (under
one) to 1000 Births } 84

Marriages : 629
Births : 3,007

Annual Rate { Persons Married : 12.63
per 1000 living { Births : 31.08

105.—ALRESFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	15.89	—	—	—	—	—	33.77	3.72	1.08	3.65	5.72	6.68	7.82	10.07	21.30	33.33	145
Mean Pop. 1871-80	—	7119	191	176	192	173	187	918	887	130	650	542	863	754	655	505	328	14
ALL CAUSES	15.89	1131	213	57	14	11	15	310	35	9	23	31	58	50	60	123	175	20
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scarlet Fever	0.08	8	2	—	—	—	1	3	2	1	—	—	—	—	—	—	—	—
Diphtheria	0.13	13	—	—	1	1	1	4	4	—	—	—	—	—	—	—	1	—
Whooping-cough	0.29	28	14	7	5	1	1	28	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.18	18	—	—	—	—	1	1	3	1	1	—	2	—	1	2	2	—
Simple Cont. Fev.	0.14	14	1	1	—	—	—	2	1	1	—	—	—	—	1	3	2	—
Puerp. Fever	0.01	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarr. and Dys.	0.37	36	7	3	1	—	—	11	—	—	—	—	—	1	1	2	5	3
Cholera	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.49	35	—	—	—	—	—	—	—	—	—	—	—	—	7	13	19	5
Scrofula	0.06	6	1	—	—	—	—	1	—	—	1	1	1	—	1	—	—	—
Tuberc. Mesent.	0.10	7	5	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Phthisis	1.76	175	4	2	1	—	2	9	4	2	15	21	28	22	15	12	1	—
Hydrocephalus	0.27	19	6	8	2	—	—	16	1	—	1	—	—	—	—	—	—	—
Diseases of	2.01	143	31	6	—	1	2	40	2	1	1	1	3	6	6	21	33	25
Nervous Syst.	1.43	103	1	—	—	—	—	1	2	1	2	2	2	6	7	16	22	26
Circulatory	2.06	147	33	15	2	2	1	53	2	2	—	—	2	6	6	18	27	20
Respiratory	0.93	66	9	1	1	2	1	14	4	—	1	1	2	4	4	11	11	11
Digestive	0.59	58	1	—	—	—	—	1	1	—	—	1	2	3	4	8	5	8
Urinary	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.15	11	—	—	—	—	—	—	—	—	—	—	—	6	4	1	—	—
Suicide	0.04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.37	36	3	3	—	1	2	9	3	—	—	—	3	1	3	5	3	1
OTHER CAUSES	4.49	519	94	11	1	3	3	112	3	—	1	3	2	4	2	14	22	12

Deaths of Infants (under
one) to 1000 Births } 103

Marriages : 408
Births : 2,070

Annual Rate { Persons Married : 11.46
per 1000 living { Births : 29.08

105.—ALTON.

	Annual Death Rate per 1000	ALL AGES	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upward
ANNUAL DEATH RATE PER 1000	—	16.72	—	—	—	—	—	36.13	3.79	3.18	4.92	5.24	8.19	9.38	12.50	23.24	51.02	156.0
Mean Pop. 1871-80	—	15,093	436	427	425	394	427	2103	1902	1701	1342	1165	1892	1683	1311	1011	647	296
ALL CAUSES	16.72	2524	535	124	68	24	23	702	72	56	66	61	155	156	165	235	334	463
Small-pox	0.04	6	—	—	—	—	—	—	—	—	2	—	—	—	2	—	1	1
Measles	0.17	26	4	10	4	—	2	24	3	2	—	—	—	—	1	—	—	—
Scarlet Fever	0.12	18	—	—	3	1	1	5	3	1	2	1	—	—	—	—	—	—
Diphtheria	0.14	21	—	2	5	2	2	11	4	5	—	—	—	—	—	—	1	—
Whooping-cough	0.25	37	18	13	4	2	—	37	—	—	—	—	—	—	—	—	—	—
Typhus	0.05	7	—	—	—	—	—	—	—	2	—	—	—	3	2	—	—	—
Enteric Fever	0.23	35	—	1	—	1	1	3	2	6	3	4	8	3	2	2	—	—
Simple Cont. Fev.	0.05	8	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Parp. Fever	0.03	7	—	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—
Diarr. and Dys.	0.26	40	21	6	1	—	2	51	1	—	—	—	—	—	—	1	5	2
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0.47	71	1	—	—	—	—	1	—	—	1	—	2	6	14	19	16	12
Scrofula	0.23	34	20	3	1	—	—	24	1	2	2	1	1	2	—	1	—	—
Tales Mesent.	0.42	64	41	16	2	—	—	63	—	—	—	—	1	—	—	—	—	—
Pachia	2.15	325	16	7	3	—	—	26	13	7	24	23	83	61	37	27	11	3
Hydrocephalus	0.23	35	10	8	2	3	1	24	0	4	1	—	—	—	—	—	—	—
of Nervous Syst.	1.58	239	57	12	4	1	1	75	1	5	5	1	8	16	24	25	31	50
Cerebratory	1.40	211	—	—	—	—	—	—	—	5	4	2	8	15	50	42	73	52
Respiratory	2.87	434	113	25	16	8	3	163	10	4	4	1	11	22	19	35	76	86
Digestive	0.61	122	11	1	2	—	3	17	—	1	2	3	1	7	16	29	33	16
Urinary	0.29	44	—	—	—	—	—	—	—	1	1	1	1	1	3	14	10	14
Generative	0.07	10	—	—	—	—	—	—	—	—	—	—	2	3	—	1	4	—
Childbirth	0.11	17	—	—	—	—	—	—	—	—	5	5	4	4	1	—	—	—
Suicide	0.05	8	—	—	—	—	—	—	—	—	—	—	—	3	1	3	1	—
Other Violence	0.45	65	6	3	3	2	2	10	6	7	4	6	3	4	5	6	4	4
OTHER CAUSES	4.18	629	210	17	7	2	4	240	14	3	5	3	9	1	10	32	65	241

Deaths of Infants (under
one) to 1000 Births } 109Marriages - 036
Births - 4,883Annual Rate { Persons Married - 13.06
per 1000 living { Births - 32.34

107.—HARTLEY WINTNEY.

	Annual Death Rate per 1000	ALL AGES	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upward
ANNUAL DEATH RATE PER 1000	—	14.90	—	—	—	—	—	37.13	4.70	2.80	4.80	5.37	6.28	10.08	12.26	21.24	56.01	153.1
Mean Pop. 1871-80	—	20,063	535	520	522	464	480	2521	2331	2144	2227	2384	3327	2162	1604	1191	632	330
ALL CAUSES	14.90	3142	508	181	75	50	32	936	111	62	107	128	219	218	204	253	382	622
Small-pox	0.03	7	1	—	—	—	—	1	1	1	—	—	2	1	—	1	—	—
Measles	0.24	30	9	20	10	3	5	47	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	35	2	1	2	5	4	14	11	3	4	3	—	—	—	—	—	—
Diphtheria	0.10	22	—	—	2	—	1	3	12	4	1	1	1	—	—	—	—	—
Whooping-cough	0.29	60	27	16	8	2	2	55	5	—	—	—	—	—	—	—	—	—
Typhus	0.03	7	—	—	1	—	—	1	—	—	1	1	1	—	—	—	3	—
Enteric Fever	0.16	33	2	1	2	1	1	7	2	4	9	1	5	1	2	2	1	—
Simple Cont. Fev.	0.05	13	—	1	—	—	—	2	2	1	3	2	—	—	—	—	—	—
Parp. Fever	0.04	9	—	—	—	—	—	—	—	—	—	4	4	1	—	—	—	—
Diarr. and Dys.	0.45	95	45	18	2	—	—	65	1	2	—	1	8	—	—	3	8	12
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.52	108	—	—	—	—	—	—	—	—	—	—	1	11	18	30	34	14
Scrofula	0.16	34	15	3	2	2	—	20	—	4	1	2	4	—	—	3	1	—
Tales Mesent.	0.17	35	4	1	1	—	—	21	5	5	1	—	—	—	—	—	—	—
Pachia	1.79	275	3	3	3	—	—	9	11	13	41	62	93	73	43	27	12	2
Hydrocephalus	0.28	39	20	15	3	4	1	45	9	3	1	—	1	—	—	—	—	—
of Nervous Syst.	1.83	383	75	15	7	8	1	102	10	8	11	9	14	19	22	28	56	94
Cerebratory	1.14	212	1	—	—	—	—	1	5	3	4	7	22	29	26	36	61	50
Respiratory	2.27	470	112	55	12	10	6	195	14	1	8	12	13	23	25	35	69	77
Digestive	0.67	131	16	1	—	—	—	17	6	—	2	3	16	12	25	22	20	18
Urinary	0.45	95	2	—	2	—	1	5	1	2	1	4	9	14	15	12	10	13
Generative	0.01	8	—	—	—	—	—	—	—	—	—	—	—	1	1	4	—	2
Childbirth	0.07	15	—	—	—	—	—	—	—	—	2	3	5	5	—	—	1	1
Suicide	0.01	9	—	—	—	—	—	—	—	—	—	2	3	2	—	—	—	—
Other Violence	0.52	108	15	5	6	4	1	29	5	3	11	9	13	6	8	8	7	11
OTHER CAUSES	3.41	710	212	27	10	9	9	297	11	5	7	11	13	20	20	20	79	226

Deaths of Infants (under
one) to 1000 Births } 107Marriages - 1,006
Births - 5,591Annual Rate { Persons Married - 10.46
per 1000 living { Births - 28.81

108.—BASINGSTOKE.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	16.55	—	—	—	—	—	35.23	3.90	3.02	3.74	5.30	6.78	9.31	12.32	15.37	14.45	14.7
Mean Pop. } 1871-80 }	—	18,626	544	400	526	472	435	2526	2376	2052	1683	1402	2450	1945	1599	1277	854	35
ALL CAUSES	16.55	3082	562	178	62	44	46	890	95	62	63	80	108	182	213	324	465	51
Small-pox - -	0.02	4	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—
Measles - -	0.16	29	5	6	5	3	4	23	6	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.21	40	1	4	2	4	7	18	15	—	4	1	—	2	—	—	—	—
Diphtheria - -	0.10	19	1	1	1	2	3	8	3	3	1	1	1	1	—	—	—	—
Whooping-cough	0.20	57	19	12	3	—	2	36	1	—	—	—	—	—	—	—	—	—
Typhus - -	0.01	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Euteric Fever -	0.19	55	2	—	1	1	3	7	2	6	4	3	6	3	2	1	1	—
Simple Cont. Fev.	0.03	14	—	—	1	1	—	2	3	2	2	1	3	2	—	1	1	—
Puerp. Fever -	0.04	7	—	—	—	—	—	—	—	—	—	4	1	2	—	—	—	—
Diarr. and Dys. -	0.31	57	22	12	3	1	—	38	4	1	—	—	2	1	—	4	8	—
Cholera - -	0.01	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Cancer - -	0.39	73	—	—	—	—	—	—	—	—	—	—	8	8	10	24	17	11
Scrofula - -	0.11	21	6	3	—	—	1	10	2	1	2	—	3	—	—	—	1	—
Tuberc Mesent. -	0.22	41	17	7	4	5	—	33	3	4	1	—	—	—	—	—	—	—
Phthisis - -	1.91	353	7	3	3	—	1	14	2	14	26	26	72	78	63	27	13	3
Hydrocephalus -	0.23	61	15	10	9	3	5	51	8	4	3	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst. -	1.80	331	69	12	2	3	—	77	10	4	2	8	13	8	25	54	76	48
Circulatory „ -	1.84	342	1	—	—	—	—	—	1	4	2	6	11	10	26	59	114	86
Respiratory „ -	2.90	741	143	67	18	11	8	240	15	5	2	3	7	12	22	37	66	36
Digestive „ -	0.75	145	16	—	1	—	—	17	4	3	7	—	9	12	12	12	14	10
Urinary „ -	0.41	74	—	—	—	—	1	1	2	—	3	—	—	12	11	12	14	10
Generative „ -	0.03	5	—	—	—	—	—	—	—	—	—	—	—	—	2	3	—	—
Childbirth - -	0.03	12	—	—	—	—	—	—	—	—	3	2	6	1	—	—	—	—
Suicide - -	0.05	9	—	—	—	—	—	—	—	—	—	—	2	3	3	1	—	—
Other Violence -	0.52	97	10	5	3	1	3	23	8	9	6	6	6	7	8	11	21	4
OTHER CAUSES -	0.84	717	233	25	6	9	8	285	6	2	3	3	8	14	14	27	50	58

Deaths of Infants (under one) to 1000 Births } 96 Marriages - 1,178 Annual Rate of Persons Married - 12.63
Births } 5,840 per 1000 living (Births - 31.35

* Changes were made in the boundary of this District during the Decade; see Table, pp. 871-72.

109.—WHITCHURCH.

ANNUAL DEATH RATE PER 1000 }	—	17.73	—	—	—	—	—	33.54	5.01	3.13	4.36	5.40	6.23	10.07	12.64	22.22	31.45	178
Mean Pop. } 1871-80 }	—	5592	163	159	158	149	145	754	678	607	527	426	658	556	522	405	276	23
ALL CAUSES	17.73	981	189	54	10	14	12	268	34	10	23	23	41	56	66	90	142	29
Small-pox - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles - -	0.04	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.21	13	1	1	3	1	2	8	3	1	1	—	—	—	—	—	—	—
Diphtheria - -	0.14	8	—	—	—	—	—	1	6	1	—	—	—	—	—	—	—	—
Whooping-cough	0.23	14	10	1	—	1	—	11	2	1	—	—	—	—	—	—	—	—
Typhus - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever -	0.13	18	—	1	—	—	—	1	2	4	4	1	1	1	1	1	—	—
Simple Cont. Fev.	0.04	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever -	0.05	5	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Diarr. and Dys. -	0.40	22	12	1	—	1	—	14	1	—	—	—	—	—	—	—	1	8
Cholera - -	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.43	27	—	—	—	—	—	—	—	—	—	—	—	1	7	6	6	7
Scrofula - -	0.20	11	6	1	—	—	—	7	2	—	1	—	—	—	—	—	—	—
Tuberc Mesent. -	0.29	11	3	2	2	1	1	11	4	—	—	—	1	—	—	—	—	—
Phthisis - -	1.64	341	7	1	1	—	—	10	2	5	9	12	27	18	9	11	1	1
Hydrocephalus -	0.23	13	5	3	1	—	1	8	4	3	3	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst. -	2.49	153	27	2	1	1	2	43	1	1	1	1	1	5	7	19	31	22
Circulatory „ -	1.84	102	—	—	—	—	—	—	—	1	2	3	2	7	15	22	22	14
Respiratory „ -	2.21	122	20	6	3	4	1	34	2	—	—	—	7	7	9	14	20	24
Digestive „ -	0.94	84	8	1	3	—	1	18	2	—	—	1	2	3	1	8	6	6
Urinary „ -	0.24	13	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
Generative „ -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0.09	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Suicide - -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence -	0.45	75	3	2	1	2	3	11	3	—	—	—	2	1	8	1	3	1
OTHER CAUSES -	2.02	218	82	11	4	3	1	101	8	2	1	2	—	4	12	25	25	129

Deaths of Infants (under one) to 1000 Births } 110 Marriages - 377 Annual Rate of Persons Married - 18.63
Births } 1,721 per 1000 living (Births - 31.11

110.-ANDOVER.*

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
DEATHS (PER 1000)	—	16.88	—	—	—	—	—	35.74	4.31	1.71	4.54	5.95	7.03	9.46	12.93	25.26	56.45	101.77
Pop. } -80 }	—	17,200	438	443	404	438	432	2220	2112	1903	1505	1312	2047	1800	1709	1247	783	361
CAUSES	16.88	2905	458	153	58	35	33	740	91	34	71	78	144	176	221	315	442	584
Ex - -	0.10	17	1	—	—	—	1	2	—	1	1	2	2	4	1	4	—	—
Fever - -	0.23	40	6	11	8	5	5	23	6	1	—	—	—	—	—	—	—	—
ria - -	0.29	35	—	4	6	2	4	16	11	4	2	—	1	—	—	1	—	—
ng-cough	0.06	14	—	—	2	2	—	4	3	3	—	2	1	—	—	—	—	—
—	0.25	45	27	14	3	5	—	47	1	—	—	—	—	—	—	—	—	—
Fever - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fever - -	0.19	32	—	1	—	—	2	3	4	2	0	1	2	4	1	3	3	—
Cont. Fev.	0.14	24	—	—	—	1	—	3	5	1	1	1	1	—	6	3	3	—
Fever - -	0.04	7	—	—	—	—	—	—	—	—	—	2	2	—	1	—	—	—
nd Dys.	0.34	49	23	9	—	—	—	34	1	1	—	—	1	2	1	1	8	10
—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.57	93	—	—	—	—	—	—	—	—	1	1	5	7	21	31	23	11
—	0.03	15	3	3	—	—	—	6	—	—	1	1	4	1	1	—	—	—
esent.	0.15	22	3	6	1	—	—	15	2	1	—	—	1	1	1	1	—	—
phalus -	1.28	238	1	4	—	2	—	7	2	5	20	59	62	40	20	27	6	2
—	0.12	21	4	3	3	1	—	11	9	—	1	—	—	—	—	—	—	—
ous Syst.	2.13	267	64	12	5	4	8	90	12	3	3	3	9	11	24	45	95	61
slatory "	1.55	261	—	—	1	—	—	1	—	—	4	6	9	26	24	45	83	61
eratory "	3.07	329	102	40	15	6	6	169	13	3	2	6	13	22	25	61	80	126
ative "	0.89	154	14	1	2	1	—	18	7	1	8	5	8	8	22	31	34	12
ary "	0.41	70	—	—	—	1	1	2	1	—	3	3	7	10	10	13	12	9
erative "	0.03	5	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—
th - -	0.12	21	—	—	—	—	—	—	—	—	—	4	4	13	—	—	—	—
—	0.04	11	—	—	—	—	—	—	—	—	—	—	—	3	—	4	2	—
olence -	0.28	66	6	3	4	4	1	18	4	4	5	—	5	6	6	4	2	—
CAUSES	4.35	747	227	22	8	6	8	270	10	6	8	2	10	11	20	32	87	282

Deaths of Infants (under } 98 Marriages - 1,014 Annual Rate { Persons Married - 11.78
 one) to 1000 Births } Births - 4,993 per 1000 living { Births - 29.01

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371-78.

111.-KINGSCLERE.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
DEATHS (PER 1000)	—	16.01	—	—	—	—	—	32.20	4.31	3.62	4.87	5.64	7.26	7.40	9.97	21.54	48.24	179.12
Pop. } -80 }	—	8550	247	219	236	216	241	1159	1137	994	739	603	992	905	792	623	425	182
CAUSES	16.01	1446	251	77	30	27	23	408	49	36	36	34	72	67	79	134	205	326
Ex - -	0.05	4	1	—	—	—	—	1	—	1	—	—	—	2	—	—	—	—
Fever - -	0.15	13	3	2	5	1	1	12	1	—	—	—	—	—	—	—	—	—
ria - -	0.27	23	2	2	1	5	3	13	3	5	2	—	—	—	—	—	—	—
ng-cough	0.09	8	—	1	—	2	—	3	4	1	—	—	—	—	—	—	—	—
—	0.19	16	8	3	1	2	—	14	2	—	—	—	—	—	—	—	—	—
Fever - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fever - -	0.20	17	—	1	—	—	—	1	1	8	1	—	1	—	1	2	4	—
Cont. Fev.	0.14	12	—	1	—	—	1	2	3	—	1	1	1	—	1	3	—	—
Fever - -	0.02	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
nd Dys.	0.39	53	11	6	3	1	—	21	2	2	—	—	—	—	—	1	3	4
—	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
—	0.12	36	—	—	—	—	—	—	—	—	—	—	—	2	7	11	8	8
esent.	0.20	17	2	2	—	2	—	6	—	2	1	1	2	2	1	1	—	—
phalus -	0.18	15	6	1	1	2	1	11	—	1	—	—	—	2	—	—	—	—
—	1.04	89	—	—	—	—	—	1	1	6	15	14	26	10	9	7	—	—
phalus -	0.23	22	4	6	4	1	1	16	5	1	—	—	—	—	—	—	—	—
ous Syst.	1.94	169	24	9	1	2	2	42	2	—	4	4	4	8	13	19	31	40
slatory "	1.61	138	2	—	—	—	—	2	2	—	2	2	10	9	11	21	41	32
eratory "	3.06	232	45	14	5	3	6	85	10	1	1	7	—	6	8	20	42	65
ative "	1.25	167	9	1	—	—	—	11	2	3	3	—	2	6	12	16	18	25
ary "	0.49	42	—	—	—	—	—	—	1	—	—	—	1	2	8	10	11	9
erative "	0.12	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
th - -	0.11	9	—	—	—	—	—	—	—	—	—	1	3	2	1	—	—	—
—	0.02	2	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
olence -	0.10	54	3	1	5	2	4	13	3	5	2	—	2	3	1	3	3	1
CAUSES	4.46	782	127	18	5	4	5	153	6	8	2	3	9	11	6	15	26	142

Deaths of Infants (under } 93 Marriages - 531 Annual Rate { Persons Married - 12.42
 one) to 1000 Births } Births - 2,683 per 1000 living { Births - 33.44

BERKSHIRE.
112.—NEWBURY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	18.53	—	—	—	—	—	41.88	5.21	2.81	3.21	6.49	8.05	11.06	13.29	23.40	55.15	133.94
Mean Pop. 1871-80	—	20,984	597	510	555	506	525	2663	2573	2420	1938	1633	2505	2224	1926	1530	1028	461
ALL CAUSES	18.53	3.85	701	186	100	63	52	1102	134	56	102	106	206	246	256	399	577	713
Small-pox	0.02	5	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—
Measles	0.23	48	10	10	8	6	4	44	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.50	105	3	8	22	11	10	54	58	7	3	4	1	—	—	—	—	—
Diphtheria	0.08	17	2	—	2	1	3	8	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.25	53	17	20	8	5	—	50	3	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.27	56	1	—	1	1	2	5	10	4	12	7	8	5	7	1	—	2
Simple Cont. Fev.	0.05	11	1	—	1	1	—	3	1	1	1	1	1	1	1	—	1	1
Interp. Fever	0.06	12	—	—	—	—	—	—	—	—	—	2	8	2	—	—	—	—
Diarr. and Dys.	0.51	107	55	12	2	—	1	70	3	—	—	1	—	—	—	—	—	17
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.65	135	—	—	—	—	—	—	—	—	—	—	1	7	31	23	26	14
Scrofula	0.16	35	6	2	1	2	—	11	3	4	3	—	2	4	1	3	1	—
Tuberc Mesent.	0.07	15	8	1	1	1	—	11	2	1	—	—	—	—	—	—	—	—
Phthisis	2.01	433	7	6	1	1	1	15	3	14	46	60	106	90	53	50	14	2
Hydrocephalus	0.25	53	19	11	8	2	2	42	9	—	—	—	1	—	—	—	—	—
Nervous Syst.	2.51	237	115	21	8	6	7	159	4	5	3	3	9	15	27	78	103	1.6
Circulatory	1.45	205	1	1	1	1	—	4	5	7	4	4	14	10	31	66	103	2.4
Respiratory	2.71	268	113	41	14	6	3	177	14	1	2	2	12	24	56	66	118	1.6
Digestive	0.24	107	21	2	—	2	—	27	6	1	5	4	12	25	23	37	41	1.6
Urinary	0.50	105	—	—	—	—	1	3	1	1	4	—	7	7	10	15	25	2.1
Generative	0.01	9	—	—	—	—	—	—	—	—	—	—	—	1	4	2	—	—
Childbirth	0.10	20	—	—	—	—	—	—	—	—	—	3	6	11	—	—	—	—
Suicide	0.03	19	—	—	—	—	—	—	—	—	—	2	1	4	1	—	1	1
Other Violence	0.49	103	11	5	6	4	5	31	10	1	8	3	3	12	3	10	9	11
OTHER CAUSES	4.62	567	310	37	14	14	11	386	15	8	5	5	15	16	27	32	106	1.5

Deaths of Infants (under one) to 1000 Births } 113

Marriages - 1,380
Births - 6,197Annual Rate of Persons Married per 1000 living { Births - 13.15
Deaths - 29.53

113.—HUNGERFORD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	17.70	—	—	—	—	—	38.86	3.41	2.23	4.78	6.45	6.88	9.36	12.44	21.85	53.06	162.7
Mean Pop. 1871-80	—	18,275	490	482	518	450	478	2414	2406	2147	1738	1303	2077	1945	1761	1419	633	433
ALL CAUSES	17.70	3.257	625	164	76	46	27	938	82	49	83	84	143	182	219	310	494	591
Small-pox	0.07	13	1	—	1	—	—	2	1	—	1	2	2	—	—	—	1	4
Measles	0.16	39	10	4	4	—	3	23	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.20	58	2	5	3	10	1	21	9	6	1	—	1	—	—	—	—	—
Diphtheria	0.11	30	—	1	3	2	—	6	8	6	—	—	—	—	—	—	—	—
Whooping-cough	0.29	37	16	11	4	2	2	35	2	—	—	—	—	—	—	—	—	—
Typhus	0.04	7	—	—	—	—	—	—	—	—	2	1	2	—	1	—	—	—
Enteric Fever	0.13	25	—	1	1	—	1	3	2	3	6	1	—	—	4	2	—	—
Simple Cont. Fev.	0.06	12	—	—	—	1	—	1	2	1	1	3	—	1	1	—	—	—
Interp. Fever	0.03	6	—	—	—	—	—	—	—	—	1	1	1	3	—	—	—	—
Diarr. and Dys.	0.43	80	30	7	4	4	1	46	1	1	—	—	3	2	2	2	3	26
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.52	96	—	—	—	1	—	1	—	—	—	—	2	3	12	23	33	19
Scrofula	0.14	36	12	4	2	—	1	19	—	2	—	—	—	—	—	—	—	—
Tuberc Mesent.	0.21	50	16	5	2	4	—	27	8	2	2	1	1	—	—	—	—	—
Phthisis	1.63	362	6	4	2	—	1	13	8	2	31	41	78	85	47	24	4	—
Hydrocephalus	0.20	58	12	10	3	2	3	30	6	1	1	—	—	—	—	—	—	—
Nervous Syst.	2.50	464	99	10	9	4	2	125	7	3	4	8	4	18	28	64	98	1.6
Circulatory	1.34	219	9	—	—	—	—	—	—	—	4	3	11	18	33	60	76	1.4
Respiratory	2.75	511	86	40	12	4	4	146	4	6	7	5	6	19	29	46	76	1.5
Digestive	1.06	197	21	2	3	3	1	30	1	5	5	3	4	21	20	42	37	1.9
Urinary	0.34	61	—	—	—	1	—	1	2	2	—	1	2	3	11	9	15	1.4
Generative	0.05	9	—	—	—	—	—	—	—	—	—	—	2	1	2	2	1	1
Childbirth	0.17	52	—	—	—	—	—	—	—	1	2	4	9	14	2	—	—	—
Suicide	0.05	19	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Other Violence	0.39	73	4	7	6	3	4	24	4	2	5	2	1	6	8	6	1	3
OTHER CAUSES	4.91	910	319	42	17	3	3	384	11	6	10	4	14	13	11	21	29	27

Deaths of Infants (under one) to 1000 Births } 112

Marriages - 1,212
Births - 5,590Annual Rate of Persons Married per 1000 living { Births - 13.05
Deaths - 30.00

114.—FARINGDON.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	75 and upwards.
ALL DEATHS (PER 1000)	—	18.24	—	—	—	—	—	39.00	4.77	3.26	4.67	6.32	9.08	8.74	13.01	25.38	57.10	162.45				
Pop. 1871-80	—	14,334	415	380	408	390	373	1972	1844	1627	1234	1028	1718	1522	1337	1064	711	277				
CAUSES	18.24	2624	481	145	64	54	25	709	83	53	60	65	150	133	174	270	406	450				
Small-pox	0.06	9	—	—	1	—	—	1	1	—	2	1	—	3	1	—	—	—				
Scarlet Fever	0.19	27	5	10	6	—	2	23	4	—	—	—	—	—	—	—	—	—				
Erysipelas	0.32	46	3	5	8	10	2	28	12	3	1	—	2	—	—	—	—	—				
Diphtheria	0.07	10	—	1	—	—	2	5	3	—	—	—	—	—	1	—	—	—				
Croup	0.19	41	13	15	4	—	—	37	4	—	—	—	—	—	—	—	—	—				
Whooping Cough	0.08	11	—	1	1	—	—	2	2	2	—	—	—	2	1	1	—	1				
Measles	0.22	32	3	2	1	3	1	16	1	2	4	1	1	1	1	1	1	4				
Scarlet Fever	0.03	5	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—				
Erysipelas	0.06	9	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—				
Diphtheria	0.29	42	15	9	2	2	—	28	1	—	—	1	—	—	—	2	4	5				
Croup	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Whooping Cough	0.41	59	—	—	—	—	—	—	1	—	—	—	—	1	5	14	28	15	6			
Measles	0.16	21	6	1	1	—	—	8	—	2	2	—	4	2	1	1	3	—				
Scarlet Fever	0.15	21	10	4	—	—	—	14	1	—	1	2	—	—	1	1	—	—				
Erysipelas	0.25	324	45	15	4	5	2	71	6	12	25	30	69	42	36	26	7	—				
Diphtheria	0.15	22	5	8	4	—	—	17	1	3	1	—	—	—	—	—	—	—				
Whooping Cough	2.15	303	43	15	4	8	1	71	11	6	5	4	5	8	16	43	79	61				
Measles	1.89	259	—	—	—	—	1	1	6	4	4	2	13	16	70	48	81	66				
Scarlet Fever	0.02	434	104	54	18	12	9	178	12	3	4	4	2	13	24	26	30	79				
Erysipelas	1.07	134	13	—	—	2	1	16	3	6	1	5	9	7	23	31	35	16				
Diphtheria	0.08	55	—	1	—	—	—	1	1	—	1	1	4	6	6	10	16	10				
Whooping Cough	0.19	15	—	—	—	—	—	—	—	—	1	1	1	2	4	5	—	1				
Measles	0.17	24	—	—	—	—	—	—	—	—	—	3	15	6	—	—	—	—				
Erysipelas	0.04	6	—	—	—	—	—	—	—	—	1	—	1	1	—	2	1	—				
Diphtheria	0.49	70	3	3	4	3	2	17	8	3	2	1	6	3	7	12	4	4				
CAUSES	4.29	617	205	21	6	5	2	240	13	7	4	7	8	12	19	50	73	213				

Deaths of Infants (under
one) to 1000 Births - 100Marriages - 941
Births - 4,525Annual Rate of Persons Married - 13.08
per 1000 living Births - 31.46

115.—ABINGDON.*

ALL DEATHS (PER 1000)	—	20.48	—	—	—	—	—	49.21	4.72	3.12	4.69	6.80	8.67	13.45	16.79	28.87	67.12	165.79				
Pop. 1871-80	—	21,343	605	533	500	543	558	2935	2627	2456	2090	1751	2688	2471	1870	1531	961	350				
CAUSES	20.48	4370	913	250	110	67	46	1395	124	76	98	119	253	292	314	442	647	639				
Small-pox	0.08	17	3	—	—	1	—	4	1	1	2	3	2	3	1	—	—	—				
Scarlet Fever	0.29	62	13	25	14	6	2	60	1	1	—	—	—	—	—	—	—	—				
Erysipelas	0.19	40	3	3	5	2	4	16	20	4	—	1	1	1	—	—	—	—				
Croup	0.59	34	40	33	6	2	2	83	1	—	—	—	—	—	—	—	—	—				
Whooping Cough	3.01	2	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—				
Measles	0.24	31	1	2	2	—	—	7	8	4	10	—	9	4	4	3	1	—				
Scarlet Fever	0.04	9	—	—	—	1	—	3	—	2	—	—	—	1	1	—	—	—				
Erysipelas	0.02	5	—	—	—	—	—	—	—	—	1	1	1	2	—	—	—	—				
Diphtheria	0.67	142	90	16	2	1	—	169	—	—	—	—	4	1	3	4	12	9				
Croup	0.09	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—				
Whooping Cough	0.45	95	—	—	—	—	—	—	—	—	—	—	1	13	18	22	25	8				
Measles	0.49	20	4	1	—	—	—	6	5	—	—	1	2	3	3	5	—	1				
Scarlet Fever	0.25	14	12	4	1	5	3	36	2	1	4	3	2	—	—	—	—	—				
Erysipelas	2.18	466	13	9	1	2	4	31	8	14	40	58	101	83	61	44	24	—				
Diphtheria	0.23	33	14	13	4	2	—	35	10	3	1	1	—	—	2	—	1	—				
Whooping Cough	3.40	726	115	23	8	6	4	161	11	12	6	19	36	65	80	10	112	104				
Measles	1.06	354	—	—	—	—	—	280	4	9	8	4	13	24	34	89	69	—				
Scarlet Fever	3.02	645	145	64	33	12	6	280	10	8	7	6	11	22	37	53	121	50				
Erysipelas	0.94	201	28	4	2	3	1	38	6	2	—	4	7	17	24	38	43	17				
Diphtheria	0.06	119	—	—	1	2	—	3	2	1	1	1	4	15	24	25	21	—				
Whooping Cough	0.05	10	—	—	—	—	—	—	—	—	—	—	—	2	3	3	2	—				
Measles	0.06	13	—	—	—	—	—	—	—	—	—	1	2	10	—	—	—	—				
Erysipelas	0.07	16	—	—	—	—	—	—	—	—	—	1	1	3	3	4	4	—				
Diphtheria	0.43	113	13	2	1	6	3	25	15	6	6	8	15	8	8	9	5	8				
CAUSES	4.77	1014	332	34	17	6	6	455	8	4	10	5	19	18	15	45	121	211				

Deaths of Infants (under
one) to 1000 Births - 131Marriages - 1,485
Births - 6,968Annual Rate of Persons Married - 13.92
per 1000 living Births - 32.65

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371-78.

116.—WANTAGE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	17.97	—	—	—	—	—	44.41	4.81	3.19	5.30	6.85	7.25	9.78	9.99	22.00	51.16	100
Mean Pop. 1871-80	—	17,200	505	458	478	481	455	2369	2250	2035	1601	1279	2027	1748	1531	1270	817	32
ALL CAUSES	17.97	8101	652	214	91	67	38	1032	104	65	85	85	147	171	153	287	418	53
Small-pox	0.04	7	—	—	—	—	—	—	1	—	—	—	2	—	—	1	2	1
Measles	0.29	50	11	12	7	7	6	48	4	1	1	—	—	—	—	1	—	—
Scarlet Fever	0.43	75	5	7	13	14	9	46	20	5	1	1	1	1	—	—	—	—
Diphtheria	0.13	22	—	4	2	3	1	10	6	3	—	—	—	—	—	—	1	—
Whooping-cough	0.22	35	18	18	7	7	2	52	2	1	—	—	—	—	—	—	—	—
Typhus	0.03	6	1	—	—	—	1	2	1	—	1	1	—	—	1	—	—	—
Enteric Fever	0.21	53	4	—	6	2	2	14	7	4	6	6	6	2	1	1	—	—
Simple Cont. Fev.	0.07	12	4	—	—	1	1	6	1	2	—	—	—	—	—	—	—	—
Puerp. Fever	0.05	9	—	—	—	—	—	—	—	—	—	3	2	4	—	—	—	—
Diarr. and Dys.	0.81	139	64	27	6	2	—	99	2	—	—	—	1	2	—	4	10	11
Cholera	0.02	3	1	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—
Cancer	0.42	72	—	—	—	—	—	—	—	—	1	1	3	14	11	16	15	11
Scrofula	0.07	12	4	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0.21	37	18	7	5	—	1	51	1	2	1	1	—	—	—	—	—	—
Phthisis	1.80	310	3	6	2	1	—	12	9	13	39	36	60	55	35	27	10	1
Hydrocephalus	0.35	61	29	9	6	1	3	48	8	3	—	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.15	371	58	15	7	3	1	74	7	6	7	5	12	17	16	47	89	81
Circulatory	1.64	277	1	—	—	—	1	2	1	3	4	3	8	12	29	63	39	45
Respiratory	2.40	414	95	40	11	4	4	154	6	2	4	6	6	11	33	41	41	38
Digestive	0.92	133	28	4	3	—	—	35	4	2	3	—	—	6	11	27	22	9
Urinary	0.41	71	2	1	1	—	—	4	4	2	1	1	5	3	3	16	13	13
Generative	0.02	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Childbirth	0.10	17	—	—	—	—	—	—	—	—	4	7	—	—	1	—	—	—
Suicide	0.01	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Other Violence	0.54	94	8	7	6	1	1	23	4	11	5	5	6	6	3	14	6	11
OTHER CAUSES	4.45	767	202	53	9	11	6	280	16	2	19	8	6	16	12	26	75	23

Deaths of Infants (under one) to 1000 Births - 119

Marriages - 1,095
Births - 5,499Annual Rate { Persons Married - 12.70
per 1000 living { Births - 31.86

117.—WALLINGFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	20.08	—	—	—	—	—	50.11	3.55	3.16	6.18	7.51	9.90	12.21	17.45	27.42	32.15	100
Mean Pop. 1871-80	—	14,571	397	362	394	371	398	1922	1850	1708	1218	1052	1767	1605	1324	1095	726	23
ALL CAUSES	20.08	2926	523	116	63	36	34	771	66	54	75	79	175	196	231	301	451	227
Small-pox	0.05	7	1	—	—	—	—	1	—	1	—	1	3	—	1	—	—	—
Measles	0.22	32	10	6	3	4	2	25	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.23	33	1	2	6	6	5	19	8	4	1	—	—	—	—	—	—	—
Diphtheria	0.10	14	2	—	3	—	3	8	5	—	—	—	—	—	1	—	—	—
Whooping-cough	0.19	25	13	9	2	2	1	27	1	—	—	—	—	—	—	—	—	—
Typhus	0.03	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
Enteric Fever	0.24	35	—	1	—	—	1	2	2	9	—	—	—	4	2	—	—	—
Simple Cont. Fev.	0.07	10	—	—	—	1	1	2	1	1	—	—	1	—	—	1	2	—
Puerp. Fever	0.07	10	—	—	—	—	—	—	—	—	—	—	7	3	—	—	—	—
Diarr. and Dys.	0.65	94	34	7	1	1	—	45	2	—	—	1	5	—	1	10	14	11
Cholera	0.04	6	—	2	2	—	1	5	—	—	—	—	1	—	—	—	—	—
Cancer	0.83	77	—	—	—	—	—	—	—	—	—	—	2	6	21	24	31	2
Scrofula	0.16	24	6	1	1	1	—	9	2	2	2	3	3	1	—	—	—	—
Tuberc. Mesent.	0.16	25	1	5	4	3	2	15	2	—	1	3	3	—	—	—	—	—
Phthisis	1.92	240	7	4	1	2	3	17	2	12	25	37	68	51	31	25	11	—
Hydrocephalus	0.34	49	22	12	4	3	2	43	3	—	1	—	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	3.53	515	79	15	8	2	3	107	3	3	11	6	26	32	56	69	84	94
Circulatory	1.55	224	4	—	—	—	—	5	2	1	3	4	9	22	16	34	31	10
Respiratory	3.32	484	104	50	14	3	3	153	7	5	7	5	14	18	35	45	54	44
Digestive	1.04	158	20	3	3	1	1	28	4	—	3	1	7	7	6	27	24	14
Urinary	0.45	66	3	1	—	—	—	3	1	—	1	2	2	7	6	15	14	13
Generative	0.05	8	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—
Childbirth	0.12	17	—	—	—	—	—	—	—	—	1	2	7	7	—	—	—	—
Suicide	0.12	19	—	—	—	—	—	—	—	—	1	1	—	3	6	4	2	—
Other Violence	0.34	79	16	3	6	3	—	29	3	10	5	5	8	4	6	26	18	11
OTHER CAUSES	4.21	628	207	15	6	3	6	237	9	4	8	5	6	9	16	29	75	27

Deaths of Infants (under one) to 1000 Births - 117

Marriages - 870
Births - 4,456Annual Rate { Persons Married - 11.94
per 1000 living { Births - 30.88

118.—BRADFELD.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH PER 1000 }	—	15'81	—	—	—	—	—	34'12	3'68	2'06	4'07	5'52	6'10	7'56	10'33	20'39	51'22	100'00
Pop. 1-80 }	—	16,976	483	470	456	475	440	23'6	2145	1923	1525	1287	2131	1838	1300	1172	770	346
CAUSES	15'81	2684	502	132	63	45	33	795	79	57	62	71	132	189	155	289	399	550
pox - -	0'05	9	—	—	—	—	—	—	—	—	2	3	2	—	—	1	—	1
me - -	0'24	41	10	12	7	4	1	34	6	—	—	1	—	—	—	—	—	—
t Fever -	0'29	50	1	4	5	11	7	28	15	5	—	1	—	—	1	—	—	—
beria - -	0'11	19	—	1	3	2	4	10	6	2	1	—	—	—	—	—	—	—
ping-cough	0'27	46	25	15	2	2	1	43	1	—	—	—	—	—	—	—	—	—
me - -	0'01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
e Fever -	0'02	16	—	—	—	—	1	1	1	2	5	2	2	—	1	—	—	—
Cont. Fever	0'03	3	—	—	—	1	2	3	1	—	—	—	—	—	—	—	—	—
me - -	0'05	8	—	—	—	—	—	—	—	—	—	1	4	3	—	—	—	—
and Dys. -	0'55	94	47	15	5	—	—	67	2	—	—	2	1	1	2	9	10	—
me - -	0'09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
me - -	0'40	68	—	—	—	—	—	—	—	—	—	2	11	13	16	20	9	—
me - -	0'11	18	5	2	1	1	—	9	3	—	1	1	2	1	—	—	—	—
Measent.	0'09	15	4	2	2	1	1	10	1	8	—	1	—	—	—	—	—	—
me - -	1'31	222	3	4	2	—	—	9	4	8	20	28	58	32	27	11	5	—
cephalus -	0'17	29	11	7	3	2	2	23	3	1	—	—	—	—	—	—	—	—
erious Syst.	1'56	315	47	14	4	3	2	70	5	4	6	4	5	11	18	31	77	81
voluntary "	1'02	270	3	—	1	—	—	4	1	5	3	6	18	38	34	29	69	—
spiratory "	2'52	424	100	40	14	3	3	160	10	6	4	3	13	22	27	44	75	51
positive "	0'19	151	25	2	1	3	2	13	2	6	4	1	6	8	15	25	22	29
inary "	0'47	80	—	—	1	1	—	2	3	1	3	—	7	5	6	15	21	15
nerative "	0'06	10	—	—	—	—	—	—	—	—	—	—	—	1	2	5	2	2
Birth - -	0'07	12	—	—	—	—	—	—	—	—	—	1	4	7	—	—	—	—
me - -	0'07	12	—	—	—	—	—	—	—	—	—	1	2	1	—	4	1	1
Violence -	0'42	72	3	2	2	5	—	12	4	6	6	5	7	8	9	5	6	6
CAUSES -	4'03	680	209	32	10	6	7	264	11	6	4	6	9	9	9	16	66	236

Deaths of Infants (under 1 year) to 1000 Births - 99 Marriages - 962 Annual Rate of Persons Married - 11'33
 Births - 5,038. per 1000 living (Births) - 29'07

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371-78.

119.—READING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH PER 1000 }	—	19'34	—	—	—	—	—	55'50	5'06	3'30	5'03	6'54	7'08	11'85	17'43	20'88	63'41	135'83
Pop. 1-80 }	—	38,417	1107	1064	1046	1017	995	5319	4452	3921	3775	3718	0003	4373	3148	2035	1197	476
CAUSES	19'34	7431	1944	553	256	125	94	2052	252	153	100	243	470	518	555	608	730	742
pox - -	0'02	7	1	1	—	—	—	2	—	—	—	2	1	1	1	—	—	—
me - -	0'54	121	30	52	17	12	5	116	12	—	3	—	—	—	—	—	—	—
t Fever -	0'46	175	10	33	18	19	101	51	13	3	4	2	—	1	—	—	—	—
beria - -	0'08	29	2	2	4	2	3	13	9	—	—	1	5	—	1	—	—	—
ping-cough	0'59	227	95	79	29	14	5	222	5	—	—	—	—	—	—	—	—	—
me - -	0'01	5	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
e Fever -	0'32	123	—	—	5	3	4	12	24	14	14	8	19	11	8	5	4	9
Cont. Fer.	0'04	32	1	3	3	3	2	12	3	5	1	1	2	2	3	2	1	—
me - -	0'10	37	—	—	—	—	—	—	—	—	6	23	8	—	—	—	—	—
and Dys. -	0'84	523	223	40	7	2	1	278	2	—	1	1	2	1	3	4	19	17
me - -	0'02	9	3	1	—	1	—	5	1	—	—	—	1	—	—	1	1	—
me - -	0'75	589	1	—	—	1	1	3	2	—	—	2	16	31	69	66	10	28
Measent.	0'16	69	29	11	4	1	—	45	3	1	4	5	2	—	—	—	—	—
me - -	2'29	846	146	24	12	2	3	141	10	16	67	112	177	144	90	53	27	9
cephalus -	0'41	138	75	42	10	7	3	137	13	2	1	—	2	2	—	1	—	—
erious Syst.	2'51	398	218	47	24	13	13	315	19	23	19	7	20	44	70	87	146	143
voluntary "	1'57	344	3	1	—	2	1	7	11	9	11	20	34	67	79	131	163	95
spiratory "	2'98	1146	309	138	25	20	15	587	17	8	10	17	31	44	57	109	184	177
positive "	1'02	191	62	7	5	2	4	200	9	7	8	13	24	38	61	64	48	49
inary "	0'69	129	3	3	2	1	1	10	10	5	4	12	22	28	15	15	40	22
nerative "	0'05	21	—	—	—	—	—	—	—	—	1	—	3	3	6	2	4	9
Birth - -	0'05	18	—	—	—	—	—	—	—	—	1	1	8	7	1	—	—	—
me - -	0'05	18	—	—	—	—	—	—	—	—	1	1	8	7	1	—	—	—
Violence -	0'64	241	29	19	14	6	3	62	21	12	10	3	4	3	23	30	12	12
CAUSES -	3'54	1354	659	46	28	12	10	785	24	13	23	27	46	54	62	42	82	217

Deaths of Infants (under 1 year) to 1000 Births - 139 Marriages - 3,797 Annual Rate of Persons Married - 19'77
 Births - 13,988. per 1000 living (Births) - 38'33

120.—WOKINGHAM.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—
ANNUAL DEATH RATE PER 1000	—	16.52	—	—	—	—	—	36.07	3.83	2.70	3.81	6.00	6.97	8.78	11.13	24.44	61.80	164
Mean Pop. 1871-80	—	18,100	534	470	507	491	470	2484	2347	1964	1600	1384	2452	2017	1635	1195	609	32
ALL CAUSES	16.52	2002	635	147	65	41	23	911	90	53	61	83	171	177	182	292	432	54
Small-pox	0.01	5	—	—	—	—	—	5	—	—	—	2	2	—	1	—	—	—
Measles	0.10	29	5	8	4	5	—	25	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.13	24	2	1	1	2	3	9	9	3	1	—	1	—	—	—	—	—
Diphtheria	0.15	27	8	1	2	4	—	15	12	4	—	—	—	—	—	1	—	—
Whooping-cough	0.29	52	24	13	8	4	3	52	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0.12	1	1	—	—	—	—	1	5	2	6	—	—	1	—	1	—	—
Simple Cont. Fev.	0.07	12	—	1	1	—	1	5	—	1	1	—	—	—	—	—	—	—
Pneum. Fever	0.06	11	—	—	—	—	—	—	—	—	—	1	7	3	—	—	—	—
Diarr. and Dys.	0.37	103	42	15	4	1	1	61	2	1	1	2	2	1	5	5	3	1
Cholera	0.02	4	2	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Cancer	0.51	101	—	—	—	—	—	—	—	1	—	1	3	6	17	26	35	2
Scrophula	0.08	11	3	2	1	—	—	6	2	1	1	1	—	—	—	—	—	—
Tuberc. Mesent.	0.21	37	22	8	3	—	2	32	2	2	—	—	—	—	—	—	—	—
Phthisis	1.52	274	24	12	1	1	2	31	2	7	21	33	64	55	28	21	10	—
Hydrocephalus	0.19	35	13	12	3	—	—	30	3	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.14	387	72	17	11	5	—	105	10	8	7	3	13	17	21	48	71	5
Circulatory "	1.50	155	1	—	—	—	—	1	—	1	4	4	10	20	21	55	70	4
Respiratory "	3.29	549	145	46	13	10	9	223	13	7	6	8	20	25	49	47	102	4
Digestive "	0.81	147	17	4	2	—	—	23	4	5	1	3	8	8	15	25	32	1
Urinary "	0.34	69	2	1	—	—	—	3	2	—	—	—	—	—	4	12	19	1
Generative "	0.04	7	—	—	—	—	—	4	—	—	—	—	2	1	2	—	1	—
Childbirth	0.12	22	—	—	—	—	—	—	—	—	1	2	9	9	1	—	—	—
Suicide	0.07	13	—	—	—	—	—	—	—	—	1	3	1	3	2	2	1	—
Other Violence	0.46	83	6	7	5	3	—	21	5	6	2	4	10	6	5	12	6	—
OTHER CAUSES	3.84	699	246	13	6	5	2	272	12	3	4	5	9	9	17	41	74	25

Deaths of Infants (under one) to 1000 Births - } 100

Marriages - 1,072
Births - 5,993Annual Rate of Persons Married - 11.84
per 1000 living Births - 32.06

121.—COOKHAM.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—
ANNUAL DEATH RATE PER 1000	—	16.39	—	—	—	—	—	41.51	1.37	2.71	4.03	4.03	6.16	9.46	13.59	26.79	52.91	127
Mean Pop. 1871-80	—	15,000	422	410	441	414	400	2006	1909	1884	1416	1261	2177	1787	1403	1034	635	23
ALL CAUSES	16.39	2607	542	175	74	45	34	870	86	51	57	51	134	169	191	277	536	28
Small-pox	0.04	7	—	—	—	—	—	7	—	—	1	—	2	1	1	2	—	—
Measles	0.27	40	7	29	5	4	5	41	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.25	38	—	9	10	9	3	31	15	4	1	1	—	—	—	—	—	—
Diphtheria	0.14	22	—	1	2	2	3	8	9	2	1	—	1	—	—	—	—	—
Whooping-cough	0.46	70	35	17	5	9	5	71	1	1	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.21	34	—	—	1	—	—	1	3	7	7	—	6	5	2	3	—	—
Simple Cont. Fev.	0.07	11	1	—	—	—	1	2	1	2	1	—	—	—	—	—	—	—
Pneum. Fever	0.13	4	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—
Diarr. and Dys.	0.64	102	69	17	1	—	—	87	1	—	—	—	1	1	—	4	4	—
Cholera	0.03	5	2	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—
Cancer	0.51	84	—	—	—	—	—	—	—	—	—	—	2	7	17	29	29	4
Scrophula	0.07	11	—	1	2	—	—	5	—	1	—	—	1	1	—	—	—	—
Tuberc. Mesent.	0.14	24	13	4	4	2	—	21	1	—	—	—	—	—	1	—	—	—
Phthisis	1.65	224	—	2	4	2	1	9	9	5	17	18	30	59	27	19	19	—
Hydrocephalus	0.21	37	11	18	6	2	3	40	9	1	—	—	—	—	27	—	—	—
Diseases of																		
Nervous Syst.	2.25	363	59	11	6	2	2	111	5	1	4	1	8	17	20	54	65	7
Circulatory "	1.51	249	—	—	—	—	—	—	4	4	5	2	8	25	30	53	65	4
Respiratory "	2.62	421	97	45	16	4	4	160	1	3	6	1	19	29	37	60	74	4
Digestive "	0.97	154	17	3	—	—	—	22	1	6	5	3	11	11	16	30	32	7
Urinary "	0.35	58	—	—	—	—	—	—	—	1	1	3	1	7	11	8	17	9
Generative "	0.07	9	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
Childbirth	0.14	7	—	—	—	—	—	—	—	—	1	2	3	1	—	—	—	—
Suicide	0.01	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.44	75	6	9	2	1	4	15	5	6	4	7	9	7	4	3	8	1
OTHER CAUSES	2.27	529	191	29	10	8	1	265	14	7	2	6	11	11	15	25	49	16

Deaths of Infants (under one) to 1000 Births - } 100

Marriages - 971
Births - 4,970Annual Rate of Persons Married - 12.21
per 1000 living Births - 31.24

122.—EASTHAMPTON.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	75 and upwards
TOTAL DEATHS PER 1000	—	14.13	—	—	—	—	—	29.32	3.13	2.74	2.39	4.16	6.19	11.16	14.31	20.67	56.53	175.16				
Pop. 71-80	—	11,646	303	301	301	301	298	1504	1376	1348	1254	913	1049	1398	1020	660	571	153				
CAUSES	14.13	1646	278	82	39	25	17	411	43	37	30	38	102	156	146	176	269	203				
Diarrhoea	0.02	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Scarlet Fever	0.17	20	1	8	3	4	1	17	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	0.17	20	2	2	3	—	2	9	7	3	—	—	1	—	—	—	—	—	—	—	—	—
Dysentery	0.11	13	—	1	1	2	—	4	7	1	1	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0.23	29	17	14	5	2	1	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.10	12	—	—	2	1	—	3	2	2	—	—	2	—	2	1	—	—	—	—	—	—
Erysipelas	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Dysentery	0.03	8	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
Whooping-cough	0.27	31	12	5	1	—	1	19	1	—	—	—	1	—	2	1	2	5	—	—	—	—
Measles	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.43	26	—	—	—	—	—	—	—	—	—	—	1	—	0	10	16	10	4	—	—	—
Erysipelas	0.09	11	4	1	1	—	—	6	2	2	—	—	1	—	—	—	—	—	—	—	—	—
Dysentery	0.10	12	3	1	1	2	2	9	1	—	—	—	—	—	—	2	—	—	—	—	—	—
Whooping-cough	1.51	211	2	1	1	1	—	5	7	10	17	50	23	41	17	7	2	—	—	—	—	—
Measles	0.17	20	4	1	3	2	1	11	1	8	—	—	—	—	—	—	—	—	—	—	—	—
Nervous Syst.	1.63	107	22	8	3	2	—	35	5	3	1	1	10	25	14	29	29	34	—	—	—	—
Respiratory	1.37	159	—	—	—	—	—	—	—	—	—	—	8	15	31	32	38	40	—	—	—	—
Digestive	2.40	379	66	24	8	4	—	107	5	1	3	1	2	8	13	29	42	48	—	—	—	—
Genital	0.75	99	5	1	—	—	—	7	4	1	2	—	4	11	11	18	24	15	—	—	—	—
Urinary	0.29	45	1	—	1	1	—	3	—	1	1	2	2	7	4	14	4	4	—	—	—	—
Generative	0.03	6	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—
Birth	0.07	8	—	—	—	—	—	—	—	—	—	2	3	5	—	—	—	—	—	—	—	—
Violence	0.14	16	—	—	—	—	—	—	—	—	—	—	1	1	6	1	4	—	—	—	—	—
Violence	0.34	40	1	3	2	1	2	9	1	2	1	1	1	7	9	1	4	1	7	—	—	—
CAUSES	3.09	859	138	13	5	5	1	158	5	4	1	1	6	12	12	14	21	107	—	—	—	—

Deaths of Infants (under
one) to 1000 Births - 37Marriages - 551
Births - 3,193Annual Rate of Persons Married - 9.46
per 1000 living (Births) - 27.46

123.—WINDSOR.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	75 and upwards
TOTAL DEATHS PER 1000	—	17.81	—	—	—	—	—	49.29	5.08	3.15	4.02	4.37	7.17	11.66	17.65	28.97	65.20	160.71				
Pop. 71-80	—	20,358	780	697	711	707	708	3603	3201	3013	2730	2907	4824	3526	2487	1681	989	397				
CAUSES	17.81	5229	1091	360	159	103	63	1776	161	95	110	127	346	411	439	487	639	633				
Diarrhoea	0.04	13	1	—	—	—	1	2	1	—	1	2	2	2	2	—	1	—	—	—	—	—
Scarlet Fever	0.18	52	6	23	14	6	2	48	3	—	—	—	1	—	—	—	—	—	—	—	—	—
Erysipelas	0.28	83	3	14	12	10	15	54	18	5	2	1	2	1	—	—	—	—	—	—	—	—
Dysentery	0.14	41	1	3	7	7	4	22	11	2	—	—	3	—	—	—	—	—	—	—	—	—
Whooping-cough	0.32	132	64	49	21	9	4	147	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.01	4	—	—	—	1	1	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.35	74	5	4	4	3	—	16	11	3	5	10	12	5	4	5	2	1	—	—	—	—
Erysipelas	0.03	16	2	—	—	1	—	3	1	—	—	—	3	8	1	3	2	1	1	—	—	—
Dysentery	0.04	12	—	—	—	—	—	—	—	—	—	—	3	8	—	—	—	—	—	—	—	—
Whooping-cough	0.81	237	172	32	5	1	2	212	1	—	—	2	—	2	2	6	6	6	—	—	—	—
Measles	0.01	4	—	—	1	—	1	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Scarlet Fever	0.25	161	—	—	—	—	—	—	—	—	—	—	—	13	34	45	43	13	—	—	—	—
Erysipelas	0.10	30	8	3	1	1	1	15	3	5	3	—	2	1	1	—	—	—	—	—	—	—
Dysentery	0.14	41	16	12	1	1	—	30	6	3	—	—	1	—	—	—	—	—	—	—	—	—
Whooping-cough	2.20	675	37	11	7	6	2	48	14	20	52	57	148	164	100	50	26	1	—	—	—	—
Measles	0.26	105	25	20	16	9	4	54	11	5	3	1	1	—	—	—	—	—	—	—	—	—
Nervous Syst.	2.32	681	166	53	13	13	6	231	25	16	5	4	24	38	49	69	152	104	—	—	—	—
Respiratory	1.34	392	1	—	—	—	—	—	21	7	5	6	48	69	30	107	97	—	—	—	—	—
Digestive	3.60	881	213	97	40	21	6	377	17	4	4	13	26	45	50	123	118	—	—	—	—	—
Genital	0.67	234	31	3	—	3	2	39	7	3	2	4	20	25	40	43	50	23	—	—	—	—
Urinary	0.45	122	3	—	1	—	—	4	2	—	1	3	14	14	24	22	22	16	—	—	—	—
Generative	0.02	6	—	—	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—
Birth	0.04	32	—	—	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
Violence	0.15	37	1	—	—	—	—	—	2	1	1	1	4	8	13	6	3	—	—	—	—	—
Violence	0.49	145	12	4	5	3	1	25	7	13	15	8	18	15	19	10	9	3	—	—	—	—
CAUSES	3.36	587	345	42	15	8	11	421	16	12	12	6	27	25	36	59	112	281	—	—	—	—

Deaths of Infants (under
one) to 1000 Births - 123Marriages - 1,882
Births - 8,540Annual Rate of Persons Married - 12.82
per 1000 living (Births) - 30.11

MIDDLESEX (ex-met.)

124.—STAINES.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18.88	—	—	—	—	—	44.51	4.89	2.63	4.42	5.39	7.41	9.68	15.82	26.22	62.76	148.72
Mean Pop. 1871-80	—	21,087	616	537	558	596	588	2925	2863	3151	1925	1689	2874	2396	1802	1274	700	385
ALL CAUSES	16.88	8712	826	239	102	50	55	1302	140	83	85	91	213	232	285	334	477	670
Small-pox	0.18	40	4	—	—	—	2	6	5	4	4	0	3	0	1	2	—	—
Measles	0.34	83	18	21	12	12	8	74	8	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.30	63	2	8	10	6	7	33	21	5	2	1	—	—	—	—	—	—
Diphtheria	0.66	13	1	—	1	—	—	6	5	—	—	—	2	—	—	—	—	—
Whooping-cough	0.39	85	44	19	5	6	5	79	6	—	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—
Enteric Fever	0.19	41	—	1	8	1	1	6	6	7	9	3	7	1	—	1	1	—
Simple Cont. Fev.	0.07	16	—	1	1	1	—	3	4	1	2	1	3	—	—	2	—	—
Puerp. Fever	0.06	13	—	—	—	—	—	—	—	—	—	2	7	8	1	—	—	—
Diarr. and Dys.	0.78	171	102	51	5	1	1	183	1	—	—	—	—	—	1	8	12	11
Cholera	0.01	3	2	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—
Cancer	0.54	74	—	—	—	—	—	—	—	—	—	—	2	3	15	18	31	4
Serofula	0.14	30	9	4	1	—	1	15	7	1	1	—	2	1	—	—	8	—
Tuberc Mesent.	0.24	53	23	10	5	4	1	43	5	2	1	—	—	—	1	—	1	—
Phthisis	1.71	377	8	7	5	1	2	23	7	18	58	33	81	72	55	27	11	4
Hydrocephalus	0.10	43	18	13	2	7	2	37	5	1	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.38	523	134	27	9	11	4	180	13	7	5	5	12	10	47	52	58	17
Circulatory	1.15	238	8	—	—	—	1	4	3	5	5	4	12	22	29	19	30	44
Respiratory	2.66	585	134	22	21	16	10	236	11	4	2	2	20	21	56	67	94	90
Digestive	1.70	519	28	4	4	2	2	40	4	5	—	7	14	24	39	38	60	21
Urinary	0.49	108	1	2	—	1	2	6	2	3	2	4	4	6	22	15	29	16
Generative	0.02	5	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—
Childbirth	0.09	10	—	—	—	—	—	—	—	—	—	2	6	12	—	—	—	—
Suicide	0.10	21	—	—	—	—	—	—	—	—	—	1	2	3	7	7	1	—
Other Violence	0.46	102	13	6	4	—	1	23	13	11	7	1	12	11	11	6	4	3
OTHER CAUSES	3.36	743	281	50	13	9	3	339	11	8	9	11	18	16	19	31	79	24

Deaths of Infants (under
one) to 1000 Births } 117

Marriages - 1,178
Births - 7,050

Annual Rate { Persons Married - 10.72
per 1000 living { Births - 32.06

125.—UXBRIDGE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	22.80	—	—	—	—	—	10.05	4.77	2.83	4.77	6.05	11.08	20.55	26.84	37.42	72.93	168.71
Mean Pop. 1871-80	—	21,544	717	626	681	669	683	3411	3249	2963	2179	2000	3655	3153	2663	1817	1064	438
ALL CAUSES	22.80	6075	1035	332	155	91	62	1673	155	84	104	137	427	640	658	680	776	76
Small-pox	0.14	36	3	2	—	1	1	7	1	3	5	7	4	3	1	3	2	—
Measles	0.29	79	13	24	18	5	5	65	14	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.35	94	3	23	8	22	0	65	19	8	—	—	2	—	—	—	—	—
Diphtheria	0.40	15	2	1	1	4	1	9	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0.38	101	41	29	21	5	2	98	8	—	—	—	—	—	—	—	—	—
Typhus	0.02	5	—	—	1	—	—	1	—	—	2	—	—	—	1	—	1	—
Enteric Fever	0.18	47	—	1	2	—	2	5	5	1	7	5	8	5	4	4	2	1
Simple Cont. Fev.	0.06	16	—	—	—	1	—	1	4	2	1	—	—	—	1	2	1	—
Puerp. Fever	0.09	23	—	—	—	—	—	—	—	—	1	7	8	7	—	—	—	—
Diarr. and Dys.	0.81	214	116	50	9	2	1	178	—	—	—	—	3	1	5	8	10	8
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.61	171	—	—	—	—	—	—	—	1	1	1	4	19	20	42	48	56
Serofula	0.08	22	5	4	—	5	1	13	2	2	—	1	1	1	1	1	—	—
Tuberc Mesent.	0.12	52	6	7	4	—	—	17	6	4	—	—	—	—	1	—	1	—
Phthisis	2.31	667	11	6	4	1	2	24	10	17	37	51	165	171	112	53	23	4
Hydrocephalus	0.16	42	10	10	5	1	6	32	6	2	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	4.67	1239	128	24	15	8	4	179	11	2	7	27	104	220	216	185	140	86
Circulatory	1.70	450	1	—	3	—	—	4	4	4	7	6	19	48	76	98	120	60
Respiratory	4.14	1099	221	91	29	19	12	372	19	5	12	10	41	87	98	123	144	100
Digestive	1.09	280	28	2	3	—	—	36	8	5	2	6	11	20	29	75	49	30
Urinary	0.47	126	3	1	—	1	—	5	4	4	1	3	5	17	25	21	27	10
Generative	0.06	17	—	—	—	—	—	—	—	—	1	—	2	3	3	1	4	3
Childbirth	0.06	16	—	—	—	—	—	—	—	—	2	2	6	6	—	—	—	—
Suicide	0.13	34	—	—	—	—	—	—	—	—	1	2	5	6	8	5	1	—
Other Violence	0.70	184	21	7	11	9	4	52	16	10	6	1	16	24	28	15	14	6
OTHER CAUSES	8.97	1054	421	50	21	9	9	510	18	3	10	7	23	26	34	50	65	29

Deaths of Infants (under
one) to 1000 Births } 129

Marriages - 1,650
Births - 7,379

Annual Rate { Persons Married - 10.93
per 1000 living { Births - 30.01

126.—BRENTFORD.

		Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ALL DEATHS (PER 1000.)		—	17.48	—	—	—	—	—	51.47	—	—	—	—	—	—	—	—	—	—
Male Pop. 71-80		—	86,819	2550	2229	2277	2208	2210	11534	10705	9799	8320	8139	13132	9788	7071	4607	2656	1008
ALL CAUSES		17.48	15,172	3833	1108	473	307	216	5987	529	299	303	344	905	1115	1162	1359	1028	1391
Dysent.		0.19	165	23	5	8	8	4	48	16	9	20	11	20	16	11	3	1	—
Scarlet Fever		0.37	318	61	118	64	58	12	243	26	14	—	1	2	1	1	—	—	—
Measles		0.22	275	12	49	54	37	41	183	63	14	3	6	3	3	—	—	—	—
Whooping-cough		0.08	71	6	19	5	10	3	34	26	4	1	—	—	1	2	1	—	—
Consumption		0.43	367	161	103	43	23	15	232	15	—	—	—	—	—	—	—	—	—
Scarlet Fever		0.01	9	—	—	—	—	—	—	1	2	2	—	1	—	2	—	1	—
Scarlet Cont. Fev.		0.16	137	—	7	9	8	5	29	23	12	13	11	13	12	8	7	2	—
Scarlet Fev.		0.05	43	1	1	3	4	—	9	9	2	7	3	3	4	5	—	1	—
Scarlet and Dys.		0.04	39	—	—	—	—	—	—	—	—	1	9	17	12	—	—	—	—
Smallpox		0.87	725	543	89	15	7	4	618	4	2	—	—	3	4	10	11	23	39
Smallpox		0.02	16	9	1	—	—	—	10	—	—	—	—	1	2	—	1	1	1
Scarlet		0.45	388	1	—	—	1	—	2	1	—	1	1	18	44	33	99	94	35
Measles		0.14	117	42	19	12	7	1	81	9	9	4	1	3	6	1	2	1	—
Whooping-cough		0.23	213	112	44	20	5	4	185	10	9	5	—	5	—	1	—	—	—
Consumption		1.75	1618	50	19	7	4	10	60	36	62	120	168	390	352	193	105	35	7
Consumption		0.40	344	126	76	37	20	20	279	48	13	1	2	1	—	—	—	—	—
Nervous Syst.		2.11	1879	482	54	23	26	21	651	45	29	24	15	36	98	134	235	302	146
Respiratory		1.25	1176	8	3	—	2	15	12	28	25	18	83	124	187	237	268	140	200
Digestive		3.73	2800	772	317	113	54	33	1791	50	29	14	20	84	132	181	281	34	324
Genital		0.93	809	98	12	4	3	6	123	27	16	12	10	50	61	148	122	145	65
Genital		0.43	373	1	5	2	3	3	14	12	4	4	3	27	39	61	76	91	45
Generative		0.05	44	—	—	—	—	—	—	—	—	—	2	4	8	19	9	8	3
Birth		0.06	51	—	—	—	—	—	—	—	—	2	5	26	21	1	—	—	—
Infantile		0.08	70	—	—	—	—	—	—	—	—	1	8	14	12	13	13	8	1
Violence		0.20	438	72	20	19	11	9	101	31	24	27	26	45	45	38	24	25	22
ALL CAUSES		3.73	2803	1280	124	38	34	23	1499	60	27	18	33	41	68	62	152	227	646

Deaths of Infants (under
one) to 1000 Births - 139Marriages - 5,234
Births - 27,537Annual Rate { Persons Married - 12.06
per 1000 living { Births - 31.72

127.—HENDON.

ALL DEATHS (PER 1000.)	—	16.65	—	—	—	—	—	14.51	4.34	2.86	3.09	3.85	6.16	10.11	14.85	30.04	58.62	149.41
Male Pop. 71-80	—	45,821	1351	1210	1267	1333	1237	6298	5619	5236	4625	4181	7002	5403	3649	2250	1131	427
ALL CAUSES	16.65	7627	2154	687	305	160	127	3453	244	150	143	161	431	546	542	676	663	638
1-pox - -	0.11	49	10	5	4	2	2	23	2	1	3	3	7	4	2	3	1	—
Scarlet - -	0.40	184	60	61	32	16	9	178	3	1	—	—	—	—	—	—	—	—
Measles - -	0.28	172	7	18	29	24	31	109	43	8	4	2	3	3	—	—	—	—
Dysent. - -	0.16	74	4	5	14	11	8	42	18	7	2	2	1	—	2	—	—	—
Whooping-cough	0.62	283	120	94	30	20	13	277	6	—	—	—	—	—	—	—	—	—
Consumption - -	0.02	11	—	—	—	—	1	1	1	2	—	—	2	3	1	—	1	—
Scarlet Fever - -	0.25	115	2	4	3	4	2	15	15	12	11	6	14	14	12	6	2	1
Measles Cont. Fev. - -	0.03	16	—	1	1	—	—	3	3	1	1	1	1	1	—	—	—	—
Dysent. Fev. - -	0.07	51	—	—	—	—	—	—	—	—	6	17	8	—	—	—	—	—
Scarlet and Dys. - -	0.07	398	269	51	8	2	3	343	2	—	—	—	2	4	2	4	11	10
Smallpox - -	0.02	11	5	2	1	1	—	9	—	—	—	—	1	—	—	1	—	—
Scarlet - -	0.38	174	—	—	—	—	—	—	—	—	—	1	3	23	36	53	41	37
Measles - -	0.14	63	18	33	4	2	2	59	4	9	4	—	1	1	1	—	3	1
Scarlet - -	0.24	111	63	24	7	4	1	99	3	3	2	1	1	1	—	—	1	—
Dysent. - -	1.60	723	21	16	5	1	2	45	9	31	45	62	165	2	174	113	68	58
Smallpox - -	0.35	162	83	39	23	7	11	133	21	4	1	1	2	—	—	—	—	—
Consumption Syst.	1.93	891	245	60	23	14	7	338	32	18	11	8	28	46	55	122	150	88
Consumption Syst.	1.02	467	8	—	1	—	—	4	8	10	8	5	43	53	79	114	101	42
Consumption Syst.	3.70	1420	443	196	61	32	19	731	26	12	12	11	38	70	87	120	148	139
Consumption Syst.	0.84	387	65	10	4	3	1	83	9	8	7	14	22	41	51	49	55	78
Consumption Syst.	0.38	172	2	2	3	—	—	7	3	3	1	6	13	24	25	37	26	27
Consumption Syst.	0.03	13	—	—	—	—	—	—	—	—	—	—	4	1	2	6	—	1
Birth - -	0.06	56	—	—	—	—	—	—	—	—	—	4	12	10	—	—	—	—
Scarlet - -	0.07	30	—	—	—	—	—	—	—	—	—	2	5	8	6	4	—	—
Violence - -	0.57	291	47	7	11	5	9	79	10	8	16	18	21	21	62	28	15	11
ALL CAUSES	3.61	1578	687	70	41	11	6	815	26	10	15	8	20	37	36	44	97	270

Deaths of Infants (under
one) to 1000 Births - 142Marriages - 2,558
Births - 15,173Annual Rate { Persons Married - 11.17
per 1000 living { Births - 33.11

R 2605.

X

128.—BARNET.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	21.82	—	—	—	—	—	40.75	4.95	2.85	4.00	0.55	18.73	23.79	20.48	10.29	71.37	123.28
Mean Pop. 1871-80	—	29,634	775	710	710	727	689	3620	3232	3155	2722	2000	4589	3768	2710	1787	1020	432
ALL CAUSES	21.82	6467	965	264	125	81	50	1475	160	90	109	171	630	804	709	730	728	401
Small-pox	0.06	19	1	—	—	—	—	1	2	—	4	3	2	4	2	1	—	—
Measles	0.25	78	18	26	12	8	7	65	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.52	68	4	7	11	8	8	38	21	4	—	—	1	1	1	—	—	—
Diphtheria	0.13	68	5	4	4	2	3	22	7	—	—	—	—	—	—	—	—	—
Whooping-cough	0.49	150	56	38	15	4	3	118	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	8	—	1	—	—	—	1	—	1	—	2	—	2	1	—	—	—
Enteric Fever	0.19	57	1	1	—	2	—	4	10	7	8	5	4	9	4	2	4	—
Simple Cont. Fev.	0.04	19	1	2	—	1	1	5	1	1	3	1	3	1	1	2	1	—
Paup. Fever	0.08	24	—	—	—	—	—	—	—	—	1	15	7	—	—	—	—	—
Diarr. and Dys.	0.69	205	127	59	1	—	—	148	1	—	—	4	7	11	9	11	7	—
Cholera	0.01	4	1	2	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0.47	138	—	—	—	—	—	—	2	—	—	—	1	7	10	38	29	31
Serofula	0.07	21	5	8	4	—	1	15	2	—	1	—	1	1	—	1	1	—
Tub. Mesent.	0.22	64	36	8	4	1	—	49	6	4	1	2	1	—	—	1	—	—
Phtisis	2.18	676	17	8	1	1	—	27	7	10	30	76	175	189	117	59	17	2
Hydrocephalus	0.22	63	23	11	12	1	2	49	9	7	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	4.03	2934	107	26	8	6	5	150	7	7	22	40	238	499	587	527	229	127
Circulatory	1.29	535	2	—	—	—	—	2	2	5	4	5	38	41	69	65	120	45
Respiratory	2.83	878	177	62	27	15	4	283	16	2	2	5	39	61	57	114	142	127
Digestive	0.01	279	28	2	1	1	—	30	8	1	2	0	24	35	45	5	46	30
Urinary	0.37	111	3	2	3	—	—	8	2	3	1	3	5	15	17	20	23	14
Generative	0.04	12	—	—	—	—	—	—	—	—	—	—	—	—	4	3	1	4
Childbirth	0.08	24	—	—	—	—	—	—	—	—	—	4	8	11	1	—	—	—
Nuicide	0.12	35	—	—	—	—	—	—	—	—	—	—	1	—	6	18	8	1
Other Violence	0.40	120	18	1	4	4	4	31	9	18	5	8	12	12	13	8	8	9
OTHER CAUSES	3.45	1015	334	35	18	9	10	409	24	10	12	9	16	30	33	44	111	246

Deaths of Infants (under one) to 1000 Births } 115

Marriages Births } 1,550
8,296Annual Rate { Persons Married } 9.15
per 1000 living { Births } 27.59

129.—EDMONTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	16.89	—	—	—	—	—	45.84	5.01	2.70	3.45	4.85	6.07	9.86	15.14	28.62	61.50	121.21
Mean Pop. 1871-80	—	112,029	3417	3105	3148	3066	3057	16783	14012	12027	10615	10039	17110	12907	8859	5703	3473	1401
ALL CAUSES	16.89	19,018	4673	1337	582	378	269	7239	702	325	366	457	1039	1273	1341	1332	2246	2279
Small-pox	0.12	153	13	3	4	2	3	25	12	5	10	11	28	26	8	3	3	1
Measles	0.27	297	67	107	67	29	14	274	17	3	—	1	1	—	—	—	—	—
Scarlet Fever	0.35	493	16	41	75	52	40	228	117	26	8	2	3	7	—	—	—	—
Diphtheria	0.23	243	11	22	19	40	39	131	84	16	3	5	3	1	1	1	1	—
Whooping-cough	0.20	556	245	159	75	60	18	537	18	1	—	—	—	—	—	—	—	—
Typhus	0.02	18	—	—	1	1	2	3	1	2	2	3	3	3	1	—	1	—
Enteric Fever	0.34	582	6	9	11	11	12	49	70	35	42	45	49	40	19	9	15	9
Simple Cont. Fev.	0.04	45	2	2	1	8	2	10	9	8	4	4	3	2	3	1	—	—
Paup. Fever	0.06	72	—	—	—	—	—	—	—	—	3	15	33	19	—	—	—	—
Diarr. and Dys.	0.76	853	621	100	16	7	6	750	9	8	1	1	3	6	6	15	28	20
Cholera	0.02	21	11	2	—	—	—	15	1	—	—	—	—	4	1	1	—	1
Cancer	0.50	557	—	—	—	—	—	—	—	—	1	5	12	61	117	142	161	57
Serofula	0.11	128	32	17	7	5	3	84	12	7	0	3	3	1	3	2	2	—
Tub. Mesent.	0.27	395	137	54	38	4	3	276	13	9	1	—	—	—	—	—	—	—
Phtisis	1.59	1777	47	23	11	2	2	85	28	48	136	263	469	468	269	140	58	4
Hydrocephalus	0.31	132	109	103	57	20	16	244	23	9	6	3	4	—	2	—	—	—
Diseases of Nervous Syst.	2.04	1374	577	123	65	29	25	709	53	24	19	19	25	112	170	284	443	281
Circulatory	1.11	1245	6	1	2	1	11	16	24	21	39	73	123	178	178	276	360	173
Respiratory	2.50	3126	694	330	109	57	30	1419	63	20	20	27	92	189	200	312	511	600
Digestive	0.07	370	145	13	9	4	4	175	25	19	18	18	69	92	127	174	168	86
Urinary	0.28	424	2	3	5	2	—	13	19	9	4	10	36	34	65	91	94	69
Generative	0.06	63	—	—	—	—	—	—	—	—	—	—	8	6	37	16	12	1
Childbirth	0.05	59	—	—	—	—	—	—	—	—	3	6	24	25	—	—	—	—
Nuicide	0.08	87	—	—	—	—	—	—	—	1	4	6	19	12	14	16	10	5
Other Violence	0.47	622	106	15	18	6	7	149	35	28	29	24	67	67	64	28	12	25
OTHER CAUSES	3.41	36.2	1579	181	67	67	34	1918	79	32	27	26	67	69	79	129	306	169

Deaths of Infants (under one) to 1000 Births } 131

Marriages Births } 4,506
35,707Annual Rate { Persons Married } 8.81
per 1000 living { Births } 31.77

HERTFORDSHIRE.

130.—WARE.

	Annual Death Rate per 1000	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and over.
DEATHS PER 1000	—	16.22	—	—	—	—	—	36.07	3.71	2.48	3.29	4.83	6.80	9.47	14.22	25.30	58.52	147.76
Pop. 80	—	18,042	508	456	409	475	465	2373	2186	2180	1882	1387	2279	1847	1576	1241	757	335
CAUSES	16.22	2026	580	150	59	37	30	856	81	54	62	67	155	175	224	314	443	495
Box -	0.07	12	—	—	—	—	—	—	1	—	1	2	5	—	1	2	—	—
Fever -	0.20	36	10	7	3	6	2	28	7	—	1	—	—	—	—	—	—	—
Fever -	0.24	44	—	5	5	7	5	22	13	6	2	—	1	—	—	—	—	—
Fever -	0.24	7	—	—	1	1	3	5	1	1	—	—	—	—	—	—	—	—
ing-cough	0.34	61	33	10	3	3	1	59	2	—	—	—	—	—	—	—	—	—
Fever -	0.04	8	—	—	—	—	—	—	—	2	4	—	—	—	—	1	1	—
Fever -	0.15	23	—	—	1	—	2	5	5	2	1	2	2	2	3	6	2	—
Cont. Fer.	0.21	37	1	—	1	1	1	4	2	3	1	2	7	3	4	4	5	2
Fever -	0.07	12	—	—	—	—	—	—	—	—	1	3	4	4	—	—	—	—
and Dys.	0.63	113	64	15	5	—	—	84	—	1	1	1	1	3	2	3	6	11
Fever -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fever -	0.47	84	—	—	—	—	—	—	—	—	1	3	8	23	20	23	6	—
Fever -	0.10	16	3	—	1	—	—	4	3	1	—	1	1	—	1	1	1	—
Present.	0.12	21	12	2	4	—	—	18	2	—	1	—	—	—	—	—	—	—
Fever -	1.48	2-8	1	5	3	1	—	10	3	7	20	31	65	50	49	22	50	—
phialus -	0.09	17	4	5	2	1	2	14	3	1	—	—	—	—	—	—	—	—
venous Syst.	2.11	380	83	17	4	5	4	118	10	4	6	2	10	23	23	51	80	55
ulatory -	1.79	196	—	—	—	—	—	—	—	1	3	2	9	30	30	53	64	25
piratory -	2.63	470	99	39	12	10	3	163	6	3	4	6	10	21	31	34	91	70
active -	1.00	160	17	3	—	—	—	29	3	6	3	3	9	14	26	24	34	24
ary -	0.23	52	—	1	—	—	1	2	—	—	3	—	7	7	3	10	10	10
erative -	0.05	6	—	—	—	—	—	—	—	—	—	—	—	1	3	1	1	—
th -	0.06	11	—	—	—	—	—	—	—	—	3	5	5	—	—	—	—	—
Fever -	0.06	10	—	—	—	—	—	—	—	—	—	1	1	1	4	3	1	—
Balance -	0.48	87	4	1	2	2	2	11	16	7	5	6	7	8	7	12	7	7
CAUSES	0.44	770	216	31	12	—	4	293	11	9	4	1	8	18	23	35	90	278

Deaths of Infants (under
one to 1000 Births) - } 108Marriages - 874
Births - 5,454Annual Rate (Persons Married - 9.69
per 1000 living (Births - 30.23

131.—BISHOP STORTFORD.

	Annual Death Rate per 1000	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and over.
DEATHS PER 1000	—	16.80	—	—	—	—	—	36.13	3.71	2.63	4.26	6.67	7.03	10.61	11.30	22.53	56.85	137.00
Pop. 80	—	21,710	640	526	631	563	594	2956	2752	2496	1974	1665	2745	2244	1929	1527	1068	414
CAUSES	16.80	3648	713	191	80	48	36	1068	102	67	84	111	193	238	218	344	573	650
Box -	0.23	54	7	—	1	—	—	8	3	—	1	10	9	11	7	2	1	2
Fever -	0.19	42	15	14	5	2	1	37	5	—	—	—	—	—	—	—	—	—
Fever -	0.16	35	2	3	3	5	4	17	12	3	1	1	1	—	—	—	—	—
Fever -	0.18	39	1	3	3	2	8	17	16	5	1	—	—	—	—	—	—	—
ing-cough	0.47	103	46	30	11	8	5	100	3	—	—	—	—	—	—	—	—	—
Fever -	0.02	5	—	—	—	—	—	—	1	1	2	—	—	—	—	1	—	—
Fever -	0.32	70	1	4	7	1	3	16	7	7	9	4	6	7	4	7	4	1
Cont. Fer.	0.07	15	—	2	—	—	—	2	1	2	4	—	—	4	1	—	1	—
Fever -	0.06	14	—	—	—	—	—	—	—	2	1	8	3	—	—	—	—	—
and Dys.	0.41	88	43	9	3	—	—	64	1	—	—	—	2	1	1	3	7	10
Fever -	0.06	12	7	3	—	—	—	10	—	1	—	—	—	—	—	—	—	1
Fever -	0.48	164	—	—	—	—	—	—	—	—	1	—	2	14	25	27	24	14
Fever -	0.04	9	2	—	—	—	1	3	—	—	2	1	1	—	—	2	—	—
Present.	0.24	53	26	10	8	1	1	46	3	1	—	1	—	—	—	—	—	—
Fever -	1.33	204	3	2	—	—	—	6	4	7	26	46	70	62	37	22	7	1
phialus -	0.24	52	14	13	7	2	3	29	7	5	—	1	—	—	—	—	—	—
venous Syst.	2.21	480	83	14	8	4	3	114	12	14	10	8	9	18	32	60	116	93
ulatory -	1.27	270	1	1	—	—	—	2	—	5	2	7	12	26	22	61	99	54
piratory -	2.73	692	113	50	13	11	2	189	7	5	4	8	14	29	25	51	133	125
active -	0.90	316	27	3	—	—	1	31	4	5	5	1	3	15	23	31	64	25
ary -	0.43	94	—	—	—	—	—	1	—	—	1	3	5	13	9	18	22	21
erative -	0.05	19	—	—	—	—	—	—	—	—	—	—	2	—	2	3	2	1
th -	0.12	23	—	—	—	—	—	—	—	—	2	7	7	9	—	—	—	—
Fever -	0.06	12	—	—	—	—	—	—	—	—	1	2	—	—	4	1	2	2
Balance -	0.52	112	8	5	2	1	3	17	4	5	3	5	12	15	14	13	13	10
CAUSES	0.68	842	315	25	8	10	1	35	11	4	7	6	19	19	11	40	91	294

Deaths of Infants (under
one to 1000 Births) - } 103Marriages - 1,136
Births - 6,924Annual Rate (Persons Married - 10.47
per 1000 living (Births - 31.89

132.—ROYSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up.
ANNUAL DEATH RATE PER 1000.	—	16.76	—	—	—	—	—	40.47	3.10	2.30	3.83	5.36	6.64	7.07	10.48	23.46	50.85	151.
Mean Pop. 1871-80	—	25,417	718	668	667	708	713	3474	3387	3012	2299	1753	3013	2673	2280	1804	1172	59
ALL CAUSES	16.76	4260	1002	213	98	57	36	1408	105	72	88	94	200	265	239	423	596	82
Small-pox	0.07	17	4	—	—	—	—	4	—	1	—	2	3	1	8	—	—	—
Measles	0.12	30	7	6	4	2	3	22	8	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	43	6	2	4	9	2	23	13	5	1	1	—	—	—	—	—	—
Diphtheria	0.06	15	1	—	3	1	1	6	6	2	—	—	—	—	—	—	1	—
Whooping-cough	0.41	104	50	26	18	6	3	103	1	—	—	—	—	—	—	—	—	—
Typhus	0.04	9	—	—	—	—	—	—	1	3	1	1	1	—	1	—	1	—
Enteric Fever	0.35	89	2	1	1	3	4	11	9	9	12	7	15	9	6	7	4	1
Mimble Cont. Fev.	0.03	7	1	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
Puerp. Fever	0.06	16	—	—	—	—	—	—	—	—	1	7	6	2	—	—	—	—
Diarr. and Dys.	0.69	175	105	28	7	3	—	143	—	—	—	—	—	2	3	1	4	10
Cholera	0.02	4	1	—	—	—	—	1	—	—	—	—	—	1	—	—	2	—
Cancer	0.36	142	—	—	—	—	—	—	—	—	—	9	1	11	29	62	83	14
Scrophula	0.10	24	5	5	1	—	—	11	1	1	1	2	2	2	2	3	3	—
Tuberc Mesent.	0.14	36	16	5	2	—	2	25	3	1	4	—	—	1	1	—	—	—
Phthisis	1.42	362	37	14	6	4	2	63	2	11	30	34	77	59	35	56	15	2
Hydrocephalus	0.22	56	20	15	9	3	—	49	5	1	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1.93	490	81	13	5	2	3	104	8	4	5	6	19	27	22	74	101	119
Circulatory	1.31	337	1	—	—	—	—	1	2	3	6	4	13	11	31	89	122	34
Respiratory	2.45	625	179	67	20	11	7	291	8	8	4	6	11	16	29	28	105	146
Digestive	0.65	165	18	—	—	—	—	18	7	1	2	5	9	9	23	34	41	16
Urinary	0.32	81	1	—	—	—	—	1	2	2	3	1	5	6	4	18	21	18
Generative	0.03	13	—	—	—	—	—	—	—	—	—	—	—	1	4	5	1	—
Childbirth	0.09	24	—	—	—	—	—	—	—	—	4	2	11	7	—	—	—	—
Suicide	0.04	10	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
Other Violence	0.53	134	15	2	8	4	4	33	11	12	9	5	10	9	12	15	16	9
OTHER CAUSES	4.91	1252	453	20	10	7	5	505	17	8	8	8	11	20	22	38	120	40

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 1,490
Births - 8,363Annual Rate { Persons Married - 11.65
per 1000 living { Births - 32.90

133.—HITCHIN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up.
ANNUAL DEATH RATE PER 1000.	—	18.54	—	—	—	—	—	49.44	3.72	3.27	4.76	6.19	7.78	9.38	13.90	25.84	57.05	127.
Mean Pop. 1871-80	—	27,536	806	726	760	737	745	3774	3407	3180	2624	2214	3404	2922	2439	1819	1139	46
ALL CAUSES	18.54	5106	1241	339	159	77	59	1866	129	104	125	137	272	274	339	470	637	79
Small-pox	0.07	20	4	—	—	—	—	4	1	—	1	3	—	5	1	3	—	—
Measles	0.36	109	17	31	23	11	6	88	11	—	—	—	1	—	—	—	—	—
Scarlet Fever	0.42	117	6	24	19	16	9	74	25	10	4	—	—	—	—	1	—	—
Diphtheria	0.05	15	3	—	2	2	2	9	4	1	1	—	—	—	—	—	—	—
Whooping-cough	0.50	138	76	30	11	5	3	136	2	—	—	—	—	—	—	—	—	—
Typhus	0.61	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Enteric Fever	0.31	84	1	2	4	4	—	11	7	7	15	10	12	9	10	8	—	—
Mimble Cont. Fev.	0.09	25	1	1	—	1	—	3	1	4	5	—	4	3	1	1	—	3
Puerp. Fever	0.05	14	—	—	—	—	—	—	—	—	1	4	5	4	—	—	—	—
Diarr. and Dys.	0.87	211	143	35	6	9	3	189	2	—	1	2	5	1	4	6	11	10
Cholera	0.01	3	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Cancer	0.41	114	—	—	—	—	—	—	1	—	1	—	5	9	25	40	15	10
Scrophula	0.13	34	10	8	6	1	—	25	3	1	—	1	—	1	1	1	—	1
Tuberc Mesent.	0.56	100	64	23	7	—	—	94	—	4	1	—	—	1	—	—	—	—
Phthisis	1.64	432	3	1	2	1	—	7	8	19	47	69	112	82	67	32	9	—
Hydrocephalus	0.14	39	7	9	8	3	3	30	4	1	2	—	—	2	—	—	—	—
Diseases of																		
Nervous Syst.	2.28	625	202	27	16	2	7	254	6	12	4	6	21	21	42	84	72	34
Circulatory	1.03	267	—	—	—	1	—	1	5	11	9	7	18	30	48	84	100	40
Respiratory	2.88	774	191	70	23	10	4	298	9	11	6	9	15	29	47	101	140	128
Digestive	0.98	271	27	6	—	—	1	31	5	1	3	5	25	26	35	53	88	26
Urinary	0.32	87	1	—	3	1	1	6	3	4	2	2	8	5	11	17	18	11
Generative	0.03	14	—	—	—	—	—	—	—	—	—	1	1	2	2	3	6	—
Childbirth	0.10	27	—	—	—	—	—	—	—	—	2	3	15	7	—	—	—	—
Suicide	0.03	9	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	1
Other Violence	0.57	103	6	4	7	2	7	20	5	8	8	2	7	12	9	9	6	9
OTHER CAUSES	4.68	1280	478	50	22	15	11	576	24	10	11	12	15	18	33	31	150	33

Deaths of Infants (under
one) to 1000 Births } 131Marriages - 1,822
Births - 9,403Annual Rate { Persons Married - 13.23
per 1000 living { Births - 34.37

134.—HERTFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
DEATH (PER 1000)	—	16.74	—	—	—	—	—	38.67	3.78	2.61	3.83	5.33	6.38	8.29	14.37	28.62	57.54	158.89
Pop. } -80- }	—	16,382	433	377	444	405	807	2056	2172	2028	1567	1238	2005	1736	1441	1118	723	298
CAUSES	16.74	2743	503	159	75	31	27	795	82	53	60	66	128	144	207	320	416	472
Box -	0.04	7	—	—	—	—	—	—	1	—	2	2	—	1	—	—	1	—
Fever -	0.46	66	19	21	10	3	2	35	10	1	2	—	—	—	—	—	—	—
aria -	0.15	30	4	5	5	2	2	16	3	2	2	1	1	—	—	—	—	—
ing-cough	0.10	16	3	—	2	2	2	9	4	3	—	—	—	—	—	—	—	—
—	0.44	72	32	22	9	3	2	68	3	1	—	—	—	—	—	—	—	—
Fever -	0.01	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cont. Fev.	0.16	27	—	1	—	1	—	9	4	4	—	2	2	—	—	—	—	—
and Dys.	0.14	23	—	—	—	1	1	2	3	1	1	2	1	1	2	5	4	1
—	0.05	9	—	—	—	—	—	—	—	—	—	1	—	4	—	4	10	17
—	0.02	146	81	20	5	2	—	108	1	—	—	—	—	2	4	4	1	—
—	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.42	69	—	1	—	—	—	—	—	—	—	—	4	5	18	21	15	8
Descent.	0.06	10	3	1	1	1	—	6	2	1	1	—	—	—	—	—	—	—
—	0.07	11	1	1	1	1	1	5	3	2	1	—	—	—	—	—	—	—
—	1.21	198	6	5	1	1	1	19	2	2	16	23	49	46	80	14	6	—
—	0.12	20	8	3	3	1	1	16	3	1	—	—	—	—	—	—	—	—
uous Syst.	1.72	282	65	7	4	1	—	77	3	7	5	3	11	14	20	89	58	43
ulatory "	1.54	233	2	—	—	—	—	2	5	4	8	4	12	9	40	66	69	33
piratory "	2.91	476	91	38	16	2	5	150	10	3	4	7	13	19	38	59	98	75
ative "	0.85	139	6	2	2	—	1	11	5	2	1	2	5	9	23	24	33	24
nary "	0.37	61	1	—	—	1	—	2	1	2	—	1	4	1	2	15	15	10
erative "	0.04	6	—	—	—	—	—	—	—	—	—	—	1	1	2	1	—	—
th -	0.07	11	—	—	—	—	—	—	—	—	—	4	5	2	—	—	—	—
—	0.07	12	—	—	—	—	—	—	—	—	—	2	2	2	2	2	1	1
tolence	0.45	90	8	2	3	4	1	18	3	5	5	8	5	7	6	12	12	8
CAUSES	0.32	708	173	37	13	5	7	235	12	12	9	5	8	13	22	54	89	249

Deaths of Infants (under one) to 1000 Births } 104. Marriages - 910
Births - 4,814 Annual Rate { Persons Married - 11.11
per 1000 living { Births - 29.39

135.—HATFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwds.
DEATH (PER 1000)	—	17.28	—	—	—	—	—	38.19	4.78	3.59	3.49	4.84	6.53	10.49	13.33	28.40	61.21	155.00
Pop. } -80- }	—	8717	251	238	247	231	248	1215	1108	943	802	682	1179	915	780	595	348	150
CAUSES	17.28	1506	298	83	32	29	22	464	53	52	23	33	77	96	104	169	213	237
Box -	0.05	4	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	1
Fever -	0.20	37	1	4	2	5	5	15	2	—	—	—	—	—	—	—	—	—
aria -	0.15	42	2	3	5	4	6	20	18	3	—	—	1	—	—	—	—	—
ing-cough	0.21	27	1	3	1	7	4	16	7	4	—	—	—	—	—	—	—	—
—	0.20	26	9	12	2	2	1	26	—	4	—	—	—	—	—	—	—	—
Fever -	0.03	3	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—
Cont. Fev.	0.21	18	—	1	—	1	—	2	2	—	5	2	2	2	1	1	1	—
and Dys.	0.08	7	—	1	—	1	—	—	1	2	—	—	2	2	—	—	—	—
—	0.03	4	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	3
—	0.28	33	21	3	1	—	1	26	—	—	—	—	—	—	—	—	—	—
—	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.50	44	—	—	—	—	1	1	—	—	—	—	—	2	10	15	11	8
Descent.	0.08	7	2	—	1	—	—	4	—	—	—	—	1	—	—	—	—	—
—	0.07	6	4	1	1	—	—	3	3	6	1	12	32	27	22	10	3	—
—	1.47	128	3	2	—	—	—	10	5	1	16	—	—	—	—	—	—	—
—	0.17	16	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
uous Syst.	2.48	216	57	13	1	2	—	73	3	1	3	3	2	11	12	20	45	37
ulatory "	1.55	135	1	—	—	—	—	1	—	—	4	2	1	6	14	15	41	28
piratory "	3.10	270	69	22	7	4	1	94	5	2	1	4	6	12	16	32	51	47
ative "	0.93	81	10	—	—	1	—	11	1	—	1	1	6	8	7	11	21	14
nary "	0.45	39	—	1	—	—	—	1	1	—	—	1	4	4	5	7	12	4
erative "	0.06	5	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—
th -	0.08	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
—	0.07	6	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—
tolence	0.20	44	4	2	3	2	—	11	3	4	2	4	8	3	4	1	2	2
CAUSES	3.68	322	117	16	4	3	1	141	4	5	1	3	3	5	7	17	35	101

Deaths of Infants (under one) to 1000 Births } 105. Marriages - 463
Births - 2,831 Annual Rate { Persons Married - 10.69
per 1000 living { Births - 32.49

136.—ST. ALBANS.

	ANNUAL DEATH RATE PER 1000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-
ANNUAL DEATH RATE PER 1000	—	18.16	—	—	—	—	—	45.92	3.94	2.94	1.55	2.50	5.02	11.50	15.00	26.50	40.00	50.00	60.00	70.00	80.00	90.00	100.00
Mean Pop. 1871-80	—	22,155	625	575	602	561	565	2,444	2,740	2,577	2,023	1,848	3,601	2,665	1,600	1,187	867	567	367	267	167	67	17
ALL CAUSES	18.16	40.90	927	215	110	77	50	1,552	1.5	71	52	100	248	240	287	391	535	567	567	567	567	567	567
Small-pox	0.15	55	2	2	1	—	—	5	3	4	7	—	17	1	5	3	1	—	—	—	—	—	—
Measles	0.24	84	11	22	7	4	1	45	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.59	86	5	6	14	16	6	47	31	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0.06	19	1	1	1	4	—	7	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	0.26	79	50	26	11	5	4	76	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	3	—	1	—	—	—	1	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.13	29	1	1	—	—	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.05	14	—	1	2	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.04	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.21	201	137	16	5	—	3	161	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	0.03	6	4	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.45	96	—	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula	0.11	25	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0.15	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	2.16	469	17	5	—	2	4	26	6	16	35	49	—	110	100	65	54	35	—	—	—	—	—
Hydrocephalus	0.29	65	17	12	5	3	2	37	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of																							
Nervous Syst.	2.49	557	120	10	8	10	3	160	8	7	8	3	30	25	20	64	80	114	114	114	114	114	114
Circulatory	1.84	409	2	1	—	1	—	4	4	6	8	10	24	32	36	50	50	70	70	70	70	70	70
Respiratory	2.00	457	129	56	26	14	15	274	2	5	4	12	12	35	26	64	120	120	120	120	120	120	120
Digestive	0.15	165	27	5	3	2	1	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urinary	0.14	76	—	—	1	8	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.09	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.09	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.05	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.47	104	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	0.15	701	237	37	18	9	7	404	8	10	6	10	6	9	8	13	11	8	—	—	—	—	—

Deaths of Infants (under one) to 1000 Births } 124

Marriages - 1,584 Births - 7,227

Annual Rate { Persons Married per 1000 living { Births - 1,438 - 52.57

137.—WATFORD.

	ANNUAL DEATH RATE PER 1000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-
ANNUAL DEATH RATE PER 1000	—	23.11	—	—	—	—	—	48.13	5.70	3.72	6.16	8.92	11.97	15.00	23.02	39.11	81.17	106.75	106.75	106.75	106.75	106.75	106.75
Mean Pop. 1871-80	—	22,250	761	702	747	725	705	3,630	3,515	3,350	2,548	2,287	4,000	3,476	2,003	2,002	1,232	400	—	—	—	—	—
ALL CAUSES	23.11	6761	1110	327	147	92	71	1,747	202	125	157	204	487	530	620	783	1000	567	—	—	—	—	—
Small-pox	0.11	22	2	—	—	—	—	—	4	2	4	1	7	2	3	3	1	—	—	—	—	—	—
Measles	0.15	33	10	26	15	11	5	67	5	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.11	26	4	13	19	14	17	67	39	9	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	0.13	29	—	—	—	—	—	—	15	3	1	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	0.18	41	42	22	20	—	1	136	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	11	—	—	—	—	—	—	1	3	2	2	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.20	39	—	—	—	—	—	—	6	10	4	4	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.10	22	—	—	—	—	—	—	7	2	3	2	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.10	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.60	135	66	25	—	—	—	120	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	0.01	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.48	140	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula	0.11	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0.15	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	2.61	571	20	18	2	1	4	25	10	22	49	85	160	141	113	75	40	11	—	—	—	—	—
Hydrocephalus	0.25	160	19	15	5	5	—	84	15	4	1	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of																							
Nervous Syst.	6.25	1381	194	17	13	10	5	239	20	10	40	47	128	190	225	232	277	277	277	277	277	277	277
Circulatory	1.51	361	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	3.29	902	221	27	20	13	12	333	24	11	7	12	37	37	65	111	180	180	180	180	180	180	180
Digestive	1.54	344	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urinary	0.41	121	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.06	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.06	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.06	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.54	121	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	0.20	178	409	48	15	8	7	487	21	6	8	10	25	23	20	20	16	21	—	—	—	—	—

Deaths of Infants (under one) to 1000 Births } 127

Marriages - 1,577 Births - 7,107

Annual Rate { Persons Married per 1000 living { Births - 1,437 - 52.95

138.—HEMEL HEMPSTEAD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
AL DEATH PER 1000	—	18'19	—	—	—	—	—	51'18	4'61	2'47	3'87	6'78	8'18	11'71	14'58	20'09	61'10	168'78
n Pop. 1-80	—	14,056	401	377	398	383	385	1944	1770	1657	1395	1121	2042	1589	1337	900	531	221
CAUSES	18'19	2812	678	173	70	40	25	905	82	41	54	76	107	186	195	288	355	873
pox -	0'08	12	2	1	—	1	—	4	—	1	—	2	—	4	1	—	—	—
me -	0'54	50	16	24	5	2	1	46	4	—	—	—	—	—	—	—	—	—
Fever -	0'27	39	4	7	4	7	5	27	9	2	—	—	—	1	—	—	—	—
beria -	0'05	7	—	2	2	—	—	4	2	—	—	—	—	—	—	1	—	—
ping-cough	0'25	25	31	9	8	4	1	53	2	—	—	—	—	—	—	—	—	—
Fever -	0'01	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Cont. Fev. -	0'31	46	1	1	—	2	—	4	2	6	7	7	10	4	4	1	—	1
and Dry. -	0'05	5	—	—	1	2	2	9	4	2	2	—	1	1	2	1	6	5
Fever -	0'05	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
and Dry. -	0'01	6	3	1	—	—	—	4	—	—	—	—	—	—	—	1	1	—
Fever -	0'43	83	—	—	—	—	—	—	1	—	—	—	1	9	12	23	10	7
Mesent. -	0'07	10	2	2	—	—	—	4	—	1	1	1	2	—	—	—	—	1
Fever -	0'31	46	29	8	2	1	—	40	2	1	—	—	—	2	—	1	—	—
Cephalus -	1'80	264	4	2	2	—	—	10	6	3	17	27	76	88	83	24	16	—
Fever -	0'31	51	12	7	1	2	1	23	6	2	—	—	—	—	—	—	—	—
erous Syst. regulatory	2'31	398	69	12	6	5	3	97	6	5	6	4	17	19	28	37	65	33
Respiratory	1'89	254	—	—	—	—	—	—	4	4	1	4	13	19	35	60	88	34
Digestive	2'90	408	140	42	19	8	3	212	12	2	2	6	7	23	19	59	81	34
Urinary	1'01	148	15	2	—	—	—	17	5	3	2	6	4	18	27	37	21	8
Nervous	0'28	41	1	—	—	—	—	1	1	1	2	2	7	1	10	10	5	1
Generative	0'08	12	—	—	—	—	—	—	—	—	—	—	—	3	8	3	2	1
Birth -	0'11	16	—	—	—	—	—	—	—	—	1	4	6	5	—	—	—	—
Cont. Fev. -	0'05	8	—	—	—	—	—	—	—	—	1	1	2	1	2	—	—	1
Violence -	0'25	80	5	3	4	3	2	17	5	3	5	8	6	9	4	7	10	6
CAUSES	4'72	693	281	29	12	10	5	337	9	5	7	23	7	8	14	28	81	191

Deaths of Infants (under
one) to 1000 Births - 143Marriages - 1,021
Births - 4,739Annual Rate of Persons Married
per 1000 living { Births - 13'93
- 32'33

139.—BERKHAMPSTEAD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
AL DEATH PER 1000	—	18'33	—	—	—	—	—	52'76	4'57	2'41	4'12	6'60	7'08	10'56	11'95	23'70	61'57	157'62
n Pop. 1-80	—	14,595	414	425	367	382	391	1970	1837	1658	1385	1152	1983	1681	1272	902	575	211
CAUSES	18'33	2,075	605	182	81	56	30	1,044	84	40	57	76	140	107	132	228	354	833
pox -	0'14	21	2	—	—	1	—	3	2	1	—	4	1	3	3	2	1	1
me -	0'21	43	8	11	8	7	3	37	6	—	—	—	—	—	—	—	—	—
Fever -	0'03	51	1	5	6	11	6	29	19	—	1	—	1	—	1	—	—	—
beria -	0'07	10	2	1	2	—	—	5	4	1	—	—	—	—	—	—	—	—
ping-cough	0'35	80	43	22	9	4	1	79	1	—	—	—	—	—	—	—	—	—
Fever -	0'02	3	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—
Cont. Fev. -	0'16	23	1	2	—	—	—	3	6	3	3	4	2	1	1	—	1	—
and Dry. -	0'05	7	—	—	—	—	—	—	3	1	1	—	—	—	—	1	—	—
Fever -	0'05	8	—	—	—	—	—	—	—	—	—	3	3	2	—	—	—	—
and Dry. -	0'09	145	90	23	5	2	—	130	1	—	—	—	—	—	2	3	11	3
Fever -	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Fever -	0'45	65	—	—	1	—	—	1	1	—	—	1	1	12	12	15	14	6
Mesent. -	0'07	19	3	—	1	—	—	4	2	1	1	1	1	—	—	—	—	—
Fever -	0'17	25	11	6	1	1	—	19	1	2	2	1	—	—	—	—	—	—
Cephalus -	1'71	249	4	2	2	—	1	9	4	4	27	99	66	47	26	16	8	—
Fever -	0'27	40	18	8	4	2	3	35	5	—	—	—	—	—	—	—	—	—
erous Syst. regulatory	2'14	312	71	20	11	3	1	305	2	4	5	4	11	17	24	34	62	43
Respiratory	1'76	287	—	1	—	—	—	1	2	5	3	3	7	22	20	60	85	39
Digestive	3'00	428	138	48	17	8	4	215	8	5	5	2	13	18	24	38	62	20
Urinary	0'50	131	15	2	3	1	2	25	4	—	2	4	12	13	14	21	24	14
Nervous	0'19	71	—	—	—	—	—	—	1	—	—	2	7	0	8	13	19	19
Generative	0'05	7	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—
Birth -	0'05	8	—	—	—	—	—	—	—	—	1	2	5	—	—	—	—	—
Cont. Fev. -	0'01	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Violence -	0'49	72	4	5	2	4	4	19	4	4	4	1	4	14	6	6	8	2
CAUSES	4'09	896	294	20	9	12	5	336	7	8	2	3	5	4	10	16	49	106

Deaths of Infants (under
one) to 1000 Births - 140Marriages - 1,010
Births - 4,968Annual Rate of Persons Married
per 1000 living { Births - 13'84
- 33'97

BUCKINGHAMSHIRE.

140.—AMERSHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	19'09	—	—	—	—	—	49'75	4'38	2'42	3'65	5'50	7'07	8'93	11'04	26'83	58'36	479'2
Mean Pop. 1871-80.	—	18,415	565	484	527	528	490	2903	2351	2153	1616	1418	2276	1871	1658	1317	825	327
ALL CAUSES	19'09	3516	835	248	110	59	43	1295	103	52	50	78	161	107	193	354	481	573
Small-pox -	0'07	12	1	1	—	1	—	3	2	1	—	4	—	—	1	—	1	—
Measles -	0'38	70	14	20	9	6	2	53	5	—	1	—	—	—	—	—	—	—
Scarlet Fever -	0'60	119	8	11	22	0	16	64	31	6	—	—	2	1	—	—	—	—
Diphtheria -	0'03	5	1	—	1	1	—	3	2	—	—	—	—	—	—	—	—	—
Whooping-cough -	0'40	73	39	21	10	4	1	69	4	—	—	—	—	—	—	—	—	—
Typhus -	0'09	16	—	1	—	—	—	1	2	2	1	—	1	3	5	1	—	—
Enteric Fever -	0'17	32	—	2	—	—	—	2	5	8	3	1	—	4	6	—	1	—
Simple Cont. Fev. -	0'03	9	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Puerp. Fever -	0'04	8	—	—	—	—	—	—	—	—	—	1	2	5	—	—	—	—
Diarr. and Dys. -	0'72	132	80	15	5	2	1	103	1	—	—	—	1	1	—	4	11	11
Cholera -	0'01	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Cancer -	0'43	78	—	—	—	—	—	—	—	—	—	—	2	9	15	23	18	11
Serofula -	0'09	16	6	1	1	—	1	9	—	2	—	—	1	1	—	—	—	—
Tuberc Mesent. -	0'41	76	39	22	4	8	—	73	—	—	—	—	—	—	—	—	—	—
Phthisis -	1'35	296	7	8	1	1	—	17	4	10	22	40	70	51	34	27	8	3
Hydrocephalus -	0'46	84	42	23	7	2	1	77	4	1	—	—	1	1	—	—	—	—
Diseases of Nervous Syst. -	2'60	478	68	18	4	3	5	98	6	4	1	7	11	16	26	70	105	124
Circulatory -	1'32	280	3	—	21	1	2	6	1	5	2	2	10	16	32	63	91	47
Respiratory -	3'08	567	154	62	21	12	6	245	9	4	7	2	13	12	21	39	84	111
Digestive -	0'31	168	29	2	5	1	—	34	2	2	—	2	4	14	16	34	54	25
Urinary -	0'43	79	—	1	—	—	—	1	1	—	—	—	—	4	10	15	22	14
Generative -	0'06	11	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Childbirth -	0'10	19	—	—	—	—	—	—	—	—	—	5	6	8	—	—	—	—
Suicide -	0'04	7	—	—	—	—	—	—	—	—	—	—	1	1	1	4	—	—
Other Violence -	0'40	73	14	1	2	2	2	21	4	3	4	2	4	6	6	—	4	6
OTHER CAUSES -	4'48	825	338	84	21	5	6	404	15	4	6	8	16	23	17	59	93	216

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 1,179
Births - 6,196Annual Rate of Persons Married per 1000 living { Births - 12'70
- 33'65

141.—ETON.

	Annual Death Rate per 1000.	16'15	—	—	—	—	—	42'15	3'44	2'18	4'08	5'31	6'73	9'80	13'89	26'51	38'17	467'1
ANNUAL DEATH RATE PER 1000.	—	16'15	—	—	—	—	—	42'15	3'44	2'18	4'08	5'31	6'73	9'80	13'89	26'51	38'17	467'1
Mean Pop. 1871-80.	—	26,324	705	604	646	646	656	3255	3194	3302	2699	2128	3485	2969	2361	1589	961	385
ALL CAUSES	16'15	4251	884	239	107	68	74	1372	110	72	110	113	235	291	328	418	559	648
Small-pox -	0'06	15	2	—	—	—	1	8	1	2	3	3	4	—	—	—	—	—
Measles -	0'25	65	8	22	11	7	4	22	11	1	1	—	—	—	—	—	—	—
Scarlet Fever -	0'25	65	7	5	8	7	12	39	15	3	—	2	1	1	—	—	1	—
Diphtheria -	0'09	24	1	2	2	3	3	11	9	—	1	1	—	2	—	—	—	—
Whooping-cough -	0'43	112	55	27	18	6	2	108	3	1	—	—	—	—	—	—	—	—
Typhus -	0'03	21	—	—	—	—	—	2	1	1	3	4	1	2	1	3	—	—
Enteric Fever -	0'21	55	3	—	2	2	2	9	3	7	7	6	7	8	8	3	—	—
Simple Cont. Fev. -	0'08	20	1	1	—	—	3	7	2	1	—	2	1	2	—	—	—	—
Puerp. Fever -	0'06	16	—	—	—	—	—	—	—	—	—	—	6	8	—	—	—	—
Diarr. and Dys. -	0'51	133	81	21	2	—	1	105	1	—	1	—	—	—	2	5	10	9
Cholera -	0'00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer -	0'46	121	—	—	—	—	—	—	—	—	—	—	1	2	19	31	36	15
Serofula -	0'04	21	5	2	—	1	—	6	3	2	3	—	1	12	1	3	—	—
Tuberc Mesent. -	0'15	59	31	8	1	1	2	35	1	—	—	1	—	—	—	—	—	—
Phthisis -	1'71	469	21	5	2	3	—	41	8	14	36	82	111	98	67	31	10	3
Hydrocephalus -	0'21	84	10	17	8	3	3	41	8	3	—	1	—	—	—	—	—	—
Diseases of Nervous Syst. -	2'01	528	109	50	8	4	8	159	15	7	8	6	15	25	34	71	102	85
Circulatory -	1'34	352	2	—	1	—	1	4	2	—	7	9	19	21	40	83	94	73
Respiratory -	2'67	702	184	61	20	19	9	290	10	7	8	5	17	33	19	60	106	122
Digestive -	0'08	253	46	3	3	—	1	53	2	2	3	4	8	17	49	42	50	37
Urinary -	0'07	107	—	—	1	—	—	2	1	3	3	3	6	9	17	16	24	25
Generative -	0'05	12	—	—	—	—	—	—	—	—	—	—	2	2	5	1	—	—
Childbirth -	0'07	18	—	—	—	—	—	—	—	—	1	1	4	12	—	—	—	—
Suicide -	0'08	20	—	—	—	—	—	—	—	—	—	—	1	3	4	5	2	1
Other Violence -	0'53	145	13	6	3	4	7	23	7	7	15	3	12	12	19	19	8	10
OTHER CAUSES -	3'26	897	325	29	15	8	11	388	11	11	9	7	14	22	25	38	115	129

Deaths of Infants (under one) to 1000 Births - 114

Marriages - 1,462
Births - 7,752Annual Rate of Persons Married per 1000 living { Births - 11'28
- 29'45

142.—WYCOMBE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ALL DEATH (PER 1000)	—	18.79	—	—	—	—	—	32.96	3.62	2.39	4.99	6.08	7.29	8.33	12.82	24.82	31.57	166.19
In Pop. (1-80)	—	39,322	1234	1084	1126	1112	1146	5702	5218	4564	3644	3012	5092	4202	3323	2438	1512	615
CAUSES	18.79	7387	2011	504	221	134	89	3019	189	169	182	183	371	350	426	605	931	1022
Pol.	0.03	12	—	—	—	—	—	—	—	1	5	1	1	1	2	1	—	—
Scar.	0.03	129	30	46	12	19	6	113	14	1	—	—	1	—	—	—	—	—
St. Fever	0.09	37	2	5	9	4	5	21	8	2	—	—	2	—	—	—	—	—
Dysent.	0.06	23	—	—	4	2	2	8	8	1	1	—	2	—	1	—	1	—
Whooping-cough	0.49	191	90	54	23	14	6	187	4	—	—	—	—	—	—	—	—	—
Meas.	0.04	15	1	1	—	—	—	2	2	—	2	2	1	2	2	1	1	—
St. Fever	0.23	89	—	1	5	—	5	11	6	12	20	12	11	7	6	2	1	1
St. Cont. Fev.	0.15	59	1	—	3	6	4	14	15	6	2	3	6	2	2	4	5	1
St. Fever	0.05	29	—	—	—	—	—	—	—	—	1	7	5	7	—	—	—	—
St. and Dys.	0.76	297	182	53	10	—	—	245	1	—	1	1	6	3	1	6	15	19
St.	0.02	6	—	—	—	—	1	1	—	—	—	—	1	—	1	2	1	—
St.	0.36	143	—	—	—	—	—	—	1	—	—	—	—	6	14	23	35	40
St.	0.07	27	8	4	1	—	—	13	—	—	4	1	6	1	1	—	—	—
St.	0.39	119	65	36	7	3	2	119	5	—	1	—	—	—	—	—	—	—
St.	1.69	623	15	7	11	1	1	85	14	22	73	83	162	115	80	32	9	1
St.	0.21	103	40	30	8	5	6	89	9	3	1	—	1	—	—	—	—	—
St.	2.33	917	294	64	50	15	11	384	17	11	9	6	30	26	49	101	150	118
St.	1.13	445	1	1	2	2	8	28	6	8	13	13	18	37	49	115	129	45
St.	3.66	1179	507	154	48	20	14	523	21	8	13	9	39	41	69	133	184	151
St.	0.25	374	42	4	4	4	2	20	10	9	6	9	28	30	61	116	73	26
St.	0.21	83	—	1	—	2	1	4	3	1	3	1	6	5	15	13	21	11
St.	0.64	14	—	—	—	—	—	—	—	—	—	—	2	1	4	3	—	—
St.	0.10	39	—	—	—	—	—	—	—	—	2	8	13	15	—	—	—	—
St.	0.06	23	—	—	—	—	—	—	—	—	2	1	2	1	7	3	5	2
St.	0.29	155	79	11	7	15	5	87	14	14	6	8	9	5	10	11	11	16
St.	5.78	2304	944	114	57	23	18	1135	31	15	17	14	16	27	41	75	276	610

Deaths of Infants (under one) to 1000 Births } 140 Marriages } 2,787 Annual Rate } Persons Married } 14.18
 Births } 14,342 Births } 14,342 per 1000 living { Births } 36.47

143.—AYLESBURY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ALL DEATH (PER 1000)	—	20.19	—	—	—	—	—	46.90	4.15	3.39	5.47	7.84	8.94	10.33	15.02	27.76	34.06	168.78
In Pop. (1-80)	—	24,612	682	635	674	625	659	3275	3084	2715	2232	1862	3144	2652	2243	1783	1132	490
CAUSES	20.19	4970	1056	268	101	65	46	1530	128	92	122	146	281	274	337	495	732	927
Pol.	0.02	6	—	—	—	—	—	—	—	1	—	—	1	—	2	1	1	—
Scar.	0.20	49	19	16	4	3	5	47	2	—	—	—	—	—	—	—	—	—
St. Fever	0.19	47	2	7	6	6	9	50	10	4	1	1	1	—	—	—	—	—
Dysent.	0.05	12	—	—	—	2	2	4	5	1	1	1	—	—	—	—	—	—
Whooping-cough	0.46	112	64	23	10	4	4	110	2	—	—	—	—	—	—	—	—	—
Meas.	0.02	5	—	—	—	—	1	2	—	—	1	—	1	—	—	—	—	—
St. Fever	0.28	70	1	—	2	3	—	6	6	10	13	6	8	6	6	4	5	—
St. Cont. Fev.	0.03	12	—	—	1	—	1	2	2	2	—	—	1	2	—	2	1	—
St. Fever	0.03	18	—	—	—	—	—	—	—	—	—	1	7	5	—	—	—	—
St. and Dys.	0.80	197	110	21	1	—	2	134	—	—	—	1	1	1	8	3	27	22
St.	0.03	13	7	1	—	—	—	8	—	—	1	—	—	1	—	—	1	2
St.	0.58	131	—	—	—	—	—	—	—	—	—	—	2	9	24	35	43	18
St.	0.11	26	8	1	3	—	—	7	3	—	3	5	2	4	—	1	1	—
St.	0.23	66	29	8	5	1	1	44	4	4	—	2	1	—	—	—	—	—
St.	1.78	489	10	5	8	1	1	29	7	15	45	76	106	77	40	38	17	—
St.	0.27	66	12	10	8	4	2	34	20	6	2	2	—	—	—	—	—	—
St.	2.90	714	90	20	6	7	2	131	12	8	19	11	37	46	65	98	147	142
St.	1.17	287	1	—	—	—	—	1	4	3	4	4	11	18	32	67	91	52
St.	3.62	892	217	77	24	11	5	334	19	9	6	8	28	20	60	82	138	160
St.	1.65	258	20	4	—	1	2	27	5	3	4	2	8	21	36	52	60	39
St.	0.46	113	—	—	—	—	—	—	2	3	3	1	8	12	18	31	27	18
St.	0.66	15	—	—	—	—	—	—	—	—	—	—	1	2	5	4	1	2
St.	0.11	28	—	—	—	—	—	—	—	—	5	13	10	—	—	—	—	—
St.	0.07	16	—	—	—	—	—	—	—	—	—	—	2	2	3	5	2	3
St.	0.48	117	7	9	5	5	2	28	3	10	6	8	12	5	13	12	14	6
St.	5.18	1274	464	55	23	16	7	565	22	15	13	12	32	53	38	56	156	234

Deaths of Infants (under one) to 1000 Births } 132 Marriages } 1,507 Annual Rate } Persons Married } 12.25
 Births } 7,070 Births } 7,070 per 1000 living { Births } 32.38

144.—WINSLOW.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000	—	18'04	—	—	—	—	—	41'14	3'16	2'22	4'17	6'05	8'10	7'31	11'67	22'09	62'75	180'
Mean Pop. 1871-80	—	8513	222	207	224	205	226	1084	1106	1038	815	645	638	889	780	640	400	17
ALL CAUSES	18'04	1536	300	74	32	25	15	446	35	23	34	59	76	65	91	145	251	33
Small-pox	0'02	2	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1
Measles	0'16	14	4	5	3	1	—	13	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'26	22	3	2	2	5	3	17	2	1	—	—	1	—	—	—	—	—
Diphtheria	0'04	3	—	—	—	2	—	2	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0'42	30	18	10	4	—	2	34	1	1	—	—	—	—	—	—	—	—
Typhus	0'03	5	—	—	—	—	—	—	—	—	3	—	1	—	—	1	—	—
Enteric Fever	0'25	21	2	—	1	—	—	4	1	2	2	1	3	1	4	2	1	—
Simple Cont. Fev.	0'12	10	—	1	—	—	—	3	4	—	1	—	—	1	—	—	—	—
Puerp. Fever	0'04	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'29	33	10	8	1	1	—	20	2	—	1	1	1	—	—	1	5	1
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'03	54	—	—	—	—	—	—	—	—	—	—	1	4	10	16	20	1
Scrofula	0'05	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Tuberc. Mesent.	0'18	15	14	—	1	—	—	12	—	1	—	—	—	—	1	—	—	—
Phthisis	1'04	143	3	1	—	—	—	3	3	—	11	23	32	21	17	13	11	—
Hydrocephalus	0'14	12	6	1	1	2	—	10	1	1	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'46	209	57	7	3	4	—	51	5	3	5	4	5	6	8	34	49	3
Circulatory	1'02	87	—	—	—	—	—	—	2	2	2	1	3	6	13	16	26	1
Respiratory	2'07	176	45	17	6	3	2	73	2	2	1	1	8	8	9	22	28	2
Digestive	0'79	67	6	1	—	—	—	8	4	1	—	—	7	3	11	15	14	—
Urinary	0'19	16	—	—	—	—	—	—	1	—	—	—	—	2	4	1	6	—
Generative	0'01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Childbirth	0'10	9	—	—	—	—	—	—	—	—	—	2	4	8	—	—	—	—
Suicide	0'08	7	—	—	—	—	—	—	—	—	—	—	—	2	—	1	3	—
Other Violence	0'23	21	—	—	2	2	—	5	3	—	—	1	1	—	3	5	—	—
OTHER CAUSES	6'65	567	151	30	4	4	3	184	5	4	2	3	7	7	10	19	52	28

Deaths of Infants (under
one) to 1000 Births } 115Marriages - 490
Births - 2,603Annual Rate { Persons Married - 11'42
per 1000 living { Births - 31'31

145.—NEWPORT PAGNELL.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE	—	19'20	—	—	—	—	—	46'76	5'00	4'10	5'08	7'17	7'69	8'26	11'74	21'00	62'08	180'
Mean Pop. 1871-80	—	25,225	748	651	755	654	715	3508	3199	2779	2301	1930	3211	2662	2206	1783	1114	8
ALL CAUSES	19'20	4844	1019	307	158	92	62	1638	179	114	117	130	247	220	260	444	685	7
Small-pox	0'02	6	—	—	1	—	—	1	—	—	—	—	3	—	1	—	—	—
Measles	0'22	56	9	22	10	8	1	50	4	1	—	—	—	1	—	—	—	—
Scarlet Fever	0'02	231	14	20	49	29	26	148	62	15	2	3	2	1	—	—	—	—
Diphtheria	0'01	10	2	—	1	—	—	3	—	—	2	—	—	—	—	—	—	—
Whooping-cough	0'47	118	49	41	15	7	3	115	3	—	—	—	—	—	—	—	—	—
Typhus	0'10	74	—	—	—	—	—	—	2	7	5	2	2	8	—	2	1	—
Enteric Fever	0'27	63	—	—	2	4	1	7	9	11	5	7	2	7	6	4	2	1
Simple Cont. Fev.	0'10	27	2	—	—	—	1	3	2	2	3	—	2	1	1	—	—	—
Puerp. Fever	0'07	17	—	—	—	—	—	—	—	—	1	4	19	2	—	—	—	—
Diarr. and Dys.	0'26	142	63	29	3	2	—	97	2	—	—	—	—	—	—	2	17	2
Cholera	0'02	5	1	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—
Cancer	0'42	165	—	—	—	—	2	2	—	—	—	—	—	6	20	39	24	12
Scrofula	0'11	29	9	7	—	1	—	17	—	2	—	2	4	—	3	—	1	—
Tuberc. Mesent.	0'33	83	45	20	8	—	1	74	3	1	3	—	2	—	1	—	—	—
Phthisis	1'04	464	18	8	7	1	1	35	7	29	44	77	113	72	60	35	10	1
Hydrocephalus	0'23	61	14	15	7	4	7	47	13	3	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'52	634	111	30	14	6	2	163	13	10	7	9	12	16	37	81	152	126
Circulatory	1'13	285	1	—	—	—	—	1	3	3	6	3	14	18	31	53	66	41
Respiratory	2'49	629	177	63	19	9	6	274	10	5	5	4	8	16	39	67	112	100
Digestive	1'09	325	29	4	1	2	1	37	9	4	7	6	16	17	25	29	78	28
Urinary	0'21	128	—	1	2	1	—	3	1	1	2	1	—	—	2	1	7	—
Generative	0'06	15	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Childbirth	0'11	27	—	—	—	—	—	—	—	—	3	4	11	8	1	—	—	—
Suicide	0'11	29	—	—	—	—	—	—	—	—	—	1	3	8	—	—	—	—
Other Violence	0'27	143	10	6	6	6	3	31	15	13	14	4	10	8	13	15	17	9
OTHER CAUSES	4'74	1193	465	81	31	11	4	522	17	16	5	6	15	15	26	69	131	28

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 1,622
Births - 8,153Annual Rate { Persons Married - 12'01
per 1000 living { Births - 33'33

146.—BUCKINGHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000.)	—	18.71	—	—	—	—	—	45.96	4.50	2.58	4.97	5.61	6.05	8.74	9.64	24.98	55.70	152.66
Pop. 71-80	—	13,027	325	335	340	321	330	1600	1622	1473	1147	980	1578	1362	1193	1015	684	315
CAUSES	18.71	2488	322	133	53	28	27	763	73	38	57	53	105	119	115	263	381	479
D-pox	0.04	5	1	—	—	—	—	1	—	—	1	—	1	1	1	—	—	—
Measles	0.25	30	11	6	5	2	2	26	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.22	29	—	7	3	2	5	17	3	2	—	1	—	—	—	—	—	—
Diphtheria	0.02	12	1	3	1	—	—	6	3	—	—	—	—	—	—	—	—	—
Crouping-cough	0.35	46	22	17	4	1	1	45	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.25	32	—	1	—	1	1	3	2	—	7	3	6	2	2	2	2	—
Scarlet Cont. Fev.	0.05	7	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—
Scarlet Fev.	0.04	8	—	—	—	—	—	—	—	—	1	2	5	2	—	—	—	—
Scarlet and Dys.	0.45	56	27	6	—	1	—	34	1	—	—	—	—	1	—	3	5	12
Scarlet	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet	0.61	80	—	—	—	—	—	—	—	—	1	—	1	8	13	27	21	9
Scarlet	0.07	9	1	—	1	—	1	3	—	1	—	2	1	—	—	2	—	—
Scarlet Measent.	0.13	17	6	4	—	—	—	11	3	—	1	—	—	—	—	—	—	—
Scarlet	1.67	217	6	5	3	—	—	13	9	8	19	32	33	29	24	16	4	—
Scarlet	0.33	42	14	10	3	1	1	29	8	1	4	—	—	—	—	—	—	—
Scarlet	1.53	252	47	10	4	2	4	67	6	2	2	2	4	7	15	40	60	45
Scarlet	1.29	181	—	1	—	—	—	1	—	1	2	4	9	11	16	21	71	35
Scarlet	2.37	390	92	34	16	8	4	154	7	3	1	1	5	11	13	26	46	22
Scarlet	0.86	112	15	—	1	—	1	17	2	3	5	—	5	14	11	24	22	9
Scarlet	0.45	58	1	1	1	—	—	3	2	1	2	2	5	5	3	13	16	6
Scarlet	0.04	5	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—
Birth	0.07	9	—	—	—	—	—	—	—	—	—	—	3	6	—	—	—	—
Birth	0.03	4	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—
Birth	0.35	45	10	2	4	2	2	20	4	2	1	3	2	5	1	3	2	2
Birth	0.68	871	269	26	9	6	3	313	16	4	8	3	3	4	13	31	130	346

Deaths of Infants (under one) to 1000 Births

132

Marriages

797

Annual Rate of Persons Married per 1000 living

12.24

Births

3,953

30.34

FORDSHIRE.]

147.—HENLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000.)	—	18.97	—	—	—	—	—	33.94	3.76	2.64	4.41	5.68	7.03	8.87	12.09	25.07	61.50	179.71
Pop. 71-80	—	19,454	544	458	510	538	530	2370	2502	2345	1790	1479	2445	2075	1717	1544	828	350
CAUSES	18.97	3301	583	174	81	51	38	927	94	62	79	84	172	184	223	337	510	629
D-pox	0.02	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—
Measles	0.17	34	7	10	4	4	3	28	4	—	—	—	1	—	1	—	—	—
Scarlet Fever	0.23	44	2	10	5	3	5	25	9	5	1	1	2	—	1	—	—	—
Diphtheria	0.08	15	1	—	—	3	4	8	3	—	—	1	—	—	—	—	—	—
Crouping-cough	0.22	63	31	18	3	6	2	60	3	—	—	—	—	—	—	—	—	—
Whooping-cough	0.03	5	—	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—
Scarlet Fever	0.30	39	—	—	5	1	1	7	5	9	6	5	5	4	2	1	1	—
Scarlet Cont. Fev.	0.06	12	—	—	1	—	—	1	2	1	1	—	—	—	—	—	—	—
Scarlet Fev.	0.06	11	—	—	—	—	—	—	—	—	—	3	4	4	—	—	—	—
Scarlet and Dys.	0.57	111	67	14	2	—	—	83	1	—	—	—	2	2	2	4	6	11
Scarlet	0.01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scarlet	0.32	102	—	—	—	—	—	—	—	—	—	—	1	12	15	23	32	19
Scarlet	0.10	19	2	4	1	1	—	8	1	2	—	—	4	1	3	—	—	—
Scarlet Measent.	0.08	16	6	2	3	—	—	9	2	5	—	—	1	—	—	—	—	—
Scarlet	1.63	817	7	3	4	1	1	15	8	10	30	37	79	51	45	28	18	9
Scarlet	0.17	53	12	7	2	1	2	24	8	—	—	1	—	—	—	—	—	—
Scarlet	2.45	477	75	25	10	6	3	121	19	10	4	8	12	19	29	63	89	103
Scarlet	1.71	322	1	—	—	—	—	1	2	2	7	2	15	15	31	69	108	80
Scarlet	3.00	595	122	32	21	10	5	210	10	2	6	4	8	15	35	60	129	116
Scarlet	0.85	165	11	2	2	4	2	21	1	3	4	5	10	17	25	29	51	19
Scarlet	0.44	85	—	1	—	—	—	1	2	1	4	3	11	5	3	17	19	19
Scarlet	0.05	19	—	—	—	—	—	—	—	—	1	—	2	4	1	1	1	—
Birth	0.07	13	—	—	—	—	—	—	—	—	—	—	5	8	—	—	—	—
Birth	0.06	11	—	—	—	—	—	—	—	—	—	—	2	—	—	6	—	—
Birth	0.60	116	8	5	8	1	4	26	6	6	8	7	13	10	9	12	7	12
Birth	5.43	672	231	22	12	10	4	279	7	4	7	3	7	14	14	24	68	245

Deaths of Infants (under one) to 1000 Births

99

Marriages

1,137

Annual Rate of Persons Married per 1000 living

11.69

Births

5,906

30.34

148.—THAME.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.62	—	—	—	—	—	47.37	4.47	3.19	4.13	6.60	7.33	8.42	11.50	21.76	58.21	138
Mean Pop. 1871-80	—	14,434	409	369	382	368	395	1923	1855	1785	1308	1046	1677	1440	1337	1006	682	30
ALL CAUSES	18.62	2087	590	148	82	45	46	911	83	57	54	69	123	122	155	232	397	45
Small-pox	0.03	5	—	—	—	—	—	—	—	1	—	—	2	—	—	2	—	—
Measles	0.21	50	—	10	8	3	1	26	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.43	69	3	8	14	9	10	44	16	7	—	—	—	—	2	—	—	—
Diphtheria	0.10	15	—	3	1	1	2	7	4	4	—	—	—	—	—	—	—	—
Whooping-cough	0.35	52	21	13	12	3	2	51	1	—	—	—	—	—	—	—	—	—
Typhus	0.03	4	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—
Enteric Fever	0.25	36	—	1	1	—	3	5	6	5	7	5	1	1	—	2	1	—
Stimp. Cont. Fev.	0.08	11	—	—	—	—	1	1	3	1	1	1	—	—	—	—	—	—
Puerp. Fever	0.08	11	—	—	—	—	—	—	—	—	—	3	3	3	—	—	—	—
Diarr. and Dys.	0.29	57	22	7	2	—	—	31	1	—	—	1	1	—	—	8	3	11
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.44	64	—	—	—	—	—	1	—	—	—	—	1	5	19	13	19	4
Scrophula	0.28	40	19	5	4	—	2	30	—	—	3	1	2	—	—	2	—	—
Tuberc. Mesent.	0.27	39	21	9	1	2	—	35	2	—	—	1	—	—	—	—	—	—
Phthisis	1.63	243	13	7	1	—	1	22	7	13	22	34	50	38	32	19	6	1
Hydrocephalus	0.14	20	3	1	2	—	1	7	9	3	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2.19	316	76	10	7	7	4	104	8	5	2	2	14	8	18	33	77	61
Circulatory	1.19	172	—	—	—	—	—	—	—	5	3	3	3	4	18	13	34	23
Respiratory	2.77	400	129	42	12	9	6	198	2	2	4	1	8	8	21	53	67	31
Digestive	1.03	149	46	1	5	3	—	49	5	4	2	3	5	6	13	32	33	11
Urinary	0.31	45	—	—	—	—	—	1	1	—	—	—	3	—	7	—	—	—
Generative	0.03	4	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—
Childbirth	0.12	17	—	—	—	—	—	—	—	—	—	4	7	6	—	—	—	—
Suicide	0.06	9	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	1
Other Violence	0.40	58	3	8	2	2	4	17	7	2	—	8	4	5	5	5	2	1
OTHER CAUSES	5.70	821	230	21	10	6	4	291	7	6	4	6	11	12	16	33	137	98

Deaths of Infants (under one) to 1000 Births } 133

Marriages - 875
Births - 4,450Annual Rate { Persons Married - 12.12
per 1000 living { Births - 30.63

149.—HEADINGTON.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	21.12	—	—	—	—	—	49.77	5.52	4.64	6.61	9.96	9.69	15.12	20.75	32.68	69.91	129
Mean Pop. 1871-80	—	24,820	671	615	652	632	635	3205	2953	2889	2495	2090	3448	2676	2067	1576	997	40
ALL CAUSES	21.12	5242	1056	259	133	78	69	1595	163	134	165	146	334	351	429	515	637	70
Small-pox	0.19	48	4	1	1	—	1	7	5	8	6	2	9	7	8	1	—	—
Measles	0.17	43	11	13	6	6	1	37	4	—	—	1	1	—	—	—	—	—
Scarlet Fever	0.41	103	4	10	16	14	15	59	25	13	—	—	—	2	—	—	—	—
Diphtheria	0.19	48	1	2	4	8	7	22	16	6	—	2	1	1	—	—	—	—
Whooping-cough	0.21	52	23	20	5	1	1	50	1	1	—	—	—	—	—	—	—	—
Typhus	0.03	7	—	—	—	1	—	1	2	1	1	1	—	—	—	—	1	—
Enteric Fever	0.29	72	—	1	1	—	2	4	4	14	13	6	12	5	10	3	—	—
Stimp. Cont. Fev.	0.12	29	—	1	2	2	1	6	6	3	2	2	1	3	5	2	1	—
Puerp. Fever	0.05	13	—	—	—	—	—	—	—	—	—	4	7	2	—	—	—	—
Diarr. and Dys.	0.36	163	104	19	7	3	2	135	2	1	—	—	1	1	3	7	4	1
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.26	163	—	—	—	—	—	—	—	—	—	—	4	17	41	48	38	14
Scrophula	0.48	121	47	31	10	1	6	95	10	2	6	—	1	1	3	—	1	—
Tuberc. Mesent.	0.11	28	9	3	4	1	—	17	—	5	1	—	2	—	—	—	—	—
Phthisis	2.32	376	5	4	4	1	3	17	4	20	61	50	143	120	86	34	12	3
Hydrocephalus	0.29	73	19	15	7	3	1	45	13	8	3	1	1	1	—	—	—	—
Diseases of Nervous Syst.	2.54	631	191	24	14	5	5	169	12	6	16	19	23	29	44	65	150	104
Circulatory	1.64	408	—	—	—	—	—	—	7	8	10	9	25	29	49	90	119	35
Respiratory	3.47	613	175	62	26	14	8	287	6	2	6	3	19	32	40	67	86	70
Digestive	1.12	278	26	2	3	—	4	35	9	3	7	8	11	33	29	38	47	17
Urinary	0.63	157	2	1	1	—	—	4	7	5	3	8	15	16	19	23	40	17
Generative	0.11	27	—	—	—	—	—	—	—	—	2	—	7	6	4	6	1	1
Childbirth	0.07	17	—	—	—	—	—	—	—	—	1	1	7	6	3	—	—	—
Suicide	0.08	21	—	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—
Other Violence	0.45	110	10	10	8	8	6	42	16	14	14	16	17	20	28	28	10	19
OTHER CAUSES	5.42	1242	491	40	11	10	6	338	14	14	13	11	24	23	43	59	174	63

Deaths of Infants (under one) to 1000 Births } 133

Marriages - 1,575
Births - 7,936Annual Rate { Persons Married - 12.00
per 1000 living { Births - 32.15

* Changes were made in the boundary of this District during the decade; see Table, pp. 371-72.

150.—OXFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (FEB 1000)	—	18·68	—	—	—	—	—	62·50	4·82	3·76	3·55	5·07	8·10	11·16	15·42	23·28	53·20	163·22
Pop. (80)	—	21,459	584	535	527	506	515	2667	2364	2250	2340	2169	3161	2402	1861	1273	721	242
CAUSES	18·68	4000	1030	325	121	88	53	1667	114	85	83	110	256	268	287	360	384	393
POX -	0·17	37	4	1	1	3	2	11	4	4	6	2	6	3	—	—	1	—
Fever -	0·21	46	10	15	7	8	5	45	1	—	—	—	—	—	—	—	—	—
eria -	0·22	62	—	10	10	11	9	40	13	5	—	3	—	—	1	—	—	—
ing-cough	0·23	49	2	13	4	12	5	35	10	1	1	—	2	—	—	—	—	—
	0·31	66	33	22	6	2	1	64	2	—	—	—	—	—	—	—	—	—
Fever -	0·01	2	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—
Cont. Fev.	0·20	42	1	1	2	2	—	6	8	9	1	4	6	5	2	1	—	—
Fever -	0·07	16	3	1	2	2	—	8	—	2	—	2	1	—	2	—	1	—
and Dys.	0·09	19	—	—	—	—	—	—	—	—	—	6	9	3	1	—	—	—
	1·09	234	166	40	4	—	1	211	1	2	2	1	3	1	1	1	2	9
	0·02	5	3	1	—	—	—	4	1	—	—	—	—	—	—	—	—	—
	0·20	83	—	—	1	—	—	1	—	1	—	1	1	14	23	19	17	6
	0·12	26	8	4	2	4	1	19	1	—	—	—	3	—	2	—	—	—
essent.	0·22	47	23	8	4	—	2	39	2	2	3	—	—	—	—	—	—	—
phaius -	2·33	542	16	10	5	6	3	40	9	13	40	58	123	99	93	53	13	1
	0·20	83	27	19	13	3	5	67	13	1	2	—	—	—	—	—	—	—
ious Syst.	1·94	416	129	38	6	4	2	170	5	12	3	1	13	19	26	56	65	43
ulatory "	1·15	247	1	—	—	—	—	1	4	5	3	5	20	23	34	64	61	27
piratory "	3·31	710	229	95	37	19	8	379	12	4	2	2	17	59	27	67	94	76
stive "	0·78	164	25	2	1	1	2	31	3	3	—	5	9	15	24	36	34	8
ary "	0·49	86	—	2	—	1	—	3	1	1	1	2	11	8	13	20	14	12
erative "	0·06	13	—	—	—	—	—	—	—	—	—	1	2	5	3	1	2	1
th -	0·07	16	—	—	—	—	—	—	—	—	1	3	7	5	—	—	—	—
	0·11	23	—	—	—	—	—	—	—	—	2	4	2	5	7	2	1	—
Violence	0·41	89	4	5	3	1	—	13	15	9	6	7	8	10	8	6	4	3
CAUSES -	4·11	882	412	39	13	9	6	479	11	11	7	5	11	23	30	34	75	204

Deaths of Infants (under
one) to 1000 Births - 159Marriages - 1,863
Births - 6,774Annual Rate { Persons Married - 17·36
per 1000 living { Births - 31·57

151.—BICESTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (FEB 1000)	—	17·89	—	—	—	—	—	43·87	3·29	3·13	4·74	5·95	6·72	9·10	10·72	21·55	35·37	166·12
Pop. (80)	—	14,870	412	348	429	364	396	1949	1884	1726	1350	1110	1727	1572	1418	1005	735	304
CAUSES	17·89	2660	570	142	61	42	40	855	62	54	64	66	116	143	152	238	407	505
POX -	0·03	4	—	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—
Fever -	0·21	31	8	10	2	6	2	58	2	1	—	—	—	—	—	—	—	—
eria -	0·26	44	3	4	6	6	10	29	16	7	1	—	—	1	—	—	—	—
ing-cough	0·02	11	2	1	2	—	2	7	1	—	1	—	—	1	—	—	—	—
	0·20	30	13	12	2	—	2	23	1	—	—	—	—	—	—	—	—	—
Fever -	0·01	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Cont. Fev.	0·20	30	1	—	—	1	2	4	—	5	6	1	1	2	4	—	2	1
Fever -	0·07	10	—	—	1	—	—	1	—	4	1	1	1	—	2	—	—	—
and Dys.	0·04	6	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
	0·41	64	32	5	1	1	—	39	2	—	—	—	1	2	—	5	9	8
	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	0·41	61	—	—	—	—	—	—	—	—	—	—	1	4	8	50	21	7
	0·17	25	5	4	1	—	—	10	1	3	1	3	1	2	2	—	—	—
essent.	0·24	35	20	9	1	—	—	30	2	—	2	—	—	—	—	—	—	—
phaius -	1·53	227	11	3	3	1	—	18	2	10	23	37	45	41	37	12	9	—
	0·21	31	8	9	6	2	2	27	2	2	—	—	—	—	—	—	—	—
ious Syst.	2·45	364	73	12	5	5	1	96	7	4	8	2	13	14	19	42	82	77
ulatory "	1·16	173	1	—	—	—	1	2	2	2	3	2	4	16	19	40	47	36
piratory "	2·92	434	121	46	21	8	6	205	6	2	4	2	10	18	15	33	70	69
stive "	1·02	151	15	1	1	2	2	21	4	1	3	4	7	12	15	33	27	22
ary "	0·44	65	1	—	—	—	1	2	2	1	1	2	3	4	5	11	21	13
erative "	0·04	6	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	—
th -	0·11	16	—	—	—	—	—	—	—	—	1	2	4	8	1	—	—	—
	0·11	16	—	—	—	—	—	—	—	—	—	—	3	—	6	5	—	—
Violence	0·43	64	2	2	1	2	3	10	5	9	3	1	6	8	4	3	11	4
CAUSES -	5·63	750	253	22	8	8	6	237	7	3	6	1	7	8	29	29	104	266

Deaths of Infants (under
one) to 1000 Births - 125Marriages - 863
Births - 4,711Annual Rate { Persons Married - 11·67
per 1000 living { Births - 30·74

152.—WOODSTOCK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.74	—	—	—	—	—	41.71	4.14	2.95	4.40	7.89	8.37	9.43	12.95	24.25	58.09	179.2
Mean Pop. } 1871-80	—	13,695	412	358	389	359	388	1906	1765	1558	1181	1014	1672	1403	1243	994	639	299
ALL CAUSES	18.74	2507	520	153	61	40	21	705	73	46	52	80	140	138	161	241	575	468
Small-pox	0.02	3	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—
Measles	0.21	24	8	10	4	3	—	25	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.25	34	2	8	3	2	2	19	10	3	—	—	1	—	1	—	—	—
Diphtheria	0.19	25	3	2	2	4	4	15	7	3	1	—	—	—	—	—	—	—
Whooping-cough	0.26	36	11	14	8	1	1	35	1	—	—	—	—	—	—	—	—	—
Typhus	0.02	3	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—
Enteric Fever	0.29	28	—	1	1	—	—	2	6	2	5	1	3	3	1	3	1	1
Simple Cont. Fev.	0.06	8	—	—	—	—	—	2	2	2	1	1	1	—	—	1	—	—
Puerp. Fever	0.04	6	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Diarr. and Dys.	0.51	70	26	10	3	1	—	42	1	—	—	—	—	4	8	—	12	8
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.46	63	—	—	—	—	—	—	—	—	—	—	1	3	12	18	30	9
Scrophula	0.04	5	1	—	—	—	—	2	—	1	2	—	—	—	—	—	—	—
Tuberc. Mesent.	0.29	40	24	6	3	1	—	34	2	2	2	—	—	—	1	—	—	—
Phthisis	1.78	244	9	5	2	1	1	18	6	7	17	46	58	88	27	20	9	—
Hydrocephalus	0.24	33	8	19	1	2	1	23	6	3	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.42	333	63	21	4	3	2	93	3	6	4	3	13	11	26	40	60	65
Circulatory	1.35	185	1	—	1	—	—	2	1	1	2	9	11	16	41	63	38	—
Respiratory	3.17	434	119	40	13	7	3	182	8	3	4	4	11	17	33	48	60	63
Digestive	0.93	128	11	6	2	—	—	19	1	4	—	—	12	10	15	25	28	7
Urinary	0.35	75	2	—	—	—	—	2	2	—	3	—	5	7	8	13	20	13
Generative	0.04	6	—	—	—	—	—	—	—	—	—	1	1	—	2	1	1	—
Childbirth	0.09	13	—	—	—	—	—	—	—	—	1	4	2	5	—	—	—	—
Suicide	0.04	5	—	—	—	—	—	—	—	—	1	—	—	—	2	—	2	—
Other Violence	0.46	61	7	4	2	4	3	20	6	2	3	7	15	11	9	6	5	7
OTHER CAUSES	4.92	670	220	15	10	9	4	261	9	6	3	6	3	12	13	25	76	234

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 870
Births - 4,341Annual Rate { Persons Married - 12.71
per 1000 living { Births - 31.70

153.—WITNEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	19.48	—	—	—	—	—	45.81	5.06	5.43	4.00	7.17	7.90	9.85	13.20	21.60	55.36	165.7
Mean Pop. } 1871-80	—	22,221	658	508	626	621	603	3076	2945	2561	1948	1506	2360	2965	2000	1035	1152	47
ALL CAUSES	19.48	4329	923	254	105	57	65	1409	147	88	78	108	203	233	211	302	614	78
Small-pox	0.04	9	—	—	—	—	1	1	2	1	—	—	1	1	1	—	2	—
Measles	0.11	31	3	13	10	1	2	23	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.06	102	6	7	11	17	16	57	14	9	1	1	—	—	—	—	—	—
Diphtheria	0.15	34	3	7	2	3	2	17	15	—	—	1	—	—	1	—	—	—
Whooping-cough	0.26	79	42	19	11	1	4	77	2	—	—	—	—	—	—	—	—	—
Typhus	0.07	15	—	—	1	1	—	2	2	1	—	3	—	—	—	2	—	—
Enteric Fever	0.27	59	2	2	3	3	1	11	10	7	4	3	7	3	6	3	2	3
Simple Cont. Fev.	0.05	11	—	—	—	—	—	1	4	1	—	2	2	1	—	—	1	—
Puerp. Fever	0.05	12	—	—	—	—	—	—	—	—	2	4	1	5	—	—	—	—
Diarr. and Dys.	0.34	121	49	22	1	3	—	75	3	—	—	—	—	3	9	9	12	19
Cholera	0.02	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1
Cancer	0.57	127	—	—	—	—	—	—	—	—	—	1	3	12	28	60	34	9
Scrophula	0.12	27	2	4	1	—	2	9	1	4	5	1	2	2	1	2	—	—
Tuberc. Mesent.	0.15	33	11	8	9	2	1	24	1	4	2	—	—	2	—	—	—	—
Phthisis	1.74	267	12	6	4	2	4	28	10	18	31	58	88	68	42	34	5	—
Hydrocephalus	0.33	73	26	20	8	1	4	61	3	3	2	2	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.61	383	115	29	13	3	7	153	7	6	8	5	14	24	45	65	124	121
Circulatory	1.62	361	5	—	—	—	—	6	4	4	4	4	11	27	30	70	124	77
Respiratory	3.15	491	170	57	18	8	4	257	12	6	5	6	10	24	30	78	126	120
Digestive	0.95	244	17	5	—	—	1	25	5	5	3	2	17	15	20	30	55	25
Urinary	0.35	118	1	2	—	—	2	6	6	1	—	3	4	12	14	21	34	15
Generative	0.07	13	—	—	—	—	1	1	—	—	—	—	1	1	3	3	1	—
Childbirth	0.12	27	—	—	—	—	—	—	—	—	3	9	3	12	2	—	—	—
Suicide	0.04	7	—	—	—	—	—	—	—	—	—	—	2	2	1	1	1	—
Other Violence	0.47	105	12	7	7	3	3	32	7	11	3	7	8	7	6	4	4	10
OTHER CAUSES	4.89	1,055	451	75	13	6	9	544	15	7	3	7	7	12	15	25	85	373

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 1,153
Births - 7,370Annual Rate { Persons Married - 13.04
per 1000 living { Births - 33.17

154.—CHIPPING NORTON.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (PER 1000)	18'85	—	—	—	—	—	46'54	3'39	2'38	4'97	6'71	7'98	8'90	13'54	23'17	62'38	160'30
Pop. 1-80	17,948	529	476	526	406	487	2514	2302	2062	1651	1281	2195	1911	1610	1278	840	329
CAUSES	18'05	3402	800	200	86	53	31	1170	78	49	81	86	174	170	218	295	524
Pox -	0'06	10	—	—	—	—	—	—	—	1	1	3	2	—	—	1	—
Febrile -	0'19	34	7	10	8	3	4	32	1	—	1	—	—	—	—	—	—
Scarlatina -	0'27	49	4	7	15	6	2	34	12	3	—	—	—	—	—	—	—
Dysentery -	0'12	22	2	3	2	4	4	15	3	—	—	—	—	1	1	—	—
Croup -	0'18	33	17	9	2	—	2	30	1	1	—	—	—	—	—	—	—
Whooping Cough -	0'01	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Measles -	0'20	54	—	1	1	—	1	3	3	9	10	4	11	6	3	3	1
Cont. Fev. -	0'11	20	—	—	1	—	1	3	4	—	1	3	1	1	2	1	—
Scarlatina -	0'03	10	—	—	—	—	—	—	—	—	3	3	3	1	—	—	—
Dysentery -	0'27	66	29	9	2	1	41	1	—	—	—	1	—	—	4	7	12
Diarrhoea -	0'03	5	1	2	—	1	4	—	—	—	—	—	—	1	—	—	—
Consumption -	0'53	95	—	—	—	—	—	—	—	—	—	2	11	17	14	62	19
Phthisis -	0'24	43	19	6	1	2	28	—	2	2	1	4	1	4	1	—	—
Measles -	0'17	30	16	5	3	—	1	24	2	2	—	1	—	1	—	—	—
Scarlatina -	1'08	302	9	16	4	2	2	30	6	10	39	22	70	49	49	9	17
Cephalus -	0'27	49	14	13	6	3	30	7	3	5	—	—	—	—	—	—	—
Whooping Cough -	2'45	441	81	30	9	6	134	14	2	6	6	19	11	18	26	163	64
Scarlatina -	1'01	233	7	1	1	3	—	12	3	8	9	23	35	66	39	47	27
Dysentery -	2'99	537	133	51	17	9	4	239	5	3	6	7	14	14	27	47	97
Whooping Cough -	1'01	181	13	5	1	1	1	23	5	—	—	3	8	17	29	34	37
Diarrhoea -	0'51	92	—	1	—	—	1	—	—	5	2	7	9	10	20	18	20
Consumption -	0'04	8	—	—	—	—	—	—	—	—	—	—	1	4	2	1	—
Scarlatina -	0'11	20	—	—	—	—	—	—	—	1	4	7	7	1	—	—	—
Measles -	0'03	9	—	—	—	—	—	—	—	1	1	1	3	1	3	—	—
Violence -	0'42	75	8	5	2	5	1	21	3	4	4	6	6	5	6	7	9
CAUSES	5'14	223	413	28	12	5	3	459	6	4	3	7	11	7	17	62	111

Deaths of Infants (under
one) to 1000 Births - } 132Marriages - 1,190
Births - 6,054Annual Rate of Persons Married - 13'26
per 1000 living (Births - 35'73

155.—BANBURY.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (PER 1000)	10'30	—	—	—	—	—	45'70	4'72	3'28	4'32	7'38	8'01	10'00	14'81	21'05	63'08	181'64
Pop. 1-80	20,664	876	735	882	790	793	4026	3812	3662	2822	2263	3731	3320	2862	2287	1357	572
CAUSES	10'30	5917	1208	312	169	96	55	1840	180	120	122	167	290	332	424	638	1639
Pox -	0'04	12	1	—	—	—	1	2	—	—	3	1	2	—	—	1	—
Febrile -	0'29	88	15	30	15	8	3	71	9	6	1	—	—	—	1	—	—
Scarlatina -	0'54	167	10	14	27	24	15	90	24	15	3	1	1	2	—	1	—
Dysentery -	0'04	12	1	1	1	3	1	7	2	—	—	—	1	—	1	1	—
Croup -	0'31	95	59	27	14	6	1	87	8	—	—	—	—	—	—	—	—
Whooping Cough -	0'02	5	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—
Measles -	0'32	99	1	3	4	3	2	13	10	12	14	15	15	5	5	4	2
Cont. Fev. -	0'08	24	1	1	1	2	5	—	—	2	5	6	2	4	1	1	—
Scarlatina -	0'04	12	—	—	—	—	—	—	—	1	3	7	—	1	—	—	—
Dysentery -	0'20	163	74	22	6	1	2	105	3	1	1	—	—	3	11	11	19
Diarrhoea -	0'01	4	—	—	—	1	1	—	—	—	—	—	1	—	1	1	—
Consumption -	0'49	151	—	—	1	—	1	—	—	1	—	4	15	54	58	67	21
Phthisis -	0'12	37	4	5	5	—	—	14	3	3	3	2	2	3	2	5	—
Measles -	0'27	84	42	16	4	1	—	63	6	4	3	1	1	1	3	2	—
Scarlatina -	1'73	531	21	21	5	2	2	51	5	23	36	76	114	109	68	20	14
Cephalus -	0'19	59	19	12	4	5	3	43	5	4	1	1	2	—	—	—	—
Whooping Cough -	2'45	732	189	25	18	4	5	191	15	14	6	14	23	33	47	33	156
Scarlatina -	1'09	487	1	1	—	1	1	4	1	2	8	27	32	64	92	172	76
Dysentery -	2'98	914	215	81	37	19	7	558	17	8	19	7	21	24	62	111	181
Whooping Cough -	1'13	546	26	7	2	3	1	28	7	6	3	7	23	33	54	82	40
Diarrhoea -	0'30	91	—	—	1	1	1	3	1	2	—	3	5	10	12	21	23
Consumption -	0'03	10	—	—	—	—	—	—	—	—	1	—	2	1	1	4	1
Scarlatina -	0'15	41	—	—	—	—	—	—	—	1	7	14	17	2	—	—	—
Measles -	0'06	19	—	—	—	—	—	—	—	1	4	—	4	—	6	3	2
Violence -	0'42	118	12	6	8	3	1	20	10	7	12	2	5	13	13	13	13
CAUSES	5'12	1396	587	40	16	11	9	663	21	9	9	10	17	25	48	62	180

Deaths of Infants (under
one) to 1000 Births - } 125Marriages - 2,127
Births - 9,646Annual Rate of Persons Married - 13'87
per 1000 living (Births - 31'46

NORTHAMPTONSHIRE.

156.—BRACKLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.56	—	—	—	—	—	44.46	4.38	3.93	3.98	7.34	6.89	8.01	10.86	22.76	58.26	17.7
Mean Pop. 1871-80	—	12,920	360	319	337	334	328	1678	1600	1477	1182	926	1553	1385	1197	984	674	270
ALL CAUSES	18.56	2399	504	134	54	33	21	746	70	58	47	68	107	111	130	224	339	67
Small-pox	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0.21	27	5	14	2	—	—	28	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.46	59	7	11	12	7	—	89	11	5	1	—	3	—	—	—	—	—
Diphtheria	0.02	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0.27	35	15	13	5	—	—	33	1	1	—	—	—	—	—	—	—	—
Typhus	0.08	10	—	—	—	—	—	—	—	3	2	1	2	1	—	—	—	—
Enteric Fever	0.31	43	1	2	—	—	1	4	6	5	4	1	7	6	4	2	—	—
Simple Cont. Fev.	0.18	23	—	1	1	1	1	4	2	3	2	2	3	3	—	—	—	—
Puerp. Fever	0.04	5	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Diarr. and Dys.	0.37	48	16	5	4	—	1	26	—	—	1	—	3	1	1	2	5	11
Cholera	0.02	3	—	—	—	1	—	1	—	—	—	—	—	—	2	—	—	—
Cancer	0.35	45	—	—	—	—	—	1	—	2	—	—	—	7	12	11	73	3
Scrofula	0.08	10	—	1	—	—	—	—	1	—	—	—	1	2	2	1	—	—
Tuberc Mesent.	0.24	34	19	4	3	2	—	28	2	1	1	—	—	—	—	—	1	—
Phthisis	1.32	186	7	3	2	3	—	15	3	6	12	36	45	24	10	21	9	2
Hydrocephalus	0.23	30	14	7	1	—	1	25	6	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.67	245	34	13	2	1	2	37	5	7	7	5	8	8	14	22	33	24
Circulatory	1.20	155	9	—	—	—	—	3	1	3	5	4	8	9	19	38	39	34
Respiratory	2.55	320	85	31	14	6	1	137	8	6	2	5	4	16	13	24	61	34
Digestive	1.15	149	19	1	1	1	1	23	8	3	2	4	4	13	14	15	40	2
Urinary	0.02	4	—	—	—	—	—	2	1	—	—	—	3	4	6	9	8	—
Generative	0.02	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Childbirth	0.06	8	—	—	—	—	—	—	—	—	—	2	2	4	—	—	—	—
Suicide	0.02	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
Other Violence	0.33	42	3	—	2	1	2	8	4	2	1	2	2	1	4	6	6	6
OTHER CAUSES	5.82	751	279	90	6	3	4	372	7	9	6	2	8	10	19	33	79	256

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 816
Births - 3,951Annual Rate { Persons Married - 12.65
per 1000 living { Births - 50.57

157.—TOWCESTER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.83	—	—	—	—	—	45.49	4.85	1.02	5.01	6.88	6.72	10.11	10.28	23.21	61.60	16.7
Mean Pop. 1871-80	—	12,786	369	314	347	323	355	1708	1506	1406	1138	916	1606	1385	1226	948	625	282
ALL CAUSES	18.83	2408	563	118	50	26	21	777	76	27	57	63	108	140	126	220	355	67
Small-pox	0.06	8	1	—	—	—	—	1	2	—	—	—	—	1	2	1	1	—
Measles	0.21	27	5	9	5	2	1	29	6	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.28	34	—	6	2	7	7	23	11	1	—	—	1	—	—	—	—	—
Diphtheria	0.07	9	—	—	1	2	1	4	4	1	—	—	—	—	—	—	—	—
Whooping-cough	0.31	39	21	7	5	1	2	26	3	—	—	—	—	—	—	—	—	—
Typhus	0.02	3	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Enteric Fever	0.32	41	—	3	2	1	—	6	6	3	6	3	5	2	3	2	4	1
Simple Cont. Fev.	0.09	4	1	—	—	—	1	2	1	1	—	—	—	—	—	—	—	—
Puerp. Fever	0.05	7	—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—
Diarr. and Dys.	0.52	67	21	5	1	2	1	30	—	—	—	1	—	1	1	2	11	2
Cholera	0.03	4	—	2	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Cancer	0.15	58	—	—	—	—	—	—	—	—	—	—	1	6	8	18	18	7
Scrofula	0.17	22	4	2	—	—	—	6	2	—	2	3	—	2	3	2	4	—
Tuberc Mesent.	0.29	37	19	7	2	1	—	29	—	3	—	—	—	2	—	—	1	—
Phthisis	1.34	197	17	5	2	—	—	24	2	3	24	31	35	42	15	15	6	—
Hydrocephalus	0.26	46	24	15	1	1	—	41	3	—	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.21	283	44	6	3	2	2	37	2	3	8	6	8	11	10	43	71	6
Circulatory	1.44	184	1	—	1	1	—	3	—	3	1	4	8	9	14	21	36	31
Respiratory	2.93	375	123	27	15	2	4	171	4	3	—	3	10	13	29	19	36	24
Digestive	1.29	154	17	3	3	—	—	23	7	1	1	—	6	11	16	29	37	2
Urinary	0.05	9	—	—	1	—	—	1	1	—	2	2	4	6	2	9	19	3
Generative	0.07	9	1	—	—	—	—	1	—	—	—	—	2	—	1	2	1	—
Childbirth	0.13	17	—	—	—	—	—	—	—	—	2	2	7	6	—	—	—	—
Suicide	0.07	9	—	—	—	—	—	—	—	—	—	—	2	1	2	3	—	—
Other Violence	0.52	67	8	1	3	—	—	12	9	3	1	2	6	10	11	7	6	9
OTHER CAUSES	5.12	690	237	29	3	4	2	286	13	1	6	3	9	13	15	19	37	136

Deaths of Infants (under
one) to 1000 Births } 134Marriages - 818
Births - 4,185Annual Rate { Persons Married - 12.30
per 1000 living { Births - 33.73

158.—POTTERSPURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and above.
DEATHS (PER 1000)	—	16'85	—	—	—	—	—	45'34	4'00	2'08	4'80	5'80	5'84	9'78	11'74	23'07	40'00	154'74
Pop. (-80)	—	11,974	358	290	336	318	299	1610	1476	1377	1186	948	1541	1257	1082	802	505	190
CAUSES	16'85	2018	497	118	55	33	27	730	59	41	58	55	90	123	127	189	252	291
pox -	0'01	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
measles -	0'22	25	6	9	—	4	2	24	2	—	—	—	—	—	—	—	—	—
fever -	0'45	54	7	11	6	7	2	37	10	3	3	1	—	—	—	—	—	—
scarlatina -	0'07	8	3	1	1	1	—	6	—	1	—	—	1	—	—	—	—	—
cough -	0'26	31	15	6	4	4	2	31	—	—	—	—	—	—	—	—	—	—
typhoid -	0'03	3	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—
fever -	0'23	42	—	3	—	1	1	5	5	4	5	3	5	5	4	1	3	2
cont. fever -	0'14	17	2	1	1	—	—	4	2	2	1	1	—	1	—	2	3	1
fever -	0'07	8	—	—	—	—	—	—	—	—	—	1	6	1	—	—	—	—
and dysentery -	0'28	45	21	7	—	—	1	59	—	—	—	—	1	—	—	5	5	3
diarrhoea -	0'02	2	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
cholera -	0'51	67	—	—	—	—	—	—	—	—	—	—	2	4	13	24	19	8
measles -	0'12	14	4	2	1	—	—	7	—	—	—	—	1	2	2	—	1	1
scarlatina -	0'24	29	18	4	2	—	—	24	—	1	—	—	2	1	—	—	—	—
typhoid -	1'65	195	2	1	—	—	—	3	1	11	27	26	39	43	31	10	4	—
cephalitis -	0'28	46	17	6	9	—	4	50	9	—	—	1	—	—	—	—	—	—
typhoid Syst.	2'25	270	70	12	5	3	3	93	4	6	2	4	6	12	14	34	50	45
typhoid -	1'07	125	3	—	—	—	—	3	2	—	1	3	3	10	15	32	38	21
respiratory -	2'12	255	72	26	6	3	3	112	1	2	3	1	6	10	12	32	41	34
asthma -	0'64	77	8	—	2	1	—	17	4	1	2	2	1	4	6	15	16	9
diarrhoea -	0'33	29	—	1	1	—	—	2	—	2	1	1	5	3	4	12	8	4
enteritis -	0'05	6	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	1
typhoid -	0'10	12	—	—	—	—	—	—	—	—	1	3	3	4	1	—	—	—
measles -	0'05	6	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
violence -	0'48	57	8	2	1	1	—	12	8	2	2	2	3	4	9	5	2	2
CAUSES	4'82	580	249	21	12	8	3	294	11	5	8	5	7	15	11	14	62	164

Deaths of Infants (under
one) to 1000 Births - } 128Marriages - 750
Births - 3,575Annual Rate { Persons Married - 12'53
per 1000 living { Births - - - 32'36

159.—HARDINGSTONE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and above.
DEATHS (PER 1000)	—	18'76	—	—	—	—	—	48'72	4'38	3'86	7'35	6'88	7'93	9'42	11'73	24'36	51'20	177'65
Pop. (-80)	—	10,573	301	301	301	271	273	1447	1301	1106	953	857	1350	1168	963	739	459	170
CAUSES	15'76	1983	457	124	62	30	32	705	57	45	70	59	107	110	113	186	235	302
pox -	0'25	26	3	1	—	—	—	4	3	3	5	2	4	2	2	1	—	—
measles -	0'21	22	2	10	—	—	—	22	—	—	—	—	—	—	—	—	—	—
fever -	0'43	45	2	5	4	3	8	22	12	7	3	—	1	—	—	—	—	—
scarlatina -	0'09	10	1	—	2	2	1	6	4	—	—	—	—	—	—	—	—	—
cough -	0'25	30	7	12	8	3	—	50	—	—	—	—	—	—	—	—	—	—
typhoid -	0'06	6	—	1	—	—	—	1	—	—	—	3	—	1	1	—	—	—
fever -	0'36	38	1	—	1	—	—	2	4	4	11	8	6	3	2	1	—	—
cont. fever -	0'20	21	—	1	1	1	2	5	6	1	1	—	—	—	—	2	6	—
fever -	0'04	6	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—
and dysentery -	0'84	91	46	18	2	1	1	78	—	—	—	1	1	2	1	2	5	11
diarrhoea -	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cholera -	0'34	26	—	—	—	—	—	—	—	1	—	—	1	4	8	8	11	3
measles -	0'11	12	6	—	—	—	—	6	—	—	—	2	2	—	1	—	1	—
scarlatina -	0'23	24	15	4	2	—	—	21	1	1	—	—	—	—	—	—	—	—
typhoid -	2'05	217	22	6	3	—	—	81	1	8	20	30	49	34	17	21	5	1
cephalitis -	0'24	25	11	3	1	1	2	18	4	2	—	1	—	—	—	—	—	—
typhoid Syst.	2'08	220	49	9	5	2	4	69	8	2	5	2	4	4	15	24	47	46
typhoid -	0'97	103	—	—	—	—	—	—	2	1	2	1	3	5	13	27	27	19
respiratory -	3'32	361	82	36	15	10	7	159	4	1	4	2	5	16	23	36	54	53
asthma -	0'33	88	15	1	2	1	2	18	2	3	2	—	4	2	9	19	14	15
diarrhoea -	0'28	30	1	—	—	—	1	2	—	1	—	—	1	4	4	4	5	9
enteritis -	0'05	5	—	—	—	—	—	—	—	—	1	—	1	2	1	—	—	—
typhoid -	0'13	14	—	—	—	—	—	—	—	—	1	3	4	6	—	—	—	—
measles -	0'07	7	—	—	—	—	—	—	—	—	1	—	—	—	1	3	1	—
violence -	0'59	61	2	4	2	2	2	12	1	5	5	2	7	11	3	9	6	1
CAUSES	4'67	494	194	14	4	3	3	218	5	5	9	3	10	8	9	23	34	150

Deaths of Infants (under
one) to 1000 Births - } 127Marriages - 823
Births - 3,598Annual Rate { Persons Married - 15'37
per 1000 living { Births - - - 34'03

160.—NORTHAMPTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	22.65	—	—	—	—	—	71.41	6.17	3.56	5.42	7.13	9.47	13.45	15.75	34.10	75.70	128.32
Mean Pop. 1871-80	—	57,193	1828	1582	1506	1330	1557	9068	6064	6173	5901	5215	5567	6563	4765	3190	1615	264
ALL CAUSES	22.65	13,023	3730	1122	457	279	170	5758	430	220	320	372	511	883	804	1057	1271	107
Small-pox	0.82	470	43	24	27	32	34	160	131	43	28	23	43	21	13	8	—	—
Measles	0.42	241	64	34	55	22	6	231	8	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.41	223	38	58	41	49	39	167	52	8	2	1	—	—	—	—	—	—
Diphtheria	0.04	24	2	3	3	5	1	14	5	—	—	—	—	—	—	—	—	—
Whooping-cough	0.61	351	102	104	49	20	11	337	14	—	—	—	—	—	—	—	—	—
Typhus	0.01	7	—	—	—	—	—	—	1	2	1	1	1	—	—	1	—	—
Enteric Fever	0.19	111	1	—	—	4	1	13	11	18	16	14	16	7	6	6	—	—
Simple Cont. Fev.	0.14	81	3	8	4	—	2	35	20	8	5	—	—	—	—	—	—	—
Paup. Fever	0.08	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	1.74	1014	690	144	29	10	2	875	7	—	—	—	—	—	—	—	—	—
Cholera	0.01	4	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0.20	245	—	—	—	1	1	2	1	—	1	3	19	44	71	73	53	10
Scrofula	0.09	49	14	6	4	4	3	31	1	2	4	3	3	1	—	2	1	1
Tubes Mesent.	0.17	97	13	18	14	1	1	37	18	2	1	—	—	—	—	—	—	—
Phthisis	1.09	1369	30	39	28	11	6	115	18	30	131	182	3.7	294	149	74	23	4
Hydrocephalus	0.08	219	74	58	28	13	11	161	19	8	5	2	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.97	1769	304	79	27	18	5	633	25	16	30	26	74	142	143	225	245	10
Circulatory	1.14	651	1	—	—	1	1	3	9	9	12	16	64	99	113	153	133	6
Respiratory	3.94	2264	639	345	108	67	30	1107	30	14	10	17	86	201	141	221	290	129
Digestive	0.81	467	78	9	1	2	3	96	16	13	17	7	25	22	67	84	78	29
Urinary	0.07	210	2	8	1	2	1	11	6	—	11	8	2	31	23	43	33	1
Generative	0.04	53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.08	47	—	—	—	—	—	—	—	—	2	11	14	20	—	—	—	—
Suicide	0.03	47	—	—	—	—	—	—	—	1	—	—	9	11	15	4	6	1
Other Violence	0.64	369	34	19	12	7	6	78	20	31	36	29	38	47	44	54	20	12
OTHER CAUSES	4.60	2651	1277	145	39	25	12	1498	28	17	19	17	17	67	47	76	115	276

Deaths of Infants (under one) to 1000 Births . . . 173

Marriages - 5,084
Births - 21,540

Annual Rate { Persons Married - 17.70
per 1000 living { Births - 37.48

161.—DAVENTRY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	19.10	—	—	—	—	—	44.65	4.21	3.29	5.71	6.61	7.63	9.55	13.58	22.96	60.44	109.19
Mean Pop. 1871-80	—	15,083	474	478	194	447	477	2374	2234	2038	1681	1467	2373	2073	1874	1307	938	40
ALL CAUSES	19.10	3625	728	154	79	59	40	1060	94	67	96	97	181	195	254	346	579	60
Small-pox	0.05	19	—	1	—	—	2	3	—	—	—	—	1	2	1	1	—	—
Measles	0.24	45	12	15	4	7	3	41	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.03	64	4	5	12	13	7	41	10	5	6	—	1	—	—	—	—	—
Diphtheria	0.07	11	1	1	1	4	1	9	1	—	2	—	—	1	1	—	—	—
Whooping-cough	0.23	43	22	11	3	1	4	41	2	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0.13	21	2	—	—	1	1	5	2	—	—	2	—	—	—	—	—	—
Simple Cont. Fev.	0.05	10	—	—	—	—	—	—	3	3	2	—	2	—	—	—	—	—
Paup. Fever	0.04	12	—	—	—	—	—	—	—	—	1	3	6	2	—	—	—	—
Diarr. and Dys.	0.54	163	45	8	2	—	1	56	1	—	1	—	—	3	1	6	3	10
Cholera	0.02	3	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.02	118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	0.15	24	8	3	—	1	—	14	3	2	1	—	—	11	13	23	20	2
Tubes Mesent.	0.09	14	10	1	2	—	1	14	—	—	—	—	—	2	—	1	1	—
Phthisis	1.77	334	12	8	2	2	2	26	9	17	35	49	78	64	40	18	6	1
Hydrocephalus	0.07	52	16	12	5	2	2	39	9	2	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.93	454	83	13	11	6	7	120	16	6	8	7	19	19	33	47	60	9
Circulatory	1.72	357	2	1	2	4	3	107	5	5	6	6	14	19	37	73	115	17
Respiratory	2.94	332	139	29	12	4	3	197	16	5	5	6	10	10	28	51	109	14
Digestive	1.15	219	33	3	2	—	1	41	3	1	10	2	5	14	27	39	31	9
Urinary	0.42	80	—	—	—	—	—	1	1	2	1	—	—	5	9	17	29	3
Generative	0.08	16	—	—	—	—	—	—	—	—	—	—	1	1	2	3	3	—
Childbirth	0.08	13	—	—	—	—	—	—	—	—	—	—	4	7	4	3	1	—
Suicide	0.11	21	—	—	—	—	—	—	—	—	—	—	3	1	2	5	1	—
Other Violence	0.69	114	3	3	3	6	3	19	12	8	4	4	10	9	11	8	16	1
OTHER CAUSES	3.91	913	334	29	14	8	3	387	6	11	2	—	8	9	15	25	43	116

Deaths of Infants (under one) to 1000 Births . . . 129

Marriages - 1,327
Births - 5,630

Annual Rate { Persons Married - 13.28
per 1000 living { Births - 27.76

162.—BRIXWORTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	18.03	—	—	—	—	—	37.74	3.80	2.61	5.08	7.72	8.70	8.70	11.37	24.40	67.89	168.21
Pop. 71-80	—	13,601	358	329	330	353	330	1700	1685	1563	1186	959	1551	1438	1407	1127	601	280
CAUSES	18.03	2452	465	93	45	22	20	645	64	41	60	74	135	120	160	276	400	471
Diphtheria	0.12	16	2	—	—	—	—	2	—	—	2	1	—	4	4	2	1	—
Erysipelas	0.12	17	5	6	2	—	—	13	2	1	—	1	—	—	—	—	—	—
Scarlet Fever	0.43	58	2	7	9	9	8	35	15	2	—	1	—	1	—	—	—	—
Typhoid	0.01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Whooping-cough	0.19	26	10	8	4	—	2	24	2	—	—	—	—	—	—	—	—	—
Measles	0.07	8	—	—	—	—	—	—	5	1	—	—	1	1	—	—	—	1
Scarlet Fever	0.35	47	1	1	3	1	—	6	5	2	7	4	7	4	6	1	3	2
Cont. Fev.	0.16	22	—	—	—	1	1	2	6	1	1	2	2	2	3	1	1	—
Small Pox	0.05	8	—	—	—	—	—	—	—	—	—	3	2	3	—	—	—	—
Small Pox and Dys.	0.43	65	89	4	1	—	—	46	—	—	—	1	—	1	—	—	6	10
Small Pox	0.01	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Scarlet	0.05	89	—	—	—	—	—	—	—	—	—	1	3	8	11	29	27	10
Erysipelas	0.08	11	—	2	—	—	—	2	1	—	2	1	3	—	1	—	1	—
Measles	0.10	14	5	9	2	—	—	8	—	2	1	1	1	—	—	—	—	—
Whooping-cough	0.17	233	6	—	—	—	—	6	7	4	21	26	60	31	29	32	10	—
Measles	0.17	25	9	5	2	—	3	19	2	1	1	—	—	—	—	—	—	—
Scarlet	2.56	348	33	10	2	3	3	76	5	7	5	4	8	11	17	44	89	80
Respiratory	1.60	217	1	—	—	—	—	1	—	3	4	—	9	11	24	49	69	44
Digestive	2.60	353	30	21	7	6	1	122	3	2	5	4	12	6	16	35	65	77
Primary	1.11	151	13	—	—	—	—	15	—	1	—	5	2	14	20	35	45	18
Generative	0.39	53	1	—	—	—	—	1	1	2	—	3	6	3	6	8	15	8
Scarlet	0.01	8	—	—	—	—	—	—	—	—	—	1	1	2	1	2	—	1
Birth	0.05	7	—	—	—	—	—	—	—	—	1	1	3	2	—	—	—	—
Violence	0.07	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.45	61	9	—	4	—	2	16	4	5	2	2	1	6	7	6	5	4
CAUSES	4.43	614	218	21	9	2	—	233	6	7	5	2	11	9	19	22	58	212

Deaths of Infants (under one) to 1000 Births } 122

Marriages - 889
Births - 3,807Annual Rate { Persons Married - 13.07
per 1000 living { Births - 27.99

163.—WELLINGBOROUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	19.34	—	—	—	—	—	63.48	4.73	2.70	5.44	6.06	6.78	8.94	12.21	24.84	61.32	166.50
Pop. 71-80	—	32,970	1016	928	928	905	894	4671	4226	3628	3365	2889	4602	3524	2702	1872	1091	400
CAUSES	19.34	6378	1935	566	226	135	100	2965	200	98	183	176	312	315	330	465	669	606
Diphtheria	0.02	5	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—
Erysipelas	0.45	215	87	80	44	20	14	195	16	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.40	161	15	22	25	27	22	111	36	6	5	1	1	—	—	—	—	—
Typhoid	0.06	19	1	1	—	3	3	8	8	2	1	—	—	—	—	—	—	—
Whooping-cough	0.47	155	77	41	20	7	4	149	5	1	—	—	—	—	—	—	—	—
Measles	0.05	17	—	—	—	1	—	1	1	1	4	3	3	1	1	2	—	—
Scarlet Fever	0.33	108	1	3	6	1	4	15	14	14	17	9	16	6	6	4	7	—
Cont. Fev.	0.05	18	1	2	—	1	2	6	3	2	1	—	—	1	1	—	1	2
Small Pox	0.05	28	—	—	—	—	—	—	—	—	1	1	8	14	3	—	—	—
Small Pox and Dys.	0.83	275	183	83	6	1	1	224	2	1	—	—	—	1	—	7	18	21
Small Pox	0.03	10	—	—	—	1	1	2	2	—	—	—	—	—	2	2	—	2
Scarlet	0.22	170	—	—	1	—	—	1	—	—	1	5	—	22	29	56	45	13
Erysipelas	0.03	21	3	4	1	—	—	8	2	—	1	2	3	1	1	—	—	—
Measles	0.44	145	83	52	4	3	3	127	6	6	3	3	—	—	—	—	—	—
Whooping-cough	1.89	624	17	15	9	8	4	48	10	17	87	76	154	110	78	27	16	4
Measles	0.17	55	17	13	8	3	—	41	7	2	1	3	1	—	—	—	—	—
Scarlet	2.20	823	503	48	21	13	8	593	20	8	12	6	10	20	32	87	125	110
Respiratory	1.19	393	2	—	—	—	—	2	4	10	13	11	19	27	46	85	117	69
Digestive	3.35	1115	352	151	56	23	11	601	21	7	9	12	25	42	48	80	144	100
Primary	0.29	295	41	10	6	3	4	64	8	2	6	12	22	25	56	55	43	13
Generative	0.19	65	—	—	—	—	—	1	1	1	4	2	9	6	6	12	11	10
Scarlet	0.02	8	—	—	—	—	—	—	—	—	—	—	—	—	5	2	—	—
Birth	0.05	28	—	—	—	—	—	—	—	—	—	4	6	17	1	—	—	—
Violence	0.05	17	—	—	—	—	—	—	—	—	—	1	1	1	4	3	—	1
Violence	0.31	115	10	10	2	1	3	26	8	8	5	10	14	8	14	8	7	7
CAUSES	4.25	1497	793	18	17	19	15	942	26	9	9	6	12	10	19	35	109	312

Deaths of Infants (under one) to 1000 Births } 156

Marriages - 2,490
Births - 12,391Annual Rate { Persons Married - 15.10
per 1000 living { Births - 37.58

164.—KETTERING.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	18.90	—	—	—	—	—	53.35	4.34	2.89	4.78	5.60	7.61	8.81	12.16	23.34	33.13	17.4
Mean Pop. 1871-80	—	22,883	747	624	600	634	625	3529	2881	2520	2135	1946	3100	2371	1958	1443	837	336
ALL CAUSES	18.90	4326	1181	543	120	73	54	1776	125	72	102	100	236	209	235	338	541	288
Small-pox	0.11	25	—	—	1	—	—	1	3	1	5	5	1	3	3	2	—	1
Measles	0.13	98	22	44	15	4	3	10	5	1	1	—	1	—	—	—	—	—
Scarlet Fever	0.35	81	3	8	8	13	10	42	20	4	2	—	3	—	—	—	—	—
Diphtheria	0.04	10	2	1	1	2	2	8	1	1	—	—	—	—	—	—	—	—
Whooping-cough	0.50	114	48	36	17	6	4	111	2	1	—	—	—	—	—	—	—	—
Typhus	0.11	26	—	1	1	2	—	4	3	2	2	5	3	3	1	1	2	—
Enteric Fever	0.19	112	8	9	5	7	5	34	11	14	10	6	12	9	5	5	2	—
Simp. Cont. Fev.	0.07	17	1	2	—	3	1	7	1	—	—	—	—	—	—	—	—	—
Puep. Fev.	0.05	11	—	—	—	—	—	—	—	—	—	2	5	4	—	—	—	—
Diarr. and Dys.	0.60	184	99	33	4	—	—	139	3	—	1	—	—	1	3	3	14	26
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Cancer	0.78	84	—	1	—	—	—	1	—	—	—	—	2	10	19	21	25	8
Serofula	0.19	21	9	—	—	—	1	16	—	—	—	2	—	1	3	—	1	—
Tubes Mesent.	0.13	42	14	12	2	—	—	30	—	2	5	4	1	—	—	—	—	—
Phthisis	1.55	555	5	6	2	1	1	15	5	15	31	54	104	43	37	33	12	—
Hydrocephalus	0.27	61	20	15	5	3	4	47	9	4	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.23	510	114	31	3	5	3	188	8	6	11	2	14	18	26	54	115	12
Circulatory	0.09	221	3	—	—	—	1	5	1	5	5	7	7	25	34	37	69	—
Respiratory	2.77	624	166	78	24	9	5	232	9	7	6	6	15	18	40	85	110	22
Digestive	0.15	213	26	2	4	1	1	34	5	1	4	7	14	14	29	38	63	11
Urinary	0.32	74	—	—	—	—	—	1	—	—	3	—	7	7	5	18	16	17
Generative	0.03	8	—	—	—	—	—	—	—	—	1	1	2	1	1	2	—	—
Childbirth	0.67	15	—	—	—	—	—	—	—	—	—	1	6	8	—	—	—	—
Suicide	0.69	21	—	—	—	—	—	—	—	—	—	1	4	12	4	7	2	—
Other Violence	0.54	124	13	8	5	2	4	39	6	4	8	8	20	32	9	9	10	9
OTHER CAUSES	5.49	1232	306	48	27	14	9	64	23	4	6	—	15	16	17	43	100	28

Deaths of Infants (under
one) to 1000 Births } 140Marriages - 1,385
Births - 8,437Annual Rate (Persons Married - 14.73
per 1000 living (Births - 36.98

165.—THRAPSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	19.02	—	—	—	—	—	49.83	4.74	3.65	5.04	7.71	7.57	8.23	12.53	25.27	39.30	19.9
Mean Pop. 1871-80	—	14,732	449	351	442	431	416	2097	1983	1672	1340	1076	1877	1616	1260	942	603	240
ALL CAUSES	19.02	2802	724	168	73	51	29	1045	94	61	68	83	142	133	159	238	357	421
Small-pox	0.05	6	2	—	—	—	—	2	—	—	—	1	1	1	2	—	1	—
Measles	0.21	31	7	12	4	4	2	29	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	21	1	3	4	8	4	20	4	1	—	—	—	—	—	—	—	—
Diphtheria	0.15	27	1	—	4	6	6	17	9	1	—	—	—	—	—	—	—	—
Whooping-cough	0.42	62	22	29	9	—	4	68	4	—	—	—	—	—	—	—	—	—
Typhus	0.05	8	—	—	—	—	—	—	1	1	2	3	1	—	—	—	—	—
Enteric Fever	0.50	44	1	2	2	1	—	6	4	7	5	4	9	1	2	2	2	1
Simp. Cont. Fev.	0.10	14	1	—	—	—	—	1	2	2	2	1	—	2	3	1	—	—
Puep. Fev.	0.10	14	—	—	—	—	—	—	—	—	1	2	8	3	—	—	—	—
Diarr. and Dys.	0.67	98	48	7	2	1	—	58	1	1	1	—	3	2	—	1	14	17
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.55	81	—	—	—	—	—	—	—	—	—	—	2	9	14	24	18	14
Serofula	0.14	20	2	1	—	—	—	3	2	2	3	3	2	—	1	2	2	—
Tubes Mesent.	0.37	54	33	6	2	—	1	42	2	1	4	2	2	1	—	—	—	—
Phthisis	1.57	251	—	2	3	1	—	6	4	9	21	31	61	42	20	17	6	—
Hydrocephalus	0.18	36	15	2	1	2	2	22	3	—	—	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.79	332	58	17	9	2	2	128	19	3	6	6	5	9	14	35	65	39
Circulatory	1.39	203	—	—	—	—	—	1	2	6	1	8	8	16	23	43	62	29
Respiratory	3.18	468	126	53	12	12	2	207	9	4	5	3	13	15	33	34	76	17
Digestive	0.83	122	14	1	—	—	—	15	6	5	5	2	4	9	22	27	18	8
Urinary	0.31	46	—	—	—	—	—	—	—	1	1	1	4	1	7	12	13	1
Generative	0.03	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.11	16	—	—	—	—	—	—	—	—	1	4	5	6	—	—	—	—
Suicide	0.07	10	—	—	—	—	—	—	—	—	—	—	1	8	2	1	1	3
Other Violence	0.54	79	7	2	2	5	1	17	10	6	8	4	4	2	8	11	9	8
OTHER CAUSES	5.11	787	346	35	18	9	5	413	10	11	2	8	4	10	10	27	65	134

Deaths of Infants (under
one) to 1000 Births } 136Marriages - 1,019
Births - 6,319Annual Rate (Persons Married - 14.23
per 1000 living (Births - 30.11

166.—OUNDLÉ.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwds.
ALL DEATHS (PER 1000)	—	18.19	—	—	—	—	—	41.47	4.31	2.64	3.09	6.54	7.48	10.06	13.12	23.21	55.02	153.02
Pop. 1871-80	—	14,552	380	353	377	378	371	1859	1808	1745	1327	994	1632	1482	1357	1103	730	515
CAUSES	18.19	2011	528	129	60	34	20	771	78	46	49	65	122	158	178	256	406	482
Diphtheria	0.02	3	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—
Scarlet Fever	0.22	31	10	9	4	4	2	29	2	—	—	—	—	—	—	—	—	—
Erysipelas	0.23	47	3	5	4	4	1	17	12	4	1	—	2	1	—	—	—	—
Whooping-cough	0.05	5	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Measles	0.42	60	31	15	11	1	—	68	2	—	—	—	—	—	—	—	—	—
Smallpox	0.03	4	—	—	—	—	1	1	—	—	—	—	2	—	—	1	—	—
Scarlet Fever	0.31	45	—	—	1	2	—	3	7	5	8	6	5	3	3	5	—	—
Erysipelas	0.03	8	1	—	—	1	1	3	1	1	—	2	—	1	—	—	—	—
Whooping-cough	0.05	7	—	—	—	—	—	—	—	1	—	—	4	2	—	—	—	—
Measles	0.70	101	46	11	8	1	—	61	1	1	—	—	5	3	1	7	13	11
Smallpox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.81	116	—	—	—	—	—	—	—	1	—	—	1	12	29	57	24	12
Erysipelas	0.09	13	3	—	2	—	—	5	3	—	—	1	3	—	—	1	—	—
Whooping-cough	0.07	10	5	—	1	1	—	7	3	—	—	—	—	—	—	—	—	—
Measles	1.62	232	2	3	1	2	1	9	6	10	22	31	54	49	33	14	4	—
Smallpox	0.15	23	6	9	5	2	—	20	5	—	1	—	—	—	—	—	—	—
Scarlet Fever	1.94	278	54	16	7	3	2	82	4	1	3	3	6	7	15	46	58	53
Erysipelas	1.45	210	—	—	—	—	—	—	2	4	2	3	9	18	24	52	65	31
Whooping-cough	2.45	351	90	29	11	3	2	135	4	1	—	—	3	18	20	53	78	59
Measles	0.88	126	15	—	1	—	1	17	3	1	5	5	7	11	18	20	29	10
Smallpox	0.26	37	1	—	—	1	1	3	—	—	2	5	3	4	7	4	7	2
Scarlet Fever	0.01	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Birth	0.00	13	—	—	—	—	—	—	—	1	1	5	5	1	—	—	—	—
Infants	0.03	12	—	—	—	—	—	—	—	—	—	—	3	1	4	3	—	—
Violence	0.48	69	2	2	4	2	1	11	7	11	1	—	5	9	4	5	6	10
CAUSES	5.07	815	259	50	7	5	7	308	12	6	2	7	7	12	21	27	119	294

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 951
Births - 4,336Annual Rate { Persons Married - 13.25
per 1000 living { Births - - - 30.21

167.—PETERBOROUGH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwds.
ALL DEATHS (PER 1000)	—	18.66	—	—	—	—	—	52.42	5.06	4.11	4.98	6.42	7.02	10.05	12.29	24.51	53.86	152.18
Pop. 1871-80	—	39,361	1182	1050	1123	1074	1062	5500	5042	4433	3812	3179	5300	4268	3321	2362	1486	658
CAUSES	18.66	7344	2012	441	200	139	91	2883	255	182	190	204	420	429	408	579	703	1001
Diphtheria	0.05	20	4	—	1	—	—	5	2	—	1	4	1	4	1	1	—	1
Scarlet Fever	0.25	91	19	20	17	9	4	59	12	—	—	—	—	—	—	—	—	—
Erysipelas	0.24	211	12	18	46	53	32	144	46	16	1	—	3	—	1	—	—	—
Whooping-cough	0.13	50	4	3	2	6	6	21	14	5	3	1	3	2	1	—	—	—
Measles	0.24	93	51	25	9	6	—	91	2	2	—	—	—	—	—	—	—	—
Smallpox	0.02	9	—	—	1	1	1	3	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.31	169	6	9	6	8	4	33	27	24	24	25	29	17	11	5	3	1
Erysipelas	0.11	43	3	2	2	3	—	10	7	6	3	1	7	5	1	4	1	—
Whooping-cough	0.03	25	—	—	—	—	—	—	—	—	—	—	12	3	1	—	—	—
Measles	0.82	321	216	25	3	6	1	251	4	1	2	—	3	1	5	5	17	32
Smallpox	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Scarlet Fever	0.63	247	1	—	—	—	—	1	—	1	—	—	9	21	44	81	66	23
Erysipelas	0.24	95	40	17	5	3	1	66	9	5	4	5	3	1	2	2	—	—
Whooping-cough	0.20	164	60	23	5	1	—	87	4	3	4	8	—	—	1	2	—	—
Measles	1.91	751	13	16	5	3	—	36	18	50	76	10	183	144	87	29	18	4
Smallpox	0.32	121	91	24	14	7	6	62	25	11	3	—	2	—	1	—	—	—
Scarlet Fever	2.19	823	278	88	14	15	9	314	19	20	13	9	21	26	39	90	178	145
Erysipelas	1.21	476	2	1	—	—	1	4	4	8	5	4	26	61	64	91	125	92
Whooping-cough	2.92	1148	381	191	57	16	8	573	17	5	8	11	19	44	56	91	149	174
Measles	0.57	312	70	10	4	2	2	88	4	4	5	6	22	23	40	51	65	34
Smallpox	0.03	118	—	1	1	1	1	4	3	4	4	5	18	11	13	15	23	29
Scarlet Fever	0.06	23	—	—	—	—	—	—	—	—	—	1	1	5	1	6	8	1
Birth	0.05	20	—	—	—	—	—	—	—	—	1	2	10	7	—	—	—	—
Infants	0.07	26	—	—	—	—	—	—	—	—	1	1	2	4	5	5	5	8
Violence	0.61	241	13	11	19	6	6	55	19	23	15	16	23	16	15	24	17	16
CAUSES	4.28	1691	848	63	11	9	5	303	14	15	13	10	22	24	28	43	158	446

Deaths of Infants (under
one) to 1000 Births } 145Marriages - 2,872
Births - 13,567Annual Rate { Persons Married - 14.50
per 1000 living { Births - - - 35.23

HUNTINGDONSHIRE.

168.—HUNTINGDON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	18.20	—	—	—	—	—	41.23	5.20	3.20	3.60	7.67	8.80	9.90	13.01	23.00	51.50	131.2
Mean Pop. 1871-80	—	20,136	546	504	539	534	579	2682	2338	2098	1974	1525	2303	2092	1775	1410	927	612
ALL CAUSES	18.20	5665	804	207	70	49	47	1140	132	77	71	117	201	209	231	337	451	42
Small-pox	0.66	13	1	—	—	—	1	2	—	1	1	3	3	2	—	—	1	—
Measles	0.15	31	9	10	7	—	24	5	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.78	117	6	17	10	7	23	65	37	7	3	2	2	1	—	—	—	—
Diphtheria	0.01	7	—	—	1	1	—	2	4	1	—	—	—	—	—	—	—	—
Whooping-cough	0.51	93	27	24	4	4	1	60	2	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0.36	72	—	2	3	6	10	8	10	7	10	5	9	6	1	4	2	—
Simp. Cont. Fever	0.30	60	—	3	—	2	1	6	8	8	1	1	3	4	9	7	9	—
Puerp. Fever	0.05	10	—	—	—	—	—	—	—	—	1	1	7	1	—	—	—	—
Diarr. and Dys.	0.30	151	101	22	3	1	2	129	3	—	—	2	2	2	7	11	25	—
Cholera	0.01	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Cancer	0.93	197	—	—	—	—	—	—	—	1	—	3	4	14	33	59	59	20
Scrofula	0.29	41	17	6	3	1	1	28	3	2	1	3	2	2	—	—	—	—
Tuberc. Mesent.	0.07	14	4	2	2	—	—	8	2	1	1	1	1	—	—	—	—	—
Phthisis	1.77	357	10	7	3	—	1	23	5	11	25	26	91	71	35	27	13	1
Hydrocephalus	0.13	27	5	6	1	2	2	16	7	2	—	1	—	—	1	—	—	—
Diseases of																		
Nervous Syst.	1.03	259	73	15	6	5	1	103	6	5	5	4	13	21	26	39	75	35
Circulatory	1.31	361	—	—	—	—	—	—	5	2	4	3	9	11	31	64	17	66
Respiratory	2.99	602	177	49	18	9	—	253	7	3	3	4	19	29	28	49	136	—
Digestive	0.80	161	9	2	2	1	2	16	2	5	5	3	7	17	21	30	34	21
Urinary	0.34	76	1	—	1	—	—	2	2	2	4	3	4	8	12	15	14	10
Generative	0.05	10	—	—	—	—	—	—	—	—	1	—	3	1	2	1	1	—
Childbirth	0.08	16	—	—	—	—	—	—	—	—	—	1	6	8	1	—	—	—
Suicide	0.06	13	—	—	—	—	—	—	—	—	—	3	2	2	1	4	2	1
Other Violence	0.67	134	12	4	4	5	4	29	22	10	6	8	14	16	9	8	9	—
OTHER CAUSES	4.03	897	352	83	10	5	6	403	4	6	4	5	9	8	16	22	83	21

Deaths of Infants (under one) to 1000 Births } 127

Marriages - 1,357
Births - 6,345Annual Rate { Persons Married - 13.48
per 1000 living { Births - 31.51

169.—ST. IVES.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	18.75	—	—	—	—	—	44.26	4.07	3.46	5.59	6.79	7.93	8.91	11.46	21.33	55.56	140.7
Mean Pop. 1871-80	—	17,799	496	431	463	461	444	2300	2255	2070	1637	1267	2068	1892	1644	1022	601	425
ALL CAUSES	18.75	3335	688	170	78	44	38	1018	112	72	91	86	161	165	157	282	405	66
Small-pox	0.03	6	—	—	—	—	—	—	—	—	1	2	1	—	1	—	—	1
Measles	0.15	25	8	11	1	1	2	23	1	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.78	44	2	5	8	6	9	31	15	3	—	—	—	1	—	—	—	—
Diphtheria	0.16	28	1	—	4	5	6	16	10	1	—	—	—	—	—	—	—	—
Whooping-cough	0.33	59	31	19	6	2	—	58	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.15	31	—	—	—	—	4	4	2	4	4	5	5	3	2	—	—	—
Simp. Cont. Fever	0.05	8	1	—	—	—	—	1	1	2	1	—	—	—	—	1	1	1
Puerp. Fever	0.05	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	—	—
Diarr. and Dys.	0.59	107	49	11	3	1	—	64	—	1	—	—	1	1	—	6	8	28
Cholera	0.02	3	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Cancer	0.69	122	—	—	—	—	—	—	1	1	1	1	7	12	11	10	56	15
Scrofula	0.14	25	4	3	—	1	2	10	2	2	3	3	1	1	—	3	—	—
Tuberc. Mesent.	0.03	29	42	8	4	—	1	55	2	—	1	—	—	—	1	—	—	—
Phthisis	2.09	315	11	7	1	1	—	29	13	15	46	47	79	61	59	29	3	4
Hydrocephalus	0.24	43	13	6	1	3	3	26	11	4	2	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1.06	251	51	12	10	9	4	81	11	10	7	5	10	15	22	31	61	21
Circulatory	1.23	294	—	—	—	—	1	1	2	4	4	3	8	17	23	41	81	34
Respiratory	3.10	552	114	44	21	4	2	185	12	5	2	4	16	12	31	56	101	122
Digestive	1.04	174	26	5	1	—	1	31	6	3	3	4	7	14	17	30	19	22
Urinary	0.35	62	—	—	—	—	—	—	1	1	3	—	3	2	4	12	22	14
Generative	0.05	10	—	—	—	—	—	—	—	—	—	—	1	—	2	3	3	—
Childbirth	0.07	12	—	—	—	—	—	—	—	—	—	3	1	8	—	—	—	—
Suicide	0.04	10	—	—	—	—	—	—	—	—	—	1	2	1	—	2	—	—
Other Violence	0.55	97	6	4	3	5	—	18	11	8	4	3	8	6	11	11	13	4
OTHER CAUSES	5.06	105	326	33	15	13	3	362	10	6	7	4	8	9	16	21	90	29

Deaths of Infants (under one) to 1000 Births } 122

Marriages - 1,153
Births - 5,635Annual Rate { Persons Married - 12.96
per 1000 living { Births - 31.68

170.—ST. NEOTS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (EXCL. 1000)	—	18.40	—	—	—	—	—	44.89	3.70	2.61	4.89	7.39	7.07	9.02	11.29	24.38	57.26	162.60
an Pop. } 71-80 - }	—	17,700	400	434	487	450	490	2330	2324	2068	1637	1280	2080	1850	1647	1206	826	385
L CAUSES	18.40	3274	606	173	64	64	49	1016	83	64	80	95	147	165	186	316	473	626
D-pox - -	0.00	6	—	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—
Cholera - -	0.11	26	5	5	2	2	4	18	2	—	—	—	—	—	—	—	—	—
Scarlet Fever - -	0.43	77	1	13	13	14	12	55	14	3	2	—	1	—	—	—	—	—
Erysipelas - -	0.09	16	—	1	1	3	1	6	4	3	—	—	—	—	—	—	—	—
Crouping-cough - -	0.23	55	27	15	5	5	3	53	3	—	—	—	—	—	—	—	—	—
Dysentery - -	0.05	8	—	—	—	2	—	2	—	2	1	1	1	—	1	—	—	—
Scarlet Fever - -	0.24	42	—	1	—	1	—	2	—	—	7	8	5	2	6	—	—	—
Scarlet Cont. Fev. - -	0.08	14	1	2	—	—	—	1	2	1	—	1	—	—	—	2	1	—
Scarlet Fev. - -	0.04	7	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Scarlet and Dys. - -	0.17	137	72	10	5	2	1	88	1	—	—	1	2	3	1	3	14	24
Scarlet - -	0.02	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1
Scarlet - -	0.64	114	—	—	—	—	—	—	—	—	1	—	1	7	16	33	34	17
Scarlet - -	0.06	11	3	1	—	2	—	6	—	1	1	1	1	—	—	—	—	—
Scarlet Mesent. - -	0.32	56	34	11	3	1	2	51	1	—	1	2	—	—	—	—	—	—
Scarlet - -	2.05	533	40	15	3	3	2	63	11	3	34	49	63	61	98	27	7	—
Scarlet Cephalus - -	0.29	51	21	11	3	4	3	42	7	1	—	1	—	—	—	—	—	—
Nervous Syst. - -	2.22	394	60	14	4	1	2	81	9	6	9	3	8	11	24	53	89	108
Respiratory - -	1.42	252	—	—	—	—	—	—	3	6	1	5	10	11	21	62	77	26
Respiratory - -	2.65	501	103	45	9	8	7	176	4	3	8	2	8	17	25	39	107	112
Digestive - -	1.10	105	23	5	—	—	—	28	4	2	3	3	11	13	27	33	46	25
Urinary - -	0.38	65	—	—	—	1	1	2	4	—	—	2	4	5	7	10	15	19
Generative - -	0.05	8	—	—	—	—	—	—	—	—	—	—	—	1	—	3	3	1
Birth - -	0.00	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
de - -	0.05	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence - -	0.37	101	8	2	6	5	5	26	9	11	6	4	6	6	6	12	9	6
IB CAUSES - -	4.23	747	293	19	12	10	5	241	6	4	5	6	9	13	9	24	76	204

Deaths of Infants (under one) to 1000 Births } 123 Marriages - 1,207 Annual Rate (Persons Married - 13.63
Births - 5,646 per 1000 living (Births - 31.88

DFORDSHIRE.]

171.—BEDFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (EXCL. 1000)	—	18.46	—	—	—	—	—	50.58	5.47	3.05	4.23	6.58	6.12	9.88	13.71	25.85	67.70	163.08
an Pop. } 71-80 - }	—	42,297	1108	1621	1062	1017	1079	5287	5117	5080	4570	3495	5307	4494	3706	2882	1773	658
L CAUSES	18.46	7808	1754	447	214	134	125	2074	280	155	185	250	438	444	508	746	1024	1122
D-pox - -	0.15	62	5	1	2	1	1	10	0	1	3	8	7	18	5	3	—	1
Cholera - -	0.18	78	15	24	12	5	5	71	4	1	1	—	—	—	—	—	—	—
Scarlet Fever - -	0.22	123	3	15	24	13	16	75	22	11	—	4	2	1	—	—	—	—
Erysipelas - -	0.20	129	3	3	16	19	21	61	42	16	3	1	—	1	—	—	—	—
Crouping-cough - -	0.49	204	91	57	27	9	9	193	18	—	—	—	—	—	—	—	—	—
Dysentery - -	0.02	9	—	—	—	—	—	3	2	1	—	—	—	2	1	—	—	—
Scarlet Fever - -	0.19	79	3	4	3	2	3	14	11	8	10	13	6	5	6	3	3	—
Scarlet Cont. Fev. - -	0.04	19	—	—	—	—	—	5	4	1	4	2	1	—	1	1	1	—
Scarlet Fev. - -	0.01	10	—	—	—	—	—	—	—	—	1	4	12	1	1	—	—	—
Scarlet and Dys. - -	0.38	375	250	48	2	2	2	284	2	2	—	2	1	5	4	14	22	29
Scarlet - -	0.00	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Scarlet - -	0.07	234	—	1	—	—	—	3	1	1	—	1	9	31	32	82	75	29
Scarlet - -	0.10	42	10	5	2	2	1	20	4	4	1	4	4	2	—	1	1	1
Scarlet Mesent. - -	0.09	30	15	4	1	2	1	23	6	1	2	1	2	—	2	—	—	—
Scarlet - -	2.15	902	61	28	13	7	7	116	25	33	82	103	219	143	94	54	50	2
Scarlet Cephalus - -	0.18	76	13	12	13	7	5	52	13	5	2	2	—	1	1	—	—	—
Nervous Syst. - -	2.23	956	232	46	26	11	8	323	26	11	14	9	22	28	45	126	192	178
Respiratory - -	1.29	543	1	1	—	—	—	2	6	6	8	12	22	22	36	130	181	90
Respiratory - -	2.69	1134	289	113	23	22	10	471	17	10	7	8	30	34	62	105	200	123
Digestive - -	0.92	384	88	1	6	2	5	52	14	7	6	6	19	28	58	77	77	44
Urinary - -	0.46	168	—	—	2	1	—	3	1	2	4	11	18	27	32	34	23	23
Generative - -	0.03	21	—	—	—	—	—	—	—	—	—	—	—	1	4	9	3	2
Birth - -	0.08	33	—	—	—	—	—	—	—	—	8	6	12	13	1	—	—	—
de - -	0.07	29	—	—	—	—	—	—	—	—	—	—	2	4	10	6	2	1
Violence - -	0.57	240	17	6	5	3	11	44	15	14	19	13	26	26	39	21	16	16
IB CAUSES - -	4.21	1815	720	64	24	22	17	833	42	18	16	18	24	39	44	71	183	206

Deaths of Infants (under one) to 1000 Births } 134 Marriages - 2,037 Annual Rate (Persons Married - 13.89
Births - 13,089 per 1000 living (Births - 30.95

172.—BIGGLESWADE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	21.39	—	—	—	—	—	54.71	4.81	3.36	4.85	7.68	10.43	12.99	16.03	31.08	63.46	176.2
Mean Pop. 1871-80	—	27,632	816	721	736	735	743	3771	3324	3216	2515	2122	3598	2980	2451	1863	1185	457
ALL CAUSES	21.89	5310	1433	829	118	119	64	2063	152	100	122	163	367	387	394	579	732	823
Small-pox -	0.12	32	5	—	1	—	—	6	5	1	—	—	5	3	3	1	4	—
Measles -	0.26	71	19	27	13	7	2	68	3	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.41	112	7	25	17	29	10	87	15	8	1	—	1	—	—	—	—	—
Diphtheria -	0.12	34	1	3	1	6	8	19	8	3	1	—	—	1	2	—	—	—
Whooping-cough -	0.62	170	105	96	11	9	6	167	3	—	—	—	—	—	—	—	—	—
Typhus -	0.02	6	—	—	—	—	1	1	—	—	1	—	3	1	—	—	—	—
Enteric Fever -	0.06	73	4	—	1	3	1	9	7	7	9	10	6	10	—	—	—	—
Simple Cont. Fev. -	0.15	42	2	1	2	—	—	8	4	7	2	4	1	2	1	7	—	—
Fuemp. Fever -	0.04	12	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
Diarr. and Dys. -	1.03	290	173	28	4	2	—	216	1	1	1	2	2	5	1	10	21	80
Cholera -	0.03	13	5	4	—	—	—	9	—	—	—	—	—	—	—	1	1	1
Cancer -	0.49	136	—	4	—	1	—	1	—	1	—	—	1	8	31	42	88	14
Scrofula -	0.13	37	12	4	1	1	1	19	—	5	3	2	3	2	1	—	1	1
Tubes Mesent. -	0.23	69	39	11	6	2	—	58	7	1	—	—	—	—	—	—	—	—
Phthisis -	2.21	610	5	9	1	—	1	17	11	23	53	82	170	119	65	55	11	1
Hydrocephalus -	0.17	48	12	10	5	2	4	33	8	6	1	—	—	—	—	—	—	—
Diseases of { Nervous Syst. Circulatory Respiratory Digestive Urinary Generative	3.38 1.59 3.54 1.01 0.57 0.06	834 784 977 278 101 16	143 — 239 32 2 —	16 1 89 1 2 —	10 1 23 6 — —	5 1 18 1 — —	5 — 9 1 — —	179 2 375 40 5 —	11 2 24 7 5 —	14 6 22 4 2 —	14 6 8 7 1 —	20 19 28 10 8 —	60 27 46 16 12 —	97 19 28 18 9 —	85 47 50 41 15 —	134 95 91 47 13 —	167 105 149 69 28 —	131 74 200 26 24 —
Childbirth -	0.07	19	—	—	—	—	—	—	—	—	2	4	8	—	—	—	—	—
Suicide -	0.04	11	—	—	—	—	—	—	—	—	—	1	—	—	1	3	4	1
Other Violence -	0.53	147	10	9	5	9	6	39	14	14	8	5	7	9	16	15	8	13
OTHER CAUSES	4.63	1288	619	49	15	18	8	709	17	9	4	6	27	14	27	54	144	27

Deaths of Infants (under
one) to 1000 Births - } 140Marriages - 1,768
Births - 9,643Annual Rate { Persons Married - 12.99
per 1000 living { Births - 34.90

173.—AMPTHILL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.99	—	—	—	—	—	51.47	4.00	3.66	4.36	6.32	7.52	9.42	11.04	25.09	59.56	165.29
Mean Pop. 1871-80	—	16,890	493	458	454	472	470	2347	2202	1941	1535	1314	2050	1795	1531	1172	716	257
ALL CAUSES	18.99	3208	833	192	96	52	35	1208	88	71	67	83	150	169	160	294	426	483
Small-pox -	0.05	9	1	—	—	—	—	1	—	1	—	—	1	4	2	—	—	—
Measles -	0.20	33	9	15	2	—	—	26	3	—	—	—	1	1	—	—	—	—
Scarlet Fever -	0.44	74	5	10	13	12	13	68	12	3	4	1	1	—	—	—	—	—
Diphtheria -	0.15	23	—	1	6	3	2	12	10	—	—	—	—	2	—	—	—	—
Whooping-cough -	0.51	86	49	16	12	5	4	86	—	—	—	—	—	—	—	—	—	—
Typhus -	0.04	6	—	—	—	1	—	1	—	—	1	1	1	2	—	—	—	—
Enteric Fever -	0.22	37	—	—	—	1	—	1	6	6	2	4	6	—	8	—	—	—
Simple Cont. Fev. -	0.07	12	—	1	—	1	—	2	—	2	—	3	1	1	—	1	—	—
Fuemp. Fever -	0.10	17	—	—	—	—	—	—	—	—	1	4	9	3	—	—	—	—
Diarr. and Dys. -	0.53	89	59	17	6	2	—	64	1	—	—	1	1	1	2	1	6	15
Cholera -	0.02	4	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—
Cancer -	0.41	75	—	—	—	—	—	—	—	—	—	—	—	2	10	20	24	13
Scrofula -	0.11	19	5	3	1	—	—	9	1	1	1	—	—	2	—	—	—	—
Tubes Mesent. -	0.19	52	13	5	5	2	1	23	—	4	1	1	—	—	—	—	—	—
Phthisis -	1.52	217	3	4	—	—	—	7	1	15	32	38	65	46	28	17	7	—
Hydrocephalus -	0.18	30	12	6	3	—	1	22	4	3	—	1	—	—	—	—	—	—
Diseases of { Nervous Syst. Circulatory Respiratory Digestive Urinary Generative	2.48 1.53 2.76 1.01 0.27 0.03	420 278 465 171 45 5	114 — 126 39 — —	17 — 43 8 — —	7 1 24 — — —	3 1 6 — 2 —	3 — 6 — 1 —	144 205 235 9 4 —	9 12 10 9 1 —	8 7 3 3 — —	7 3 3 2 — —	6 3 3 3 — —	11 15 8 14 — —	16 22 22 26 — —	22 25 21 34 — —	41 55 51 56 — —	79 80 70 84 — —	73 46 36 7 — —
Childbirth -	0.09	13	—	—	—	—	—	—	—	—	2	4	7	2	—	—	—	—
Suicide -	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence -	0.41	74	9	3	4	—	—	16	9	9	4	4	3	9	13	2	2	8
OTHER CAUSES	5.37	943	428	48	15	8	2	501	10	5	4	4	8	17	17	32	52	223

Deaths of Infants (under
one) to 1000 Births - } 143Marriages - 1,193
Births - 5,543Annual Rate { Persons Married - 14.07
per 1000 living { Births - 34.90

174.—WOBURN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward.
REAL DEATH RATE PER 1000	—	107.74	—	—	—	—	—	48.72	3.54	3.82	5.65	9.45	8.71	9.69	13.21	23.19	61.74	147.79
San Pop. 71-80	—	10,705	267	254	274	263	274	1332	1329	1179	1026	815	1309	1114	1022	802	528	249
ALL CAUSES	107.74	2113	440	105	29	42	33	619	47	45	58	77	114	108	135	183	526	568
Diphtheria	0.13	14	3	—	1	—	—	4	2	—	2	1	1	—	2	—	—	—
Scarlet Fever	0.16	17	5	4	4	1	3	17	—	—	—	—	—	—	—	—	—	—
Erysipelas	0.56	69	1	10	3	16	13	37	14	5	3	—	1	—	—	—	—	—
Whooping Cough	0.64	4	—	—	2	1	3	7	1	—	—	—	—	—	—	—	—	—
Measles	0.22	24	15	5	2	1	—	23	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.01	5	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1
Erysipelas	0.21	23	—	—	1	—	1	2	1	2	6	—	2	2	5	1	—	—
Scarlet Fever	0.09	10	—	—	—	1	1	2	8	3	—	1	—	—	—	—	—	—
Erysipelas	0.07	5	—	—	—	—	—	—	—	—	—	2	5	1	—	—	—	—
Scarlet Fever	0.56	57	20	5	1	—	1	27	1	1	—	—	—	—	—	5	4	—
Erysipelas	0.00	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Scarlet Fever	0.50	54	—	—	—	—	—	—	—	—	1	—	1	4	14	10	15	3
Erysipelas	0.04	4	—	1	—	—	—	1	—	1	1	—	1	—	—	—	—	—
Scarlet Fever	0.14	15	3	3	2	2	—	10	—	2	—	—	—	1	—	—	—	—
Erysipelas	2.10	225	—	1	1	—	2	4	5	6	22	40	54	47	28	10	7	9
Scarlet Fever	0.39	42	13	16	6	3	—	38	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	2.49	217	47	9	—	1	3	69	3	7	5	8	7	7	27	27	65	56
Erysipelas	1.78	185	—	—	—	1	—	1	—	2	4	9	10	17	49	62	28	—
Scarlet Fever	3.02	321	105	31	4	8	6	151	3	8	4	5	9	10	14	22	56	43
Erysipelas	1.21	131	12	2	—	2	1	17	3	—	4	2	10	3	11	29	50	21
Scarlet Fever	0.40	43	—	1	—	—	—	1	—	—	2	1	2	5	3	3	13	12
Erysipelas	0.04	4	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—
Scarlet Fever	0.13	14	—	—	—	—	—	—	—	—	1	3	6	3	1	—	—	—
Erysipelas	0.06	6	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1
Scarlet Fever	0.34	36	1	1	2	2	—	24	1	5	1	2	3	4	3	3	5	—
ALL CAUSES	5.25	565	215	16	2	8	1	242	4	5	2	8	3	8	8	22	70	197

Deaths of Infants (under one) to 1000 Births	133
--	-----

Marriages	-	749
Births	-	3,305

Annual Rate of Persons Married	-	18'00
per 1000 living (Births	-	30'87

175.—LEIGHTON BUZZARD.

[AL DEATHS] PER 1000]		—	19'27	—	—	—	—	—	52'86	5'81	3'09	5'32	6'93	7'62	10'89	14'41	27'20	56'32	170'94
an Pop.] 71-80 -)		—	18,401	567	478	519	503	508	2575	2341	2103	1824	1516	2416	1906	1682	1191	712	265
L CAUSES		19'27	3503	870	279	105	58	44	1356	136	65	97	105	184	214	228	324	401	453
D-pox	-	0'08	11	1	-	-	1	2	-	7	2	1	3	2	-	2	1	2	-
dies	-	0'23	61	12	18	12	7	4	54	-	1	-	-	-	-	-	-	-	-
let Fever	-	0'51	14	6	15	12	9	9	51	20	6	2	4	-	-	1	-	-	-
tberia	-	0'03	13	2	3	1	4	1	12	2	-	-	-	-	-	-	1	-	-
croup-cough	-	0'31	58	29	11	9	2	1	55	3	-	-	-	-	-	-	-	-	-
us	-	0'02	5	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-
ie Fever	-	0'14	20	3	4	-	1	-	12	3	2	5	3	1	2	2	-	1	-
e cont. Fev.	-	0'13	21	1	-	1	-	1	3	4	6	3	1	4	-	1	3	1	-
p. Fever	-	0'10	19	-	-	-	-	-	19	-	-	2	11	-	6	-	-	-	-
t. and Dysp.	-	0'00	111	57	15	2	1	-	75	1	1	-	-	-	1	1	1	6	25
ra	-	0'03	5	-	-	-	-	1	1	1	-	-	-	-	1	-	1	-	-
er	-	0'43	89	-	2	2	-	-	-	4	4	-	-	3	15	21	27	16	7
ila	-	0'14	24	5	-	-	-	2	11	-	2	1	2	2	2	-	-	-	-
s Mesent.	-	0'31	27	31	14	4	1	-	52	5	1	-	-	1	7	-	-	-	-
sis	-	1'71	313	1	3	-	-	-	7	9	39	43	39	69	39	39	25	1	1
cephalus	-	0'41	33	6	12	1	4	2	23	8	3	1	-	-	-	-	-	1	-
terious Syst.	-	2'70	502	91	39	6	4	2	142	13	5	9	9	9	19	29	52	100	116
regulatory "	-	1'43	270	-	1	-	-	2	1	5	8	7	5	5	25	24	61	86	40
spiratory "	-	3'16	354	167	83	29	12	6	302	17	5	4	7	15	19	27	44	67	77
negative "	-	1'08	196	21	7	1	-	-	30	3	2	-	3	13	13	20	48	39	17
monary "	-	0'23	50	-	-	1	-	2	3	1	-	-	2	3	4	5	9	16	11
enerative "	-	0'3	6	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-
bith	-	0'10	19	-	-	-	-	-	-	-	-	2	3	8	6	-	-	-	-
de	-	0'05	9	-	-	-	-	-	-	-	-	1	1	6	1	2	3	2	-
y Violence	-	0'66	85	7	6	6	7	1	37	2	4	7	6	8	7	8	4	4	5
ER CAUSES	-	4'64	853	429	57	12	8	9	495	22	11	7	9	17	20	56	41	58	133

Deaths of Infants (under one) to 1000 Births	132
--	-----

Marrriages	-	1,315
Births	-	6,596

Annual Rate	{ Persons Married	= 14.22
per 1000 living	{ Births	= 35.67

176.—LUTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	—	19.02	—	—	—	—	—	66.11	5.00	3.02	3.89	5.75	7.54	8.93	13.53	28.47	39.49	15.7
Mean Pop. 1871-80	—	36,884	1076	962	993	947	958	4956	4124	4040	3832	3305	5315	4176	3291	2127	1123	38
ALL CAUSES	19.02	7017	2216	518	225	103	138	3263	221	122	150	190	401	373	433	563	671	63
Small-pox	0.02	8	—	—	—	—	—	—	1	—	2	1	1	1	2	—	—	—
Measles	0.25	64	18	22	10	9	5	59	13	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.75	274	20	38	54	37	49	199	66	14	2	1	1	4	—	—	—	—
Diphtheria	0.19	28	—	7	2	5	7	21	10	4	1	—	—	—	—	—	—	—
Whooping-cough	0.40	149	22	59	14	10	2	147	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	12	—	—	1	1	1	3	4	1	—	1	1	—	1	—	—	1
Enteric Fever	0.26	27	4	4	3	7	8	26	17	10	9	9	14	5	1	5	1	—
Simple Cont. Fev.	0.20	74	3	7	6	7	7	30	0	4	7	7	5	6	1	—	—	—
Puerp. Fever	0.07	24	—	—	—	—	—	—	—	—	4	4	15	5	—	—	—	—
Diarr. and Dys.	1.24	450	328	47	11	1	—	422	—	—	—	—	3	—	—	4	8	13
Cholera	0.02	8	5	1	1	1	—	8	—	—	—	—	—	—	—	—	—	—
Cancer	0.52	193	—	—	—	1	—	1	—	—	—	—	5	25	45	59	48	19
Scrofula	0.11	41	9	7	1	2	—	19	3	2	3	1	1	1	5	2	1	—
Tuberc Mesent.	0.24	87	63	9	6	2	—	80	3	2	—	—	4	—	—	—	—	—
Phthisis	2.23	929	121	51	15	6	5	202	20	22	76	100	208	121	80	64	29	8
Hydrocephalus	0.40	109	46	23	10	6	8	93	8	4	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.25	829	217	56	12	10	8	303	9	12	4	9	26	26	63	90	134	138
Circulatory "	1.21	447	—	1	2	—	2	5	4	11	9	13	29	44	69	109	116	47
Respiratory "	2.73	1097	849	127	86	19	8	539	9	6	12	11	26	45	68	96	112	80
Digestive "	0.71	261	41	3	2	4	2	52	6	3	2	5	9	18	24	28	34	28
Urinary "	0.23	86	—	—	—	—	1	1	—	4	4	4	13	11	10	10	22	7
Generative "	0.06	19	—	—	—	—	—	—	—	—	—	2	2	2	—	2	1	—
Childbirth	0.07	24	—	—	—	—	—	—	—	2	1	8	15	—	—	—	—	—
Suicide	0.07	26	—	—	—	—	—	—	—	—	—	2	2	8	7	5	2	—
Other Violence	0.31	114	9	6	6	2	2	29	15	6	2	5	12	6	13	10	10	8
OTHER CAUSES	4.39	1618	865	57	32	29	32	1013	25	14	11	12	21	20	30	43	120	209

Deaths of Infants (under one) to 1000 Births - } 174

Marriages - 2,761
Births - 12,767Annual Rate { Persons Married - 14.97
per 1000 living { Births - 84.61

177.—CAXTON.

[CAMBRIDGESHIRE

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	—	17.17	—	—	—	—	—	44.11	4.30	2.10	6.37	7.03	6.31	8.02	10.98	19.69	50.20	14.9
Mean Pop. 1871-80	—	11,069	313	369	301	329	316	1571	1512	1333	958	782	1310	1110	938	772	494	25
ALL CAUSES	17.17	1890	504	110	32	25	22	693	65	28	61	55	85	89	103	152	248	21
Small-pox	0.02	3	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
Measles	0.18	29	9	5	4	1	—	19	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.14	15	2	3	—	2	2	10	2	1	2	—	—	—	—	—	—	—
Diphtheria	0.06	7	—	1	—	—	—	2	4	1	—	—	—	—	—	—	—	—
Whooping-cough	0.47	52	24	13	6	4	4	51	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0.23	34	6	3	—	1	2	12	5	3	4	3	2	2	1	2	4	—
Simple Cont. Fev.	0.12	13	1	—	1	—	—	3	2	1	—	—	—	—	—	—	—	—
Puerp. Fever	0.05	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.54	59	34	10	—	1	—	45	—	—	—	—	—	—	2	1	7	4
Cholera	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.31	34	—	—	—	1	—	1	—	—	—	—	—	—	9	10	13	8
Scrofula	0.15	15	5	—	—	1	—	6	—	1	1	3	1	1	1	—	—	—
Tuberc Mesent.	0.23	32	22	4	2	1	—	29	4	1	31	32	44	29	33	17	9	—
Phthisis	1.84	267	11	5	1	—	—	17	5	3	2	—	—	—	—	—	—	—
Hydrocephalus	0.07	8	1	—	1	1	—	3	—	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1.61	150	29	9	3	1	3	45	6	2	2	1	4	8	14	19	61	28
Circulatory "	1.04	114	—	—	—	—	1	7	5	2	4	1	6	6	16	29	31	14
Respiratory "	2.72	1097	849	127	86	19	8	539	10	2	2	2	5	11	46	29	32	46
Digestive "	0.71	261	41	3	2	4	2	52	3	3	3	3	2	8	10	19	22	13
Urinary "	0.23	86	—	—	—	—	—	1	—	—	—	1	1	1	1	8	14	12
Generative "	0.06	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.06	7	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—
Suicide	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Other Violence	0.30	23	9	3	—	2	2	18	5	4	3	1	2	7	1	5	5	4
OTHER CAUSES	4.04	547	241	26	6	2	—	275	5	3	6	2	4	6	14	23	49	161

Deaths of Infants (under one) to 1000 Births - } 132

Marriages - 705
Births - 3,330Annual Rate { Persons Married - 12.81
per 1000 living { Births - 84.79

178.—CHESTERTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	18.10	—	—	—	—	—	42.48	3.58	3.15	4.85	7.20	8.18	10.17	13.65	24.41	50.98	145.7
Mean Pop. 1871-80	—	28,498	799	700	788	752	777	3882	3632	3139	2535	2222	3706	3077	2455	1979	1928	64
ALL CAUSES	18.10	5157	1120	282	125	71	51	1649	130	90	123	100	303	313	335	483	626	93
Small-pox	0.06	17	2	—	1	—	—	3	2	—	—	3	2	3	1	2	1	—
Measles	0.21	61	18	17	14	7	2	55	22	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	84	7	14	15	6	15	55	22	3	—	2	2	—	—	—	—	—
Diphtheria	0.17	45	13	1	4	2	3	23	2	5	3	2	3	3	1	2	3	—
Whooping-cough	0.33	93	46	29	8	4	1	88	4	—	1	—	—	—	—	—	—	—
Typhus	0.03	9	—	—	—	—	—	8	2	2	1	2	—	—	1	1	—	—
Euteric Fever	0.19	53	—	—	1	—	4	8	3	10	4	4	7	4	5	3	1	—
Simple Cont. Fev.	0.11	32	1	—	—	1	1	5	6	5	6	4	3	1	1	—	4	—
Puerp. Fever	0.06	17	—	—	—	—	—	—	—	—	—	4	11	2	—	—	—	—
Diarr. and Dys.	0.72	206	115	27	4	—	—	147	1	2	—	—	5	4	2	2	17	2
Cholera	0.02	5	1	—	—	—	—	1	—	—	—	—	—	—	1	2	1	—
Cancer	0.65	183	—	—	—	—	—	17	1	—	—	1	4	8	37	61	47	2
Scrofula	0.14	40	9	3	4	1	—	17	1	6	3	1	1	2	7	2	1	—
Tuberc Mesent.	0.13	38	12	11	2	5	1	31	5	—	—	1	1	1	1	—	—	—
Fibrosis	2.11	692	23	12	4	1	2	42	7	18	35	84	128	109	78	59	29	1
Hydrocephalus	0.31	89	33	19	8	4	4	69	13	3	2	1	2	—	—	—	—	—
Diseases of Nervous Syst.	2.20	680	69	19	10	5	4	107	13	10	10	10	44	61	60	96	109	16
Circulatory	1.18	335	3	—	1	—	—	4	4	10	5	7	9	29	33	71	89	7
Respiratory	2.63	749	181	65	20	7	5	276	15	4	12	12	27	22	34	71	116	15
Digestive	1.04	296	41	4	4	4	1	54	6	2	5	4	15	17	24	57	74	3
Urinary	0.20	113	3	3	1	2	—	9	4	1	4	5	5	6	17	19	27	1
Generative	0.01	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Childbirth	0.08	24	—	—	—	—	—	—	—	2	1	9	12	—	—	—	—	—
Suicide	0.05	14	—	—	—	—	—	—	—	—	—	—	1	3	6	1	3	—
Other Violence	0.47	135	19	4	9	4	4	40	5	11	5	4	15	6	10	9	8	2
OTHER CAUSES	4.83	1229	333	54	15	14	6	612	15	6	6	9	9	16	19	33	97	40

Deaths of Infants (under one) to 1000 Births - 119

Marriages - 1,500
Births - 8,436

Annual Rate of Persons Married per 1000 living { **Births** - 13.35
- 33.11

179.—CAMBRIDGE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	10.67	—	—	—	—	—	55.64	4.71	2.86	4.50	5.55	9.45	13.08	17.87	31.97	61.10	160
Mean Pop. 1871-80	—	32,720	878	732	772	796	785	3963	3505	3387	3539	3491	4817	3360	2669	1949	1257	4
ALL CAUSES	10.67	6436	1503	410	156	93	43	2205	183	97	166	194	455	487	477	623	768	7
Small-pox	0.23	74	11	4	—	2	1	18	4	—	10	15	15	7	2	2	—	—
Measles	0.25	81	14	20	19	11	1	76	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.12	39	1	7	7	5	2	22	11	2	1	3	—	—	—	—	—	—
Diphtheria	0.05	17	2	2	3	—	—	7	7	1	—	—	—	—	—	1	—	—
Whooping-cough	0.48	156	82	49	13	8	—	152	4	—	—	—	—	—	—	—	—	—
Typhus	0.02	5	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
Euteric Fever	0.27	89	1	—	4	7	3	15	6	15	12	10	2	10	6	3	2	—
Simple Cont. Fev.	0.05	16	—	1	2	—	2	5	5	—	1	2	1	1	1	—	—	—
Puerp. Fever	0.07	22	—	—	—	—	—	—	—	—	2	4	12	4	—	—	—	—
Diarr. and Dys.	1.05	337	222	59	9	1	—	291	3	1	1	—	3	—	1	8	13	1
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Cancer	0.78	256	—	2	—	—	—	—	—	1	1	5	9	31	62	62	62	—
Scrofula	0.10	34	10	4	1	—	—	15	1	—	4	1	4	3	2	2	2	—
Tuberc Mesent.	0.25	81	14	14	6	4	4	69	7	1	4	—	—	—	—	—	—	—
Fibrosis	2.35	770	15	12	6	5	—	38	18	18	61	64	219	163	161	70	15	—
Hydrocephalus	0.39	97	30	17	7	5	6	68	12	6	3	1	2	—	—	—	—	—
Diseases of Nervous Syst.	2.00	655	108	35	14	10	2	171	16	14	6	13	16	31	45	94	147	16
Circulatory	1.69	554	2	—	—	—	1	3	12	10	14	17	26	55	70	119	150	1
Respiratory	3.25	1047	301	191	85	18	8	483	12	2	8	12	27	40	37	107	134	1
Digestive	1.11	393	64	6	1	1	5	75	4	8	7	7	23	34	47	52	64	—
Urinary	0.32	170	4	1	—	—	—	6	2	—	8	7	13	25	19	30	39	—
Generative	0.05	18	—	—	—	—	—	—	—	—	—	1	3	4	4	—	4	—
Childbirth	0.08	26	—	—	—	—	—	—	—	—	1	2	12	10	1	—	—	—
Suicide	0.08	26	—	—	—	—	—	—	—	—	1	1	5	5	6	6	2	—
Other Violence	0.61	201	27	6	7	2	4	41	13	5	11	15	33	20	51	15	134	—
OTHER CAUSES	8.90	1277	568	44	18	12	6	648	17	13	10	13	28	31	27	52	103	8

Deaths of Infants (under one) to 1000 Births - 153

Marriages - 2,151
Births - 9,884

Annual Rate of Persons Married per 1000 living { **Births** - 13.15
- 30.21

180.—LINTON.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	16.79	—	—	—	—	—	31.74	4.27	2.79	4.88	5.83	7.99	7.70	11.96	19.94	54.64	161.3
Mean Pop. 1871-80	—	13,392	383	362	396	367	373	1881	1805	1576	1230	975	1526	1324	1137	938	701	300
ALL CAUSES	16.79	2.49	385	100	39	36	28	507	77	44	60	57	122	103	136	187	383	484
Small-pox	0.08	11	1	—	—	—	—	1	3	1	2	1	—	—	3	—	—	—
Measles	0.15	20	6	6	3	1	1	17	2	—	—	—	—	1	—	—	—	—
Scarlet Fever	0.20	27	3	2	3	4	3	15	8	3	—	—	1	—	—	—	—	—
Diphtheria	0.12	10	1	2	—	1	1	5	6	1	—	—	—	1	—	1	—	—
Whooping-cough	0.39	62	19	16	8	4	2	49	3	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Enteric Fever	0.28	37	—	1	—	2	3	6	7	2	9	6	—	2	2	1	—	—
Simple Cont. Fev.	0.02	3	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—
Puerp. Fever	0.01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diarr. and Dys.	0.38	74	62	11	1	—	2	41	—	—	—	—	2	1	—	8	11	13
Cholera	0.02	3	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Cancer	0.57	76	—	—	—	—	—	—	1	1	—	—	2	10	14	12	25	11
Serofula	0.06	8	1	2	—	—	—	3	—	2	—	1	—	—	2	—	—	—
Tuberc Mesent.	0.07	9	2	2	—	—	—	4	3	—	—	—	—	1	—	—	—	—
Phtisis	1.70	2.8	4	1	4	1	1	11	3	9	29	24	37	24	22	23	10	8
Hydrocephalus	0.18	38	13	5	3	6	3	10	4	3	—	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.14	297	31	9	6	7	4	57	10	6	3	3	7	6	17	29	75	75
Circulatory	1.31	176	1	1	1	—	—	3	—	3	2	—	4	6	13	29	67	44
Respiratory	2.59	347	82	29	6	3	3	123	7	3	2	4	13	13	14	33	66	66
Digestive	0.98	131	11	3	1	—	—	15	3	2	1	1	4	9	17	22	36	22
Urinary	0.40	44	—	—	—	—	—	—	2	1	1	4	6	2	6	15	9	1
Generative	0.06	8	—	—	—	—	—	—	—	—	—	—	2	1	1	2	1	1
Childbirth	0.16	21	—	—	—	—	—	—	—	—	1	2	8	9	1	—	—	—
Suicide	0.04	5	—	—	—	—	—	—	—	—	1	1	1	—	1	2	—	—
Other Violence	0.41	53	6	—	—	3	—	11	6	4	4	4	5	1	8	4	7	1
OTHER CAUSES	4.16	553	109	19	3	4	3	198	9	3	6	3	6	6	10	16	70	29

Deaths of Infants (under one) to 1000 Births - } 00

Marriages - 801
Births - 4,273Annual Rate { Persons Married - 11.06
per 1000 living { Births - 31.91

181.—NEWMARKET.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.29	—	—	—	—	—	44.97	4.04	3.50	5.04	6.74	8.71	9.91	11.84	21.09	51.59	144.1
Mean Pop. 1871-80	—	28,572	804	693	764	755	762	3778	3500	3253	2737	2285	3581	3048	2401	2072	1353	688
ALL CAUSES	18.29	5290	1184	304	113	50	48	1699	145	114	138	154	312	302	295	437	608	995
Small-pox	0.10	24	6	—	—	—	—	6	1	1	1	4	8	2	1	—	4	—
Measles	0.10	20	15	17	12	3	3	50	8	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.09	2	1	4	3	4	3	15	4	4	1	1	—	—	—	—	—	—
Diphtheria	0.04	17	1	—	1	1	—	3	8	2	2	—	—	—	2	—	—	—
Whooping-cough	0.23	67	34	18	10	3	1	66	1	—	—	—	—	—	—	—	—	—
Typhus	0.03	9	—	—	—	—	1	1	3	2	2	—	1	—	—	—	—	—
Enteric Fever	0.23	65	1	—	1	—	2	4	5	6	9	5	8	6	5	7	8	2
Simple Cont. Fev.	0.10	28	—	—	1	1	1	3	4	3	1	3	4	1	1	3	3	1
Puerp. Fever	0.04	11	—	—	—	—	—	—	—	—	—	3	6	2	—	—	—	—
Diarr. and Dys.	0.69	260	116	37	4	1	2	160	2	1	2	—	1	3	2	1	9	19
Cholera	0.01	4	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1
Cancer	0.55	139	—	—	—	—	—	—	—	1	—	1	7	16	21	42	48	25
Serofula	0.13	42	5	8	2	—	1	13	1	4	4	3	4	1	2	1	3	2
Tuberc Mesent.	0.21	62	19	17	1	1	1	25	6	6	2	2	—	—	—	1	2	—
Phtisis	2.23	641	31	14	1	3	5	54	19	27	65	43	145	112	77	53	14	2
Hydrocephalus	0.18	32	10	8	3	3	5	34	10	—	—	1	2	—	1	—	—	—
Diseases of																		
Nervous Syst.	2.30	674	94	30	14	7	8	153	24	11	13	2	24	33	30	61	138	173
Circulatory	1.47	424	2	—	1	—	—	3	6	6	5	6	14	29	41	65	125	121
Respiratory	2.81	810	229	85	30	14	9	335	15	5	5	3	21	22	31	62	138	156
Digestive	1.14	328	19	3	2	1	2	27	7	9	5	6	19	32	37	62	74	40
Urinary	0.32	92	6	—	—	1	—	7	—	1	2	1	5	6	8	37	59	27
Generative	0.02	7	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3	1
Childbirth	0.09	27	—	—	—	—	—	—	—	—	1	4	11	10	1	—	—	—
Suicide	0.06	17	—	—	—	—	—	—	—	—	—	—	12	3	5	5	1	—
Other Violence	0.41	110	13	1	8	3	1	26	10	10	3	3	12	9	5	13	1	13
OTHER CAUSES	4.57	1519	289	65	14	4	2	674	13	14	11	5	18	17	21	41	110	265

Deaths of Infants (under one) to 1000 Births - } 131

Marriages - 1,856
Births - 9,024Annual Rate { Persons Married - 12.84
per 1000 living { Births - 31.38

182.—ELY.

—	Annual Death Rate per 1000.	A.L. AGE	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
REAL DEATHS (ATE PER 1000)	—	19.59	—	—	—	—	—	54.02	5.27	8.60	6.35	6.35	7.10	9.01	10.95	23.20	45.08	101.44
mean Pop. } 871-80 - }	—	21,493	621	520	567	589	552	2340	2006	2494	2001	1654	2634	2221	1964	1556	905	439
ALL CAUSES	19.59	4210	1035	288	119	67	47	1650	142	92	127	105	187	220	215	361	464	741
all-pox - -	0.02	4	1	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-
measles - -	0.20	42	8	17	8	2	2	37	3	1	-	-	-	-	-	-	-	-
scarlet Fever -	0.35	76	6	6	19	12	6	49	19	5	1	2	-	-	-	-	-	-
diphtheria - -	0.10	22	3	-	1	3	2	9	8	4	1	-	-	-	-	-	-	-
crouping-cough -	0.38	125	67	30	17	4	2	120	5	-	-	-	-	-	-	-	-	-
typhus - -	0.06	13	-	-	-	-	1	1	2	2	2	3	-	-	2	1	-	-
scarlet Fever -	0.27	69	1	-	-	-	2	3	7	8	8	5	9	6	6	3	3	1
ple Cont. Fev. -	0.16	34	1	-	-	3	-	4	15	5	3	-	1	-	1	1	2	3
typh. Fever - -	0.05	10	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-
typh. and Dys. -	0.61	132	73	15	2	1	1	92	1	-	1	2	1	1	-	2	12	29
typh. - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
typh. - -	0.60	128	-	-	-	-	-	-	-	-	-	2	2	11	31	38	38	8
typh. - -	0.16	34	5	4	1	1	1	12	4	3	3	1	2	5	2	2	2	-
typh. - -	0.47	101	53	19	8	2	1	83	3	4	3	2	-	1	2	2	1	-
typh. - -	0.21	474	14	18	6	2	1	41	22	29	34	55	95	83	47	36	6	6
typh. - -	0.24	51	15	13	5	3	3	39	5	3	1	-	-	2	1	-	-	-
Nervous Syst. -	2.14	459	92	26	13	12	5	143	8	8	9	5	16	16	21	57	76	97
Circulatory - -	1.13	242	1	-	1	-	-	2	2	-	-	5	2	10	14	17	74	37
Respiratory - -	2.32	498	136	61	11	4	6	218	8	3	11	-	10	12	15	51	63	105
Digestive - -	1.04	227	17	3	-	3	-	23	3	1	2	-	10	19	27	52	54	54
Urinary - -	0.40	85	5	1	-	1	1	8	1	2	2	2	6	3	10	19	18	14
Generative - -	0.07	15	-	-	-	-	-	-	-	-	-	-	1	2	4	4	5	1
Birth - -	0.09	19	-	-	-	-	-	-	-	-	2	3	7	7	-	-	-	-
Age - -	0.08	13	-	-	-	-	-	-	-	-	1	2	1	4	2	8	-	-
Violence - -	0.61	137	6	8	13	6	5	38	16	9	9	8	7	10	10	3	13	14
ALL CAUSES -	3.60	1210	521	66	14	8	8	627	9	5	9	9	9	14	20	29	93	282

Deaths of Infants (under one) to 1000 Births } 142

Marriages - 1,354
Births - 7,266

Annual Rate { Persons Married - 12.00
per 1000 living { Births - 33.81

183.—NORTH WITCHFORD.

—	Annual Death Rate per 1000.	A.L. AGE	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
REAL DEATHS (ATE PER 1000)	—	18.89	—	—	—	—	—	51.71	3.57	2.78	5.28	6.19	7.29	9.53	12.47	22.94	53.10	143.04
mean Pop. } 871-80 - }	—	15,825	431	405	410	416	419	2081	1960	1726	1407	1195	1908	1626	1371	1107	693	331
ALL CAUSES	18.89	2935	751	183	71	45	26	1070	79	48	79	74	139	155	171	254	568	490
all-pox - -	0.07	11	2	-	-	1	-	3	-	2	-	1	3	-	1	1	-	-
measles - -	0.25	89	8	16	7	1	1	33	5	1	-	-	-	-	-	-	-	-
scarlet Fever -	0.45	67	1	7	14	12	5	39	24	1	1	2	-	-	-	-	-	-
diphtheria - -	0.10	16	1	2	2	2	1	8	3	1	1	1	-	-	1	-	-	-
crouping-cough -	0.33	82	30	13	3	4	-	82	-	-	-	-	-	-	-	-	-	-
typhus - -	0.08	12	-	-	-	-	-	-	1	1	1	1	-	3	1	2	2	-
scarlet Fever -	0.31	48	1	1	3	1	-	6	6	4	6	2	1	5	5	6	8	-
ple Cont. Fev. -	0.05	8	-	2	-	1	-	3	1	-	-	-	-	2	-	-	-	-
typh. Fever - -	0.71	110	64	16	-	-	-	80	1	-	-	1	3	1	1	4	5	14
typh. and Dys. -	0.04	6	2	-	-	-	1	3	-	-	-	-	-	-	-	1	1	1
typh. - -	0.64	103	-	-	-	-	-	-	-	-	-	-	9	4	21	27	20	22
typh. - -	0.17	25	6	3	1	-	-	10	8	2	5	1	1	1	8	-	-	-
typh. - -	0.29	45	25	10	3	1	-	39	-	1	-	-	-	-	-	1	2	-
typh. - -	1.32	145	12	4	2	-	-	16	3	5	56	38	44	43	50	18	6	2
typh. - -	0.32	49	16	7	5	2	3	36	6	3	1	-	1	2	-	-	-	-
Nervous Syst. -	2.11	328	60	24	3	5	1	93	6	5	5	3	8	12	12	34	79	71
Circulatory - -	1.20	187	-	1	-	-	1	3	4	2	4	3	13	15	23	35	41	44
Respiratory - -	3.01	467	142	35	10	5	2	194	7	3	6	3	11	12	30	45	84	72
Digestive - -	1.04	161	19	5	3	1	3	31	1	2	3	2	10	12	17	31	31	18
Urinary - -	0.05	7	1	1	-	1	-	3	-	3	1	1	1	8	6	7	23	16
Generative - -	0.08	15	-	1	-	-	-	1	-	-	-	-	1	2	4	8	1	1
Birth - -	0.10	15	-	-	-	-	-	-	-	-	1	2	6	6	-	-	-	-
Age - -	0.10	15	-	-	-	-	-	-	-	-	3	-	-	-	2	3	1	2
Violence - -	0.60	95	14	6	6	6	4	34	4	9	2	4	5	8	7	5	7	6
ALL CAUSES -	4.72	735	547	27	5	2	4	385	4	3	3	8	9	10	8	29	57	219

Deaths of Infants (under one) to 1000 Births } 142

Marriages - 1,072
Births - 5,277

Annual Rate { Persons Married - 13.81
per 1000 living { Births - 33.99

184.—WHITTLESEY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	20.02	—	—	—	—	—	52.04	6.32	2.82	4.52	7.27	6.87	9.19	11.76	23.08	54.81	137.8
Mean Pop. 1871-80	—	6729	100	164	186	185	184	900	854	779	619	440	786	664	638	620	343	177
ALL CAUSES	20.02	1347	323	79	83	28	10	479	54	22	28	32	54	61	75	120	188	240
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.27	18	1	9	2	2	2	16	1	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.39	24	—	1	3	5	2	11	10	3	2	—	—	—	—	—	—	—
Diphtheria	0.09	6	—	—	—	1	2	3	3	—	—	—	—	—	—	—	—	—
Whooping cough	0.46	31	13	11	2	3	1	30	1	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.22	15	—	—	1	1	1	3	6	—	—	2	—	—	—	—	—	—
Simple Cont. Fev.	0.18	13	—	—	—	2	—	2	3	—	1	2	—	—	1	—	—	—
Puemp. Fever	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarr. and Dys.	1.25	84	43	8	4	2	—	59	3	—	—	—	1	—	—	—	4	17
Cholera	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0.64	43	—	—	—	—	—	—	—	—	1	—	1	3	8	15	11	4
Serofula	0.19	13	10	1	—	—	1	12	—	—	—	—	—	—	1	—	—	—
Tuberc Mesent.	0.24	16	8	2	1	—	—	11	3	1	—	1	—	—	—	—	—	—
Phthisis	2.10	141	14	7	1	4	—	26	2	6	11	21	30	23	9	8	5	—
Hydrocephalus	0.34	23	9	5	2	1	—	17	4	—	—	—	2	—	—	—	—	—
Diseases of	9.13	143	80	6	2	1	—	39	5	4	4	—	3	4	11	21	39	26
Nervous Syst.	1.50	101	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Circulatory	2.21	149	84	15	6	5	—	60	1	—	—	1	—	—	—	—	—	—
Respiratory	1.49	100	23	1	1	—	—	25	1	1	2	1	3	4	14	29	19	11
Digestive	0.49	33	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Urinary	0.06	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Generative	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.16	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.76	24	—	2	5	1	1	9	8	1	1	2	4	3	1	3	4	1
OTHER CAUSES	5.08	253	133	11	3	—	—	150	3	4	3	1	1	5	6	5	59	126

Deaths of Infants (under
one) to 1000 Births } 151Marriages - 417
Births - 2,140Annual Rate (Persons Married - 13.20
per 1000 living (Births - 31.90

185.—WISBECH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	19.31	—	—	—	—	—	52.80	5.00	3.53	4.26	6.76	7.72	8.60	10.94	25.90	40.28	124.7
Mean Pop. 1871-80	—	33,330	554	820	883	820	830	4347	4091	3686	3122	2574	4186	3490	3016	2477	1599	79
ALL CAUSES	19.31	6437	1593	401	143	89	66	2295	207	130	133	174	323	300	330	592	794	119
Small-pox	0.17	56	8	1	3	—	—	12	1	1	1	0	24	3	3	4	1	—
Measles	0.29	66	34	29	9	6	5	62	8	—	—	1	1	—	—	—	—	—
Scarlet Fever	0.38	126	3	13	18	17	16	67	41	8	4	1	3	2	—	—	—	—
Diphtheria	0.07	15	—	—	1	3	7	11	11	3	1	—	—	—	1	—	—	—
Whooping cough	0.34	171	87	47	17	11	6	168	3	—	—	—	—	—	—	—	—	—
Typhus	0.02	8	—	—	—	—	—	—	—	2	2	—	—	2	—	—	—	—
Euteric Fever	0.19	65	—	1	—	1	1	3	7	7	8	7	5	8	6	6	6	2
Simple Cont. Fev.	0.11	37	2	1	—	—	1	4	5	3	4	1	2	—	2	6	3	1
Puemp. Fever	0.05	17	—	—	—	—	—	—	—	—	1	2	8	6	—	—	—	—
Diarr. and Dys.	0.67	223	118	23	6	5	2	154	3	2	—	—	2	6	—	5	16	60
Cholera	0.02	7	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0.73	145	—	—	—	—	—	—	—	1	1	—	2	27	45	65	63	29
Serofula	0.08	11	2	—	2	2	1	7	1	2	4	1	2	—	1	3	1	—
Tuberc Mesent.	0.14	46	21	9	3	2	—	37	1	6	1	—	1	—	—	—	—	—
Phthisis	1.44	405	15	19	2	1	3	31	14	25	45	83	118	77	46	36	13	—
Hydrocephalus	0.27	89	19	27	11	3	4	69	10	6	8	5	4	—	1	—	—	—
Diseases of	2.50	754	154	31	11	11	1	241	18	8	7	9	21	20	39	84	136	16
Nervous Syst.	1.29	420	4	1	—	1	—	6	5	6	4	10	25	28	31	99	120	41
Circulatory	2.94	979	248	121	24	10	8	411	16	4	12	7	22	33	45	104	154	271
Respiratory	0.73	245	34	4	2	—	—	30	10	4	6	3	9	23	21	48	64	37
Digestive	0.42	141	2	—	2	—	1	5	2	7	1	3	14	9	16	21	33	25
Urinary	0.06	29	—	—	—	—	—	—	—	—	1	2	4	1	6	3	9	—
Generative	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.01	21	—	—	—	—	—	—	—	—	—	6	7	6	2	—	—	—
Suicide	0.03	19	—	—	—	—	—	—	—	—	1	—	—	1	5	—	—	—
Other Violence	0.70	234	9	6	12	7	7	41	32	20	18	14	17	14	17	27	13	29
OTHER CAUSES	5.78	1,019	521	100	15	9	9	947	21	15	5	14	20	24	33	78	179	50

Deaths of Infants (under
one) to 1000 Births } 116Marriages - 2,330
Births - 10,902Annual Rate (Persons Married - 14.21
per 1000 living (Births - 33.70

ESSEX.

186.—WEST HAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
L DEATH PER 1000	—	17.79	—	—	—	—	—	55.54	5.61	3.41	4.22	5.56	7.26	10.25	16.09	28.26	50.84	144.08
Pop. -80-	—	150,050	4008	4524	4643	4630	4429	23215	20601	17500	13157	12232	33284	17716	11342	6685	3202	1106
CAUSES	17.79	26,693	7881	2627	1159	730	407	12894	1156	596	555	680	1086	1816	1825	1889	1916	1680
Cox -	0.43	638	69	18	20	22	21	130	55	47	66	77	120	76	28	10	2	—
Fever -	0.33	502	103	171	103	54	29	468	20	4	—	—	—	—	—	—	—	—
Fria -	0.35	845	47	321	180	190	166	847	225	42	70	5	12	3	1	—	—	—
ing-cough	0.10	148	14	22	18	21	21	96	58	7	2	—	—	—	—	—	—	—
ing-cough	0.63	946	999	276	144	87	83	508	29	1	—	—	—	—	—	—	—	—
Fever -	0.02	86	—	—	1	1	1	3	—	4	6	—	6	4	1	3	2	—
Fever -	0.24	362	11	11	9	21	12	64	51	39	29	24	81	85	25	17	13	4
Cont. Fev.	0.04	117	6	9	9	9	6	39	20	11	7	2	8	8	9	4	3	6
Fever -	0.07	167	—	—	—	—	—	—	—	—	2	2	54	23	1	—	—	—
nd Dys.	0.90	1334	980	205	20	11	7	1223	5	5	2	2	12	9	7	22	19	23
nd Dys.	0.03	41	20	8	1	—	—	30	1	—	—	1	1	4	3	—	—	—
nd Dys.	0.05	546	1	—	—	1	1	3	1	1	1	1	20	74	129	154	112	41
nd Dys.	0.13	190	55	28	12	11	7	111	22	20	7	1	9	6	3	5	3	1
nd Dys.	0.40	597	394	131	41	30	10	540	34	8	2	3	1	—	2	1	—	—
nd Dys.	1.02	2475	45	86	17	15	13	126	79	189	181	277	680	672	484	206	67	14
nd Dys.	0.73	494	206	117	52	33	23	431	47	7	3	1	5	—	1	—	—	—
nd Dys.	2.40	5635	1387	625	128	77	55	1872	147	42	41	84	66	141	234	319	394	255
nd Dys.	0.87	1305	16	5	1	5	4	29	37	45	45	31	191	185	215	274	251	104
nd Dys.	8.32	4482	1497	749	267	99	68	2671	124	49	29	45	149	295	308	428	531	452
nd Dys.	0.61	938	103	18	12	12	3	211	29	21	22	19	66	167	153	140	187	68
nd Dys.	0.21	322	3	7	5	5	3	25	10	9	7	6	27	34	49	62	67	36
nd Dys.	0.03	49	—	—	1	—	—	1	—	—	1	3	3	5	13	10	12	1
nd Dys.	0.08	119	—	—	—	—	—	—	—	—	2	17	57	42	1	—	—	—
nd Dys.	0.04	63	—	—	—	—	—	—	—	—	3	5	12	10	15	10	5	3
nd Dys.	0.41	615	43	86	24	17	14	134	42	47	41	53	85	74	63	42	19	14
nd Dys.	3.23	4857	2610	343	118	77	56	3206	128	52	39	41	98	97	154	175	280	623

Deaths of Infants (under one) to 1000 Births } 145

Marriages - 8,645
Births - 54,262

Annual Rate { Persons Married - 11.52
per 1000 living { Births - 30.16

187.—EPPING.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
L DEATH PER 1000	—	16.86	—	—	—	—	—	61.40	4.72	2.62	4.71	4.76	7.13	9.38	12.40	13.02	54.27	157.36
Pop. -80-	—	20,997	575	517	549	559	504	2764	2670	2110	1933	1040	2705	2323	1911	1300	835	387
CAUSES	16.86	3540	750	199	95	58	44	1146	126	56	91	78	193	218	237	322	464	609
Cox -	0.19	39	4	4	1	—	—	9	1	3	3	2	8	4	4	3	2	—
Fever -	0.19	40	11	9	5	5	2	32	3	9	2	—	—	2	1	—	—	—
Fria -	0.41	86	3	5	19	13	5	45	28	9	2	—	—	—	—	—	—	—
ing-cough	0.12	50	—	3	2	1	1	7	13	2	2	—	—	—	—	—	—	—
ing-cough	0.40	83	26	29	7	4	2	78	5	—	—	—	—	—	—	—	—	—
Fever -	0.66	12	—	—	—	—	—	—	1	1	2	2	—	2	1	1	1	1
Fever -	0.21	48	1	—	2	2	2	7	9	2	9	0	5	4	1	4	2	2
Cont. Fev.	0.06	13	—	—	—	1	—	1	1	2	1	—	1	3	2	2	1	—
Fever -	0.03	6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
nd Dys.	0.63	135	84	15	—	1	3	168	1	—	—	—	—	—	3	7	9	16
nd Dys.	0.03	7	4	1	—	—	—	5	—	—	—	—	—	—	1	—	1	—
nd Dys.	0.44	83	—	—	—	—	—	—	—	—	—	—	1	14	20	27	22	10
nd Dys.	0.10	19	6	2	—	—	—	8	2	2	1	1	2	1	—	—	—	1
nd Dys.	0.17	34	20	5	2	1	1	29	3	—	—	—	2	—	—	—	—	—
nd Dys.	1.35	284	2	1	1	—	4	8	8	4	28	34	71	84	47	24	7	—
nd Dys.	0.23	41	14	8	4	2	2	30	4	3	1	1	1	1	—	—	—	—
nd Dys.	2.25	473	161	69	9	5	6	151	15	2	9	6	19	15	34	62	87	82
nd Dys.	1.72	257	1	1	—	—	1	3	1	5	2	4	12	29	59	46	78	67
nd Dys.	2.48	521	140	51	18	10	4	223	11	1	5	3	17	23	23	34	87	94
nd Dys.	1.05	230	18	2	3	3	3	29	3	2	8	2	19	29	27	41	47	22
nd Dys.	0.33	70	2	—	—	—	—	4	2	1	1	2	3	6	13	17	16	8
nd Dys.	0.07	14	—	—	—	—	—	—	—	—	—	2	—	—	4	3	2	—
nd Dys.	0.10	19	—	—	—	—	—	—	—	—	—	6	6	7	—	—	—	—
nd Dys.	0.19	31	—	—	—	—	—	—	—	—	—	—	5	4	5	4	2	—
nd Dys.	0.32	169	5	6	7	1	2	21	9	7	6	5	9	13	9	2	17	9
nd Dys.	4.13	870	298	27	15	9	4	533	13	10	5	4	12	17	1	31	69	312

Deaths of Infants (under one) to 1000 Births } 117

Marriages - 359
Births - 6,419

Annual Rate { Persons Married - 9.13
per 1000 living { Births - 50.57

188.—ONGAR.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	16.09	—	—	—	—	—	38.97	3.19	1.78	3.70	4.99	6.02	9.33	12.15	20.98	50.00	109.4
Mean Pop. 1871-80	11,067	306	204	294	281	287	1432	1440	1346	973	801	1328	1153	1012	797	561	240
ALL CAUSES	16.09	1885	375	93	42	24	553	46	24	36	40	80	108	123	167	281	42
Small-pox	0.11	12	2	—	—	—	2	—	—	—	2	3	2	1	1	—	—
Measles	0.14	15	3	8	1	—	15	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.24	26	3	1	2	3	15	8	3	—	—	—	—	—	—	—	—
Diphtheria	0.03	7	—	1	3	—	1	1	—	—	—	1	—	—	—	—	—
Whooping-cough	0.14	43	28	12	4	2	47	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	5	—	—	—	—	—	—	—	1	—	1	2	—	—	1	—
Enteric Fever	0.13	14	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.05	5	1	—	1	—	2	—	—	1	—	—	—	—	—	—	—
Puerp. Fever	0.07	8	—	—	—	—	—	—	—	—	3	1	4	—	—	—	—
Diarr. and Dys.	0.51	77	33	8	1	—	42	—	—	—	—	—	1	—	2	6	8
Cholera	0.01	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.45	59	—	—	1	—	1	—	—	—	—	8	2	11	14	9	19
Serofula	0.09	10	—	—	1	—	2	—	1	2	—	1	—	—	—	—	—
Tuberc. Mesent.	0.14	16	7	3	3	—	13	—	—	1	—	—	—	—	—	—	—
Phthisis	1.35	159	1	3	—	—	4	2	7	12	14	30	28	23	11	12	2
Hydrocephalus	0.13	17	8	2	1	1	12	4	1	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.10	213	35	10	6	4	63	5	1	8	5	6	11	14	25	22	38
Circulatory	1.31	145	—	—	—	—	—	1	2	5	2	5	7	18	21	45	13
Respiratory	2.91	323	89	24	8	1	116	6	1	19	2	7	12	19	38	32	71
Digestive	0.86	85	7	1	1	3	12	2	—	3	2	1	9	14	18	20	11
Urinary	0.37	41	—	—	—	1	1	1	1	—	—	—	3	7	8	12	4
Generative	0.03	3	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Childbirth	0.13	14	—	—	—	—	—	—	—	—	1	7	6	—	—	—	—
Suicide	0.03	3	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2
Other Violence	0.42	47	2	2	2	1	10	3	1	1	3	3	5	5	3	2	6
OTHER CAUSES	4.78	530	162	13	6	7	195	9	3	1	5	8	13	8	21	35	24

Deaths of Infants (under one) to 1000 Births } 113

Marriages - 578
Births - 3,309Annual Rate { Persons Married - 10.42
per 1000 living { Births - 29.82

189.—ROMFORD.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	18.67	—	—	—	—	—	39.99	5.05	3.17	4.92	5.17	7.54	10.87	15.89	27.03	51.23	102.2
Mean Pop. 1871-80	31,020	1031	923	986	930	974	4899	4532	4036	3100	2727	4506	3781	2775	1957	1153	283
ALL CAUSES	18.67	6552	1540	503	178	151	117	2498	230	128	153	141	340	411	441	529	637
Small-pox	0.14	63	6	2	3	—	1	12	8	2	5	7	14	7	6	—	—
Measles	0.23	84	29	31	8	10	5	56	7	—	1	—	—	—	—	1	—
Scarlet Fever	0.29	100	10	26	24	33	31	128	20	17	3	1	—	—	—	—	—
Diphtheria	0.11	37	1	—	4	4	4	17	11	5	—	—	2	1	—	—	—
Whooping-cough	0.42	141	56	49	10	9	6	138	3	—	—	—	—	—	—	—	—
Typhus	0.02	8	—	—	—	—	—	—	—	2	3	1	—	—	—	1	—
Enteric Fever	0.18	61	—	—	3	—	1	7	6	6	9	7	11	7	3	4	—
Simple Cont. Fev.	0.06	22	1	—	—	1	1	5	5	1	2	—	3	3	2	—	—
Puerp. Fever	0.06	21	—	—	—	—	—	—	—	—	—	—	8	4	—	—	—
Diarr. and Dys.	0.81	516	199	72	8	1	2	262	3	—	—	2	3	4	—	8	27
Cholera	0.03	11	5	—	—	—	—	6	1	—	—	—	2	3	1	2	—
Cancer	0.40	155	—	—	—	—	—	—	2	—	—	1	4	21	32	59	41
Serofula	0.14	44	15	—	—	3	2	33	4	2	1	1	—	1	2	—	—
Tuberc. Mesent.	0.24	116	62	39	7	3	2	146	15	4	2	1	1	—	—	—	—
Phthisis	1.71	183	8	1	—	—	—	12	13	13	34	32	181	129	67	58	21
Hydrocephalus	0.42	144	94	31	15	11	4	125	12	6	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.13	811	261	57	20	11	6	333	30	13	17	9	11	22	48	81	117
Circulatory	1.34	451	—	1	1	1	1	4	8	10	14	11	32	47	58	90	100
Respiratory	2.97	1011	245	1	25	28	15	423	18	4	15	7	18	48	79	114	141
Digestive	0.87	259	25	—	2	—	—	35	6	4	5	5	14	19	32	39	41
Urinary	0.41	129	4	—	—	2	4	7	7	3	1	—	15	13	22	18	20
Generative	0.06	22	—	—	—	—	—	—	—	—	—	—	7	6	2	4	1
Childbirth	0.07	25	—	—	—	—	—	—	—	—	2	10	12	—	—	—	—
Suicide	0.03	17	—	—	—	—	—	—	—	—	1	1	3	—	—	1	4
Other Violence	0.71	241	14	—	—	6	7	50	14	17	17	17	27	32	36	26	14
OTHER CAUSES	4.09	1362	599	69	18	24	16	689	77	18	20	8	21	23	33	63	211

Deaths of Infants (under one) to 1000 Births } 150

Marriages - 1,750
Births - 11,604Annual Rate { Persons Married - 10.29
per 1000 living { Births - 34.90

190.—ORSETT

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (FEB 11/00)	—	16.57	—	—	—	—	—	43.79	5.56	4.08	5.12	6.15	6.90	9.74	12.34	24.46	48.06	166.67
Pop. —80 —	—	14,826	430	408	413	399	401	2066	1818	2000	1522	1155	1913	1581	1216	875	482	193
CAUSES	16.57	2457	533	146	79	53	31	302	101	94	78	71	132	154	150	214	236	325
Pox —	0.16	24	—	—	—	—	—	—	—	—	1	6	8	2	2	3	1	1
Fever —	0.30	45	19	10	10	2	1	47	2	1	—	—	—	—	—	—	—	—
ria —	0.37	85	3	14	11	16	7	11	21	10	1	2	—	—	—	—	—	—
ing-cough	0.17	25	1	1	2	6	3	13	7	4	1	—	—	—	—	—	—	—
ing-cough	0.42	62	33	15	8	2	—	63	4	—	—	—	—	—	—	—	—	—
Fever —	0.03	8	1	—	—	—	1	2	—	—	2	—	1	—	2	—	1	—
Fever —	0.35	62	—	3	4	2	1	10	11	5	4	2	6	7	2	4	—	1
Cont. Fev.	0.16	23	—	2	2	1	1	6	4	3	3	—	1	1	1	3	—	1
Fever —	0.06	12	—	—	—	—	—	—	—	—	—	4	6	2	—	—	—	—
and Dys.	0.59	17	56	11	2	3	—	72	—	—	—	—	1	—	—	3	11	—
—	0.01	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	0.28	56	—	—	—	—	—	—	—	—	1	—	3	3	8	15	13	15
—	0.13	19	3	1	1	2	—	7	2	—	2	1	2	1	3	1	—	—
Descent.	0.10	28	14	5	3	—	1	23	4	—	—	—	—	—	—	1	—	—
cephalus	1.48	220	4	2	2	—	1	9	2	14	18	33	42	42	29	21	8	2
—	0.47	69	27	18	8	3	3	59	7	3	—	—	—	—	—	—	—	—
reous Syst.	1.69	250	65	12	5	3	1	86	7	6	2	3	9	8	10	20	44	56
ulatory	1.73	168	—	—	—	—	—	—	1	3	2	2	5	11	14	39	47	44
piratory	2.67	356	92	30	8	9	6	145	5	6	6	7	11	16	30	61	49	60
restive	0.67	100	20	1	2	—	—	23	3	2	3	—	2	14	9	14	19	11
nary	0.58	57	—	—	1	—	1	2	—	1	2	—	4	10	8	8	14	8
erative	0.03	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1
irth —	0.06	12	—	—	—	—	—	—	—	—	1	4	4	3	—	—	—	—
—	0.03	5	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	—
Violence	0.00	134	6	—	3	—	2	11	8	30	16	6	18	10	15	8	3	9
CAUSES	5.48	515	249	20	7	4	2	292	13	6	19	1	9	13	16	22	53	167

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 715
Births - 4,845Annual Rate (Persons Married
per 1000 living { Births - - - 9.63
- - - 32.68

191.—BILLERICAY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (FEB 11/00)	—	19.90	—	—	—	—	—	41.02	5.28	3.18	5.57	5.92	12.00	17.74	22.67	34.78	57.47	156.67
Pop. —80 —	—	18,007	423	430	416	439	454	2167	2218	2107	1795	1588	2330	1905	1606	1156	736	330
CAUSES	19.90	3617	539	167	85	61	37	889	117	67	100	94	290	354	364	402	423	517
Pox —	0.15	28	5	—	2	—	—	7	1	—	5	4	6	—	4	3	—	—
Fever —	0.15	27	3	9	6	2	—	22	2	2	—	1	1	—	—	—	—	—
ria —	0.30	37	2	4	7	4	5	30	7	5	1	1	1	1	—	1	—	—
ing-cough	0.13	24	2	1	3	1	1	8	13	2	—	1	—	—	—	—	—	—
ing-cough	0.43	78	31	24	10	6	2	73	4	1	—	—	—	—	—	—	—	—
Fever —	0.04	7	—	—	—	—	—	—	—	—	—	1	1	3	3	—	—	—
Fever —	0.14	25	—	1	—	1	1	3	2	4	5	1	3	2	2	1	1	1
Cont. Fev.	0.02	17	—	—	—	—	2	2	2	1	1	1	1	1	3	5	1	—
Fever —	0.03	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
and Dys.	0.60	109	61	15	7	3	—	86	—	—	—	—	—	3	1	3	2	10
—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.01	111	—	—	—	1	—	1	—	—	—	1	2	11	23	34	29	10
—	0.07	12	—	1	—	—	—	1	1	—	—	2	2	2	2	2	—	—
Descent.	0.12	21	7	1	4	2	—	14	3	—	1	—	1	1	1	—	—	—
cephalus	2.15	391	4	—	—	2	3	9	17	14	41	41	99	64	68	17	9	2
—	0.27	43	14	10	3	4	3	14	7	3	1	1	2	—	—	—	—	—
reous Syst.	4.17	754	23	17	11	5	4	10	10	6	15	12	74	141	106	116	108	76
ulatory	3.15	3	2	1	—	1	7	7	4	6	5	2	20	38	38	37	36	62
piratory	1.74	401	88	43	16	10	5	162	9	4	11	7	19	38	35	56	70	90
restive	0.60	144	12	1	1	1	1	16	5	1	—	3	8	19	24	27	29	12
nary	0.32	59	—	—	—	1	—	1	4	1	2	3	10	8	8	5	3	9
erative	0.04	7	—	—	—	—	—	—	—	—	—	—	—	—	5	1	1	—
irth —	0.07	13	—	—	—	—	—	—	—	—	1	1	7	4	—	—	—	—
—	0.09	16	—	—	—	—	—	—	—	—	—	—	3	2	4	4	2	—
Violence	0.41	79	6	2	1	2	1	12	5	4	3	3	10	10	7	10	7	8
CAUSES	4.34	767	248	86	33	16	8	321	21	13	9	7	15	17	25	49	73	237

Deaths of Infants (under
one) to 1000 Births } 110Marriages - 927
Births - 4,898Annual Rate (Persons Married
per 1000 living { Births - - - 10.24
- - - 27.07

R 2605.

K

192.—CHELMSFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total and 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	17.94	—	—	—	—	—	49.87	5.27	3.47	5.03	5.95	7.57	9.83	12.11	20.38	34.84	149
Mean Pop. } 1871-80 - }	—	33,372	928	859	811	853	880	4631	4228	3808	3050	2189	4154	3473	3105	2408	1308	71
ALL CAUSES	17.94	5988	1181	343	160	97	80	1811	223	182	154	148	313	341	376	563	827	110
Small-pox - -	0.00	21	1	—	—	—	—	—	—	1	1	5	3	4	1	4	1	—
Measles - -	0.17	53	17	19	8	2	4	20	7	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0.42	141	6	10	23	23	21	85	88	14	2	—	1	1	—	—	—	—
Diphtheria - -	0.35	118	5	8	9	11	11	44	45	16	5	2	4	1	1	—	—	—
Whooping-cough	0.36	121	63	36	12	7	3	101	—	—	—	—	—	—	—	—	—	—
Typhus - -	0.01	8	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—
Enteric Fever -	0.22	75	8	4	1	9	1	11	10	5	13	8	6	6	6	6	4	—
Simple Cont. Fev.	0.03	16	1	2	1	1	—	5	1	1	1	1	1	1	—	—	—	—
Purp. Fever - -	0.03	11	—	—	—	—	—	—	—	—	1	1	5	5	—	—	—	—
Diarr. and Dys. -	0.42	139	84	11	4	4	—	105	—	—	2	—	—	1	2	5	8	10
Cholera - -	0.08	20	13	2	1	—	—	16	2	—	—	—	—	—	—	1	1	—
Cancer - -	0.54	182	15	17	—	—	—	—	—	—	1	—	2	2	22	31	49	28
Scrofula - -	0.19	63	17	30	2	2	—	61	5	5	5	1	3	1	1	1	—	—
Tuberc. Mesent. -	0.25	85	38	20	3	2	—	61	15	5	5	5	13	27	41	117	180	140
Phthisis - -	1.69	584	6	4	4	1	2	17	13	17	53	73	140	109	18	48	14	—
Hydrocephalus -	0.29	99	30	27	13	4	3	77	7	6	5	1	—	2	—	1	—	—
Diseases of																		
Nervous Syst. -	2.29	565	153	29	17	7	9	103	14	11	6	9	17	22	29	60	179	171
Circulatory " -	1.71	573	2	1	1	1	1	6	8	8	10	5	7	27	39	22	117	100
Respiratory " -	2.89	634	221	98	53	11	12	375	15	15	16	10	27	29	41	82	146	140
Digestive " - -	1.10	523	45	7	1	4	1	50	14	7	7	2	13	27	43	68	89	—
Urinary " - -	0.40	123	3	1	1	2	1	8	2	2	—	7	9	12	11	17	22	2
Generative " -	0.07	19	—	—	—	—	—	—	—	—	—	1	4	4	4	—	—	—
Childbirth - -	0.07	28	—	—	—	—	—	—	—	—	—	—	14	4	8	1	—	—
Suicide - -	0.03	27	—	—	—	—	—	—	—	—	1	—	—	—	—	6	3	—
Other Violence -	0.42	140	8	11	6	2	3	40	12	11	8	5	15	12	10	19	19	10
OTHER CAUSES -	3.89	1231	441	83	17	9	8	510	22	17	11	13	19	20	31	43	127	66

Deaths of Infants (under
one) to 1000 Births - } 111Marriages - 1,836
Births - 10,223Annual Rate { Persons Married - 11.30
per 1000 living { Births - - - 30.63

193.—ROCHFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total and 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	16.48	—	—	—	—	—	42.25	4.66	2.38	4.23	4.29	5.09	10.24	13.74	27.33	55.79	187
Mean Pop. } 1871-80 - }	—	22,493	668	631	628	630	596	3163	2771	2137	2120	1937	3186	2510	1870	1382	794	21
ALL CAUSES	16.48	3707	904	210	97	67	64	1332	129	58	90	84	101	267	237	378	443	89
Small-pox - -	0.12	28	4	1	—	1	1	7	—	—	—	6	6	2	4	1	2	—
Measles - -	0.16	35	7	13	5	4	2	31	2	1	—	—	1	1	—	—	—	—
Scarlet Fever -	0.28	62	4	4	9	9	12	34	16	6	1	—	1	—	—	—	—	—
Diphtheria - -	0.10	22	1	—	2	5	9	11	9	—	1	1	—	—	—	—	—	—
Whooping-cough	0.29	88	53	17	7	7	1	83	3	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	4	—	—	—	1	—	1	1	—	1	—	—	—	—	1	—	—
Enteric Fever -	0.21	70	2	—	1	—	2	5	14	8	9	12	9	4	5	2	1	1
Simple Cont. Fev.	0.01	14	—	—	—	1	2	3	1	2	—	—	1	1	—	3	4	—
Purp. Fever - -	0.01	7	—	—	—	—	—	—	—	—	—	—	5	3	—	—	—	—
Diarr. and Dys. -	0.88	194	141	26	6	1	3	177	7	—	—	—	2	—	—	6	7	8
Cholera - -	0.04	8	6	—	1	1	—	7	—	—	—	—	—	—	—	1	—	—
Cancer - -	0.51	114	—	—	—	—	—	—	—	—	—	—	2	14	22	29	21	11
Scrofula - -	0.08	19	2	1	1	1	1	6	3	2	3	—	—	1	1	1	—	—
Tuberc. Mesent. -	0.25	87	39	11	6	8	1	20	5	—	—	—	1	—	—	1	—	—
Phthisis - -	1.8	526	3	3	3	2	1	19	4	7	31	24	64	68	30	31	10	1
Hydrocephalus -	0.22	43	19	11	5	5	—	38	5	1	3	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst. -	1.66	419	108	20	9	6	6	149	11	10	5	6	7	29	50	31	71	31
Circulatory " -	1.10	245	1	—	—	—	—	1	9	7	3	1	14	24	30	40	39	41
Respiratory " -	2.73	613	143	55	15	8	7	227	14	9	4	7	24	29	40	82	107	73
Digestive " - -	0.88	199	29	3	5	—	—	28	4	1	4	6	13	21	27	76	41	14
Urinary " - -	0.17	103	4	—	—	2	1	7	4	1	2	1	10	9	17	16	39	9
Generative " -	0.01	9	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	—
Childbirth - -	0.03	21	—	—	—	—	—	—	—	—	2	4	9	6	—	—	—	—
Suicide - -	0.00	20	—	—	—	—	—	—	—	—	—	—	1	3	3	3	1	—
Other Violence -	0.42	117	5	4	5	3	4	23	5	1	8	3	15	19	18	16	11	4
OTHER CAUSES -	3.22	180	330	80	13	10	7	425	16	6	7	3	6	17	21	42	18	24

Deaths of Infants (under
one) to 1000 Births - } 120Marriages - 1,367
Births - 7,543Annual Rate { Persons Married - 12.42
per 1000 living { Births - - - 33.55

194.—MALDON.*

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS per 1000	—	17.48	—	—	—	—	—	41.43	4.72	3.00	4.89	7.08	7.61	8.08	12.29	21.17	53.25	161.88
Pop. 80	—	23,235	680	650	637	654	677	3804	8169	2731	2126	1582	2704	2374	2066	1724	1061	404
CAUSES	17.48	4033	883	235	109	69	47	1369	149	82	104	112	203	206	254	305	665	654
Ex -	0.14	52	4	1	1	—	—	6	1	1	3	5	8	2	4	2	—	—
Fever -	0.11	54	9	19	2	3	—	22	1	1	—	—	—	—	—	—	—	—
Ag -	0.42	93	5	7	14	11	16	53	54	7	3	—	1	—	—	—	—	—
Ag -	0.11	36	—	3	2	—	—	12	10	3	1	—	—	—	—	—	—	—
Ag -	0.40	111	63	31	10	3	1	113	—	1	—	—	—	—	—	—	—	—
Fever -	0.03	6	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
Cont. Fev.	0.28	66	1	2	1	3	2	7	6	6	11	6	9	4	5	3	4	—
Fever -	0.03	7	1	—	—	1	—	2	1	2	1	—	—	—	—	—	—	—
Ad Dys.	0.03	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ad Dys.	0.43	99	61	14	4	3	—	84	—	—	1	—	—	—	—	4	6	7
Ad Dys.	0.02	4	1	1	—	—	—	2	—	—	—	—	—	—	—	1	—	1
—	0.48	111	—	—	—	—	—	12	—	—	1	—	—	4	9	21	23	37
—	0.15	86	10	—	1	1	—	—	2	3	1	2	—	—	4	4	4	—
Insent.	0.25	57	31	9	6	6	—	49	6	1	—	1	—	—	—	—	—	—
phalus	0.61	281	11	8	5	2	1	27	10	10	31	25	91	53	48	36	10	1
phalus	0.35	81	22	23	6	9	5	63	12	2	2	—	—	—	—	—	—	—
Cons Syst.	2.12	492	178	29	18	11	4	170	12	8	19	6	17	21	67	188	80	32
Alatory	1.24	247	—	—	—	—	—	1	—	4	7	2	14	19	42	51	91	51
Alatory	2.41	539	137	64	18	0	9	234	11	4	5	9	14	20	32	87	97	70
Alative	0.81	180	22	4	2	—	1	29	6	4	6	5	6	18	27	32	36	30
Alary	0.30	79	—	2	—	1	—	3	2	1	—	—	2	7	8	12	12	8
Alative	0.03	11	—	—	—	—	—	—	—	—	—	1	1	2	5	1	1	—
th -	0.08	19	—	—	—	—	—	—	—	1	2	3	11	—	—	—	—	—
th -	0.06	14	—	—	—	—	—	—	—	—	—	—	2	—	1	6	4	1
olences	0.54	123	14	5	9	2	1	25	13	13	8	6	8	11	10	12	6	9
CAUSES	4.92	1153	385	43	15	7	3	450	12	5	7	6	9	12	15	47	174	410

Deaths of Infants (under 1 year) to 1000 Births } 112 Marriages } 1,433 Annual Rate { Persons Married } 13.08
 Births } 7,927 per 1000 living { Births } 34.11

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

195.—TENDRING.*

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS per 1000	—	18.10	—	—	—	—	—	41.24	5.40	3.70	6.40	7.04	7.46	8.08	12.50	23.03	53.08	154.10
Pop. 80	—	29,604	856	782	705	706	784	4013	8796	3327	2,227	2187	3690	3157	2744	2146	1205	615
CAUSES	18.10	5357	1098	300	122	61	74	1655	205	123	163	154	276	282	343	507	699	945
Ex -	0.18	53	4	—	—	—	2	6	3	5	9	5	10	6	8	—	2	2
Fever -	0.19	45	10	13	6	—	6	39	8	—	—	—	—	—	—	—	—	—
Ag -	0.22	87	4	13	14	12	—	53	5	2	1	1	—	—	—	—	—	—
Ag -	0.08	25	2	—	1	—	1	4	15	6	—	—	—	—	—	—	—	—
Ag -	0.43	123	50	42	19	6	2	120	5	1	—	—	—	—	—	—	—	—
Fever -	0.32	6	—	—	—	—	—	—	2	1	—	1	1	—	—	1	—	—
Cont. Fev.	0.25	75	1	4	6	—	2	13	11	10	10	5	6	4	3	8	3	—
Fever -	0.10	46	—	1	2	3	—	9	7	6	6	1	4	4	—	2	—	—
Ad Dys.	0.71	209	117	17	7	3	1	145	5	—	2	—	2	0	—	8	20	24
Ad Dys.	0.01	4	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—
—	0.47	180	2	—	—	—	—	2	—	—	—	—	4	10	19	42	38	21
Insent.	0.13	58	6	4	—	1	1	12	4	4	—	1	4	4	1	—	—	—
phalus	1.82	539	9	7	—	—	—	89	9	25	68	78	118	82	78	46	13	—
phalus	0.19	17	14	10	5	4	4	47	7	2	1	—	—	—	—	—	—	—
Cons Syst.	2.37	702	143	40	16	8	8	215	30	14	16	8	17	28	87	75	114	140
Alatory	1.51	609	6	1	1	1	1	9	6	9	10	3	14	20	35	76	121	67
Alatory	2.51	744	151	61	29	2	9	287	19	7	8	4	10	20	38	108	137	138
Alative	1.07	316	25	1	3	1	2	32	8	1	2	7	14	31	31	70	79	41
Alary	0.40	113	2	—	1	1	—	6	1	2	—	2	8	11	23	24	24	24
Alative	0.03	13	—	—	—	—	—	—	—	—	—	2	1	2	4	2	2	2
th -	0.07	20	—	—	—	—	—	—	—	—	2	3	5	7	3	—	—	—
th -	0.03	29	—	—	—	—	—	—	—	—	—	3	4	8	5	6	4	2
olences	0.53	102	15	4	2	4	6	31	9	8	16	17	17	19	18	11	9	7
CAUSES	4.38	1285	457	13	11	10	12	513	59	14	15	6	25	22	23	67	122	461

Deaths of Infants (under 1 year) to 1000 Births } 117 Marriages } 1,927 Annual Rate { Persons Married } 13.62
 Births } 9,386 per 1000 living { Births } 34.71

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

196.—COLCHESTER.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up
ANNUAL DEATH RATE PER 1000	—	19'88	—	—	—	—	—	15'77	5'37	4'42	5'40	6'24	8'49	12'00	17'71	30'03	64'84	173'4
Mean Pop. 1871-80	—	27,330	758	650	649	653	663	3573	2015	2718	3100	2808	4207	5040	2170	1567	151	90
ALL CAUSES	19'88	5440	1191	376	113	109	62	1831	138	120	108	179	367	595	330	489	617	90
Small-pox	0'06	21	4	—	—	—	1	5	1	—	1	2	3	2	3	—	2	—
Measles	0'29	80	17	29	17	8	4	75	4	—	1	—	—	—	—	—	—	—
Scarlet Fever	0'28	77	4	6	6	14	10	42	24	7	2	1	—	—	—	1	—	—
Diphtheria	0'12	32	1	3	3	8	4	19	7	2	1	1	—	—	1	—	—	—
Whooping-cough	0'57	137	71	61	13	8	3	156	1	—	—	—	—	—	—	—	—	—
Typhus	0'02	5	—	—	—	—	—	—	1	1	1	—	2	—	1	—	—	—
Enteric Fever	0'33	91	—	2	2	1	4	9	13	9	7	4	17	6	8	9	7	1
Simple Cont. Fev.	0'08	23	—	—	—	—	1	1	7	—	1	1	2	2	2	3	3	1
Purp. Fever	0'03	11	—	—	—	—	—	—	—	—	—	7	5	1	—	—	—	—
Diarr. and Dys.	1'17	321	191	60	11	5	6	243	9	2	1	2	5	3	5	13	13	35
Cholera	0'01	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Cancer	0'33	145	—	—	—	—	—	—	—	—	—	1	0	19	24	46	39	13
Serofula	0'12	32	2	3	2	4	—	11	5	4	2	1	2	5	1	1	—	—
Tuberc. Mesent.	0'34	94	62	17	4	2	2	87	1	4	2	1	3	—	—	—	—	—
Phthisis	2'48	674	7	6	6	1	—	29	12	36	53	93	183	144	87	35	15	—
Hydrocephalus	0'35	97	31	19	13	7	6	76	16	4	—	—	—	—	—	1	—	—
Diseases of	2'42	661	167	23	16	13	5	203	10	10	14	8	54	33	33	64	110	120
Nervous Syst.	1'74	473	2	—	—	—	2	2	4	5	3	7	23	37	37	100	127	80
Circulatory	3'14	829	26	80	31	17	7	250	16	9	16	14	32	40	35	74	116	125
Respiratory	1'08	155	27	2	—	3	—	32	4	5	9	7	22	57	41	56	60	71
Digestive	0'57	101	—	—	1	—	—	1	3	5	4	4	7	5	17	19	19	16
Urinary	0'03	11	—	—	—	—	—	—	—	—	1	—	1	3	5	1	2	—
Generative	0'08	21	—	—	—	—	—	—	—	—	2	2	11	6	—	—	—	—
Childbirth	0'10	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'34	104	17	2	5	2	1	27	6	3	6	8	9	9	14	8	5	8
Other Violence	3'68	1040	402	55	13	13	7	490	13	14	15	13	14	14	22	39	80	207
OTHER CAUSES	3'68	1040	402	55	13	13	7	490	13	14	15	13	14	14	22	39	80	207

Deaths of Infants (under one) to 1000 Births } 135

Marriages - 2,430
Births - 8,828Annual Rate { Persons Married - 17'76
per 1000 living { Births - 22'27

197.—LEXDEN.*

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up
ANNUAL DEATH RATE PER 1000	—	16'62	—	—	—	—	—	35'60	3'76	2'97	4'78	5'99	6'86	9'05	10'93	22'26	51'07	100'9
Mean Pop. 1871-80	—	23,858	677	647	654	632	736	3370	3249	1831	2071	1670	2739	2421	2101	1095	709	225
ALL CAUSES	16'62	3,466	781	225	87	64	44	1202	122	84	99	100	138	219	240	379	662	771
Small-pox	0'05	12	2	1	—	—	—	3	—	—	1	2	2	3	1	—	—	—
Measles	0'15	31	5	8	9	6	—	28	2	1	1	—	—	—	—	—	—	—
Scarlet Fever	0'24	27	3	5	4	11	4	27	18	6	3	1	1	1	—	—	—	—
Diphtheria	0'14	41	1	1	2	7	6	15	19	3	2	1	1	1	1	2	—	—
Whooping-cough	0'53	79	15	16	3	2	2	78	1	—	—	—	—	—	—	—	—	—
Typhus	0'05	12	—	—	—	—	—	—	1	2	4	—	1	1	1	—	2	—
Enteric Fever	0'26	43	4	6	2	3	2	17	10	9	7	2	3	6	4	1	3	1
Simple Cont. Fev.	0'07	17	1	2	2	—	—	5	2	1	—	—	—	1	—	—	4	1
Purp. Fever	0'05	12	—	—	—	—	—	—	—	—	1	—	6	4	—	—	—	—
Diarr. and Dys.	0'54	154	63	16	6	4	3	54	4	2	—	—	—	1	2	3	12	13
Cholera	0'01	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0'57	156	—	—	—	—	—	—	—	—	1	1	3	8	31	33	50	21
Serofula	0'10	21	8	2	—	—	—	10	1	1	—	2	2	2	2	1	—	—
Tuberc. Mesent.	0'16	35	13	8	3	3	1	25	1	1	2	—	2	—	—	—	1	—
Phthisis	1'91	661	17	12	5	—	4	56	16	19	25	62	103	71	60	45	18	4
Hydrocephalus	0'25	61	21	21	5	—	1	48	4	2	—	—	—	—	—	—	—	—
Diseases of	2'04	467	83	28	11	8	3	111	20	4	9	5	6	21	29	54	80	124
Nervous Syst.	1'51	360	2	—	2	—	—	4	11	5	4	3	9	21	31	64	124	90
Circulatory	2'56	614	121	54	11	11	8	207	6	2	2	2	7	26	30	66	106	111
Respiratory	0'84	209	14	3	3	2	1	23	4	3	5	4	7	14	27	40	46	25
Digestive	0'37	99	—	—	1	1	1	3	—	2	1	—	5	4	9	15	27	30
Urinary	0'03	12	—	—	—	—	—	—	—	—	1	—	1	4	1	2	2	1
Generative	0'05	13	—	—	—	—	—	—	—	—	1	3	4	1	—	—	—	—
Childbirth	0'05	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'05	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'16	19	10	4	5	1	3	27	10	8	5	7	11	9	10	8	10	11
OTHER CAUSES	3'72	881	351	89	15	7	5	417	15	13	5	3	11	12	17	40	51	203

Deaths of Infants (under one) to 1000 Births } 100

Marriages - 1,501
Births - 7,848Annual Rate { Persons Married - 13'59
per 1000 living { Births - 32'50

* Changes were made in the boundary of this district during the decade; see pp. 372-73.

WITHAM (Deaths in $9\frac{1}{2}$ years).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (PER 1000)	—	18.02	—	—	—	—	—	33.46	5.11	3.61	5.15	7.72	8.10	8.07	12.32	26.00	53.62	165.16
Pop. (YEARS)	—	15,127	415	376	377	303	417	1978	1071	1831	1346	1102	1764	1613	1458	1010	723	326
CAUSES	18.02	2593	444	133	82	39	27	724	96	63	66	81	136	124	171	250	372	513
Ex -	0.06	9	1	1	—	—	—	2	—	2	—	1	1	—	2	—	1	—
Fever -	0.14	20	6	4	2	2	1	15	4	1	—	—	—	—	—	—	—	—
ria -	0.53	46	—	3	7	6	8	24	10	1	—	—	1	—	1	—	—	—
ng-cough	0.50	43	—	3	5	4	2	14	17	10	—	2	—	—	—	—	—	—
—	0.52	75	30	24	10	7	3	74	1	—	—	—	—	—	—	—	—	—
Fever -	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cont. Fev.	0.01	33	—	—	1	2	—	3	2	6	4	6	6	3	1	1	1	—
Fever -	0.02	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
and Dye.	0.57	82	32	9	3	4	1	40	—	1	1	—	—	1	—	5	13	12
—	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.67	97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0.23	40	7	5	3	—	1	16	9	4	1	1	3	2	2	1	23	11
escent.	0.15	22	10	4	1	1	—	16	2	2	2	—	—	—	—	—	—	—
ephalus -	1.90	274	—	2	—	1	—	3	3	12	28	40	74	53	32	23	5	1
—	0.37	64	18	12	5	—	2	37	8	4	3	2	—	—	—	—	—	—
vious Syst.	2.14	308	46	7	12	2	1	68	7	8	6	10	5	11	22	34	60	77
ulatory "	1.91	175	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
piratory "	2.73	401	100	32	13	—	—	132	6	4	3	6	10	12	21	51	90	82
stive "	0.96	125	5	—	—	—	—	3	3	—	—	—	5	8	22	47	65	85
uary "	0.39	26	—	2	1	1	—	4	—	—	2	3	5	3	9	6	13	11
erative "	0.09	15	—	—	—	—	—	—	—	—	—	—	—	2	4	2	1	—
th -	0.07	10	—	—	—	—	—	—	—	—	—	1	3	6	—	—	—	—
—	0.05	7	—	—	—	—	—	—	—	—	—	1	1	—	1	2	2	—
tolence -	0.40	68	5	2	3	—	2	12	5	2	6	2	2	1	6	7	10	5
CAUSES -	3.71	633	184	22	16	4	1	227	10	3	2	2	4	7	11	13	47	207

Deaths of Infants (under one) to 1000 Births - 101 Marriages - 829 Annual Rate { Persons Married - 11.51
Births - 4,378 per 1000 living { Births - 30.39

* This District was abolished 1st July 1880, see pp. 371-73.

198.—HALSTEAD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (PER 1000)	—	18.78	—	—	—	—	—	45.80	6.11	4.41	4.87	7.38	8.47	8.09	12.05	21.64	60.00	158.70
Pop. (YEARS)	—	17,729	448	410	450	439	473	2238	2210	2040	1704	1341	2136	1869	1701	1331	735	364
CAUSES	18.78	3320	614	220	97	54	40	1025	135	90	83	99	181	168	205	288	477	578
Ex -	0.07	13	1	1	—	—	1	3	1	—	—	2	1	1	2	3	—	—
Fever -	0.15	27	4	12	2	—	4	22	5	—	—	—	—	—	—	—	—	—
ria -	0.69	123	4	14	21	13	9	61	37	16	5	4	—	—	—	—	—	—
ng-cough	0.07	15	—	3	—	—	1	4	6	1	—	—	—	1	—	1	—	—
—	0.54	60	23	24	5	1	1	39	1	—	—	—	—	—	—	—	—	—
Fever -	0.05	8	—	—	—	—	—	—	1	—	1	—	—	1	—	4	1	—
Cont. Fev.	0.19	34	—	1	—	—	1	2	3	3	4	4	3	3	4	4	2	2
Fever -	0.08	15	—	—	1	—	1	2	1	1	—	1	—	1	—	3	6	—
and Dye.	0.04	7	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—
—	0.47	81	42	12	3	1	1	29	—	3	—	2	2	1	1	4	5	6
—	0.03	6	3	1	—	—	—	4	—	—	—	—	—	1	1	1	—	—
—	0.48	103	—	—	1	—	—	1	—	—	—	—	2	10	22	23	28	17
Memor.	0.11	19	2	1	1	1	1	6	2	1	—	2	3	1	2	—	—	—
ephalus -	0.23	63	16	10	8	2	1	37	7	6	1	2	—	—	—	—	—	—
—	2.16	383	14	10	4	2	1	31	6	13	48	51	108	25	40	17	8	1
—	0.21	41	13	10	4	3	1	31	6	2	2	—	—	—	—	—	—	—
vious Syst.	2.37	421	61	24	7	9	1	102	20	7	5	4	13	12	22	46	102	88
ulatory "	1.79	318	11	1	—	1	1	14	9	5	3	4	9	19	35	55	92	79
piratory "	2.93	519	103	17	10	4	—	130	8	2	5	7	6	22	17	31	95	107
stive "	0.77	137	11	—	—	1	—	15	6	3	2	5	8	9	23	29	27	15
uary "	0.46	81	—	—	1	—	—	1	2	4	1	—	3	10	9	16	14	21
erative "	0.05	9	—	—	—	—	—	—	—	—	—	—	—	2	2	—	4	—
th -	0.07	13	—	—	—	—	—	—	—	—	1	2	6	4	—	—	—	—
—	0.06	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
tolence -	0.51	90	10	3	10	4	2	29	7	11	—	3	4	1	8	2	13	10
CAUSES -	4.22	743	291	24	9	6	9	343	7	10	5	6	12	8	13	23	80	226

Deaths of Infants (under one) to 1000 Births - 115 Marriages - 1,157 Annual Rate { Persons Married - 13.05
Births - 5,354 per 1000 living { Births - 30.70

199.—BRAINTREE.*

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	18'83	—	—	—	—	—	47'28	4'10	1'83	4'97	7'35	8'12	0'62	12'00	21'97	32'15	2
Mean Pop. 1871-80	17,622	495	418	463	438	448	2263	2108	1070	1610	1520	2082	1825	1678	1361	844	81
ALL CAUSES	18'83	8299	702	201	70	54	25	1071	90	30	82	97	103	174	108	618	477
Small-pox	0'05	5	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—
Measles	0'21	56	11	10	9	—	31	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'21	56	9	2	5	8	14	—	—	—	—	—	—	—	—	—	—
Diphtheria	0'18	52	1	4	1	4	10	—	—	—	1	—	—	—	—	—	—
Whooping-cough	0'50	136	61	40	13	1	165	—	—	—	—	—	—	—	—	—	—
Typhus	0'02	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteric Fever	0'07	13	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0'04	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Puerp. Fever	0'04	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'01	1'7	58	9	7	2	77	—	—	—	—	—	—	—	—	—	—
Cholera	0'01	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0'78	102	—	—	—	—	—	—	—	—	1	2	13	81	32	—	—
Scorbuta	0'19	35	13	8	5	—	26	—	—	—	—	—	—	—	—	—	—
Talcs Mesent.	0'14	21	8	8	1	1	9	—	—	—	—	—	—	—	—	—	—
Phthisis	2'28	400	5	10	4	—	21	—	—	—	45	87	87	69	40	22	14
Hydrocephalus	0'10	17	6	8	1	2	14	—	—	—	—	—	—	—	—	—	—
Diseases of																	
Nervous Syst.	2'67	456	73	13	4	12	123	16	8	7	8	13	11	54	67	101	26
Circulatory	1'50	274	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Respiratory	2'59	407	158	50	13	6	232	12	1	8	3	15	16	40	41	17	11
Digestive	1'14	150	19	1	1	2	23	4	2	—	—	13	10	23	35	16	10
Urinary	0'42	73	4	—	—	—	5	—	—	—	—	5	9	7	10	8	12
Generative	0'42	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'10	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'01	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'15	62	4	2	1	3	14	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	4'32	737	285	27	14	9	329	9	3	4	4	5	5	10	12	16	2

Deaths of Infants (under one) to 1000 Births } 125

Marriages - 1,103
Births - 5,601Annual Rate of Persons Married - 13'81
per 1000 living Births - 81'97

* Changes were made in the boundary of this District during the Decade; see pp. 371-73.

200.—DUNMOW.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	17'83	—	—	—	—	—	31'68	3'29	3'10	6'35	6'21	7'84	6'92	11'61	23'75	34'80	103'13
Mean Pop. 1871-80	18,845	500	150	503	381	479	2124	2429	2521	1607	1270	2016	1050	1818	1169	609	281
ALL CAUSES	17'83	8331	504	159	61	86	29	844	80	72	108	77	158	171	211	859	512
Small-pox	0'05	9	—	—	4	1	—	—	—	—	—	1	5	—	—	—	—
Measles	0'10	58	3	8	—	—	1	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'15	28	1	2	5	2	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	0'12	25	8	5	2	3	1	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0'41	57	40	19	11	5	4	—	—	—	—	—	—	—	—	—	—
Typhus	0'01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'02	61	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0'05	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'04	74	21	3	5	1	1	—	—	—	—	—	—	—	—	—	—
Cholera	0'01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'78	91	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scorbuta	0'23	41	19	6	—	2	20	—	—	—	—	—	—	—	—	—	—
Talcs Mesent.	0'20	35	14	6	—	1	2	—	—	—	—	—	—	—	—	—	—
Phthisis	1'73	356	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Hydrocephalus	0'16	140	7	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of																	
Nervous Syst.	2'42	456	81	21	7	1	4	110	4	9	7	8	13	19	40	66	14
Circulatory	1'50	192	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	2'61	522	194	40	10	12	9	173	5	7	7	9	10	15	33	40	14
Digestive	0'91	175	25	4	—	1	1	31	4	4	6	1	5	15	21	20	10
Urinary	0'33	74	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0'01	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'10	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'06	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'14	81	4	6	5	4	1	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	4'29	101	151	22	5	2	8	501	8	9	11	6	13	15	15	49	40

Deaths of Infants (under one) to 1000 Births } 109

Marriages - 891
Births - 5,630Annual Rate of Persons Married - 10'52
per 1000 living Births - 20'19

201.—SAFFRON WALDEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	18.04	—	—	—	—	—	39.02	4.19	2.40	4.07	5.88	8.43	9.73	10.75	32.70	53.53	155.93
in Pop. (1-80)	—	19,065	510	481	517	445	521	2507	2457	2203	1657	1300	2207	1912	1749	1423	988	429
CAUSES	18.04	3439	634	108	84	53	40	679	103	55	60	80	186	186	189	325	532	736
Scrophulous	0.63	6	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scarlet Fever	0.09	13	3	—	4	—	—	14	—	1	—	—	—	—	—	—	—	—
Dysentery	0.37	70	1	—	11	6	11	33	23	6	—	—	—	—	—	—	—	—
Cholera	0.13	15	1	—	—	—	—	14	6	—	—	—	—	—	—	—	—	—
Spitting-cough	0.35	61	28	21	8	5	3	67	4	—	—	—	—	—	—	—	—	—
Measles	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.19	35	—	1	—	—	—	2	5	2	8	—	—	—	—	—	—	—
Cont. Fev.	0.08	15	1	—	—	—	—	1	1	4	—	—	—	—	—	—	—	—
Dysentery	0.06	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	0.32	109	54	10	—	1	—	63	3	2	—	—	—	—	—	—	—	—
Spitting-cough	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.74	141	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet	0.10	20	4	1	—	—	1	7	3	3	1	—	—	—	—	—	—	—
Measles	0.14	29	6	3	2	1	—	17	2	3	4	1	—	—	—	—	—	—
Cholera	1.38	504	7	0	1	—	—	13	5	10	27	41	61	51	52	27	8	2
Scrophulous	0.15	34	10	8	1	5	2	20	2	—	—	—	—	—	—	—	—	—
Scrophulous Syst.	2.31	478	83	15	14	10	7	121	11	2	6	2	9	16	15	41	100	114
Scrophulous	1.45	276	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophulous	2.63	546	107	57	21	11	3	109	12	3	6	3	19	10	21	53	108	115
Scrophulous	1.10	219	25	1	1	1	1	29	3	—	6	9	12	23	30	51	88	104
Scrophulous	0.74	65	1	—	—	—	—	1	1	—	3	8	4	14	17	38	10	10
Scrophulous	0.08	16	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Birth	0.08	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.03	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.37	71	7	3	6	1	1	18	4	4	4	3	6	6	7	4	6	10
CAUSES	4.29	874	190	25	11	8	6	340	6	6	5	5	13	11	15	26	105	512

Deaths of Infants (under
one) to 1000 Births

107

Marriages
Births

1,132

5,943

Annual Rate
per 1000 living

Persons Married

11.83

51.79

202.—RISBRIDGE.

[SUFFOLK.]

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	18.32	—	—	—	—	—	40.72	3.95	3.39	0.04	0.71	8.14	10.13	10.80	22.07	57.08	164.71
in Pop. (1-80)	—	17,825	546	456	540	401	509	2542	2406	2213	1630	1311	1391	1727	1529	1246	773	307
CAUSES	18.32	3206	696	198	73	49	23	1035	93	73	102	88	163	175	160	275	447	654
Scrophulous	0.13	24	2	—	1	2	—	5	—	—	4	2	3	4	—	1	4	1
Scarlet	0.12	21	3	—	5	3	—	19	2	—	—	—	—	—	—	—	—	—
Scarlet	0.43	74	4	2	13	6	8	33	22	10	7	2	1	1	—	—	—	—
Cholera	0.16	11	1	—	2	—	—	3	4	2	1	—	—	—	—	—	—	—
Spitting-cough	0.23	94	45	87	6	4	1	68	1	—	—	—	—	—	—	—	—	—
Measles	0.03	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet	0.11	19	1	—	—	—	—	3	2	5	—	—	—	—	—	—	—	—
Cont. Fev.	0.15	28	—	2	1	—	—	3	2	7	4	1	—	—	—	—	—	—
Dysentery	0.04	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	0.29	106	54	19	3	—	—	76	1	—	—	—	—	—	—	—	—	—
Spitting-cough	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.45	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet	0.10	29	8	2	—	—	—	10	2	—	1	1	2	5	15	28	57	3
Measles	0.03	53	21	14	7	3	9	47	3	1	28	9	1	1	—	—	—	—
Cholera	1.61	291	2	6	2	1	—	11	2	16	38	45	60	52	25	24	12	—
Scrophulous	0.11	20	6	8	3	—	—	17	2	1	—	—	—	—	—	—	—	—
Scrophulous Syst.	2.66	516	57	16	5	5	2	85	13	9	7	7	12	15	24	44	75	63
Scrophulous	0.05	171	—	—	—	—	—	—	1	2	2	—	6	12	11	32	32	12
Scrophulous	2.30	517	117	43	12	4	4	179	14	6	11	1	18	23	28	37	105	15
Scrophulous	0.03	163	15	3	1	—	—	21	3	2	7	2	5	17	17	31	45	13
Scrophulous	0.25	43	—	—	1	1	—	2	1	—	—	—	3	6	4	12	12	3
Scrophulous	0.04	7	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Birth	0.10	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.08	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.34	57	8	1	4	2	—	13	3	2	3	4	6	4	0	5	2	4
CAUSES	5.81	1087	332	41	12	7	1	413	11	8	11	6	17	17	21	59	89	415

Deaths of Infants (under
one) to 1000 Births

114

Marriages
Births

1,219

6,982

Annual Rate
per 1000 living

Persons Married

13.08

34.12

199.—BRAINTREE.*

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18'83	—	—	—	—	—	47'28	4'10	1'83	4'97	7'35	6'12	0'52	12'09	25'97	60'82	128'2
Mean Pop. 1871-80	—	17,622	490	418	463	458	448	2263	2103	1070	1610	1920	2032	1828	1038	1361	844	371
ALL CAUSES	18'83	8290	762	304	76	54	35	1071	90	36	62	97	109	174	198	818	477	657
Small-pox	0'03	5	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0'21	56	11	10	—	—	—	21	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'21	56	3	2	3	8	8	24	—	—	—	—	—	—	—	—	—	—
Diphtheria	0'18	52	1	4	1	4	7	17	10	—	—	—	—	—	—	—	—	—
Whooping-cough	0'09	16	41	40	13	1	—	105	1	—	—	—	—	—	—	—	—	—
Typhus	0'09	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Enteric Fever	0'07	13	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0'01	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purp. Fever	0'01	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'61	17	56	9	7	2	1	77	2	—	—	—	—	—	—	—	—	12
Cholera	0'01	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0'78	102	—	—	—	—	—	—	—	—	—	1	2	13	51	23	28	10
Serofula	0'19	53	18	8	8	—	—	34	—	1	3	1	—	—	—	—	—	—
Tuberc. Mesent.	0'13	31	8	6	1	1	2	15	3	2	—	—	—	—	—	—	—	—
Phthisis	2'28	400	5	10	4	3	—	21	4	5	45	67	67	69	49	32	14	7
Hydrocephalus	0'10	17	6	6	1	2	—	14	2	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'67	468	73	13	4	12	1	123	16	8	7	3	12	11	64	67	101	91
Circulatory	1'61	274	2	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
Respiratory	2'69	507	168	59	16	6	6	235	14	1	4	3	15	16	10	41	67	17
Digestive	1'14	190	10	1	1	2	—	23	4	2	—	—	13	10	20	59	46	25
Urinary	0'52	73	1	—	—	—	—	3	—	—	—	—	5	9	7	10	12	4
Generative	0'52	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'10	17	—	—	—	—	—	—	—	—	3	4	5	5	—	—	—	—
Suicide	0'01	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'31	62	4	2	1	3	1	14	5	3	1	—	—	1	3	3	11	8
OTHER CAUSES	4'32	77	265	27	14	9	4	239	0	3	4	4	5	6	18	52	14	55

Deaths of Infants (under one) to 1000 Births } 125 Marriages } 1,106 Annual Rate (Persons Married } 13'81
 one) to 1000 Births } 5601 Births } 5,601 per 1000 living (Births } 81'97

* Changes were made in the boundary of this District during the Decade; see pp. 371-78.

200.—DUNMOW.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17'83	—	—	—	—	—	34'88	3'29	3'10	6'36	6'21	7'84	8'92	11'61	23'75	54'28	108'10
Mean Pop. 1871-80	—	18,845	509	450	505	481	470	2424	2429	2521	1697	1279	2016	1050	1818	1400	999	481
ALL CAUSES	17'83	3331	583	159	61	36	29	844	89	72	108	77	158	171	211	853	542	739
Small-pox	0'05	9	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—
Measles	0'10	18	3	8	4	—	—	17	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'15	28	1	2	5	2	1	11	10	1	—	—	—	—	—	—	—	—
Diphtheria	0'12	23	3	6	2	5	1	12	5	3	1	—	—	—	—	—	—	—
Whooping-cough	0'11	77	40	19	11	2	4	76	1	—	—	—	—	—	—	—	—	—
Typhus	0'01	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Enteric Fever	0'02	61	1	—	1	—	—	3	12	12	3	3	5	6	4	7	4	3
Simple Cont. Fev.	0'05	10	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Purp. Fever	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'38	71	21	8	5	1	1	41	2	1	—	—	1	2	—	—	—	—
Cholera	0'01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'78	91	—	—	—	—	—	—	—	—	—	—	2	8	14	21	25	10
Serofula	0'23	47	12	6	—	2	—	20	5	2	4	0	2	6	2	—	—	—
Tuberc. Mesent.	0'20	38	14	6	—	1	2	15	3	2	3	1	1	1	—	—	—	—
Phthisis	1'73	536	2	—	—	—	—	3	4	12	41	78	48	68	26	17	4	—
Hydrocephalus	0'16	50	7	7	—	—	—	17	7	2	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'42	456	81	2	7	2	4	130	4	9	10	7	8	13	19	46	66	14
Circulatory	1'50	290	4	—	—	—	—	1	2	7	7	2	10	15	33	46	100	24
Respiratory	2'61	502	194	40	10	12	9	235	5	2	6	4	11	17	26	42	100	10
Digestive	0'91	175	8	4	—	1	1	31	4	4	6	1	5	15	21	23	23	10
Urinary	0'39	74	1	1	—	—	—	3	—	—	—	—	2	4	6	16	12	1
Generative	0'01	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'10	19	—	—	—	—	—	—	—	—	3	1	5	10	—	—	—	—
Suicide	0'01	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'36	64	4	6	5	4	1	20	5	5	3	1	4	7	10	11	10	5
OTHER CAUSES	4'89	107	131	22	5	3	3	204	8	9	11	6	13	15	16	49	110	40

Deaths of Infants (under one) to 1000 Births } 109 Marriages } 991 Annual Rate (Persons Married } 10'52
 one) to 1000 Births } 5,630 Births } 5,630 per 1000 living (Births } 30'19

201.—SAFFRON WALDEN.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
DEATHS (PER 1000)	--	18.04	--	--	--	--	--	39.03	4.19	2.49	4.07	5.88	8.43	9.73	10.75	22.79	53.83	156.93
Pop. } -80 }	--	19,063	510	481	517	445	324	2307	2457	2293	1927	1390	2297	1012	1742	1423	688	479
CAUSES	18.64	3439	634	108	84	53	40	579	103	55	60	80	186	180	183	325	532	736
Cox - -	0.03	6	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-
- - -	0.09	18	3	4	4	3	1	14	8	1	-	-	-	-	-	-	-	-
Fever -	0.37	70	1	7	11	4	11	39	15	6	-	-	2	-	1	-	-	-
aria -	0.13	15	1	1	1	4	4	14	6	6	-	-	-	-	-	-	-	-
ing-cough	0.55	61	23	21	8	2	3	61	4	-	-	-	-	-	-	-	-	-
- - -	0.02	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Fever -	0.19	33	-	1	-	-	-	2	1	8	8	1	3	5	-	2	-	-
Cont. Fer.	0.08	15	1	-	-	-	-	1	6	4	-	1	1	-	3	-	-	-
Fever -	0.06	11	-	-	-	-	-	-	-	-	-	1	6	5	1	-	-	-
and Dys.	0.12	109	34	10	-	-	1	65	3	2	-	-	-	1	1	1	11	13
- - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	0.74	141	-	-	-	-	-	-	-	-	-	-	3	10	24	46	57	21
- - -	0.10	20	-	1	-	-	1	7	3	3	4	1	1	1	-	-	-	-
Desent. -	0.18	39	6	8	2	1	1	17	2	3	3	2	2	-	-	1	-	-
- - -	1.18	202	7	6	1	1	1	15	19	27	43	61	61	61	52	27	8	2
phalitis	0.18	34	16	8	1	2	-	23	2	-	-	-	-	-	-	-	-	-
reous Syst.	2.31	479	83	15	14	10	7	127	11	2	6	2	3	16	15	41	170	313
ulatory	1.43	276	-	-	-	-	-	-	4	4	3	2	3	19	23	57	172	218
ulatory	2.38	466	107	57	21	11	3	199	13	2	-	9	29	10	21	54	16	109
ocrine	1.10	216	25	1	1	-	1	29	-	-	-	6	9	12	23	30	24	48
ary	0.34	63	1	-	-	-	-	1	-	1	-	3	6	4	11	17	8	1
ocrine	0.68	18	-	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-
th - -	0.78	13	-	-	-	-	-	-	-	-	-	-	3	7	-	-	-	-
- - -	0.65	10	-	-	-	-	-	-	-	-	-	-	2	2	1	1	3	10
Tolerance	0.37	71	7	3	6	1	1	18	-	4	4	-	3	6	7	-	-	-
Causes	4.09	874	190	29	11	8	6	240	8	6	5	6	15	11	14	26	103	273

Deaths of Infants (under one) to 1000 Births 107

Marriages Births 1,132 5,945

Annual Rate of Persons Married per 1000 living Births 14.89 81.70

[SUFFOLK.]

202.—RISBRIDGE.

DEATHS	—	18'83	—	—	—	—	40'78	3'05	3'30	6'04	6'71	8'14	10'12	10'80	22'97	57'03	163'71																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</
--------	---	-------	---	---	---	---	-------	------	------	------	------	------	-------	-------	-------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

203.—SUDBURY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18·36	—	—	—	—	—	42·12	5·07	3·03	4·75	7·07	7·03	9·00	11·93	22·80	56·69	169·
Mean Pop. 1871-80	—	30,974	840	784	825	811	831	4091	3968	3567	2908	2200	3611	3233	2917	2268	1427	604
ALL CAUSES	18·36	5687	1141	261	101	100	80	1723	201	108	133	162	275	201	348	517	809	111
Small-pox	0·06	20	1	—	1	1	—	2	1	—	1	8	3	2	3	—	9	1
Measles	0·16	49	—	6	8	6	4	44	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·41	128	8	12	18	24	17	79	39	9	2	1	2	1	—	—	—	—
Diphtheria	0·06	20	—	—	2	3	2	7	8	2	1	—	—	—	—	—	2	—
Whooping-cough	0·33	101	49	26	7	9	5	96	5	—	—	—	—	—	—	—	—	—
Typhus	0·03	8	—	—	—	—	—	—	1	1	—	2	1	—	3	—	—	—
Enteric Fever	0·12	37	2	—	—	1	1	6	6	4	2	6	2	3	—	—	—	—
Simple Cont. Fev.	0·09	28	—	—	—	—	—	2	7	3	1	1	1	1	5	1	5	1
Puerp. Fever	0·05	15	—	—	—	—	—	—	—	—	—	4	6	5	—	—	—	—
Diarr. and Dys.	0·61	189	63	16	8	1	2	120	5	1	—	1	4	1	2	3	10	21
Cholera	0·02	6	—	1	—	—	1	2	—	—	—	—	—	—	—	1	2	1
Cancer	0·35	170	—	—	1	—	—	1	—	—	1	1	4	10	39	53	48	39
Scrofula	0·12	37	6	1	2	—	—	9	3	6	2	1	2	4	3	1	1	2
Tuberc Mesent.	0·27	85	45	18	2	1	5	71	5	2	1	1	1	1	1	1	1	1
Phthisis	2·15	665	9	13	4	2	6	34	15	23	77	93	141	167	83	63	20	4
Hydrocephalus	0·26	80	21	19	15	9	7	71	5	4	—	—	—	—	—	—	—	—
Diseases of	2·19	679	84	23	11	10	5	133	18	8	11	9	10	23	52	92	151	161
Nervous Syst.	1·25	386	—	—	—	—	1	1	4	1	3	3	9	25	49	84	137	77
Circulatory "	3·05	944	207	75	28	18	10	338	18	5	7	3	13	28	55	89	181	116
Respiratory "	1·03	318	25	2	3	3	—	43	13	4	5	3	13	25	35	65	114	34
Digestive "	0·33	102	—	—	1	2	—	3	3	5	5	3	4	11	7	13	21	2
Urinary "	0·07	22	—	—	—	—	—	—	—	—	—	1	—	2	6	8	3	2
Generative "	0·05	17	—	—	—	—	—	—	—	—	2	2	10	3	—	—	—	—
Childbirth	0·08	24	—	—	—	—	—	—	—	—	—	—	6	2	—	—	—	—
Suicide	0·45	140	8	3	6	3	4	24	21	12	10	3	10	9	8	13	16	14
Other Violence	4·57	1418	563	46	20	7	10	646	24	18	5	12	18	18	26	49	122	437
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births . . . 118Marriages . 1,880
Births . 9,644Annual Rate { Persons Married . 13·11
per 1000 living { Births . 81·14

204.—COSFORD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18·01	—	—	—	—	—	40·81	3·90	2·61	5·11	6·89	8·58	7·83	11·87	22·03	50·00	162·9
Mean Pop. 1871-80	—	16,457	452	419	438	436	441	2180	2051	1914	1488	1219	1864	1672	1533	1230	884	416
ALL CAUSES	18·61	3062	608	160	51	48	25	892	80	48	76	84	160	131	182	271	442	606
Small-pox	0·04	6	—	—	—	—	—	—	—	—	—	2	1	—	3	—	—	—
Measles	0·11	18	1	7	2	5	—	15	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·10	16	2	2	1	1	1	7	3	2	3	—	1	—	—	—	—	—
Diphtheria	0·10	17	—	2	1	2	2	7	5	1	—	1	2	—	1	—	—	—
Whooping-cough	0·34	65	25	22	2	3	—	52	4	—	—	—	—	—	—	—	—	—
Typhus	0·01	2	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0·16	26	—	1	1	2	1	5	4	—	6	1	1	2	1	3	6	1
Simple Cont. Fev.	0·07	12	—	2	—	—	—	2	2	1	1	—	—	2	1	1	2	—
Puerp. Fever	0·02	4	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—
Diarr. and Dys.	0·39	65	33	8	1	—	—	42	4	—	—	—	1	2	3	2	3	8
Cholera	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·33	57	—	—	—	—	1	1	—	—	1	1	2	3	10	8	17	14
Scrofula	0·15	25	6	—	9	1	—	9	1	3	4	—	2	2	2	2	—	—
Tuberc Mesent.	0·35	87	24	10	6	1	2	47	2	3	1	—	1	1	2	—	—	—
Phthisis	1·81	298	3	—	—	—	—	3	7	11	34	47	88	43	37	21	7	—
Hydrocephalus	0·21	35	14	5	3	2	1	25	4	2	1	—	—	1	1	1	1	—
Diseases of	2·04	352	54	17	7	6	4	64	11	5	7	8	12	15	25	23	77	29
Nervous Syst.	1·34	221	2	1	—	—	—	5	1	4	2	5	10	3	21	45	80	46
Circulatory "	2·91	479	107	44	12	13	5	181	5	—	2	2	8	21	34	70	85	36
Respiratory "	1·03	170	14	1	2	—	3	20	4	2	1	5	4	11	14	23	24	23
Digestive "	0·43	70	—	—	—	—	—	—	—	2	2	2	3	2	8	14	23	13
Urinary "	0·07	12	—	—	—	—	—	—	—	—	—	—	1	4	2	3	—	—
Generative "	0·07	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0·07	12	—	—	—	—	—	—	—	—	3	—	4	4	1	—	—	—
Suicide	0·46	11	6	3	2	2	1	14	7	3	5	3	3	4	2	3	3	1
Other Violence	5·97	180	333	32	9	9	4	394	10	8	2	7	14	8	22	11	78	419
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births . . . 117Marriages . 1,671
Births . 5,217Annual Rate { Persons Married . 13·02
per 1000 living { Births . 81·70

205.—THINGOE.

—	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
REAL DEATH RATE PER 1000	—	16.22	—	—	—	—	—	33.85	5.05	2.76	5.32	8.23	7.79	8.68	9.07	17.53	44.53	136.58
San Pop. } 1871-80 - }	—	17,000	451	439	471	440	468	2269	2179	1917	1523	1179	2002	1740	1577	1306	887	421
LL CAUSES	16.22	2758	519	133	64	36	16	768	110	53	81	97	156	151	143	229	305	575
Di-pox - -	0.03	5	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-
Meas - -	0.08	14	2	5	1	-	-	8	4	2	-	-	-	-	-	-	-	-
Scar Fever -	0.44	74	2	5	11	9	4	31	37	3	3	-	-	-	-	-	-	-
Typhoid - -	0.04	7	2	-	-	-	2	4	3	-	-	-	-	-	-	-	-	-
Crouping-cough	0.27	46	23	14	5	2	-	44	1	1	-	-	-	-	-	-	-	-
Whooping-cough	0.05	9	-	-	1	-	-	1	1	1	3	1	-	1	-	-	1	-
Scar Fever -	0.21	36	-	-	2	1	1	4	4	4	1	4	2	3	9	1	3	1
Scar Cont. Fev.	0.11	19	-	1	-	2	-	3	2	3	1	1	5	1	1	-	1	1
Scar Fev. -	0.09	13	-	-	-	-	-	-	-	-	1	4	5	1	2	-	-	-
Scar and Dys.	0.31	32	27	5	4	1	1	38	1	-	-	1	1	-	-	1	6	4
Scar - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scar - -	0.53	93	-	-	-	-	-	-	-	-	-	1	2	8	16	20	39	14
Scar - -	0.12	29	6	5	-	-	-	11	-	1	3	1	2	1	-	1	-	-
Scar Measent.	0.17	29	11	5	4	3	-	33	5	-	1	-	-	-	-	-	-	-
Scar - -	2.05	349	14	6	3	1	2	30	10	12	40	56	85	56	50	16	13	3
Scar Cephalus	0.29	49	18	15	7	2	-	42	4	3	-	-	-	-	-	-	-	-
Nervous Syst.	1.78	303	40	10	4	2	1	60	6	5	7	5	6	9	18	43	67	71
Cerebratory	1.55	251	1	1	-	-	-	2	1	1	5	5	9	13	14	38	77	68
Respiratory	2.35	381	67	27	8	6	-	115	7	7	3	2	11	17	15	37	69	57
Digestive	0.94	163	15	1	-	-	1	21	9	2	4	-	6	11	17	25	37	29
Primary	0.37	46	1	-	-	-	-	1	-	-	-	1	1	4	4	13	11	11
Generative	0.08	14	-	-	-	-	-	-	-	-	-	-	2	3	2	2	4	1
Birth - -	0.12	30	-	-	-	-	-	-	-	-	-	4	8	8	-	-	-	-
Id - -	0.07	12	-	-	-	-	-	-	-	-	-	-	2	3	-	3	2	-
Violence	0.46	65	1	-	5	4	2	13	8	3	4	2	1	4	4	6	12	11
LL CAUSES	4.12	702	277	93	8	5	1	312	8	5	5	7	6	8	9	21	39	262

Deaths of Infants (under
one) to 1000 Births - } 100

Marriages - 1,097
Births - 5,181

Annual Rate of Persons Married
per 1000 living (Births - - - 12.91
- - - 30.48

206.—BURY ST. EDMUNDS.

—	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
REAL DEATH RATE PER 1000	—	22.13	—	—	—	—	—	60.72	6.26	3.27	4.59	6.36	9.71	12.58	18.51	31.57	62.96	194.86
San Pop. } 1871-80 - }	—	15,520	381	382	368	368	385	1884	1790	1774	1722	1321	2100	1637	1313	1039	648	292
LL CAUSES	22.13	3433	753	207	97	46	41	1144	112	58	70	84	294	206	243	323	403	569
Di-pox - -	0.13	20	3	-	-	-	-	3	-	1	2	2	6	1	3	-	2	-
Meas - -	0.21	32	8	12	6	3	-	29	3	-	-	-	-	-	-	-	-	-
Scar Fever -	0.72	111	7	15	20	8	15	63	38	2	1	3	5	-	-	-	-	-
Typhoid - -	0.06	10	1	1	3	2	3	10	-	-	-	-	-	-	-	-	-	-
Crouping-cough	0.61	94	36	28	12	10	4	90	4	-	-	-	-	-	-	-	-	-
Whooping-cough	0.01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Scar Fever -	0.15	24	-	1	-	-	1	2	1	4	1	-	4	2	2	6	1	-
Scar Cont. Fev.	0.07	11	-	3	-	-	-	3	4	-	-	-	-	-	1	3	-	-
Scar Fev. -	0.06	10	-	-	-	-	-	-	-	-	-	4	2	4	-	-	-	-
Scar and Dys.	0.83	129	82	12	3	-	1	98	1	-	-	-	1	1	-	4	5	19
Scar - -	0.01	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Scar - -	0.59	92	-	-	-	-	-	-	-	-	-	-	2	14	22	24	24	6
Scar - -	0.23	40	17	6	4	1	1	39	3	2	1	-	2	1	2	3	3	-
Scar Measent.	0.45	61	28	10	6	1	-	55	4	1	1	2	2	-	-	1	-	-
Scar - -	2.40	372	8	6	2	1	1	18	9	9	41	44	81	62	58	31	18	-
Scar Cephalus	0.45	54	28	16	8	4	4	60	6	4	2	1	-	-	-	-	-	-
Nervous Syst.	2.41	374	40	15	5	6	2	68	9	7	7	3	18	18	22	66	73	72
Cerebratory	1.73	258	-	-	1	-	-	1	1	5	5	5	15	21	27	37	74	60
Respiratory	2.37	381	125	32	17	4	5	200	11	3	7	6	15	24	37	56	67	54
Digestive	0.69	138	24	1	2	-	-	19	3	4	2	2	5	11	19	23	24	3
Primary	0.46	71	-	-	-	-	-	-	2	1	-	-	6	6	10	10	23	11
Generative	0.11	17	-	-	-	-	-	-	-	-	-	-	2	5	4	1	4	1
Birth - -	0.12	18	-	-	-	-	-	-	-	-	1	1	8	8	-	-	-	-
Id - -	0.12	20	-	-	-	-	-	-	-	-	-	1	2	3	5	6	1	2
Violence	0.46	71	7	3	4	-	-	14	4	2	2	3	9	6	9	10	6	5
LL CAUSES	5.41	845	337	23	4	6	4	265	9	13	5	8	23	16	14	28	71	290

Deaths of Infants (under
one) to 1000 Births - } 154

Marriages - 1,111
Births - 4,880

Annual Rate of Persons Married
per 1000 living (Births - - - 14.72
- - - 31.44

207.—MILDENHALL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	13—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	18.92	—	—	—	—	—	42.00	3.01	4.74	4.50	3.61	3.50	10.53	11.05	24.00	32.28	154.98
Mean Pop. 1871-80.	—	9090	253	247	253	253	251	1262	1175	1083	806	674	1000	916	817	684	461	204
ALL CAUSES	18.92	1720	350	90	45	13	17	530	46	40	97	58	88	97	95	163	241	315
Small-pox	0.03	3	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—
Measles	0.13	11	3	1	3	—	—	7	2	1	1	—	—	—	—	—	—	—
Scarlet Fever	0.11	10	1	—	1	1	—	3	5	—	—	—	—	—	—	—	—	—
Diphtheria	0.13	12	1	—	1	—	—	3	5	—	1	—	—	—	—	—	—	—
Whooping-cough	0.48	44	26	11	4	2	1	44	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.21	24	—	—	1	—	—	5	—	4	—	2	5	2	8	1	—	—
Simple Cont. Fev.	0.17	15	—	—	1	—	—	1	—	—	1	1	1	2	1	1	—	—
Puerp. Fever	0.04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.41	37	11	2	2	2	1	18	1	1	—	—	—	1	—	2	3	9
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.53	47	—	1	—	—	—	1	—	—	—	—	—	—	10	18	10	7
Scrofula	0.10	9	—	1	—	—	—	1	1	1	—	—	—	—	—	1	1	—
Tubes Mesent.	0.24	22	5	—	3	1	—	12	4	1	—	—	—	—	—	—	—	—
Phthisis	1.77	170	—	2	—	—	1	3	1	1	20	32	44	30	14	13	—	—
Hydrocephalus	0.13	11	2	4	3	—	—	9	1	—	—	—	—	1	—	—	—	—
Diseases of Nervous Syst.	2.66	187	22	5	3	2	—	30	4	5	2	3	4	7	8	21	47	54
Circulatory	1.5	163	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Respiratory	3.99	241	65	32	9	2	6	114	6	5	3	3	4	10	10	21	54	71
Digestive	1.39	100	16	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Urinary	0.41	37	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.03	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.11	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.2	28	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	5.77	521	203	26	9	2	4	251	2	3	2	8	10	10	10	18	49	158

Deaths of Infants (under one) to 1000 Births . . . 123

Marrriages . . . 490
Births . . . 2,930

Annual Rate { Persons Married . . . 13.18
per 1000 living { Births . . . 34.25

208.—STOW.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	13—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	18.25	—	—	—	—	—	42.85	3.02	2.76	3.83	5.04	8.16	9.71	11.54	21.47	54.00	159.9
Mean Pop. 1871-80.	—	20,591	589	550	563	573	580	2817	2620	2888	1855	1540	2150	2050	1907	1481	667	208
ALL CAUSES	18.25	3758	808	240	74	51	50	1207	103	66	71	92	260	199	230	318	523	739
Small-pox	0.02	4	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—
Measles	0.16	32	4	13	7	6	—	30	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	60	2	6	7	11	4	30	23	3	—	1	—	1	—	—	—	—
Diphtheria	0.09	18	3	—	4	1	1	9	7	—	1	—	—	—	—	—	—	—
Whooping-cough	0.53	109	61	53	8	5	2	107	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	6	—	—	—	—	—	—	—	1	—	—	—	2	1	1	—	—
Enteric Fever	0.13	27	—	2	—	2	—	4	1	4	2	1	—	1	1	—	—	—
Simple Cont. Fev.	0.12	23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.02	5	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarr. and Dys.	0.43	39	10	2	—	—	—	14	4	—	—	—	—	1	—	—	—	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.55	110	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	0.23	44	3	3	—	—	1	7	3	—	—	—	—	2	6	10	28	14
Tubes Mesent.	0.27	51	83	7	4	1	—	45	3	5	6	1	5	6	10	28	34	14
Phthisis	1.54	379	14	10	4	2	1	29	4	13	30	45	98	60	48	38	13	—
Hydrocephalus	0.2	47	13	13	4	2	6	37	7	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.87	385	54	15	5	3	4	69	8	9	9	8	9	16	35	57	88	41
Circulatory	1.54	312	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	2.23	422	114	60	14	7	7	234	19	5	5	3	14	19	28	67	101	101
Digestive	0.99	195	20	4	1	2	1	24	6	2	2	2	13	16	25	67	63	16
Urinary	0.31	64	1	—	—	—	—	1	—	—	—	—	—	6	30	33	37	15
Generative	0.19	21	—	—	—	—	—	—	—	—	—	—	—	1	7	5	8	1
Childbirth	0.13	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.05	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.60	125	4	5	5	4	4	22	9	17	6	—	5	10	10	7	14	16
OTHER CAUSES	5.45	114	422	47	11	4	4	403	12	2	4	—	4	8	11	23	113	67

Deaths of Infants (under one) to 1000 Births . . . 117

Marrriages . . . 1,373
Births . . . 4,987

Annual Rate { Persons Married . . . 13.23
per 1000 living { Births . . . 35.41

209.—HARTISMERE.

	Annual Deaths 1871-80.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ALL DEATHS (UNDER 1000)	—	18'42	—	—	—	—	—	89'4	3'85	5'23	4'40	7'52	7'80	8'81	10'84	21'14	13'21	51'45
Pop. 1-80	—	16,307	454	410	474	425	405	2158	2070	1948	1404	1170	1807	1828	1504	1237	842	449
ALL CAUSES	18'42	2237	614	132	57	34	27	874	80	63	79	88	142	127	163	203	245	634
all-ages	0'02	5	—	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—
cholera	0'10	11	7	10	5	5	5	37	3	—	1	—	—	—	—	—	—	—
dysentery	0'23	41	1	7	3	6	5	12	15	2	1	1	—	—	—	—	—	—
typhoid	0'09	13	3	—	1	2	1	6	4	4	—	—	—	—	1	—	—	—
typhus	0'42	68	34	19	4	5	5	68	2	—	—	—	—	—	—	—	—	—
scarlet	0'01	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
measles	0'03	5	—	—	1	—	—	5	4	3	—	—	—	—	—	—	—	—
whooping-cough	0'07	11	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
small-pox	0'20	81	37	5	2	—	1	85	6	—	—	—	1	1	—	—	12	16
measles	0'09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
scarlet	0'01	100	—	—	—	—	1	1	—	—	—	—	1	6	17	54	21	13
measles	0'10	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
whooping-cough	0'03	12	5	1	1	1	1	6	2	2	2	—	—	—	—	—	—	—
scarlet	0'01	357	10	4	2	1	—	50	8	13	28	21	19	43	44	27	25	1
measles	0'21	34	14	5	4	1	—	38	4	2	—	—	—	—	—	—	—	—
whooping-cough	1'83	234	24	9	4	4	3	74	7	5	4	5	12	11	12	25	42	70
respiratory	1'74	231	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
bronchitis	0'07	463	102	28	14	6	—	171	11	1	2	4	10	15	28	47	88	125
pneumonia	0'27	142	10	1	—	—	—	15	1	—	—	—	—	—	—	—	—	—
consumption	0'58	95	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
generative	0'06	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
birth	0'09	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
infants	0'10	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0'25	80	8	5	6	6	5	37	2	4	2	1	4	2	5	8	15	14
ALL CAUSES	4'44	794	500	24	4	2	1	540	8	6	5	5	9	5	8	21	14	50

Deaths of Infants (under one) to 1000 Births } 120

Marriages } 1,088
Births } 5,136Annual Rate of Persons Married } 15'25
per 1000 living } Births } 81'57

210.—HOXNE.

	Annual Deaths (UNDER 1000)	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ALL DEATHS (UNDER 1000)	—	17'07	—	—	—	—	—	40'51	3'27	2'17	5'71	6'19	7'20	9'22	9'00	10'03	15'06	162'00
Pop. 1-80	—	18,503	395	339	357	328	305	1844	1745	1018	1225	965	1445	1280	1232	1020	710	405
ALL CAUSES	17'07	2427	502	135	46	46	18	747	67	55	59	70	104	115	112	202	224	570
all-ages	0'02	8	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
cholera	0'15	20	5	8	—	1	1	15	5	—	—	—	—	—	—	—	—	—
dysentery	0'17	23	1	1	1	5	2	10	5	4	3	—	—	—	—	—	—	—
typhoid	0'09	12	—	—	—	2	2	6	5	—	—	—	1	1	—	—	—	—
typhus	0'26	39	21	8	5	1	—	55	8	—	—	—	—	—	—	—	—	—
scarlet	0'01	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
measles	0'03	21	—	1	—	—	—	4	2	3	1	4	1	4	—	—	—	—
whooping-cough	0'02	5	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
small-pox	0'09	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
measles	0'14	29	15	9	1	8	—	29	1	—	—	—	—	—	—	—	—	—
whooping-cough	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
scarlet	0'12	78	1	—	—	1	—	2	—	—	1	—	—	5	8	21	17	16
measles	0'09	19	5	1	—	—	—	5	2	—	1	—	—	1	2	1	1	—
whooping-cough	0'12	15	5	—	—	1	—	7	—	—	—	—	—	—	—	—	—	—
scarlet	1'84	240	11	10	5	—	—	94	8	2	10	46	47	63	28	19	8	1
measles	0'23	81	27	11	5	1	—	106	2	—	—	—	—	—	—	—	—	—
whooping-cough	0'20	297	25	14	4	7	—	64	6	5	7	4	5	7	22	17	21	17
respiratory	1'76	154	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
bronchitis	0'27	442	101	42	11	6	2	162	4	2	5	5	2	23	10	24	60	144
pneumonia	0'54	129	13	1	2	1	—	20	3	2	2	3	3	5	10	28	66	119
consumption	0'49	95	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
generative	0'10	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
birth	0'11	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
infants	0'12	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0'61	68	2	2	4	7	2	17	10	2	8	3	7	2	7	12	5	20
ALL CAUSES	4'44	601	261	96	4	7	2	601	2	1	5	5	5	11	7	10	48	205

Deaths of Infants (under one) to 1000 Births } 116

Marriages } 921
Births } 4,243Annual Rate of Persons Married } 15'64
per 1000 living } Births } 32'16

215.—PLOMESGATE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	17.23	—	—	—	—	—	36.80	3.08	2.96	5.95	6.00	7.81	8.06	11.14	18.53	33.40	100
Mean Pop. 1871-80	—	20,508	549	508	555	516	533	2675	2529	2434	1907	1591	2308	2015	1870	1547	1099	87
ALL CAUSES	17.23	3559	672	164	69	40	41	980	93	72	102	102	155	177	209	287	499	81
Small-pox	0.02	5	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—
Measles	0.19	21	0	8	8	—	—	17	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.21	43	2	2	6	8	7	23	11	—	2	1	2	—	—	—	—	—
Diphtheria	0.15	31	2	1	1	—	2	6	14	9	—	—	—	—	—	—	—	—
Whooping-cough	0.44	93	41	54	8	3	1	90	—	—	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—
Enteric Fever	6.17	50	—	—	1	1	1	3	2	5	3	1	4	9	5	4	8	1
Simple Cont. Fev.	0.02	5	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—	—
Paup. Fever	0.05	11	—	—	—	—	—	—	—	—	1	4	5	1	—	—	—	—
Diarr. and Dys.	0.38	79	30	6	—	1	—	37	—	—	1	1	—	1	2	—	7	—
Cholera	0.02	5	—	—	—	1	1	2	—	—	—	—	—	1	—	—	—	—
Cancer	0.57	117	—	—	—	—	—	—	—	—	1	—	9	5	21	34	53	8
Scrofula	0.11	22	3	1	1	—	—	5	1	—	3	—	1	3	1	1	1	—
Tuberc. Mesent.	0.25	52	22	7	—	1	1	31	9	4	1	8	1	—	—	1	4	—
Phthisis	1.69	383	6	4	2	1	—	13	6	18	28	27	90	71	83	50	18	—
Hydrocephalus	0.21	44	14	13	3	3	2	35	2	—	—	—	—	—	1	—	—	—
Diseases of Nervous Syst.	2.91	413	17	14	6	4	7	68	12	10	11	6	9	18	23	48	70	17
Circulatory	1.41	215	—	—	—	—	—	2	—	—	—	—	—	9	22	42	133	3
Respiratory	2.72	361	105	55	13	2	4	192	3	8	9	4	7	17	22	43	105	10
Digestive	0.18	204	24	4	2	6	1	38	6	2	—	—	4	9	18	31	44	—
Urinary	0.42	81	—	—	1	1	—	2	2	—	—	—	1	6	6	17	29	—
Generative	0.03	10	—	—	—	—	—	—	—	—	—	—	—	1	4	5	—	—
Childbirth	0.03	12	—	—	—	—	—	—	—	—	—	2	6	3	1	—	—	—
Suicide	0.07	14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Other Violence	0.51	102	8	3	9	8	6	39	4	7	6	4	9	1	6	12	8	—
OTHER CAUSES	4.57	940	220	28	13	9	6	295	18	5	5	6	17	14	25	29	65	22

Deaths of Infants (under
one) to 1000 Births . . . 108Marriages . . . 1,291
Births . . . 5,294Annual Rate { Persons Married . . . 12.64
per 1000 living { Births . . . 30.12

216.—BLYTHING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	17.73	—	—	—	—	—	37.12	4.81	2.89	5.47	8.10	8.27	9.58	10.85	20.51	40.96	100
Mean Pop. 1871-80	—	21,120	777	648	713	664	719	3561	3328	3004	2280	1894	3034	2590	2403	1940	1336	70
ALL CAUSES	17.73	4613	904	211	103	56	55	1322	160	84	125	154	251	248	261	405	630	104
Small-pox	0.01	16	4	—	—	—	—	4	—	1	2	2	—	—	1	2	1	—
Measles	0.12	31	4	10	6	1	1	23	4	6	3	—	—	—	—	—	—	—
Scarlet Fever	0.24	74	2	8	15	9	7	41	23	6	8	1	—	—	—	—	—	—
Diphtheria	0.15	47	1	1	3	3	11	19	15	6	3	—	2	—	—	—	—	—
Whooping-cough	0.31	132	60	51	12	7	1	123	6	1	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
Enteric Fever	0.21	54	1	—	1	—	2	4	9	9	7	8	6	2	4	5	5	—
Simple Cont. Fev.	0.03	13	1	—	1	—	—	2	4	—	3	1	1	2	—	—	—	—
Paup. Fever	0.02	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.45	120	41	9	3	1	3	58	2	1	2	—	—	—	3	7	12	1
Cholera	0.02	6	1	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Cancer	0.67	173	—	—	—	—	—	—	1	1	—	1	5	15	25	46	53	18
Scrofula	0.16	41	8	4	2	1	—	15	2	6	1	5	5	5	2	—	—	—
Tuberc. Mesent.	0.21	62	21	7	6	3	1	38	4	2	1	1	2	2	—	—	—	—
Phthisis	2.09	547	9	9	8	3	7	27	20	16	25	27	144	66	47	44	16	—
Hydrocephalus	0.22	57	12	8	3	7	9	41	9	4	2	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.73	452	79	12	10	6	1	107	19	6	9	5	7	23	31	48	98	10
Circulatory	1.2	345	1	—	2	—	—	3	6	3	8	2	11	19	33	71	120	6
Respiratory	2.2	645	174	20	12	13	7	236	6	5	6	4	10	21	37	64	90	17
Digestive	0.11	223	19	1	5	2	3	28	8	2	6	5	9	18	25	41	64	—
Urinary	0.53	91	1	—	—	—	—	1	—	2	—	2	2	10	17	15	20	—
Generative	0.07	19	—	—	—	—	—	—	—	—	—	2	2	4	5	5	—	—
Childbirth	0.19	25	—	—	—	—	—	—	—	—	1	3	8	11	6	—	—	—
Suicide	0.07	9	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—
Other Violence	0.45	125	9	6	4	2	1	27	13	4	11	9	9	12	11	13	19	—
OTHER CAUSES	5.12	1141	429	41	9	5	4	403	15	4	9	11	15	16	19	48	141	20

Deaths of Infants (under
one) to 1000 Births . . . 103Marriages . . . 1,691
Births . . . 8,281Annual Rate { Persons Married . . . 12.84
per 1000 living { Births . . . 31.70

217.—WANGFORD.

—	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (PER 1000)	—	18.00	—	—	—	—	—	40.57	4.23	2.40	4.26	7.70	7.03	9.43	13.37	24.23	53.01	123.42
AN POP. } 71-80 - }	—	14.247	407	380	374	363	379	1884	1721	1646	1331	1032	1714	1442	1279	1044	752	365
ALL CAUSES	15.00	2058	553	114	44	30	25	763	73	41	68	84	120	133	171	253	388	500
Diphtheria -	0.12	19	1	—	1	—	—	2	1	—	2	5	4	1	3	1	1	1
Scarlet Fever -	0.18	14	2	4	1	2	2	11	2	1	—	—	—	—	—	—	—	—
Erysipelas -	0.32	43	3	4	6	10	8	31	10	2	1	—	1	—	—	—	—	—
Whooping-cough -	0.04	9	—	1	1	2	—	4	—	1	—	1	—	1	—	—	—	—
Consumption -	0.16	23	12	7	1	1	1	29	1	—	—	—	—	—	—	—	—	—
Small-pox -	0.01	2	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—
Scarlet Fever -	0.29	29	1	—	—	—	1	32	3	—	4	—	4	1	2	—	—	1
Measles -	0.07	10	—	—	—	—	—	10	2	—	—	—	—	1	—	—	—	—
Erysipelas -	0.05	7	—	—	—	—	—	7	—	1	1	—	3	1	1	—	—	—
Whooping-cough -	0.24	72	44	8	2	—	—	82	1	—	—	—	—	—	3	1	5	10
Consumption -	0.01	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Small-pox -	0.09	30	—	—	—	—	—	30	—	2	2	—	2	8	17	23	23	10
Measles -	0.14	30	—	—	—	—	—	30	3	2	2	—	2	—	—	—	—	—
Erysipelas -	0.04	23	10	6	3	1	—	33	2	12	31	34	28	52	40	27	10	2
Whooping-cough -	0.24	48	7	13	6	8	4	83	9	8	2	—	—	1	—	—	—	—
Consumption -	0.01	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nervous Syst. Dyspepsia -	2.25	321	69	19	3	—	2	331	7	3	2	4	10	8	23	50	78	71
Respiratory -	1.83	220	1	—	—	—	—	221	2	1	—	—	3	17	35	43	57	74
Circulatory -	2.58	307	91	25	11	6	1	341	5	3	—	5	5	10	19	24	24	21
Genit.-Urin. Dyspepsia -	0.90	123	15	1	1	—	—	140	2	—	—	—	7	14	13	10	27	22
Female -	0.55	78	—	—	1	—	—	79	1	—	—	—	3	4	8	17	20	12
Male -	0.05	7	—	—	—	—	—	7	—	—	1	—	1	1	2	—	2	—
Birth -	0.04	8	—	—	—	—	—	8	—	—	—	—	4	—	1	—	—	—
Violence -	0.10	14	—	—	—	—	—	14	—	—	—	—	1	1	2	—	—	—
Violence -	0.43	70	—	—	—	—	—	70	7	3	5	4	4	2	8	8	8	1
ALL CAUSES -	4.41	6.51	232	15	2	3	3	235	5	2	1	3	8	8	8	15	50	273

Deaths of Infants (under
one) to 1000 Births - } 124Marriages - 338
Births - 4,450Annual Rate of Persons Married - 13.45
per 1000 living Births - 31.23

218.—MUTFORD.

ALL DEATHS (PER 1000)	—	17.29	—	—	—	—	—	49.42	4.38	2.74	4.17	6.08	6.06	9.37	13.03	21.05	50.10	133.27
AN POP. 71-80 - }	—	35,421	1001	982	1025	1001	1000	5009	4417	3707	3553	3125	4840	5734	2925	2106	1274	811
ALL CAUSES	17.29	6160	1810	868	167	63	71	2820	105	104	143	100	337	350	381	456	633	849
Diphtheria -	0.13	80	8	6	3	—	3	20	11	10	3	13	8	8	8	1	1	1
Scarlet Fever -	0.20	71	17	17	18	8	8	69	4	1	—	—	1	—	—	—	—	
Erysipelas -	0.21	117	6	29	18	15	13	72	33	4	1	1	2	—	1	—	—	
Whooping-cough -	0.12	41	1	7	2	2	8	50	15	5	—	—	—	1	—	—	—	
Consumption -	0.21	169	63	20	13	4	1	107	1	1	—	—	—	—	—	—	—	
Small-pox -	0.02	6	—	1	—	—	—	7	2	2	—	—	1	—	—	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Erysipelas -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Whooping-cough -	0.08	30	—	—	—	—	—	30	—	—	—	1	6	17	8	—	—	
Consumption -	0.04	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Small-pox -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Measles -	0.46	164	—	—	—	—	—	164	1	—	1	1	6	29	28	41	23	
Erysipelas -	0.20	70	27	6	3	1	—	107	8	1	1	2	4	8	2	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	—	—	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08	30	—	—	—	—	—	30	—	—	—	—	1	—	—	—	—	
Whooping-cough -	0.24	338	230	43	3	4	1	514	3	—	—	—	2	1	—	14	14	
Consumption -	0.01	3	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—	
Scarlet Fever -	0.28	59	1	3	2	2	3	11	4	12	14	11	13	10	3	3	2	
Measles -	0.13	34	1	5	3	1	2	40	6	3	2	4	8	4	4	2	2	
Erysipelas -	0.08																	

Deaths of Infants (under
one) to 1000 Births - } 143Marriages - 2,589
Births - 12,509Annual Rate of Persons Married - 14.63
per 1000 living Births - 35.48

215.—PLOMGESGATE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total in 10 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and over.
ANNUAL DEATH RATE PER 1000.	—	17.23	—	—	—	—	—	86.80	3.85	2.90	5.05	6.60	7.81	8.60	11.14	18.55	45.40	14.7
Mean Pop. 1871-80	—	20,508	513	508	555	530	533	2675	2529	2134	1907	1531	2308	2915	1870	1547	1089	207
ALL CAUSES	17.23	5530	672	164	60	40	41	959	93	73	102	103	125	177	209	287	499	53
Small-pox	0.02	5	—	—	—	—	—	17	3	1	—	—	1	2	—	—	1	4
Measles	0.10	20	0	8	5	—	—	29	11	8	2	—	—	—	—	—	—	—
Scarlet Fever	0.21	43	2	2	0	5	7	68	11	8	2	1	2	—	—	—	—	—
Diphtheria	0.15	31	2	1	1	—	—	35	14	9	—	1	—	—	—	—	—	—
Whooping-cough	0.44	93	41	34	8	3	1	90	—	—	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Enteric Fever	0.17	36	—	—	1	1	1	39	2	5	3	1	—	—	—	—	—	—
Simple Cont. Fav.	0.02	5	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.03	11	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Diarr. and Dys.	0.28	72	30	0	—	1	—	37	—	—	—	—	—	—	—	—	—	—
Cholera	0.02	5	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
Cancer	0.37	117	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scrophula	0.11	22	5	1	—	—	—	6	1	—	3	1	—	—	—	—	—	—
Tuberc. Mesent.	0.25	63	22	7	—	1	1	31	9	4	1	—	—	—	—	—	—	—
Phthisis	1.79	359	0	4	2	1	—	13	6	18	28	27	25	71	83	20	16	—
Hydrocephalus	0.21	49	14	13	3	3	2	35	2	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.01	111	17	11	6	4	7	68	12	10	11	6	9	18	29	40	59	13
Circulatory	1.51	211	—	—	—	—	—	1	1	3	4	—	—	—	—	—	—	—
Respiratory	2.72	311	125	54	13	2	4	192	15	10	8	9	17	22	41	51	102	12
Diarrhoea	0.78	261	24	4	2	6	1	291	6	2	—	—	—	—	—	—	—	—
Urinary	0.42	81	—	—	1	1	—	2	2	—	—	—	1	3	6	17	28	3
Generative	0.05	11	—	—	—	—	—	—	—	—	—	—	—	1	4	8	2	—
Childbirth	0.06	12	—	—	—	—	—	—	—	—	—	2	6	8	1	—	—	—
Suicide	0.07	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.59	102	8	3	9	3	6	29	4	7	6	4	9	1	8	12	3	—
OTHER CAUSES	4.37	240	100	58	13	9	6	295	13	5	5	6	17	14	25	29	65	20

Deaths of Infants (under one) to 1000 Births . . . 108

Marriages - 1,201
Births - 6,294Annual Rate { Persons Married . . . 18.54
per 1000 living { Births . . . 26.13

216.—BLYTHING.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total in 10 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and over.
ANNUAL DEATH RATE PER 1000.	—	17.79	—	—	—	—	—	37.12	4.81	2.80	5.47	8.13	8.27	9.58	10.85	20.81	46.99	19.7
Mean Pop. 1871-80	—	24,120	777	648	713	681	719	3061	3328	3004	2380	1894	3034	2590	2405	1966	1333	70
ALL CAUSES	17.79	4313	109	211	109	50	65	1322	160	84	125	154	261	245	261	405	696	140
Small-pox	0.09	16	4	—	—	—	—	4	—	1	2	2	—	—	1	2	1	1
Measles	0.12	31	4	10	6	1	1	22	4	4	—	—	—	—	—	—	—	—
Scarlet Fever	0.24	71	2	8	15	9	7	41	23	6	3	1	—	—	—	—	—	—
Diphtheria	0.18	47	1	1	3	3	11	19	15	6	3	—	2	—	—	—	—	—
Whooping-cough	0.51	122	80	32	12	—	—	125	6	1	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Enteric Fever	0.21	53	1	—	1	—	2	4	9	9	7	8	6	2	4	5	8	—
Simple Cont. Fav.	0.01	13	1	—	1	—	—	2	4	—	—	1	1	2	—	—	—	—
Puerp. Fever	0.02	5	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Diarr. and Dys.	0.63	120	41	9	5	1	3	60	2	1	2	—	—	—	—	—	—	—
Cholera	0.02	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.67	174	—	—	—	—	—	—	1	1	—	—	1	5	15	25	40	19
Scrophula	0.15	41	8	4	2	1	—	15	2	6	1	5	5	5	5	—	—	—
Tuberc. Mesent.	0.24	62	21	7	6	3	1	38	2	2	1	1	1	2	2	1	1	—
Phthisis	2.09	517	9	9	3	3	3	12	10	12	16	53	87	144	80	47	16	3
Hydrocephalus	0.22	57	12	6	5	7	9	45	9	4	2	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.73	481	70	13	15	6	1	129	16	6	6	5	7	22	31	205	31	101
Circulatory	1.51	241	1	—	—	—	—	1	4	3	3	2	2	14	19	35	71	65
Respiratory	2.72	413	174	60	12	15	7	296	6	2	6	4	14	21	37	64	95	113
Diarrhoea	0.61	213	10	1	3	2	3	128	8	2	6	5	9	18	26	41	64	21
Urinary	0.24	91	1	—	—	—	—	1	—	—	—	2	6	10	17	13	10	24
Generative	0.07	19	—	—	—	—	—	—	—	—	—	2	2	4	—	5	2	1
Childbirth	0.10	21	—	—	—	—	—	—	—	—	1	3	8	11	2	—	—	—
Suicide	0.07	19	—	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—
Other Violence	0.48	123	9	6	4	2	1	23	12	4	11	9	9	12	11	35	12	3
OTHER CAUSES	5.12	1341	429	41	9	5	4	620	15	4	9	11	13	16	10	40	141	272

Deaths of Infants (under one) to 1000 Births . . . 103

Marriages - 1,699
Births - 6,281Annual Rate { Persons Married . . . 19.81
per 1000 living { Births . . . 31.70

217.—WANGFORD.

—	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
At Death (25 Feb 1900)	—	18.60	—	—	—	—	—	43.57	4.23	2.49	4.86	7.70	7.63	9.43	13.37	21.23	53.01	153.42
an Pop. 71-80	—	14,347	407	366	374	368	370	1584	1721	1644	1331	1032	1714	1442	1279	1044	752	365
L CAUSES	18.60	2058	553	114	44	80	25	763	73	41	66	84	120	135	171	253	388	500
Box -	0.12	19	1	—	1	—	—	2	1	—	2	3	4	1	2	1	1	1
Chol. -	0.10	14	2	4	1	2	2	11	1	1	—	—	—	—	—	—	—	—
et Fever -	0.32	43	3	4	6	10	8	31	10	3	1	—	1	—	—	—	—	—
theria -	0.04	5	—	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—
oping-cough	0.10	23	12	7	1	1	1	23	1	—	—	—	—	—	—	—	—	—
ss -	0.01	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
et Fever -	0.20	24	1	—	—	—	1	2	3	2	4	2	4	4	2	2	—	1
et Cont. Fev.	0.07	10	—	—	—	—	—	—	2	—	—	—	—	1	—	—	4	—
et Fever -	0.03	7	—	—	—	—	—	—	—	—	1	1	3	1	1	—	—	—
et and Dys.	0.31	73	41	6	2	—	—	63	1	—	—	—	—	—	—	1	8	10
ra -	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
et -	0.40	68	—	—	—	—	—	—	—	—	2	—	—	8	17	23	26	10
et -	0.14	26	8	1	—	—	—	8	3	2	3	1	2	—	—	—	—	—
et Measent.	0.45	61	58	10	1	—	—	49	4	2	2	—	—	1	—	1	5	1
et -	2.24	233	16	6	5	1	—	21	2	12	31	54	58	52	40	27	18	2
et Cephalus	0.34	48	7	13	6	3	4	33	9	3	2	—	—	1	—	—	—	—
etous Syst.	2.25	231	69	19	8	—	2	93	7	3	2	4	10	8	21	56	70	21
et -	1.84	228	1	—	—	—	1	1	—	—	—	—	4	5	17	42	87	24
et -	0.58	267	81	23	11	6	—	140	5	5	3	1	5	10	18	28	25	11
et -	0.50	125	13	1	—	—	—	17	2	—	—	—	2	7	13	22	27	13
et -	0.35	78	—	—	—	1	—	1	—	1	—	2	3	4	8	17	23	13
et -	0.03	7	—	—	—	—	—	—	—	—	1	—	1	1	2	—	—	—
et -	0.04	8	—	—	—	—	—	—	—	—	—	—	4	—	1	—	—	—
et -	0.10	14	—	—	—	—	—	—	—	—	—	—	1	1	2	3	3	1
et -	0.45	70	8	2	3	1	3	17	7	3	3	4	4	9	8	8	5	2
et -	4.41	611	232	15	2	5	3	253	5	2	1	3	8	9	8	13	50	223

Deaths of Infants (under
one) to 1000 Births - } 124Marriages - 898
Births - 4,450Annual Rate of Persons Married - 13.45
per 1000 living Births - 31.25

218.—MUTFORD.

At Death (25 Feb 1900)	—	17.39	—	—	—	—	—	49.42	4.38	2.74	4.17	6.08	6.96	9.37	13.03	21.05	50.90	155.27
an Pop. 71-80	—	35,421	1001	982	1025	1001	1000	5099	4447	3707	3553	3125	4840	5734	2925	2166	1224	511
L CAUSES	17.39	6160	1819	868	107	95	71	2520	195	104	148	100	387	556	381	456	639	840
Box -	0.12	80	8	0	3	—	3	20	11	10	3	13	6	8	8	1	1	1
Chol. -	0.20	71	17	17	18	9	8	69	4	1	—	—	1	—	—	—	—	—
et Fever -	0.31	117	6	29	18	15	13	72	26	4	1	1	2	—	1	—	—	—
theria -	0.12	41	1	7	2	2	8	50	15	5	—	—	—	1	—	—	—	—
oping-cough	0.01	169	63	29	13	4	1	197	1	1	—	—	—	—	—	—	—	—
ss -	0.02	8	—	1	—	—	—	1	2	2	—	—	1	1	—	1	—	—
et Fever -	0.28	50	1	3	2	2	3	11	4	12	14	14	11	13	10	3	3	2
et Cont. Fev.	0.13	24	1	5	5	1	2	14	6	2	—	2	4	8	4	2	2	5
et Fever -	0.08	20	—	—	—	—	—	—	—	—	1	6	17	6	—	—	—	—
et and Dys.	1.04	308	250	46	3	4	1	314	3	—	—	—	2	1	—	6	14	14
ra -	0.01	5	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—
et -	0.46	154	—	—	—	—	—	—	1	—	1	1	0	28	29	33	41	31
et -	0.20	70	27	6	3	1	—	47	6	1	1	2	4	3	2	3	—	—
et Measent.	0.74	83	89	10	0	—	1	76	3	1	4	—	—	1	—	—	—	—
et -	1.27	456	12	6	2	2	2	24	11	14	45	72	120	93	51	24	5	—
et Cephalus	0.15	23	16	13	5	—	1	55	11	4	1	2	—	—	—	—	—	—
etous Syst.	1.81	548	121	30	19	14	8	193	23	8	9	7	16	21	46	13	116	123
et -	1.11	592	6	1	—	—	1	8	1	6	3	3	23	79	42	90	113	61
et -	2.50	681	297	71	25	12	12	427	17	9	8	8	19	32	27	67	112	132
et -	0.60	265	55	6	4	3	2	79	5	2	7	4	13	22	24	22	34	59
et -	0.34	192	3	1	—	—	2	8	7	3	2	3	8	7	20	17	20	21
et -	0.07	25	—	—	—	—	—	—	—	—	1	2	2	4	3	2	1	—
et -	0.07	25	—	—	—	—	—	—	—	—	—	9	9	7	—	—	—	—
et -	0.08	27	—	—	—	—	—	—	—	—	—	1	4	8	4	7	4	2
et -	0.64	225	16	13	8	5	3	43	13	17	23	21	2	22	14	9	10	7
et -	4.72	1675	893	89	21	21	2	939	20	8	11	17	17	19	10	43	121	389

Deaths of Infants (under
one) to 1000 Births - } 143Marriages - 2,580
Births - 12,409Annual Rate of Persons Married - 14.62
per 1000 living Births - 35.48

NORFOLK.
219.—YARMOUTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000 }	—	22·94	—	—	—	—	—	75·37	7·40	2·87	4·24	6·69	8·24	14·01	18·38	29·92	58·11	156·34
Mean Pop. } 1871-80 }	—	36,158	995	857	897	876	854	4479	3946	3595	3682	3363	5144	4225	3329	2336	1430	620
ALL CAUSES	22·94	8295	2335	509	225	157	150	3376	292	103	156	225	424	592	612	699	831	965
Small-pox - -	0·30	107	14	4	1	2	4	25	20	6	12	18	12	7	4	3	—	—
Measles - -	0·19	69	22	23	10	5	5	61	3	—	—	—	—	—	1	—	—	—
Scarlet Fever -	1·01	567	21	42	61	57	65	246	98	9	7	1	3	2	—	1	—	—
Diphtheria - -	0·09	31	1	2	1	6	5	15	10	4	—	1	—	—	1	—	—	—
Whooping-cough	0·34	122	53	33	19	5	3	118	3	1	—	—	—	—	—	—	—	—
Typhus - -	0·02	6	—	1	—	—	—	1	—	—	1	2	1	—	—	1	—	—
Enteric Fever -	0·40	145	12	3	6	4	4	29	11	13	9	15	18	8	—	7	2	3
Simple Cont. Fev.	0·10	35	5	3	1	1	—	10	6	1	1	2	4	3	—	4	3	2
Puerp. Fever -	0·06	23	—	—	—	—	—	—	—	1	7	11	4	—	—	—	—	—
Diarr. and Dys.	2·00	722	569	65	6	2	2	644	3	—	1	2	2	7	5	12	11	35
Cholera - -	0·02	6	2	1	—	1	1	5	—	—	—	—	—	—	—	—	—	1
Cancer - -	0·07	243	—	—	—	—	1	1	—	—	—	—	16	32	56	66	43	29
Scrophula - -	0·17	67	13	7	4	5	5	39	4	4	—	3	—	—	—	4	—	1
Tuberc Mesent.	0·68	245	189	56	5	—	3	233	9	2	—	—	—	—	—	2	—	—
Phthisis - -	1·96	707	16	12	4	2	4	38	11	17	31	101	132	157	109	64	23	4
Hydrocephalus -	0·25	92	40	19	12	4	3	78	8	3	1	—	—	1	—	—	—	—
Diseases of { Nervous Syst. 3·03 1105 189 38 17 9 2 255 24 12 12 11 74 142 112 136 179 156	1·42 515 1 1 155 29 16 504 18 3 7 11 32 85 61 112 179 167	3·29 1191 314 1 30 1 1 60 6 12 7 16 49 67 79 29 32	0·43 155 2 2 4 4 2 14 4 2 2 2 14 18 30 19 26	0·07 26 2 2 4 4 2 14 4 2 2 2 14 18 30 19 26	Childbirth - - 0·06 20 2 2 4 4 2 14 4 2 2 2 14 18 30 19 26	Suicide - - 0·08 29 2 2 4 4 2 14 4 2 2 2 14 18 30 19 26	Other Violence - 0·58 298 12 1 7 2 5 27 9 9 16 24 23 28 26 18 13 13	OTHER CAUSES - 4·58 1697 796 61 14 17 19 907 21 9 11 11 28 33 61 63 133 420										

Deaths of Infants (under one) to 1000 Births } 199 Marriages - 3,033 Annual Rate { Persons Married - 29·43
Births - 11,732 per 1000 living { Births - 33·45

220.—FLEGG.

ANNUAL DEATH RATE PER 1000 }	—	18'45	—	—	—	—	—	49'98	5 20	4'09	6'84	6'60	8'71	7'10	14'61	17'16	40'28	127'78
Mean Pop. } 1871-80 }	—	9548	287	260	263	272	258	1340	1270	1075	819	712	1136	962	887	670	432	215
ALL CAUSES	18'45	1762	470	106	35	31	27	669	66	44	56	47	99	76	103	115	174	313
Small-pox - -	0'07	7	-	-	-	-	-	-	-	-	1	-	3	-	3	-	-	-
Measles - -	0'10	10	3	3	1	2	-	9	1	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0'72	69	6	7	6	12	9	40	16	10	2	1	2	-	-	-	-	-
Diphtheria - -	0'01	6	-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-
Whooping-cough	0'38	36	21	9	2	2	1	35	1	-	-	-	-	-	-	-	-	-
Typhus - -	0'01	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Enteric Fever -	0'24	25	2	-	1	-	3	6	6	1	4	1	2	2	2	2	2	1
Simple Cont. Fev.	0'13	12	-	-	-	1	-	1	2	1	2	-	-	-	-	-	2	-
Puerp. Fever -	0'07	7	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
Diarr. and Dys.	0'10	56	56	9	2	1	-	68	3	-	-	-	-	2	1	-	8	7
Cholera - -	0'03	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Cancer - -	0'68	65	-	-	-	-	-	-	-	-	-	-	4	3	19	13	18	6
Scrophula - -	0'06	6	-	1	-	-	1	2	-	2	-	-	-	1	-	-	-	-
Tuberc Mesen.	0'58	57	43	8	-	-	-	51	4	-	-	-	-	-	-	-	-	-
Phthisis - -	1'74	165	1	1	-	1	-	3	4	7	31	27	49	10	13	10	8	-
Hydrocephalus -	0'07	7	1	4	1	1	-	7	-	-	-	-	-	-	-	-	-	-
Diseases of { Nervous Syst. 1'81 173 31 12 4 1 4 48 4 5 3 5 4 8 13 14 24 42	0'93 83 29 25 11 7 4 104 8 2 2 2 2 5 11 10 22 29	0'97 284 89 25 11 7 4 104 8 2 2 2 2 5 11 10 22 29	0'79 73 6 2 1 1 2 11 2 8 1 1 4 3 5 5 5 17 19	0'52 50 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Childbirth - - 0'12 11 2 2 2 2 2 2 10 5 2 8 5 6 5 2 2 1	Suicide - - 0'09 9 1 2 2 2 2 10 5 2 8 5 6 5 2 2 2 1	Other Violence - 0'48 46 1 2 2 2 2 10 5 2 8 5 6 5 2 2 2 1	OTHER CAUSES - 4'83 541 240 27 4 1 4 22 7 6 2 2 2 5 6 6 11 124										

Deaths of Infants (under one) to 1000 Births } 113 Marriages - 695 Annual Rate { Persons Married - 12·63
Births - 3,278 per 1000 living { Births - 34·33

221.—SMALLBURGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	16.09	—	—	—	—	—	88.59	3.97	3.19	6.23	7.28	7.01	7.45	9.59	18.48	40.13	14.4
Mean Pop. } 1871-80 - }	—	14,577	420	340	302	386	368	1915	1841	1601	1236	1003	1712	1516	1345	1053	745	—
ALL CAUSES	16.09	244.2	538	104	41	27	20	739	73	51	77	73	120	113	129	195	209	—
Small-pox - -	0.03	7	—	—	—	—	—	—	—	—	1	3	1	—	1	1	—	—
Measles - -	0.06	8	2	3	2	—	—	7	1	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.31	45	2	1	5	5	10	23	18	1	2	—	—	—	—	1	—	—
Diphtheria - -	0.19	28	2	4	1	4	1	12	5	5	4	—	—	1	—	—	1	—
Whooping-cough	0.16	27	21	10	8	2	—	36	1	—	—	—	—	—	—	—	—	—
Typhus - -	0.16	8	—	—	—	—	—	—	2	1	1	—	1	1	—	1	1	—
Euteric Fever -	0.19	28	1	—	2	1	2	6	2	2	2	2	4	4	3	2	—	—
Simple Cont. Fev.	0.08	5	—	1	—	—	—	1	3	1	—	—	—	—	—	—	—	—
Fever, Fever -	0.10	11	—	—	—	—	—	—	—	—	2	3	8	1	—	—	—	—
Diarr. and Dys.	0.54	77	31	7	2	1	4	45	3	—	1	—	1	—	3	3	11	—
Cholera - -	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.47	67	—	—	—	—	—	—	—	—	—	—	2	5	16	13	19	—
Scrofula - -	0.15	22	11	1	—	—	—	12	—	—	—	—	1	3	1	4	1	—
Tuberc. Mesent.	0.32	46	17	5	5	2	1	30	6	3	1	1	2	1	—	2	—	—
Phthisis - -	1.73	251	5	2	—	1	2	10	2	11	33	41	67	40	33	15	9	—
Hydrocephalus	0.15	21	4	4	2	1	2	13	2	4	—	—	—	2	—	—	—	—
Diseases of { Nervous Syst. 1.80 259 31 18 6 2 2 79 7 4 6 6 7 11 11 20 47	Diseases of {	Circulatory " 1.21 181 2 — — — — — 3 — 1 2 — 5 15 19 39 49	Respiratory " 1.05 242 60 20 5 4 1 89 5 2 4 3 8 7 10 22 27	Digestive " 0.61 98 4 — — — — — 5 2 2 4 3 3 5 11 20 27	Urinary " 0.41 49 — — — — — — — — 2 1 — 5 2 8 15	Generative " 0.19 13 — — — — — — — — — — — 1 3 5 4												
Childbirth - -	0.08	11	—	—	—	—	—	—	—	—	—	4	5	2	—	—	—	—
Suicide - -	0.08	11	—	—	—	—	—	—	—	—	—	—	1	1	1	1	3	—
Other Violence -	0.52	75	7	—	2	1	2	13	2	8	6	4	3	6	6	9	4	—
OTHER CAUSES -	5.81	835	327	19	6	2	2	356	12	6	4	1	8	2	33	18	69	—

Deaths of Infants (under
one) to 1000 Births - } 123Marriages - 940
Births - 4,372Annual Rate { Persons Married - 13.08
per 1000 living { Births - - - 30.41

222.—ERPINGHAM.

ANNUAL DEATH RATE PER 1000	—	18.19	—	—	—	—	—	30.57	4.50	2.30	4.05	7.38	7.59	8.68	10.51	20.85	46.10	15.1
Mean Pop. } 1871-80 - }	—	20,040	525	483	509	521	502	2540	2376	2213	1825	1463	2331	2063	1980	1550	1115	—
ALL CAUSES	18.19	3645	745	141	55	26	38	1005	107	53	74	108	177	179	208	325	514	—
Small-pox - -	0.04	9	—	—	—	1	—	1	—	1	—	1	3	—	1	1	1	—
Measles - -	0.12	25	6	10	2	3	2	23	2	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.27	53	4	2	9	7	10	34	30	—	1	—	—	1	—	—	—	—
Diphtheria - -	0.04	9	—	—	—	—	—	4	1	1	—	1	—	—	1	—	—	—
Whooping-cough	0.36	73	34	23	7	3	9	70	3	—	—	—	—	—	—	—	1	—
Typhus - -	0.05	10	—	—	—	—	2	2	3	—	—	2	1	1	1	—	—	—
Euteric Fever -	0.14	23	—	—	—	—	—	4	4	2	1	4	2	2	4	—	3	—
Simple Cont. Fev.	0.02	5	—	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—
Fever, Fever -	0.03	15	—	—	—	—	—	—	—	—	1	3	7	2	—	—	—	—
Diarr. and Dys.	0.08	76	34	3	—	—	3	40	1	—	—	—	1	1	—	—	—	—
Cholera - -	0.02	4	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—
Cancer - -	0.70	141	—	—	1	—	—	1	—	1	—	—	5	9	27	33	49	—
Scrofula - -	0.25	51	31	5	2	—	—	41	2	—	1	—	—	—	1	2	—	—
Tuberc. Mesent.	0.29	41	24	7	2	—	—	33	2	—	1	2	—	—	—	—	—	—
Phthisis - -	1.89	376	13	6	2	—	3	24	11	11	27	31	87	70	43	28	13	—
Hydrocephalus	0.21	42	11	4	5	1	4	25	7	6	1	—	3	—	—	—	—	—
Diseases of { Nervous Syst. 2.37 474 72 13 5 2 2 91 8 5 8 11 11 9 28 63 147	Diseases of {	Circulatory " 1.69 339 4 — — — — — 4 3 3 1 4 4 16 23 70 100	Respiratory " 2.16 423 86 35 12 5 3 141 4 2 4 5 14 15 19 30 85	Digestive " 0.78 157 16 2 1 — 2 23 4 2 — 4 4 13 16 29 35	Urinary " 0.41 35 — — — — — 1 2 1 — 2 2 5 10 20 19	Generative " 0.08 16 — — — — — — — — — 2 3 3 5 2												
Childbirth - -	0.11	22	—	—	—	—	—	—	—	—	—	4	11	7	—	—	—	—
Suicide - -	0.03	6	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	—
Other Violence -	0.10	100	8	2	2	1	1	14	8	9	7	11	9	7	9	8	6	—
OTHER CAUSES -	5.21	1053	397	28	4	3	3	431	19	7	8	6	9	13	21	21	86	—

Deaths of Infants (under
one) to 1000 Births - } 126Marriages - 1,241
Births - 5,591Annual Rate { Persons Married - 12.39
per 1000 living { Births - - - 23.43

223.—AYLSHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18.04	—	—	—	—	—	38.32	4.03	2.80	4.00	7.13	7.82	7.24	10.94	16.93	50.70	134.7
Mean Pop. } 1871-80	—	18,080	498	437	467	470	466	2338	2229	2036	1663	1263	2047	1864	1709	1412	993	82
ALL CAUSES	18.04	3263	652	132	57	27	28	896	110	57	68	90	160	133	187	239	607	81
Small-pox	0.11	10	2	—	—	—	—	2	4	—	1	2	6	4	—	—	—	—
Measles	0.08	15	4	3	2	—	2	11	2	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.23	51	2	2	9	6	8	27	21	1	—	—	—	1	—	1	—	—
Diphtheria	0.12	22	1	1	2	4	—	8	7	4	—	1	—	2	—	—	—	—
Whooping-cough	0.32	88	29	16	7	1	1	54	3	1	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Enteric Fever	0.20	37	—	1	1	—	3	5	7	6	5	2	2	2	1	3	3	1
Simple Cont. Fev.	0.15	27	1	—	—	1	1	3	4	1	—	—	2	2	3	8	3	3
Puerp. Fever	0.01	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Diarr. and Dys.	0.40	73	33	6	1	2	—	42	—	1	—	2	1	2	2	3	6	15
Cholera	0.01	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0.53	95	—	1	—	—	—	1	—	—	—	—	—	6	29	20	31	8
Scrofula	0.14	25	9	3	—	—	—	12	—	1	—	2	5	1	1	2	1	—
Tuberc Mesent.	0.24	44	23	3	2	1	1	31	7	—	5	—	—	—	—	—	—	—
Phthisis	1.71	309	1	1	—	1	—	3	11	16	85	52	60	46	33	17	14	2
Hydrocephalus	0.22	39	13	11	3	1	1	29	5	4	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.16	590	67	19	10	—	4	100	10	5	5	9	6	4	22	37	69	167
Circulatory	2.02	345	3	—	—	—	—	3	4	2	—	6	11	21	27	37	120	114
Respiratory	2.44	441	35	33	11	5	1	145	7	6	3	3	11	10	21	22	46	127
Digestive	1.03	166	18	1	—	1	3	23	1	—	2	2	9	14	24	20	45	40
Urinary	0.40	84	—	—	1	—	—	1	2	2	1	—	4	6	8	31	17	—
Generative	0.07	12	—	—	—	—	—	—	—	—	—	1	—	—	1	7	2	—
Childbirth	0.04	11	—	—	—	—	—	—	—	—	—	—	8	2	1	—	—	—
Suicide	0.04	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.40	73	9	3	2	3	1	18	10	2	5	3	5	4	22	8	5	10
OTHER CAUSES	4.80	868	341	26	6	1	2	376	5	4	4	4	6	6	6	14	73	207

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 1,141
Births - 5,311.Annual Rate { Persons Married - 12.03
per 1000 living { Births - 20.27

224.—ST. FAITHS.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	17.54	—	—	—	—	—	42.29	4.44	3.84	5.70	7.33	7.42	8.48	9.23	19.30	16.14	140.2
Mean Pop. } 1871-80	—	11,160	312	260	283	260	280	1433	1351	1223	1017	887	1347	1156	1051	820	583	285
ALL CAUSES	17.54	1957	459	80	40	16	11	606	60	47	58	65	100	98	97	160	200	207
Small-pox	0.40	45	7	1	1	—	—	9	4	2	5	8	7	6	5	—	—	1
Measles	0.13	17	4	4	3	—	—	13	2	2	—	—	1	—	—	—	—	—
Scarlet Fever	0.27	30	4	5	2	4	—	15	9	6	—	—	—	—	—	—	—	—
Diphtheria	0.12	13	3	1	2	—	—	6	3	1	—	1	—	—	—	—	—	—
Whooping-cough	0.50	33	12	11	5	3	1	32	1	—	—	—	—	—	—	—	—	—
Typhus	0.04	5	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—
Enteric Fever	0.21	23	—	—	1	—	—	1	3	1	3	3	2	3	2	3	3	1
Simple Cont. Fev.	0.04	4	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
Puerp. Fever	0.06	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.32	35	22	3	—	—	—	25	1	—	—	—	—	—	—	—	—	—
Cholera	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.51	57	—	1	—	—	—	1	—	—	—	—	1	12	9	15	11	5
Scrofula	0.12	13	1	—	1	—	—	2	2	—	3	2	2	1	—	—	—	—
Tuberc Mesent.	0.08	9	4	—	1	—	1	6	1	1	1	—	—	—	—	—	—	—
Phthisis	1.89	211	5	—	—	1	—	6	8	18	24	29	62	31	21	7	12	3
Hydrocephalus	0.05	6	2	—	—	1	—	5	—	—	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1.65	184	31	8	5	1	1	46	4	3	5	1	6	11	11	31	45	80
Circulatory	1.24	136	2	—	—	—	—	2	—	3	1	1	5	5	7	20	43	45
Respiratory	2.00	223	48	16	9	3	1	77	3	—	4	1	5	6	10	30	47	40
Digestive	0.79	88	12	—	—	—	—	12	1	5	2	1	3	3	12	23	17	11
Urinary	0.25	38	—	—	—	—	—	—	3	—	1	—	2	2	1	7	40	15
Generative	0.10	11	—	—	—	—	—	—	—	—	—	3	1	2	1	3	3	—
Childbirth	0.12	13	—	—	—	—	—	—	—	—	1	2	5	5	—	—	—	—
Suicide	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.24	27	2	5	1	—	—	6	3	—	4	1	—	1	2	2	4	4
OTHER CAUSES	6.55	733	300	27	9	3	3	312	10	6	2	6	6	6	10	15	22	242

Deaths of Infants (under
one) to 1000 Births } 131Marriages - 750
Births - 3,504.Annual Rate { Persons Married - 13.44
per 1000 living { Births - 31.40

225.—NORWICH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	40—	50—	65—	75 and over.
REL. DEATH (PER 1000)	—	23.32	—	—	—	—	—	72.20	6.23	3.75	5.36	7.18	8.82	12.63	17.31	30.37	62.22	127.93
an Pop. 71-80	—	84,114	2381	2031	2001	2010	2004	10496	9314	8882	8472	7449	11467	9351	7991	5526	3266	1690
L. CAUSES	23.32	19,616	5203	1291	489	348	257	7588	580	333	454	535	1011	1181	1938	1678	2219	2629
Diph- theria	0.67	566	84	20	17	11	10	142	67	41	81	71	89	45	17	7	3	2
Scarlet Fever	0.24	205	44	70	46	21	13	194	31	—	—	—	—	—	—	—	—	—
Erysip- elas	0.27	481	20	67	75	72	72	212	124	30	7	6	11	1	—	—	—	—
Whooping- cough	0.09	77	4	12	7	7	8	38	21	8	4	1	2	1	—	—	—	—
Measles	0.61	500	229	165	61	25	15	493	14	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.03	39	—	1	—	—	4	5	8	3	9	4	3	4	2	1	2	—
Measles	0.35	291	4	13	10	16	11	54	42	31	20	20	21	23	16	12	11	3
Scarlet Fever	0.10	82	3	8	4	9	6	30	14	8	5	2	4	6	2	3	7	1
Measles	0.10	88	—	—	—	—	—	—	—	—	8	16	43	21	—	—	—	—
Scarlet Fever	1.42	1191	869	118	15	2	2	1096	4	2	2	3	8	7	9	17	44	69
Measles	0.01	12	4	—	—	1	—	5	—	—	1	—	—	1	1	1	2	1
Scarlet Fever	0.02	530	—	—	—	—	—	—	—	2	1	7	24	64	119	146	164	99
Measles	0.18	153	47	28	9	7	8	99	11	3	9	5	6	7	3	6	5	1
Scarlet Fever	0.13	125	65	19	6	4	3	91	11	9	4	3	3	—	—	2	1	—
Measles	2.24	1887	64	49	10	15	7	145	34	51	147	228	380	598	300	161	59	5
Scarlet Fever	0.17	146	43	42	18	9	6	118	13	7	2	2	1	1	2	—	—	—
Measles	2.60	2187	592	107	44	26	27	706	43	22	18	28	65	124	206	294	401	293
Scarlet Fever	1.24	1044	2	1	—	1	1	5	10	12	22	18	20	81	181	244	286	163
Measles	2.04	2360	646	201	82	48	29	1108	39	25	10	17	29	99	157	278	441	318
Scarlet Fever	0.21	765	78	6	9	4	4	106	21	12	11	18	37	80	123	146	144	57
Measles	0.28	521	—	1	1	1	3	6	3	6	9	9	27	32	40	66	88	39
Scarlet Fever	0.09	78	—	—	—	—	—	—	—	—	—	—	10	19	15	12	12	5
Measles	0.08	71	—	—	—	—	—	—	—	—	5	16	25	25	—	—	—	—
Scarlet Fever	0.10	81	—	—	—	—	—	—	—	—	1	9	31	14	16	18	18	3
Measles	0.51	432	27	35	11	14	13	69	32	32	23	23	47	42	37	28	28	47
Scarlet Fever	6.80	1703	2447	269	68	80	17	2341	60	38	27	27	65	85	132	231	388	1619

Deaths of Infants (under one) to 1000 Births } 188

Marriages - 7,311
Births - 27,636

Annual Rate (Persons Married - 17.38
per 1000 living { Births - 32.83

226.—FOREHOE.

REL. DEATH (PER 1000)	—	17.39	—	—	—	—	—	36.59	3.47	3.18	4.45	6.35	7.66	7.06	12.38	19.52	46.42	146.20
an Pop. 71-80	—	12,140	311	275	208	306	294	1484	1408	1376	1101	850	1357	1280	1170	953	698	355
L. CAUSES	17.39	2111	407	82	27	15	12	543	52	43	49	64	104	91	146	186	324	519
Diph- theria	0.08	10	2	1	—	—	—	3	—	—	2	—	2	1	2	—	—	—
Scarlet Fever	0.10	12	1	4	1	2	1	6	3	—	—	—	1	—	—	—	—	—
Erysip- elas	0.19	14	1	1	1	4	1	8	3	1	—	—	1	—	—	—	—	—
Whooping- cough	0.07	8	—	—	—	—	—	1	2	3	—	—	—	—	1	—	—	—
Measles	0.24	29	17	7	8	—	—	17	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.03	4	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1
Measles	0.17	21	—	—	—	—	—	—	2	3	3	2	4	1	2	3	1	—
Scarlet Fever	0.03	4	—	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—
Measles	0.05	6	—	—	—	—	—	—	—	1	—	1	3	1	—	—	—	—
Scarlet Fever	0.42	81	24	4	2	—	2	32	—	—	—	—	3	—	2	2	3	7
Measles	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	72	—	—	—	—	—	—	—	1	1	—	—	7	13	20	16	14
Measles	0.05	6	1	—	1	—	—	2	—	4	2	—	3	1	—	—	—	—
Scarlet Fever	0.20	24	10	6	1	—	—	17	1	4	2	—	—	—	—	—	—	—
Measles	1.88	224	6	2	—	1	1	10	6	10	28	37	48	29	29	20	18	3
Scarlet Fever	0.03	11	3	8	2	1	—	9	1	1	—	—	—	—	—	—	—	—
Nervous Syst. Dysentery	1.05	231	16	12	—	1	1	50	7	3	3	1	3	9	18	21	27	69
Respiratory	1.48	180	—	—	1	—	—	2	1	4	3	1	3	3	9	23	39	26
Primary	2.22	270	81	17	7	3	2	80	6	—	1	3	11	8	15	31	69	75
Secondary	0.39	72	7	—	—	—	—	1	2	2	1	1	2	6	13	18	12	6
Operative	0.20	55	1	—	—	—	—	1	—	—	—	3	4	1	4	7	6	10
Generative	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Birth	0.05	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
de	0.10	12	—	—	—	—	—	—	—	—	—	—	1	—	1	2	4	3
r Violence	0.26	44	1	1	—	1	—	3	4	4	4	3	2	4	2	5	2	11
in Causes	4.23	751	216	24	8	2	2	282	8	4	4	6	9	11	20	26	62	294

Deaths of Infants (under one) to 1000 Births } 119

Marriages - 680
Births - 3,412

Annual Rate (Persons Married - 11.29
per 1000 living { Births - 28.11

227.—HENSTEAD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	17.40	—	—	—	—	—	38.44	4.06	2.88	4.94	7.44	8.70	8.79	11.59	18.77	42.06	140.41
Mean Pop. } 1871-80 }	—	10,681	280	256	265	282	254	1337	1280	1146	951	833	1253	1104	1027	847	611	292
ALL CAUSES	17.40	1859	380	67	24	21	13	514	52	33	47	62	100	97	119	159	257	410
Small-pox - -	0.28	30	8	2	1	-	-	11	-	-	2	5	6	2	4	-	-	-
Measles - -	0.05	5	1	1	1	1	-	4	1	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0.41	44	5	5	5	3	4	22	16	4	1	1	-	-	-	-	-	-
Diphtheria - -	0.08	9	-	-	-	2	1	3	4	-	-	-	-	-	1	1	-	-
Whooping-cough	0.26	28	16	8	2	2	-	28	-	-	-	-	-	-	-	-	-	-
Typhus - -	0.01	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Enteric Fever -	0.20	21	1	1	2	-	1	4	1	2	4	1	1	1	1	2	1	1
Simple Cont. Fev.	0.17	29	-	3	2	2	-	7	5	1	2	2	1	1	1	4	5	-
Puerp. Fever -	0.10	11	-	-	-	-	-	-	-	-	-	1	1	-	-	2	7	5
Diarr. and Dys. -	0.43	43	27	3	-	-	-	30	1	-	-	-	-	-	1	1	-	-
Cholera - -	0.02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.42	45	-	1	-	-	-	-	-	2	-	-	1	1	11	12	14	6
Scrofula - -	0.10	11	-	-	-	-	-	1	2	-	-	-	3	-	1	1	-	-
Tuberc Mesent. -	0.20	21	14	2	-	2	-	18	3	3	-	-	-	-	-	-	-	-
Phtisis - -	2.00	214	18	7	-	-	-	25	3	1	18	34	44	37	20	15	11	-
Hydrocephalus -	0.08	9	5	2	-	-	-	7	1	1	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	1.84	197	32	5	-	1	-	38	4	3	4	3	4	10	6	26	42	58
Cerebratory - -	0.96	103	-	-	1	-	-	1	1	-	-	1	8	7	20	15	20	20
Respiratory - -	2.53	270	46	10	6	4	4	70	2	-	4	1	11	8	20	27	50	77
Digestive - -	0.87	93	4	-	1	1	-	8	1	1	4	1	4	8	9	18	26	13
Urinary - -	0.39	42	-	-	-	-	-	-	-	1	2	2	2	5	1	11	10	1
Generative - -	0.03	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth - -	0.10	11	-	-	-	-	-	-	-	-	-	1	3	6	1	-	-	-
Suicide - -	0.05	6	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
Other Violence -	0.40	43	1	2	-	-	-	3	1	4	4	5	4	4	3	4	2	8
OTHER CAUSES -	5.32	565	211	15	4	3	1	234	9	4	2	3	5	5	7	18	27	221

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 688
Births - 3,153Annual Rate { Persons Married - 12.83
per 1000 living { Births - 29.81

228.—BLOFIELD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	22.21	—	—	—	—	—	41.20	6.79	3.08	7.47	10.85	11.82	14.07	17.09	26.19	61.81	162.42
Mean Pop. } 1871-80 }	—	11,472	307	280	281	271	276	1415	1325	1201	964	804	1421	1295	1141	905	597	314
ALL CAUSES	22.21	2548	411	79	28	35	30	583	90	57	72	97	168	190	195	237	369	510
Small-pox - -	0.10	12	-	-	-	-	1	1	-	1	3	1	3	2	1	-	-	-
Measles - -	0.11	13	6	5	-	1	1	13	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0.85	98	2	9	11	14	16	52	50	9	-	-	1	3	1	-	-	-
Diphtheria - -	0.06	7	-	1	-	1	2	4	2	1	-	-	-	-	-	-	-	-
Whooping-cough	0.26	30	15	9	2	3	-	29	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.06	7	-	-	-	-	1	1	-	2	2	-	1	1	-	-	-	-
Enteric Fever -	0.15	17	-	1	-	-	-	1	5	2	2	1	1	2	1	-	1	1
Simple Cont. Fev.	0.07	8	-	-	-	2	-	2	1	1	3	-	-	-	-	-	-	-
Puerp. Fever -	0.04	5	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Diarr. and Dys. -	0.51	58	27	3	3	1	2	36	1	1	-	-	-	1	1	4	7	7
Cholera - -	0.01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.59	63	-	-	-	-	-	-	-	-	1	-	2	6	15	14	13	12
Scrofula - -	0.22	25	3	4	2	-	1	10	3	3	-	1	4	1	-	1	2	-
Tuberc Mesent. -	0.70	10	3	-	-	-	-	6	2	1	-	-	1	-	-	-	-	-
Phtisis - -	2.34	263	1	3	1	-	1	6	6	2	2	29	40	67	33	16	6	-
Hydrocephalus -	0.06	7	-	1	2	1	-	4	-	-	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	3.89	446	31	8	3	4	1	47	10	4	6	13	37	52	63	66	84	64
Cerebratory - -	1.49	171	-	-	-	-	-	-	1	3	3	5	5	19	16	21	61	44
Respiratory - -	2.48	285	53	12	3	2	2	72	7	1	2	5	10	11	15	37	32	24
Digestive - -	1.26	144	10	-	-	-	1	11	2	1	2	6	7	13	17	27	22	26
Urinary - -	0.44	59	-	-	-	-	-	-	-	-	-	-	3	4	4	9	16	13
Generative - -	0.04	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-
Childbirth - -	0.08	9	-	-	-	-	-	-	-	-	1	-	7	1	-	-	-	-
Suicide - -	0.07	8	-	-	-	-	-	-	8	-	-	1	1	1	1	4	-	1
Other Violence -	0.77	88	6	5	-	-	1	12	8	2	10	6	9	14	8	7	7	5
OTHER CAUSES -	6.17	708	283	18	1	6	-	275	8	3	4	7	8	16	13	30	80	294

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 693
Births - 3,330Annual Rate { Persons Married - 12.13
per 1000 living { Births - 29.63

229.—LODDON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
ANNUAL DEATH RATE PER 1000.	—	17.37	—	—	—	—	—	34.12	4.33	2.80	5.05	7.57	7.78	7.22	10.50	19.80	16.26	15.37	14.42	13.58	
Mean Pop. 1871-80	—	13,686	386	339	348	365	350	1788	1684	1536	1133	977	1531	1412	1355	1101	785	581	421	312	
ALL CAUSES	17.37	2377	443	90	31	25	21	610	73	43	64	74	123	102	143	219	340	511	687	875	
Small-pox	0.03	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Measles	0.11	15	4	6	1	1	—	12	2	—	—	—	—	1	—	—	—	—	—	—	
Scarlet Fever	0.30	41	—	5	2	3	—	16	16	7	—	—	—	1	—	—	—	—	—	—	
Diphtheria	0.05	7	—	1	—	—	—	2	2	—	1	—	—	—	—	—	—	—	—	—	
Whooping-cough	0.24	36	17	13	3	—	3	36	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	0.04	6	—	—	—	—	—	—	—	—	2	2	—	1	1	—	—	—	—	—	
Enteric Fever	0.22	30	—	1	—	—	—	1	4	1	7	3	—	4	1	3	1	—	—	—	
Simple Cont. Fev.	0.09	12	—	—	2	—	—	3	4	1	1	—	—	1	—	1	—	—	—	—	
Puemp. Fever	0.05	7	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	
Diarr. and Dys.	0.31	43	20	1	—	—	—	21	—	—	—	—	—	—	1	1	2	13	—	—	
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	0.56	77	—	1	—	1	—	6	—	1	—	—	5	0	17	27	14	1	—	—	
Scrofula	0.11	15	2	1	2	1	—	6	3	—	—	1	1	—	3	—	—	—	—	—	
Tuberc. Mesent.	0.23	35	21	6	—	1	—	28	8	—	—	—	—	1	1	1	1	—	—	—	
Phthisis	1.89	238	6	3	—	2	1	34	10	9	29	43	65	33	23	23	7	1	—	—	
Hydrocephalus	0.19	23	5	10	—	—	—	13	2	3	1	1	2	1	—	—	—	—	—	—	
Diseases of																					
Nervous Syst.	1.81	218	40	11	5	2	2	61	7	6	6	5	5	10	17	19	41	—	—	—	
Circulatory	1.43	191	1	1	—	—	—	2	—	2	2	—	1	9	14	44	72	—	—	—	
Respiratory	2.56	323	74	13	10	4	2	103	9	1	5	3	9	9	15	29	67	—	—	—	
Digestive	0.87	119	21	1	—	1	2	25	1	4	—	2	6	6	14	23	33	—	—	—	
Urinary	0.47	64	1	—	—	—	—	1	—	2	—	—	1	2	7	11	20	—	—	—	
Generative	0.02	3	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	
Childbirth	0.08	11	—	—	—	—	—	—	—	—	—	1	6	4	—	—	—	—	—	—	
Selficide	0.07	10	—	—	—	—	—	—	—	—	—	1	1	—	3	2	2	—	—	—	
Other Violence	0.47	65	2	2	2	2	—	8	3	2	6	7	8	7	4	13	8	—	—	—	
OTHER CAUSES	5.33	725	226	16	3	8	2	255	5	4	2	3	7	3	15	17	69	—	—	—	

Deaths of Infants (under one) to 1000 Births } 103

Marriages - 866
Births - 4,094

Annual Rate (Persons Married per 1000 living (Births - 12.66
- 29.91

230.—DEPWADE.

ANNUAL DEATH RATE PER 1000.	—	17.91	—	—	—	—	—	39.92	4.04	2.83	4.78	7.97	7.98	8.58	10.26	20.45	43.63	1
Mean Pop. 1871-80	—	23,927	635	585	619	619	613	3071	2907	2717	2218	1744	2682	2390	2265	1808	1295	
ALL CAUSES	17.91	4285	883	187	74	49	33	1226	121	77	106	139	214	205	232	380	565	
Small-pox	0.02	5	—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	
Measles	0.11	26	8	3	4	1	3	19	4	2	—	1	—	—	—	—	—	
Scarlet Fever	0.21	73	3	1	3	12	8	35	25	6	4	2	—	1	—	—	—	
Diphtheria	0.13	31	—	1	—	5	6	12	7	5	1	2	1	2	—	1	—	
Whooping-cough	0.33	78	43	24	6	2	1	78	—	—	—	—	—	—	—	—	—	
Typhus	0.06	14	—	—	—	—	1	1	—	2	3	2	2	—	3	1	8	
Enteric Fever	0.26	62	—	—	3	2	1	6	4	8	5	10	9	1	4	5	8	
Simple Cont. Fev.	0.05	12	—	1	1	—	—	2	—	1	—	2	—	1	—	2	2	
Puemp. Fever	0.04	9	—	—	—	—	—	—	—	—	1	3	4	1	—	—	—	
Diarr. and Dys.	0.28	91	42	8	3	—	—	63	5	1	—	1	1	—	—	6	8	
Cholera	0.02	5	3	—	—	—	—	3	—	—	—	—	—	—	—	2	—	
Cancer	0.29	141	—	—	—	—	—	—	1	—	—	1	4	13	19	54	23	
Scrofula	0.14	34	5	4	—	1	—	10	5	1	4	2	7	—	2	1	2	
Tuberc. Mesent.	0.21	50	25	10	4	4	1	44	1	2	2	—	1	—	—	—	—	
Phthisis	1.76	420	11	7	3	1	—	32	10	12	46	70	97	72	44	33	14	
Hydrocephalus	0.19	45	13	12	3	4	—	32	6	6	—	—	—	1	—	—	—	
Diseases of Nervous Syst.	2.17	519	96	29	6	2	3	127	12	9	7	4	12	15	25	44	113	
Circulatory	1.41	317	—	1	—	—	—	1	1	5	4	4	13	19	29	65	113	
Respiratory	2.19	524	117	35	20	6	8	181	8	3	5	3	24	12	27	47	77	
Digestive	0.85	294	20	2	1	3	—	26	6	1	6	4	6	16	21	41	38	
Urinary	0.39	94	2	—	1	—	—	3	2	—	1	3	3	9	19	23	23	
Generative	0.08	19	—	—	—	—	—	—	—	1	—	—	2	1	5	3	5	
Childbirth	0.08	18	—	—	—	—	—	—	—	—	1	5	4	7	1	—	—	
Selficide	0.07	17	—	—	—	—	—	1	—	—	1	1	—	4	—	8	—	
Other Violence	0.59	93	2	6	7	2	1	18	7	6	6	4	8	6	10	8	8	
OTHER CAUSES	5.68	1551	491	44	9	4	5	333	17	6	9	4	16	17	21	54	116	

Deaths of Infants (under one) to 1000 Births } 123

Marriages - 1,480
Births - 7,191

Annual Rate (Persons Married per 1000 living (Births - 22.37
- 38.96

231.—GUILTCROSS.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	18'86	—	—	—	—	—	38'60	3'46	3'59	4'98	8'65	9'01	9'80	10'38	21'59	51'10	149'8
Mean Pop. 1871-80	—	10,910	284	261	287	292	275	1399	1359	1225	983	763	1943	1112	1050	808	604	325
ALL CAUSES	18'86	2053	395	77	25	28	15	540	47	44	48	66	112	110	109	187	309	486
Small-pox	0'05	6	—	—	—	—	—	—	—	—	1	1	1	1	2	—	—	—
Measles	0'04	4	1	2	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'33	36	—	4	7	5	10	19	9	4	2	2	—	—	—	—	—	—
Diphtheria	0'13	14	—	1	2	1	4	6	6	2	—	—	2	—	—	—	—	—
Whooping-cough	0'28	31	16	8	2	2	—	28	2	1	—	—	—	—	—	—	—	—
Typhus	0'05	8	—	—	—	—	—	—	1	2	—	1	—	1	—	—	—	—
Enteric Fever	0'17	19	—	—	—	—	—	—	1	7	—	4	2	2	1	1	—	1
Simple Cont. Fev.	0'07	8	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—
Puerp. Fever	0'06	7	—	—	—	—	—	—	—	1	—	3	1	2	—	—	—	—
Diarr. and Dys.	0'26	28	15	2	—	—	1	18	—	—	—	1	1	1	1	3	—	4
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'49	54	—	1	—	—	—	—	—	—	—	—	1	5	7	19	39	18
Scrofula	0'18	20	6	1	—	—	1	8	—	—	2	5	1	—	—	3	1	—
Tubes Mesent.	0'18	20	14	3	—	—	—	17	—	—	—	—	2	1	—	—	—	—
Phthisis	1'81	168	1	3	1	1	—	6	1	11	21	33	65	27	22	9	2	1
Hydrocephalus	0'25	27	8	3	4	3	1	19	4	—	1	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1'88	205	60	6	4	2	1	43	6	4	4	1	2	13	14	27	38	33
Circulatory "	1'47	160	—	—	—	—	—	—	—	—	—	—	—	15	32	37	32	—
Respiratory "	2'32	242	43	19	6	5	2	75	3	1	4	2	7	11	9	26	46	25
Digestive "	1'07	117	5	1	—	—	—	6	2	—	2	2	3	12	10	21	41	18
Urinary "	0'37	40	—	—	—	1	—	1	—	—	3	1	1	1	6	8	11	8
Generative "	0'13	14	—	—	—	—	—	—	—	—	—	—	2	1	3	4	2	3
Childbirth	0'05	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—
Suicide	0'05	6	—	—	—	—	—	—	—	—	—	—	1	3	—	1	—	—
Other Violence	0'43	47	5	—	1	—	—	6	6	4	9	2	7	3	4	5	5	3
OTHER CAUSES	0'84	743	231	23	3	5	2	288	4	5	3	3	5	18	13	20	32	26

Deaths of Infants (under one) to 1000 Births } 126

Marriages - 638
Births - 3,155Annual Rate { Persons Married - 11'70
per 1000 living { Births - 23'08

232.—WAYLAND.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	19'42	—	—	—	—	—	45'17	5'25	2'07	4'07	9'13	8'04	8'80	11'92	24'34	44'54	129'9
Mean Pop. 1871-80	—	10,903	289	275	294	268	260	1386	1314	1211	983	707	1256	1148	1091	867	586	296
ALL CAUSES	19'42	2118	481	75	30	18	22	626	69	36	40	70	101	101	120	211	261	473
Small-pox	0'07	8	1	—	—	—	—	1	—	—	—	—	1	1	2	2	1	—
Measles	0'08	9	1	4	1	—	—	7	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'32	35	—	1	2	5	5	13	14	3	1	1	—	2	1	—	—	—
Diphtheria	0'14	13	2	1	2	—	—	5	5	2	—	—	1	—	—	—	—	—
Whooping-cough	0'32	35	18	9	2	—	1	50	4	1	—	—	—	—	—	—	—	—
Typhus	0'03	3	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—
Enteric Fever	0'23	25	—	—	1	—	—	1	3	2	5	4	—	4	2	2	1	1
Simple Cont. Fev.	0'23	25	—	1	1	—	1	3	3	2	1	1	1	2	1	4	2	2
Puerp. Fever	0'09	10	—	—	—	—	—	—	—	—	1	—	7	1	1	—	—	—
Diarr. and Dys.	0'29	43	13	4	—	—	—	17	2	—	—	1	—	—	7	2	4	19
Cholera	0'01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'29	64	—	—	—	—	—	—	—	—	1	—	1	9	14	29	8	9
Scrofula	0'13	14	1	—	1	—	—	2	1	1	—	1	2	5	—	—	—	—
Tubes Mesent.	0'05	5	2	1	—	—	—	3	—	—	1	—	—	—	—	—	—	—
Phthisis	1'85	202	1	2	1	—	1	5	4	12	17	37	35	31	23	11	6	1
Hydrocephalus	0'06	7	2	1	—	2	—	5	—	1	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'33	254	46	7	6	0	3	68	10	1	2	3	4	7	18	31	63	45
Circulatory "	1'31	132	1	—	2	—	—	1	1	1	—	2	5	7	15	35	32	29
Respiratory "	3'03	333	102	18	2	1	2	125	5	4	1	7	2	10	14	27	57	17
Digestive "	1'04	113	13	3	2	1	—	18	2	—	2	2	6	6	12	27	22	16
Urinary "	0'28	31	1	—	—	—	1	2	—	—	—	—	3	3	4	5	6	3
Generative "	0'06	7	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	1
Childbirth	0'07	8	—	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—
Suicide	0'06	7	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violence	0'45	49	2	1	1	3	—	7	5	3	—	2	5	4	4	6	4	2
OTHER CAUSES	0'70	(8)	274	23	6	—	6	309	7	2	5	7	3	2	12	29	32	25

Deaths of Infants (under one) to 1000 Births } 147

Marriages - 728
Births - 3,364Annual Rate { Persons Married - 13'35
per 1000 living { Births - 29'93

233.—MITFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95—	100—
ANNUAL DEATH RATE PER 1000	—	18.42	—	—	—	—	—	41.28	4.50	3.71	4.55	7.30	7.68	9.01	10.28	20.14	47.19	146			
Mean Pop. 1871-80	—	27,467	736	685	701	716	689	3527	3311	3049	2500	2040	3204	2819	2635	2110	1475	7			
ALL CAUSES	18.42	5059	1053	215	81	61	43	1456	140	113	114	130	246	254	271	425	686	11			
Small-pox	0.03	8	1	—	—	—	—	1	—	—	1	2	2	—	—	—	—	—			
Measles	0.11	30	11	7	4	2	4	28	2	—	—	—	—	—	—	—	—	—			
Scarlet Fever	0.24	65	1	7	7	11	6	32	26	8	—	—	—	—	—	—	—	—			
Diphtheria	0.08	22	4	—	1	8	1	14	3	1	1	1	1	1	—	—	—	—			
Whooping-cough	0.36	71	34	22	8	3	3	70	1	—	—	—	—	—	—	—	—	—			
Typhus	0.01	9	—	—	—	—	—	—	1	2	2	2	—	—	—	—	1	1			
Enteric Fever	0.20	54	—	—	—	1	1	3	7	7	7	7	8	3	3	3	3	3			
Simple Cont. Fev.	0.05	13	—	—	—	1	—	2	5	2	—	—	1	—	2	1	—	—			
Fevery Fever	0.04	11	—	—	—	—	—	—	—	—	2	4	1	4	—	—	—	—			
Diarr. and Dys.	0.44	122	61	11	7	2	—	81	4	—	—	—	—	—	1	3	8	8			
Cholera	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0.66	182	—	—	—	—	—	—	—	—	—	1	6	17	33	60	41	—			
Scrophula	0.13	35	3	1	1	2	1	8	3	5	3	2	5	3	4	1	1	—			
Tuberc. Mesent.	0.28	75	27	6	4	—	2	39	7	2	5	1	1	—	—	—	—	—			
Phthisis	1.93	581	11	13	5	4	3	55	16	25	34	37	123	98	45	37	12	—			
Hydrocephalus	0.15	41	15	6	3	5	—	26	19	4	1	1	—	—	—	—	—	—			
Nervous Syst.	2.31	635	137	32	12	7	6	174	24	16	4	5	10	22	31	62	145	1			
Circulatory	1.17	330	—	1	1	—	1	3	1	3	3	2	8	13	31	61	115	—			
Respiratory	2.61	730	121	64	10	10	4	209	10	5	6	7	23	22	32	73	142	—			
Digestive	0.79	216	11	—	—	—	3	14	5	5	5	3	3	12	17	31	37	37			
Urinary	0.43	119	1	1	—	—	—	2	4	4	4	3	10	12	9	17	28	—			
Generative	0.05	14	—	—	—	—	—	—	—	—	1	—	—	—	—	1	3	3			
Childbirth	0.11	31	—	—	—	—	—	—	—	—	—	4	14	10	—	—	—	—			
Suicide	0.06	17	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—			
Other Violence	0.39	108	10	2	3	—	2	17	7	10	5	5	9	5	15	12	10	—			
OTHER CAUSES	5.82	1617	627	42	13	7	6	825	13	14	11	7	11	18	28	48	126	6			

Deaths of Infants (under one) to 1000 Births } 129 Marriages } 1,798 Annual Rate of Persons Married } 13.09
 Births } 8,197 per 1000 living { Births } 29.84

234.—WALSINGHAM.

ANNUAL DEATH RATE PER 1000	—	18.55	—	—	—	—	—	40.91	4.46	2.61	3.97	6.72	7.18	8.91	10.09	20.08	50.03	153
Mean Pop. 1871-80	—	19,997	547	490	513	508	513	2547	2377	2185	1839	1502	2325	2053	1912	1579	1093	51
ALL CAUSES	18.55	3700	714	172	66	45	45	1042	106	57	73	101	167	183	193	313	547	91
Small-pox	0.03	12	3	—	—	—	—	8	1	—	—	1	3	2	—	—	—	—
Measles	0.13	26	6	7	4	3	—	22	3	—	—	—	1	—	—	—	—	—
Scarlet Fever	0.31	62	5	5	6	8	7	29	21	8	1	1	1	—	—	—	—	—
Diphtheria	0.22	44	—	1	2	8	7	18	16	6	2	—	—	1	1	—	—	—
Whooping-cough	0.39	77	39	23	5	3	4	76	1	—	—	—	—	—	—	—	—	—
Typhus	0.04	8	—	—	—	1	1	2	—	—	1	2	—	1	—	—	1	—
Enteric Fever	0.23	46	1	—	2	1	2	6	5	8	7	4	7	1	1	3	3	—
Simple Cont. Fev.	0.05	9	1	1	—	1	—	3	—	1	2	—	—	—	—	2	—	—
Fevery Fever	0.04	8	—	—	—	—	—	—	—	—	—	2	5	1	—	—	—	—
Diarr. and Dys.	0.37	73	26	6	1	—	—	33	1	—	—	—	—	2	—	6	9	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.63	125	—	—	1	—	1	2	—	—	1	1	2	9	22	20	32	—
Scrophula	0.15	29	6	3	2	1	—	11	—	2	2	3	3	1	2	1	3	—
Tuberc. Mesent.	0.18	35	24	7	2	1	—	34	—	—	—	—	1	—	—	—	—	—
Phthisis	1.91	581	35	11	6	3	3	47	6	8	31	56	75	62	47	30	17	—
Hydrocephalus	0.14	38	6	7	4	2	2	21	6	1	—	—	—	—	—	—	—	—
Diseases of	Nervous Syst.	2.40	479	85	33	2	4	113	11	5	5	5	10	14	21	26	101	14
	Circulatory	1.56	312	2	2	1	—	3	—	—	4	4	13	14	39	29	111	14
	Respiratory	2.46	481	79	24	14	3	134	9	1	5	7	23	19	37	103	143	14
	Digestive	0.91	152	17	3	—	1	—	21	4	5	1	4	13	10	19	35	41
	Urinary	0.58	115	1	1	—	2	2	6	1	—	3	3	4	9	6	23	30
Generative	0.05	10	—	—	—	—	—	—	—	—	1	—	—	3	4	—	2	—
Childbirth	0.04	8	—	—	—	—	—	—	—	—	1	—	1	6	—	—	—	—
Suicide	0.04	7	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Other Violence	0.46	94	7	2	4	—	3	16	10	5	3	3	10	7	4	15	8	—
OTHER CAUSES	5.20	1048	381	76	10	4	5	436	11	7	3	7	11	11	12	31	80	45

Deaths of Infants (under one) to 1000 Births } 125 Marriages } 1,275 Annual Rate of Persons Married } 12.75
 Births } 5,712 per 1000 living { Births } 28.66

235.—DOCKING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18·83	—	—	—	—	—	48·65	5·07	3·46	5·83	5·90	7·84	8·41	11·04	19·28	46·77	141·8
Mean Pop. 1871-80	—	17,408	475	412	439	444	458	2228	2169	1939	1544	1220	2042	1879	1675	1326	928	435
ALL CAUSES	18·83	3277	784	177	52	44	47	1084	123	67	90	72	160	158	185	237	434	647
Small-pox	0·02	3	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—
Measles	0·07	14	3	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·65	114	5	17	14	15	18	67	87	8	—	1	1	—	—	1	—	—
Diphtheria	0·17	29	3	1	1	5	3	18	8	3	1	—	—	—	—	3	1	—
Whooping-cough	0·37	65	28	12	7	4	3	64	1	—	—	—	—	—	—	—	—	—
Typhus	0·01	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·11	20	—	1	—	—	2	3	5	3	2	1	1	3	2	1	—	—
Simple Cont. Fev.	0·03	5	—	—	2	—	—	2	5	2	1	—	—	—	1	—	—	—
Puerp. Fever	0·34	60	37	4	1	—	1	43	—	2	—	1	1	1	2	3	1	4
Diarr. and Dys.	0·01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·86	61	—	—	—	—	—	1	—	—	5	1	—	6	12	14	18	13
Serofula	0·07	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0·17	30	20	6	—	—	—	26	8	—	—	—	—	—	—	—	—	—
Phthisis	1·64	286	2	5	2	1	1	11	15	43	45	60	41	29	17	9	—	—
Hydrocephalus	0·21	33	14	6	2	2	2	26	6	5	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2·32	405	97	26	2	6	—	131	9	6	9	4	15	13	31	47	68	70
Circulatory	0·09	172	1	—	1	—	—	2	2	2	6	4	15	18	15	35	23	22
Respiratory	2·18	379	82	31	8	3	7	131	10	2	4	6	10	20	31	53	70	62
Digestive	0·81	147	13	—	3	—	—	17	6	3	1	11	14	18	31	53	70	62
Urinary	0·25	43	1	—	1	—	—	2	2	1	—	—	4	5	6	13	7	—
Generative	0·10	18	—	—	—	—	—	—	—	—	—	—	2	6	5	4	1	—
Childbirth	0·13	22	—	—	—	—	—	—	—	—	2	2	10	8	—	—	—	—
Suicide	0·05	9	—	—	—	—	—	—	—	—	1	—	1	1	2	3	1	—
Other Violence	0·40	70	3	8	2	2	2	15	7	6	5	2	3	10	4	6	8	7
OTHER CAUSES	7·22	1255	445	89	6	6	6	522	12	6	4	2	8	16	24	48	159	464

Deaths of Infants (under 1 year) to 1000 Births — 148

Marriages — 1,150
Births — 5,359

Annual Rate { Persons Married — 13·21
per 1000 living { Births — 30·79

236.—FREEBRIDGE LYNN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18·56	—	—	—	—	—	50·48	4·42	3·79	4·43	7·23	5·79	8·22	10·26	20·57	47·80	146·93
Mean Pop. 1871-80	—	12,837	348	309	350	330	329	1606	1652	1397	1151	968	1572	1326	1189	977	613	326
ALL CAUSES	18·56	2383	605	118	57	53	28	841	73	53	51	70	91	109	122	201	293	479
Small-pox	0·07	9	—	—	—	—	—	—	—	—	2	2	1	3	—	—	—	—
Measles	0·17	22	5	7	2	2	1	17	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·67	73	2	5	15	13	11	46	19	3	3	1	1	—	—	—	—	—
Diphtheria	0·15	19	—	1	2	2	—	5	8	4	—	—	1	—	—	1	—	—
Whooping-cough	0·44	67	33	18	4	1	—	56	—	—	—	—	—	—	—	—	1	—
Typhus	0·03	4	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—
Enteric Fever	0·26	34	2	—	—	—	1	3	7	8	1	3	2	1	5	3	1	—
Simple Cont. Fev.	0·05	6	1	1	—	—	—	2	1	—	—	—	—	—	—	2	1	—
Puerp. Fever	0·01	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarr. and Dys.	0·55	70	41	10	2	2	—	55	—	—	—	—	2	—	—	1	3	9
Cholera	0·02	2	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·65	63	—	—	1	—	1	2	—	—	—	—	2	10	14	25	18	12
Serofula	0·10	13	4	2	1	1	—	8	1	1	—	1	1	—	1	—	—	—
Tuberc. Mesent.	0·13	17	11	1	2	—	—	14	—	1	1	—	—	—	—	—	1	—
Phthisis	1·61	207	3	1	—	1	1	6	6	5	22	28	49	39	29	20	9	—
Hydrocephalus	0·19	24	7	6	2	3	2	21	3	1	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2·24	288	70	7	10	3	3	93	7	2	5	5	1	7	13	29	51	73
Circulatory	0·08	121	2	—	—	—	1	3	—	2	2	3	4	11	7	28	38	25
Respiratory	2·06	342	82	24	5	1	2	114	4	6	2	6	5	16	15	34	69	80
Digestive	0·79	102	10	—	—	1	1	12	3	2	2	3	4	6	11	16	19	24
Urinary	0·32	41	—	—	1	—	—	1	—	2	1	1	2	1	7	11	7	8
Generative	0·03	4	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—
Childbirth	0·11	14	—	—	—	—	—	—	—	—	—	5	4	5	—	—	—	—
Suicide	0·05	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0·44	57	2	1	3	1	—	7	2	8	5	2	4	2	8	4	8	7
OTHER CAUSES	5·96	764	329	54	7	2	4	370	7	6	3	9	7	7	15	22	79	229

Deaths of Infants (under 1 year) to 1000 Births — 144

Marriages — 876
Births — 4,205

Annual Rate { Persons Married — 13·65
per 1000 living { Births — 33·76

237.—KING'S LYNN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (PER 1000)	—	20.89	—	—	—	—	—	56.51	5.30	3.49	4.18	6.45	8.44	11.14	16.71	20.08	54.45	161.43
Pop. 80	—	18,169	479	408	421	421	421	2143	1064	1861	1807	1507	2470	1974	1700	1304	876	407
CAUSES	20.89	3795	797	234	88	62	40	1211	104	65	78	103	209	220	284	387	477	627
Ex - -	0.38	69	8	1	2	1	3	15	8	6	12	11	10	8	4	—	—	—
Fever - -	0.18	32	4	16	1	5	2	28	3	—	—	—	—	—	—	—	—	—
ria - -	0.65	120	8	16	29	17	11	81	26	11	—	—	—	—	1	1	—	—
g-cough	0.05	10	2	—	1	2	2	7	2	1	—	—	—	—	—	—	—	—
g-cough	0.41	75	33	25	10	1	5	74	1	—	—	—	—	—	—	—	—	—
Ex - -	0.03	5	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1
Fever - -	0.30	37	3	5	—	2	1	11	4	2	3	1	6	1	5	1	4	1
ont. Fev.	0.14	26	1	4	—	2	—	7	6	3	1	—	—	1	2	2	1	2
ever - -	0.06	11	—	—	—	—	—	—	—	—	—	1	8	2	—	—	—	—
ad Dya.	0.63	115	64	6	1	1	—	72	—	1	—	1	2	4	1	5	13	12
- -	0.04	8	6	1	—	—	—	7	1	—	—	—	—	—	—	—	—	—
- -	0.65	120	—	—	—	—	—	—	—	—	—	—	—	5	16	25	27	12
- -	0.16	29	7	2	1	1	1	12	1	2	3	3	6	1	5	—	1	1
essent.	0.14	25	8	5	—	2	—	13	6	3	2	—	1	—	—	—	—	—
- -	1.83	337	1	3	—	2	1	7	3	7	25	50	81	64	69	37	8	—
phalus -	0.12	54	7	17	2	2	1	19	1	3	—	1	—	—	—	—	—	—
ous Syst.	2.60	472	120	24	9	10	1	164	14	7	5	2	12	20	21	29	53	75
latory "	1.69	397	1	—	—	—	1	3	4	2	5	6	15	22	47	71	56	55
latory "	0.53	615	129	55	14	8	2	208	5	1	4	1	11	17	26	41	80	97
sive "	0.22	167	7	1	—	—	1	9	1	2	1	3	11	20	25	33	30	30
ary "	0.58	103	—	—	—	1	—	1	1	—	1	2	4	13	18	27	21	16
rative "	0.09	18	—	—	—	—	—	—	—	—	—	—	1	2	5	6	2	—
h - -	0.09	16	—	—	—	—	—	—	—	—	1	7	5	2	1	—	—	—
- -	0.07	13	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—
alence -	0.75	136	6	2	1	3	2	14	9	8	9	11	18	16	12	15	10	13
CAUSES	5.48	994	352	43	16	2	6	449	7	6	4	5	14	14	15	58	110	231

Deaths of Infants (under
one) to 1000 Births - } 155Marriages - 1,469
Births - 5,156Annual Rate of Persons Married - 16.17
per 1000 living Births - 28.58

238.—DOWNHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (PER 1000)	—	18.89	—	—	—	—	—	51.07	4.44	3.33	4.70	7.24	7.38	7.67	10.24	19.53	47.80	153.68
Pop. 80	—	19,994	574	485	537	523	534	2653	2454	2375	1803	1403	2316	2032	1884	1473	946	303
CAUSES	18.89	3777	928	242	87	48	50	1355	109	79	89	100	171	160	193	288	453	774
Ex - -	0.65	10	—	2	—	—	—	2	1	—	—	1	4	1	—	1	—	—
- -	0.23	44	5	13	9	3	5	25	9	—	—	—	—	—	—	—	—	—
Fever - -	0.43	85	2	15	11	13	12	53	22	7	—	1	1	1	—	—	—	—
g-cough	0.04	7	—	—	—	—	—	—	2	4	—	—	—	1	—	—	—	—
g-cough	0.32	63	33	17	9	2	—	61	1	—	—	—	1	—	—	—	—	—
Ex - -	0.65	10	—	—	—	—	1	1	—	—	—	1	2	—	2	—	5	1
Fever - -	0.31	61	5	5	—	1	1	12	2	6	9	4	8	3	4	4	4	5
ont. Fev.	0.16	31	6	2	1	—	2	11	3	1	—	—	2	—	1	5	5	3
ever - -	0.68	15	—	—	—	—	—	—	—	—	—	8	6	6	—	—	—	—
d Dya.	0.77	183	68	16	3	2	2	94	3	1	—	1	2	2	—	4	14	25
- -	0.04	8	—	1	1	—	—	2	—	—	—	—	—	1	—	2	5	—
- -	0.67	134	—	—	—	—	—	—	—	—	—	—	8	12	20	26	86	21
- -	0.22	41	18	7	2	1	1	19	1	2	5	1	1	1	3	1	—	—
essent.	0.13	29	7	7	1	1	—	16	4	4	—	—	—	—	—	—	—	—
- -	1.86	373	31	9	4	4	1	49	7	22	41	63	70	42	22	20	12	4
halus -	0.13	26	8	3	1	3	1	16	7	1	—	—	1	—	—	1	—	—
ous Syst.	2.05	411	88	26	12	5	4	158	7	5	9	3	9	12	17	41	70	50
latory "	1.21	501	—	1	—	1	—	2	2	2	6	3	11	21	27	46	56	94
latory "	0.18	637	143	59	21	6	6	237	14	3	4	4	12	15	27	44	58	163
sive "	0.09	198	19	3	1	1	1	25	1	4	3	2	3	14	17	42	40	49
ary "	0.10	100	1	1	—	1	—	3	1	1	2	—	5	6	5	17	28	32
rative "	0.07	13	—	—	—	—	—	—	—	—	—	—	1	3	1	2	2	3
h - -	0.03	12	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—
- -	0.16	10	—	—	—	—	—	—	—	—	—	—	—	—	4	5	—	—
alence -	0.76	96	5	6	2	2	2	20	11	11	6	6	6	6	4	7	6	11
CAUSES	4.50	903	487	49	9	4	8	537	11	6	5	6	14	9	15	10	44	229

Deaths of Infants (under
one) to 1000 Births - } 140Marriages - 1,550
Births - 6,333Annual Rate of Persons Married - 13.50
per 1000 living Births - 21.77

239.—SWAFFHAM.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	16'83	—	—	—	—	—	39'15	3'35	2'71	4'49	5'14	6'24	7'77	9'47	20'87	47'42	140'1
Mean Pop. } 1871-80 - }	—	13,233	347	285	340	364	346	1682	1672	1478	1235	992	1571	1326	1256	1011	677	348
ALL CAUSES	16'83	2227	510	77	38	19	15	659	56	49	55	51	98	103	119	211	321	51
Small-pox - -	0'04	5	2	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-
Measles - -	0'03	6	1	1	-	1	-	3	2	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0'14	18	3	2	2	2	4	13	4	1	-	-	-	-	-	-	-	-
Diphtheria - -	0'03	4	-	-	1	-	3	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0'24	32	14	7	6	1	2	38	-	-	-	-	-	-	-	-	-	-
Typhus - -	0'12	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Euteric Fever -	0'29	39	2	-	1	1	1	5	2	6	3	2	3	2	4	2	2	1
Simple Cont. Fev.	0'04	10	-	-	-	-	-	7	-	-	3	2	1	1	1	1	-	-
Puerp. Fever -	0'03	7	-	-	-	-	-	-	-	-	3	-	4	3	-	-	-	-
Diarr. and Dys.	0'0	40	21	1	-	-	-	22	-	-	-	2	1	-	-	-	7	8
Cholera - -	0'03	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Cancer - -	0'03	67	-	-	-	-	-	-	-	-	-	-	-	15	13	27	20	5
Serofula - -	0'11	17	2	4	-	2	-	8	1	1	1	-	1	1	1	1	1	1
Tuberc Mesent.	0'33	40	19	4	2	1	-	26	5	-	4	1	2	2	-	-	-	-
Phthisis - -	1'25	179	7	-	-	1	-	8	6	8	23	25	44	27	10	12	4	1
Hydrocephalus	0'19	25	7	3	4	1	-	15	4	2	-	3	-	-	-	-	-	-
Diseases of																		
Nervous Syst.	1'79	237	40	6	2	1	-	49	3	3	3	1	4	8	14	31	53	63
Circulatory "	1'21	164	-	1	-	-	-	1	-	2	1	2	2	8	20	41	51	56
Respiratory "	2'61	315	99	29	11	2	1	150	3	3	3	2	11	10	18	33	50	71
Digestive "	0'91	121	13	-	1	1	-	15	3	4	2	2	6	8	8	18	34	21
Urinary "	0'35	48	-	-	-	1	-	1	-	-	3	1	2	3	2	10	10	16
Generative "	0'07	9	-	-	-	-	-	-	-	-	-	1	2	2	1	1	2	-
Childbirth - -	0'03	8	-	-	-	-	-	-	-	-	-	3	2	2	1	-	-	-
Suicide - -	0'08	10	-	-	-	-	-	-	-	-	-	-	-	1	3	6	-	-
Other Violence -	0'45	38	3	1	3	-	3	10	4	7	3	1	3	2	4	7	7	19
OTHER CAUSES -	5'35	719	235	21	5	4	2	317	4	1	4	3	6	7	9	19	67	272

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 859
Births - 3,925Annual Rate { Persons Married - 12'99
per 1000 living { Births - 29'08

240.—THETFORD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18'98	—	—	—	—	—	44'59	3'71	3'39	6'37	8'00	8'64	9'67	12'66	20'12	52'70	154'6
Mean Pop. } 1871-80 - }	—	17,967	490	441	404	475	478	2348	2184	2003	1535	1300	2165	1874	1698	1382	969	419
ALL CAUSES	18'98	3392	756	170	63	34	24	1047	81	68	101	104	187	185	215	278	479	66
Small-pox - -	0'11	20	2	-	-	-	-	2	1	-	1	1	10	3	1	1	-	-
Measles - -	0'15	25	7	8	4	2	1	23	4	-	3	-	-	-	-	-	-	-
Scarlet Fever -	0'17	39	1	3	7	5	2	18	8	-	-	-	1	-	-	-	-	-
Diphtheria - -	0'03	9	-	-	2	3	-	5	2	-	-	-	-	1	-	-	-	-
Whooping-cough	0'27	67	39	17	6	1	3	66	1	-	-	-	-	-	-	-	-	-
Typhus - -	0'01	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Euteric Fever -	0'17	30	-	-	2	-	1	3	1	3	4	5	3	4	5	1	1	-
Simple Cont. Fev.	0'03	9	1	-	-	-	-	1	1	3	1	-	-	-	-	1	1	-
Puerp. Fever -	0'08	14	-	-	-	-	-	-	-	-	-	1	7	6	-	-	-	-
Diarr. and Dys.	0'20	99	48	8	2	2	1	61	2	-	2	-	-	1	2	2	7	13
Cholera - -	0'02	3	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-
Cancer - -	0'20	107	-	-	-	-	-	-	-	-	-	-	4	15	21	27	25	17
Serofula - -	0'12	40	13	2	1	-	1	17	2	2	4	1	5	2	3	-	1	1
Tuberc Mesent.	0'11	24	14	1	3	-	-	18	1	1	1	2	1	-	-	-	-	-
Phthisis - -	2'56	422	24	9	3	4	1	41	8	80	47	66	97	69	39	24	8	2
Hydrocephalus	0'18	33	16	4	3	1	3	27	4	1	-	-	-	-	1	-	-	-
Diseases of																		
Nervous Syst.	2'03	358	61	18	7	7	4	97	12	9	8	3	6	14	29	38	55	69
Circulatory "	1'47	252	1	-	-	-	-	1	3	-	2	2	3	7	14	23	37	54
Respiratory "	2'76	423	142	44	16	2	2	206	7	2	4	5	6	15	26	31	68	97
Digestive "	1'41	238	24	7	2	2	1	34	8	4	4	5	12	19	24	38	45	33
Urinary "	0'37	67	-	-	1	-	-	1	3	-	1	1	6	4	8	13	16	14
Generative "	0'04	8	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1
Childbirth - -	0'13	23	-	-	-	-	-	-	-	-	2	5	9	7	-	-	-	-
Suicide - -	0'08	10	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	5
Other Violence -	0'45	84	4	8	-	1	1	14	9	7	10	3	5	4	7	12	5	5
OTHER CAUSES -	5'11	911	358	40	4	5	5	403	5	6	6	4	7	14	21	26	91	230

Deaths of Infants (under
one) to 1000 Births } 137Marriages - 1,162
Births - 5,526Annual Rate { Persons Married - 13'01
per 1000 living { Births - 30'03

WILTSHIRE.

241.—HIGHWORTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
DEATHS PER 1000	—	17.73	—	—	—	—	—	49.36	6.32	3.98	4.35	6.59	6.93	9.77	12.79	26.48	57.64	164.86
(Pop.) -80-	—	30,717	1022	956	927	916	893	4714	4003	3302	2875	2779	4003	3326	2330	1552	883	350
CAUSES	17.73	5446	1460	420	196	146	105	2327	257	115	125	183	310	325	298	411	509	577
SC - -	0.13	42	7	—	—	—	—	7	2	1	1	10	7	4	4	—	—	1
Fever - -	0.81	25	18	41	16	5	6	89	5	1	—	—	—	—	—	—	—	—
Flu - -	0.04	290	19	31	40	39	43	172	63	17	4	1	2	1	—	—	—	—
Cough - -	0.05	15	—	1	2	5	4	12	1	—	—	2	—	—	—	—	—	—
Ag-cough - -	0.04	104	31	27	8	13	4	103	—	1	—	—	—	—	—	—	—	—
— - -	0.01	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Fever - -	0.22	99	—	5	2	5	3	13	22	11	8	18	16	4	8	1	—	—
Cont. Fev. - -	0.05	14	1	—	1	—	—	2	2	1	1	2	1	—	—	2	1	—
Ever - -	0.07	31	—	—	—	—	—	—	—	—	1	4	11	5	—	—	—	—
ad Dys. - -	0.48	148	79	19	2	3	—	103	3	2	—	1	1	8	3	2	10	18
— - -	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
— - -	0.42	119	—	—	—	—	—	—	—	—	—	2	4	23	29	56	28	7
— - -	0.07	22	2	—	1	—	—	3	2	5	1	—	3	2	3	1	1	1
asent - -	0.03	195	134	35	8	2	—	179	7	4	2	—	1	2	—	—	—	—
— - -	1.65	607	39	20	1	3	4	60	11	17	45	65	118	100	49	28	12	2
phalus - -	0.21	14	27	25	13	7	5	77	10	3	2	—	2	—	—	—	—	—
ous Syst. - -	2.02	650	196	28	15	8	4	248	56	9	10	13	21	20	33	68	69	25
slatory " - -	1.33	467	1	—	—	—	—	1	5	10	16	20	29	33	91	118	73	—
stravgy " - -	2.03	951	284	116	42	26	13	481	50	5	7	6	30	38	50	77	116	111
stive " - -	0.76	259	32	2	6	—	—	2	42	7	8	4	7	17	25	32	33	20
ary " - -	0.57	115	5	3	3	—	3	14	8	1	4	9	9	17	9	18	13	13
erative " - -	0.05	15	—	1	—	—	—	1	—	—	—	—	5	2	1	3	2	1
th - -	0.10	31	—	—	—	—	—	—	—	—	2	6	11	12	—	—	—	—
— - -	0.07	31	—	—	—	—	—	—	—	—	5	1	2	2	1	7	2	1
idence - -	0.26	173	12	10	11	7	6	46	19	4	8	7	19	14	21	14	11	9
CAUSES - -	2.67	1116	602	58	21	20	8	673	17	17	9	15	18	18	21	28	73	233

Deaths of Infants (under
one) to 1000 Births - } 120Marriages - 2,147
Births - 12,138Annual Rate of Persons Married - 13.98
per 1000 living Births - 39.82

242.—CRICKLADE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
DEATHS PER 1000	—	17.87	—	—	—	—	—	40.47	4.30	3.50	6.76	6.96	7.27	9.62	11.26	20.99	45.68	161.41
(Pop.) -80-	—	11,706	344	298	317	326	316	1601	1334	1402	1020	833	1348	1195	1057	867	535	284
CAUSES	17.87	2092	428	118	47	29	26	648	66	49	69	58	98	115	110	182	258	420
SC - -	0.07	8	—	2	—	—	—	—	—	—	1	2	—	2	—	2	1	—
Fever - -	0.08	9	1	2	2	1	1	7	—	—	—	1	—	—	1	—	—	—
Flu - -	0.26	30	—	2	7	4	4	17	9	2	1	—	1	—	—	—	—	—
Cough - -	0.11	13	2	1	—	1	3	7	3	1	1	—	—	1	—	—	—	—
Ag-cough - -	0.15	18	9	7	—	1	1	18	—	—	—	—	—	—	—	—	—	—
— - -	0.03	4	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Fever - -	0.19	22	—	1	—	—	2	3	5	3	2	—	3	2	1	2	1	—
Cont. Fev. - -	0.03	6	—	—	—	—	—	—	—	2	1	—	1	—	—	—	1	1
Ever - -	0.03	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
ad Dys. - -	0.36	42	22	4	4	—	—	30	2	—	1	—	—	1	—	2	4	—
— - -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
— - -	0.40	47	—	—	—	—	—	—	—	—	—	—	2	6	7	18	9	5
— - -	0.09	19	1	1	—	—	1	3	—	—	—	—	2	4	—	—	—	1
asent - -	0.29	54	16	18	—	1	—	33	10	1	8	10	21	42	41	23	17	9
phalus - -	1.20	222	3	3	2	—	2	10	1	8	10	10	21	42	41	23	17	9
— - -	0.22	57	7	4	3	1	1	16	7	3	—	—	1	—	—	—	—	—
ous Syst. - -	1.91	225	51	6	3	6	2	68	2	7	6	6	5	7	9	28	23	49
slatory " - -	1.47	173	2	—	—	—	—	2	1	4	2	1	5	18	19	41	40	30
stravgy " - -	3.73	378	110	37	9	2	1	159	5	1	2	1	9	6	22	33	32	33
stive " - -	1.04	122	9	2	1	—	1	13	3	6	1	3	4	6	17	17	23	16
ary " - -	0.41	48	1	1	—	1	1	4	4	2	1	2	2	2	4	3	13	9
erative " - -	0.06	7	—	—	—	—	—	—	—	—	—	1	—	—	2	1	5	—
th - -	0.16	19	—	—	—	—	—	—	—	—	—	—	8	9	2	—	—	—
— - -	0.16	7	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1
idence - -	0.54	63	8	4	4	6	1	23	9	1	8	4	6	2	3	9	4	3
CAUSES - -	4.74	637	183	27	12	5	5	233	13	6	3	3	5	5	6	18	45	217

Deaths of Infants (under
one) to 1000 Births - } 115Marriages - 707
Births - 8,717Annual Rate of Persons Married - 13.10
per 1000 living Births - 31.74

243.—MALMSBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17.02	—	—	—	—	—	34.53	3.62	2.95	4.88	7.20	7.50	7.87	13.69	22.24	32.23	143.9
Mean Pop. 1871-80	—	14,330	398	377	404	383	384	1946	1825	1661	1277	1056	1721	1487	1264	1032	693	314
ALL CAUSES	17.02	2439	462	111	41	30	28	672	66	49	62	76	129	117	173	234	383	406
Small-pox	0.01	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Measles	0.13	18	4	5	—	5	1	19	2	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	24	5	1	3	5	3	15	6	3	—	—	—	1	—	—	—	—
Diphtheria	0.11	16	—	—	1	—	2	5	—	—	—	—	—	—	—	1	—	—
Whooping-cough	0.15	21	14	4	2	1	—	21	—	—	—	—	—	—	—	—	—	—
Typhus	0.02	3	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
Enteric Fever	0.37	53	1	1	2	1	5	10	3	10	8	5	3	10	1	2	1	—
Simple Cont. Fev.	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.07	10	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
Diarr. and Dys.	0.31	44	20	3	1	2	—	25	—	—	—	—	—	1	2	1	2	10
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.45	65	—	—	—	—	—	—	—	—	—	—	2	2	21	18	10	12
Serofula	0.07	10	2	—	1	—	—	3	1	—	1	1	2	1	1	—	—	—
Tuberc Mesent.	0.14	20	7	2	2	—	1	13	2	3	1	1	—	—	—	—	—	—
Phtisis	1.64	241	4	6	1	—	—	11	5	10	25	45	54	44	30	15	3	1
Hydrocephalus	0.10	23	8	4	2	2	—	16	4	1	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.79	256	65	3	2	—	2	72	5	2	4	2	11	9	27	25	47	49
Circulatory "	1.42	204	—	—	—	—	—	1	2	1	4	2	8	10	22	41	73	73
Respiratory "	3.89	557	128	45	15	8	4	201	10	1	3	6	11	14	25	55	118	110
Digestive "	0.93	141	15	1	2	—	—	19	1	1	2	2	4	9	22	26	33	25
Urinary "	0.31	49	—	—	—	—	—	—	1	1	—	—	2	3	3	10	14	13
Generative "	0.08	12	—	—	—	—	—	—	—	—	—	—	3	1	8	3	1	1
Childbirth	0.06	9	—	—	—	—	—	—	—	—	—	4	5	—	—	—	—	—
Suicide	0.08	12	—	—	—	—	—	—	—	—	—	1	2	1	2	1	2	2
Other Violence	0.64	90	11	4	4	1	5	25	6	4	4	1	6	1	7	14	6	16
OTHER CAUSES	3.89	553	187	31	4	5	4	224	8	8	6	3	6	6	8	17	31	216

Deaths of Infants (under
one) to 1000 Births . . . 101

Marriages . . . 931
Births . . . 4,508

Annual Rate { Persons Married . . . 12.99
per 1000 living { Births . . . 81.92

244.—CHIPPENHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17.81	—	—	—	—	—	37.92	3.92	2.89	5.22	6.46	7.39	10.64	13.46	23.16	31.70	127.1
Mean Pop. 1871-80	—	21,523	597	547	581	564	559	2848	2689	2453	1914	1610	2656	2284	1999	1567	1027	475
ALL CAUSES	17.81	3833	692	197	98	52	41	1080	105	71	100	104	191	244	209	410	531	725
Small-pox	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	0.22	47	7	21	8	2	1	39	4	3	—	—	—	—	—	—	—	—
Scarlet Fever	0.20	44	6	3	9	5	4	27	11	5	1	—	—	—	—	—	—	—
Diphtheria	0.07	16	1	4	1	1	2	9	3	1	1	1	—	—	—	—	—	—
Whooping-cough	0.21	43	22	11	4	—	3	40	4	1	—	—	—	—	—	—	—	—
Typhus	0.04	8	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
Enteric Fever	0.46	99	2	4	1	1	1	12	9	13	14	9	12	10	8	7	3	4
Simple Cont. Fev.	0.08	18	2	1	—	1	1	5	—	—	—	1	4	2	1	—	—	—
Puerp. Fever	0.04	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.41	88	37	8	1	3	2	51	6	1	2	1	3	2	—	6	7	10
Cholera	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0.40	87	—	—	—	—	—	—	—	—	—	—	3	19	14	23	21	15
Serofula	0.09	19	—	1	—	—	—	2	3	—	2	3	3	2	1	4	2	—
Tuberc Mesent.	0.20	44	20	8	2	—	1	31	3	4	1	1	3	5	—	1	—	—
Phtisis	1.68	262	17	4	4	1	2	28	4	12	32	47	79	69	42	41	7	1
Hydrocephalus	0.12	21	8	9	5	1	—	23	2	—	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.35	565	95	19	10	3	4	131	11	6	10	10	14	19	51	72	102	79
Circulatory "	1.34	192	1	—	—	—	—	1	1	3	4	4	11	31	33	76	91	37
Respiratory "	2.91	627	160	53	22	9	6	250	11	3	2	5	13	21	35	61	120	107
Digestive "	1.01	217	15	2	1	1	2	21	3	2	3	3	11	24	35	50	55	27
Urinary "	0.25	44	—	—	—	—	—	1	—	—	1	2	2	9	6	8	14	9
Generative "	0.06	13	—	—	—	—	—	—	—	—	—	1	3	2	3	2	2	—
Childbirth	0.08	18	—	—	—	—	—	—	—	—	—	3	10	5	—	—	—	—
Suicide	0.04	9	—	—	—	—	—	—	—	—	—	1	1	1	2	1	3	—
Other Violence	0.62	133	9	6	5	7	4	31	11	10	11	1	9	11	20	31	8	10
OTHER CAUSES	4.91	1052	299	43	21	17	7	378	16	5	10	4	15	18	21	43	106	434

Deaths of Infants (under
one) to 1000 Births . . . 105

Marriages . . . 1,234
Births . . . 6,598

Annual Rate { Persons Married . . . 11.47
per 1000 living { Births . . . 80.65

245.—CALNE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	17.55	—	—	—	—	—	31.64	3.65	3.43	4.28	5.76	9.11	9.77	11.01	24.05	55.60	104
Mean Pop. 1871-80	—	8771	248	200	223	232	210	1122	1122	1050	747	642	960	921	890	657	433	2
ALL CAUSES	17.55	1540	227	72	20	16	11	355	41	36	32	37	88	90	93	158	241	3
Small-pox	0.02	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Measles	0.06	5	—	3	1	1	—	5	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.08	7	1	—	—	1	2	4	3	—	—	—	—	—	—	—	—	—
Diphtheria	0.07	6	—	—	—	—	1	1	3	1	—	1	—	—	—	—	—	—
Whooping-cough	0.35	31	13	13	1	—	2	31	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	0.20	23	—	1	1	—	—	2	—	4	4	3	3	4	1	1	2	—
Simple Cont. Fev.	0.02	2	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—
Puerp. Fever	0.10	9	—	—	—	—	—	—	—	—	1	2	2	4	—	—	—	—
Diarr. and Dys.	0.46	40	8	4	1	—	—	13	—	—	—	—	1	—	—	7	3	—
Cholera	0.03	3	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
Cancer	0.28	51	—	—	—	—	—	—	—	—	1	—	1	5	9	12	15	—
Serofula	0.08	7	1	1	—	—	1	3	—	—	—	2	1	—	—	—	—	—
Tuberc. Mesent.	0.22	19	6	6	—	—	—	12	1	3	1	—	—	—	1	—	—	—
Phthisis	1.43	125	—	1	—	—	—	1	3	12	12	18	44	24	7	2	2	—
Hydrocephalus	0.21	18	8	7	—	—	—	15	1	1	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.31	210	22	—	5	4	1	32	6	5	1	2	7	13	16	21	61	—
Cerebrum	2.10	184	1	—	—	—	—	1	—	—	—	1	5	14	17	45	31	—
Respiratory	3.21	292	39	13	11	3	2	70	8	1	4	2	8	4	13	29	96	—
Digestive	0.73	66	7	—	1	—	—	8	1	—	1	2	1	4	13	9	17	—
Urinary	0.70	61	—	—	—	—	—	—	—	3	2	—	4	5	9	14	9	—
Generative	0.07	6	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—
Childbirth	0.13	11	—	—	—	—	—	—	—	—	—	1	4	5	1	—	—	—
Suicide	0.05	4	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
Other Violence	0.43	42	6	1	3	2	—	12	6	3	—	1	2	1	6	5	1	—
OTHER CAUSES	3.63	324	115	20	5	4	2	144	8	3	2	1	2	4	6	10	20	13

Deaths of Infants (under one) to 1000 Births } 88

Marriages - 542
Births - 2,582Annual Rate { Persons Married - 12.56
per 1000 living { Births - 29.44

246.—MARLBOROUGH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	16.84	—	—	—	—	—	39.93	4.66	2.98	4.65	7.74	8.11	8.73	13.39	25.65	62.37	165
Mean Pop. 1871-80	—	9800	240	209	258	227	253	1187	1179	1369	1311	736	1085	983	896	620	380	17
ALL CAUSES	16.84	1650	305	85	38	30	16	474	55	39	61	57	88	86	120	159	237	25
Small-pox	0.05	5	—	—	1	—	—	1	—	1	—	1	2	—	1	—	—	—
Measles	0.12	12	1	4	3	—	1	9	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.18	18	—	2	4	1	2	9	5	—	1	—	—	—	—	—	—	—
Diphtheria	0.12	12	1	—	—	2	2	5	3	2	—	—	—	—	—	—	—	—
Whooping-cough	0.22	22	11	7	2	1	—	21	1	—	—	—	—	—	—	—	—	—
Typhus	0.11	11	—	—	—	—	—	—	1	—	2	5	2	1	—	—	—	—
Erysipelas	0.24	18	1	—	—	2	—	3	2	7	3	5	1	3	2	1	1	—
Simple Cont. Fev.	0.05	6	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
Puerp. Fever	0.04	4	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—
Diarr. and Dys.	0.50	49	21	7	4	2	2	36	—	1	—	1	—	—	—	2	5	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.55	54	—	—	—	—	—	—	—	—	1	—	1	4	9	15	22	—
Serofula	0.08	8	1	2	—	—	—	3	—	1	2	—	2	—	—	—	—	—
Tuberc. Mesent.	0.26	26	14	3	2	2	—	21	2	—	1	1	—	—	—	1	—	—
Phthisis	1.70	163	8	3	1	—	—	7	—	6	18	19	45	30	14	4	—	—
Hydrocephalus	0.35	35	8	6	2	2	5	23	4	2	5	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.06	203	49	5	5	2	—	61	9	4	8	1	5	8	19	25	53	—
Cerebrum	1.78	178	—	1	—	—	—	1	—	2	1	3	5	5	20	33	50	—
Respiratory	3.26	225	46	21	8	3	2	80	4	2	7	3	6	7	11	24	50	—
Digestive	0.91	90	14	—	—	1	—	15	2	3	—	1	4	5	22	13	17	—
Urinary	0.43	42	1	—	—	1	—	2	1	1	1	3	3	4	5	5	6	—
Generative	0.06	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.10	10	—	—	—	—	—	—	—	—	3	4	2	1	—	—	—	—
Suicide	0.02	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Other Violence	0.49	48	6	2	1	4	—	13	5	2	3	2	1	2	6	4	6	—
OTHER CAUSES	4.16	437	125	22	5	7	2	164	6	4	7	5	5	5	8	19	59	17

Deaths of Infants (under one) to 1000 Births } 110

Marriages - 638
Births - 2,777Annual Rate { Persons Married - 12.94
per 1000 living { Births - 29.16

247.—DEVIZES.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	21.12	—	—	—	—	—	37.98	4.42	3.61	6.83	7.08	10.41	14.34	18.26	31.20	71.40	167
Mean Pop. 1871-80	—	20,800	510	525	538	510	505	2583	2580	2273	1033	1540	2505	2281	2032	1657	1028	47
ALL CAUSES	21.12	4411	612	180	92	52	47	983	114	82	132	109	261	327	371	518	734	78
Small-pox -	0.05	11	1	1	—	—	—	2	—	—	—	3	1	1	—	—	2	—
Measles -	0.20	42	7	14	9	5	1	36	5	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.22	108	6	15	18	13	12	62	25	10	5	—	—	—	—	—	—	—
Diphtheria -	0.08	10	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0.34	71	40	15	10	4	1	70	1	—	—	—	—	—	—	—	—	—
Typhus -	0.01	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Enteric Fever -	0.18	37	2	—	1	1	2	6	2	3	6	2	10	—	—	2	1	—
Simple Cont. Fev.	0.07	15	1	1	—	—	1	3	—	2	—	—	—	—	—	—	—	—
Puerp. Fever -	0.07	14	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Diarr. and Dys.	0.30	104	34	5	7	2	3	51	4	2	1	—	—	—	—	—	—	—
Cholera -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer -	0.07	141	—	—	—	—	—	—	1	—	—	1	4	13	26	38	55	20
Serofula -	0.13	27	3	1	—	—	—	4	4	1	6	2	2	—	—	3	4	—
Tuberc. Mesent.	0.14	80	10	4	1	—	2	17	7	7	13	6	—	—	1	—	—	—
Phthisis -	2.31	489	11	8	5	5	1	25	7	13	26	26	100	91	64	47	28	12
Hydrocephalus -	0.27	86	9	13	5	5	1	33	6	7	—	—	—	—	—	—	—	—
Diseases of { Nervous Syst. 3.34 698 62 18 6 8 5 90 14 10 18 8 43 66 77 101 137 137																		
{ Circulatory " 1.01 368 — — — — — — 2 5 4 8 8 17 27 42 80 125																		
{ Respiratory " 3.81 796 125 55 18 5 6 210 10 5 4 5 23 29 44 103 138 200																		
{ Digestive " 1.26 263 24 2 1 2 1 30 3 7 2 1 12 24 46 58 86 124																		
{ Urinary " 0.53 110 — — — — — — 2 — 5 1 1 10 5 19 17 20																		
{ Generative " 0.06 13 — — — — — — — — — 2 1 1 5 2 2 —																		
Childbirth -	0.11	23	—	—	—	—	—	—	—	—	—	3	9	10	1	—	—	—
Suicide -	0.06	12	—	—	—	—	—	—	—	—	1	—	—	2	2	2	3	1
Other Violence -	0.63	144	30	6	5	—	2	43	12	4	5	9	8	14	11	10	14	14
OTHER CAUSES -	3.77	789	247	23	6	9	7	285	7	6	7	2	7	24	21	46	81	207

Deaths of Infants (under
one) to 1000 Births } 98Marriages - 1,386
Births - 6,218Annual Rate { Persons Married - 13.37
per 1000 living { Births - 29.77

248.—MELKSHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	20.33	—	—	—	—	—	50.80	5.34	3.53	3.90	6.97	7.52	10.34	15.10	32.03	60.20	107
Mean Pop. 1871-80	—	18,247	503	470	463	483	456	2380	2190	1982	1821	1464	2394	1915	1662	1235	818	36
ALL CAUSES	20.33	3709	787	204	94	74	50	1200	117	70	71	103	180	198	251	396	404	61
Small-pox -	0.16	11	—	—	—	—	1	1	1	2	1	1	1	5	1	—	—	—
Measles -	0.45	82	19	25	16	10	8	75	4	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.60	169	8	11	20	17	19	75	24	5	1	—	1	1	—	—	—	—
Diphtheria -	0.05	10	1	1	—	3	—	5	—	—	1	—	1	1	—	2	—	—
Whooping-cough	0.32	58	36	9	7	5	1	58	—	—	—	—	—	—	—	—	—	—
Typhus -	0.01	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Enteric Fever -	0.27	49	—	—	2	3	2	7	12	9	7	3	5	2	—	—	—	—
Simple Cont. Fev.	0.01	11	—	—	1	1	—	2	—	—	1	1	—	—	—	—	—	—
Puerp. Fever -	0.04	8	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Diarr. and Dys.	0.83	151	90	17	5	—	—	121	—	—	—	1	1	—	—	3	9	15
Cholera -	0.01	2	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Cancer -	0.47	96	—	—	1	—	—	1	—	—	—	—	5	10	15	27	30	19
Serofula -	0.10	19	2	1	—	—	—	5	1	3	2	6	1	1	2	3	—	—
Tuberc. Mesent.	0.53	90	62	15	3	2	—	82	5	9	2	—	—	—	—	—	—	—
Phthisis -	1.67	345	2	3	2	1	—	8	6	14	23	51	68	48	45	22	9	1
Hydrocephalus -	0.22	40	14	6	3	2	4	29	7	1	1	—	—	—	—	—	—	—
Diseases of { Nervous Syst. 2.54 470 72 20 5 5 2 104 17 4 4 4 9 15 41 57 80 86																		
{ Circulatory " 1.69 369 3 — — — — — 4 4 7 8 7 13 24 38 81 75 43																		
{ Respiratory " 3.41 629 137 65 15 9 4 250 6 4 2 5 15 27 31 69 112 111 111																		
{ Digestive " 1.47 260 42 5 1 2 1 51 5 5 3 8 19 24 31 48 52 34 33																		
{ Urinary " 0.45 13 — — — — — — 1 — 3 — — 1 3 5 12 11 1																		
{ Generative " 0.07 12 1 — — — — — — — — — — — 1 3 5 1 1																		
Childbirth -	0.07	13	—	—	—	—	—	—	—	—	—	—	7	4	2	—	—	—
Suicide -	0.05	10	—	—	—	—	—	—	—	—	—	—	2	2	1	2	—	—
Other Violence -	0.19	107	29	5	4	5	2	45	9	5	4	2	2	2	11	6	5	1
OTHER CAUSES -	4.29	773	230	10	9	6	6	251	7	6	8	5	13	16	20	19	65	205

Deaths of Infants (under
one) to 1000 Births } 132Marriages - 1,402
Births - 5,950Annual Rate { Persons Married - 13.37
per 1000 living { Births - 33.66

249.—BRADFORD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATHS (ATE FEB. 1880.)	—	18'94	—	—	—	—	—	39'02	4'00	3'14	4'40	6'10	6'92	10'03	13'48	26'09	60'71	182'99
can Pop. (871-80 —)	—	10,753	230	247	289	271	270	1364	1324	1200	7024	820	1286	1107	1016	828	332	241
ILL CAUSES	18'94	2037	346	95	53	22	17	533	53	38	46	50	89	111	137	216	323	441
all-pox —	0'02	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
scarla —	0'13	14	3	6	4	—	—	12	1	—	—	—	—	1	—	—	—	—
dif. Fever —	0'41	44	2	4	11	6	5	28	13	2	—	1	—	—	—	—	—	—
typhoid —	0'05	6	1	1	—	—	—	2	2	—	—	—	—	—	—	1	1	—
croup-cough —	0'30	39	14	15	9	—	—	89	1	—	—	—	—	—	—	—	—	—
whooping-cough —	0'03	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
measles —	0'23	35	—	—	—	—	—	—	1	11	2	7	6	3	1	—	—	—
dif. Cont. Fev. —	0'11	12	—	—	—	1	—	1	2	2	—	1	1	1	—	—	—	—
typh. Fever —	0'04	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
err. and Dys. —	0'48	52	18	6	1	3	—	28	—	—	—	—	—	—	1	2	7	14
diarrhea —	0'09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cholera —	0'28	41	—	—	—	—	—	—	—	—	—	—	1	6	8	10	8	8
typh. —	0'15	16	2	—	—	—	—	2	—	1	6	1	2	2	—	1	1	—
typh. Miasm. —	0'13	14	7	2	—	—	—	9	2	—	—	—	—	—	—	—	—	—
typh. —	1'17	124	1	—	—	—	—	2	2	2	18	16	29	28	7	12	—	—
typh. —	0'06	6	—	1	—	—	—	2	3	1	—	—	—	—	—	—	—	—
Nervous Syst. —	2'23	278	35	8	8	2	5	39	5	5	4	2	9	13	29	31	67	57
Cerebr. —	2'25	242	—	—	—	—	—	—	1	1	2	3	6	9	21	31	75	62
Respiratory —	3'24	359	81	26	11	5	3	126	5	5	1	4	6	10	27	39	24	62
Digestive —	1'43	156	11	—	—	1	1	15	5	1	2	4	6	14	16	26	35	24
Urinary —	0'37	40	—	—	1	—	—	1	—	—	1	1	2	1	7	6	10	11
Generative —	0'11	12	—	—	—	—	—	—	—	—	—	—	1	3	4	4	—	—
Birth —	0'05	5	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—
Inf. —	0'03	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
Violence —	0'78	84	11	5	5	3	—	21	9	4	3	3	9	5	6	2	8	12
ALL CAUSES —	4'17	450	160	30	3	2	2	187	1	2	3	1	5	1	9	19	51	171

Deaths of Infants (under
one to 1000 Births) — 105Marriages — 730
Births — 3,290Annual Rate of Persons Married — 13'58
per 1000 living (Births) — 30'60

250.—WESTBURY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATHS (ATE FEB. 1880.)	—	19'50	—	—	—	—	—	14'72	3'77	2'37	4'48	7'95	7'50	8'93	13'56	22'05	59'16	173'93
can Pop. (871-80 —)	—	11,088	231	268	293	200	208	1440	1434	1264	950	755	1280	1176	1002	880	508	261
ILL CAUSES	19'50	2162	433	118	47	30	16	644	54	30	43	60	96	165	144	196	336	454
all-pox —	0'01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
scarla —	0'23	29	4	21	5	3	2	25	2	—	—	—	—	1	—	—	—	—
dif. Fever —	0'26	62	5	13	11	6	5	42	15	2	5	—	—	—	—	—	—	—
typhoid —	0'12	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
croup-cough —	0'18	20	10	5	2	2	1	29	—	—	—	—	—	—	—	—	—	—
whooping-cough —	0'01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
measles —	0'07	8	—	—	—	—	—	1	1	—	3	1	1	—	1	—	—	—
dif. Cont. Fev. —	0'02	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
typh. Fever —	0'05	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—
err. and Dys. —	0'47	52	28	6	3	—	—	47	1	—	—	—	—	—	—	—	1	3
diarrhea —	0'02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cholera —	0'20	67	—	—	—	—	—	—	—	—	—	—	1	6	12	15	19	14
typh. —	0'14	15	3	1	—	—	1	5	—	—	2	2	1	—	2	2	—	1
typh. Miasm. —	0'43	48	23	12	2	3	2	42	1	1	1	3	—	—	—	—	—	—
typh. —	1'24	149	1	1	1	—	—	3	—	—	14	30	41	21	20	15	8	1
typh. —	0'19	21	7	2	2	1	—	12	7	—	1	—	1	—	—	—	—	—
Nervous Syst. —	2'45	272	22	4	6	3	1	48	6	6	3	7	13	15	15	28	56	79
Cerebr. —	2'45	272	—	—	—	—	—	—	1	2	6	3	8	14	20	25	34	55
Respiratory —	3'66	295	80	31	8	2	2	123	3	3	1	2	13	9	19	23	61	43
Digestive —	1'23	147	31	1	3	—	—	25	2	3	2	2	6	15	18	22	42	29
Urinary —	0'30	53	—	—	2	1	—	3	—	—	—	—	3	4	8	6	12	11
Generative —	0'07	8	—	—	—	—	—	—	—	—	—	1	1	1	2	—	1	2
Birth —	0'13	14	—	—	—	—	—	—	—	—	—	4	3	6	1	—	—	—
Inf. —	0'03	9	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Violence —	0'45	50	12	8	—	2	—	22	3	1	2	2	2	2	8	5	3	2
ALL CAUSES —	4'30	543	193	8	8	7	1	215	7	2	3	3	8	9	8	14	25	228

Deaths of Infants (under
one) to 1000 Births — 121Marriages — 663
Births — 3,578Annual Rate of Persons Married — 11'96
per 1000 living (Births) — 32'27

251.—WARMINSTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000 }	—	18'85	—	—	—	—	—	36'73	3'07	3'15	4'50	8'25	7'28	11'05	12'89	23'41	64'57	106
Mean Pop. } 1871-80 }	—	14,550	365	324	352	356	348	1745	1765	1712	1443	1090	1063	1484	1443	1161	782	34
ALL CAUSES	18'85	2742	388	105	66	44	38	641	70	54	65	85	121	164	186	295	492	58
Small-pox -	0'01	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Measles -	0'05	7	3	2	-	-	-	5	1	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0'47	68	5	6	10	7	11	39	19	7	1	1	1	-	-	-	-	-
Diphtheria -	0'23	33	1	5	1	5	1	13	14	4	-	-	-	-	-	-	2	-
Whooping-cough -	0'13	19	11	4	1	1	-	17	2	-	-	-	-	-	-	-	-	-
Typhus -	0'01	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Enteric Fever -	0'12	18	-	-	1	-	1	2	1	2	5	-	3	1	-	3	1	-
Simple Cont. Fev. -	0'05	7	-	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-
Puerp. Fever -	0'07	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarr. and Dys. -	0'31	45	17	4	-	-	-	21	-	1	-	-	-	-	-	-	8	11
Cholera -	0'02	4	-	1	-	-	1	2	-	-	-	-	1	-	1	-	-	-
Cancer -	0'58	84	-	-	-	-	-	-	-	-	-	-	3	6	17	25	24	4
Scrofula -	0'09	13	1	2	1	1	-	5	-	1	-	1	2	1	1	-	-	-
Tubes Mesent. -	0'18	26	9	2	4	2	-	14	-	-	-	-	-	-	-	-	-	-
Phthisis -	1'97	286	5	4	2	3	1	15	6	11	30	57	68	49	33	19	8	-
Hydrocephalus -	0'26	38	8	4	4	3	4	23	10	4	1	-	-	-	-	-	-	-
Diseases of } Nervous Syst. 2'45	326	47	10	2	4	3	65	5	8	6	4	10	19	26	57	61	67	67
} Circulatory " 2'01	292	-	-	-	-	-	-	-	3	4	4	4	15	23	65	119	137	137
} Respiratory " 3'24	472	67	20	13	5	7	112	1	3	3	4	10	22	30	65	128	157	157
Diseases of } Digestive " 0'98	143	15	3	1	2	2	23	2	3	3	5	6	13	19	25	31	31	31
} Urinary " 0'51	74	-	-	-	-	-	3	-	-	-	2	1	7	12	13	13	13	13
} Generative " 0'06	9	-	-	-	-	-	-	-	-	-	1	-	-	3	-	4	4	4
Childbirth -	0'10	14	-	-	-	-	-	-	-	-	-	3	3	7	1	-	-	-
Suicide -	0'02	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violence -	0'54	79	14	3	5	-	2	24	3	2	2	-	3	9	8	7	14	4
OTHER CAUSES -	4'58	639	185	27	19	10	4	245	6	8	6	1	5	9	7	15	59	29

Deaths of Infants (under
one) to 1000 Births - } 98Marriages - 946
Births - 4,037Annual Rate { Persons Married - 13'00
per 1000 living { Births - 57'75

252.—PEWSEY.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000 }	—	19'07	—	—	—	—	—	38'60	4'94	3'48	4'78	6'82	7'89	10'13	12'04	24'75	60'36	157
Mean Pop. } 1871-80 }	—	11,596	324	298	307	301	308	1538	1519	1351	1025	886	1280	1135	1105	913	608	256
ALL CAUSES	19'07	2211	379	112	50	35	19	595	75	47	49	57	101	115	133	226	367	446
Small-pox -	0'01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles -	0'13	15	2	7	1	1	1	12	1	1	-	1	-	-	-	-	-	-
Scarlet Fever -	0'54	63	3	9	12	8	4	36	20	5	2	-	-	-	-	-	-	-
Diphtheria -	0'15	17	3	2	-	2	2	9	7	-	-	-	-	1	-	-	-	-
Whooping-cough -	0'51	86	21	9	2	2	1	33	-	-	-	-	-	-	-	-	-	1
Typhus -	0'01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever -	0'23	27	-	1	1	-	1	3	3	3	5	4	3	-	4	1	-	-
Simple Cont. Fev. -	0'03	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Puerp. Fever -	0'03	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Diarr. and Dys. -	0'37	43	8	11	1	-	-	20	-	-	-	-	-	1	2	1	7	11
Cholera -	0'01	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer -	0'50	69	-	-	-	-	-	-	-	-	-	1	3	6	8	18	24	4
Scrofula -	0'09	11	2	2	1	-	-	5	1	1	-	-	2	-	-	1	-	-
Tubes Mesent. -	0'13	15	5	3	3	-	-	11	-	4	-	-	-	-	-	-	-	-
Phthisis -	2'04	237	1	4	3	-	1	9	4	5	21	33	53	24	34	23	13	4
Hydrocephalus -	0'15	21	4	4	4	2	1	15	2	2	1	1	-	-	-	-	-	-
Diseases of } Nervous Syst. 2'42	394	35	6	4	3	1	50	9	4	6	7	6	6	27	56	78	13	13
} Circulatory " 2'10	243	-	-	-	-	-	-	-	1	4	2	1	10	17	13	43	64	64
} Respiratory " 3'34	390	97	25	5	9	4	142	4	1	2	2	3	10	13	23	70	90	90
Diseases of } Digestive " 1'03	119	8	-	-	-	-	1	15	4	4	3	-	6	15	12	15	24	24
} Urinary " 0'38	44	-	-	-	-	-	-	-	-	1	-	-	-	7	2	13	14	7
} Generative " 0'09	10	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	1
Childbirth -	0'12	14	-	-	-	-	-	-	-	-	1	1	5	7	-	-	-	-
Suicide -	0'01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violence -	0'63	73	16	3	5	2	-	21	8	7	3	1	3	2	5	7	5	4
OTHER CAUSES -	3'87	448	171	21	7	6	1	206	10	6	2	2	4	6	9	13	43	19

Deaths of Infants (under
one) to 1000 Births - } 107Marriages - 711
Births - 3,533Annual Rate { Persons Married - 12'83
per 1000 living { Births - 30'47

* Changes were made in the boundary of this District during the Decade; see pp. 371-72.

253.—AMESBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	16.77	—	—	—	—	—	35.47	3.83	2.20	4.53	5.34	6.81	8.46	11.00	26.46	62.36	152
Mean Pop. 1871-80	—	7788	196	108	211	203	176	984	1005	908	706	543	806	851	791	601	343	1
ALL CAUSES	16.77	1306	220	69	28	18	14	349	39	20	32	29	61	72	87	189	217	2
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.12	9	3	2	1	2	—	8	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.43	35	2	2	7	4	4	19	13	1	1	—	1	—	—	—	—	—
Diphtheria	0.19	7	—	1	1	1	2	5	2	—	—	—	—	—	—	—	—	—
Whooping-cough	0.36	23	11	8	7	—	—	26	1	1	—	—	—	—	—	—	—	—
Typhus	0.06	5	—	—	—	—	—	—	—	—	1	—	—	—	1	3	—	—
Etiotic Fever	0.17	9	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—
Simple Cont. Fev.	0.17	13	—	—	—	—	1	1	—	1	—	—	—	—	1	1	3	—
Paup. Fever	0.09	7	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Diarr. and Dys.	0.28	22	7	5	1	1	—	14	—	—	—	—	—	—	—	2	4	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.40	31	—	—	—	—	—	—	—	—	—	—	2	4	6	10	5	—
Scrophula	0.06	5	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Tuberc. Mesent.	0.04	4	—	1	—	2	—	3	1	—	—	—	—	—	—	—	—	—
Phthisis	1.64	129	1	—	1	—	—	2	—	7	15	16	23	24	20	14	7	—
Hydrocephalus	0.13	10	3	4	2	—	—	9	1	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.25	175	32	3	1	—	—	36	4	2	2	—	6	7	8	24	21	—
Circulatory	1.05	105	1	—	—	—	1	2	—	4	1	2	3	9	14	24	22	—
Respiratory	3.16	285	52	29	2	4	2	89	4	2	2	2	8	7	10	37	38	—
Digestive	0.83	65	8	—	1	—	—	9	1	1	3	—	4	4	7	14	11	—
Urinary	0.37	29	1	—	—	—	1	2	—	—	—	—	1	1	5	8	5	—
Generative	0.09	7	—	—	—	—	—	—	—	—	1	—	1	1	1	1	2	—
Childbirth	0.04	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Suicide	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Other Violence	0.56	28	—	3	—	—	1	4	3	—	—	2	4	2	1	1	5	—
OTHER CAUSES	3.74	292	99	11	4	4	2	120	7	—	2	1	2	4	4	19	20	10

Deaths of Infants (under one) to 1000 Births } 97

Marriages - 454
Births - 2,274Annual Rate of Persons Married per 1000 living { Births - 11.66
Births - 29.29

254.—ALDERBURY (exclusive of Salisbury sub-district).

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000	—	19.94	—	—	—	—	—	35.02	4.84	3.58	6.00	7.63	11.18	18.19	19.56	35.35	60.24	174
Mean Pop. 1871-80	—	17,532	452	456	456	442	421	2227	2087	1929	1668	1467	2263	1890	1575	1205	747	2
ALL CAUSES	19.94	3456	501	140	69	55	35	800	101	69	100	112	253	342	308	426	450	4
Small-pox	0.03	6	—	—	—	—	—	—	—	1	—	2	2	—	1	—	—	—
Measles	0.18	31	6	16	4	5	—	25	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.31	88	5	10	11	16	8	50	24	9	3	1	—	1	—	—	—	—
Diphtheria	0.06	11	—	1	1	—	3	5	3	2	—	—	—	—	—	1	—	—
Whooping-cough	0.29	51	28	13	2	3	2	51	—	—	—	—	—	—	—	—	—	—
Typhus	0.02	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—
Etiotic Fever	0.17	29	—	—	—	—	1	1	4	5	1	2	7	3	—	3	2	—
Simple Cont. Fev.	0.06	10	—	—	—	1	—	1	1	2	—	—	3	2	—	—	—	—
Paup. Fever	0.16	11	—	—	—	—	—	—	—	—	—	—	2	5	3	1	—	—
Diarr. and Dys.	0.45	78	39	13	1	—	—	53	—	2	—	—	2	1	3	3	3	—
Cholera	0.02	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—
Cancer	0.55	96	—	—	—	1	—	1	1	—	1	1	4	10	21	29	21	—
Scrophula	0.12	33	3	—	1	—	—	3	—	3	1	—	—	1	—	1	—	—
Tuberc. Mesent.	0.13	22	10	4	2	—	—	16	4	—	2	—	—	—	—	—	—	—
Phthisis	1.91	332	3	—	2	1	1	7	5	8	31	20	83	64	42	29	13	—
Hydrocephalus	0.28	48	15	9	4	1	2	31	9	4	1	—	2	1	—	—	—	—
Diseases of Nervous Syst.	2.80	658	29	14	7	5	4	90	5	6	7	13	71	100	102	81	165	—
Circulatory	1.79	310	1	—	—	—	—	1	5	2	5	7	10	31	29	85	17	—
Respiratory	3.27	544	122	48	16	12	6	204	6	2	9	5	14	34	27	70	23	10
Digestive	0.83	143	11	1	2	—	—	14	2	5	7	3	5	22	20	29	21	2
Urinary	0.73	172	—	—	—	—	—	—	2	3	5	5	12	11	15	28	27	1
Generative	0.02	15	—	—	—	—	—	—	—	—	—	1	1	5	3	3	2	—
Childbirth	0.10	18	—	—	—	—	—	—	—	3	9	6	6	1	—	—	—	—
Suicide	0.10	17	—	—	—	—	—	—	—	1	1	3	—	7	13	13	9	—
Other Violence	0.51	106	6	1	6	6	1	20	8	8	8	2	7	13	13	12	9	—
OTHER CAUSES	3.78	650	192	13	10	4	6	225	13	8	14	5	17	19	16	59	71	23

Deaths of Infants (under one) to 1000 Births } 101

Marriages* - 1,843
Births - 4,932Annual Rate of Persons Married* per 1000 living { Births - 21.27
Births - 28.57

* The figures relating to marriages are for the entire District of Alderbury.

SALISBURY (sub-district).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	20.77	—	—	—	—	—	53.64	4.71	3.11	4.07	4.77	8.11	11.90	19.76	11.32	71.46	207.8
Mean Pop. } 1871-80 }	—	9048	233	212	204	196	212	1057	997	1044	1007	818	1172	958	850	597	396	137
ALL CAUSES	20.77	1879	335	101	55	38	18	567	47	23	41	39	95	114	168	187	233	315
Small-pox - -	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles - -	0.45	42	13	9	10	6	—	38	—	—	1	—	—	—	—	—	—	—
Scarlet Fever -	0.62	26	3	—	13	10	87	15	1	3	—	—	—	—	—	—	—	—
Diphtheria - -	0.07	6	—	1	1	1	4	—	1	—	—	—	—	—	—	1	—	—
Whooping-cough	0.42	58	24	7	5	2	—	38	—	—	—	—	—	—	—	—	—	—
Typhus - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever -	0.10	9	—	3	1	—	1	5	1	—	—	—	—	—	1	1	1	—
Simple Cont. Fev.	0.04	4	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—
Puerp. Fever -	0.04	7	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	—
Diarr. and Dys. -	0.78	71	50	5	8	1	1	60	—	—	—	—	—	—	—	9	9	5
Cholera - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.61	55	—	—	—	—	—	—	—	—	—	—	2	8	15	12	11	7
Scrofula - -	0.08	7	2	1	—	—	—	3	1	—	—	2	—	—	1	—	—	—
Tuberc. Mesent.	0.07	6	4	1	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Phthisis - -	0.75	210	1	1	2	1	—	5	1	6	18	21	45	45	34	21	13	1
Hydrocephalus -	0.23	25	7	10	1	1	1	20	2	2	—	—	1	—	—	—	—	—
Diseases of	2.06	241	36	6	4	2	—	46	5	3	5	2	8	13	29	34	37	47
(Nervous Syst.	1.84	170	—	—	—	—	—	—	2	2	4	2	9	12	23	28	43	39
Circulatory "	3.67	32	83	34	17	8	3	141	3	1	3	1	8	14	28	34	47	32
Respiratory "	1.04	94	5	2	—	—	—	9	—	2	1	4	5	8	10	19	16	15
Digestive "	0.75	68	—	—	—	—	—	—	4	—	1	—	9	7	11	19	12	5
Urinary "	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Generative "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0.03	3	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
Suicide - -	0.07	6	—	—	—	—	—	—	—	—	1	1	2	—	—	1	—	—
Other Violence -	0.32	29	7	—	1	—	—	8	3	—	1	—	—	1	2	5	5	8
OTHER CAUSES -	4.37	193	116	10	4	6	—	142	6	3	2	2	3	4	8	10	65	110

Deaths of Infants (under
one) to 1000 Births - } 137Marriages* - -
Births - 2,508Annual Rate { Persons Married* - -
per 1000 living { Births - - - 28.71

* For the births and deaths in the remainder of the ALDERBURY District, of which Salisbury forms a part, and for the marriages for the whole District, see page 177.

255.—WILTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	17.46	—	—	—	—	—	35.80	3.87	3.13	3.82	5.47	6.95	9.12	13.09	24.70	53.22	164.4
Mean Pop. } 1871-80 }	—	10,575	298	271	265	273	273	1380	1345	1246	968	750	1106	1130	1008	824	533	225
ALL CAUSES	17.46	1846	331	80	32	32	19	494	52	39	37	41	81	103	141	204	284	370
Small-pox - -	0.01	4	—	—	—	—	1	1	—	—	—	1	1	—	1	—	—	—
Measles - -	0.25	27	4	6	4	5	2	21	5	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0.29	31	3	4	3	4	5	19	10	3	—	—	—	—	—	—	—	—
Diphtheria - -	0.06	6	—	1	1	1	—	3	2	1	—	—	—	—	—	—	—	—
Whooping-cough	0.16	17	9	5	1	2	—	17	—	—	—	—	—	—	—	—	—	—
Typhus - -	0.09	10	—	—	—	—	—	—	2	4	—	—	2	1	—	1	—	—
Enteric Fever -	0.08	8	—	—	—	—	—	—	1	—	—	2	1	1	1	—	—	—
Simple Cont. Fev.	0.12	13	—	1	1	3	—	5	2	3	—	—	—	—	1	2	—	1
Puerp. Fever -	0.06	6	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—
Diarr. and Dys. -	0.26	27	11	2	—	1	1	15	1	—	—	—	—	—	—	4	1	6
Cholera - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.64	68	—	—	—	—	—	—	—	—	—	—	2	6	17	19	19	5
Scrofula - -	0.09	9	—	1	—	—	—	1	1	2	—	1	—	1	—	—	—	—
Tuberc. Mesent.	0.16	17	6	6	1	—	1	14	2	1	—	—	—	—	—	—	—	—
Phthisis - -	1.22	161	1	1	—	—	—	2	5	5	19	19	33	33	28	12	4	1
Hydrocephalus -	0.16	17	4	4	1	1	1	11	2	4	—	—	—	—	—	—	—	—
Diseases of	2.14	231	46	10	4	4	—	64	3	3	2	7	6	13	14	26	31	32
(Nervous Syst.	1.91	202	2	1	—	—	1	4	2	1	2	1	1	16	32	31	37	19
Circulatory "	2.52	264	65	19	8	6	5	101	3	4	—	—	1	8	12	26	30	42
Respiratory "	0.74	78	8	1	—	—	—	10	3	2	3	3	1	5	13	14	20	6
Digestive "	0.41	49	—	1	—	—	—	1	—	1	—	—	—	—	1	1	1	1
Urinary "	0.07	7	—	—	—	—	—	—	—	—	1	—	—	2	2	—	—	—
Generative "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0.09	9	—	—	—	—	—	—	—	—	1	—	3	5	—	—	—	—
Suicide - -	0.61	41	6	2	3	2	—	13	4	1	2	1	5	3	6	4	4	8
Other Violence -	0.43	54	166	15	4	3	4	192	4	4	3	4	7	8	8	8	68	235

Deaths of Infants (under
one) to 1000 Births - } 100Marriages - 601
Births - 3,114Annual Rate { Persons Married - 12.80
per 1000 living { Births - 29.45

256.—TISBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	16'94	—	—	—	—	—	32'31	3'99	1'90	4'88	6'10	6'62	8'88	11'20	20'38	44'38	171
Mean Pop. 1871-80	—	9002	266	251	259	254	245	1275	1252	1155	820	672	1118	1036	930	709	432	171
ALL CAUSES	16'94	1622	264	87	26	16	19	412	50	22	40	41	74	92	105	187	291	412
Small-pox	0'01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0'22	22	2	—	1	—	—	3	13	—	1	—	1	—	—	—	—	—
Scarlet Fever	0'57	56	1	—	2	—	—	3	13	—	—	—	—	—	—	—	—	—
Diphtheria	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0'10	10	4	3	2	1	—	10	—	—	—	—	—	—	—	—	—	—
Typhus	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'15	14	—	—	—	—	1	1	2	4	1	2	—	—	—	—	—	—
Simple Cont. Fev.	0'03	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Puemp. Fever	0'07	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'32	31	9	4	2	1	1	17	—	—	—	—	—	—	—	—	—	—
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'51	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	0'21	20	4	1	1	1	1	8	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0'26	23	15	5	1	1	—	22	—	—	—	—	—	—	—	—	—	—
Phthisis	1'51	146	8	3	—	—	—	9	6	2	13	27	23	19	19	13	3	—
Hydrocephalus	0'27	26	9	9	2	1	1	22	5	1	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2'09	201	35	9	3	1	1	48	1	1	3	—	—	—	—	—	—	—
Circulatory	2'03	193	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	3'17	304	45	21	4	3	1	74	10	2	3	1	5	10	18	46	77	—
Digestive	0'93	89	4	2	1	—	—	7	3	2	1	—	—	3	8	18	28	—
Urinary	0'34	33	—	—	—	—	—	—	—	—	—	—	—	4	3	4	5	—
Generative	0'02	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Childbirth	0'12	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'03	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'41	39	5	1	—	1	1	8	2	2	4	3	2	3	7	3	4	—
OTHER CAUSES	3'76	359	124	18	7	2	2	153	4	3	2	—	6	10	6	12	44	—

Deaths of Infants (under one) to 1000 Births } 93

Marriages - 530
Births - 2,828Annual Rate of Persons Married per 1000 living } 11'04
Births - 29'45

257.—MERE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	17'89	—	—	—	—	—	40'16	4'73	3'21	4'98	5'22	6'46	7'91	10'63	26'62	52'13	135
Mean Pop. 1871-80	—	7727	206	201	186	203	204	1000	993	903	703	436	883	796	730	601	399	135
ALL CAUSES	17'89	1382	266	69	17	21	28	401	47	29	35	28	57	63	78	160	208	401
Small-pox	0'03	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0'03	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'49	38	2	—	—	—	—	16	14	5	1	1	—	—	—	—	—	—
Diphtheria	0'16	11	—	1	—	—	—	4	5	2	—	—	—	—	—	—	—	—
Whooping-cough	0'35	37	15	4	2	—	—	23	2	—	—	—	—	—	—	—	—	—
Typhus	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'16	12	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0'06	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puemp. Fever	0'06	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'58	45	22	5	—	—	—	38	1	—	—	—	—	—	—	—	—	—
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'78	69	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scrofula	0'18	14	2	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0'21	13	4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Phthisis	1'16	90	—	—	—	—	—	1	2	—	14	15	20	16	13	5	—	—
Hydrocephalus	0'17	13	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2'17	168	32	6	2	—	—	41	4	3	2	1	3	4	11	13	24	—
Circulatory	1'37	106	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	2'42	264	51	22	4	2	3	82	4	2	2	2	6	5	11	42	49	—
Digestive	1'00	77	5	—	1	—	—	1	7	1	1	—	—	5	8	19	12	—
Urinary	0'42	35	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0'06	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'12	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'04	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'48	37	8	4	—	—	—	14	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	4'29	331	115	12	4	3	6	140	6	4	4	—	—	5	4	14	22	—

Deaths of Infants (under one) to 1000 Births } 114

Marriages - 459
Births - 2,332Annual Rate of Persons Married per 1000 living } 11'88
Births - 30'18

DORSETSHIRE.
258.—SHAFTESBURY.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000	—	16.97	—	—	—	—	—	32.43	4.14	3.08	4.30	7.73	6.57	8.25	14.11	24.45	55.93	147.24
Mean Pop. 1871-80	—	12,900	351	305	346	355	342	1699	1593	1459	1232	932	1538	1369	1212	916	647	363
ALL CAUSES	16.97	2189	351	104	51	29	10	551	66	45	53	72	101	113	171	224	362	431
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.11	17	3	3	2	—	—	15	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.39	50	1	5	12	6	2	26	15	7	1	—	1	—	—	—	—	—
Diphtheria	0.05	8	1	1	2	—	—	3	3	1	—	1	—	—	—	—	—	—
Whooping-cough	0.19	24	14	7	—	1	1	23	1	—	—	—	—	—	—	—	—	—
Typhus	0.04	5	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
Enteric Fever	0.08	8	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.16	21	1	—	2	—	—	3	—	—	2	—	2	1	2	1	6	4
Puerp. Fever	0.07	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Diarr. and Dys.	0.40	52	22	4	1	3	—	30	1	—	—	—	1	—	—	3	7	10
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0.31	66	—	—	—	—	—	—	—	—	—	—	8	2	17	15	17	8
Scrofula	0.14	18	1	3	1	1	—	6	—	2	2	2	2	3	—	—	—	—
Tuberc Mesent.	0.01	12	3	1	2	—	—	6	3	3	—	—	—	—	—	—	—	—
Phthisis	1.46	188	2	1	—	—	—	3	8	2	20	40	45	56	20	13	6	—
Hydrocephalus	0.26	33	16	13	—	1	1	25	1	6	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2.24	289	59	10	8	1	3	72	6	5	6	5	5	14	18	48	77	25
Circulatory	1.90	206	—	—	1	—	—	1	1	3	3	5	5	10	34	39	64	37
Respiratory	2.78	358	73	33	9	4	4	123	1	6	2	3	6	16	28	55	84	56
Digestive	0.93	127	16	3	1	—	—	20	5	3	1	1	7	4	17	18	31	15
Urinary	0.32	67	—	—	—	—	—	—	—	—	—	—	1	3	9	19	23	11
Generative	0.09	11	—	—	—	—	—	—	—	—	—	—	1	1	4	—	2	—
Childbirth	0.08	10	—	—	—	—	—	—	—	—	2	1	4	3	—	—	—	—
Suicide	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Other Violence	0.85	45	6	1	3	1	—	11	2	2	2	4	3	6	5	5	3	2
OTHER CAUSES	4.34	561	142	17	11	7	5	182	11	3	6	5	6	7	13	16	56	254

Deaths of Infants (under
one) to 1000 Births . . . 66Marriages . . . 821
Births . . . 3,764Annual Rate { Persons Married . . . 12.73
per 1000 living { Births . . . 23.13

259.—STURMINSTER.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18.14	—	—	—	—	—	34.88	4.42	3.29	5.54	7.31	7.88	10.57	13.84	25.67	60.04	151.6
Mean Pop. 1871-80	—	10,456	268	284	296	270	258	1376	1291	1186	975	807	1294	1050	900	748	498	241
ALL CAUSES	18.14	1897	316	88	38	17	21	480	57	39	54	59	102	111	137	192	302	364
Small-pox	0.01	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0.02	2	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.26	27	2	5	2	2	4	15	9	1	—	1	1	—	—	—	—	—
Diphtheria	0.15	16	—	1	2	—	2	5	7	2	1	—	1	—	—	—	—	—
Whooping-cough	0.22	23	13	6	4	—	—	23	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0.11	12	—	—	—	—	—	—	3	1	3	1	1	—	1	—	1	—
Simple Cont. Fev.	0.03	3	—	—	—	—	1	1	—	1	—	—	1	4	2	—	—	—
Puerp. Fever	0.07	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.32	33	18	8	—	—	2	28	—	—	1	—	1	—	—	—	1	2
Cholera	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.34	56	—	—	—	—	—	—	—	—	—	1	1	4	7	14	26	9
Scrofula	0.15	16	1	1	—	—	—	3	3	1	1	1	1	2	—	—	—	—
Tuberc Mesent.	0.19	20	3	2	2	—	—	14	1	3	1	1	—	—	—	—	—	—
Phthisis	1.97	203	3	1	1	—	1	6	2	3	23	34	46	40	32	23	7	—
Hydrocephalus	0.21	22	6	3	2	2	8	16	2	1	1	—	2	—	—	—	—	—
Diseases of Nervous Syst.	2.37	248	56	17	4	2	1	80	3	5	8	4	5	11	19	50	48	25
Circulatory	1.99	166	—	—	1	1	2	—	—	3	3	2	5	16	22	25	38	17
Respiratory	2.70	282	44	20	10	3	—	77	8	3	5	5	11	11	23	55	61	51
Digestive	1.08	113	16	4	2	—	1	23	4	4	2	2	7	9	13	9	15	15
Urinary	0.45	48	—	—	—	—	—	—	2	2	1	1	3	2	7	13	14	3
Generative	0.04	4	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—
Childbirth	0.08	8	—	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—
Suicide	0.11	12	—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—
Other Violence	0.33	34	2	1	1	—	1	5	4	5	1	1	3	3	4	3	1	4
OTHER CAUSES	5.11	586	145	19	6	4	4	173	14	3	1	2	7	8	12	23	66	279

Deaths of Infants (under
one) to 1000 Births . . . 102Marriages . . . 683
Births . . . 3,036Annual Rate { Persons Married . . . 12.78
per 1000 living { Births . . . 23.61

260.—BLANDFORD.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	15'80	—	—	—	—	—	54'33	4'61	2'53	4'24	5'71	5'96	8'88	12'03	18'48	56'60	147
Mean Pop. 1871-80	—	14,218	353	325	345	358	352	1733	1712	1022	1414	1132	1094	1457	1413	1006	638	25
ALL CAUSES	15'80	2246	342	129	51	42	31	595	79	41	60	76	101	132	170	197	373	45
Small-pox	0'04	3	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
Measles	0'20	28	0	8	5	3	1	24	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0'26	37	—	3	5	5	5	16	14	4	3	—	—	—	—	—	—	—
Diphtheria	0'11	13	1	1	1	2	4	9	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0'28	40	21	12	3	2	—	38	1	1	—	—	—	—	—	—	—	—
Typhus	0'06	8	—	—	—	—	—	—	1	1	2	—	1	1	3	—	—	—
Euteric Fever	0'18	26	1	—	1	1	—	3	5	2	4	3	3	—	2	4	2	—
Simple Cont. Fav.	0'03	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Furp. Fever	0'02	3	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
Diarr. and Dys.	0'24	34	12	2	2	2	3	20	—	—	—	—	—	—	1	2	4	—
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'48	68	—	—	—	—	1	1	1	—	1	2	4	5	13	14	21	—
Scrophula	0'10	14	2	1	1	—	1	5	—	1	2	1	—	—	1	—	—	—
Tuberc. Mesent.	0'15	21	8	3	—	2	1	14	4	1	—	—	1	—	—	—	—	—
Phthisis	1'54	232	1	5	—	—	1	7	5	5	24	41	45	44	25	17	9	—
Hydrocephalus	0'29	41	13	9	2	3	2	29	8	1	—	1	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	1'01	279	42	10	5	1	2	60	4	3	5	5	9	13	13	40	52	—
Circulatory	1'10	155	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	3'25	450	72	42	10	8	1	130	10	6	4	5	10	21	31	35	101	—
Digestive	0'81	118	13	3	—	—	1	17	3	4	2	3	2	7	20	20	23	—
Urinary	0'42	60	1	—	—	—	1	2	—	1	2	2	2	6	11	11	15	—
Generative	0'04	6	—	—	—	—	—	—	—	—	—	—	—	1	3	1	—	—
Childbirth	0'08	19	—	—	—	—	—	—	—	—	—	3	3	6	—	—	—	—
Suicide	0'06	9	—	—	—	—	—	—	—	—	—	—	—	2	1	3	2	—
Other Violence	0'43	61	5	4	6	4	—	17	5	2	2	2	5	4	7	9	6	—
OTHER CAUSES	5'70	536	143	27	11	10	8	199	9	6	5	4	8	11	16	17	60	11

Deaths of Infants (under one) to 1000 Births } 88

Marriages } 967
Births } 3,889Annual Rate } Persons Married } 13'60
per 1000 living } Births } 27'35

261.—WIMBORNE.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	15'80	—	—	—	—	—	33'06	3'28	2'54	5'01	6'37	6'06	8'98	10'87	18'40	53'21	125
Mean Pop. 1871-80	—	17,157	462	427	447	447	440	2223	2165	1967	1636	1308	2078	1714	1592	1289	819	25
ALL CAUSES	15'80	2710	463	195	80	94	23	735	71	50	82	86	126	154	173	258	436	51
Small-pox	0'02	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—
Measles	0'09	15	3	3	5	1	—	12	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'16	27	—	4	4	3	—	15	5	4	3	1	—	—	—	—	—	—
Diphtheria	0'07	19	—	—	1	1	2	5	1	1	—	—	1	—	1	—	—	—
Whooping-cough	0'27	64	35	18	7	3	1	62	1	—	1	—	—	—	—	—	—	—
Typhus	0'03	5	—	—	—	1	—	1	1	—	—	—	1	—	1	—	—	—
Euteric Fever	0'23	39	1	—	—	—	1	2	4	2	5	5	2	4	2	2	8	—
Simple Cont. Fav.	0'06	10	—	1	2	1	1	5	1	—	—	—	—	—	—	—	—	—
Furp. Fever	0'05	11	—	—	—	—	—	—	—	—	—	1	5	4	1	—	—	—
Diarr. and Dys.	0'20	32	14	3	5	2	2	36	2	—	—	—	—	2	—	1	7	—
Cholera	0'01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0'69	117	—	—	—	—	—	—	—	—	—	—	3	11	21	23	31	—
Scrophula	0'09	16	—	5	1	1	—	7	—	—	4	1	2	2	—	—	—	—
Tuberc. Mesent.	0'12	20	2	8	2	—	—	12	3	—	—	—	2	1	—	—	—	—
Phthisis	1'39	230	2	3	3	—	—	7	4	11	29	42	44	23	9	6	—	—
Hydrocephalus	0'22	38	10	7	9	—	1	27	7	4	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'25	384	72	17	6	7	1	165	6	8	12	4	5	17	23	27	79	—
Circulatory	1'45	254	2	—	—	—	—	2	4	7	4	1	5	16	21	49	93	—
Respiratory	2'95	505	120	43	21	5	4	198	5	2	5	3	4	9	39	46	79	—
Digestive	0'50	147	5	2	1	1	—	9	1	4	5	4	6	12	13	27	28	—
Urinary	0'45	73	—	1	1	—	—	2	3	—	3	4	5	4	9	9	17	—
Generative	0'05	8	—	—	—	—	—	—	—	—	—	—	1	2	—	5	2	—
Childbirth	0'08	13	—	—	—	—	—	—	—	—	—	1	3	4	5	—	—	—
Suicide	0'04	7	—	—	—	—	—	—	—	—	—	—	—	2	1	2	3	—
Other Violence	0'30	56	5	4	5	3	4	31	6	5	4	7	8	8	11	2	8	—
OTHER CAUSES	5'25	519	154	14	9	4	4	215	6	2	6	6	10	9	16	17	69	11

Deaths of Infants (under one) to 1000 Births } 91

Marriages } 1,203
Births } 5,988Annual Rate } Persons Married } 14'02
per 1000 living } Births } 27'54

262.—POOLE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and above.
ANNUAL DEATH RATE PER 1000	—	17.93	—	—	—	—	—	45.68	4.94	2.62	5.52	5.29	7.07	10.69	12.86	23.07	54.84	145.38
Mean Pop. 1871-80	—	16,718	491	450	498	460	463	2362	2087	1871	1637	1342	2206	1853	1478	1039	640	283
ALL CAUSES	17.93	2997	625	224	102	66	62	1070	103	49	86	71	136	198	190	302	351	412
Small-pox	0.04	6	—	—	—	—	—	—	—	—	—	1	1	—	—	2	—	—
Measles	0.36	60	15	16	8	12	3	54	5	—	—	—	—	1	—	—	—	—
Scarlet Fever	0.43	72	5	6	13	6	14	44	20	5	2	1	—	—	—	—	—	—
Diphtheria	0.14	23	1	—	—	3	2	6	12	3	1	1	—	—	—	—	—	—
Whooping-cough	0.31	51	23	16	5	4	3	51	—	—	—	—	—	—	—	—	—	—
Typhus	0.07	11	1	—	—	—	1	2	1	1	3	—	2	—	—	1	1	—
Enteric Fever	0.23	41	1	—	—	—	2	7	5	—	5	5	10	4	1	—	—	3
Simple Cont. Fev.	0.08	13	1	—	1	—	1	3	1	1	2	1	3	—	—	—	2	—
Puerp. Fever	0.04	7	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—
Diarr. and Dys.	0.50	83	40	12	3	2	2	59	1	—	—	—	—	1	1	2	3	13
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.40	67	—	—	—	—	—	—	—	—	—	—	—	10	13	20	13	3
Scrofula	0.20	33	9	9	3	1	1	23	2	1	2	—	2	1	1	1	—	—
Tuberc Mesent.	0.22	37	10	11	7	2	—	39	4	—	3	—	—	—	—	—	—	—
Phthisis	1.08	331	12	12	1	2	—	27	6	9	36	36	72	67	49	27	6	1
Hydrocephalus	0.43	72	26	17	8	1	3	55	8	4	2	1	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.36	394	107	21	12	3	8	151	5	7	6	3	5	22	26	57	65	47
Circulatory	1.11	193	2	1	—	—	—	5	3	1	5	1	5	21	22	48	40	26
Respiratory	3.31	553	152	60	25	14	10	261	10	2	5	5	9	16	30	64	85	61
Digestive	0.87	145	12	2	1	1	1	17	5	5	7	1	6	14	22	25	23	13
Urinary	0.39	66	1	—	—	—	—	3	1	1	1	—	3	7	7	19	17	7
Generative	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Childbirth	0.10	16	—	—	—	—	—	—	—	—	—	2	7	7	—	—	—	—
Suicide	0.03	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.14	59	9	7	2	1	3	22	8	6	6	6	6	8	10	6	3	5
OTHER CAUSES	3.73	623	196	33	13	10	7	261	4	3	1	7	10	15	13	22	20	23

Deaths of Infants (under
one) to 1000 Births } 100

Marrriages - 1,321
Births - 5,753

Annual Rate { Persons Married - 15.80
per 1000 living { Births - 31.41

263.—WAREHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and above.
ANNUAL DEATH RATE PER 1000	—	16.41	—	—	—	—	—	35.02	3.50	2.05	4.20	8.15	8.04	9.08	11.00	11.35	43.16	143.19
Mean Pop. 1871-80	—	17,086	479	430	485	427	468	2290	2109	1947	1647	1289	2101	1774	1545	1204	838	389
ALL CAUSES	16.41	2804	514	136	77	44	31	802	70	40	65	105	169	161	170	237	412	547
Small-pox	0.02	4	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—
Measles	0.12	20	4	7	4	2	—	17	7	—	2	1	—	—	—	—	—	—
Scarlet Fever	0.22	37	1	6	8	6	4	25	7	4	—	—	—	1	—	—	—	—
Diphtheria	0.13	22	1	—	2	2	4	9	10	3	—	—	—	—	—	—	—	—
Whooping cough	0.32	55	29	15	5	4	1	64	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Enteric Fever	0.27	46	—	2	5	1	2	10	7	6	4	5	3	2	2	3	4	—
Simple Cont. Fev.	0.08	10	—	—	—	1	—	1	2	1	1	—	—	1	1	—	9	1
Puerp. Fever	0.03	5	—	—	—	—	—	—	—	—	—	2	—	1	2	—	—	—
Diarr. and Dys.	0.34	58	19	1	2	—	—	22	1	1	—	—	1	2	2	5	8	16
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0.61	104	1	—	—	—	—	1	—	—	—	—	2	10	18	23	32	15
Scrofula	0.05	9	2	—	—	—	1	3	—	—	2	—	—	1	—	—	—	—
Tuberc Mesent.	0.19	33	11	4	2	4	1	22	5	2	—	—	1	2	—	—	—	—
Phthisis	1.94	332	7	4	2	—	—	13	2	6	37	64	90	55	33	20	12	—
Hydrocephalus	0.23	40	10	11	7	—	—	28	7	2	—	1	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	1.97	535	79	12	11	6	6	114	6	2	4	5	9	13	22	45	54	58
Circulatory	1.47	251	2	—	—	—	—	3	—	2	5	5	6	14	21	46	31	71
Respiratory	2.86	489	128	44	15	7	3	197	10	1	1	5	3	16	20	51	65	78
Digestive	0.97	145	11	—	1	1	1	14	3	—	1	5	10	12	17	20	47	25
Urinary	0.41	70	—	—	—	1	—	1	1	1	3	—	5	4	14	16	19	7
Generative	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Childbirth	0.08	13	—	—	—	—	—	—	—	—	—	1	4	8	—	—	—	—
Suicide	0.05	5	—	—	—	—	—	—	—	—	—	—	3	1	1	2	1	—
Other Violence	0.48	82	3	3	5	2	5	16	4	3	4	5	9	9	6	10	9	7
OTHER CAUSES	3.26	610	206	27	8	7	5	253	10	2	3	4	12	8	10	22	43	27

Deaths of Infants (under
one) to 1000 Births } 101

Marrriages - 1,052
Births - 5,109

Annual Rate { Persons Married - 13.31
per 1000 living { Births - 29.99

264.—WEYMOUTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	16.27	—	—	—	—	—	44.30	4.13	3.08	4.39	6.07	7.26	11.52	12.53	24.95	52.23	15
Mean Pop. } 1871-80 - }	—	31,585	775	730	749	718	608	3670	3412	3112	3277	3195	5025	3627	2680	1992	1187	—
ALL CAUSES	16.27	5138	906	325	138	97	74	1620	141	66	144	104	365	418	337	482	620	—
Small-pox - -	0.22	71	4	1	4	5	3	17	9	10	9	7	9	6	4	—	—	—
Measles - -	0.24	76	15	32	12	9	3	71	5	—	—	—	—	—	—	—	—	—
Scarlet Fever - -	0.20	66	5	25	12	11	9	62	21	7	—	2	4	—	—	—	—	—
Diphtheria - -	0.11	34	—	1	2	4	6	13	13	4	—	1	1	—	—	—	—	—
Whooping-cough - -	0.19	59	20	11	10	3	3	57	2	—	—	—	—	—	—	—	—	—
Typhus - -	0.01	3	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—
Enteric Fever - -	0.17	53	1	1	2	3	2	9	5	5	5	4	8	4	4	5	3	—
Simple Cont. Fer. - -	0.00	9	—	1	1	—	—	2	1	—	2	—	1	—	2	1	—	—
Paen. Fever - -	0.06	20	—	—	—	—	—	—	—	—	—	5	11	4	—	—	—	—
Diarr. and Dys. - -	0.50	158	87	9	2	1	2	101	3	—	—	—	5	2	5	4	18	—
Cholera - -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Cancer - -	0.43	135	—	—	—	—	1	1	2	1	1	—	6	18	27	36	26	—
Scrofula - -	0.06	19	3	3	2	1	1	10	1	—	1	1	1	—	—	2	1	—
Tuberc. Mesent. - -	0.18	56	30	12	2	—	2	46	4	2	—	—	1	—	1	—	—	—
Phthisis - -	1.25	490	4	5	—	—	2	11	4	9	57	88	139	104	48	32	6	—
Hydrocephalus - -	0.19	60	20	9	5	3	1	28	7	8	—	2	2	3	—	—	—	—
Diseases of { Nervous Syst. - -	2.12	670	127	27	13	14	6	187	12	8	10	17	23	33	23	27	57	133
{ Circulatory - -	1.27	401	2	—	—	—	—	2	2	6	11	12	23	59	47	75	107	—
{ Respiratory - -	3.44	1,088	231	125	55	14	14	437	24	9	8	12	40	63	49	114	160	—
{ Digestive - -	0.92	290	41	4	2	5	3	53	3	6	5	3	14	35	27	33	64	—
{ Urinary - -	0.41	131	4	1	1	1	1	8	2	3	—	2	6	24	19	23	33	—
{ Generative - -	0.05	19	—	—	—	—	—	—	—	—	—	1	3	4	6	8	1	—
Childbirth - -	0.04	14	—	—	—	—	—	—	—	—	—	3	5	6	—	—	—	—
Suicide - -	0.04	11	—	—	—	—	—	—	—	—	—	1	5	2	5	—	—	—
Other Violence - -	0.04	201	15	7	6	4	4	55	11	7	20	20	53	27	16	13	9	—
OTHER CAUSES - -	3.08	970	376	51	26	15	11	479	29	10	15	10	29	66	33	32	73	—

Deaths of Infants (under
one) to 1000 Births - 116Marriages - 2,125
Births - 8,609Annual Rate { Persons Married - 13.46
per 1000 living { Births - 27.23

265.—DORCHESTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	18.39	—	—	—	—	—	40.89	3.17	2.53	3.73	7.07	9.36	13.00	15.22	27.85	57.23	15
Mean Pop. } 1871-80 - }	—	25,467	628	648	627	616	600	3123	2906	2794	2519	2137	3345	2770	2378	1824	1176	—
ALL CAUSES	18.39	4684	848	225	108	62	36	1270	92	72	94	151	313	360	362	608	673	—
Small-pox - -	0.01	6	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
Measles - -	0.18	45	11	16	9	5	1	42	4	2	—	—	—	—	—	—	—	—
Scarlet Fever - -	0.24	62	1	8	9	7	9	34	19	3	1	1	1	1	2	—	—	—
Diphtheria - -	0.07	18	—	1	2	3	4	10	6	2	—	—	—	—	—	—	—	—
Whooping-cough - -	0.51	78	37	28	6	3	3	77	1	—	—	—	—	—	—	—	—	—
Typhus - -	0.05	7	—	—	—	—	—	—	—	—	1	1	2	—	2	1	—	—
Enteric Fever - -	0.24	60	—	—	4	3	1	8	5	6	5	5	5	9	6	7	—	—
Simple Cont. Fer. - -	0.02	6	—	1	—	—	—	1	—	1	—	—	—	—	1	—	—	—
Paen. Fever - -	0.04	11	—	—	—	—	—	—	—	—	—	—	5	3	—	—	—	—
Diarr. and Dys. - -	0.27	70	37	6	3	3	—	49	2	—	—	—	4	1	5	1	—	—
Cholera - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.50	127	—	—	—	—	1	1	—	—	1	—	4	16	23	38	26	—
Scrofula - -	0.14	35	1	5	1	—	—	7	2	1	3	1	8	5	2	3	1	—
Tuberc. Mesent. - -	0.17	45	25	9	3	1	—	38	1	1	—	1	1	1	—	—	—	—
Phthisis - -	2.00	510	13	6	2	4	—	23	9	15	20	75	131	105	39	30	12	—
Hydrocephalus - -	0.13	42	9	7	4	—	1	21	5	2	2	—	1	1	—	—	—	—
Diseases of { Nervous Syst. - -	2.52	736	115	16	15	7	5	156	10	8	12	15	43	73	69	100	132	—
{ Circulatory - -	1.91	487	2	1	1	—	1	5	3	5	6	6	21	35	71	107	134	—
{ Respiratory - -	3.20	814	269	86	34	13	7	379	5	4	6	11	13	24	35	73	137	—
{ Digestive - -	0.81	267	14	3	3	1	—	21	3	3	6	6	15	22	73	49	41	—
{ Urinary - -	0.24	84	—	—	—	1	—	1	1	1	—	2	9	9	9	10	25	—
{ Generative - -	0.05	13	—	—	—	—	—	—	—	—	1	1	1	3	1	3	3	—
Childbirth - -	0.07	18	—	—	—	—	—	—	—	—	1	2	8	7	—	—	—	—
Suicide - -	0.04	11	—	—	—	—	—	—	—	—	—	—	3	1	2	5	—	—
Other Violence - -	0.43	125	11	5	6	2	—	22	7	4	8	9	15	16	16	12	9	—
OTHER CAUSES - -	4.25	1059	365	29	16	9	3	423	9	12	2	9	17	19	66	89	121	—

Deaths of Infants (under
one) to 1000 Births - 116Marriages - 1,781
Births - 7,500Annual Rate { Persons Married - 13.99
per 1000 living { Births - 84.66

266.—SHERBORNE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	18.44	—	—	—	—	—	30.62	5.85	2.98	4.87	6.42	7.84	10.85	14.61	35.85	61.96	150.73
Mean Pop. 1871-80	—	13,338	363	304	347	336	342	1601	1573	1610	1354	1028	1632	1429	1184	925	623	220
ALL CAUSES	18.44	2459	439	112	55	40	33	670	92	48	66	66	128	155	173	240	386	435
Small-pox -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Measles -	0.16	21	5	4	4	3	1	17	2	1	—	—	—	1	1	—	—	—
Scarlet Fever -	0.64	86	2	10	12	12	16	52	27	5	1	—	1	—	—	—	—	—
Diphtheria -	0.05	7	2	—	1	—	—	3	3	1	—	—	—	—	—	—	—	—
Whooping-cough -	0.42	56	31	15	2	3	2	83	5	—	—	—	—	—	—	—	—	—
Typhus -	0.07	9	—	—	1	—	—	2	1	1	1	1	2	—	—	—	1	1
Enteric Fever -	0.28	38	—	—	3	—	1	2	5	10	3	2	6	2	—	1	1	—
Simple Cont. Fev. -	0.09	12	—	—	—	1	—	1	2	—	4	—	—	1	—	2	—	1
Puerp. Fever -	0.03	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Diarr. and Dys. -	0.50	40	24	1	—	—	1	26	—	—	—	1	—	—	1	8	2	7
Cholera -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Cancer -	0.60	80	—	—	1	—	—	1	—	—	—	—	5	7	17	19	19	12
Scrophula -	0.08	11	—	—	—	—	—	—	1	1	3	2	1	2	—	—	1	—
Tubes Mesent. -	0.19	25	13	7	1	1	1	23	—	—	—	—	—	—	—	—	—	—
Phthisis -	1.64	219	3	4	2	—	1	10	9	2	28	52	60	31	27	13	9	—
Hydrocephalus -	0.14	19	3	6	1	1	1	12	2	2	—	2	1	—	—	—	—	—
Diseases of																		
Nervous Syst. -	2.21	295	82	8	4	3	—	97	9	2	4	4	2	14	24	34	65	46
Circulatory " -	1.64	219	—	—	—	—	—	—	2	2	4	1	12	17	30	44	69	26
Respiratory " -	3.59	347	72	29	7	7	1	116	6	3	3	4	6	13	15	41	78	63
Digestive " -	1.03	138	12	2	1	2	—	17	2	6	7	4	11	16	15	20	38	19
Urinary " -	0.70	94	—	—	—	—	2	2	2	2	2	3	5	9	15	21	24	11
Generative " -	0.08	8	—	—	—	—	—	—	—	—	—	—	2	1	2	8	—	—
Childbirth -	0.10	14	—	—	—	—	—	—	—	—	—	2	6	6	1	—	—	—
Suicide -	0.04	5	—	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—
Other Violence -	0.53	71	1	—	5	2	1	9	5	4	4	2	5	16	8	7	9	4
OTHER CAUSES -	4.82	637	180	25	10	8	3	224	8	6	3	5	5	15	17	28	61	267

Deaths of Infants (under
one) to 1000 Births . . . 112Marriages : 823
Births : 2,838Annual Rate { Persons Married : 13.23
per 1000 living { Births : 26.77

267.—BEAMINSTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	19.68	—	—	—	—	—	46.65	5.02	5.31	3.35	6.54	7.29	9.45	12.82	27.90	53.61	100.71
Mean Pop. 1871-80	—	12,289	340	302	297	314	301	1554	1565	1359	1163	917	1467	1259	1131	921	651	200
ALL CAUSES	19.68	2418	439	140	64	48	34	725	88	45	39	60	107	119	145	257	349	48
Small-pox -	0.11	14	1	—	1	1	—	3	—	2	1	3	2	1	—	2	—	—
Measles -	0.24	30	4	7	8	—	3	22	7	—	—	—	1	—	—	—	—	—
Scarlet Fever -	0.33	41	2	5	4	3	9	23	16	2	—	—	—	—	—	—	—	—
Diphtheria -	0.17	21	1	—	1	4	3	9	8	1	1	—	—	—	1	—	—	—
Whooping-cough -	0.54	42	16	9	5	5	3	38	3	1	—	—	—	—	—	—	—	—
Typhus -	0.05	6	—	—	—	1	—	1	—	2	—	1	—	—	2	—	—	—
Enteric Fever -	0.12	16	—	—	—	—	2	2	3	3	1	1	1	—	1	4	—	—
Simple Cont. Fev. -	0.07	8	—	—	—	—	—	—	—	1	1	—	—	2	—	1	8	—
Puerp. Fever -	0.04	5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
Diarr. and Dys. -	0.30	37	14	7	1	2	—	24	—	1	—	—	—	2	—	1	2	7
Cholera -	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer -	0.38	47	—	—	—	—	—	—	—	1	—	—	—	—	4	22	11	9
Scrophula -	0.14	17	3	2	3	—	—	8	1	3	—	2	—	1	—	1	1	—
Tubes Mesent. -	0.27	33	12	6	1	3	3	25	5	—	1	—	—	2	—	—	—	—
Phthisis -	1.82	224	2	1	2	1	1	7	5	6	22	37	54	40	28	16	8	1
Hydrocephalus -	0.16	20	4	5	1	2	1	13	5	1	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst. -	2.13	261	49	14	7	2	2	74	4	2	—	2	5	12	17	39	88	46
Circulatory " -	1.87	220	1	—	1	—	—	2	3	1	—	—	5	16	33	37	67	33
Respiratory " -	3.59	430	90	38	13	10	2	183	6	4	3	5	3	16	24	36	79	53
Digestive " -	1.21	149	5	—	1	2	1	9	4	1	2	1	8	6	17	33	45	25
Urinary " -	0.38	47	—	—	—	—	—	—	1	—	1	—	4	3	4	4	15	11
Generative " -	0.03	4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Childbirth -	0.10	12	—	—	—	—	—	—	—	—	—	—	7	5	—	—	—	—
Suicide -	0.05	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence -	0.57	56	2	3	3	1	3	12	6	6	1	1	6	8	6	8	4	3
OTHER CAUSES -	5.59	669	235	43	7	11	1	295	11	3	4	6	1	7	8	29	51	200

Deaths of Infants (under
one) to 1000 Births . . . 112Marriages : 823
Births : 2,728Annual Rate { Persons Married : 13.20
per 1000 living { Births : 26.20

268.—BRIDPORT.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS PER 1000	—	19.67	—	—	—	—	—	47.73	5.14	3.00	4.12	6.44	8.04	10.54	13.54	20.01	37.01	156.75
Pop. 80	—	15,772	442	411	412	423	403	2001	1964	1834	1528	1212	1902	1585	1396	1134	763	363
CAUSES	19.67	8103	612	180	98	59	49	998	101	55	63	78	153	167	189	295	435	560
Diarrhoea	0.27	53	4	1	4	2	3	15	15	9	3	7	6	2	—	1	—	—
Fever	0.31	40	6	18	10	7	4	44	5	—	—	—	—	—	—	—	—	—
Small-pox	0.51	80	1	14	11	10	14	50	20	5	1	3	—	1	—	—	—	—
Whooping-cough	0.10	18	—	3	2	4	1	10	4	—	—	—	—	—	—	1	—	—
Measles	0.29	43	21	8	9	3	3	44	1	—	—	—	—	—	—	—	—	—
Scarlet fever	0.01	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Cont. Fev.	0.10	16	1	—	1	—	—	2	2	2	4	2	2	—	1	—	1	—
Fever	0.01	4	—	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—
Ad Dys.	0.08	9	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—	—
Ad Dys.	0.22	34	19	2	—	—	—	21	—	—	—	1	—	—	—	2	3	7
Ad Dys.	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumption	0.54	85	—	—	—	—	—	—	—	—	—	2	6	13	22	19	11	—
Consumption	0.22	35	11	6	2	2	—	23	2	1	—	2	3	—	1	1	1	—
Consumption	0.26	41	10	10	4	1	2	27	6	2	4	—	1	—	—	—	—	—
Consumption	1.61	254	3	2	2	1	—	18	5	6	34	32	67	47	27	22	3	1
Consumption	0.19	30	5	4	6	1	2	18	5	4	—	—	2	1	—	—	—	—
Consumption	2.85	450	118	21	6	4	4	153	4	10	8	7	12	19	25	46	64	107
Consumption	2.07	326	—	—	—	—	—	—	2	5	3	3	11	23	36	60	115	71
Consumption	3.59	567	150	48	20	10	7	215	6	1	2	5	14	20	24	47	108	115
Consumption	0.91	144	9	1	2	1	—	13	—	—	—	1	2	13	21	31	40	23
Consumption	0.22	32	1	—	—	—	—	2	2	1	1	5	5	6	7	16	21	17
Consumption	0.06	10	—	—	—	—	—	—	—	—	—	—	—	1	3	4	3	—
Consumption	0.10	15	—	—	—	—	—	—	—	—	1	1	6	6	1	—	—	—
Consumption	0.10	15	—	—	—	—	—	—	—	—	1	1	2	—	2	6	1	3
Consumption	0.44	68	1	2	2	2	3	11	6	2	6	4	3	9	6	6	4	2
Consumption	4.22	670	272	38	16	11	5	342	13	3	1	3	8	11	16	20	41	260

Deaths of Infants (under one) to 1000 Births . . . 120 Marriages . . . 1,151 Annual Rate { Persons Married . . . 14.60
Births . . . 5,079 per 1000 living { Births . . . 32.20

[ONSHIRE.]

269.—AXMINSTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS PER 1000	—	18.63	—	—	—	—	—	42.09	4.87	3.21	4.56	6.01	6.55	10.51	13.18	22.42	51.62	126.57
Pop. 80	—	19,414	478	445	491	505	469	2388	2404	2277	1862	1415	2167	1974	1889	1517	1010	502
CAUSES	18.63	3617	625	201	79	57	43	1005	117	73	85	85	142	208	249	341	520	786
Diarrhoea	0.01	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Fever	0.09	18	9	3	6	—	—	18	—	—	—	—	—	—	—	—	—	—
Small-pox	0.29	57	4	9	4	7	10	34	15	4	2	—	—	—	—	—	—	—
Whooping-cough	0.06	12	1	2	—	—	—	5	5	1	—	—	1	—	—	—	—	—
Measles	0.38	73	55	17	9	5	5	71	2	—	—	—	—	—	—	—	—	—
Scarlet fever	0.05	10	—	—	—	—	—	—	—	1	2	—	—	3	—	1	1	—
Cont. Fev.	0.29	56	—	—	2	—	2	4	8	6	7	4	5	12	4	5	3	1
Fever	0.09	18	—	—	—	1	1	2	8	3	1	1	—	—	—	—	—	—
Ad Dys.	0.03	9	—	—	—	—	—	—	—	—	2	2	4	1	—	—	—	—
Ad Dys.	0.08	73	27	6	4	1	—	84	3	—	—	2	2	3	1	1	13	13
Ad Dys.	0.02	4	—	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—
Consumption	0.47	92	—	—	—	—	—	—	—	—	—	—	—	5	9	29	24	17
Consumption	0.14	37	3	3	—	—	—	6	1	5	4	—	2	4	—	—	—	—
Consumption	0.22	43	16	10	3	4	1	54	3	1	3	1	—	—	—	—	—	—
Consumption	1.78	245	8	6	3	1	—	18	6	14	28	35	69	59	47	30	9	2
Consumption	0.23	45	9	10	4	7	1	31	11	—	9	—	1	—	—	—	—	—
Consumption	2.24	435	101	26	8	4	3	136	8	6	7	8	9	19	28	48	86	80
Consumption	1.69	349	3	—	—	—	—	4	6	5	4	1	5	21	48	65	117	65
Consumption	2.21	545	119	54	22	6	8	215	8	4	2	4	11	21	33	55	107	109
Consumption	1.14	222	21	7	1	—	2	31	6	1	3	3	5	39	34	46	40	23
Consumption	0.26	69	—	—	—	—	—	—	—	2	1	—	4	6	10	14	18	13
Consumption	0.07	13	—	1	—	—	—	1	—	—	—	—	1	4	3	—	2	2
Consumption	0.06	11	—	—	—	—	—	—	—	—	—	2	4	5	—	—	—	—
Consumption	0.09	18	—	—	—	—	—	—	—	—	—	—	—	4	2	8	2	4
Consumption	0.51	89	7	3	4	5	3	22	9	9	3	4	5	3	13	12	7	1
Consumption	5.00	972	235	48	11	15	10	339	13	10	6	4	8	15	18	28	47	446

Deaths of Infants (under one) to 1000 Births . . . 113 Marriages . . . 1,178 Annual Rate { Persons Married . . . 12.14
Births . . . 5,547 per 1000 living { Births . . . 28.67

270.—HONITON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	18.78	—	—	—	—	—	41.18	4.43	3.22	4.67	7.31	8.07	9.68	12.40	22.73	53.22	133.2
Mean Pop. 1871-80	—	31,635	549	525	520	530	539	2069	2375	2512	2055	1670	2540	2185	2056	1679	1105	579
ALL CAUSES	18.78	4073	749	178	73	55	44	1099	114	81	96	122	205	211	255	532	430	888
Small-pox	0.02	4	—	1	—	—	—	1	—	1	—	1	—	1	—	—	—	—
Measles	0.13	23	2	12	7	1	1	23	4	6	—	—	1	—	—	—	—	—
Scarlet Fever	0.31	67	3	8	13	2	1	70	16	8	3	—	—	—	—	—	—	—
Diphtheria	0.15	28	2	9	1	4	2	11	14	8	—	—	—	—	—	—	—	—
Whooping-cough	0.35	78	35	24	7	6	—	12	4	—	—	—	—	—	—	—	—	—
Typhus	0.03	6	—	—	—	—	—	—	2	1	2	1	—	—	—	—	—	—
Enteric Fever	0.26	57	—	—	2	2	2	6	10	10	5	5	1	—	9	—	—	—
Simple Cont. Fev.	0.11	24	—	1	—	2	—	3	4	—	—	—	3	1	1	—	—	—
Puemp. Fever	0.04	9	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Diarr. and Dys.	0.42	92	51	5	—	1	—	57	—	—	—	—	—	—	1	4	16	11
Cholera	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.59	129	—	—	—	1	—	1	—	—	—	—	1	10	33	38	39	46
Scrofula	0.09	20	3	—	—	1	—	4	—	—	—	—	2	1	—	—	1	—
Tales Mesent.	0.15	32	14	3	1	—	—	19	8	3	4	4	1	1	—	—	—	—
Phthisis	1.73	375	9	2	1	—	—	6	15	15	38	61	92	67	48	37	9	—
Hydrocephalus	0.14	31	11	4	2	2	1	20	2	8	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.47	556	174	25	12	5	3	219	9	7	6	7	17	17	38	52	82	82
Circulatory	1.24	289	5	9	1	1	—	9	2	2	4	5	12	13	39	47	84	139
Respiratory	2.90	629	95	42	9	8	7	161	7	7	7	14	13	24	37	72	134	189
Digestive	1.04	229	23	2	3	3	4	35	6	1	5	6	10	27	21	51	40	57
Urinary	0.31	68	1	—	—	1	2	4	—	—	1	—	2	5	6	15	15	18
Generative	0.05	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.09	19	—	—	—	—	—	—	—	—	—	4	12	3	—	—	—	—
Suicide	0.07	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.49	116	18	3	2	6	3	32	8	3	6	4	4	11	6	11	12	1
OTHER CAUSES	5.80	1211	370	45	12	9	8	334	8	9	5	5	12	10	18	45	161	246

Deaths of Infants (under one) to 1000 Births } 107

Marriages : 1,361 ;
Births : 6,970Annual Rate { Persons Married : 12.55
per 1000 living { Births : 21.74

271.—ST. THOMAS.*

—	Annual Death Rate per 1000.	20.06	—	—	—	—	—	42.08	4.84	3.68	6.27	8.04	9.64	12.00	15.63	26.40	58.55	154.9
ANNUAL DEATH RATE PER 1000	—	20.06	—	—	—	—	—	42.08	4.84	3.68	6.27	8.04	9.64	12.00	15.63	26.40	58.55	154.9
Mean Pop. 1871-80	—	40,188	1276	1196	1193	1221	1191	6077	5748	5301	4547	3916	6317	6260	4581	3815	2516	1179
ALL CAUSES	20.06	9866	1625	490	188	153	101	2557	278	195	285	315	609	624	716	1007	1473	1897
Small-pox	0.11	56	5	1	—	1	—	7	7	4	7	12	9	5	5	—	—	—
Measles	0.39	192	80	72	35	18	16	171	13	2	4	—	—	—	—	—	—	—
Scarlet Fever	0.35	145	9	25	26	16	16	162	44	10	2	2	—	—	—	—	—	—
Diphtheria	0.05	24	—	5	1	1	—	7	9	3	1	—	—	1	—	—	—	1
Whooping-cough	0.29	145	69	32	24	13	6	144	1	—	—	—	—	—	—	—	—	—
Typhus	0.07	36	—	—	—	1	—	1	—	5	6	4	6	4	2	2	1	1
Enteric Fever	0.19	193	2	4	2	9	4	21	21	21	24	25	28	17	18	11	9	5
Simple Cont. Fev.	0.11	55	1	1	4	5	4	15	9	6	7	4	1	2	2	5	5	1
Puemp. Fever	0.04	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.64	314	170	26	4	1	1	202	1	1	—	1	7	9	7	19	30	27
Cholera	0.02	10	2	—	—	—	—	2	—	—	—	—	—	1	2	5	2	—
Cancer	0.63	309	—	—	1	—	—	1	—	—	—	2	6	19	63	86	97	24
Scrofula	0.14	68	14	5	5	2	2	28	2	5	5	2	11	4	4	1	4	—
Tales Mesent.	0.19	91	41	20	1	3	2	67	9	5	6	1	—	1	1	—	—	—
Phthisis	2.15	1074	20	16	7	—	—	38	21	40	122	151	260	168	115	82	58	9
Hydrocephalus	0.21	104	28	23	14	5	13	83	12	3	2	—	2	1	1	—	—	—
Diseases of																		
Nervous Syst.	3.11	1530	248	62	11	14	6	341	29	24	27	21	88	133	141	187	283	294
Circulatory	1.51	744	3	1	—	—	—	4	7	10	15	11	20	32	75	163	246	135
Respiratory	3.19	1571	301	111	27	17	7	463	25	10	18	18	38	49	118	195	298	323
Digestive	0.96	471	61	7	1	5	4	68	9	6	4	9	16	40	53	93	101	67
Urinary	0.36	179	2	—	—	2	1	5	6	3	3	6	25	17	16	30	34	21
Generative	0.07	33	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Childbirth	0.09	46	—	—	—	—	—	—	—	—	2	4	17	91	2	—	—	—
Suicide	0.11	52	—	—	—	—	—	—	—	1	1	2	10	4	11	12	7	4
Other Violence	0.52	234	30	10	4	6	8	58	17	19	15	10	23	21	24	24	26	17
OTHER CAUSES	4.35	2150	369	69	23	17	11	709	27	15	16	23	21	45	56	85	267	504

Deaths of Infants (under one) to 1000 Births } 114

Marriages : 2,045 ;
Births : 14,263Annual Rate { Persons Married : 11.97
per 1000 living { Births : 26.61

* Changes were made in the boundary of this District during the decade ; see pp. 371-78.

272.—EXETER.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000.	—	24.93	—	—	—	—	—	30.08	5.97	4.71	6.23	7.48	10.26	14.99	19.93	33.33	65.57	105.11
Pop. 71-80	—	35,742	913	797	775	770	735	3900	3683	3570	3806	3422	5143	4042	3267	2472	1647	705
L. CAUSES	24.99	8934	1854	722	316	181	122	3193	220	163	237	256	533	606	651	824	1080	1164
D-pox	0.01	21	4	—	1	—	—	5	7	2	—	1	3	—	—	—	—	—
dies	0.82	294	62	103	67	27	21	282	8	1	1	—	1	1	—	—	—	—
let Fever	0.50	179	17	30	25	32	23	137	53	13	2	—	1	—	1	—	—	—
sharia	0.07	23	3	3	5	2	1	14	9	—	—	—	—	1	—	—	—	—
oping-cough	0.59	219	78	71	54	13	9	205	7	—	—	—	—	—	—	—	—	—
ria	0.05	24	—	—	—	—	—	—	3	4	1	3	6	—	4	9	—	—
ria Fever	0.25	121	2	2	1	7	4	16	18	21	27	18	14	8	3	3	2	2
s Cont. Fev.	0.17	62	2	6	7	6	3	24	12	4	3	2	4	5	3	2	2	2
p. Fever	0.05	18	—	—	—	—	—	—	—	—	—	5	10	5	—	—	—	—
r. and Dys.	1.04	372	239	45	5	1	—	308	1	—	—	—	5	2	4	12	18	22
ra	0.02	6	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
er	0.77	276	—	—	—	—	—	—	—	—	5	3	14	28	53	62	82	24
ula	0.16	57	20	6	1	—	3	20	3	6	9	1	1	3	—	1	2	1
s Measol.	0.50	139	66	29	9	2	6	102	6	7	4	—	4	4	1	—	—	—
ola	2.66	953	16	16	5	5	2	46	12	40	82	117	27	188	122	17	30	2
cephalus	0.32	114	61	29	8	13	3	82	22	3	1	2	1	2	1	—	—	—
Ferrous Syst.	2.23	1191	264	102	43	17	8	441	14	13	14	15	37	50	79	141	201	173
Respiratory	1.83	645	13	3	—	—	—	18	6	6	16	18	37	70	80	127	147	161
Respiratory	4.34	2592	363	183	64	34	13	589	16	3	12	11	43	68	103	194	275	240
Digestive	1.06	179	41	3	3	3	3	59	8	8	13	9	22	48	61	67	91	70
Primary	0.51	183	1	1	1	—	—	3	—	4	10	8	18	28	31	25	31	23
Generative	0.11	38	—	—	—	—	—	—	—	—	1	1	4	9	7	9	6	1
Birth	0.09	51	—	—	—	—	—	—	—	—	2	6	12	11	—	—	—	—
ds	0.10	35	—	—	—	—	—	—	—	2	4	1	4	5	8	6	4	1
r Violence	0.70	257	13	13	9	10	14	61	12	8	17	14	23	24	22	23	50	18
ER CAUSES	4.92	1749	699	83	23	19	10	787	21	21	30	21	50	44	47	69	106	518

Deaths of Infants (under one) to 1000 Births } 170 Marriages } 3,935 Annual Rate of Persons Married } 22.02
 Births } 10,875 Births } 10,875 per 1000 living } Births } 30.42

* Changes were made in the boundary of this district during the decade; see pp. 271-72.

273.—NEWTON ABBOTT.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000.	—	17.08	—	—	—	—	—	45.83	4.61	2.75	4.86	6.52	8.00	10.04	13.04	23.41	50.05	147.87
Pop. 71-80	—	71,500	1885	1584	1747	1674	1663	8503	7007	7343	6823	6383	9882	7076	6871	5100	3224	1433
L. CAUSES	17.68	12,600	2445	770	362	191	126	5897	367	202	332	416	799	801	805	1215	1613	2122
D-pox	0.02	12	3	—	—	1	—	4	1	—	2	1	1	3	—	—	—	—
dies	0.27	192	35	72	47	14	8	176	13	1	1	1	1	—	—	—	—	—
let Fever	0.33	237	12	35	43	30	21	147	67	10	4	2	2	2	1	1	—	—
sharia	0.07	30	5	5	7	4	7	45	12	6	—	—	2	1	1	—	—	—
oping-cough	0.41	290	131	61	54	24	5	275	14	1	—	—	—	—	—	—	—	—
ria	0.02	14	—	—	—	—	—	—	1	3	—	4	1	8	—	1	1	—
ria Fever	0.27	195	3	3	8	6	9	29	27	16	20	25	30	12	8	15	8	2
s Cont. Fev.	0.09	61	2	2	5	—	3	14	4	6	6	3	4	6	6	1	9	4
p. Fever	0.05	33	—	—	—	—	—	—	—	—	2	3	18	6	2	—	—	—
r. and Dys.	0.49	342	230	31	7	2	—	276	1	—	—	1	2	6	4	11	23	24
ra	0.02	11	6	—	—	—	1	8	—	—	—	—	—	2	1	—	—	—
er	0.51	384	—	1	—	—	—	1	—	1	1	—	12	27	98	102	91	39
ula	0.09	67	13	13	4	4	1	35	4	6	3	3	3	1	1	4	2	—
s Measol.	0.23	160	19	32	12	4	2	133	31	2	8	5	—	—	1	—	1	—
ola	2.11	1010	18	28	3	5	3	59	30	37	157	245	307	280	165	102	23	5
cephalus	0.23	163	53	27	13	5	3	121	31	9	4	2	1	1	1	—	—	—
Ferrous Syst.	2.22	1085	261	89	48	20	6	579	38	26	16	20	56	78	98	202	304	208
Respiratory	1.83	667	2	2	1	1	—	8	8	14	17	13	47	84	119	209	27	200
Respiratory	3.11	2236	322	219	76	26	19	661	23	7	17	21	70	91	147	219	365	419
Digestive	0.89	638	66	8	4	3	3	86	11	8	13	12	37	49	95	127	130	64
Primary	0.43	366	2	2	1	1	—	7	7	2	5	16	29	39	43	10	46	30
Generative	0.06	43	—	—	—	—	—	—	—	—	1	1	6	5	8	13	5	1
Birth	0.07	45	—	—	—	—	—	—	—	1	2	4	19	18	4	—	—	—
ds	0.04	31	—	—	—	—	—	—	—	—	—	—	4	3	7	12	4	1
r Violence	0.46	333	22	15	15	10	7	69	25	12	21	23	39	23	27	31	34	23
ER CAUSES	3.73	2661	859	94	20	22	17	1031	29	24	23	14	44	40	66	113	101	372

Deaths of Infants (under one) to 1000 Births } 122 Marriages } 4,954 Annual Rate of Persons Married } 13.84
 Births } 20,001 Births } 20,001 per 1000 living } Births } 37.07

274.—TOTNES.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	70 and over
ANNUAL DEATH RATE PER 1000 }	—	18.09	—	—	—	—	—	42.64	4.44	2.57	4.63	6.66	7.68	9.15	11.77	23.25	52.28	123
Mean Pop. } 1871-80 }	—	36,066	976	919	965	950	933	4743	4387	3973	3324	2838	4583	3769	3271	2598	1768	1
ALL CAUSES	18.09	6524	1270	379	183	106	87	2023	195	102	154	189	332	345	385	604	919	12
Small-pox - -	0.04	15	—	1	—	—	—	1	—	1	3	2	4	2	2	—	—	—
Measles - -	0.29	106	21	13	25	7	9	95	10	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0.42	151	11	22	24	24	21	102	57	7	9	—	2	1	—	—	—	—
Diphtheria - -	0.07	24	1	1	5	4	3	14	5	2	—	1	—	1	—	—	—	—
Whooping-cough	0.42	150	65	45	23	10	4	147	2	—	—	1	—	—	—	—	—	—
Typhus - -	0.08	23	1	—	—	—	—	1	—	8	3	4	1	5	1	1	2	—
Enteric Fever -	0.41	147	2	3	5	4	1	13	29	14	28	9	14	7	15	12	19	—
Simp. Cont. Fev.	0.10	36	3	2	2	4	5	16	9	—	—	1	2	1	—	1	1	—
Puerp. Fever -	0.08	29	—	—	—	—	—	—	—	—	—	6	17	6	—	—	—	—
Diarr. and Dys.	0.58	136	70	18	5	2	2	97	1	—	—	1	—	1	1	4	13	1
Cholera - -	0.01	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Cancer - -	0.51	185	1	—	—	1	—	2	—	—	—	1	5	13	37	55	44	2
Scrofula - -	0.03	20	1	2	—	1	1	5	—	—	1	2	2	—	—	3	1	—
Tuberc. Mesent.	0.19	36	11	9	2	2	1	25	4	1	4	—	—	—	—	—	—	—
Phthisis - -	1.47	531	12	7	6	2	3	30	10	15	61	82	144	85	53	33	13	1
Hydrocephalus	0.11	38	19	7	2	2	2	32	4	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.40	865	198	36	16	10	9	271	13	6	6	9	21	42	51	107	182	18
Circulatory "	1.45	522	7	1	—	—	3	12	5	3	3	9	25	37	48	119	168	9
Respiratory "	2.03	1057	245	59	34	15	12	405	13	6	11	13	28	45	72	101	176	18
Digestive "	0.94	447	43	3	6	1	—	56	13	6	4	11	25	19	41	60	76	10
Urinary "	0.31	119	—	1	—	—	1	2	—	3	3	2	11	15	14	21	36	3
Generative "	0.06	21	—	—	—	—	—	—	—	1	—	—	3	1	3	6	5	1
Childbirth - -	0.19	33	—	—	—	—	—	—	—	—	1	6	7	17	2	—	6	1
Suicide - -	0.03	32	—	—	—	—	—	—	—	—	—	2	1	4	5	11	6	1
Other Violence	0.49	178	14	8	8	3	1	31	29	9	18	13	16	19	14	19	19	—
OTHER CAUSES	4.74	1710	515	79	19	14	9	605	23	11	11	14	23	22	35	56	178	99

Deaths of Infants (under
one) to 1000 Births } 113Marriages - 22,45
Births - 11,246Annual Rate { Persons Married - 12.46
per 1000 living { Births - 31.18

275.—KINGSBRIDGE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	70 and over
ANNUAL DEATH RATE PER 1000 }	—	18.20	—	—	—	—	—	40.48	3.75	3.26	4.86	7.06	6.98	8.46	12.00	20.90	54.40	147
Mean Pop. } 1871-80 }	—	19,275	510	460	491	473	472	2406	2427	2056	1768	1445	2363	1903	1750	1536	1048	31
ALL CAUSES	18.20	3509	633	202	67	42	25	974	91	67	86	102	165	166	210	321	509	73
Small-pox - -	0.01	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Measles - -	0.31	59	4	14	7	3	10	34	18	2	—	—	—	—	1	—	—	—
Scarlet Fever -	0.12	21	1	2	6	1	1	11	10	2	1	—	—	—	—	—	—	—
Diphtheria - -	0.02	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—
Whooping-cough	0.32	106	44	35	10	7	1	97	3	—	—	—	—	—	—	—	—	—
Typhus - -	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever -	0.25	54	1	—	—	—	—	1	9	6	9	5	6	3	4	8	3	—
Simp. Cont. Fev.	0.01	8	—	1	—	—	—	1	1	—	1	1	1	2	2	—	—	—
Puerp. Fever -	0.06	12	—	—	—	—	—	—	—	—	1	2	5	4	—	—	—	—
Diarr. and Dys.	0.13	41	27	2	—	—	—	29	1	—	—	1	1	1	2	—	—	—
Cholera - -	0.01	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Cancer - -	0.56	107	—	—	—	—	—	—	—	—	—	1	3	4	17	32	58	2
Scrofula - -	0.08	15	2	4	—	—	—	6	—	2	2	1	1	2	—	1	—	—
Tuberc. Mesent.	0.17	33	19	3	2	1	—	25	3	3	—	—	1	—	—	—	—	—
Phthisis - -	1.83	332	14	6	—	—	1	21	8	16	44	53	75	45	37	32	17	4
Hydrocephalus	0.07	14	6	2	2	1	1	12	1	1	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.82	544	132	26	8	5	3	174	14	10	9	6	10	15	26	51	104	15
Circulatory "	1.96	262	1	1	—	—	1	3	2	3	4	7	15	22	40	96	66	5
Respiratory "	3.24	651	125	62	14	11	2	211	10	7	6	6	14	23	31	56	130	13
Digestive "	0.83	163	13	1	2	—	—	16	1	—	3	2	6	11	19	31	44	20
Urinary "	0.18	74	1	—	1	—	—	2	—	2	—	2	6	5	10	7	28	24
Generative "	0.18	16	—	—	—	—	—	—	—	1	—	—	1	4	1	2	2	—
Childbirth - -	0.12	25	—	—	—	—	—	—	—	—	2	3	6	10	2	—	—	—
Suicide - -	0.05	9	—	—	—	—	—	—	—	—	—	—	—	1	—	3	2	3
Other Violence	0.45	87	6	2	3	3	—	14	4	4	5	4	9	13	10	12	6	4
OTHER CAUSES	4.59	81	212	41	12	9	4	248	6	8	5	5	9	7	16	49	117	33

Deaths of Infants (under
one) to 1000 Births } 100Marriages - 1,077
Births - 5,873Annual Rate { Persons Married - 11.18
per 1000 living { Births - 30.47

276.—PLYMPTON ST. MARY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	16.80	—	—	—	—	—	41.00	3.34	3.18	4.02	5.27	7.22	8.08	13.13	21.19	49.41	143
Mean Pop. 1871-80	—	23,185	622	535	603	564	590	2904	2816	2377	2286	1916	2355	2402	2033	1675	1097	5
ALL CAUSES	16.80	3895	761	246	111	63	52	1233	94	82	92	101	206	100	267	355	542	7
Small-pox	0.10	23	2	1	—	—	—	3	5	3	3	3	3	3	1	—	—	—
Measles	0.23	54	7	24	9	8	5	48	5	3	—	—	—	—	—	—	—	—
Scarlet Fever	0.22	52	3	9	11	7	7	37	10	6	—	—	—	—	—	—	—	—
Diphtheria	0.03	12	2	2	—	5	3	11	—	—	1	—	—	—	—	—	—	—
Whooping-cough	0.41	94	40	23	12	7	4	91	2	1	—	—	—	—	—	—	—	—
Typhus	0.05	6	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	1
Euteric Fever	0.27	63	1	—	2	—	1	4	7	5	8	7	10	8	5	4	3	—
Stomach Cont. Fer.	0.04	10	—	1	—	—	1	2	2	—	—	—	—	—	—	—	—	—
Parap. Fer.	0.01	0	—	—	—	—	—	—	—	—	—	2	1	3	—	—	—	—
Diarr. and Dys.	0.32	120	65	14	4	2	1	86	—	1	—	—	2	—	2	8	3	—
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Cancer	0.53	124	—	—	—	—	1	1	—	—	2	—	3	4	24	23	23	—
Scrophula	0.14	32	11	6	1	3	1	22	—	—	—	—	1	1	—	—	—	—
Tuberc. Mesent.	0.19	44	17	10	2	4	1	34	4	3	1	—	1	1	—	—	—	—
Phthisis	1.69	391	17	7	3	—	—	34	7	13	38	46	83	26	51	24	24	—
Hydrocephalus	0.19	44	13	7	—	—	2	33	7	2	1	—	—	—	—	—	—	—
Of Nervous Syst.	2.29	530	97	17	8	3	2	127	13	8	6	12	10	21	24	24	115	1
Circulatory	1.22	282	1	—	—	—	—	2	1	2	5	6	11	18	39	61	77	—
Respiratory	3.11	722	182	64	27	13	8	244	8	10	7	7	17	12	48	73	124	—
Digestive	0.73	182	14	—	—	1	—	23	5	1	5	—	12	11	15	24	48	—
Urinary	0.24	78	—	—	—	—	1	2	1	2	—	—	1	2	10	14	18	—
Generative	0.02	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Childbirth	0.08	19	—	—	—	—	—	—	—	—	1	4	7	5	2	—	—	—
Suicide	0.09	22	—	—	—	—	—	—	—	—	—	—	7	—	5	5	—	—
Other Violence	0.47	110	7	2	5	3	1	18	0	6	4	7	7	7	9	9	14	—
OTHER CAUSES	3.75	899	337	45	15	8	12	410	9	15	8	4	17	27	18	21	66	—

Deaths of Infants (under
one) to 1000 Births - 114Marriages - 912
Births - 6,712Annual Rate of Persons Married
per 1000 living (Births) - 7.47
- 23.95

277.—PLYMOUTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	22.03	—	—	—	—	—	75.08	0.96	4.40	5.58	7.24	8.90	12.61	17.09	29.09	58.40	101
Mean Pop. 1871-80	—	71,348	1911	1668	1691	1668	1500	8498	7815	7179	7197	6004	10207	8182	6839	4919	2816	11
ALL CAUSES	22.03	16,146	3598	1487	652	398	245	6380	544	516	400	478	908	1032	1210	1458	1647	17
Small-pox	0.28	273	39	9	12	10	17	87	59	23	31	29	32	16	3	2	—	—
Measles	1.15	806	169	299	152	94	53	758	44	2	—	1	1	—	—	—	—	—
Scarlet Fever	0.25	180	13	37	33	25	31	159	32	11	1	2	3	1	—	—	—	—
Diphtheria	0.21	149	9	20	26	19	23	97	34	8	1	2	3	2	—	1	—	—
Whooping-cough	0.79	501	183	163	75	40	16	477	23	1	—	—	—	—	—	—	—	—
Typhus	0.01	9	1	—	—	—	—	1	1	2	—	—	1	1	1	—	—	—
Euteric Fever	0.24	245	2	2	13	6	8	31	33	51	32	26	51	19	19	8	19	—
Stomach Cont. Fer.	0.12	88	6	9	9	3	2	31	15	4	5	4	2	4	4	3	7	—
Parap. Fer.	0.06	41	—	—	—	—	—	—	—	1	6	22	11	1	—	—	—	—
Diarr. and Dys.	1.01	724	532	64	8	1	1	697	4	1	2	3	8	9	6	20	27	—
Cholera	0.04	32	20	3	—	—	—	23	2	—	1	—	1	2	—	2	1	—
Cancer	0.77	548	—	—	—	—	—	—	1	1	—	2	17	51	132	143	128	—
Scrophula	0.54	271	91	63	23	17	8	292	14	5	8	15	7	6	8	1	2	—
Tuberc. Mesent.	0.51	221	108	51	16	7	1	183	8	14	8	3	1	3	1	—	—	—
Phthisis	2.55	1816	50	49	13	17	10	149	43	83	169	239	391	319	221	134	25	—
Hydrocephalus	0.56	254	65	66	23	18	12	184	42	21	4	1	—	1	1	—	—	—
Of Nervous Syst.	2.51	1799	310	83	42	32	15	482	60	22	26	50	71	91	184	247	396	—
Circulatory	1.59	981	4	1	2	1	1	16	13	27	17	14	53	110	139	214	251	—
Respiratory	4.90	2354	810	269	120	66	21	1,381	34	17	14	21	53	108	146	266	320	—
Digestive	0.92	655	99	12	7	8	2	128	9	8	12	15	36	67	84	110	122	—
Urinary	0.38	281	2	1	2	3	1	9	3	6	4	8	24	58	48	52	52	—
Generative	0.07	83	—	—	—	—	—	—	—	—	—	4	7	13	10	13	4	—
Childbirth	0.06	42	—	—	—	—	—	—	—	—	2	7	15	17	1	—	—	—
Suicide	0.08	46	—	—	—	—	—	—	—	1	2	2	6	5	13	11	7	—
Other Violence	0.56	400	40	12	13	11	5	110	20	19	24	24	53	53	46	36	20	—
OTHER CAUSES	4.12	2925	1044	163	63	38	24	1322	51	29	33	51	72	165	129	171	295	—

Deaths of Infants (under
one) to 1000 Births - 163Marriages - 7,556
Births - 22,042Annual Rate of Persons Married
per 1000 living (Births) - 21.18
- 36.88

278.—EAST STONEHOUSE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	28.33	—	—	—	—	—	33.50	6.40	3.71	14.43	12.42	14.11	19.15	20.53	32.02	75.00	182
Mean Pop. 1871-80	—	14,813	466	450	414	397	316	2073	1655	1321	1232	1400	2537	1875	1198	843	468	28
ALL CAUSES	28.33	4197	991	380	190	103	63	1731	100	49	178	175	358	339	249	275	331	26
Small-pox	0.20	44	9	—	1	1	2	13	7	7	9	5	3	—	—	—	—	—
Measles	0.48	71	2	—	—	—	—	18	—	—	1	1	—	—	—	—	—	—
Scarlet Fever	0.33	49	4	9	7	8	5	33	12	—	2	—	—	—	—	—	—	—
Diphtheria	0.18	27	1	5	7	4	3	20	4	1	1	—	1	—	—	—	—	—
Whooping-cough	0.49	72	41	19	6	4	1	71	—	1	—	—	—	—	—	—	—	—
Typhus	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.17	25	1	3	—	—	—	17	5	1	15	13	2	—	—	—	—	—
Simple Cont. Fev.	0.06	9	—	—	—	—	—	10	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	1.09	162	137	13	7	3	1	141	1	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.02	3	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cholera	0.70	103	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.19	28	10	—	1	1	—	15	1	—	1	2	—	13	18	26	11	—
Scrofula	0.37	55	25	13	4	1	—	47	4	—	3	—	—	—	—	—	—	—
Tuberc. Mesent.	3.66	528	11	17	7	9	1	388	4	19	59	72	183	124	38	19	9	—
Phthisis	0.41	61	21	16	2	6	6	61	4	2	3	1	—	—	—	—	—	—
Hydrocephalus	3.48	516	146	44	12	7	9	213	14	5	15	5	18	24	39	58	74	8
Diseases of Nervous Syst.	1.01	239	1	—	—	—	—	1	2	2	9	11	51	53	29	25	55	8
Circulatory	3.07	731	198	98	45	25	10	374	7	1	27	14	36	48	45	59	82	8
Respiratory	0.52	141	15	—	2	—	1	18	5	—	6	7	18	23	11	14	26	—
Digestive	0.05	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urinary	0.05	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.05	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.05	12	—	—	—	—	—	—	—	—	2	1	5	3	1	—	—	—
Suicide	0.08	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.07	10	4	2	6	2	2	13	4	4	14	19	11	9	7	7	4	—
OTHER CAUSES	5.64	836	333	57	21	9	2	491	8	7	5	12	23	31	22	28	38	11

Deaths of Infants (under
one) to 1000 Births - 169Marriages - 1,657
Births - 5,870Annual Rate { Persons Married
per 1000 living { Births - 22.37
- 39.03

279.—STOKE DAMEREL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	20.42	—	—	—	—	—	67.84	7.18	4.45	4.19	5.06	7.85	12.87	16.23	29.09	58.74	156
Mean Pop. 1871-80	—	49,104	1320	1137	1125	1149	1086	5817	5098	4451	5965	4683	7746	5533	4455	3052	1699	68
ALL CAUSES	20.42	10,044	2118	963	426	258	181	3916	366	198	250	265	608	712	723	906	998	107
Small-pox	0.29	194	25	—	3	8	13	49	40	24	18	17	39	10	5	2	—	—
Measles	1.19	546	103	218	113	71	43	343	34	1	—	1	1	—	1	—	—	—
Scarlet Fever	0.37	183	10	42	34	22	23	131	45	4	1	2	—	—	—	—	—	—
Diphtheria	0.07	36	3	5	1	6	6	21	10	1	1	—	—	—	—	—	—	—
Whooping-cough	0.64	317	186	94	43	23	12	303	9	—	—	—	—	—	—	—	—	—
Typhus	0.02	12	—	1	—	1	1	3	1	1	1	—	—	—	—	—	—	—
Enteric Fever	0.34	168	2	3	6	5	5	21	20	34	23	16	37	11	3	3	1	—
Simple Cont. Fev.	0.13	46	1	6	5	6	4	23	17	4	2	—	1	1	2	6	6	—
Puerp. Fever	0.06	28	—	—	—	—	—	—	—	—	—	9	12	6	1	—	—	—
Diarr. and Dys.	0.82	391	215	48	6	5	1	225	4	1	8	2	4	4	6	11	21	1
Cholera	0.01	4	2	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0.58	285	1	—	—	—	—	—	1	1	1	—	15	39	55	78	70	2
Scrofula	0.17	83	25	17	9	7	2	60	5	2	4	3	—	—	—	—	—	—
Tuberc. Mesent.	0.18	88	28	21	11	7	5	72	3	4	2	—	—	—	—	—	—	—
Phthisis	1.91	928	11	18	10	5	5	49	23	41	97	106	285	209	111	56	30	—
Hydrocephalus	0.20	146	33	36	26	14	6	115	16	10	3	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.35	1157	203	62	33	21	11	325	34	17	17	11	43	63	100	102	200	16
Circulatory	1.42	700	4	—	—	1	2	11	4	15	12	17	61	111	98	143	169	10
Respiratory	3.14	1613	372	213	69	24	13	695	29	8	12	22	63	79	120	182	218	13
Digestive	0.89	255	46	4	3	4	2	59	10	7	9	11	29	32	44	52	64	—
Urinary	0.33	170	1	—	—	—	—	—	1	6	5	6	18	31	32	32	32	—
Generative	0.09	44	—	—	—	—	—	—	—	—	—	—	—	13	9	—	—	—
Childbirth	0.10	47	—	—	—	—	—	—	—	—	3	7	24	19	—	—	—	—
Suicide	0.07	36	—	—	—	—	—	—	—	—	—	2	4	9	7	—	—	—
Other Violence	0.33	162	85	9	4	5	7	107	9	8	5	8	10	11	15	22	13	11
OTHER CAUSES	4.28	2141	817	162	47	21	15	1063	33	19	26	16	30	65	53	94	163	39

Deaths of Infants (under
one) to 1000 Births - 141Marriages - 0,134
Births - 15,623Annual Rate { Persons Married
per 1000 living { Births - 24.24
- 30.54

280.—TAVISTOCK.

—	Annual Death Rate per 1000,	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17.39	—	—	—	—	—	41.75	4.44	3.46	5.19	7.61	7.59	9.62	12.89	25.68	37.29	146.3
Mean Pop. } 1871-80 }	—	30,215	704	694	723	743	752	3681	3810	3525	3100	2803	3637	3063	2862	2231	1344	56
ALL CAUSES	17.39	3255	932	308	136	88	52	1516	169	122	161	182	276	292	360	573	770	82
Small-pox - -	0.15	45	4	—	—	—	1	5	2	6	9	9	7	5	1	1	—	—
Measles - -	0.16	54	11	50	8	5	4	40	0	2	—	—	—	—	—	—	—	—
Scarlet Fever -	0.16	47	2	10	6	9	5	31	9	3	2	1	—	—	—	—	—	—
Diphtheria - -	0.16	49	5	1	4	5	5	18	15	11	—	—	1	—	—	—	—	1
Whooping-cough	0.31	93	42	126	12	7	3	40	2	—	—	1	—	—	—	—	—	—
Typhus - -	0.01	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Euteric Fever -	0.24	73	2	2	2	1	1	8	12	11	10	4	12	3	1	6	6	2
Simple Cont. Fer.	0.17	52	1	—	2	1	—	6	6	6	6	4	5	6	4	—	—	—
Fever, Fever -	0.09	15	—	—	—	—	—	—	—	—	1	1	5	6	—	—	—	—
Diarr. and Dys.	0.33	107	61	11	2	5	—	77	2	—	—	2	—	1	—	6	7	23
Cholera - -	0.05	16	4	3	—	2	1	10	—	—	—	—	—	1	—	2	3	—
Cancer - -	0.50	151	—	—	—	—	1	1	1	—	—	1	6	10	27	35	33	17
Scrofula - -	0.15	46	12	6	4	1	2	25	3	5	1	5	2	1	2	1	5	—
Tuberc. Menstr.	0.21	63	21	37	7	4	1	52	2	—	—	—	—	—	—	—	—	—
Phthisis - -	0.09	631	17	22	18	1	2	54	21	20	63	89	107	84	83	59	29	10
Hydrocephalus	0.14	41	10	11	4	5	1	31	6	2	1	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1.84	555	110	17	11	10	7	135	13	8	15	10	17	21	30	79	167	88
Circulatory	1.44	455	2	1	1	—	—	4	4	2	1	10	10	20	22	58	107	81
Respiratory	3.16	955	200	92	31	14	2	339	14	6	9	11	27	42	73	101	196	139
Digestive	0.96	290	40	3	1	4	4	52	6	7	10	5	12	16	32	42	89	29
Urinary	0.41	123	1	—	—	—	—	1	1	—	—	4	11	13	14	27	27	21
Generative	0.03	8	—	—	—	—	—	—	—	—	1	—	1	—	4	—	—	—
Childbirth - -	0.08	25	—	—	—	—	—	—	—	—	2	10	11	—	—	—	—	—
Soleida - -	0.07	20	—	—	—	—	—	—	—	—	1	—	—	1	4	7	5	—
Other Violence	0.65	197	10	7	5	4	3	29	17	18	22	14	27	15	17	10	11	9
OTHER CAUSES -	3.84	1106	377	58	21	14	9	432	21	12	7	8	16	21	35	57	130	407

Deaths of Infants (under
one) to 1000 Births - } 109Marriages - 1,682
Births - 8,518Annual Rate (Persons Married
per 1000 living (Births - } 11.13
28.19

281.—OKEHAMPTON.

—	Annual Death Rate per 1000,	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.07	—	—	—	—	—	37.94	5.00	3.59	4.88	5.72	7.49	9.12	10.80	22.54	53.43	135.9
Mean Pop. } 1871-80 }	—	18,105	443	476	435	488	438	2780	2222	2116	1823	1415	2006	1754	1620	1562	964	48
ALL CAUSES	18.07	3272	545	148	80	55	28	865	111	76	89	81	157	160	175	307	409	78
Small-pox - -	0.01	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles - -	0.29	52	8	12	5	7	2	34	11	3	1	—	—	1	—	—	—	—
Scarlet Fever -	0.29	52	3	5	9	10	4	31	13	7	1	1	—	—	—	—	—	—
Diphtheria - -	0.08	15	1	—	—	1	2	4	6	2	1	—	1	—	—	—	—	—
Whooping-cough	0.38	99	31	18	12	3	4	67	2	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	3	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—
Euteric Fever -	0.23	42	—	1	—	1	1	5	5	2	—	—	6	4	1	2	1	—
Simple Cont. Fer.	0.18	39	—	—	—	1	—	5	4	—	—	—	3	2	—	—	—	—
Fever, Fever -	0.04	7	—	—	—	—	—	—	—	1	1	—	5	2	—	—	—	—
Diarr. and Dys.	0.27	49	123	6	—	—	—	29	2	—	—	—	—	1	1	4	4	8
Cholera - -	0.01	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cancer - -	0.54	98	—	—	—	—	—	—	4	1	—	—	2	4	8	11	28	17
Scrofula - -	0.23	41	11	3	3	2	—	23	4	1	—	—	5	—	—	—	—	—
Tuberc. Menstr.	0.18	33	11	9	5	1	1	27	1	—	—	—	—	—	—	—	—	—
Phthisis - -	1.25	281	4	2	1	1	—	6	9	11	55	44	55	57	18	29	9	8
Hydrocephalus	0.23	46	18	6	4	1	2	31	5	4	3	1	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.31	418	103	16	15	5	2	141	11	4	7	4	17	15	20	46	69	81
Circulatory	1.54	283	—	—	1	—	—	1	2	7	3	7	9	16	23	27	106	22
Respiratory	3.11	761	96	41	16	9	3	164	11	4	7	4	14	13	24	61	137	119
Digestive	0.96	290	18	2	4	1	1	56	4	3	2	1	9	11	13	28	42	20
Urinary	0.25	41	—	—	—	—	—	4	2	—	1	—	4	4	8	5	11	7
Generative	0.03	8	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—
Childbirth - -	0.08	14	—	—	—	—	—	—	—	—	2	1	6	5	—	1	2	—
Soleida - -	0.04	8	—	—	—	—	—	—	—	—	1	1	1	1	2	1	2	—
Other Violence	0.47	85	1	5	5	5	—	17	12	5	6	4	7	6	12	5	5	8
OTHER CAUSES -	4.87	880	213	21	9	8	7	238	12	9	5	2	9	11	12	32	93	437

Deaths of Infants (under
one) to 1000 Births - } 99Marriages - 1,084
Births - 5,490Annual Rate (Persons Married
per 1000 living (Births - } 11.67
30.32

282.—CREDITON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	18.28	—	—	—	—	—	34.43	2.63	3.23	5.72	8.45	7.57	9.44	11.74	22.89	53.26	161.1
Mean Pop. 1871-80	—	18,068	470	463	487	482	462	2364	2355	2105	1784	1364	2113	1791	1755	1503	1087	607
ALL CAUSES	1.28	8413	529	133	66	46	40	814	69	68	103	115	160	169	206	344	547	519
Small-pox	0.02	4	2	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—
Measles	0.21	39	8	7	4	4	3	26	7	2	—	1	1	2	—	—	—	—
Scarlet Fever	0.13	25	1	3	6	4	7	21	3	—	—	1	—	—	—	—	—	—
Diphtheria	0.04	7	1	—	—	—	1	2	3	1	1	—	—	—	—	—	—	—
Whooping-cough	0.35	62	31	14	6	5	3	59	3	—	—	—	—	—	—	—	—	—
Typhus	0.05	10	—	—	1	—	1	2	—	2	2	3	1	—	—	—	—	—
Enteric Fever	0.43	81	1	—	1	9	6	10	14	17	12	9	4	7	—	4	1	—
Simple Cont. Fav.	0.08	15	—	—	1	—	—	1	2	1	1	—	—	—	—	—	—	—
Puerp. Fever	0.05	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Diarr. and Dys.	0.25	47	20	4	1	—	—	25	—	—	2	—	—	—	—	3	2	15
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	0.55	163	—	—	—	—	—	—	1	1	2	—	—	—	7	20	36	23
Scrofula	0.09	17	3	3	1	—	1	8	1	1	1	3	1	—	20	1	1	13
Tuberc Mesent.	0.13	25	9	5	2	2	2	20	1	—	—	1	—	—	—	1	—	—
Phthisis	1.52	263	3	3	2	1	—	9	—	8	41	50	68	43	60	19	14	1
Hydrocephalus	0.21	59	16	10	3	3	1	33	2	3	—	—	1	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.49	445	101	13	6	3	2	125	7	9	9	8	17	13	22	59	105	91
Circulatory "	1.41	167	—	—	—	—	—	2	—	3	4	3	5	10	23	32	61	45
Respiratory "	3.17	594	101	29	11	9	4	134	4	2	2	5	16	18	32	61	138	148
Digestive "	1.02	190	19	1	2	—	—	22	6	4	7	4	5	14	22	34	43	28
Urinary "	0.28	13	—	—	—	—	1	1	—	11	—	1	1	3	3	7	18	15
Generative "	0.09	16	—	—	—	—	—	—	—	—	—	1	—	2	4	1	8	7
Childbirth	0.10	18	—	—	—	—	—	—	—	—	1	4	7	6	—	—	—	—
Suicide	0.07	13	—	—	—	—	—	—	—	—	1	1	1	2	—	1	—	—
Other Violence	0.50	94	4	5	4	4	1	18	2	6	6	5	2	5	15	10	15	16
OTHER CAUSES	0.08	9.8	209	36	13	9	7	274	13	7	9	11	13	10	16	42	104	61

Deaths of Infants (under one) to 1000 Births } 86

Marriages - 1,014
Births - 5,517Annual Rate { Persons Married - 11.18
per 1000 living { Births - 29.55

283.—TIVERTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	19.61	—	—	—	—	—	40.25	5.50	3.14	5.10	7.91	8.21	10.56	14.15	26.26	57.61	161.1
Mean Pop. 1871-80	—	29,119	778	707	777	719	721	3702	3326	3346	2843	2162	3423	2926	2697	2260	1505	738
ALL CAUSES	19.61	5709	936	274	136	75	69	1400	194	103	145	171	281	309	381	595	867	1171
Small-pox	0.07	19	2	4	2	—	—	8	2	—	1	2	2	3	1	—	—	—
Measles	0.30	88	12	33	16	8	5	74	9	3	—	—	—	1	1	—	—	—
Scarlet Fever	0.38	163	6	17	21	22	20	86	65	11	3	1	2	1	—	—	—	—
Diphtheria	0.09	25	—	1	3	1	3	8	7	3	1	4	—	—	1	—	—	—
Whooping-cough	0.36	76	35	20	12	3	3	73	3	—	—	—	—	—	—	—	—	—
Typhus	0.05	15	—	—	—	—	—	—	2	3	1	1	2	2	1	2	—	—
Enteric Fever	0.21	62	2	1	1	1	2	7	8	6	8	9	5	5	4	6	4	—
Simple Cont. Fav.	0.10	30	2	—	—	4	—	6	4	3	1	2	4	5	1	—	—	—
Puerp. Fever	0.05	15	—	—	—	—	—	—	—	—	1	1	10	3	—	—	—	—
Diarr. and Dys.	0.35	103	58	8	3	—	1	70	1	—	—	2	1	5	3	4	9	8
Cholera	0.01	4	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—
Cancer	0.43	124	—	—	—	—	—	—	—	—	—	—	4	9	29	40	26	25
Scrofula	0.09	27	10	5	1	1	—	17	—	1	2	2	2	1	2	—	—	—
Tuberc Mesent.	0.10	29	8	4	4	—	4	20	2	2	—	—	—	—	—	1	—	—
Phthisis	1.91	557	2	5	1	—	2	10	8	19	63	83	162	92	74	40	24	2
Hydrocephalus	0.24	70	27	11	11	3	—	52	9	3	2	2	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.28	165	157	34	9	13	10	221	18	11	9	8	12	24	44	92	115	105
Circulatory "	1.47	429	—	—	—	—	—	—	6	6	12	10	15	29	47	90	151	65
Respiratory "	3.59	909	169	70	23	7	8	211	17	11	7	12	24	43	76	134	215	144
Digestive "	0.94	274	13	5	5	1	2	31	6	3	7	5	12	21	33	62	61	25
Urinary "	0.44	129	1	1	1	2	—	5	3	3	4	6	9	12	12	32	36	25
Generative "	0.04	11	—	—	—	—	—	—	—	—	—	—	2	—	3	3	2	1
Childbirth	0.05	15	—	—	—	—	—	—	—	—	—	4	5	6	—	—	—	—
Suicide	0.08	22	—	—	—	—	—	—	—	—	—	1	1	3	8	—	—	—
Other Violence	0.49	143	9	5	8	3	1	26	9	7	6	6	13	29	16	10	8	12
OTHER CAUSES	3.68	1647	418	49	18	6	3	496	13	8	13	19	10	21	37	64	225	767

Deaths of Infants (under one) to 1000 Births } 118

Marriages - 1,876
Births - 6,367Annual Rate { Persons Married - 12.89
per 1000 living { Births - 29.73

284.—SOUTH MOLTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
REAL DEATHS (EXCEPT 1000)	—	17.73	—	—	—	—	—	32.51	4.55	2.77	4.17	4.79	7.05	9.09	12.20	23.84	37.20	157.27
Pop. 71-80	—	17,897	457	420	469	463	440	2219	2243	2060	1845	1379	2113	1727	1566	1338	910	447
ALL CAUSES	17.73	3174	503	181	61	46	28	821	102	57	77	66	140	157	191	319	532	703
Di-pox -	0.04	10	1	2	—	—	—	3	—	—	1	2	3	—	1	—	—	—
chol -	0.20	35	7	11	5	2	2	27	2	1	2	1	—	2	—	—	—	—
let Fever -	0.37	66	2	17	7	11	6	43	17	5	—	—	—	—	1	—	—	—
theria -	0.03	9	1	—	2	—	—	2	5	1	—	—	—	—	—	—	—	—
oping-cough	0.31	56	31	15	8	1	1	56	—	—	—	—	—	—	—	—	—	—
rus -	0.61	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
yle Fever -	0.28	46	—	—	—	1	—	1	4	5	6	5	6	6	4	1	5	8
le Cont. Fev.	0.03	5	—	1	—	—	—	1	2	—	1	—	—	—	—	1	1	—
p. Fever -	0.01	6	—	—	—	—	—	—	—	2	2	1	1	1	—	—	—	—
r. and Dys.	0.33	59	38	4	1	—	—	33	1	—	—	1	3	1	—	3	5	12
era -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
er -	0.64	114	—	—	—	—	—	—	—	—	3	—	1	4	21	23	34	25
ula -	0.10	23	5	8	2	1	1	12	5	1	3	1	—	—	—	—	4	—
s Measul.	0.19	34	20	8	1	—	1	39	1	1	1	—	—	—	—	—	—	—
isla -	1.80	326	4	7	4	3	—	14	13	17	34	31	71	54	27	64	30	5
ncephalus	0.27	48	17	13	2	4	—	50	7	2	1	2	—	—	—	—	—	—
Cervous Syst.	2.21	295	80	22	9	6	3	120	10	8	1	3	12	10	22	24	74	61
Circulatory	1.97	332	—	—	—	—	—	—	2	—	2	—	11	20	29	37	133	90
Respiratory	2.96	529	102	50	13	6	2	173	8	5	6	6	8	14	28	67	105	114
digestive	0.91	166	11	—	—	1	1	33	6	2	4	4	11	11	17	21	40	55
Urinary	0.35	62	—	—	—	1	—	1	—	1	1	2	5	6	5	5	15	18
Genenerative	0.03	9	—	—	—	—	—	—	—	—	—	—	2	3	2	—	2	—
Birth -	0.01	8	—	—	—	—	—	—	—	—	—	1	3	3	1	—	—	—
de -	0.07	13	—	—	—	—	—	—	—	—	—	1	1	3	3	2	—	—
r Violence -	0.01	57	5	4	3	3	1	16	6	2	1	2	4	6	7	11	7	3
ER CAUSES	4.02	720	189	24	6	6	7	232	17	5	8	1	7	19	17	27	63	317

Deaths of Infants (under
one) to 1000 Births - } 96Marriages - 1,130
Births - 5,241Annual Rate of Persons Married - 12.63
per 1000 living (Births) - 29.28

285.—BARNSTAPLE.

—	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
REAL DEATHS (EXCEPT 1000)	—	18.83	—	—	—	—	—	42.70	5.09	3.21	4.70	7.05	8.23	9.86	12.08	21.94	52.93	146.87
Pop. 71-80	—	37,803	927	876	942	930	904	4379	4477	4017	3825	3050	4040	3916	3428	2825	1980	1037
ALL CAUSES	18.83	7113	1174	300	203	117	104	1938	228	130	186	216	334	386	443	630	1043	1523
Di-pox -	0.04	52	4	—	1	—	1	6	2	3	2	2	8	5	3	1	—	—
chol -	0.23	86	16	19	10	13	7	73	10	—	1	—	—	—	—	—	—	—
let Fever -	0.44	180	20	37	23	22	17	159	41	5	1	3	—	—	—	—	1	—
theria -	0.19	71	4	9	8	12	12	43	17	6	—	1	—	2	—	—	—	—
oping-cough	0.31	118	50	29	21	9	2	111	5	1	1	—	—	—	—	—	—	—
rus -	0.00	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
yle Fever -	0.29	77	2	—	—	1	1	4	5	7	11	13	10	9	9	5	5	1
le Cont. Fev.	0.04	22	—	1	—	1	1	3	1	4	2	2	1	—	1	3	2	3
p. Fever -	0.01	18	—	—	—	—	—	—	—	—	4	10	4	—	—	—	—	—
r. and Dys.	0.63	225	163	26	4	1	—	191	2	—	—	1	1	—	1	2	11	16
era -	0.01	4	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—
er -	0.73	271	—	—	—	1	—	1	2	—	2	—	6	22	20	74	68	29
ula -	0.08	50	9	6	1	—	1	17	1	1	1	2	1	2	—	1	—	—
s Measul.	0.13	51	13	14	7	1	2	39	1	1	4	2	1	—	—	1	2	—
isla -	2.11	799	9	7	4	3	3	26	12	20	76	114	178	121	86	82	65	16
ncephalus	0.23	107	28	18	19	5	9	79	15	9	3	—	1	—	—	—	—	—
Cervous Syst.	2.29	832	144	24	14	8	7	197	26	14	6	7	25	50	54	93	180	178
Circulatory	1.39	527	3	—	—	—	—	3	6	10	11	8	25	23	62	74	108	139
Respiratory	3.39	1247	267	113	60	17	16	443	29	4	11	11	28	42	69	160	243	273
digestive	0.99	329	44	7	2	3	3	59	4	7	7	7	21	26	49	54	58	53
Urinary	0.23	199	1	—	—	1	1	3	6	2	2	3	16	19	23	26	32	37
Genenerative	0.06	24	—	—	—	—	—	—	—	—	—	1	3	2	8	4	5	1
Birth -	0.06	23	—	—	—	—	—	—	—	—	—	3	8	12	—	—	—	—
de -	0.05	18	—	—	—	—	—	—	—	—	—	—	—	2	6	4	3	—
r Violence -	0.37	217	14	3	3	8	10	46	15	17	10	19	20	12	16	20	33	30
ER CAUSES	4.24	591	34	31	11	11	11	4.51	26	18	22	13	19	27	29	50	172	7.21

Deaths of Infants (under
one) to 1000 Births - } 110Marriages - 2,503
Births - 10,677Annual Rate of Persons Married - 13.24
per 1000 living (Births) - 28.24

286.—TOBRINGTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	17.78	—	—	—	—	—	37.21	5.18	3.43	5.30	8.48	8.00	9.10	11.71	22.25	47.77	102.0
Mean Pop. } 1871-80 — }	—	15,577	411	356	300	332	390	1935	1040	1865	1604	1203	1780	1405	1417	1197	783	469
ALL CAUSES	17.78	2709	423	145	74	43	35	720	103	64	85	102	141	136	106	253	374	612
Small-pox - -	0.10	15	2	-	2	2	-	6	1	-	1	2	3	1	-	1	-	-
Measles - -	0.13	20	5	3	4	2	1	15	3	1	1	-	-	-	-	-	-	-
Scarlet Fever -	0.52	81	5	11	12	10	9	50	24	5	-	-	-	2	-	-	-	-
Diphtheria - -	0.14	22	-	-	2	1	1	4	10	6	-	1	-	-	-	1	-	-
Whooping-cough	0.31	49	22	13	7	3	3	48	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.03	3	-	-	-	-	-	-	-	-	2	-	3	-	-	-	1	1
Enteric Fever -	0.23	39	-	-	-	-	1	1	3	9	7	5	3	3	5	1	5	-
Simp. Cont. Fever	0.09	14	1	1	-	-	-	3	2	2	1	2	4	-	-	-	1	-
Puerp. Fever -	0.06	9	-	-	-	-	-	-	-	-	-	-	-	3	-	-	6	6
Diarr. and Dys. -	0.50	47	26	4	-	-	1	31	-	2	-	-	-	-	-	2	6	1
Cholera - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.49	78	-	-	-	-	-	-	-	-	-	-	1	7	10	25	16	17
Serofula - -	0.19	14	3	3	-	-	-	6	1	1	-	1	1	1	2	1	1	-
Tuberc. Mesent. -	0.21	33	11	6	3	1	2	23	-	2	2	1	1	1	2	1	-	-
Phthisis - -	2.58	335	6	4	3	3	-	16	6	15	4	29	78	51	40	20	24	4
Hydrocephalus -	0.21	32	12	5	1	4	2	24	6	1	-	-	-	-	-	-	-	-
Diseases of { Nervous Syst. -	2.48	394	79	8	6	2	2	97	6	3	5	4	8	9	16	32	61	69
Circulatory - -	1.77	276	-	-	-	-	-	-	2	-	4	-	6	17	13	64	82	80
Respiratory - -	2.74	427	63	25	14	4	4	129	13	-	4	6	9	13	24	33	81	124
Digestive - -	0.75	113	15	1	-	-	2	18	5	5	3	4	7	2	13	20	19	19
Urinary - -	0.11	62	-	-	-	2	-	2	-	-	2	2	3	4	5	11	15	15
Generative - -	0.01	7	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	-
Childbirth - -	0.10	10	-	-	-	-	-	-	-	1	6	4	5	-	-	-	-	-
Suicide - -	0.03	8	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	3
Other Violence -	0.12	63	3	8	7	2	2	22	1	4	3	1	2	4	5	9	6	9
OTHER CAUSES	4.24	661	170	40	15	7	4	234	19	9	6	8	11	14	6	31	51	23

Deaths of Infants (under
one) to 1000 Births } 03Marriages - 073
Births - 4,563Annual Rate { Persons Married - 12.49
per 1000 living { Births - 29.31

287.—BIDEFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18.90	—	—	—	—	—	42.63	7.10	3.02	5.67	8.37	8.50	8.69	11.61	22.95	50.48	147.1
Mean Pop. } 1871-80 — }	—	10,132	511	474	484	476	404	2439	2366	2169	1905	1566	2330	1921	1661	1329	941	508
ALL CAUSES	18.90	2616	632	198	101	56	54	1041	168	85	108	131	198	167	193	305	475	74
Small-pox - -	0.71	141	9	4	10	1	5	29	28	15	9	16	24	8	10	1	1	-
Measles - -	0.50	73	12	22	9	2	7	62	4	2	-	-	-	-	-	-	-	-
Scarlet Fever -	0.49	83	3	11	12	8	12	46	24	5	6	1	1	-	-	-	-	-
Diphtheria - -	0.16	31	3	3	3	4	5	18	9	2	-	-	-	1	-	1	3	-
Whooping-cough	0.43	87	33	29	11	6	5	84	3	-	-	-	-	-	-	-	-	-
Typhus - -	0.01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever -	0.40	77	1	5	-	-	-	6	8	8	16	12	8	6	6	4	1	1
Simp. Cont. Fever	0.15	22	2	1	1	1	2	8	3	2	3	1	7	-	-	-	-	-
Puerp. Fever -	0.06	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diarr. and Dys. -	0.47	10	22	8	1	-	-	61	-	2	-	-	-	-	-	2	9	14
Cholera - -	0.03	5	2	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-
Cancer - -	0.52	89	-	-	-	-	-	-	-	-	-	-	1	8	5	28	31	26
Serofula - -	0.11	22	2	5	3	-	2	12	2	1	2	-	2	-	1	-	1	-
Tuberc. Mesent. -	0.17	52	12	6	5	1	-	25	6	2	2	-	10	62	34	31	10	1
Phthisis - -	1.54	248	3	9	-	-	-	13	6	4	24	43	70	52	31	21	10	1
Hydrocephalus -	0.33	63	18	14	7	2	3	44	9	4	2	1	1	1	-	-	-	-
Diseases of { Nervous Syst. -	2.24	457	90	16	6	5	2	119	16	5	6	8	15	11	17	53	85	101
Circulatory - -	1.41	172	1	-	-	-	-	1	4	2	2	4	7	12	25	55	82	71
Respiratory - -	3.21	615	116	51	13	5	5	169	14	4	11	12	6	17	25	56	122	168
Digestive - -	0.82	157	15	8	3	1	-	27	6	5	4	3	9	8	20	16	30	2
Urinary - -	0.06	88	-	-	-	-	-	-	-	4	4	5	6	6	9	9	24	2
Generative - -	0.03	19	-	-	1	-	-	1	-	-	-	-	-	2	-	2	-	-
Childbirth - -	0.10	19	-	-	-	-	-	-	-	-	-	5	5	8	1	-	-	-
Suicide - -	0.03	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
Other Violence -	0.31	107	7	3	5	3	1	19	6	9	9	7	11	8	4	10	9	11
OTHER CAUSES	4.02	768	251	52	11	16	8	308	13	9	7	5	16	16	21	51	62	26

Deaths of Infants (under
one) to 1000 Births } 108Marriages - 1,330
Births - 5,335Annual Rate { Persons Married - 13.97
per 1000 living { Births - 30.50

288.—HOLSWORTHY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	40—	50—	60—	70—
ANNUAL DEATH RATE PER 1000	—	18.24	—	—	—	—	—	41.20	4.10	4.03	6.40	7.03	8.68	7.70	10.50	22.24	34.20	101
Mean Pop. 1871-80	—	9218	247	228	223	233	225	1161	1170	1092	956	740	1094	886	784	652	406	2
ALL CAUSES	18.24	1631	305	99	30	27	18	479	48	44	63	52	95	69	83	145	253	3
Small-pox	0.02	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Measles	0.24	24	3	5	8	—	2	13	4	2	3	—	1	1	—	—	—	—
Scarlet Fever	0.17	25	1	5	3	5	1	13	6	6	—	—	—	—	—	—	—	—
Diphtheria	0.11	10	—	1	1	1	1	4	4	2	—	—	—	—	—	—	—	—
Whooping-cough	0.46	42	22	10	5	2	1	40	2	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0.27	25	—	1	—	—	—	1	2	2	4	—	1	2	—	1	7	—
Simple Cont. Fev.	0.05	5	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Purp. Fever	0.03	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Diarr. and Dys.	0.29	27	16	2	—	—	1	19	1	—	—	—	—	—	—	1	1	—
Cholera	0.01	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.54	50	—	—	—	—	—	—	—	—	—	—	2	4	8	14	10	—
Scrofula	0.15	17	3	1	—	2	—	6	3	—	3	—	2	—	2	1	—	—
Typh. Mesent.	0.23	22	13	—	2	1	—	28	—	2	1	1	—	—	—	—	—	—
Pathols	2.08	192	4	3	1	1	—	9	1	12	21	19	42	21	20	18	19	—
Hydrocephalus	0.16	15	8	3	2	—	1	14	—	—	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.81	167	41	12	3	3	1	63	7	7	7	1	3	1	2	16	22	—
Cerebral	1.23	110	—	—	—	—	—	—	—	1	3	2	7	8	16	15	15	—
Respiratory	0.15	38	68	24	6	6	5	109	4	1	7	3	7	9	10	12	17	—
Digestive	0.22	36	9	1	—	—	1	12	3	—	—	2	6	3	8	17	12	—
Urinary	0.21	31	—	—	—	—	—	—	—	1	—	2	1	3	2	6	9	—
Generative	0.03	3	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—
Childbirth	0.11	10	—	—	—	—	—	—	—	—	—	2	6	2	—	—	—	—
Suicide	0.04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—
Other Violence	0.49	45	4	—	2	2	—	8	3	4	3	5	4	7	3	7	2	—
OTHER CAUSES	3.96	362	111	18	4	3	3	139	6	1	8	5	10	5	5	14	49	1

Deaths of Infants (under one) to 1000 Births } 105

Marriages } 605
Births } 2,901Annual Rate } Persons Married } 13.13
per 1000 living } Births } 31.47

CORNWALL.]

289.—STRATTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	40—	50—	60—	70—
ANNUAL DEATH RATE PER 1000	—	17.29	—	—	—	—	—	36.87	4.78	3.51	3.55	5.75	6.55	8.52	9.30	18.18	48.27	158
Mean Pop. 1871-80	—	7642	197	203	197	203	190	990	962	855	789	591	901	751	650	550	433	1
ALL CAUSES	17.29	1321	237	69	31	17	11	365	46	30	27	34	59	64	61	100	269	3
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.27	21	4	5	4	1	1	13	6	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.24	18	3	3	4	2	1	12	4	1	—	—	1	—	—	—	—	—
Diphtheria	0.12	9	—	—	1	3	—	4	5	—	—	—	—	—	—	—	—	—
Whooping-cough	0.25	19	13	5	1	—	—	17	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Enteric Fever	0.16	11	1	1	—	1	1	4	—	2	2	—	2	—	—	—	—	—
Simple Cont. Fev.	0.03	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Purp. Fever	0.04	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Diarr. and Dys.	0.25	19	11	1	1	—	—	13	—	—	1	—	—	—	—	—	—	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.72	65	—	—	—	—	—	—	—	—	1	1	1	2	6	9	22	—
Scrofula	0.08	8	2	—	—	—	—	4	—	1	—	—	—	1	—	—	—	—
Typh. Mesent.	0.12	9	6	—	1	—	—	7	—	1	—	—	—	—	—	—	—	—
Pathols	2.09	123	14	8	3	—	1	16	3	5	10	16	27	21	16	14	13	—
Hydrocephalus	0.13	10	5	1	—	—	1	7	1	—	1	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.12	162	27	10	1	1	1	40	6	5	2	4	5	7	8	13	23	—
Cerebral	1.21	100	1	—	—	—	—	1	—	1	—	—	5	7	4	17	27	—
Respiratory	0.22	162	46	22	5	5	2	80	2	2	1	3	5	5	39	16	—	—
Digestive	0.24	64	5	1	—	—	—	6	2	5	3	2	2	6	4	12	18	—
Urinary	0.24	41	—	1	—	—	—	1	—	2	1	2	1	6	1	4	14	—
Generative	0.10	8	—	—	—	—	—	—	—	—	—	—	—	1	4	—	3	—
Childbirth	0.04	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Suicide	0.07	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.52	41	3	—	—	3	1	6	6	3	3	1	3	2	7	2	4	—
OTHER CAUSES	4.76	560	96	13	10	3	2	124	7	2	2	1	5	2	4	9	38	1

Deaths of Infants (under one) to 1000 Births } 102

Marriages } 470
Births } 319Annual Rate } Persons Married } 12.50
per 1000 living } Births } 30.35

290.—CAMELFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000 }	—	18.02	—	—	—	—	—	44.07	4.52	4.05	5.45	7.43	6.84	10.06	12.11	21.67	30.63	187.1
Mean Pop. } 1871-80 - }	—	8011	217	208	220	183	206	1046	995	938	789	603	980	785	702	536	307	18
ALL CAUSES	18.02	1516	288	130	23	17	8	461	45	38	43	45	67	86	85	127	201	31
Small-pox - -	0.04	3	-	-	-	-	-	4	1	1	1	-	-	1	1	-	-	-
Measles - -	0.07	6	-	2	2	-	-	7	1	2	2	-	-	-	-	-	-	-
Scarlet Fever -	0.24	19	-	1	2	2	2	7	7	3	2	-	1	-	-	-	-	-
Diphtheria - -	0.17	14	-	-	-	-	1	1	9	3	1	-	-	-	-	-	-	-
Whooping-cough	0.91	73	35	27	4	4	1	71	-	2	-	-	-	-	-	-	-	-
Typhus - -	0.02	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Enteric Fever -	0.34	17	1	-	1	-	-	2	7	3	3	3	-	2	1	-	1	-
Simple Cont. Fev.	0.15	12	-	-	-	-	-	-	1	1	1	3	2	2	1	2	-	-
Puerp. Fever -	0.02	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Diarr. and Dys. -	0.44	35	21	1	1	-	-	23	-	1	-	-	-	-	-	-	2	9
Cholera - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.42	34	-	-	-	1	-	-	-	-	-	-	-	4	5	9	9	7
Scrophula - -	0.26	21	4	6	1	1	-	12	1	1	1	1	1	-	1	1	2	-
Tubes Mesent. -	0.42	34	10	13	2	1	-	29	1	2	1	2	1	-	1	-	-	-
Phthisis - -	1.04	131	-	6	1	2	-	9	1	9	9	21	23	19	18	12	6	9
Hydrocephalus -	0.34	27	9	12	-	1	-	22	1	2	-	-	-	-	-	-	-	-
Diseases of } Nervous Syst. } Circulatory } Respiratory } Digestive } Urinary } Generative }	2.35 1.80 1.80 0.71 0.25 0.05	183 132 144 57 20 4	39 1 23 9 - -	15 1 22 2 1 -	1 - 2 4 - -	- - 2 1 - -	- - 2 - - -	54 1 55 10 - -	3 2 3 4 - -	2 - 3 1 1 -	6 - 3 4 1 -	- 3 4 9 1 3	3 4 11 10 8 1	8 15 15 8 6 1	8 42 14 8 2 2	18 62 39 17 35 2	33 62 33 13 35 10	23 62 33 13 35 10
Childbirth - -	0.06	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Suicide - -	0.05	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1
Other Violence -	0.52	42	2	1	1	-	1	5	-	3	6	2	6	5	4	6	1	3
OTHER CAUSES -	5.37	429	128	21	4	2	1	150	4	4	6	2	4	11	10	10	42	12

Deaths of Infants (under
one) to 1000 Births - } 110Marriages - 493
Births - 2,576Annual Rate { Persons Married - 12.03
per 1000 living { Births - 33.16

291.—LAUNCESTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000 }	—	18.40	—	—	—	—	—	47.57	5.81	2.95	4.89	7.62	7.22	8.84	12.54	22.87	37.70	154.7
Mean Pop. } 1871-80 - }	—	16,000	430	433	427	431	303	2114	2006	1965	1737	1359	1910	1618	1407	1185	799	37
ALL CAUSES	18.40	3054	574	186	71	56	34	921	120	58	85	102	140	143	184	271	461	56
Small-pox - -	0.01	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Measles - -	0.13	22	7	3	3	3	-	16	6	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0.35	53	3	6	6	8	9	32	19	4	1	1	1	-	-	-	-	-
Diphtheria - -	0.36	60	2	2	7	4	7	22	19	6	2	1	-	1	-	-	-	-
Whooping-cough	0.46	76	32	28	7	6	1	74	2	-	-	-	-	-	-	-	-	-
Typhus - -	0.07	11	-	-	-	-	1	1	3	-	3	1	1	1	-	-	1	-
Enteric Fever -	0.20	33	1	2	1	-	-	4	6	1	2	4	1	1	6	3	4	1
Simple Cont. Fev.	0.14	23	4	2	-	2	-	8	2	-	2	2	1	3	1	-	2	2
Puerp. Fever -	0.06	10	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
Diarr. and Dys. -	0.50	60	29	13	-	-	1	33	-	-	-	-	1	-	-	2	6	8
Cholera - -	0.01	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Cancer - -	0.57	94	-	-	-	-	-	-	1	-	-	-	2	2	12	31	30	16
Scrophula - -	0.14	14	3	8	-	1	-	11	1	1	1	3	1	3	2	-	-	-
Tubes Mesent. -	0.17	28	10	8	4	-	-	22	1	1	1	1	-	2	-	-	-	-
Phthisis - -	1.72	226	6	9	1	1	1	16	3	6	32	45	63	33	37	23	17	1
Hydrocephalus -	0.37	62	16	11	5	6	6	44	6	4	6	1	1	-	-	-	-	-
Diseases of } Nervous Syst. } Circulatory } Respiratory } Digestive } Urinary } Generative }	2.25 1.48 3.40 0.69 0.54 0.04	373 246 565 147 89 6	72 1 124 24 1 -	13 1 49 3 - -	5 1 14 4 1 -	5 - 7 2 1 -	1 - 3 3 1 -	96 2 199 134 3 -	8 1 7 5 1 -	9 1 3 8 1 -	9 5 3 2 1 -	4 3 13 8 3 -	10 5 12 6 6 12	12 18 27 7 12 7	18 31 34 13 10 17	32 51 32 23 17 1	36 66 93 33 22 4	39 66 129 15 16 -
Childbirth - -	0.07	11	-	-	-	-	-	-	-	-	2	1	2	6	-	-	-	-
Suicide - -	0.04	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Other Violence -	0.44	7	3	6	2	2	1	14	2	8	6	1	9	5	10	10	6	5
OTHER CAUSES -	4.17	691	235	32	9	7	1	284	17	6	6	7	12	9	18	29	80	123

Deaths of Infants (under
one) to 1000 Births - } 113Marriages - 590
Births - 5,137Annual Rate { Persons Married - 11.93
per 1000 living { Births - 36.95

292.—ST. GERMAN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
NUAL DEATH RATE PER 1000.	—	18'09	—	—	—	—	—	46'23	5'67	3'39	5'84	7'08	9'34	10'40	10'32	23'78	52'17	147'73
San Pop. 871-80	—	17,365	435	415	406	451	399	2109	2081	1974	1645	1370	2044	1798	1608	1409	929	407
ALL CAUSES	18'09	3,237	580	208	90	50	41	975	118	67	96	97	191	187	166	335	489	585
all-pox -	0'12	21	3	-	-	1	-	4	2	4	4	2	3	2	-	-	-	-
scles -	0'24	42	6	15	9	3	3	26	4	-	1	1	-	-	-	-	-	-
riety Fever -	0'23	40	1	8	10	4	4	27	10	3	-	1	-	1	-	-	-	-
tberia -	0'14	25	-	1	3	2	1	7	15	3	-	-	-	-	-	-	-	-
oping-cough -	0'50	89	42	27	5	4	3	81	5	-	-	-	-	-	-	-	-	-
hus -	0'01	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
erie Fever -	0'43	84	-	2	2	2	2	8	11	7	14	8	16	5	6	8	4	3
ple Cont. Fev. -	0'36	45	-	1	6	2	3	12	4	3	-	3	2	2	1	4	3	11
rp. Fever -	0'02	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
rr. and Dys. -	0'39	102	55	11	3	3	1	73	3	-	-	1	-	1	3	1	6	14
iera -	0'02	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
wer -	0'50	104	-	-	-	1	-	1	-	-	-	-	2	9	14	31	24	43
stula -	0'10	38	7	-	2	-	-	9	-	1	1	1	1	1	3	-	1	-
es Mesent. -	0'23	40	13	8	7	1	1	20	6	-	1	1	-	-	-	-	1	1
hisis -	1'97	342	6	9	1	-	2	18	1	13	34	44	87	54	28	28	20	5
trocephalus -	0'29	50	11	17	6	-	3	33	6	2	5	-	-	-	-	-	-	-
Nervous Syst. -	2'23	438	80	20	9	6	5	120	17	4	8	2	14	13	24	56	93	45
Circulatory -	1'34	296	-	1	-	-	1	1	1	1	1	5	9	18	28	59	75	69
Respiratory -	2'26	4'6	83	48	14	19	4	103	8	3	5	3	11	19	18	57	104	99
Digestive -	1'06	183	28	3	-	2	1	34	5	2	5	-	9	12	12	42	28	25
Urinary -	0'40	70	1	-	1	-	-	2	2	2	1	3	3	5	6	16	22	8
Generative -	0'02	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-
Birth -	0'09	16	-	-	-	-	-	-	-	-	1	3	5	7	-	-	-	-
ide -	0'05	9	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1
ce Violence -	0'95	148	4	4	3	3	4	18	7	13	13	15	23	23	12	10	8	7
ALL CAUSES	5'82	639	226	33	9	6	2	286	9	7	4	3	4	19	7	13	16	291

Deaths of Infants (under one) to 1000 Births - } 119

Marriages - 635
Births - 4,932

Annual Rate { Persons Married - 7'31
per 1000 living { Births - 23'40

293.—LISKEARD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
NUAL DEATH RATE PER 1000.	—	17'40	—	—	—	—	—	43'14	4'79	3'35	5'40	6'91	7'03	9'50	15'35	22'31	31'83	145'45
San Pop. 871-80	—	31,483	878	760	834	822	804	4093	4153	3822	3349	2459	3525	3115	2801	2106	1370	638
ALL CAUSES	17'40	5479	1089	578	145	93	63	1768	199	128	181	170	249	296	374	481	706	928
all-pox -	0'06	18	8	1	-	-	1	10	-	1	1	1	2	1	-	1	-	1
scles -	0'31	97	15	29	9	7	11	71	17	4	2	2	1	-	-	-	-	-
riety Fever -	0'30	95	2	12	14	10	9	47	20	7	6	1	1	2	-	-	-	-
tberia -	0'10	32	1	1	1	1	3	7	14	5	2	-	1	1	1	-	-	-
oping-cough -	0'44	140	64	47	13	8	2	131	5	1	-	-	-	-	-	-	-	-
hus -	0'03	11	-	-	-	-	-	-	-	2	4	-	2	1	1	1	-	-
erie Fever -	0'32	100	-	1	-	-	1	2	8	8	30	7	8	13	13	8	4	-
ple Cont. Fev. -	0'12	37	-	-	4	4	-	8	5	1	2	1	2	2	4	3	6	3
rp. Fever -	0'05	16	-	-	-	-	-	-	-	-	1	3	8	4	-	-	-	-
rr. and Dys. -	0'31	98	29	6	2	1	1	69	3	1	1	-	1	2	3	3	4	11
iera -	0'01	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
wer -	0'51	161	-	-	-	-	-	-	-	1	1	-	4	23	23	41	44	23
stula -	0'11	34	5	1	1	1	2	13	5	4	2	3	5	1	5	2	-	-
es Mesent. -	0'28	87	38	13	6	2	1	62	6	7	7	3	1	1	-	-	-	-
hisis -	1'90	690	12	13	3	3	2	35	12	31	59	92	109	85	83	54	24	6
trocephalus -	0'22	70	18	22	5	6	1	32	11	4	2	1	-	-	-	-	-	-
Nervous Syst. -	2'23	702	166	34	20	11	4	231	15	11	15	12	11	32	47	77	119	127
Circulatory -	1'14	328	-	-	-	1	1	4	1	6	6	9	12	22	33	57	101	65
Respiratory -	2'81	197	308	100	26	15	7	272	70	2	11	7	22	26	37	74	169	135
Digestive -	0'83	237	48	3	1	2	2	53	16	7	7	8	10	12	31	34	47	37
Urinary -	0'43	136	2	2	-	1	-	5	-	4	2	5	11	15	15	25	35	19
Generative -	0'05	16	-	-	-	-	-	-	-	-	2	-	2	1	6	2	1	-
Birth -	0'06	19	-	-	-	-	-	-	-	-	1	2	6	10	-	-	-	-
ide -	0'06	20	-	-	-	-	-	-	-	-	1	2	6	10	-	-	-	-
ce Violence -	0'44	137	8	1	2	7	5	23	5	8	11	11	13	17	29	19	8	11
ALL CAUSES	4'23	1234	433	84	28	14	10	269	23	13	7	2	13	22	27	40	128	492

Deaths of Infants (under one) to 1000 Births - } 117

Marriages - 1,067
Births - 9,340

Annual Rate { Persons Married - 10'29
per 1000 living { Births - 23'66

294.—BODMIN.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000	—	21.09	—	—	—	—	—	50.08	6.05	4.70	6.82	9.13	10.5	13.53	14.41	25.43	54.02	134.1
Mean Pop. } 1871-80	—	19,512	464	456	453	440	450	2263	2266	2147	1995	1503	2229	2033	1811	1501	1107	82
ALL CAUSES	21.69	4233	712	249	100	51	53	1147	137	101	136	187	231	275	261	307	508	85
Small-pox - -	0.18	66	2	—	—	1	—	3	2	6	16	1	3	2	—	—	1	—
Measles - -	0.23	45	9	11	8	4	4	34	5	2	—	—	—	—	—	—	—	—
Scarlet Fever -	0.53	114	10	15	8	12	10	55	44	7	2	—	—	1	—	—	—	—
Diphtheria - -	0.16	51	2	4	4	4	4	18	6	3	—	—	—	—	—	—	—	—
Whooping-cough	0.31	66	24	20	5	3	2	53	2	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever -	0.30	58	—	—	—	—	—	2	3	12	10	9	9	4	4	3	1	—
Simple Cont. Fev.	0.18	16	1	—	—	—	—	1	3	1	4	1	1	—	—	—	—	—
Puerp. Fever -	0.04	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.16	51	24	3	1	—	—	28	—	—	1	1	—	2	1	4	5	1
Cholera - -	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.54	105	—	—	—	—	—	—	2	—	—	—	2	12	14	20	55	20
Scrofula - -	0.12	23	3	1	3	—	—	54	6	3	2	—	—	—	—	—	—	—
Tuberc. Mesent.	0.77	173	24	14	11	2	1	10	9	15	49	63	101	74	44	51	21	4
Phthisis - -	2.25	441	3	5	1	—	1	10	3	2	—	—	—	—	—	—	—	—
Hydrocephalus	0.13	30	6	10	3	1	1	21	3	2	—	—	—	—	—	—	—	—
Diseases of	3.65	718	102	24	10	6	—	112	11	14	8	11	35	67	61	93	131	10
Nervous Syst.	1.25	244	1	—	1	—	—	2	1	2	4	10	16	14	20	24	28	47
Circulatory "	2.81	556	133	54	17	6	2	201	4	7	10	8	17	23	29	47	59	80
Respiratory "	0.79	173	13	1	—	—	—	15	7	2	6	5	16	13	12	22	29	35
Digestive "	0.41	85	—	—	—	—	—	1	2	1	2	2	5	4	3	2	2	16
Urinary "	0.01	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0.11	22	—	—	—	—	—	—	—	—	—	—	3	6	13	—	—	—
Suicide - -	0.06	12	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—
Other Violence -	0.52	101	8	4	2	3	2	19	6	7	7	5	10	8	13	11	11	1
OTHER CAUSES	6.13	1197	241	82	25	6	7	450	19	14	8	6	18	19	27	43	123	40

Deaths of Infants (under
one) to 1000 Births } 127Marriages - 1,133
Births - 5,593Annual Rate { Persons Married - 11.61
per 1000 living { Births - 23.08

295.—ST. COLUMB.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000	—	19.09	—	—	—	—	—	49.41	5.17	4.20	5.88	8.10	8.55	7.26	12.22	22.63	50.32	146.1
Mean Pop. } 1871-80	—	16,571	438	420	450	300	403	2101	2098	1850	1683	1383	2011	1645	1465	1171	775	40
ALL CAUSES	19.09	3163	644	209	103	36	46	1088	107	80	99	112	172	121	179	263	330	69
Small-pox - -	0.12	4	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
Measles - -	0.27	44	9	7	11	4	2	33	19	4	—	—	—	—	—	—	—	—
Scarlet Fever -	0.18	29	2	4	5	3	6	29	4	5	—	—	—	—	—	—	—	—
Diphtheria - -	0.25	42	—	1	5	1	6	11	18	7	1	1	2	—	—	—	—	—
Whooping-cough	0.59	97	50	25	8	5	3	93	3	1	—	—	—	—	—	—	—	—
Typhus - -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever -	0.40	67	—	1	—	—	—	2	7	11	12	6	15	5	6	2	—	1
Simple Cont. Fev.	0.14	23	1	—	—	—	—	2	2	1	2	3	3	2	4	2	1	1
Puerp. Fever -	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.54	57	31	2	3	1	—	37	—	1	2	—	—	—	—	1	5	9
Cholera - -	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0.27	44	—	—	—	—	—	—	—	—	—	—	1	4	7	16	9	7
Scrofula - -	0.10	16	3	5	—	—	—	8	1	—	1	2	—	—	1	2	1	—
Tuberc. Mesent.	0.71	52	21	18	5	1	—	45	4	2	—	1	—	—	—	—	—	—
Phthisis - -	1.91	314	7	6	3	1	—	17	5	16	44	55	70	39	40	18	6	—
Hydrocephalus	0.12	29	4	3	2	—	—	9	8	2	1	—	—	—	—	—	—	—
Diseases of	2.54	421	78	23	13	5	5	122	7	11	7	4	13	13	22	41	90	32
Nervous Syst.	1.15	190	1	—	1	1	—	3	—	1	4	1	12	12	12	47	23	45
Circulatory "	2.56	425	83	23	18	5	11	170	7	4	4	7	17	13	25	36	69	14
Respiratory "	0.75	137	13	3	1	1	3	21	2	1	5	7	5	7	12	19	27	12
Digestive "	0.28	47	—	1	1	—	—	2	—	—	—	2	2	2	3	9	13	14
Urinary "	0.08	13	—	—	—	—	—	—	—	—	—	—	—	1	5	8	1	2
Generative "	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0.03	15	—	—	—	—	—	—	—	—	—	—	4	8	2	1	—	—
Suicide - -	0.07	12	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—
Other Violence -	0.50	83	5	4	4	3	—	14	8	4	7	8	2	5	9	3	8	12
OTHER CAUSES	6.92	993	350	53	21	6	7	425	18	12	6	9	16	14	23	40	105	225

Deaths of Infants (under
one) to 1000 Births } 122Marriages - 1,014
Births - 5,293Annual Rate { Persons Married - 12.24
per 1000 living { Births - 31.94

296.—ST. AUSTELL.

	ANNUAL Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100-
ANNUAL DEATH RATE PER 1000	—	21.00	—	—	—	—	—	32.01	6.18	4.93	5.52	8.58	7.08	9.02	11.56	24.24	56.31	160.00	—	—	—	—	—	—	—	—	—	—
Mean Pop. 1871-80	—	30,000	835	748	813	772	761	2920	3962	3589	3300	2843	3635	3025	2708	2132	1403	600	—	—	—	—	—	—	—	—	—	—
ALL CAUSES	21.00	6445	1521	501	224	115	90	2463	245	178	182	201	279	273	313	529	790	1000	—	—	—	—	—	—	—	—	—	—
Small-pox - -	0.17	53	2	4	1	2	1	10	9	6	7	11	5	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Measles - - -	0.33	101	19	14	16	11	8	78	17	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet Fever -	0.85	269	19	22	26	25	28	130	69	27	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria - -	0.14	42	2	5	3	8	5	21	13	2	1	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Whooping-cough	0.59	182	107	49	15	2	7	179	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus - - -	0.01	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Euteric Fever -	0.23	107	—	2	6	5	2	13	11	21	18	9	12	4	4	6	4	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fev.	0.03	14	—	—	1	1	—	2	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fuery Fever - -	0.01	19	—	—	—	—	—	—	—	—	—	8	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarr. and Dys.	0.41	121	88	6	—	2	1	97	1	—	1	—	1	2	1	3	11	—	—	—	—	—	—	—	—	—	—	
Cholera - - -	0.03	8	1	2	1	—	—	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer - - -	0.46	142	—	—	—	—	—	—	—	—	—	—	2	14	23	44	42	—	—	—	—	—	—	—	—	—	—	
Scrofula - - -	0.12	37	10	3	4	2	—	19	1	4	1	4	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tubes Mesent.	0.34	104	51	28	7	2	—	86	9	1	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis - - -	2.23	715	88	50	9	2	1	100	13	33	74	92	134	83	67	65	45	—	—	—	—	—	—	—	—	—	—	
Hydrocephalus	0.23	76	12	20	6	2	5	45	16	6	2	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Disorders of Nervous Syst.	2.44	750	190	39	10	7	6	281	15	18	12	8	13	24	42	74	147	1	—	—	—	—	—	—	—	—	—	
Cerebratory - -	1.15	352	2	—	—	—	—	11	5	6	4	3	10	28	71	105	15	—	—	—	—	—	—	—	—	—	—	
Respiratory - -	2.87	681	216	91	45	15	4	371	19	6	10	14	14	20	47	100	141	11	—	—	—	—	—	—	—	—	—	
Digestive - - -	0.83	235	85	6	2	2	0	98	7	7	4	10	11	11	20	51	45	—	—	—	—	—	—	—	—	—	—	
Urinary - - -	0.45	188	1	1	3	1	2	8	4	3	3	2	9	19	13	28	29	—	—	—	—	—	—	—	—	—	—	
Generative - -	0.04	11	—	—	—	—	—	—	—	—	—	—	2	1	4	3	1	—	—	—	—	—	—	—	—	—	—	
Childbirth - -	0.12	56	—	—	—	—	—	—	—	—	—	6	4	11	12	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide - - -	0.01	13	—	—	—	—	—	—	—	—	—	—	—	1	4	5	3	—	—	—	—	—	—	—	—	—	—	
Other Violence -	0.49	151	16	8	6	—	2	32	8	11	14	12	15	14	15	16	6	—	—	—	—	—	—	—	—	—	—	
OTHER CAUSES	6.08	1868	712	192	44	16	15	912	24	28	10	12	39	23	20	69	100	5	—	—	—	—	—	—	—	—	—	

Deaths of Infants (under one) to 1000 Births - 147

Marriages - 2,166
Births - 10,320

Annual Rate (Persons Married per 1000 living) Births - 14.12
Births - 33.63

297.—TRURO.

ANNUAL DEATH RATE PER 1000	—	20.44	—	—	—	—	—	55.23	5.96	3.78	6.93	8.32	8.71	10.84	12.86	26.72	56.34	138									
Mean Pop. 1871-80	—	38,552	950	848	880	847	916	4450	4008	4470	4201	3199	4038	3901	3638	2927	1892	88									
ALL CAUSES	20.44	7911	1520	478	239	120	94	2460	280	169	291	263	404	423	468	782	1066	132									
Small-pox	0.27	163	10	3	2	3	1	19	23	19	12	6	15	11	8	2	—	—									
Measles	0.15	57	13	20	7	5	2	33	2	—	1	—	—	—	—	—	—	—									
Scarlet Fever	0.45	176	9	20	24	19	22	94	60	10	8	1	3	—	—	—	—	—									
Diphtheria	0.14	53	5	6	4	9	5	27	15	9	1	—	—	1	3	—	—	—									
Whooping-cough	0.59	196	85	36	21	15	12	189	7	—	—	—	—	—	—	—	—	—									
Typhus	0.04	15	—	—	—	—	—	—	—	1	5	1	2	1	1	2	—	—									
Euteric Fever	0.39	163	—	4	1	3	5	19	11	18	15	16	18	13	12	11	3	—									
Simple Cont. Fev.	0.13	49	—	1	2	4	1	8	9	3	3	4	2	1	4	6	4	—									
Fuery Fever	0.03	9	—	—	—	—	—	—	—	—	—	1	6	2	—	—	—	—									
Diarr. and Dys.	0.45	173	102	17	8	—	2	121	4	—	1	3	1	3	4	11	13	1									
Cholera	0.01	5	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—	—									
Cancer	0.49	191	—	—	—	—	—	—	1	2	—	—	—	11	49	84	48	—									
Scrofula	0.14	56	12	3	3	1	1	20	3	3	2	6	1	6	4	7	4	—									
Tubes Mesent.	0.15	58	22	14	6	2	2	46	4	1	3	2	1	1	—	—	—	—									
Phthisis	2.25	873	21	10	8	1	4	44	15	25	103	149	188	123	95	93	37	—									
Hydrocephalus	0.17	66	10	20	8	6	2	66	14	5	—	—	—	—	—	—	—	—									
Disorders of	Nervous Syst.	2.46	857	192	82	27	18	7	291	29	15	20	19	24	33	21	114	201	16								
	Cerebratory	1.21	469	—	2	—	—	—	1	5	3	4	8	9	2	27	84	139	123	—							
	Respiratory	2.68	1011	292	99	50	18	10	256	19	6	13	16	26	23	15	151	176	139								
	Digestive	0.88	342	21	5	5	—	2	31	9	5	7	11	19	28	21	64	77	46								
	Urinary	0.27	104	1	—	1	1	—	3	1	3	2	3	7	14	19	16	30	11								
Generative	0.08	30	—	—	—	—	—	—	—	—	2	1	1	6	6	6	6	—									
Childbirth	0.09	36	—	—	—	—	—	—	—	—	—	2	13	18	—	—	—	—									
Suicide	0.03	15	—	—	—	—	—	—	—	—	—	—	—	3	2	3	3	—									
Other Violence	0.76	216	26	8	8	8	4	49	15	13	29	14	19	20	15	17	18	19									
OTHER CAUSES	6.43	2408	789	153	66	23	13	1010	24	22	19	19	19	34	38	69	222	86									

Deaths of Infants (under one) to 1000 Births - 142

Marriages - 2,530
Births - 10,736

Annual Rate (Persons Married per 1000 living) Births - 13.62
Births - 27.63

298.—FALMOUTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	—	19.93	—	—	—	—	—	59.47	6.14	4.50	5.23	6.08	8.47	9.80	13.37	25.11	55.61	156.1
Mean Pop. 1871-80	—	25,328	630	562	603	509	556	2056	2832	2534	2790	2262	3530	2888	2289	1656	1035	20
ALL CAUSES	19.93	5048	1104	340	155	84	75	1758	174	114	146	158	209	283	500	416	694	73
Small-pox	0.26	91	20	8	10	2	5	45	8	5	5	9	10	5	2	1	1	—
Measles	0.32	83	17	25	20	5	6	75	3	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.70	178	6	21	29	27	28	111	45	11	7	1	3	—	—	—	—	—
Diphtheria	0.08	19	2	4	2	1	1	10	4	4	—	—	—	—	—	—	—	—
Whooping-cough	0.43	109	50	32	11	10	2	105	4	—	—	—	—	—	—	—	—	—
Typhus	0.04	11	—	—	—	—	—	1	—	—	—	5	—	—	4	1	—	—
Euteric Fever	0.78	71	8	—	4	2	—	9	4	4	9	13	6	11	6	4	2	1
Simp. Cont. Fev.	0.13	34	2	—	1	2	2	7	2	—	1	3	3	4	4	8	6	3
Puerp. Fever	0.02	6	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—
Diarr. and Dys.	0.71	179	113	14	1	2	2	132	—	—	2	4	6	9	5	6	4	11
Cholera	0.01	3	1	—	—	—	—	1	—	—	—	—	1	—	—	2	—	—
Cancer	0.47	119	—	—	—	—	—	—	—	—	—	—	—	15	21	35	32	11
Scrofula	0.09	24	2	5	1	1	—	9	3	—	2	3	2	1	5	1	—	—
Tuberc. Mesent.	0.12	31	4	12	7	—	—	23	2	2	3	—	—	—	—	—	—	—
Phthisis	1.92	486	17	8	5	4	1	35	10	23	51	65	121	81	50	33	12	3
Hydrocephalus	0.25	63	13	9	10	4	2	35	17	7	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.70	684	168	42	15	3	7	235	16	19	9	9	14	21	37	68	130	128
Circulatory	1.01	253	2	—	—	—	—	3	2	4	4	5	19	36	40	50	61	30
Respiratory	2.95	748	145	85	16	14	5	263	19	5	9	11	10	24	45	85	140	116
Digestive	0.07	246	17	1	1	—	1	20	5	8	1	4	12	24	42	51	44	23
Urinary	0.30	75	—	—	1	—	1	2	2	1	2	1	8	13	3	13	21	1
Generative	0.05	13	—	—	—	—	—	—	—	—	1	—	—	9	—	5	1	1
Childbirth	0.06	18	—	—	—	—	—	—	—	—	1	2	7	5	1	—	—	—
Suicide	0.05	12	—	—	—	—	—	—	—	—	1	2	2	1	—	1	3	—
Other Violence	0.53	135	4	5	3	3	6	29	14	9	10	10	20	11	11	19	6	1
OTHER CAUSES	5.28	1260	530	68	18	4	4	614	14	10	13	12	30	25	32	54	143	68

Deaths of Infants (under one) to 1000 Births . . . 154

Marriages . . . 1,678
Births . . . 7,173Annual Rate { Persons Married . . . 13.25
per 1000 living { Births . . . 26.33

299.—HELSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	—	22.00	—	—	—	—	—	61.42	5.86	4.06	6.41	8.71	0.29	10.34	15.92	23.63	55.37	154.1
Mean Pop. 1871-80	—	26,050	606	553	620	637	641	3147	3100	3051	2747	2078	3143	2075	2255	1851	1290	63
ALL CAUSES	22.00	5730	1269	379	123	90	72	1033	187	134	176	181	293	277	539	493	733	25
Small-pox	0.49	137	18	2	6	4	4	34	12	11	17	12	18	11	5	2	2	—
Measles	0.10	25	6	10	—	4	2	22	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.57	144	12	12	14	15	22	75	45	17	8	3	4	1	—	—	—	—
Diphtheria	0.05	13	—	—	1	3	3	7	3	1	2	—	—	—	—	—	—	—
Whooping-cough	0.36	95	54	26	3	9	—	92	3	—	—	—	—	—	—	—	—	—
Typhus	0.09	24	—	—	—	—	—	—	6	3	5	2	4	1	2	1	—	—
Euteric Fever	0.24	69	3	1	1	—	—	5	7	8	9	10	9	6	2	6	3	1
Simp. Cont. Fev.	0.17	43	2	1	2	1	3	9	6	4	4	2	1	2	4	4	5	2
Puerp. Fever	0.03	7	—	—	—	—	—	—	—	—	1	—	3	3	—	—	—	—
Diarr. and Dys.	0.74	19	49	4	4	1	—	58	—	—	1	—	2	—	1	6	9	12
Cholera	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0.42	110	—	—	—	—	—	—	—	—	1	1	3	7	24	31	32	11
Scrofula	0.11	29	4	2	1	—	2	9	2	2	3	1	1	3	6	2	1	1
Tuberc. Mesent.	0.12	32	5	9	2	1	2	19	2	2	4	3	—	1	—	—	—	—
Phthisis	2.81	730	33	19	7	8	4	71	16	26	72	103	125	18	94	13	38	4
Hydrocephalus	0.18	46	12	7	4	—	2	25	10	7	1	1	1	1	—	—	—	—
Diseases of Nervous Syst.	1.91	477	108	46	9	6	6	175	16	11	6	5	15	17	25	50	119	64
Circulatory	0.76	197	—	1	2	—	—	3	6	2	5	1	11	21	24	48	67	15
Respiratory	2.84	739	128	76	29	16	7	266	13	5	6	8	20	29	63	119	163	32
Digestive	0.06	21	17	4	8	—	1	25	4	5	4	2	14	17	32	50	67	21
Urinary	0.21	53	—	—	1	—	1	2	3	1	—	2	3	3	8	10	13	5
Generative	0.05	13	—	—	—	—	—	—	—	—	1	2	2	2	3	1	1	1
Childbirth	0.10	26	—	—	—	—	—	—	—	—	1	7	5	13	—	—	—	—
Suicide	0.02	5	—	—	—	—	—	—	—	—	1	2	2	2	—	—	—	—
Other Violence	0.64	167	7	7	6	5	3	24	9	8	18	9	27	21	16	6	11	13
OTHER CAUSES	8.43	2194	824	183	29	15	10	1018	23	11	12	6	24	16	40	77	257	68

Deaths of Infants (under one) to 1000 Births . . . 143

Marriages . . . 1,690
Births . . . 7,796Annual Rate { Persons Married . . . 13.26
per 1000 living { Births . . . 26.33

300.—REDRUTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100—
ANNUAL DEATH RATE PER 1000.	—	21.42	—	—	—	—	—	68.08	7.92	4.18	5.11	7.78	7.78	10.55	15.82	30.99	61.47	13										
MEAN POP. 1871-80.	—	40,815	1273	1081	1250	1163	1233	6000	6188	5790	5788	4357	6211	5134	4390	3237	1918	7										
ALL CAUSES	21.42	10,669	2636	758	377	212	153	4136	400	242	294	339	483	511	690	1002	1170	1										
Small-pox	0.21	104	29	11	5	6	3	22	19	6	13	6	9	4	—	—	—	—										
Measles	0.17	83	21	25	12	0	—	67	15	1	—	—	—	—	—	—	—	—										
Scarlet Fever	1.09	341	21	43	81	74	25	244	178	58	9	8	6	2	—	—	—	—										
Diphtheria	0.14	71	5	3	6	7	11	32	30	6	1	—	1	—	—	—	—	—										
Whooping-cough	0.69	297	163	63	43	10	6	289	7	1	—	—	—	—	—	—	—	—										
Typhus	0.04	22	—	—	—	—	—	—	5	2	2	5	2	2	3	2	3	2	1									
Enteric Fever	0.23	165	2	5	1	4	3	15	16	13	24	12	16	16	16	15	10	10										
Simple Cont. Fev.	0.03	32	—	1	1	2	—	4	11	4	2	2	2	—	—	—	—	—										
Parv. Fever	0.04	19	—	—	—	—	—	—	—	—	1	4	8	6	—	—	—	—										
Diarr. and Dys.	0.61	206	202	85	14	4	1	250	6	1	1	2	2	5	2	4	11	11										
Cholera	0.02	12	3	1	—	—	—	4	2	—	—	—	—	—	—	—	—	—										
Cancer	0.66	329	—	—	—	1	1	2	1	2	1	1	8	23	64	103	83	83										
Scrofula	0.11	43	13	8	6	—	—	23	3	6	1	6	2	2	4	1	—	—										
Tuberc. Mesent.	0.30	150	69	34	15	6	1	123	12	3	3	3	2	2	2	1	—	—										
Phthisis	2.45	1227	46	26	13	7	6	164	81	36	107	156	225	161	184	169	61	61										
Hydrocephalus	0.23	113	21	32	39	5	5	12	25	7	4	3	1	1	—	—	—	—										
Of Nervous Syst.	2.14	1667	233	72	38	12	9	322	53	11	10	26	37	37	73	124	195	195										
Cerebratory	0.93	432	2	—	—	1	—	3	5	11	10	9	24	40	65	112	129	129										
Respiratory	3.97	1481	828	192	68	29	12	629	27	10	17	17	34	71	113	263	219	219										
Digestive	0.75	372	41	6	3	3	2	51	4	6	10	11	28	20	44	72	10	10										
Urinary	0.38	191	6	2	1	—	1	9	6	2	8	8	10	21	21	27	48	48										
Generative	0.01	20	—	—	—	—	—	—	—	—	—	1	3	4	8	3	3	3										
Childbirth	0.10	41	—	—	—	—	—	—	—	1	3	7	18	19	5	—	—	—										
Suicide	0.02	12	—	—	—	—	—	—	—	—	—	—	1	—	4	2	5	5										
Other Violence	0.65	323	16	11	7	8	5	45	14	33	55	42	98	33	31	18	6	6										
OTHER CAUSES	6.35	3154	1401	186	56	27	21	1091	43	17	14	18	29	42	58	113	244	244										

Deaths of Infants (under one to 1000 Births) } 171

Marriages Births } 3,745
15,422Annual Rate (Persons Married per 1000 living Births) } 15.94
30.96

301.—PENZANCE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—	95—	100—
ANNUAL DEATH RATE PER 1000.	—	21.40	—	—	—	—	—	68.31	6.81	4.14	5.40	7.66	8.08	10.75	14.21	25.36	55.07	15										
MEAN POP. 1871-80.	—	52,235	1326	1203	1306	1194	1233	6264	6171	5794	5698	4630	6757	5424	4193	3607	2318	7										
ALL CAUSES	21.40	11,179	2809	799	321	183	107	4270	420	249	306	356	546	583	639	836	1293	1										
Small-pox	0.20	167	19	4	2	—	2	27	19	8	19	15	14	2	2	1	—	—										
Measles	0.31	160	59	59	19	17	15	180	17	3	—	—	—	—	—	—	—	—										
Scarlet Fever	0.62	326	21	45	43	44	35	190	99	24	5	2	3	1	—	—	—	—										
Diphtheria	0.16	47	2	4	6	4	4	29	20	2	1	—	1	2	1	—	—	—										
Whooping-cough	0.57	193	169	85	33	11	6	284	12	—	—	—	—	—	—	—	—	—										
Typhus	0.06	29	—	—	—	—	2	3	2	6	8	8	1	2	1	—	—	—										
Enteric Fever	0.41	212	4	14	9	8	7	42	29	20	26	21	26	13	11	12	7	7										
Simple Cont. Fev.	0.11	69	4	1	1	3	1	9	17	4	2	5	2	3	3	3	3	3										
Parv. Fever	0.02	10	—	—	—	—	—	—	—	—	—	—	2	5	3	—	—	—										
Diarr. and Dys.	0.91	485	337	42	9	—	3	391	1	—	1	1	8	7	3	10	23	23										
Cholera	0.01	5	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—										
Cancer	0.50	290	—	—	—	—	1	1	—	—	—	—	8	18	53	84	12	12										
Scrofula	0.18	91	28	11	6	4	—	47	1	8	7	9	12	6	1	1	1	1										
Tuberc. Mesent.	0.50	267	154	29	12	4	5	234	6	3	8	3	2	2	—	—	—	—										
Phthisis	2.24	1171	18	12	8	4	3	45	26	41	118	164	250	172	150	135	41	41										
Hydrocephalus	0.23	132	29	32	16	10	3	90	24	9	3	3	—	—	—	—	—	—										
Of Nervous Syst.	2.12	1199	189	84	34	19	15	286	26	21	21	12	21	47	63	143	245	245										
Cerebratory	0.93	491	1	2	—	—	—	3	4	7	9	12	27	44	61	101	131	131										
Respiratory	3.91	1539	324	170	53	23	21	503	23	12	12	19	17	71	121	177	231	231										
Digestive	1.27	601	129	13	12	2	6	164	19	13	11	12	27	34	63	105	107	107										
Urinary	0.38	198	2	3	—	2	4	31	5	6	9	5	21	19	15	27	43	43										
Generative	0.06	30	—	—	—	—	—	—	—	—	2	2	1	10	7	5	5	5										
Childbirth	0.06	45	—	—	—	—	—	—	—	—	1	8	19	13	1	—	—	—										
Suicide	0.02	12	—	—	—	—	—	—	—	—	—	—	1	—	4	1	1	1										
Other Violence	0.62	271	14	4	8	6	5	37	20	34	59	21	31	34	23	18	16	16										
OTHER CAUSES	6.08	3180	1354	176	69	21	21	1649	46	24	23	13	30	46	52	96	235	235										

Deaths of Infants (under one to 1000 Births) } 173

Marriages Births } 3,709
16,270Annual Rate (Persons Married per 1000 living Births) } 14.20
31.15

302.—SCILLY ISLANDS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000 }	—	22.13	—	—	—	—	—	32.93	3.03	3.88	7.94	20.37	20.85	20.83	12.04	17.31	14.87	116.1
Mean Pop. } 1871-80 }	—	2,205	47	43	43	56	53	249	231	299	189	162	208	240	191	208	156	72
ALL CAUSES	22.13	483	55	9	9	5	4	82	7	8	15	33	80	50	23	36	70	84
Small-pox - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria - -	0.19	2	—	—	2	—	—	2	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.14	3	1	1	1	—	—	3	—	—	—	—	—	—	—	—	—	—
Typhus - -	0.14	3	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—
Enteric Fever -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.36	8	—	—	—	—	1	1	1	—	—	2	2	—	—	—	1	—
Puerp. Fever -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys. -	0.19	13	3	—	—	—	—	3	—	—	—	—	1	—	—	—	5	4
Cholera - -	0.14	3	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Cancer - -	0.45	10	—	—	—	—	—	—	—	—	—	—	—	—	1	2	5	1
Scrofula - -	0.14	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
Tuberc Mesent. -	0.14	3	1	—	1	—	—	2	—	—	—	—	—	1	—	—	—	—
Phthisis - -	1.95	43	1	—	—	—	—	1	—	—	7	9	17	3	3	2	1	—
Hydrocephalus -	0.03	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diseases of { Nervous Syst. 2.54 54 13 2 1 1 — 17 2 — — 1 1 3 1 7 13 11																		
{ Circulatory " 1.60 33 — — — — — 9 — — — 1 — 2 2 3 5 2																		
{ Respiratory " 1.50 33 6 2 — — — 9 — — — — — 3 2 5 7 2																		
{ Digestive " 1.31 40 4 — 1 1 1 7 — — — 1 1 3 4 3 10 5																		
{ Urinary " 0.50 11 1 — — — — — 1 — — — — — — — 2 1 4																		
{ Generative " 0.05 1 — — — — — — — — — — — — — — — 1 —																		
Childbirth - -	0.14	3	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Suicide - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence -	6.51	137	1	—	9	2	1	6	3	3	5	15	57	30	10	4	5	1
OTHER CAUSES -	3.87	86	23	3	1	—	—	23	—	1	2	1	1	2	—	3	14	36

Deaths of Infants (under
one) to 1000 Births } 99Marriages : 105
Births : 558Annual Rate { Persons Married : 9.53
per 1000 living { Births : 25.31

303.—WILLITON.

[SOMERSETSHIRE

ANNUAL DEATH RATE PER 1000 }	—	17.32	—	—	—	—	—	35.12	5.50	3.12	4.24	5.46	7.82	9.21	12.47	22.13	50.91	145.1
Mean Pop. } 1871-80 }	—	19,216	503	504	506	479	525	2520	2583	2277	1814	1338	2149	1933	1780	1410	933	509
ALL CAUSES	17.32	3331	553	150	71	73	38	885	142	71	77	73	168	178	222	312	475	731
Small-pox - -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Measles - -	0.14	21	4	8	1	4	5	22	3	—	—	—	1	—	—	—	—	—
Scarlet Fever -	0.57	110	7	19	18	15	11	70	30	7	2	—	—	—	1	—	—	—
Diphtheria - -	0.23	44	4	1	2	3	4	14	21	9	—	—	—	—	—	—	—	—
Whooping-cough	0.40	77	37	13	7	9	2	73	4	—	—	—	—	—	—	—	—	—
Typhus - -	0.55	10	—	—	—	—	—	—	1	4	—	1	—	3	—	—	2	—
Enteric Fever -	0.16	29	—	—	1	4	1	6	6	5	—	2	4	1	4	—	—	2
Simple Cont. Fev.	0.06	11	1	—	1	—	—	2	2	1	1	—	—	4	—	2	—	—
Puerp. Fever -	0.04	7	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—	—
Diarr. and Dys. -	0.33	63	37	2	2	2	—	43	1	—	—	—	1	—	1	—	4	13
Cholera - -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer - -	0.47	51	—	—	—	1	—	1	—	—	—	—	3	3	29	28	22	14
Scrofula - -	0.12	21	2	2	—	—	—	4	4	3	1	3	4	1	2	1	—	—
Tuberc Mesent. -	0.11	22	10	4	—	1	2	17	3	—	—	1	1	—	—	—	—	—
Phthisis - -	1.42	274	6	4	2	—	—	7	4	9	23	35	62	56	47	23	8	2
Hydrocephalus -	0.13	23	6	4	—	2	1	13	5	4	2	—	—	1	—	—	—	—
Diseases of { Nervous Syst. 2.61 573 106 21 1 4 2 135 13 4 7 6 15 15 26 62 135 38																		
{ Circulatory " 1.09 209 — — — — — 105 — 5 5 5 7 13 23 46 69 43																		
{ Respiratory " 3.07 591 190 37 29 15 3 105 12 9 8 7 18 18 32 61 96 124																		
{ Digestive " 1.06 101 24 2 2 2 — 30 7 3 1 2 14 11 18 33 46 19																		
{ Urinary " 0.35 67 — — — — — 1 1 1 1 — 6 9 10 9 15 11																		
{ Generative " 0.04 12 — — — — — — — — — — 1 3 3 2 2 1																		
Childbirth - -	0.08	16	—	—	—	—	—	—	—	—	1	—	5	10	—	—	—	—
Suicide - -	0.01	9	—	—	—	—	—	—	—	—	—	1	—	2	2	—	—	—
Other Violence -	0.53	102	4	4	3	3	2	16	6	5	9	6	10	17	10	8	8	6
OTHER CAUSES -	4.17	801	186	26	11	8	4	235	12	2	9	5	11	10	17	23	80	391

Deaths of Infants (under
one) to 1000 Births } 93Marriages : 920
Births : 5,794Annual Rate { Persons Married : 9.56
per 1000 living { Births : 36.10

304.—DULVERTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	15'99	—	—	—	—	—	11'96	4'17	2'80	4'00	5'71	4'77	5'86	11'45	12'24	59'10	150'
Mean Pop. 1871-80	—	5,024	149	133	147	150	147	725	710	643	575	385	629	580	516	417	202	12
ALL CAUSES	15'99	800	145	41	26	13	7	232	30	18	23	22	30	34	59	94	151	20
Small-pox	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0'19	5	1	4	—	—	—	5	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'34	10	1	2	1	2	2	15	5	3	1	—	1	1	—	—	—	—
Diphtheria	0'04	2	—	1	—	—	—	3	—	1	—	—	—	—	—	—	—	—
Whooping-cough	0'27	15	8	5	—	1	—	14	—	—	1	—	—	—	—	—	—	—
Typhus	0'02	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'02	5	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0'12	7	—	1	2	—	1	4	1	—	—	—	1	—	—	—	1	—
Poery. Fever	0'02	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarr. and Dys.	0'25	15	5	—	—	2	—	7	—	—	—	—	—	—	—	—	1	—
Cholera	0'03	5	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—
Cancer	0'02	59	—	—	—	1	—	1	—	—	—	—	—	—	6	10	19	—
Scrofula	0'12	7	—	—	—	—	—	—	—	—	2	—	—	1	—	1	2	—
Tuberc. Mesent.	0'12	7	1	2	—	—	—	3	2	—	—	—	—	—	1	1	—	—
Phthisis	1'10	65	1	4	—	1	1	7	1	4	10	10	12	7	6	5	1	—
Hydrocephalus	0'04	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1'81	109	27	2	2	—	2	28	2	1	1	—	1	3	8	11	56	2
Circulatory	4'69	95	3	—	—	—	—	3	1	2	—	—	—	4	4	25	31	2
Respiratory	3'20	107	44	11	7	2	—	64	10	1	1	3	2	7	11	18	54	3
Digestive	1'10	36	4	—	—	—	—	7	1	—	—	1	1	2	6	7	15	1
Urinary	0'21	11	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	—
Generative	0'03	5	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—
Childbirth	0'00	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Suicide	0'14	8	—	—	—	—	—	—	—	—	2	2	2	1	—	2	—	—
Other Violence	0'57	32	—	1	2	1	—	4	4	2	2	2	2	2	3	4	2	—
OTHER CAUSES	3'50	197	55	7	8	2	1	75	6	3	5	1	3	5	8	7	11	7

Deaths of Infants (under one) to 1000 Births } 85

Marriages - 516
Births - 1,710Annual Rate (Persons Married per 1000 living { Births - 11'24
- 30'41

305.—WELLINGTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17'64	—	—	—	—	—	33'02	3'73	3'19	4'20	5'46	8'34	9'17	12'42	23'91	53'88	150'
Mean Pop. 1871-80	—	19,985	545	506	536	504	512	2003	2460	2286	1903	1519	2350	1973	1795	1519	1045	63
ALL CAUSES	17'64	3525	554	465	77	51	36	883	92	73	81	83	105	181	223	348	563	80
Small-pox	0'61	4	—	12	9	7	4	38	4	1	—	—	1	—	—	—	—	—
Measles	0'23	43	6	8	9	5	9	89	13	5	1	—	—	—	—	—	—	—
Scarlet Fever	0'29	19	7	8	9	5	9	68	8	3	1	—	—	—	—	—	—	—
Diphtheria	0'10	19	—	1	4	—	3	8	3	—	—	—	—	—	—	—	—	—
Whooping-cough	0'29	57	31	17	4	3	—	57	—	—	—	—	—	—	—	—	—	—
Typhus	0'05	9	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—
Enteric Fever	0'31	62	1	—	—	—	—	3	3	9	13	10	4	4	8	9	8	—
Simple Cont. Fev.	0'05	10	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Poery. Fever	0'06	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'29	57	32	8	1	—	—	41	—	—	—	—	—	—	1	3	1	—
Cholera	0'03	5	1	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Cancer	0'67	135	3	—	—	—	—	—	—	—	—	—	—	13	23	42	56	1
Scrofula	0'09	18	—	1	—	1	1	6	1	2	—	—	1	1	1	—	—	—
Tuberc. Mesent.	0'21	42	16	6	7	1	3	33	2	4	2	—	—	—	—	—	—	—
Phthisis	1'52	304	3	2	1	1	—	7	1	14	35	39	88	47	31	53	17	—
Hydrocephalus	0'20	40	11	10	5	1	1	28	4	7	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1'07	414	71	29	8	4	1	101	17	5	4	3	10	15	27	28	88	10
Circulatory	1'43	227	2	—	—	—	—	2	2	7	3	4	15	19	53	89	108	4
Respiratory	3'28	654	118	52	17	15	7	293	14	2	7	10	18	29	55	75	235	11
Digestive	0'81	162	50	—	—	2	1	53	3	3	—	—	—	2	6	9	16	1
Urinary	0'27	53	—	—	—	—	—	—	—	—	—	—	—	—	1	4	7	—
Generative	0'11	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'08	15	—	—	—	—	—	—	—	—	1	1	11	3	—	—	—	—
Suicide	0'04	8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Other Violence	0'52	103	8	4	2	—	2	16	7	4	2	6	11	12	12	13	12	—
OTHER CAUSES	4'57	931	221	24	12	8	4	272	18	5	5	5	13	14	17	28	194	44

Deaths of Infants (under one) to 1000 Births } 97

Marriages - 1,111
Births - 5,585Annual Rate (Persons Married per 1000 living { Births - 11'12
- 28'45

306.—TAUNTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	18.15	—	—	—	—	—	10.26	4.56	3.17	4.51	7.22	9.02	10.77	13.06	24.65	34.43	147.1
Mean Pop. } 1871-80 - }	—	35,752	965	812	810	845	839	4210	4168	4281	3836	2853	4345	3567	3296	2615	1716	563
ALL CAUSES	18.15	6488	1113	206	152	99	65	1605	190	136	173	206	302	394	460	644	954	127
Small-pox - -	0.06	23	3	2	1	2	—	8	8	2	—	2	3	—	—	—	—	—
Measles - -	0.22	78	13	21	20	11	3	68	7	1	—	—	—	1	—	1	—	—
Scarlet Fever -	0.41	143	9	17	25	16	14	84	29	15	3	—	2	—	—	—	—	—
Diphtheria - -	0.49	32	4	4	1	6	—	15	8	2	3	—	1	—	—	—	—	—
Whooping-cough	0.58	156	68	25	29	5	4	132	4	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	6	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	1
Enteric Fever -	0.27	95	1	2	2	1	3	9	10	13	19	10	12	10	4	3	1	4
Simple Cont. Fev.	0.05	18	—	—	2	—	—	6	2	—	—	—	—	—	—	2	1	1
Puerp. Fever -	0.04	15	—	—	—	—	—	—	—	—	—	—	8	5	—	—	—	—
Diarr. and Dys. -	0.51	183	104	13	4	4	1	121	2	—	—	2	—	4	3	4	17	19
Cholera - -	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer - -	0.54	191	—	—	—	—	—	—	—	1	2	—	4	20	41	51	51	38
Scrophula - -	0.13	46	4	1	3	4	—	12	5	4	3	4	8	1	5	1	5	—
Tuberc Mesent. -	0.15	53	19	7	3	2	1	32	8	6	2	3	—	—	—	1	1	—
Phthisis - -	1.91	693	4	9	1	1	4	19	6	18	52	111	193	110	67	50	34	4
Hydrocephalus -	0.20	72	22	10	3	8	2	43	10	11	5	1	2	—	—	—	—	—
Diseases of																		
Nervous Syst. -	2.34	837	160	17	7	9	7	290	19	9	11	14	23	37	76	98	106	101
Circulatory " -	1.44	514	1	2	—	2	—	5	6	8	17	12	28	46	63	111	154	34
Respiratory " -	2.97	1061	201	68	28	12	7	316	12	5	13	8	19	31	72	128	204	28
Digestive " -	0.93	314	35	1	2	1	1	40	5	10	11	9	11	28	43	60	79	41
Urinary " -	0.49	15	—	—	—	—	—	2	7	7	3	2	20	17	21	25	39	19
Generative " -	0.09	32	—	—	—	—	—	—	—	—	—	1	4	6	5	9	5	2
Childbirth - -	0.03	29	—	—	—	—	—	—	—	—	—	3	10	16	—	—	—	—
Suicide - -	0.08	27	—	—	—	—	—	—	—	—	1	1	5	4	7	4	4	1
Other Violence -	0.38	248	19	6	6	2	7	33	19	15	9	7	23	23	22	24	27	14
OTHER CAUSES -	4.14	1479	453	51	21	9	9	515	20	8	7	11	12	24	10	38	116	20

Deaths of Infants (under
one) to 1000 Births } 114Marriages - 2,303
Births - 9,753Annual Rate { Persons Married - 16.01
per 1000 living { Births - 27.23

307.—BRIDGWATER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	18.03	—	—	—	—	—	11.09	5.89	3.53	5.19	7.09	8.71	9.44	14.31	24.44	32.41	150.1
Mean Pop. } 1871-80 - }	—	31,272	925	854	892	908	921	4500	4317	3992	3293	2577	4122	3540	3109	2443	1559	720
ALL CAUSES	18.03	6405	1132	357	178	128	94	1889	256	141	171	205	350	354	445	507	817	119
Small-pox - -	0.45	173	22	4	3	2	8	39	26	8	5	20	20	13	3	—	—	—
Measles - -	0.53	181	19	28	39	27	15	188	19	2	—	—	2	1	1	—	—	—
Scarlet Fever -	0.57	197	12	31	34	23	18	127	52	10	8	—	—	—	—	—	—	—
Diphtheria - -	0.07	23	2	4	1	2	4	11	6	2	—	—	—	—	—	—	—	—
Whooping-cough	0.26	88	48	26	5	5	3	87	1	—	—	—	—	—	—	—	—	—
Typhus - -	0.13	43	—	1	—	4	1	6	8	6	—	8	4	—	2	1	2	—
Enteric Fever -	0.28	95	1	2	7	4	4	15	12	15	11	5	9	8	4	10	3	—
Simple Cont. Fev.	0.11	28	1	1	—	1	2	5	9	4	5	3	2	1	2	—	4	1
Puerp. Fever -	0.06	22	—	—	—	—	—	—	—	—	—	—	3	12	5	—	—	—
Diarr. and Dys. -	0.48	147	73	11	2	2	—	81	1	—	—	1	2	1	7	7	19	25
Cholera - -	0.01	4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Cancer - -	0.48	161	—	—	—	—	—	—	—	1	—	—	—	1	7	53	57	33
Scrophula - -	0.11	57	9	1	2	3	1	16	1	2	5	3	4	3	4	1	1	—
Tuberc Mesent. -	0.39	102	63	11	5	2	—	91	7	1	1	1	—	—	—	1	1	—
Phthisis - -	1.63	557	3	4	1	2	3	13	4	22	55	95	140	86	73	47	16	1
Hydrocephalus -	0.19	46	27	11	5	—	3	49	11	—	2	1	1	2	—	—	—	—
Diseases of																		
Nervous Syst. -	2.45	833	183	29	10	10	7	139	11	19	12	9	17	39	66	103	104	175
Circulatory " -	1.60	547	1	—	—	—	1	2	11	7	16	11	29	43	64	103	143	115
Respiratory " -	2.99	1024	183	67	27	11	6	208	19	7	5	9	27	32	60	99	183	279
Digestive " -	0.90	310	45	3	3	2	1	8	4	7	5	3	11	31	44	50	63	24
Urinary " -	0.40	138	—	—	—	1	1	2	6	4	4	4	10	8	21	25	34	29
Generative " -	0.07	24	—	—	—	—	—	—	—	—	—	1	6	6	3	5	2	1
Childbirth - -	0.06	26	—	—	—	—	—	—	—	—	—	3	10	19	1	—	—	—
Suicide - -	0.08	26	—	—	—	—	—	—	—	—	2	2	—	8	6	6	—	—
Other Violence -	0.71	242	14	10	11	5	3	42	24	29	17	11	9	22	27	24	34	21
OTHER CAUSES -	5.80	1311	429	67	25	12	9	631	24	16	15	12	15	19	19	49	124	407

Deaths of Infants (under
one) to 1000 Births } 108Marriages - 2,444
Births - 10,631Annual Rate { Persons Married - 16.26
per 1000 living { Births - 31.06

308.—LANGPORT.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
AL DEATHS PER 1000	—	18'04	—	—	—	—	—	36'55	4'13	8'43	5'34	8'84	7'64	8'59	11'44	24'12	53'45	104'48
in Pop. 1-80	—	15,012	408	413	308	432	403	2050	2129	1923	1628	1176	1949	1653	1378	1285	825	411
CAUSES	18'04	2006	483	123	66	35	39	733	88	66	87	104	149	142	180	316	441	676
pox -	0'05	8	—	—	—	—	—	—	—	—	1	4	2	—	1	—	—	—
typhoid Fever -	0'22	37	10	14	2	5	1	39	4	—	—	—	1	—	—	—	—	—
typhus -	0'40	67	6	6	12	3	12	50	30	8	—	—	—	—	—	—	—	—
scarlatina -	0'11	19	1	1	2	2	2	8	8	1	1	1	—	—	—	—	—	—
whooping-cough -	0'31	61	27	13	5	4	1	50	1	—	—	—	—	—	—	—	—	—
diphtheria -	0'03	9	—	—	—	—	—	—	1	—	—	5	1	2	1	—	1	—
measles -	0'20	50	1	—	2	—	—	4	5	5	8	5	8	5	8	4	—	—
cont. fever -	0'07	12	—	—	—	—	—	—	1	3	2	2	1	2	—	—	—	—
typhoid fever -	0'04	6	—	—	—	—	—	—	—	—	2	3	3	—	—	—	—	—
and dysentery -	0'42	69	34	9	1	2	—	43	—	—	—	1	—	—	2	3	6	11
cholera -	0'01	2	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
diarrhoea -	0'40	47	—	—	—	—	—	—	—	—	1	1	3	5	12	18	18	9
jaundice -	0'14	23	9	1	—	—	1	11	1	1	2	2	1	1	—	1	3	1
menstrual -	0'25	41	19	5	4	—	—	24	5	—	3	1	1	1	—	—	—	—
hemorrhoids -	1'03	270	1	—	1	1	—	3	3	14	41	65	63	43	22	11	10	—
cephalalgia -	0'11	19	7	4	3	—	—	14	—	3	—	—	2	—	—	—	—	—
neuralgic Syst.	2'33	424	75	15	6	5	5	109	8	8	4	4	9	14	21	31	73	101
respiratory -	1'15	191	1	—	—	—	—	2	2	6	3	1	12	6	24	46	57	55
asthma -	2'83	470	53	10	17	3	6	141	9	4	3	6	10	16	23	32	90	103
bronchitis -	1'11	184	4	1	5	—	—	8	6	5	4	3	7	13	14	26	32	29
hoarseness -	0'33	53	1	1	1	2	—	5	1	—	—	1	1	1	12	11	11	9
laryngitis -	0'04	7	—	—	—	—	—	—	—	—	—	—	—	1	3	2	1	—
throat -	0'11	19	—	—	—	—	—	—	—	—	—	5	3	11	—	—	—	—
scalds -	0'09	15	—	—	—	—	—	—	—	—	1	—	2	1	4	4	3	—
violence -	0'02	160	5	11	5	5	5	29	10	4	6	3	5	13	4	6	11	9
CAUSES	4'72	781	188	21	2	3	6	223	5	4	7	4	8	6	50	48	91	565

Deaths of Infants (under
one) to 1000 Births - } 99Marriages - 971
Births - 4,836Annual Rate { Persons Married - 11'69
per 1000 living { Births - 29'41

309.—CHARD

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
AL DEATHS PER 1000	—	19'47	—	—	—	—	—	48'51	4'66	3'77	4'94	7'01	8'50	9'85	12'85	24'26	59'09	163'52
in Pop. 1-80	—	25,893	702	681	633	697	686	3440	3305	3025	2614	1981	3978	2540	2257	1797	1188	529
CAUSES	19'47	5042	1678	293	139	91	83	1674	154	114	130	159	271	261	240	436	768	835
pox -	0'01	3	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—
typhoid Fever -	0'22	57	13	13	10	5	7	50	7	—	—	—	—	—	—	—	—	—
typhus -	0'35	143	11	11	24	17	22	83	38	16	1	3	1	1	—	—	—	—
scarlatina -	0'04	11	1	—	—	2	—	3	4	—	—	1	1	—	1	—	—	1
whooping-cough -	0'40	103	53	22	13	6	3	102	1	—	—	—	—	—	—	—	—	—
diphtheria -	0'04	11	—	—	—	—	—	—	1	1	5	—	2	—	1	1	—	—
measles -	0'24	76	—	—	2	1	3	6	7	13	6	10	10	7	5	1	1	1
cont. fever -	0'08	21	1	—	—	2	—	3	6	1	2	3	2	—	1	2	—	—
typhoid fever -	0'07	17	—	—	—	—	—	—	—	—	1	3	8	5	—	—	—	—
and dysentery -	0'50	139	70	17	5	—	1	99	—	—	1	—	2	4	1	4	9	10
cholera -	0'09	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
diarrhoea -	0'47	121	—	—	—	—	—	—	2	—	1	—	4	12	31	27	38	18
jaundice -	0'14	41	13	10	4	2	1	29	2	2	—	1	3	1	2	—	—	—
menstrual -	0'18	47	13	9	3	1	6	32	2	4	5	1	4	1	—	—	—	—
hemorrhoids -	1'74	450	24	11	3	3	2	43	5	16	45	61	118	86	39	23	10	2
cephalalgia -	0'24	63	24	9	1	4	3	41	13	2	6	1	—	—	—	—	—	—
neuralgic Syst.	2'24	590	133	26	11	7	6	185	12	13	9	13	23	19	33	64	119	91
respiratory -	1'91	494	2	1	—	—	1	4	4	1	11	5	23	34	46	107	133	103
asthma -	5'30	833	213	73	25	14	12	541	20	8	5	8	19	27	44	92	117	134
bronchitis -	0'16	244	31	5	3	2	1	33	3	3	5	2	13	14	31	49	63	23
hoarseness -	0'22	83	—	1	1	3	1	6	1	2	3	2	4	5	13	12	10	10
laryngitis -	0'04	19	—	—	—	—	—	—	—	—	—	1	—	2	4	—	—	—
throat -	0'05	14	—	—	—	—	—	—	—	—	1	3	4	6	—	—	—	—
scalds -	0'01	14	—	—	—	—	—	—	—	—	—	—	1	1	3	3	3	8
violence -	0'54	139	12	6	3	4	4	31	6	13	9	10	6	12	9	12	13	10
CAUSES	2'17	1310	469	77	30	16	9	581	20	17	12	10	24	14	23	38	110	443

Deaths of Infants (under
one) to 1000 Births - } 126Marriages - 1,766
Births - 8,550Annual Rate { Persons Married - 13'64
per 1000 living { Births - 33'02

310.—YEOVIL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	19'61	—	—	—	—	—	47'1	6'81	8'29	4'01	7'92	8'85	10'51	14'45	30'29	36'72	133'1
Mean Pop. 1871-80	—	28,279	771	729	763	747	780	3790	3543	3317	2755	2210	3537	2022	2402	1914	1238	52
ALL CAUSES	19'61	5545	1165	300	135	117	74	1791	206	103	111	175	306	307	360	578	727	62
Small-pox	0'40	113	23	8	4	7	4	45	12	8	8	14	17	3	4	2	—	—
Measles	0'34	94	21	27	16	11	4	74	14	2	1	—	—	—	—	—	—	—
Scarlet Fever	0'76	215	12	25	43	24	21	132	69	18	3	1	1	—	—	—	—	—
Diphtheria	0'04	11	1	1	—	—	—	3	6	—	—	—	—	—	—	—	1	—
Whooping-cough	0'41	115	55	35	8	11	3	113	2	—	—	—	—	—	—	—	—	—
Typhus	0'03	9	—	1	1	—	—	2	1	1	1	2	1	1	—	—	—	—
Enteric Fever	0'22	62	1	—	—	1	3	5	7	9	7	6	6	2	2	7	1	4
Simple Cont. Fev.	0'15	41	—	2	2	2	1	7	6	4	—	—	—	—	—	—	—	—
Puerp. Fever	0'05	15	—	—	—	—	—	—	—	1	1	1	1	4	—	—	—	—
Diarr. and Dys.	0'43	113	65	16	4	1	—	89	—	1	—	1	1	1	1	3	9	10
Cholera	0'01	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'50	142	—	—	—	—	—	—	1	—	—	—	7	9	29	44	53	10
Serofula	0'08	23	7	2	—	1	—	10	1	2	—	2	3	—	1	1	3	—
Tuberc Mesent.	0'27	75	28	21	3	3	2	37	10	2	5	—	1	—	—	—	—	—
Phthisis	1'79	267	5	8	1	2	—	14	7	11	42	60	133	87	65	43	15	3
Hydrocephalus	0'22	65	25	12	2	4	2	43	11	5	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'29	619	114	29	13	8	6	161	16	12	6	11	15	29	43	66	109	13
Circulatory	1'67	474	—	—	—	—	—	—	—	9	9	7	25	25	47	126	142	1
Respiratory	2'29	619	227	62	23	13	9	334	18	2	5	11	17	48	41	91	120	15
Digestive	1'14	319	25	4	3	1	3	31	11	6	2	8	23	39	48	74	89	3
Urinary	0'40	114	1	1	—	3	—	5	—	1	3	2	7	8	17	10	32	2
Generative	0'03	18	—	—	—	—	—	—	—	—	1	—	4	1	6	4	—	—
Childbirth	0'11	30	—	—	—	—	—	—	—	—	1	8	8	13	—	—	—	—
Suicide	0'06	17	—	—	—	—	—	—	—	—	1	1	—	3	5	5	2	—
Other Violence	0'42	139	15	7	4	8	6	43	5	10	5	2	6	16	10	16	18	4
OTHER CAUSES	4'83	1314	517	47	8	12	7	611	19	4	6	9	22	21	25	48	120	60

Deaths of Infants (under one) to 1000 Births } 131

Marriages - 1,975
Births - 8,833Annual Rate { Persons Married - 13'97
per 1000 living { Births - - - 31'43

311.—WINCANTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	18'13	—	—	—	—	—	37'92	3'98	2'02	5'00	6'01	8'28	10'57	14'15	24'37	61'05	133'1
Mean Pop. 1871-80	—	20,415	515	524	635	526	511	2111	2337	2326	1919	1563	2523	2133	1831	1519	968	42
ALL CAUSES	18'13	3702	670	167	71	47	35	930	101	47	96	94	200	226	259	375	531	71
Small-pox	0'01	2	—	—	—	—	—	21	—	—	—	1	—	—	1	—	—	—
Measles	0'11	56	6	7	4	2	—	21	—	—	—	1	—	—	—	—	—	—
Scarlet Fever	0'59	80	7	3	11	11	8	49	27	8	4	—	—	—	—	—	—	—
Diphtheria	0'09	14	1	1	—	3	2	7	—	—	—	—	2	—	—	1	—	—
Whooping-cough	0'28	53	23	14	4	1	2	54	—	—	—	—	—	—	—	—	—	—
Typhus	0'04	8	—	—	—	—	—	—	—	—	—	1	2	2	1	1	1	—
Enteric Fever	0'34	69	1	1	2	2	3	9	10	—	10	7	13	7	4	2	1	3
Simple Cont. Fev.	0'06	14	—	2	—	1	2	5	—	—	—	1	1	—	—	1	—	—
Puerp. Fever	0'01	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'47	95	49	3	4	1	1	58	6	—	1	1	2	2	2	3	7	13
Cholera	0'02	4	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0'55	113	—	—	—	—	—	—	2	2	—	1	3	8	16	22	41	2
Serofula	0'12	24	3	2	1	1	1	8	2	1	—	—	1	1	2	4	—	1
Tuberc Mesent.	0'14	39	9	4	2	1	—	24	1	1	2	—	—	—	—	—	—	—
Phthisis	1'59	225	—	2	3	1	—	24	2	—	27	59	109	67	49	19	5	—
Hydrocephalus	0'18	37	10	10	1	1	—	23	—	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'31	473	83	25	10	5	2	128	5	—	13	8	8	20	27	62	110	14
Circulatory	1'73	354	2	1	—	—	—	3	—	—	—	3	13	22	16	85	119	5
Respiratory	5'45	704	119	51	13	6	5	224	6	3	12	29	45	89	45	89	169	16
Digestive	0'34	501	25	0	2	2	1	56	1	—	1	9	11	13	24	31	57	23
Urinary	0'32	89	—	1	2	—	—	3	—	—	1	3	5	7	14	10	25	2
Generative	0'18	17	—	—	—	—	—	—	—	—	1	—	1	3	4	2	3	—
Childbirth	0'13	24	—	—	—	—	—	—	—	—	1	1	13	11	—	—	—	—
Suicide	0'05	11	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Other Violence	0'80	102	12	1	3	5	1	22	5	8	4	—	4	15	14	8	14	9
OTHER CAUSES	4'06	825	246	28	7	4	4	309	5	7	13	15	13	18	14	35	92	22

Deaths of Infants (under one) to 1000 Births } 100

Marriages - 1,273
Births - 6,119Annual Rate { Persons Married - 12'47
per 1000 living { Births - - - 29'97

312.—FROME.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	18.68	—	—	—	—	—	40.14	4.14	2.87	4.55	5.70	7.02	9.80	13.87	20.90	50.20	163.1
Mean Pop. 1871-80	—	23,712	657	565	621	606	603	3057	2925	2720	2264	1811	1831	2300	2185	1602	1112	59
ALL CAUSES	18.68	4450	831	205	87	62	42	1227	121	78	103	105	200	245	303	447	625	97
Small-pox	0.01	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Measles	0.19	43	13	14	6	3	3	39	6	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.21	50	—	7	3	9	4	23	22	2	2	1	—	—	—	—	—	—
Diphtheria	0.07	17	—	—	1	1	2	4	6	4	—	—	—	1	—	—	—	1
Whooping-cough	0.27	64	23	22	5	5	1	61	3	—	—	—	—	—	—	—	—	—
Typhus	0.00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Zosteric Fever	0.23	60	—	2	1	1	3	7	11	13	15	6	—	2	2	—	—	—
Simple Cont. Fer.	0.08	20	—	1	1	—	1	3	4	2	4	—	—	3	—	1	—	—
Pump. Fever	0.05	12	—	—	—	—	—	—	—	—	—	4	—	4	—	—	—	—
Diarr. and Dys.	0.67	160	84	11	4	1	1	101	2	2	1	—	2	1	1	3	18	27
Cholera	0.03	6	4	—	—	—	—	4	—	—	—	—	1	—	—	—	—	—
Cancer	0.45	106	—	—	—	—	—	—	—	1	—	—	—	10	27	58	10	13
Scrofula	0.09	21	6	2	1	1	1	11	3	—	1	1	1	—	3	1	—	—
Tubes Mesent.	0.17	41	22	4	—	1	1	28	5	4	2	1	—	—	—	—	—	—
Fistula	1.28	203	9	4	—	1	—	14	5	4	34	50	82	61	21	20	6	2
Hydrocephalus	0.14	31	8	8	3	1	2	22	4	3	1	1	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.00	616	69	25	8	7	4	141	12	5	8	8	20	24	46	76	101	107
Circulatory	1.79	423	2	—	—	—	—	2	4	5	7	4	12	37	41	57	146	93
Respiratory	3.24	793	182	64	23	15	7	293	7	4	4	10	16	27	84	80	123	121
Digestive	1.01	257	12	2	2	1	2	19	3	6	8	1	11	27	27	38	60	46
Urinary	0.44	103	—	1	—	—	1	2	2	1	—	1	8	10	15	30	12	—
Generative	0.07	16	—	—	—	—	—	—	—	—	—	1	2	4	5	2	2	—
Childbirth	0.10	24	—	—	—	—	—	—	—	—	—	3	12	8	1	—	—	—
Suicide	0.01	9	—	—	—	—	—	—	—	—	—	—	1	—	3	1	5	1
Other Violence	0.62	148	13	4	10	3	2	22	7	10	8	7	10	14	10	20	10	14
OTHER CAUSES	4.66	1100	349	34	17	12	7	419	13	9	9	4	14	19	26	51	63	42

Deaths of Infants (under one) to 1000 Births } 112

Marriages - 1,065
Births - 7,425Annual Rate of Persons Married per 1000 living { Births - 13.54
Births - 31.37

313.—SHEPTON MALLET.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	17.07	—	—	—	—	—	30.50	3.18	1.96	4.31	6.02	7.57	8.50	14.08	25.02	55.91	140.7
Mean Pop. 1871-80	—	15,779	410	391	305	383	411	1000	1932	1786	1485	1212	1877	1642	1512	1135	753	45
ALL CAUSES	17.07	2836	517	134	63	47	23	780	62	35	64	73	142	141	222	284	424	60
Small-pox	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.11	17	3	3	6	3	—	13	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.23	37	4	6	2	4	—	20	10	4	2	—	1	—	—	—	—	—
Diphtheria	0.04	6	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—
Whooping-cough	0.10	32	13	9	3	3	—	30	2	—	—	—	—	—	—	—	—	—
Typhus	0.04	6	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	—
Zosteric Fever	0.11	18	—	—	—	—	—	2	3	4	3	4	—	—	—	—	—	—
Simple Cont. Fer.	0.10	16	—	—	—	1	1	2	4	1	3	—	2	1	—	—	1	1
Pump. Fever	0.04	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diarr. and Dys.	0.25	53	20	2	—	—	—	13	—	1	—	—	2	1	3	2	4	10
Cholera	0.01	2	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Cancer	0.45	71	—	—	—	—	—	—	—	—	3	—	3	3	17	18	20	4
Scrofula	0.15	23	5	—	—	1	2	8	—	2	—	—	—	—	5	1	—	—
Tubes Mesent.	0.13	20	6	7	3	2	—	18	1	—	—	—	—	—	—	—	—	—
Fistula	1.34	215	5	2	—	—	—	9	6	4	23	34	61	22	20	18	7	1
Hydrocephalus	0.16	23	9	10	1	2	—	23	2	—	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.25	553	81	19	7	4	2	113	3	4	3	11	17	27	41	89	89	9
Circulatory	1.28	218	4	—	—	—	—	4	3	1	3	3	7	14	20	51	72	5
Respiratory	2.75	434	107	34	19	13	4	177	4	1	2	4	9	11	20	44	64	20
Digestive	1.17	185	14	—	2	1	1	16	3	4	4	5	10	19	23	24	43	2
Urinary	0.25	29	—	1	—	—	—	2	—	—	1	—	—	—	6	4	7	1
Generative	0.10	13	—	—	—	—	—	—	—	—	—	1	1	2	4	2	2	—
Childbirth	0.11	18	—	—	—	—	—	—	—	—	—	—	9	8	1	—	—	—
Suicide	0.07	11	—	—	—	—	—	—	—	—	—	—	1	1	2	4	3	—
Other Violence	0.78	123	10	4	3	6	3	23	8	4	4	7	12	10	11	19	11	10
OTHER CAUSES	5.12	888	220	50	13	6	4	183	8	6	6	7	13	15	25	33	159	26

Deaths of Infants (under one) to 1000 Births } 108

Marriages - 945
Births - 4,766Annual Rate of Persons Married per 1000 living { Births - 11.98
Births - 30.20

* Changes were made in the boundary of this District during the decade; see Table, pp. 111-118.

314.—WELLS.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	20.32	—	—	—	—	—	10.17	3.71	3.24	5.35	7.45	9.00	13.02	18.28	31.01	63.76	107
Mean Pop. } 1871-80 - }	—	22,273	559	547	531	507	552	2756	2612	2400	2186	1839	2507	2333	2065	1822	1045	53
ALL CAUSES	20.32	4526	736	177	90	66	38	1107	97	78	117	137	258	318	381	503	665	80
Small-pox - -	0.04	8	2	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-
Measles - -	0.17	38	10	13	4	4	4	35	2	3	-	1	-	-	-	-	-	-
Scarlet Fever -	0.16	35	1	-	6	7	2	21	11	3	-	-	-	-	-	-	-	-
Diphtheria - -	0.04	9	-	-	2	-	-	1	3	1	-	1	1	-	-	-	-	-
Whooping-cough	0.23	55	26	15	5	5	3	51	-	1	-	-	-	-	-	-	-	-
Typhus - -	0.06	13	-	-	1	1	-	2	2	1	6	1	1	-	-	-	-	-
Enteric Fever -	0.28	59	1	3	4	1	3	12	3	5	3	1	10	3	4	4	1	1
Simple Cont. Fev.	0.03	14	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Fuemp. Fever -	0.03	7	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
Diarr. and Dys.	0.54	125	55	11	5	1	1	73	1	1	-	-	-	-	2	1	13	4
Cholera - -	0.01	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.51	114	-	-	-	-	-	-	2	1	1	1	6	11	21	25	25	15
Serofula - -	0.03	18	2	5	-	5	-	10	1	1	1	2	-	-	-	1	-	-
Tubes Mesent.	0.24	54	24	14	4	-	1	43	4	1	-	-	-	-	-	-	-	-
Phthisis - -	0.24	54	24	14	4	-	1	43	4	1	-	-	-	-	-	-	-	-
Hydrocephalus	0.22	49	16	11	3	2	4	36	7	3	2	1	-	66	55	53	17	-
Diseases of { Nervous Syst. " 3.74 854 51 14 8 10 5 118 9 12 10 22 24 98 99 123 148 146 Circulatory " 1.87 417 2 - - - - - 2 2 1 4 10 9 15 25 27 21 119 42 Respiratory " 3.36 744 146 54 27 14 7 248 10 5 9 8 16 32 52 88 112 109 100 Digestive " 1.94 24 27 2 1 5 - - 41 1 7 3 11 34 31 29 26 36 37 Urinary " 0.35 74 1 - - - - - 1 - - - 3 - 5 4 10 19 23 7 Generative " 0.04 9 - - - - - - - - - - - 2 - 2 1 1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth - -	0.60	20	-	-	-	-	-	-	-	-	-	1	10	8	1	-	-	-
Suicide - -	0.12	26	-	-	-	-	-	-	-	-	-	3	2	5	5	3	4	4
Other Violence -	0.47	103	16	4	6	1	3	10	8	8	6	-	2	5	10	11	14	8
OTHER CAUSES -	4.53	1005	312	23	10	10	3	358	12	11	10	10	12	23	51	47	128	20

Deaths of Infants (under
one) to 1000 Births - } 114Marriages - 1,267
Births - 6,432Annual Rate { Persons Married - 11.38
per 1000 living { Births - 29.10

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

315.—AXBRIDGE.

ANNUAL DEATH RATE PER 1000.	—	17.37	—	—	—	—	—	32.84	4.51	3.20	4.80	5.97	7.62	10.03	13.73	25.20	48.61	137.7
Mean Pop. } 1871-80 - }	—	40,031	1007	962	935	973	962	4359	4703	4503	4004	3332	5108	4201	3664	2825	1873	593
ALL CAUSES	17.37	6955	1252	363	142	103	76	1030	212	148	192	190	389	422	501	723	911	129
Small-pox - -	0.03	14	1	-	2	-	-	3	1	1	2	1	1	3	-	2	-	-
Measles - -	0.13	73	16	18	10	6	2	55	11	4	2	2	-	-	1	-	-	-
Scarlet Fever -	0.21	81	6	11	11	9	0	46	21	12	1	2	1	-	1	-	-	-
Diphtheria - -	0.09	81	2	5	6	5	6	22	31	17	7	1	-	-	1	-	-	1
Whooping-cough	0.33	121	63	37	11	6	1	118	2	-	-	-	1	-	-	-	-	-
Typhus - -	0.03	19	-	-	-	-	-	-	1	1	4	3	2	2	1	6	-	-
Enteric Fever -	0.21	81	2	2	6	2	14	11	10	19	1	12	6	4	5	4	1	2
Simple Cont. Fev.	0.04	25	-	1	2	3	-	6	5	3	1	2	1	2	1	1	1	1
Fuemp. Fever -	0.04	18	-	-	-	-	-	-	-	-	-	4	10	4	-	-	-	-
Diarr. and Dys.	0.40	162	107	12	3	-	-	122	1	2	-	-	1	1	6	1	10	19
Cholera - -	0.01	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer - -	0.56	224	-	-	-	-	-	-	1	-	2	-	6	24	40	53	53	40
Serofula - -	0.12	47	7	6	3	2	2	30	2	2	4	3	10	-	2	1	2	1
Tubes Mesent.	0.37	149	75	37	7	5	6	130	7	1	3	2	-	3	-	-	-	-
Phthisis - -	1.18	671	8	5	1	1	2	15	13	20	71	109	155	127	76	58	24	1
Hydrocephalus	0.27	110	26	25	10	8	5	81	13	7	2	1	-	-	-	-	-	-
Diseases of { Nervous Syst. " 2.05 823 123 31 12 7 5 183 18 16 13 11 26 45 65 130 157 156 Circulatory " 1.45 579 5 - - - - - 6 8 7 15 8 28 39 66 107 169 124 Respiratory " 2.77 1105 219 101 28 18 13 412 14 10 12 13 31 40 54 101 169 228 Digestive " 1.14 451 30 4 3 3 2 51 9 8 8 7 27 31 53 102 167 41 Urinary " 0.46 186 2 2 - - - 5 - 3 4 5 4 18 20 21 37 26 20 Generative " 0.04 17 - - - - - - - - - 2 1 3 4 1 6 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth - -	0.65	19	-	-	-	-	-	-	-	-	-	2	11	6	-	-	-	-
Suicide - -	0.07	30	-	-	-	-	-	-	-	-	-	1	3	10	4	10	1	1
Other Violence -	0.56	224	10	12	10	9	12	58	17	8	9	9	19	19	33	23	24	15
OTHER CAUSES -	4.09	1631	496	55	18	14	8	521	24	15	17	10	23	34	28	61	139	60

Deaths of Infants (under
one) to 1000 Births - } 110Marriages - 2,175
Births - 11,104Annual Rate { Persons Married - 10.67
per 1000 living { Births - 28.40

316.—CLUTTON.

	Annual Deaths Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (PER 1000)	—	18.33	—	—	—	—	—	41.45	4.63	3.02	4.70	6.09	8.01	8.49	13.31	22.18	40.91	152.04
Pop. (1880)	—	23,070	670	634	637	660	677	3257	3133	2812	2039	1673	2772	2368	2142	1745	1150	549
CAUSES	18.36	4346	913	241	106	77	55	1395	145	85	97	117	222	201	255	387	574	838
POX -	0.04	10	1	—	—	—	—	1	1	—	1	3	2	—	—	1	1	—
Scar -	0.27	61	10	22	8	6	3	49	10	4	—	—	—	—	—	—	—	—
Fever -	0.43	113	10	13	11	29	10	64	28	11	—	—	—	—	—	—	—	—
aria -	0.12	29	1	4	5	2	5	15	9	3	—	—	1	—	—	—	—	—
ing-cough	0.33	77	43	16	11	3	2	75	2	—	—	—	—	—	—	—	—	—
—	0.03	6	—	—	1	—	1	2	1	1	1	—	1	—	—	—	—	—
Fever -	0.27	64	4	2	1	1	1	11	6	8	17	4	7	3	3	3	2	—
Cont. Fev.	0.08	19	1	1	1	1	1	5	2	2	3	—	2	2	—	—	—	—
Fever -	0.03	15	—	—	—	—	—	—	—	—	2	10	3	—	—	—	—	—
and Dys.	0.52	123	71	17	3	2	—	93	2	—	1	—	2	1	1	2	10	11
—	0.01	2	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
—	0.46	110	—	—	—	—	1	1	—	—	—	—	7	13	15	23	31	19
—	0.18	42	7	6	4	1	—	18	1	3	2	4	5	—	4	4	3	—
Mesent.	0.18	42	15	10	5	1	2	33	3	1	1	1	—	1	—	—	—	—
—	1.35	320	11	6	1	1	2	21	5	9	15	44	82	50	52	25	11	2
ephalus -	0.16	19	14	10	3	1	—	28	6	3	—	—	—	—	—	—	—	—
ious Syst.	2.23	521	120	21	9	8	3	161	4	7	6	9	17	14	31	53	101	112
ulatory -	1.54	361	3	—	—	—	—	3	1	4	6	6	16	21	46	81	117	61
piratory -	2.75	651	151	61	19	15	9	378	15	1	6	5	11	23	33	19	108	125
active -	1.04	241	51	7	3	2	2	47	2	3	7	5	13	18	27	47	43	24
ary -	0.57	88	1	1	2	—	1	5	1	—	4	4	11	6	3	12	17	19
erative -	0.05	11	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—
th -	0.09	22	—	—	—	—	—	—	—	—	4	10	7	1	—	—	—	—
—	0.05	13	—	—	—	—	—	—	—	—	1	1	—	—	5	2	2	—
tolence -	0.59	139	9	5	4	4	2	24	13	14	9	9	6	10	20	10	10	5
CAUSES	3.14	1,219	408	30	16	8	10	481	23	9	8	14	34	20	33	44	115	478

Deaths of Infants (under one) to 1000 Births } 116 Marriages - 1,062 Annual Rate { Persons Married - 8.97
Births - 7,803 per 1000 living { Births - 33.22

317.—BATH.

	Annual Deaths Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (PER 1000)	—	21.48	—	—	—	—	—	56.13	5.50	5.80	4.21	5.42	8.75	13.36	19.52	31.80	62.02	139.71
Pop. (1880)	—	70,108	1509	1442	1504	1537	1478	7557	7114	7256	7338	6347	9907	7011	6682	5125	3426	1274
CAUSES	21.48	15,062	2643	800	371	213	153	4243	391	275	300	344	867	1037	1283	1630	2152	2260
POX -	0.12	51	9	5	2	1	4	21	7	12	11	8	12	7	2	1	—	—
Scar -	0.23	123	43	83	51	26	8	213	11	5	—	1	—	—	—	—	—	—
Fever -	0.48	336	21	31	50	25	46	221	70	15	7	2	5	5	2	—	—	1
aria -	0.09	45	4	3	2	4	5	16	17	5	1	1	1	2	1	1	—	—
ing-cough	0.25	241	107	76	33	10	5	231	14	1	—	—	—	—	—	—	—	—
—	0.02	12	—	—	—	—	—	—	—	1	5	1	1	—	2	—	—	—
Fever -	0.27	185	4	3	4	7	5	21	23	29	37	39	12	11	6	2	4	4
Cont. Fev.	0.06	44	2	2	1	3	2	10	6	7	2	2	2	—	—	—	—	—
Fever -	0.05	34	—	—	—	—	—	—	—	—	2	4	19	5	1	—	—	—
and Dys.	0.78	548	325	68	9	1	2	603	4	1	1	2	19	6	10	22	42	47
—	0.01	7	—	1	—	—	—	1	—	—	—	—	—	—	3	1	1	1
—	0.13	500	—	—	—	—	—	—	1	—	2	2	2	45	103	147	113	69
—	0.11	80	13	11	7	3	3	36	11	2	4	7	4	5	5	1	—	—
Mesent.	0.21	195	65	24	11	5	2	161	9	13	7	4	8	12	16	31	47	—
—	1.29	1323	19	10	2	2	1	53	20	41	103	138	339	513	327	160	31	4
ephalus -	0.21	149	40	80	26	4	5	193	23	13	4	1	2	—	1	—	—	—
ious Syst.	2.90	2301	426	81	37	23	10	637	42	24	31	19	60	67	145	371	783	335
ulatory -	1.91	1338	2	2	1	5	1	9	15	26	16	19	71	133	151	285	311	119
piratory -	3.76	2757	502	233	67	32	16	931	42	10	14	22	74	102	256	336	315	233
active -	1.14	726	61	19	4	4	2	21	10	9	15	44	38	122	160	161	57	—
ary -	0.62	433	3	4	3	1	2	13	8	9	11	9	21	67	67	42	20	61
erative -	0.10	70	—	—	—	—	—	—	—	—	2	3	11	25	12	12	12	9
th -	0.08	55	—	—	—	—	—	—	—	—	9	21	21	1	—	—	—	—
—	0.07	43	—	—	—	—	—	—	—	1	—	3	7	12	10	11	2	2
tolence -	0.69	465	70	17	13	11	13	123	26	13	21	26	24	47	47	45	35	43
CAUSES	4.51	3631	9.8	114	24	15	13	1621	23	37	35	74	66	78	167	133	232	1078

Deaths of Infants (under one) to 1000 Births } 140 Marriages - 6,189 Annual Rate { Persons Married - 17.66
Births - 18,833 per 1000 living { Births - 24.87

314.—WELLS.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	20.32	—	—	—	—	—	10.17	3.71	3.24	5.35	7.45	9.00	13.02	18.26	31.01	63.76	106.7
Mean Pop. 1871-80	—	22,273	559	547	531	507	552	2756	2612	2400	2186	1839	2567	2333	2063	1632	1043	515
ALL CAUSES	20.32	4526	736	177	90	66	38	1107	97	78	117	137	258	318	381	503	665	863
Small-pox	0.04	8	2	—	—	—	—	2	1	1	—	2	—	—	—	—	—	—
Measles	0.17	38	10	13	4	4	4	35	2	—	—	1	—	—	—	—	—	—
Scarlet Fever	0.16	35	1	—	6	7	2	21	11	5	—	—	—	—	—	—	—	—
Diphtheria	0.04	9	—	—	2	—	—	1	3	1	—	—	1	—	—	—	—	—
Whooping-cough	0.23	53	26	15	5	5	3	51	—	1	—	—	—	—	—	—	—	—
Typhus	0.06	13	—	—	1	1	—	2	2	1	6	1	1	—	—	—	—	—
Enteric Fever	0.26	59	1	3	4	1	3	12	3	6	8	8	10	3	4	4	1	1
Simple Cont. Fev.	0.03	19	1	—	—	—	—	5	—	3	3	3	2	—	—	—	—	—
Fuerr. Fever	0.03	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.54	125	55	11	5	1	1	73	1	1	—	—	—	—	—	1	15	4
Cholera	0.01	3	2	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0.31	114	—	—	—	—	—	—	2	1	1	1	6	11	23	28	25	15
Serofula	0.03	18	2	5	—	5	—	10	1	1	1	2	2	—	—	1	1	—
Tubes Mesent.	0.24	54	24	14	4	—	1	45	4	2	5	5	8	—	—	—	—	—
Phthisis	0.28	393	2	3	2	1	1	10	10	11	89	57	98	66	55	53	17	—
Hydrocephalus	0.22	49	16	11	3	2	4	30	7	8	2	1	—	—	—	—	—	—
Diseases of Nervous Syst.	3.74	854	51	14	8	10	5	118	9	12	10	22	54	98	92	123	148	168
Circulatory	1.87	417	2	—	—	—	—	2	2	6	10	9	15	25	57	91	119	82
Respiratory	3.36	749	146	54	27	14	7	248	10	5	9	16	32	52	88	112	169	102
Digestive	1.26	271	57	2	1	5	—	41	6	1	7	3	11	54	51	50	56	36
Urinary	0.35	79	—	—	—	—	—	—	1	—	—	—	3	5	4	12	19	23
Generative	0.04	9	—	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—
Childbirth	0.00	20	—	—	—	—	—	—	—	—	—	1	10	8	1	—	—	—
Suicide	0.12	26	—	—	—	—	—	—	—	—	—	3	2	5	5	3	4	4
Other Violence	0.47	103	16	4	6	1	3	10	8	8	6	—	7	5	10	11	14	6
OTHER CAUSES	4.53	1005	312	23	10	10	3	358	12	11	10	10	12	20	31	47	128	263

Deaths of Infants (under one) to 1000 Births - 114

Marriages - 1,267
Births - 6,432Annual Rate { Persons Married - 11.38
per 1000 living { Births - 20.10

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

315.—AXBRIDGE.

ANNUAL DEATH RATE PER 1000	—	17.37	—	—	—	—	—	32.84	4.51	3.20	4.80	5.97	7.62	10.05	13.73	25.59	48.04	137.7
Mean Pop. 1871-80	—	40,031	1007	962	955	973	902	4369	4702	4503	4001	3332	5108	4201	3664	2825	1873	933
ALL CAUSES	17.37	6955	1252	363	142	103	76	1936	212	148	192	199	389	422	503	723	911	1389
Small-pox	0.03	14	1	—	2	—	—	3	1	1	2	1	1	3	—	2	—	—
Measles	0.13	73	16	18	13	6	2	53	11	4	2	—	—	—	1	—	—	—
Scarlet Fever	0.21	81	6	11	11	9	9	46	21	12	1	2	1	—	1	—	—	—
Diphtheria	0.00	81	2	3	6	5	6	32	31	17	7	1	—	—	1	—	—	1
Whooping-cough	0.33	121	63	97	11	6	1	118	2	—	—	—	1	—	—	—	—	—
Typhus	0.03	19	—	—	—	—	—	—	1	1	4	3	2	2	1	5	—	—
Enteric Fever	0.21	81	2	2	2	6	2	14	11	10	13	1	12	6	4	5	4	1
Simple Cont. Fev.	0.16	25	—	1	2	3	—	6	5	3	1	2	1	2	1	1	1	2
Fuerr. Fever	0.04	18	—	—	—	—	—	—	—	—	—	4	10	4	—	—	—	—
Diarr. and Dys.	0.40	164	107	12	8	—	—	122	1	2	—	—	1	1	6	1	10	19
Cholera	0.01	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0.26	224	—	—	—	—	—	—	1	—	2	—	6	24	60	53	55	40
Serofula	0.12	47	7	6	3	2	2	20	2	2	4	3	10	—	2	1	2	1
Tubes Mesent.	0.37	149	75	37	7	5	6	130	7	1	3	2	2	3	—	—	—	—
Phthisis	1.18	671	8	5	1	1	2	15	13	20	71	109	155	127	76	58	24	3
Hydrocephalus	0.27	110	56	25	10	8	3	84	13	7	2	1	—	—	1	—	—	—
Diseases of Nervous Syst.	2.06	823	123	31	12	7	5	181	18	14	13	11	28	43	63	120	137	146
Circulatory	1.45	579	5	—	—	—	1	6	8	7	15	8	28	39	66	107	169	134
Respiratory	2.77	1105	219	101	28	18	13	412	14	10	12	13	31	40	54	101	179	223
Digestive	1.14	455	80	4	3	3	2	51	9	8	8	7	27	31	50	102	93	61
Urinary	0.46	186	2	2	—	1	—	5	5	4	5	4	18	20	21	37	36	36
Generative	0.04	17	—	—	—	—	—	—	—	—	—	2	1	3	4	1	6	—
Childbirth	0.03	19	—	—	—	—	—	—	—	—	—	2	11	6	—	—	—	—
Suicide	0.07	30	—	—	—	—	—	—	—	—	1	—	3	10	4	10	1	1
Other Violence	0.56	221	10	12	10	9	12	58	11	8	9	9	19	19	32	22	24	13
OTHER CAUSES	4.09	1631	496	35	18	14	8	591	14	15	17	10	20	31	48	81	139	608

Deaths of Infants (under one) to 1000 Births - 110

Marriages - 2,175
Births - 11,044Annual Rate { Persons Married - 10.87
per 1000 living { Births - 20.40

316.—CLUTTON.

Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	71 and up
ANNUAL DEATH RATE PER 1000	18.33	—	—	—	—	—	41.44	4.03	3.02	4.70	6.99	8.01	8.40	13.31	22.18	10.91	152			
Mean Pop. 1871-80	23,070	670	634	637	660	677	3287	3133	2812	2030	1673	2772	2368	2142	1745	1150	54			
ALL CAUSES	18.36	4940	613	241	106	77	55	1305	145	85	97	117	222	201	285	387	574	83		
Small-pox	0.04	10	1	—	—	—	—	1	1	—	1	3	2	—	—	1	1	—		
Measles	0.27	63	10	22	8	6	3	49	19	4	—	—	—	—	—	—	—	—		
Scarlet Fever	0.43	113	10	13	11	20	10	64	35	11	—	—	—	—	—	—	—	—		
Diphtheria	0.12	29	1	4	3	2	3	15	9	3	—	—	1	—	—	—	—	—		
Whooping-cough	0.33	77	43	16	11	3	2	75	2	—	—	—	—	—	—	—	—	—		
Typhus	0.05	6	—	—	1	—	1	2	1	1	—	—	1	—	—	—	—	—		
Enteric Fever	0.27	64	4	2	1	1	3	11	6	8	17	4	7	3	3	3	2	—		
Simple Cont. Fer.	0.08	19	1	1	1	1	1	3	2	2	3	—	2	2	—	—	—	—		
Febr. Fever	0.06	15	—	—	—	—	—	—	—	—	2	10	3	—	—	—	—	—		
Diarr. and Dys.	0.33	125	71	27	3	2	—	93	2	—	1	—	2	1	1	2	10	1		
Cholera	0.01	2	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—		
Cancer	0.45	110	—	—	—	—	1	1	—	—	—	—	7	12	15	25	31	1		
Scrophula	0.14	42	7	6	4	1	—	16	1	3	2	4	3	—	4	4	3	—		
Tuberc. Mesent.	0.18	42	15	10	5	1	2	25	3	1	1	2	1	—	—	—	—	—		
Phthisis	1.35	330	11	6	1	1	2	21	5	9	19	44	82	50	52	25	11	—		
Hydrocephalus	0.16	29	14	10	3	1	—	28	6	3	2	—	—	—	—	—	—	—		
Diseases of																				
Nervous Syst.	2.29	220	120	21	9	8	3	161	4	7	6	9	37	14	31	52	161	11		
Circulatory	1.54	261	3	—	—	—	—	3	1	4	6	6	16	21	46	81	117	8		
Respiratory	2.75	431	151	61	19	15	9	178	15	1	6	5	11	28	25	19	108	2		
Digestive	1.04	243	31	7	3	2	2	47	2	3	7	5	20	18	27	47	43	2		
Urinary	0.37	88	1	1	2	—	1	5	1	—	4	4	11	6	9	12	17	1		
Generative	0.05	11	—	—	—	—	—	—	—	—	1	2	1	1	3	2	—	—		
Childbirth	0.09	22	—	—	—	—	—	—	—	—	4	10	7	1	—	—	—	—		
Suicide	0.05	13	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—		
Other Violence	0.09	139	9	5	4	4	2	24	13	14	9	9	6	19	20	10	10	—		
OTHER CAUSES	0.14	1,219	408	89	16	8	10	61	23	9	8	14	14	20	33	44	113	4		

Deaths of Infants (under one) to 1000 Births } 116

Marriages - 1,062
Births - 7,863Annual Rate { Persons Married - 8.97
per 1000 living { Births - 33.22

317.—BATH.

Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	71 and up
ANNUAL DEATH RATE PER 1000	21.43	—	—	—	—	—	56.13	5.50	3.80	4.21	5.42	6.75	13.36	19.52	31.80	12.02	159			
Mean Pop. 1871-80	70,108	1596	1442	1504	1537	1478	7557	7114	7236	7333	6347	9907	7011	6682	5123	3420	161			
ALL CAUSES	21.43	15,062	2643	800	371	213	156	4243	391	275	390	341	867	1057	1285	1630	2152	230		
Small-pox	0.12	81	9	5	2	1	4	21	7	12	11	8	13	7	2	1	—	—		
Measles	0.33	129	43	83	51	36	8	213	11	3	—	1	—	—	—	—	—	—		
Scarlet Fever	0.48	333	21	51	50	43	46	221	70	15	7	2	5	5	2	—	—	—		
Diphtheria	0.06	45	4	3	2	4	3	16	17	5	1	1	1	2	1	1	—	—		
Whooping-cough	0.55	243	107	76	33	10	5	231	14	1	—	—	—	—	—	—	—	—		
Typhus	0.02	12	—	—	—	—	—	—	—	1	3	1	1	—	2	4	—	—		
Enteric Fever	0.27	181	4	4	7	5	8	33	29	27	29	18	11	6	5	4	—	—		
Simple Cont. Fer.	0.06	44	2	2	1	5	2	10	6	7	2	3	2	—	—	—	—	—		
Febr. Fever	0.03	54	—	—	—	—	—	—	—	2	4	19	8	1	—	—	—	—		
Diarr. and Dys.	0.78	348	325	66	9	1	2	493	4	1	1	2	13	0	19	22	42	4		
Cholera	0.01	7	—	1	—	—	—	1	—	—	—	—	—	—	3	1	1	—		
Cancer	0.73	369	—	—	—	—	—	1	—	—	2	2	20	45	163	147	113	6		
Scrophula	0.11	89	13	11	7	5	3	36	11	2	4	7	4	5	5	1	—	—		
Tuberc. Mesent.	0.21	118	43	25	11	4	3	101	7	13	5	7	7	3	4	—	—	—		
Phthisis	1.69	1328	10	10	2	2	1	25	20	41	103	136	239	313	267	195	31	—		
Hydrocephalus	0.21	119	40	30	26	4	5	139	28	13	4	1	2	—	1	—	—	—		
Diseases of																				
Nervous Syst.	2.60	231	476	81	37	23	10	637	42	24	31	19	60	67	147	171	283	34		
Circulatory	1.91	193	2	2	1	3	1	9	15	16	16	19	74	123	181	283	311	23		
Respiratory	3.98	375	203	263	87	52	16	911	42	16	16	22	74	162	236	336	315	23		
Digestive	1.14	798	61	19	4	4	3	81	8	10	9	18	43	129	169	162	84	—		
Urinary	0.62	433	3	4	3	1	2	11	8	9	11	9	37	67	52	90	2			
Generative	0.10	70	—	—	—	—	—	—	—	—	2	2	3	11	23	12	17	—		
Childbirth	0.06	55	—	—	—	—	—	—	—	—	9	21	21	1	—	—	—	—		
Suicide	0.07	45	—	—	—	—	—	—	—	1	—	3	7	12	10	11	2	—		
Other Violence	0.69	465	70	17	13	11	12	123	76	13	21	30	84	47	47	4	20	6		
OTHER CAUSES	4.21	3931	9.8	114	25	15	13	1623	23	27	25	21	63	78	107	135	532	107		

Deaths of Infants (under one) to 1000 Births } 140

Marriages - 6,189
Births - 18,533Annual Rate { Persons Married - 17.66
per 1000 living { Births - 26.87

318.—KEYNSHAM.

—	ANNUAL DEATH RATE PER 1000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18.41	—	—	—	—	—	42.64	4.97	3.37	3.37	6.33	7.69	8.63	11.13	20.54	54.71	148.9			
Mean Pop. 1871-80	—	24,330	717	679	672	657	678	3433	3178	2746	2421	1983	3006	2432	2055	1511	908	409			
ALL CAUSES	18.41	44.50	1054	302	111	77	47	1001	166	98	130	130	238	212	230	388	544	74			
Small pox	0.16	24	2	—	—	—	—	5	2	1	10	3	2	1	—	—	—	—			
Measles	0.27	65	39	21	9	—	—	55	8	—	—	—	—	—	—	—	—	—			
Scarlet Fever	0.3	92	7	11	13	13	9	61	32	8	—	—	—	—	—	—	—	—			
Diphtheria	0.07	18	1	1	1	3	—	6	—	—	1	—	—	—	—	—	—	—			
Whooping-cough	0.15	103	49	33	12	4	5	161	4	—	—	—	—	—	—	—	—	—			
Typhus	0.01	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—			
Enteric Fever	0.19	41	1	—	1	3	—	5	—	—	—	—	—	—	—	—	—	—			
Simple Cont. Fev.	0.07	17	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Puerp. Fever	0.04	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0.62	151	60	15	1	—	—	169	1	—	—	—	—	—	—	—	—	—			
Cholera	0.02	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0.55	137	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Scrofula	0.32	77	34	23	4	—	—	70	—	—	—	—	—	—	—	—	—	—			
Tuberc Mesent.	0.23	55	29	11	1	—	—	44	—	—	—	—	—	—	—	—	—	—			
Phthisis	1.69	412	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—			
Hydrocephalus	0.34	79	21	21	6	2	—	54	15	—	—	—	—	—	—	—	—	—			
Diseases of Nervous Syst.	2.14	530	131	24	4	7	4	190	16	12	12	9	18	23	28	33	37	39			
Circulatory	1.34	327	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Respiratory	3.11	763	201	68	30	13	7	319	19	8	6	2	11	21	28	34	39	40			
Digestive	0.84	216	23	5	2	—	—	33	—	—	—	—	—	—	—	—	—	—			
Urinary	0.39	73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Generative	0.03	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0.69	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	0.05	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence	0.54	126	11	9	6	2	4	32	12	11	8	11	10	17	12	14	5	9			
OTHER CAUSES	4.95	10.8	418	60	20	20	5	123	19	5	10	6	13	11	13	27	20	20			

Deaths of Infants (under one) to 1000 Births } 124

Marriages - 1,393
Births - 8,375Annual Rate { Persons Married - 11.45
per 1000 living { Births - 35.24

319.—BEDMINSTER.

—	ANNUAL DEATH RATE PER 1000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	20.35	—	—	—	—	—	31.48	5.37	3.35	3.16	6.39	7.81	10.50	15.90	30.25	56.44	132.9			
Mean Pop. 1871-80	—	60,688	1885	1749	1724	1678	1701	8731	7711	6063	5586	5132	8863	6697	4936	3398	2011	800			
ALL CAUSES	20.35	12,310	3312	1115	455	289	197	5308	416	236	288	328	622	703	785	1025	1135	125			
Small pox	0.13	77	14	5	7	1	—	28	11	7	2	5	13	4	—	—	—	—			
Measles	0.7	216	47	76	31	20	9	216	11	1	—	—	—	—	—	—	—	—			
Scarlet Fever	0.83	217	22	15	32	22	69	166	117	24	6	5	8	2	—	—	—	—			
Diphtheria	0.09	54	8	6	6	3	2	16	17	4	2	—	—	—	—	—	—	—			
Whooping-cough	0.79	333	160	116	46	26	9	540	6	—	—	—	—	—	—	—	—	—			
Typhus	0.01	21	—	—	—	—	—	—	1	1	3	5	4	—	—	—	—	—			
Enteric Fever	0.52	129	5	7	6	5	4	27	26	23	23	21	21	12	9	6	6	7			
Simple Cont. Fev.	0.21	123	6	11	8	7	7	19	18	9	8	5	8	5	6	11	6	11			
Puerp. Fever	0.06	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0.75	452	203	65	18	8	2	283	2	—	—	—	—	—	—	—	—	—			
Cholera	0.01	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0.53	281	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Scrofula	0.31	76	23	13	1	—	—	44	2	9	4	2	4	5	6	61	60	60			
Tuberc Mesent.	0.52	113	74	32	8	2	1	111	8	3	—	—	—	—	—	—	—	—			
Phthisis	1.57	350	16	13	4	—	—	49	16	27	12	102	222	177	117	64	18	9			
Hydrocephalus	0.34	211	68	49	23	11	12	163	19	14	2	—	—	—	—	—	—	—			
Diseases of Nervous Syst.	2.62	1,511	243	109	26	12	21	746	33	29	12	24	29	49	96	168	218	143			
Circulatory	1.49	843	—	—	—	—	—	12	12	17	15	16	30	95	116	189	185	116			
Respiratory	4.87	2917	621	216	101	49	11	1227	40	14	11	26	73	169	184	225	283	279			
Digestive	0.81	493	62	11	4	6	3	216	10	6	6	10	50	44	65	82	81	69			
Urinary	0.44	263	6	—	—	—	—	14	8	6	—	11	27	44	40	47	46	22			
Generative	0.05	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0.63	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	0.06	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence	0.52	171	10	18	13	7	4	72	23	19	13	28	40	40	42	51	19	25			
OTHER CAUSES	4.27	2591	1097	377	143	18	16	1721	42	29	19	15	67	88	68	77	119	63			

Deaths of Infants (under one) to 1000 Births } 143

Marriages - 1,393
Births - 2,382Annual Rate { Persons Married - 12.98
per 1000 living { Births - 36.46

GLUCESTERSHIRE.

320.—BRISTOL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AT DEATH PER 1000.]	—	25.51	—	—	—	—	—	78.23	7.85	5.29	6.64	8.59	12.05	18.45	26.04	39.27	60.23	132.44
Pop. 1-80.]	—	60,070	1579	1402	1419	1416	1838	7174	6347	6104	6193	5678	9040	7180	5305	3738	2085	818
CAUSES	25.51	15326	3366	1134	556	314	292	5612	498	330	411	483	1000	1325	1405	1463	1443	1247
gout -	0.21	124	12	3	5	3	2	28	21	11	10	16	23	16	4	1	—	—
sc -	0.40	230	60	76	64	16	15	220	15	9	—	1	1	—	1	—	—	
fever -	0.63	577	79	53	65	60	48	299	49	15	3	3	3	1	1	1	—	
scitis -	0.11	65	6	5	10	9	6	26	1.5	7	3	1	—	3	2	—	—	
lung-cough	0.53	517	126	91	40	26	17	303	12	—	—	—	—	—	—	—	—	
sc -	0.03	20	—	—	1	—	—	1	2	1	1	1	4	5	1	2	—	
fever -	0.53	219	3	5	6	4	6	22	28	39	32	37	28	11	5	2	3	
Cont. Fev.	0.64	21	2	2	1	2	3	10	2	1	—	3	2	2	3	—	1	
and Dys.	0.07	42	—	—	—	—	—	—	—	—	5	0	13	10	—	—	—	
sc -	0.02	552	362	83	21	6	4	478	1	2	—	1	—	6	9	11	18	
sc -	0.01	6	2	1	1	—	—	4	—	—	—	—	—	—	—	—	1	
sc -	0.06	354	—	—	—	—	—	—	2	2	4	4	18	73	77	98	54	
sc -	0.14	83	14	15	8	6	4	45	8	5	6	4	6	3	1	4	2	
Measur.	0.22	133	45	35	14	7	—	101	12	6	8	2	2	2	—	—	—	
sc -	0.19	1793	14	11	13	7	6	61	38	51	107	169	368	561	241	104	22	
sc -	0.54	292	43	44	23	15	16	147	26	15	1	1	—	—	—	—	—	
sc -	0.05	1822	581	132	45	32	15	808	34	50	33	24	27	107	158	169	227	
sc -	1.64	593	6	—	2	—	—	8	15	14	38	23	113	166	189	201	161	
sc -	5.23	5142	653	354	140	70	28	1237	61	20	25	45	99	167	271	415	469	
sc -	1.04	627	62	4	9	1	1	77	12	10	21	14	45	87	141	169	102	
sc -	0.72	432	1	4	5	5	3	15	7	6	0	10	17	69	85	78	53	
sc -	0.11	68	—	—	—	—	—	—	—	—	—	3	8	9	21	15	7	
sc -	0.10	53	—	—	—	—	—	—	—	—	7	10	19	22	—	—	—	
sc -	0.11	68	—	—	—	—	—	—	—	1	3	9	13	10	11	7	6	
Violence	1.51	500	31	40	33	32	19	162	78	53	53	20	169	104	118	84	72	
CAUSES	4.06	2364	1293	169	82	37	19	1570	40	38	42	38	93	101	119	136	203	

Deaths of Infants (under
one) to 1000 Births . . . 168

Marriages - 12,505
Births - 20,021

Annual Rate { Persons Married - 41.63
per 1000 living { Births . . . 53.33

321.—BARTON REGIS (CLIFTON).*

AL DEATH PER 1000	—	20.04	—	—	—	—	—	62.53	5.41	3.56	4.30	5.54	7.73	11.46	16.80	30.93	64.23	161.64
Pop. 1-80	—	147,110	4332	3350	3390	3350	5768	19630	17581	16135	15115	15583	21810	16433	11924	8058	4758	1206
CAUSES	20.04	29479	7639	2563	1645	606	464	12117	951	574	650	752	1704	1883	2014	2402	2026	3684
gout -	0.19	292	27	5	9	7	12	70	49	29	32	38	33	16	9	2	2	—
sc -	0.43	631	123	164	123	60	32	694	19	3	1	1	1	—	—	—	—	
fever -	0.10	872	54	153	131	120	127	597	294	27	9	5	11	5	2	—	—	
scitis -	0.07	91	8	8	11	11	9	49	23	15	2	1	2	3	—	—	1	
lung-cough	0.53	720	314	219	108	60	40	732	28	—	—	—	—	—	—	—	—	
sc -	0.04	58	—	—	—	2	—	2	3	2	6	7	12	6	6	11	2	
fever -	0.22	445	11	17	20	15	17	83	18	60	70	46	59	27	20	11	13	
Cont. Fev.	0.01	81	5	4	5	6	5	25	13	18	3	5	2	3	4	1	—	
fever -	0.06	87	—	—	—	—	—	—	—	—	—	22	29	16	2	—	—	
and Dys.	0.72	1115	747	1.4	29	7	4	910	8	—	6	4	6	12	20	29	50	
sc -	0.01	15	5	3	—	1	1	9	—	—	—	1	—	1	—	3	1	
sc -	0.47	688	—	1	1	—	—	2	3	2	2	3	27	74	172	191	147	
la -	0.14	290	43	68	10	7	10	108	20	13	15	6	12	7	8	19	1	
Measur.	0.23	345	1.5	65	31	9	7	278	17	23	11	5	6	4	—	—	—	
sc -	2.13	5130	130	73	17	13	16	131	51	112	200	231	732	4	2	—	—	
sc -	0.45	631	129	127	55	44	28	423	83	51	10	3	4	2	—	—	—	
sc -	3.78	4092	1510	327	81	48	26	1692	68	47	43	72	135	260	299	463	515	
sc -	1.21	1830	2	3	2	4	4	14	35	47	38	44	139	191	191	402	420	
sc -	3.65	5533	1614	716	255	114	60	2650	76	26	29	33	116	218	261	544	712	
sc -	0.81	1124	184	34	9	8	4	959	21	16	17	19	42	116	163	192	215	
sc -	0.39	573	3	4	6	3	1	17	2	3	15	9	48	71	97	119	139	
sc -	0.05	67	1	—	—	—	—	—	—	—	—	4	4	12	14	19	11	
sc -	0.69	131	—	—	—	—	—	—	—	1	4	14	63	49	—	—	—	
sc -	0.05	78	—	—	—	—	—	—	—	1	3	13	18	19	10	10	4	
Violent	0.25	514	61	51	22	14	13	145	44	59	50	24	45	48	59	253	34	
CAUSES	4.17	8166	2764	544	29	28	43	3230	107	39	44	65	110	167	127	141	261	144

Deaths of Infants (under
one) to 1000 Births . . . 144

Marriages - 9,510
Births - 53,160

Annual Rate { Persons Married - 15.34
per 1000 living { Births . . . 30.14

* The name of this District was changed from CLIFTON to BARTON REGIS on 1st April 1871.

322.—CHIPPING SODBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000.	—	19.10	—	—	—	—	—	12.49	4.20	3.78	5.78	5.53	7.20	10.75	11.70	21.04	36.42	107
Mean Pop. 1871-80	—	18,089	407	441	484	481	453	2339	2331	2089	1593	1260	2112	1880	1755	1572	897	4
ALL CAUSES	19.10	3155	704	145	78	46	28	1001	98	78	92	70	154	203	203	301	507	7
Small-pox	0.03	5	1	—	1	—	—	2	1	—	1	—	1	—	—	—	—	—
Measles	0.21	46	13	10	10	—	1	43	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	53	2	3	13	10	1	53	15	2	1	—	—	—	—	—	—	—
Diphtheria	0.05	9	—	—	—	—	—	9	3	1	—	—	—	—	—	—	—	—
Whooping-cough	0.24	44	23	9	4	3	—	39	5	—	—	—	—	—	—	—	—	—
Typhus	0.07	12	—	—	—	—	—	—	—	—	2	2	3	1	1	—	—	—
Enteric Fever	0.33	61	2	1	1	3	1	8	9	10	4	—	—	1	1	—	—	—
Simp. Cont. Fev.	0.08	14	—	—	—	1	—	1	4	2	3	—	—	—	—	—	—	—
Puerp. Fever	0.04	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.45	81	59	4	3	1	2	69	—	1	—	—	—	1	1	2	—	1
Cholera	0.02	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.57	67	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Serofula	0.21	28	16	3	1	—	—	20	2	—	3	1	4	—	—	16	21	—
Tubes Mesent.	0.23	41	17	10	—	—	2	19	5	5	2	—	—	—	—	—	—	—
Phthisis	1.25	220	4	2	3	1	—	7	1	7	27	39	61	46	19	17	4	—
Hydrocephalus	0.11	22	5	—	3	—	1	15	2	2	3	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.28	412	100	10	8	2	1	121	7	4	5	3	15	19	33	41	78	4
Circulatory	1.80	339	1	—	—	—	—	1	3	8	3	3	9	33	49	64	106	1
Respiratory	3.13	547	138	47	12	13	3	203	9	3	11	5	13	28	19	53	91	13
Digestive	1.06	192	17	3	1	1	1	22	5	8	6	—	8	11	24	37	49	3
Urinary	0.37	67	—	1	—	—	—	1	1	1	1	4	2	3	15	13	14	1
Generative	0.06	10	—	—	—	—	—	—	—	—	—	—	—	—	2	4	—	—
Childbirth	0.14	24	—	—	—	—	—	—	—	—	—	8	10	11	—	—	—	—
Suicide	0.09	17	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Other Violence	0.29	106	8	9	4	2	3	26	11	7	7	—	4	11	6	11	12	1
OTHER CAUSES	5.55	1003	338	22	17	4	5	376	12	12	9	5	9	14	50	35	123	59

Deaths of Infants (under one) to 1000 Births } 125

Marriages - 740
Births - 5,643Annual Rate { Persons Married - 8.13
per 1000 living { Births - 31.22

323.—THORNBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000.	—	17.20	—	—	—	—	—	34.42	3.93	2.33	4.92	7.17	6.08	8.53	13.00	23.32	55.79	156
Mean Pop. 1871-80	—	17,204	458	433	483	437	470	2507	2183	1892	1504	1283	2192	1837	1583	1219	784	20
ALL CAUSES	17.20	2950	520	145	60	35	32	702	86	45	71	92	152	157	220	292	437	61
Small-pox	0.11	25	1	1	—	—	1	3	1	—	1	3	9	3	—	—	—	—
Measles	0.21	35	6	9	9	4	3	31	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.27	46	2	7	8	4	6	27	11	5	2	1	1	—	—	—	—	—
Diphtheria	0.05	8	—	—	—	—	—	8	3	1	—	—	—	—	—	—	—	—
Whooping-cough	0.23	43	23	16	3	1	—	43	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	5	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Enteric Fever	0.21	34	—	—	1	—	—	1	6	—	7	—	2	3	—	—	—	—
Simp. Cont. Fev.	0.07	12	—	—	1	—	—	1	1	6	7	—	2	3	—	—	—	—
Puerp. Fever	0.03	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.43	63	17	7	—	—	—	24	—	1	—	—	—	—	—	—	—	—
Cholera	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.19	101	—	—	—	—	—	—	—	—	1	—	—	7	24	14	33	19
Serofula	0.07	12	—	—	—	—	1	1	1	—	—	—	—	1	2	—	—	—
Tubes Mesent.	0.04	14	4	2	—	—	—	6	—	1	—	2	5	1	—	—	—	—
Phthisis	1.37	233	6	—	—	—	—	13	11	7	13	33	53	37	31	21	9	—
Hydrocephalus	0.14	24	5	7	2	2	—	16	4	—	—	1	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.54	410	70	19	10	3	6	117	10	8	11	6	8	15	10	31	94	10
Circulatory	1.69	299	1	—	—	—	—	1	1	5	1	3	9	16	23	31	61	6
Respiratory	3.27	563	121	36	11	7	4	179	11	3	4	8	14	18	46	62	102	12
Digestive	0.92	156	15	3	—	—	—	20	3	2	3	3	5	10	24	30	33	13
Urinary	0.31	63	—	—	—	—	—	—	—	—	—	—	—	6	3	6	13	10
Generative	0.02	4	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Childbirth	0.09	13	—	—	—	—	—	—	—	—	1	—	—	8	1	—	—	—
Suicide	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.81	112	11	4	5	4	3	29	10	2	9	13	11	17	16	14	9	—
OTHER CAUSES	3.90	676	219	27	7	8	2	263	18	3	8	5	9	12	22	28	80	29

Deaths of Infants (under one) to 1000 Births } 97

Marriages - 743
Births - 5,314Annual Rate { Persons Married - 8.67
per 1000 living { Births - 31.06

326.—NEWENT.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70— and over
ANNUAL DEATH RATE PER 1000	—	17.55	—	—	—	—	—	37.85	3.10	3.00	4.75	7.70	8.50	8.45	10.04	10.12	10.45	10.71				
Mean Pop. 1871-80	—	11,522	303	285	299	296	294	1377	1140	1328	980	805	1330	1184	1120	995	635	297				
ALL CAUSES	17.55	2022	379	85	47	20	28	530	40	41	47	62	88	100	113	175	314	426				
Small-pox - -	0.03	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—				
Measles - -	0.22	25	4	3	3	—	4	17	1	—	—	—	—	—	—	—	—	—				
Scarlet Fever -	0.24	32	3	4	5	3	4	18	7	4	—	—	1	—	—	—	—	—				
Diphtheria - -	0.18	21	—	—	2	2	5	9	3	4	—	—	—	—	—	—	—	—				
Whooping-cough	0.21	24	10	6	1	3	1	21	3	—	—	—	—	—	—	—	—	—				
Typhus - -	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Euteric Fever -	0.15	17	—	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—				
Simple Cont. Fev.	0.19	22	—	—	—	1	—	1	3	—	—	—	—	—	—	—	—	—				
Euteric Fev. -	0.10	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Diarr. and Dys.	0.28	38	18	1	—	—	—	14	1	—	—	—	—	—	—	—	—	—				
Cholera - -	0.01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—				
Cancer - -	0.41	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Scrofula - -	0.10	11	3	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—				
Tuberc. Mesent.	0.19	22	13	5	—	—	1	19	—	—	—	—	—	—	—	—	—	—				
Phthisis - -	0.03	114	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Hydrocephalus -	0.15	17	3	3	4	—	1	11	2	1	—	—	—	—	—	—	—	—				
Disorders of																						
Nervous Syst.	1.81	208	40	8	3	1	—	52	3	4	1	3	6	7	0	13	17	20	40			
Circulatory "	1.74	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Respiratory "	3.51	448	98	37	13	6	5	159	5	3	3	3	3	10	18	40	37	37	37			
Digestive "	0.85	78	6	2	3	—	—	12	1	1	—	—	—	—	—	—	—	—	—			
Urinary "	0.30	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Generative "	0.03	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth - -	0.00	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide - -	0.04	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence -	0.32	30	6	4	1	—	—	15	5	7	6	5	2	1	3	2	2	4	1			
OTHER CAUSES	3.23	697	181	11	6	—	5	235	7	9	4	4	2	10	15	21	78	25				

Deaths of Infants (under
one) to 1000 Births . . . 110Marriages - 613
Births - 3,141Annual Rate { Persons Married - 10.02
per 1000 living { Births - 22.86

327.—GLOUCESTER.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70— and over
ANNUAL DEATH RATE PER 1000	—	20.87	—	—	—	—	—	55.45	6.09	3.81	5.59	7.46	9.60	13.28	19.56	32.87	60.07	160.0				
Mean Pop. 1871-80	—	44,250	1241	1110	1210	1134	1088	5780	5271	4703	3335	3070	5395	5059	3386	2635	1510	63				
ALL CAUSES	20.87	9234	2089	43	236	173	141	3212	321	170	243	297	614	672	769	866	1045	1626				
Small-pox - -	0.03	137	17	—	5	2	3	24	23	20	19	24	25	11	9	3	1	1				
Measles - -	0.41	181	19	65	25	21	10	181	17	2	—	—	—	—	—	—	—	—				
Scarlet Fever -	0.05	139	18	32	47	42	47	193	13	8	2	1	5	2	—	—	—	—				
Diphtheria - -	0.07	29	3	—	5	—	—	9	11	4	—	—	—	—	—	—	—	—				
Whooping-cough	0.44	193	73	18	23	19	9	184	12	—	—	—	—	—	—	—	—	—				
Typhus - -	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Euteric Fever -	0.25	151	—	—	4	6	9	19	14	18	21	17	23	16	13	9	3	1				
Simple Cont. Fev.	0.08	57	1	—	—	—	2	6	4	1	8	2	6	3	2	4	2	1				
Euteric Fev. -	0.05	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Diarr. and Dys.	0.85	277	217	64	10	3	2	333	1	1	—	—	—	—	—	—	—	—				
Cholera - -	0.04	18	5	2	—	—	—	10	1	—	—	—	—	—	—	—	—	—				
Cancer - -	0.50	221	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Scrofula - -	0.14	61	14	6	2	3	2	27	6	5	8	3	4	7	5	1	1	—				
Tuberc. Mesent.	0.23	100	48	25	14	5	1	88	4	2	2	3	—	—	—	—	—	—				
Phthisis - -	1.75	813	11	—	4	3	1	26	13	21	64	101	206	164	119	64	16	3				
Hydrocephalus -	0.24	107	31	23	10	5	3	74	10	8	—	—	—	—	—	—	—	—				
Disorders of																						
Nervous Syst.	5.15	1791	271	37	20	9	9	343	33	14	21	31	70	144	168	170	230	146				
Circulatory "	1.51	618	3	—	—	2	3	8	5	10	15	6	46	52	106	106	172	121				
Respiratory "	5.19	1412	421	101	40	21	17	634	119	9	18	13	37	67	75	124	275	131				
Digestive "	0.91	403	69	—	4	1	2	60	6	6	10	13	28	43	37	72	68	3				
Urinary "	0.44	191	1	—	2	—	1	7	4	3	—	—	—	—	—	—	—	—				
Generative "	0.07	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Childbirth - -	0.03	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Suicide - -	0.04	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
Other Violence -	0.74	221	5	11	12	8	43	22	21	18	37	41	29	43	28	28	27	24				
OTHER CAUSES	4.47	1509	844	77	58	10	9	974	10	23	13	18	41	47	53	60	160	246				

Deaths of Infants (under
one) to 1000 Births . . . 112Marriages - 4,184
Births - 14,740Annual Rate { Persons Married - 13.91
per 1000 living { Births - 33.51

328.—WHEATENHURST.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
TOTAL DEATHS PER 1000	—	17.52	—	—	—	—	—	36.13	5.53	3.14	4.33	6.61	7.61	8.65	12.01	22.38	48.17	149.22
Pop. 71-80	—	7681	192	200	200	193	200	985	923	850	603	575	907	775	703	581	382	193
LL CAUSES	17.52	1328	229	60	27	22	15	359	51	27	30	38	60	67	83	130	184	288
Diphtheria	0.67	5	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—
Scarlet Fever	0.25	19	6	5	2	—	2	15	—	1	—	—	—	—	—	—	—	—
Measles	0.54	41	2	9	2	6	6	25	11	2	1	1	1	—	—	—	—	—
Tuberculosis	0.28	21	1	1	2	4	2	10	9	2	—	—	—	—	—	—	—	—
Croup-cough	0.24	18	12	5	1	—	—	18	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0.67	8	—	—	1	—	1	2	1	—	—	—	1	—	—	—	1	—
Scarlet Fever	0.13	10	—	—	—	—	—	—	—	1	3	1	1	2	1	—	1	—
Measles	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet and Diph.	0.42	32	19	1	2	—	1	23	—	1	—	—	—	—	—	3	4	2
Scarlet	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Scarlet	0.55	42	—	—	—	—	—	—	—	—	—	—	2	8	6	14	6	6
Scarlet	0.11	6	2	1	—	—	—	3	1	—	1	2	—	—	—	—	—	—
Scarlet	0.17	13	4	4	—	1	—	9	1	2	1	—	—	—	—	—	—	—
Scarlet	1.53	116	1	—	1	—	—	2	2	6	17	16	35	30	10	5	5	—
Scarlet	0.37	28	6	9	1	—	—	18	8	—	—	—	—	—	1	—	—	1
Scarlet Syst.	2.15	165	16	4	3	3	—	24	2	3	1	2	2	4	15	22	41	42
Scarlet	1.93	159	—	—	—	—	—	—	1	1	—	—	—	5	4	15	35	35
Scarlet	2.04	155	59	17	4	4	—	55	4	—	1	1	1	10	9	12	23	23
Scarlet	0.05	72	11	2	—	—	—	13	—	—	1	1	4	6	7	11	21	21
Scarlet	0.50	34	—	—	1	1	—	2	1	—	—	4	—	—	7	8	7	9
Scarlet	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Birth	0.05	4	—	—	—	—	—	—	—	—	—	—	—	5	1	—	—	—
Scarlet	0.03	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Scarlet	0.75	57	2	1	1	1	1	6	4	4	1	3	6	7	3	11	6	6
Scarlet	4.30	322	115	7	6	2	2	132	8	3	2	3	0	3	9	16	24	154

Deaths of Infants (under
one) to 1000 Births

104

Marriages
Births

380
2,195

Annual Rate of Persons Married
per 1000 living

10.18
25.95

329.—STROUD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
TOTAL DEATHS PER 1000	—	19.08	—	—	—	—	—	46.98	4.80	3.13	4.35	6.22	7.22	9.53	14.75	25.34	61.58	160.75
Pop. 71-80	—	40,351	1081	694	1063	995	1033	5168	4787	4443	4003	3279	5232	4394	3501	2723	1848	823
LL CAUSES	19.08	7037	1050	435	140	110	84	2428	230	139	174	204	382	418	551	620	1135	1323
Diphtheria	0.07	28	4	—	—	—	—	4	1	3	4	2	2	5	3	4	—	—
Scarlet Fever	0.21	84	19	23	12	8	2	74	9	1	—	—	—	—	—	—	—	—
Measles	0.35	141	6	29	13	21	13	81	42	10	5	3	1	1	—	—	—	—
Tuberculosis	0.14	63	3	3	5	10	0	30	22	8	—	—	—	—	1	—	1	—
Croup-cough	0.53	173	65	37	8	10	0	123	6	1	—	—	—	—	—	—	—	—
Whooping-cough	0.05	14	—	1	—	—	1	2	2	3	1	1	1	2	1	1	—	—
Scarlet Fever	0.12	47	1	—	1	2	3	7	3	4	8	7	5	6	4	3	1	—
Measles	0.03	14	—	—	—	1	—	1	—	1	2	—	2	2	1	1	2	1
Scarlet Fever	0.04	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet and Diph.	0.69	243	144	32	6	1	—	174	8	—	1	3	3	3	3	10	17	23
Scarlet	0.01	4	1	1	—	—	—	3	—	—	—	1	—	—	—	—	—	—
Scarlet	0.22	209	—	—	—	1	—	1	1	—	1	1	3	15	42	58	44	53
Scarlet	0.15	61	14	9	1	1	—	25	6	5	3	4	5	3	6	2	2	—
Scarlet	0.22	118	20	21	3	2	3	91	4	9	5	5	1	1	1	1	—	—
Scarlet	1.45	583	14	3	1	3	1	24	8	18	67	106	164	119	30	30	7	—
Scarlet	0.21	60	23	17	12	5	4	63	13	5	1	1	3	—	—	—	—	—
Scarlet Syst.	2.49	1003	183	44	11	11	4	255	33	17	17	7	30	34	72	111	238	239
Scarlet	1.85	743	—	2	—	1	1	4	6	4	7	5	25	46	95	124	244	194
Scarlet	2.27	1359	335	120	27	19	18	329	32	7	16	10	38	51	67	117	245	219
Scarlet	0.04	27	49	5	1	1	2	68	8	5	4	4	14	24	46	70	91	44
Scarlet	0.22	146	—	1	—	—	2	3	2	1	3	6	14	15	22	32	31	17
Scarlet	0.07	25	—	—	—	—	—	—	—	—	1	2	2	10	1	5	3	4
Birth	0.08	34	—	—	—	—	—	—	—	—	1	5	12	13	1	—	—	—
Scarlet	0.03	20	—	—	—	—	—	—	—	—	—	—	—	2	1	8	5	1
Scarlet	0.64	212	9	7	14	4	7	41	22	16	13	11	39	21	23	129	15	13
Scarlet	4.65	1659	717	64	23	18	9	823	27	21	17	14	27	28	32	46	104	622

Deaths of Infants (under
one) to 1000 Births

131

Marriages
Births

2,506
12,637

Annual Rate of Persons Married
per 1000 living

14.85
31.32

330.—TETBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	15·83	—	—	—	—	—	30·58	3·36	3·24	4·50	3·21	8·19	9·32	15·19	21·11	39·09	162·1
Mean Pop. }	—	6013	156	149	160	154	156	775	745	709	578	438	733	601	586	431	249	106
1871-80 }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL CAUSES	15·83	952	168	39	14	10	6	237	25	23	26	16	60	56	89	91	147	122
Small-pox - -	0·73	3	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—
Measles - -	0·25	17	4	—	2	1	—	13	—	1	—	—	—	1	—	—	—	—
Scarlet Fever -	0·11	8	1	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Diphtheria - -	0·03	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0·15	9	4	2	1	—	1	8	1	—	—	—	—	—	—	—	—	—
Typhus - -	0·22	13	—	—	1	—	1	2	2	2	1	—	2	—	—	1	2	1
Enteric Fever -	0·20	12	3	—	—	—	—	3	—	—	—	—	—	—	1	4	—	—
Simple Cont. Fev.	0·12	7	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Puerp. Fever -	0·08	5	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
Diarr. and Dys.	0·35	21	5	3	1	—	—	9	—	—	—	—	—	—	—	2	5	3
Cholera - -	0·00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0·50	30	—	—	—	—	1	1	—	—	—	—	—	1	7	9	6	4
Scrofula - -	0·10	6	—	—	—	—	—	—	1	—	—	—	—	—	2	—	1	—
Tuberc Mesent.	0·28	17	5	—	1	2	—	13	—	3	—	—	1	—	—	—	—	—
Phtisis - -	1·88	113	4	2	1	—	—	7	2	5	13	10	53	18	11	9	4	1
Hydrocephalus	0·12	7	4	—	1	2	—	7	—	—	—	—	—	—	—	—	—	—
Diseases of	2·18	131	25	4	1	—	—	50	2	2	2	—	3	4	14	13	51	20
Nervous Syst.	1·20	72	—	—	—	—	—	—	—	1	2	1	3	6	17	13	19	5
Circulatory	2·41	145	37	11	3	—	1	55	4	1	—	—	4	6	16	13	36	19
Respiratory	0·80	43	5	—	—	—	—	5	1	—	—	—	6	5	7	7	13	2
Digestive	0·7	16	—	—	—	—	—	—	—	—	—	—	1	1	3	5	8	1
Urinary	0·00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0·08	5	—	—	—	—	—	—	—	—	1	—	—	4	—	—	—	—
Suicide - -	0·05	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Violence -	0·35	21	1	—	—	1	—	3	2	4	—	—	—	—	2	3	2	8
OTHER CAUSES	4·00	241	70	5	—	—	—	75	2	2	3	1	3	2	7	9	29	106

Deaths of Infants (under } 93 Marriages - 330 Annual Rate { Persons Married - 12·81
 one) to 1000 Births } Births - 1,776 per 1000 living { Births - 23·51

331.—CIRENCESTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	17·73	—	—	—	—	—	41·88	2·90	2·86	4·24	6·44	6·79	9·09	13·47	23·50	57·32	185·98
Mean Pop. }	—	21,337	564	504	539	516	530	2653	2618	2341	2125	1645	2079	2262	1907	1560	1031	489
1871-80 }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ALL CAUSES	17·73	3782	765	190	87	41	28	1111	76	67	90	106	182	226	265	368	601	700
Small-pox - -	0·01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles - -	0·15	32	7	16	4	—	—	27	3	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0·24	51	2	5	8	4	6	15	16	6	1	1	2	—	—	—	—	—
Diphtheria - -	0·07	14	—	2	1	2	1	6	6	1	—	—	—	—	1	—	—	—
Whooping-cough	0·23	49	25	13	7	4	1	20	—	—	—	—	—	—	—	—	—	—
Typhus - -	0·01	3	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—
Enteric Fever -	0·13	17	—	—	1	—	—	1	1	3	10	—	4	—	5	1	—	—
Simple Cont. Fev.	0·05	17	1	—	—	—	—	1	—	1	—	1	3	5	1	—	1	1
Puerp. Fever -	0·08	17	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—
Diarr. and Dys.	0·43	91	47	9	5	2	—	63	1	1	1	—	1	2	2	3	6	11
Cholera - -	0·02	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0·72	154	—	—	—	—	—	—	1	—	1	1	5	17	33	42	35	19
Scrofula - -	0·12	24	7	3	1	—	—	11	—	3	—	—	2	4	3	—	1	—
Tuberc Mesent.	0·50	42	12	10	4	1	1	28	9	2	1	1	1	2	—	—	—	—
Phtisis - -	1·52	324	1	2	—	—	—	3	4	6	34	61	79	55	45	20	10	4
Hydrocephalus	0·20	42	21	7	5	2	3	38	1	—	2	—	1	—	—	—	—	—
Diseases of	2·32	496	86	20	7	5	4	122	9	8	4	9	10	23	34	56	117	104
Nervous Syst.	2·00	427	—	—	—	—	—	—	2	5	3	5	7	31	69	74	148	119
Circulatory	2·62	559	137	60	17	4	5	223	3	6	8	2	16	21	25	64	99	102
Respiratory	0·19	212	15	11	3	2	1	35	3	3	7	6	15	13	27	58	46	19
Digestive	0·47	100	—	—	2	—	—	2	—	2	1	—	6	14	7	33	23	13
Urinary	0·03	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth - -	0·07	15	—	—	—	—	—	—	—	—	—	—	5	9	1	—	—	—
Suicide - -	0·07	15	—	—	—	—	—	—	—	—	1	—	2	5	1	7	—	—
Other Violence -	0·35	117	7	6	8	3	1	25	4	10	6	8	8	6	18	10	19	9
OTHER CAUSES	4·44	943	394	26	14	12	3	451	15	8	5	3	12	16	23	37	73	208

Deaths of Infants (under } 120 Marriages - 1,383 Annual Rate { Persons Married - 15·01
 one) to 1000 Births } Births - 6,383 per 1000 living { Births - 39·64

332.—NORTHLEACH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (per 1000)	—	16'85	—	—	—	—	—	36'01	5'07	2'51	3'82	5'97	5'72	8'15	10'75	25'05	50'43	148'70
Pop. (80 —)	—	10,234	273	252	265	285	269	1344	1337	1196	917	704	1189	1050	986	763	489	230
AUSES	16'85	1724	335	84	28	17	20	484	41	30	35	42	68	88	106	198	200	342
Excess	0'02	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Ever	0'07	7	4	3	—	—	—	7	3	—	—	—	—	—	—	—	—	—
Inf.	0'16	16	2	2	3	—	—	12	4	1	—	—	—	—	—	—	—	—
Cough	0'13	13	—	3	1	—	—	8	—	—	—	—	—	—	—	—	—	—
—	0'14	14	7	5	—	—	—	13	1	—	—	—	—	—	—	—	—	—
—	0'05	5	—	—	—	—	—	—	1	2	—	1	1	—	—	—	—	—
Ever	0'16	16	—	—	—	—	—	—	1	2	2	1	1	4	1	—	1	—
Int. Fev.	0'05	5	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Ever	0'05	5	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Di. Dys.	0'33	34	10	7	—	—	—	17	—	—	1	—	—	—	—	3	4	9
—	0'02	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
—	0'42	43	—	1	—	—	—	1	—	—	1	2	2	8	9	13	3	9
—	0'13	13	3	1	—	—	—	5	2	1	1	1	1	—	—	3	—	—
—	0'10	10	10	5	—	—	—	15	1	1	1	1	1	—	—	—	—	—
—	1'20	123	1	—	—	1	—	2	—	3	13	19	29	19	19	13	3	1
—	0'17	17	7	6	—	—	—	14	1	1	1	—	—	—	—	—	—	—
Excess	2'26	242	60	9	5	4	2	80	4	6	4	4	4	6	12	23	54	42
Excess	1'52	156	—	—	—	—	—	—	3	3	1	8	4	8	14	37	88	35
Excess	2'67	273	65	28	7	4	3	105	10	1	2	2	3	11	14	35	45	45
Excess	0'01	15	4	2	5	1	—	12	3	—	2	8	5	8	9	25	20	8
Excess	0'34	35	—	—	—	—	—	—	—	1	—	—	—	1	5	4	10	6
Excess	0'06	6	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—
Excess	0'16	16	—	—	—	—	—	—	—	—	1	1	4	9	1	—	—	—
Excess	0'02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—
Excess	0'20	21	3	2	5	1	4	15	3	1	4	4	6	5	2	3	3	2
AUSES	5'01	515	159	9	—	3	4	175	2	7	3	1	3	7	15	23	81	152

Deaths of Infants (under one) to 1000 Births } 110 Marriages } 607 Annual Rate } Persons Married } 11'80
 Births } 8,056 per 1000 living } Births } 29'86

333.—STOW-ON-THE-WOLD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (per 1000)	—	17'17	—	—	—	—	—	33'91	3'53	2'26	5'28	7'61	7'41	8'76	13'08	25'17	35'00	140'20
Pop. (80 —)	—	9375	209	228	241	236	247	1212	1190	1017	833	696	1120	1005	894	719	500	189
AUSES	17'17	1610	265	84	30	23	9	411	42	23	44	53	83	88	125	181	278	282
Excess	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Ever	0'15	14	3	5	1	—	1	10	4	—	—	—	—	—	—	—	—	—
Inf.	0'22	21	2	4	2	4	—	12	7	2	—	—	—	—	—	—	—	—
Inf.	0'11	10	—	2	1	1	1	5	4	—	—	—	—	1	—	—	—	—
Cough	0'36	34	17	10	4	2	—	33	1	—	—	—	—	—	—	—	—	—
—	0'04	4	—	—	—	1	—	1	—	1	—	—	1	—	—	—	1	—
Ever	0'46	45	1	5	1	—	2	7	6	3	—	6	5	7	8	1	2	1
Int. Fev.	0'04	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—
Ever	0'03	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—
Di. Dys.	0'23	22	6	3	1	1	—	11	1	—	—	1	—	1	1	1	2	4
—	0'01	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
—	0'46	45	—	—	—	—	—	—	—	—	—	—	1	4	9	12	11	6
—	0'07	7	1	1	—	—	—	2	—	—	1	2	—	1	1	—	—	—
—	0'03	3	1	3	—	1	—	5	—	—	—	—	—	1	—	—	—	—
—	1'57	175	8	4	2	1	—	15	3	6	29	23	42	21	18	10	6	—
—	0'12	11	5	3	—	1	—	9	1	—	1	—	—	—	—	—	—	—
Excess	2'23	209	28	7	5	4	—	44	2	2	2	4	2	7	13	25	63	30
Excess	1'34	126	—	—	—	—	—	—	3	1	3	—	—	1	13	19	34	13
Excess	2'59	243	61	22	5	3	4	85	2	—	2	2	5	7	20	35	42	22
Excess	0'05	5	8	1	1	—	—	11	2	—	1	3	4	6	15	14	18	6
Excess	0'22	23	—	1	—	—	—	1	—	3	—	1	1	6	2	6	6	7
Excess	0'13	13	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—
Excess	0'13	12	—	—	—	—	—	—	—	—	—	3	7	—	2	—	—	—
Excess	0'05	5	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—
Excess	0'23	23	4	2	4	2	1	16	3	1	1	6	4	5	7	8	8	2
AUSES	4'82	449	117	13	3	1	—	134	2	1	4	3	4	7	10	28	75	144

Deaths of Infants (under one) to 1000 Births } 96 Marriages } 631 Annual Rate } Persons Married } 13'46
 Births } 2,757 per 1000 living } Births } 29'41

334.—WINCHCOMB.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17'01	—	—	—	—	—	33'31	3'83	2'70	3'76	6'80	6'90	9'84	11'48	20'77	53'61	133'1
Mean Pop. 1871-80	—	9932	272	241	253	263	260	1294	1253	1111	852	721	1189	1067	976	751	484	254
ALL CAUSES	17'01	1689	315	61	25	17	13	461	43	30	32	46	82	103	112	156	274	579
Small-pox	0'05	5	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	—
Measles	0'11	12	2	3	2	1	—	8	3	1	—	—	1	—	—	—	—	—
Scarlet Fever	0'33	86	1	6	—	—	4	18	9	3	—	1	1	—	—	—	—	—
Diphtheria	0'03	5	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0'16	16	10	3	2	—	1	16	—	—	—	—	—	—	—	—	—	—
Typhus	0'01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Etiotic Fever	0'21	23	—	—	—	—	—	—	2	6	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0'01	6	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—
Eurp. Fever	0'04	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'22	25	18	1	—	—	—	20	1	—	—	—	—	—	—	—	—	—
Cholera	0'01	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'41	41	—	—	—	—	—	—	—	—	—	1	—	7	7	6	13	1
Serofula	0'12	12	4	—	—	—	—	4	3	—	—	2	—	1	—	—	—	—
Tuberc. Mesent.	0'65	5	1	—	—	—	—	2	2	—	—	10	—	28	28	17	9	—
Phthisis	1'27	124	4	—	—	—	—	8	2	4	10	10	—	—	—	—	—	—
Hydrocephalus	0'09	9	3	2	2	—	—	7	1	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2'01	201	56	6	1	2	1	66	2	4	2	2	6	11	14	20	20	14
Cerebrum	1'33	133	—	—	—	—	—	—	—	—	—	1	2	10	18	27	60	42
Respiratory	2'61	261	69	22	11	2	1	96	5	4	2	2	11	9	16	27	62	42
Digestive	1'19	119	13	1	—	—	—	14	4	2	2	2	2	2	10	24	27	14
Urinary	0'43	43	—	—	—	—	—	—	1	—	—	—	—	11	5	1	2	—
Generative	0'03	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'14	14	—	—	—	—	—	—	—	—	1	1	7	5	—	—	—	—
Homicide	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'57	57	—	4	1	1	1	7	4	1	1	3	2	2	3	4	7	2
OTHER CAUSES	5'54	548	142	11	3	5	—	161	8	1	3	4	5	15	15	19	27	22

Deaths of Infants (under one) to 1000 Births } 105

Marriages - 538
Births - 2,902Annual Rate { Persons Married - 11'84
per 1000 living { Births - 30'12

335.—CHELTENHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17'89	—	—	—	—	—	48'41	4'42	3'21	3'62	4'80	6'05	6'51	14'96	25'32	53'38	137'11
Mean Pop. 1871-80	—	51,335	1216	1033	1161	1196	1109	5765	5543	5735	6061	5128	7673	6023	4938	3878	2513	1719
ALL CAUSES	17'89	9723	1825	476	239	149	98	2791	245	184	217	240	533	591	743	1005	1467	1761
Small-pox	0'11	28	9	4	2	—	—	15	6	5	1	8	14	5	2	2	—	—
Measles	0'34	298	39	60	47	25	14	183	17	5	1	—	—	—	—	—	—	—
Scarlet Fever	0'33	182	12	24	24	28	22	112	50	13	3	—	1	1	—	—	—	—
Diphtheria	0'07	33	1	3	6	3	6	19	6	4	3	—	2	1	2	1	1	—
Whooping-cough	0'16	89	41	19	13	5	3	81	5	—	—	—	—	—	—	—	—	—
Typhus	0'02	12	—	—	—	—	—	—	1	2	3	2	2	—	—	1	1	—
Etiotic Fever	0'14	74	—	1	—	2	1	4	10	9	8	11	10	9	—	6	5	3
Simple Cont. Fev.	0'09	50	—	—	3	2	1	6	10	8	4	—	—	—	—	—	—	—
Eurp. Fever	0'04	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'63	335	239	30	8	2	—	279	3	2	—	1	—	3	4	17	18	26
Cholera	0'01	4	2	—	1	—	—	3	—	—	—	—	—	—	1	—	—	—
Cancer	0'59	322	—	—	—	1	—	1	—	—	1	—	8	35	75	89	78	67
Serofula	0'14	39	9	4	1	—	1	15	4	1	6	3	2	6	4	—	—	—
Tuberc. Mesent.	0'13	79	19	10	5	4	2	47	9	6	10	15	10	2	—	3	—	—
Phthisis	1'4	911	8	3	2	3	3	19	9	39	85	121	248	185	123	62	30	1
Hydrocephalus	0'20	109	53	20	16	5	6	85	13	3	6	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2'23	1231	273	52	23	13	11	371	27	16	21	11	31	51	77	155	269	219
Cerebrum	1'33	731	5	—	1	—	—	6	16	15	7	7	40	55	95	164	192	138
Respiratory	3'57	1813	204	149	57	29	11	261	22	6	13	15	30	78	124	225	336	294
Digestive	1'14	621	27	7	4	2	3	63	9	9	2	2	15	26	90	117	169	39
Urinary	0'40	240	1	1	—	—	—	3	4	—	—	—	13	23	29	28	62	48
Generative	0'08	42	—	—	—	—	—	—	—	—	2	1	2	7	9	12	6	5
Childbirth	0'01	29	—	—	—	—	—	—	—	—	1	7	11	9	1	—	—	—
Homicide	0'04	24	—	—	—	—	—	—	—	—	1	3	—	5	6	5	9	1
Other Violence	0'53	181	71	7	5	4	5	42	13	12	10	5	15	8	31	22	27	16
OTHER CAUSES	4'24	2297	785	89	21	20	9	221	28	22	19	18	50	47	70	104	304	725

Deaths of Infants (under one) to 1000 Births } 133

Marriages - 4,194
Births - 13,741Annual Rate { Persons Married - 15'46
per 1000 living { Births - 25'29

336.—TEWKESBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over.
ANNUAL DEATH RATE PER 1000.]	—	18.93	—	—	—	—	—	41.16	4.47	4.17	4.12	6.36	8.02	9.09	13.75	27.34	53.98	167
Mean Pop. 1871-80 -]	—	13,641	364	325	343	345	348	1725	1678	1535	1262	1096	1658	1481	1287	1035	685	3
ALL CAUSES	18.93	2082	500	99	51	36	18	710	75	64	52	64	133	148	177	283	389	5
Small-pox -	0.11	15	4	-	-	-	-	4	2	1	1	-	-	1	2	3	1	-
Measles -	0.19	26	7	3	3	1	1	20	5	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0.45	62	4	4	12	6	7	33	16	7	1	-	3	2	-	-	-	-
Diphtheria -	0.07	9	-	-	-	2	-	2	3	2	-	-	-	1	-	-	1	-
Whooping-cough -	0.54	47	25	11	2	7	1	43	1	-	-	-	-	-	-	-	-	-
Typhus -	0.07	9	-	-	-	-	-	-	3	1	2	1	1	1	-	1	-	-
Enteric Fever -	0.10	22	-	-	-	1	1	2	1	3	3	3	3	3	1	2	1	-
Simple Cont. Fev. -	0.08	11	-	-	-	-	-	-	7	1	1	-	-	-	-	-	-	-
Putr. Fever -	0.04	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
Diarr. and Dys. -	0.54	74	31	8	3	1	-	43	1	-	-	-	-	1	1	6	6	-
Cholera -	0.04	5	-	-	1	-	-	1	-	-	-	-	-	2	-	-	1	-
Cancer -	0.06	80	-	-	-	-	-	-	-	-	-	2	1	7	21	25	23	-
Scrofula -	0.11	15	4	-	1	-	-	9	5	1	-	-	-	1	-	-	-	-
Tuberc. Mesent. -	0.11	26	11	-	-	1	-	15	-	-	-	-	-	-	-	-	-	-
Phthisis -	1.64	224	6	2	1	-	1	10	3	7	19	35	52	59	51	17	19	-
Hydrocephalus -	0.23	32	8	9	1	1	1	20	6	5	1	-	-	-	-	-	-	-
Diseases of Nervous Syst. -	2.32	245	61	6	3	3	1	74	9	8	5	4	15	16	30	55	72	-
Circulatory " -	1.72	234	2	-	-	-	-	2	-	6	3	7	13	16	21	68	69	-
Respiratory " -	2.51	345	59	29	13	5	1	128	3	2	3	1	14	9	21	32	65	-
Digestive " -	1.17	160	20	1	2	1	-	24	2	7	1	7	12	23	21	29	29	-
Urinary " -	0.45	65	1	-	1	-	-	3	2	1	2	4	4	5	13	18	18	-
Generative " -	0.02	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Childbirth -	0.04	6	-	-	-	-	-	-	-	-	1	1	2	2	-	2	3	-
Suicide -	0.04	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-
Other Violence -	0.07	92	4	3	3	4	4	18	5	8	7	-	9	10	10	10	11	-
OTHER CAUSES -	4.91	606	122	15	4	3	-	237	2	3	5	4	6	14	12	25	31	-

Deaths of Infants (under one) to 1000 Births - 125 Marriages - 796 Annual Rate per 1000 living { Persons Married - 11.67
Births - 4,054 { Births - 29.72

HEREFORDSHIRE.]

337.—LEDBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over.
ANNUAL DEATH RATE PER 1000.]	—	17.07	—	—	—	—	—	32.64	3.68	3.67	3.20	6.53	7.35	7.94	11.44	25.09	61.68	13
Mean Pop. 1871-80 -]	—	12,854	306	298	317	315	296	1632	1547	1443	1158	949	1603	1305	1220	980	655	1
ALL CAUSES	17.07	2104	529	78	37	31	25	290	57	53	58	62	118	111	144	212	404	4
Small-pox -	0.02	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Measles -	0.13	15	3	4	2	2	5	12	-	1	-	-	1	-	-	-	-	-
Scarlet Fever -	0.23	29	2	3	4	6	4	19	8	2	-	1	-	-	-	-	-	-
Diphtheria -	0.23	37	1	1	4	5	6	15	11	8	1	-	-	2	-	-	-	-
Whooping-cough -	0.13	17	7	2	2	4	-	15	2	-	-	-	-	-	-	-	-	-
Typhus -	0.02	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Enteric Fever -	0.09	12	-	-	-	-	-	-	1	3	2	2	1	2	-	-	1	-
Simple Cont. Fev. -	0.04	5	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-
Putr. Fever -	0.02	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys. -	0.22	29	16	4	-	1	-	21	-	-	-	-	-	-	1	1	-	-
Cholera -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -	0.08	87	-	-	-	-	-	-	-	-	-	-	2	5	9	23	35	-
Scrofula -	0.00	11	-	-	1	1	-	2	-	3	1	1	-	2	-	1	-	-
Tuberc. Mesent. -	0.09	11	3	1	2	1	-	7	1	-	-	-	2	1	-	-	-	-
Phthisis -	1.23	174	2	-	3	-	-	5	3	5	16	24	26	23	25	11	7	-
Hydrocephalus -	0.33	28	9	8	5	2	5	24	5	3	2	2	-	-	-	-	-	-
Diseases of Nervous Syst. -	2.14	275	28	18	2	2	-	47	6	4	2	3	11	13	24	46	64	-
Circulatory " -	1.75	222	2	-	-	-	-	5	1	2	3	5	11	7	21	51	63	-
Respiratory " -	2.52	337	61	23	5	1	5	83	6	4	-	5	8	19	16	45	74	-
Digestive " -	0.84	168	10	1	1	-	2	14	3	3	1	1	4	11	11	23	30	-
Urinary " -	0.27	48	1	-	-	1	-	2	-	1	1	2	2	2	8	6	18	-
Generative " -	0.07	9	-	-	-	-	-	-	-	-	1	-	1	2	1	-	4	-
Childbirth -	0.08	10	-	-	-	-	-	-	-	-	-	1	5	2	2	-	-	-
Suicide -	0.11	14	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-
Other Violence -	0.25	68	5	2	2	3	1	13	8	6	4	1	5	7	8	7	5	-
OTHER CAUSES -	4.89	639	179	13	4	3	2	201	4	7	3	9	6	11	13	23	55	-

Deaths of Infants (under one) to 1000 Births - 96 Marriages - 667 Annual Rate per 1000 living { Persons Married - 16.38
Births - 3,431 { Births - 28.69

088.—ROSS.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	17'98	—	—	—	—	—	43'09	4'10	2'82	4'85	5'23	7'27	9'74	12'11	27'11	54'16	147'33
Mean Pop. 1871-80	—	16,487	449	379	410	425	435	2107	2048	1880	1505	1242	2062	1797	1503	1221	779	343
ALL CAUSES	17'98	2964	646	129	64	35	34	908	84	53	73	65	160	175	182	331	437	506
Small-pox	0'01	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	0'22	66	8	11	3	2	4	28	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0'24	40	2	5	8	5	6	27	10	1	2	—	—	—	—	—	—	—
Diphtheria	0'18	29	—	3	1	5	5	14	10	3	—	—	—	—	—	—	—	—
Whooping-cough	0'28	48	20	10	6	4	4	44	2	—	—	—	—	—	—	—	—	—
Typhus	0'04	6	—	—	—	—	—	—	—	8	—	—	1	—	—	—	—	—
Enteric Fever	0'24	40	7	2	2	—	1	12	3	8	5	3	2	1	3	—	1	2
Simp. Cont. Fever	0'11	18	—	1	—	1	—	2	3	4	1	—	—	—	—	—	—	—
Puerp. Fever	0'06	10	—	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—
Diarr. and Dys.	0'35	58	32	13	1	—	—	48	1	—	—	—	—	—	—	3	1	5
Cholera	0'04	6	—	1	—	—	—	1	—	—	1	—	—	—	1	—	1	2
Cancer	0'53	88	—	—	—	—	—	—	—	—	—	—	—	8	9	27	30	12
Serofula	0'08	14	2	1	1	—	—	4	2	2	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0'27	41	23	8	5	1	1	31	5	1	1	2	2	4	2	—	—	—
Phthisis	1'33	239	1	1	—	—	—	2	3	7	25	34	51	39	25	17	13	1
Hydrocephalus	0'15	25	10	3	4	1	2	20	3	1	—	—	—	—	—	—	—	—
Diseases of	2'30	334	86	12	8	5	2	113	6	5	6	4	13	21	34	59	72	61
Nervous Syst.	1'60	214	1	—	—	—	—	1	1	2	5	3	10	16	26	55	87	26
Circulatory	2'91	480	129	24	13	5	3	184	10	6	2	2	7	20	29	42	89	30
Respiratory	1'64	172	22	3	1	2	—	28	4	4	5	1	10	13	18	29	56	23
Digestive	0'51	51	—	—	—	—	—	—	—	—	—	—	1	2	2	—	4	2
Urinary	0'07	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0'13	22	—	—	—	—	—	—	—	—	2	8	12	—	—	—	—	—
Childbirth	0'10	17	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—
Suicide	0'56	92	6	5	2	4	2	19	4	5	6	3	11	16	6	14	6	7
Other Violence	4'74	780	257	20	10	—	4	331	9	4	6	8	13	16	22	39	79	25
OTHER CAUSES																		

Deaths of Infants (under
one) to 1000 Births } 124Marriages - 891
Births - 8,224Annual Rate { Persons Married - 10'09
per 1000 living { Births - - - 31'69

339.—HEREFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	19'47	—	—	—	—	—	42'01	5'01	3'55	4'97	5'00	8'72	12'10	16'73	31'40	63'21	160'77
Mean Pop. 1871-80	—	42,834	1090	991	1101	1043	1055	5280	5073	4763	4041	3426	5666	4843	3977	2987	1892	887
ALL CAUSES	19'47	8340	1494	363	165	111	85	2218	254	169	201	192	404	586	666	938	1196	1420
Small-pox	0'02	9	2	1	—	—	—	3	—	1	—	—	1	1	1	1	1	—
Measles	0'18	79	15	22	15	6	6	60	9	1	—	1	2	—	—	—	—	—
Scarlet Fever	0'49	212	11	25	27	29	23	115	61	20	6	1	8	1	—	—	—	—
Diphtheria	0'15	61	1	6	8	6	5	21	25	8	5	2	3	—	3	1	1	—
Whooping-cough	0'34	148	75	40	11	9	1	130	10	—	—	—	—	—	—	—	—	—
Typhus	0'03	7	—	—	—	—	—	—	—	1	—	—	—	2	1	2	—	—
Enteric Fever	0'17	71	1	1	4	1	1	8	7	8	11	2	12	8	6	2	7	—
Simp. Cont. Fever	0'10	42	—	2	1	—	—	3	5	3	2	1	4	3	4	7	3	6
Puerp. Fever	0'07	39	—	—	—	—	—	—	—	—	5	2	10	13	1	—	—	—
Diarr. and Dys.	0'82	224	121	19	16	2	2	161	3	3	1	—	1	6	5	10	12	29
Cholera	0'01	4	1	—	1	—	—	2	—	—	—	—	—	—	1	1	—	—
Cancer	0'60	258	—	—	—	1	—	1	—	1	2	2	11	26	55	64	65	28
Serofula	0'10	41	15	6	—	—	1	22	—	4	2	1	5	4	2	2	1	1
Tuberc. Mesent.	0'11	47	18	11	3	—	1	33	4	4	2	1	1	1	1	—	—	—
Phthisis	1'82	780	23	9	9	4	1	46	15	23	70	89	191	153	97	71	25	—
Hydrocephalus	0'14	59	19	12	4	3	3	41	7	7	2	—	1	1	—	—	—	—
Diseases of	2'92	1251	299	59	14	10	1	403	23	50	12	16	47	67	167	168	191	153
Nervous Syst.	1'75	799	1	—	—	—	—	—	6	12	15	14	20	67	85	171	224	127
Circulatory	3'08	1318	91	27	13	29	417	268	8	16	11	38	64	88	183	233	224	—
Respiratory	0'85	399	42	3	3	2	1	51	4	10	3	3	28	40	59	64	71	31
Digestive	0'45	191	3	—	1	2	1	7	3	1	5	5	18	25	39	37	45	14
Urinary	0'09	38	—	—	—	—	—	—	1	—	1	1	8	8	10	5	3	1
Generative	0'09	37	—	—	—	—	—	—	—	—	7	14	14	2	—	—	—	—
Childbirth	0'03	27	—	—	—	—	—	—	—	—	2	4	7	1	9	3	—	1
Suicide	0'13	28	16	12	4	7	5	40	15	13	20	12	23	50	51	53	35	17
Other Violence	4'71	2,110	523	29	24	14	11	631	32	21	13	17	31	47	63	113	276	772
OTHER CAUSES																		

Deaths of Infants (under
one) to 1000 Births } 121Marriages - 2,924
Births - 12,303Annual Rate { Persons Married - 13'65
per 1000 living { Births - - - 26'74

340.—WEOBLY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000 }	—	16.89	—	—	—	—	—	29.61	4.02	3.78	3.97	6.69	7.26	8.61	13.72	27.88	55.53	143
Mean Pop. }	—	8605	243	194	249	214	218	1118	1043	966	756	598	1033	978	800	642	407	1
1871-80 }	—	8605	243	194	249	214	218	1118	1043	966	756	598	1033	978	800	642	407	1
ALL CAUSES	16.89	1453	223	40	26	23	17	331	42	36	30	40	75	84	118	170	226	2
Small-pox -	0.02	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Measles -	0.05	4	2	1	—	—	—	3	1	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.38	33	1	2	3	6	0	30	8	4	1	—	—	—	—	—	—	—
Diphtheria -	0.27	23	1	1	1	3	4	10	6	4	2	—	—	—	1	—	—	—
Whooping-cough -	0.19	16	6	7	1	1	—	15	—	1	—	—	—	—	—	—	—	—
Typhus -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever -	0.22	19	—	—	—	—	1	1	4	1	1	2	4	1	1	3	—	—
Simple Cont. Fev. -	0.13	11	—	—	—	1	—	1	2	—	1	—	3	3	—	1	—	—
Puemp. Fever -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys. -	0.41	35	20	1	1	1	—	23	—	—	1	—	2	—	—	2	3	—
Cholera -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer -	0.49	42	—	—	—	—	—	—	—	—	1	—	1	3	10	10	11	—
Scrofula -	0.05	4	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	—
Tuberc. Mesent. -	0.09	8	1	2	2	—	—	5	1	1	—	1	—	—	—	—	—	—
Pathosis -	1.28	110	—	—	1	—	—	1	1	4	10	17	27	19	13	13	4	—
Hydrocephalus -	0.14	12	5	2	—	1	—	8	4	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst. -	2.12	182	27	3	3	1	—	34	—	4	2	4	5	8	12	22	43	—
Circulatory -	2.15	185	—	—	—	—	—	—	1	2	2	2	6	10	24	29	28	—
Respiratory -	2.80	241	49	8	6	7	2	72	8	3	—	4	12	13	19	28	43	—
Digestive -	0.85	73	9	3	—	—	—	12	3	1	—	1	3	3	15	14	11	—
Urinary -	0.36	31	1	—	—	—	—	1	—	1	1	—	2	4	9	5	4	—
Generative -	0.03	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—
Childbirth -	0.03	7	—	—	—	—	—	—	—	—	—	3	3	1	—	—	—	—
Suicide -	0.03	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence -	0.33	46	3	—	3	2	1	9	2	4	3	2	1	6	7	4	2	—
OTHER CAUSES -	4.18	361	92	9	3	2	3	115	1	3	3	3	6	10	6	16	43	1

Deaths of Infants (under one) to 1000 Births } 92 Marriages - 419 Annual Rate (Persons Married per 1000 living (Births - 9.74

Births - 2,432

per 1000 living (Births - 29.26

341.—BROMYARD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000 }	—	17.88	—	—	—	—	—	40.18	4.12	2.83	3.32	5.40	6.68	8.80	15.67	21.95	39.85	101
Mean Pop. }	—	11,494	275	270	286	291	294	1416	1408	1309	1024	880	1437	1230	1103	859	518	1
1871-80 }	—	11,494	275	270	286	291	294	1416	1408	1309	1024	880	1437	1230	1103	859	518	1
ALL CAUSES	17.88	2053	407	80	33	27	22	569	58	37	34	43	96	109	151	101	510	4
Small-pox -	0.07	8	—	1	—	—	—	1	1	—	—	2	—	1	2	—	1	—
Measles -	0.19	21	2	4	—	2	1	11	4	1	—	2	1	2	—	—	—	—
Scarlet Fever -	0.23	24	—	—	6	4	3	12	9	3	—	—	1	—	—	—	—	—
Diphtheria -	0.02	2	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Whooping-cough -	0.17	20	15	3	—	1	—	19	1	—	—	—	—	—	—	—	—	—
Typhus -	0.04	5	—	—	—	—	—	—	1	—	1	—	1	1	—	—	1	—
Enteric Fever -	0.14	16	—	—	1	1	1	3	—	5	2	—	—	—	4	1	—	—
Simple Cont. Fev. -	0.10	12	—	—	—	1	—	1	2	—	1	—	1	2	1	1	3	—
Puemp. Fever -	0.08	9	—	—	—	—	—	—	—	—	—	1	6	—	—	—	—	—
Diarr. and Dys. -	0.33	38	18	7	1	—	—	26	1	—	—	—	—	—	—	—	3	—
Cholera -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer -	0.31	36	—	—	—	—	—	—	—	—	—	—	1	3	6	19	10	—
Scrofula -	0.10	11	1	—	1	—	—	2	2	2	—	1	1	—	1	2	—	—
Tuberc. Mesent. -	0.21	24	12	4	3	—	1	20	1	2	—	—	—	—	—	1	—	—
Pathosis -	1.11	123	2	—	—	—	—	3	3	2	15	18	30	26	17	7	5	—
Hydrocephalus -	0.08	9	3	2	—	—	—	5	2	1	—	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst. -	2.21	239	63	12	5	3	1	87	6	3	3	2	8	8	19	41	65	—
Circulatory -	1.18	136	1	—	—	—	1	2	1	2	—	1	7	7	10	24	46	—
Respiratory -	3.32	332	72	23	8	3	6	114	7	3	2	6	13	21	34	44	79	—
Digestive -	0.26	20	11	—	—	2	—	13	3	1	2	3	4	8	8	21	25	—
Urinary -	0.26	30	—	—	—	—	—	—	—	—	—	1	1	2	3	5	3	—
Generative -	0.01	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Childbirth -	0.08	9	—	—	—	—	—	—	—	—	—	1	4	4	—	—	1	—
Suicide -	0.03	6	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—
Other Violence -	0.26	64	4	3	3	6	3	19	4	4	1	2	8	2	7	4	7	—
OTHER CAUSES -	3.88	674	200	18	3	4	4	229	9	8	5	5	8	10	19	30	68	1

Deaths of Infants (under one) to 1000 Births } 119 Marriages - 538 Annual Rate (Persons Married per 1000 living (Births - 9.26

Births - 3,432

per 1000 living (Births - 29.84

342.—LEOMINSTER.

	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	18'80	—	—	—	—	—	39'14	3'66	2'89	5'52	6'06	6'55	10'52	13'62	27'50	63'57	179'28
Mean Pop. 1871-80	—	15,020	302	335	379	365	380	1819	1859	1763	1394	1089	1801	1603	1461	1131	722	327
ALL CAUSES	18'80	2323	483	97	62	53	27	712	68	51	77	66	118	175	199	312	459	558
Small-pox	0'11	16	1	—	—	1	—	2	—	—	2	8	—	1	4	3	2	—
Measles	0'19	24	5	10	7	3	1	26	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'37	56	2	5	9	14	8	38	12	4	1	—	1	—	—	—	—	—
Diphtheria	0'05	8	—	—	1	1	1	3	5	—	—	—	—	—	—	—	—	—
Whooping-cough	0'19	28	16	4	3	4	—	27	—	—	—	—	—	—	—	—	—	—
Typhus	0'03	4	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Enteric Fever	0'25	37	1	2	2	3	—	8	—	3	3	5	—	—	—	—	—	—
Simple Cont. Fev.	0'08	9	—	1	—	—	—	1	4	2	—	—	—	—	—	—	—	—
Puerp. Fever	0'07	11	—	—	—	—	—	—	—	—	1	3	3	4	—	—	—	—
Diarr. and Dys.	0'45	68	29	6	3	—	—	38	1	—	—	1	—	—	—	—	—	—
Cholera	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'03	99	—	—	—	—	—	—	—	—	1	—	—	—	13	22	35	27
Serofula	0'03	3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Tuberc Mesent.	0'27	41	28	4	2	3	—	37	1	2	1	—	—	—	—	—	—	—
Pituitis	1'46	219	2	2	1	8	—	8	5	7	84	35	40	41	21	13	6	—
Hydrocephalus	0'11	16	4	3	1	2	—	10	2	3	—	—	—	—	—	—	—	—
Diseases of	2'55	369	85	6	4	2	2	99	4	9	10	8	8	19	29	70	89	72
Nervous Syst.	1'96	235	1	—	—	—	—	1	2	2	3	5	7	24	35	64	101	81
Circulatory	3'19	479	85	20	9	7	4	135	13	2	4	2	11	23	35	46	95	159
Respiratory	1'07	161	14	6	2	1	2	24	2	1	4	2	13	11	21	24	34	35
Digestive	0'37	56	—	—	1	—	—	1	2	3	1	—	—	—	5	19	19	12
Urinary	0'03	5	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'09	14	—	—	—	—	—	—	—	—	—	1	5	6	2	—	—	—
Suicide	0'04	6	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—
Other Violence	0'54	73	7	3	3	2	3	18	4	5	5	2	4	6	6	10	10	3
OTHER CAUSES	4'53	621	202	19	4	7	6	235	7	8	3	3	6	10	19	24	69	52

Deaths of Infants (under
one) to 1000 Births } 114Marriages - 817
Births - 4,236Annual Rate of Persons Married - 10'87
per 1000 living (Births - 23'19

343.—KINGTON.*

	Annual Death Rate per 1000	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	17'32	—	—	—	—	—	36'27	3'97	2'23	5'25	7'71	7'50	9'66	12'41	23'09	57'55	166'9
Mean Pop. 1871-80	—	11,951	300	268	327	202	299	1486	1434	1403	1152	895	1494	1217	1114	892	563	244
ALL CAUSES	17'32	2070	386	81	28	20	14	539	57	32	62	69	112	120	142	206	324	497
Small-pox	0'06	7	—	—	—	—	—	—	—	—	1	1	—	5	—	—	—	—
Measles	0'08	10	2	4	2	1	—	9	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0'22	24	1	—	2	3	4	14	10	1	—	—	—	—	—	—	—	—
Diphtheria	0'08	10	1	—	—	—	—	2	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0'32	23	15	15	3	2	—	35	3	—	—	—	—	—	—	—	—	—
Typhus	0'03	3	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—
Enteric Fever	0'20	34	—	1	2	—	—	3	3	4	4	2	—	4	3	2	7	3
Simple Cont. Fev.	0'15	18	2	1	—	—	1	4	4	1	—	—	—	—	—	—	—	—
Puerp. Fever	0'04	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Diarr. and Dys.	0'24	33	14	—	2	—	—	17	—	—	—	—	—	2	—	—	—	—
Cholera	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'19	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Serofula	0'08	9	1	—	—	—	—	1	1	1	1	1	2	2	—	—	—	—
Tuberc Mesent.	0'10	12	3	2	1	1	—	9	1	1	1	—	—	—	—	—	—	—
Pituitis	1'53	181	3	—	—	—	—	3	3	3	23	37	47	25	22	11	9	—
Hydrocephalus	0'09	11	4	1	—	—	1	6	2	1	—	—	—	—	—	—	—	—
Diseases of	2'60	322	101	10	4	2	—	117	6	4	4	3	8	17	16	20	62	52
Nervous Syst.	1'61	199	—	—	—	—	—	—	1	1	3	3	5	4	22	22	64	34
Circulatory	2'20	275	40	23	4	6	1	81	5	1	5	4	12	20	17	26	34	44
Respiratory	0'95	111	7	3	—	1	—	11	5	—	—	2	5	10	12	29	24	12
Digestive	0'17	52	—	—	—	—	—	—	1	1	—	—	2	2	6	5	8	6
Urinary	0'10	12	—	—	—	—	—	—	—	—	—	1	1	2	6	1	3	—
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0'11	13	—	—	—	—	—	—	—	—	—	—	7	5	1	—	—	—
Suicide	0'04	6	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1
Other Violence	0'31	61	3	3	4	1	2	13	2	2	4	2	7	4	8	9	3	7
OTHER CAUSES	4'54	577	185	17	2	3	2	219	6	7	7	10	7	10	16	23	68	271

Deaths of Infants (under
one) to 1000 Births } 110Marriages - 653
Births - 3,609Annual Rate of Persons Married - 10'89
per 1000 living (Births - 26'19

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

SHROPSHIRE.
344.—LUDLOW.

	Annual Deaths Rate per 100.	Act. Age	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
DEATHS (PER 1000)	—	18'85	—	—	—	—	—	14'07	4'85	3'51	3'17	6'70	7'42	0'86	13'02	25'03	58'09	153'80
Pop. -80	—	18,333	518	436	450	486	454	2353	2226	2025	1734	1463	2323	2019	1074	1232	830	415
CAUSES	18'85	3455	721	149	78	66	57	1051	108	71	55	98	173	190	233	360	499	659
Sex -	0'14	25	3	—	—	—	—	3	2	1	2	2	5	3	4	2	—	—
Male -	0'21	38	11	10	9	5	1	36	2	—	—	—	—	—	—	—	—	—
Fever -	0'41	75	5	9	11	12	10	47	14	6	3	2	1	3	—	1	—	—
eria -	0'43	78	2	6	4	8	7	37	25	15	2	3	2	1	—	1	1	1
ing-cough	0'23	46	28	12	3	2	—	45	1	—	—	—	—	—	—	—	—	—
Sex -	0'03	6	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	—
Fever -	0'32	88	—	—	1	1	2	4	3	5	5	3	11	12	4	2	8	1
Cont. Fev.	0'09	16	—	—	—	—	1	1	4	3	1	1	4	1	—	1	—	—
Fever -	0'05	9	—	—	—	—	—	—	—	—	—	3	3	3	—	—	—	—
and Dys.	0'73	140	72	9	2	2	1	86	—	1	—	2	1	3	2	10	11	21
Sex -	0'02	5	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1
Sex -	0'37	64	—	—	—	—	—	—	—	—	—	2	1	4	16	21	13	4
Male -	0'11	30	1	3	1	—	—	5	4	3	1	—	6	1	—	—	1	1
Descent.	0'13	24	11	2	1	2	2	13	—	1	—	4	—	—	—	—	—	—
Sex -	1'21	221	1	—	—	1	—	2	1	5	17	42	61	25	28	21	7	1
cephalus -	0'03	14	4	2	2	—	—	10	3	—	—	—	—	—	—	—	—	—
Sex -	2'42	443	121	18	11	2	1	153	12	4	5	6	6	15	25	42	57	84
Sex -	1'42	321	—	—	—	—	—	—	31	2	5	6	31	23	22	47	73	84
Sex -	3'50	642	153	47	13	10	6	242	14	6	4	4	19	20	40	65	106	136
Sex -	1'31	241	19	4	—	2	1	30	4	—	4	2	15	19	37	49	39	21
Sex -	0'70	55	1	—	1	—	—	2	—	2	2	1	1	3	6	17	8	8
Sex -	0'05	10	—	—	—	—	—	—	—	—	—	—	1	3	2	3	2	1
Sex -	0'03	14	—	—	—	—	—	—	—	—	—	—	8	2	1	—	—	—
Sex -	0'05	9	—	—	—	—	—	—	—	—	—	1	4	—	—	—	—	1
Sex -	0'57	104	3	3	3	6	2	19	8	7	4	6	8	11	12	13	9	7
CAUSES -	4'54	835	294	24	9	3	3	823	6	6	1	7	7	16	24	16	160	538

Deaths of Infants (under one) to 1000 Births } 130

Marriages - 1,159
Births - 5,541

Annual Rate { Persons Married
per 1000 living { Births - 12'64
- 30'22

345.—CLUN.

	Annual Deaths Rate per 100.	Act. Age	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
DEATHS (PER 1000)	—	17'90	—	—	—	—	—	38'33	7'15	4'24	3'06	7'23	7'21	7'84	12'46	22'38	50'53	130'32
Pop. -80	—	10,454	294	230	302	237	271	1354	1357	1179	1012	802	1289	1071	923	773	488	236
CAUSES	17'90	1877	344	80	41	31	23	519	97	50	37	58	93	84	115	173	275	376
Sex -	0'05	5	—	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—
Male -	0'11	19	2	5	1	—	1	9	1	—	—	—	1	1	—	—	—	—
Fever -	0'75	79	3	5	15	8	5	36	21	9	1	—	2	1	3	—	—	—
eria -	0'44	46	—	1	—	7	3	15	22	9	1	—	—	1	—	—	—	—
ing-cough	0'41	43	24	11	4	—	—	41	2	—	—	—	—	—	—	—	—	—
Sex -	0'05	5	1	—	—	—	—	1	—	—	1	—	1	1	1	—	—	—
Fever -	0'20	21	1	—	—	—	2	3	3	4	3	2	2	2	—	—	—	—
Cont. Fev.	0'00	9	—	1	—	—	—	1	—	—	1	—	—	1	1	—	4	1
Fever -	0'07	7	—	—	—	—	—	—	—	—	—	2	4	1	—	—	—	—
and Dys.	0'21	22	7	2	—	—	—	9	1	—	—	1	1	—	1	1	1	5
Sex -	0'09	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Sex -	0'09	63	—	—	—	—	—	—	—	—	1	—	1	2	12	20	18	8
Male -	0'10	11	1	2	—	—	—	3	—	1	—	3	4	—	—	—	—	—
Descent.	0'16	17	6	3	1	1	1	12	1	—	1	3	8	—	—	—	—	—
Sex -	1'43	189	2	2	—	1	1	6	3	12	17	27	36	23	19	9	7	—
cephalus -	0'14	16	3	7	2	—	—	12	2	—	1	—	—	—	—	—	—	—
Sex -	2'51	341	67	6	2	2	—	77	3	3	2	9	3	6	20	33	33	31
Sex -	1'51	163	—	—	—	—	—	—	2	—	1	1	6	8	17	23	21	19
Sex -	2'28	249	46	15	7	7	1	76	6	2	—	2	6	10	14	20	24	24
Sex -	0'08	103	12	2	—	—	1	15	7	1	3	1	2	8	8	30	24	14
Sex -	0'42	44	1	—	—	—	—	1	2	—	1	1	—	—	3	10	12	14
Sex -	0'05	6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4	—
Sex -	0'17	13	—	—	—	—	—	—	—	—	—	1	9	8	—	—	—	—
Male -	0'47	7	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	1
Sex -	0'49	51	3	2	5	—	2	14	4	3	1	2	3	4	8	7	—	3
CAUSES -	4'68	492	163	16	6	3	2	192	7	5	2	3	6	6	12	13	42	200

Deaths of Infants (under one) to 1000 Births } 107

Marriages - 635
Births - 3,224

Annual Rate { Persons Married
per 1000 living { Births - 12'11
- 20'75

346.—CHURCH STRETTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17.17	—	—	—	—	—	31.18	3.41	2.79	3.69	5.87	7.00	10.24	14.19	22.76	31.30	171.6
Mean Pop. 1871-80	—	6003	155	128	159	149	153	744	734	681	569	429	709	654	585	457	305	10
ALL CAUSES	17.17	1031	151	38	12	21	10	232	25	19	21	25	49	67	83	104	155	248
Small-pox	0.05	3	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Measles	0.05	3	—	2	1	—	—	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.32	19	1	5	1	4	2	13	2	3	—	—	—	1	—	—	—	—
Diphtheria	0.40	24	1	2	2	6	2	13	6	2	—	1	—	—	—	—	1	—
Whooping-cough	0.30	18	6	5	—	4	2	17	1	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.13	8	—	—	—	—	—	—	—	—	2	1	3	1	—	2	1	—
Simp. Cont. Fev.	0.05	3	—	1	—	1	—	2	—	—	—	—	—	—	—	1	—	—
Puerp. Fever	0.05	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Diarr. and Dys.	0.23	15	9	—	1	—	—	10	—	—	—	—	—	—	—	—	1	3
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.68	41	—	—	—	—	—	—	—	—	—	—	2	7	6	8	12	4
Serofula	0.22	13	—	1	1	1	—	3	—	—	3	1	—	—	4	1	1	—
Tuberc. Mesent.	0.15	9	4	1	—	—	—	5	—	1	—	—	1	1	—	—	—	—
Phthisis	1.28	77	3	—	—	—	—	3	1	5	11	12	15	16	11	1	2	—
Hydrocephalus	0.08	5	1	2	—	—	—	3	2	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.70	162	29	3	3	—	—	33	1	2	—	1	13	10	14	15	36	43
Circulatory	2.32	129	1	—	—	—	—	1	—	—	2	2	2	5	15	23	30	34
Respiratory	2.24	137	39	9	1	1	3	44	1	—	1	1	2	1	9	13	13	15
Digestive	1.12	67	7	—	—	—	—	7	2	1	—	—	3	3	7	10	13	13
Urinary	0.28	23	—	—	—	—	—	—	—	—	—	1	1	3	2	1	3	7
Generative	0.05	3	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
Childbirth	0.07	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Suicide	0.13	8	—	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—
Other Violence	0.77	46	2	2	1	3	—	8	3	5	—	1	3	5	2	3	7	7
OTHER CAUSES	3.36	202	55	5	1	1	1	63	6	—	1	3	3	4	6	7	12	37

Deaths of Infants (under
one) to 1000 Births } 80Marriages - 303
Births - 1,907Annual Rate (Persons Married - 10.09
per 1000 living (Births - 23.27

347.—CLEOBURY MORTIMER.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	17.09	—	—	—	—	—	33.83	4.71	2.67	3.43	6.27	7.60	8.57	10.79	22.33	36.48	177.6
Mean Pop. 1871-80	—	8228	208	203	232	216	220	1079	1019	899	729	520	987	875	782	636	418	214
ALL CAUSES	17.09	1180	271	51	16	14	13	365	48	24	25	37	75	75	84	142	235	362
Small-pox	0.61	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	0.13	11	1	3	—	2	1	7	—	—	—	—	—	—	1	—	—	—
Scarlet Fever	0.27	22	2	4	—	3	2	11	8	2	—	1	—	—	1	—	—	—
Diphtheria	0.12	10	1	—	1	—	1	3	2	4	1	—	—	—	—	—	—	—
Whooping-cough	0.15	15	9	5	—	1	—	15	—	—	—	—	—	—	—	—	—	—
Typhus	0.04	3	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
Euteric Fever	0.29	24	—	—	—	1	—	1	3	4	1	4	1	1	2	4	1	—
Simp. Cont. Fev.	0.12	10	—	—	—	—	1	1	2	—	1	—	—	3	—	1	—	—
Puerp. Fever	0.09	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.49	40	13	2	1	1	—	17	1	—	—	—	—	—	2	3	—	14
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.41	55	—	—	1	—	—	1	—	—	—	—	—	5	5	8	11	6
Serofula	0.10	8	—	2	—	—	—	—	—	—	—	1	2	—	—	2	—	1
Tuberc. Mesent.	0.16	13	9	—	3	—	1	13	7	—	—	—	—	—	—	—	—	—
Phthisis	1.17	19	3	—	—	—	—	3	1	—	5	19	21	23	11	4	3	1
Hydrocephalus	0.16	5	2	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.52	191	41	10	1	—	—	51	5	1	1	2	9	4	6	20	30	41
Circulatory	1.17	94	1	—	—	—	—	1	2	1	—	1	2	1	14	24	33	17
Respiratory	3.52	223	53	12	3	4	4	81	2	2	3	2	11	13	16	27	37	39
Digestive	1.06	87	8	1	—	—	—	2	3	1	3	1	4	5	5	21	24	6
Urinary	0.20	23	—	—	—	—	—	—	—	—	—	—	3	4	4	1	7	8
Generative	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Childbirth	0.10	8	—	—	—	—	—	—	—	—	1	1	4	2	—	—	—	—
Suicide	0.07	6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violence	0.56	36	1	1	1	2	—	5	6	2	2	2	8	3	3	3	3	4
OTHER CAUSES	5.59	445	129	19	4	—	3	137	8	7	4	2	2	19	9	13	41	213

Deaths of Infants (under
one) to 1000 Births } 103Marriages - 427
Births - 2,301Annual Rate (Persons Married - 16.33
per 1000 living (Births - 36.46

348.—BRIDGNORTH.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100-
ANNUAL DEATH RATE PER 1000.	17.04	—	—	—	—	—	37.08	4.04	2.81	3.35	5.28	6.91	8.31	12.56	21.22	35.56	157										
Mean Pop. 1871-80	15,364	409	359	387	377	377	1900	1922	1779	1374	1159	1597	1624	1425	1197	747											
ALL CAUSES	17.04	2618	488	119	48	33	27	715	95	50	46	61	131	135	179	254	415										
Small-pox	0.04	6	—	—	1	1	—	2	—	—	1	—	—	1	1	1	—										
Measles	0.19	29	12	10	3	1	1	27	2	—	—	—	—	—	—	—	—										
Scarlet Fever	0.28	43	1	4	4	6	4	19	14	7	2	—	1	—	—	—	—										
Diphtheria	0.14	22	3	1	—	—	—	8	7	3	—	—	—	1	—	—	—										
Whooping-cough	0.16	21	12	7	3	—	2	21	—	—	—	—	—	—	—	—	—										
Typhus	0.02	3	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—										
Erysipelas	0.21	52	2	1	2	—	1	6	4	5	4	1	2	3	2	1	—										
Simple Cont. Fev.	0.07	10	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—										
Puerp. Fever	0.05	13	—	—	—	—	—	—	—	—	—	3	6	3	1	—	—										
Diarr. and Dys.	0.61	93	62	6	2	1	71	3	—	—	—	—	—	1	—	—	—										
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—										
Cancer	0.33	81	—	—	—	—	—	—	1	—	—	—	1	12	18	18	19										
Scrophulous	0.01	9	3	2	—	—	—	3	—	—	—	1	2	—	—	—	—										
Tuberc. Mesent.	0.04	12	4	3	—	—	1	8	3	—	—	—	—	—	—	—	—										
Phthisis	1.22	187	2	2	9	—	1	6	8	8	14	24	47	26	16	9	9										
Hydrocephalus	0.14	21	9	6	2	1	19	2	1	—	—	—	—	—	—	—	—										
Diseases of Nervous Syst.	2.22	337	83	11	4	2	4	161	7	3	5	3	10	10	21	50	79										
Cerebratory	1.47	221	—	—	—	—	—	4	2	7	8	11	12	23	43	69											
Respiratory	3.17	67	58	40	10	6	2	141	9	8	2	5	11	15	21	63	76										
Digestive	1.13	174	24	4	3	2	1	34	3	2	3	2	5	11	21	31	32										
Urinary	0.64	98	—	1	1	2	—	4	1	—	—	1	3	6	10	13	24										
Generative	0.03	7	—	—	—	—	—	—	—	—	—	1	1	2	1	2	2										
Childbirth	0.06	9	—	—	—	—	—	—	—	—	1	1	4	3	—	—	—										
Suicide	0.05	9	—	—	—	—	—	—	—	—	—	1	1	1	2	4	—										
Other Violence	0.54	83	2	6	6	2	2	18	0	5	2	6	9	6	7	8	8										
OTHER CAUSES	2.73	589	182	13	5	5	7	214	13	5	4	4	9	5	13	27	69										

Deaths of Infants (under one) to 1000 Births } 109

Marriages - 862
Births - 4,459Annual Rate of Persons Married per 1000 living } 11.22
Births - } 29.22

349.—SHIFNAL.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100-
ANNUAL DEATH RATE PER 1000.	17.08	—	—	—	—	—	43.22	4.81	2.20	4.13	4.35	7.37	7.95	10.06	27.07	80.19	158										
Mean Pop. 1871-80	12,804	358	339	333	334	346	1710	1643	1408	1235	942	1537	1408	1173	563	520											
ALL CAUSES	17.08	2187	474	132	48	56	29	759	79	33	51	41	117	112	118	235	313										
Small-pox	0.05	6	—	—	2	—	—	—	—	1	—	—	4	—	—	1	—										
Measles	0.23	32	10	13	2	4	—	29	1	—	—	—	—	1	1	—	—										
Scarlet Fever	0.67	86	1	12	10	22	9	51	25	2	1	1	3	—	—	—	—										
Diphtheria	0.12	15	—	2	—	—	—	6	6	1	—	—	1	1	—	—	—										
Whooping-cough	0.22	28	13	9	3	8	—	59	—	—	—	—	—	—	—	—	—										
Typhus	0.02	3	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—										
Erysipelas	0.21	27	2	2	—	1	2	7	5	1	3	2	5	1	2	—	—										
Simple Cont. Fev.	0.19	11	1	1	5	1	—	6	1	—	—	—	—	—	1	2	—										
Puerp. Fever	0.08	10	—	—	—	—	—	—	—	—	2	1	2	3	—	—	—										
Diarr. and Dys.	0.77	99	51	18	2	—	71	1	—	—	—	1	2	—	1	3	8										
Cholera	0.02	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—										
Cancer	0.51	65	—	—	—	1	—	—	—	—	—	—	2	5	8	20	24										
Scrophulous	0.09	12	2	1	—	—	—	5	4	1	—	1	1	—	—	1	1										
Tuberc. Mesent.	0.22	24	22	4	—	—	1	27	—	—	—	—	—	—	—	—	—										
Phthisis	1.31	164	2	1	1	—	4	3	3	24	19	29	26	29	14	10											
Hydrocephalus	0.16	20	5	5	3	2	1	14	2	2	1	—	1	—	—	—	—										
Diseases of Nervous Syst.	1.94	549	62	8	3	5	1	77	3	4	1	4	7	8	11	41	55										
Cerebratory	1.07	337	—	—	—	—	—	1	1	1	2	—	5	13	15	25	29										
Respiratory	3.37	432	115	29	14	8	4	180	8	8	5	1	7	10	12	47	68										
Digestive	0.88	113	21	2	2	—	—	24	4	2	2	1	11	7	15	27	19										
Urinary	0.28	49	3	1	—	1	—	5	4	1	—	—	3	5	8	9	10										
Generative	0.02	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1										
Childbirth	0.09	11	—	—	—	—	—	—	—	—	1	5	8	—	—	—	—										
Suicide	0.01	8	—	—	—	—	—	—	—	—	—	—	2	3	2	—	—										
Other Violence	0.61	78	4	5	3	2	4	16	4	3	6	5	5	9	8	9	9										
OTHER CAUSES	2.67	495	141	12	2	7	2	124	7	6	5	3	11	7	11	39	63										

Deaths of Infants (under one) to 1000 Births } 117

Marriages - 841
Births - 4,065Annual Rate of Persons Married per 1000 living } 13.14
Births - } 31.75

350.—MADELEY.

	ANNUAL DEATH RATE PER 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	21.02	—	—	—	—	—	60.76	5.59	3.40	4.09	7.21	8.34	10.63	13.71	25.69	63.33	165.7			
Mean Pop. 1871-80	—	28,830	855	759	799	785	839	4037	3865	3440	2707	2108	2468	3028	3574	1860	1200	448			
ALL CAUSES	21.02	6063	1612	405	216	123	97	2453	216	117	135	182	291	323	353	501	784	785			
Small-pox	0.06	14	1	—	—	1	—	2	1	—	1	2	1	2	—	4	5	—	—	—	—
Measles	0.33	95	22	36	21	4	2	85	7	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.81	243	16	29	53	23	40	171	15	7	2	—	—	—	—	—	—	—	—	—	—
Diphtheria	0.13	38	—	2	10	8	1	31	12	—	—	—	—	—	—	1	—	—	—	—	—
Whooping-cough	0.55	104	54	25	7	4	5	93	3	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	8	—	—	—	—	—	—	3	2	—	—	1	—	—	—	1	—	—	—	—
Enteric Fever	0.22	64	2	4	1	3	2	12	12	7	6	7	7	5	5	3	6	1	—	—	—
Simple Cont. Fev.	0.07	19	2	—	1	1	3	7	6	1	—	—	2	2	2	1	—	—	—	—	—
Puerp. Fever	0.10	30	—	—	—	—	—	—	—	—	4	—	3	3	—	—	—	—	—	—	—
Diarr. and Dys.	0.74	214	142	36	6	3	—	177	2	1	—	—	3	4	2	1	4	9	1	—	—
Cholera	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.42	122	—	—	—	—	—	—	—	—	—	—	4	13	21	23	31	36	41	46	51
Serofula	0.12	31	12	9	—	—	—	21	2	2	2	—	3	1	1	1	1	—	—	—	—
Tubes Mesent.	0.23	65	38	17	6	—	1	87	3	2	2	—	1	—	—	—	—	—	—	—	—
Phthisis	1.91	552	21	22	8	5	2	58	19	18	60	74	125	83	72	38	17	—	—	—	—
Hydrocephalus	0.23	65	23	19	2	4	3	51	7	4	—	—	1	—	—	—	—	—	—	—	—
Diseases of																					
Nervous Syst.	2.75	792	268	50	23	12	9	500	21	5	15	8	23	24	42	87	168	10	—	—	—
Circulatory	1.29	371	2	1	1	—	—	4	12	10	7	23	30	43	85	113	32	—	—	—	—
Respiratory	3.55	1024	297	109	41	22	7	476	18	6	9	11	22	42	51	103	156	10	—	—	—
Digestive	0.95	273	56	3	2	3	4	68	5	5	—	7	16	24	35	43	67	14	—	—	—
Urinary	0.31	95	1	2	3	—	1	7	2	1	—	—	1	2	14	19	20	14	—	—	—
Generative	0.05	13	—	—	—	—	—	—	—	—	—	—	2	3	2	5	1	—	—	—	—
Childbirth	0.11	32	—	—	—	—	—	—	—	—	2	4	14	12	—	—	—	—	—	—	—
Suicide	0.03	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.64	189	2	8	9	8	7	34	20	22	31	10	12	17	11	10	28	9	—	—	—
OTHER CAUSES	5.51	1597	680	43	22	12	10	707	24	19	4	7	15	29	30	48	205	41	—	—	—

Deaths of Infants (under one) to 1000 Births } 153

Marriages - 1,580
Births - 10,564Annual Rate { Persons Married - 10.96
per 1000 living { Births - 36.63

351.—ATCHAM.*

ANNUAL DEATH RATE PER 1000	—	17.10	—	—	—	—	—	32.05	3.82	2.85	4.26	6.21	7.28	8.47	12.01	24.12	32.96	112.7		
Mean Pop. 1871-80	—	18,238	451	402	512	475	475	2315	2251	2055	1668	1304	2250	1971	1715	1333	947	468		
ALL CAUSES	17.10	3118	500	107	64	40	31	742	86	58	71	81	162	167	206	333	501	708		
Small-pox	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	0.13	24	5	7	3	3	—	18	3	1	—	1	—	—	1	—	—	—		
Scarlet Fever	0.39	71	4	5	16	9	8	42	22	4	—	—	1	1	—	—	—	—		
Diphtheria	0.01	11	1	—	1	1	1	4	1	2	—	—	—	—	—	—	—	1		
Whooping-cough	0.25	45	21	13	3	1	4	42	3	—	—	—	—	—	—	—	—	—		
Typhus	0.04	8	—	—	—	—	1	1	1	—	—	1	1	2	1	1	—	—		
Enteric Fever	0.21	58	1	—	1	2	—	4	8	—	4	3	6	2	3	4	2	1		
Simple Cont. Fev.	0.05	19	—	—	—	—	1	2	2	—	—	—	—	—	—	2	1	—		
Puerp. Fever	0.07	13	—	—	—	—	—	—	—	—	2	—	—	6	—	—	—	—		
Diarr. and Dys.	0.33	61	21	3	1	—	1	26	—	—	—	—	—	1	2	3	5	24		
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cancer	0.69	110	—	—	—	—	—	—	—	—	—	1	1	8	20	55	27	17		
Serofula	0.10	18	3	—	—	—	—	3	1	2	—	2	2	1	2	2	—	—		
Tubes Mesent.	0.17	31	15	7	2	3	—	27	1	—	2	1	3	—	1	—	—	—		
Phthisis	1.64	299	3	2	2	1	1	9	6	9	58	43	58	54	89	84	14	4		
Hydrocephalus	0.15	27	9	4	3	—	2	18	7	1	—	—	—	—	—	—	—	—		
Diseases of																				
Nervous Syst.	2.24	405	100	19	8	4	1	132	11	8	8	3	12	10	15	41	80	8		
Circulatory	1.41	257	—	—	—	—	—	—	1	3	1	3	11	7	27	69	89	6		
Respiratory	2.79	508	90	26	13	4	3	136	3	5	6	6	10	22	30	29	105	15		
Digestive	1.08	197	21	—	2	1	—	24	3	5	3	4	16	11	20	22	42	3		
Urinary	0.40	73	1	1	1	—	1	4	—	1	—	—	5	8	10	18	18	13		
Generative	0.05	9	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1		
Childbirth	0.10	19	—	—	—	—	—	—	—	—	2	—	10	6	—	—	—	—		
Suicide	0.07	14	—	—	—	—	—	—	—	—	—	—	1	2	2	4	5	1		
Other Violence	0.65	119	7	3	1	7	4	22	4	6	6	6	10	15	25	12	11	1		
OTHER CAUSES	4.10	747	197	17	7	3	3	227	9	9	2	4	12	10	14	33	103	54		

Deaths of Infants (under one) to 1000 Births } 97

Marriages* - 3,296
Births - 6,139Annual Rate { Persons Married* - 14.00
per 1000 living { Births - 23.18

* The Registration District of SHREWSBURY was incorporated with ATCHAM on 1st October 1871. The births and deaths in Shrewsbury have been separately abstracted for the whole period of ten years, and are given on the next page, but the figures relating to marriages in the above Table relate to the entire District of ATCHAM.

SHREWSBURY.*

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
(L DEATH PER 1000)	—	22.12	—	—	—	—	—	53.73	6.11	3.54	5.23	8.28	11.20	16.39	20.47	37.72	70.95	170.80
(Pop. 1-80)	—	28,861	724	684	700	646	680	3443	3120	2940	2961	2608	4601	3434	2604	1914	1133	417
CAUSES	22.12	6383	1177	333	107	104	60	1850	191	104	155	216	481	563	533	722	818	750
poor -	0.01	3	1	—	1	—	—	2	—	—	—	—	—	1	—	—	—	—
Fever -	0.22	92	24	16	16	9	5	82	7	1	—	1	—	—	—	—	—	—
Fever -	0.51	147	4	19	29	25	14	91	35	13	4	—	6	—	—	—	—	—
Fever -	0.10	30	1	4	4	3	6	18	9	2	—	—	1	—	—	—	—	—
Fever -	0.53	95	31	39	13	8	4	94	1	—	—	—	—	—	—	—	—	—
Fever -	0.05	13	—	—	—	—	—	—	2	—	1	1	—	2	—	—	—	—
Fever -	0.50	144	1	2	8	4	5	20	13	13	22	18	20	6	10	6	8	4
Cont. Fev. -	0.09	26	—	1	1	—	1	3	9	3	1	1	—	1	1	1	—	—
Fever -	0.07	10	—	—	—	—	—	—	—	—	—	3	12	5	—	—	—	—
and Dys. -	0.01	264	163	27	5	2	—	169	—	—	—	—	1	4	—	9	19	25
Fever -	0.01	4	1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—
Fever -	0.70	201	—	—	—	—	—	—	1	1	—	—	8	20	32	60	54	19
Mesent. -	0.11	33	5	2	1	—	—	9	3	4	1	7	—	3	2	2	—	—
Mesent. -	0.23	65	44	7	1	—	1	33	7	3	—	—	—	—	—	1	—	—
Mesent. -	0.27	684	5	2	5	1	1	14	11	11	29	95	166	143	82	71	21	9
Mesent. -	0.23	69	22	9	3	5	4	43	20	4	—	2	—	—	—	—	—	—
Gross Syst. -	3.32	950	190	20	8	4	6	234	18	10	12	19	65	101	115	115	141	129
Respiratory -	1.76	509	2	1	—	1	—	4	4	8	9	8	40	57	74	97	144	94
Respiratory -	3.81	1,168	251	116	29	22	7	430	11	5	4	11	34	69	57	140	173	183
Respirative -	1.14	329	33	4	2	3	1	43	3	3	5	7	23	34	32	61	66	28
Respirative -	0.56	161	2	—	—	—	1	3	5	3	4	7	18	17	24	35	29	29
Respirative -	0.10	80	—	—	—	—	—	—	—	—	1	2	3	7	6	6	2	3
Birth -	0.09	27	—	—	—	—	—	—	—	—	—	5	10	12	—	—	—	—
Birth -	0.05	22	—	—	—	—	—	—	—	—	1	—	6	7	6	2	—	—
Violent -	1.03	304	14	8	17	8	3	62	15	10	13	22	33	37	35	37	21	19
Causes -	3.66	1,955	309	46	23	9	8	435	19	10	17	7	20	40	32	73	135	247

Deaths of Infants (under
one) to 1000 Births - 149Marriages - *
Births - 8,378Annual Rate (Persons Married - *
per 1000 living (Births - - - 29.03

* See note to ATCHAM on previous page.

352.—OSWESTRY.

L DEATH PER 1000	—	18.88	—	—	—	—	—	42.51	5.40	3.39	5.42	6.91	7.90	11.41	13.42	27.78	69.23	168.03
n Pop. 1-80	—	26,060	742	698	717	688	707	3532	3390	2979	2566	2097	3519	2919	2421	1861	1137	519
CAUSES	15.88	5091	980	263	123	81	73	1510	183	101	139	145	280	333	325	517	636	872
poor	0.16	42	4	—	1	—	—	5	1	3	3	6	8	5	7	4	—	—
Fever	0.15	56	6	8	6	4	4	28	7	—	—	—	1	—	—	—	—	—
Fever	0.65	179	5	24	39	24	26	118	41	10	4	3	—	—	—	—	—	—
Fever	0.19	82	3	2	3	3	3	14	27	5	8	—	1	—	1	—	—	—
Fever	0.27	72	37	17	6	4	5	69	8	—	—	—	—	—	—	—	—	—
Fever	0.03	15	1	—	—	—	—	1	1	1	3	2	—	1	2	3	1	—
Fever	0.17	45	2	—	1	—	1	4	6	5	10	4	3	6	5	—	—	—
Cont. Fev.	0.09	24	1	2	—	—	—	1	4	1	—	1	2	2	3	3	—	—
Fever	0.01	17	—	—	—	—	—	—	—	—	1	4	7	5	—	—	—	—
and Dys.	0.32	85	41	6	1	2	—	50	—	—	—	—	—	4	3	9	19	—
Fever	0.03	7	1	—	—	—	—	1	—	—	—	—	1	2	2	1	—	—
Mesent.	0.48	123	—	—	—	—	—	—	—	—	—	—	5	13	19	36	54	18
Mesent.	0.09	23	4	2	1	—	—	7	2	3	1	3	1	2	1	1	—	—
Mesent.	0.18	48	15	10	3	4	2	34	3	3	4	2	—	—	—	—	—	—
Mesent.	0.01	542	14	8	3	2	2	29	4	33	56	71	133	118	33	29	29	2
Mesent.	0.23	61	23	10	7	—	2	45	9	3	1	—	2	—	1	—	—	—
Gross Syst.	2.70	729	295	35	9	6	5	348	11	6	4	12	14	28	40	63	103	97
Respiratory	1.43	391	1	2	—	—	1	4	5	10	9	6	19	31	45	77	123	67
Respiratory	0.77	748	115	67	23	14	7	229	9	3	10	3	15	25	49	139	139	123
Respirative	0.29	268	25	4	1	1	1	38	10	5	4	2	18	27	51	29	48	29
Respirative	0.23	97	—	3	1	—	—	4	2	—	3	2	12	12	9	24	25	14
Respirative	0.03	11	—	1	—	—	—	1	—	—	—	—	3	2	2	—	—	—
Birth	0.09	21	—	—	—	—	—	—	—	—	—	3	12	5	1	—	—	—
Birth	0.03	9	—	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—
Violent	0.63	183	7	10	6	4	6	33	10	8	14	12	13	34	50	22	13	18
CAUSES	4.93	1259	371	42	9	12	10	444	25	12	8	7	11	17	25	62	133	655

Deaths of Infants (under
one) to 1000 Births - 116Marriages - 1,530
Births - 8,431Annual Rate (Persons Married - 11.72
per 1000 living (Births - - - 31.38

353.—ELLESMERE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.15	—	—	—	—	—	35.50	6.37	2.76	4.36	6.78	8.26	9.64	12.28	24.25	34.37	173.
Mean Pop. 1871-80	—	14,086	353	315	359	353	333	1693	1048	1557	1422	1076	1659	1404	1352	1126	743	50
ALL CAUSES	18.15	2557	404	83	56	35	23	601	105	43	62	75	137	144	166	273	404	54
Small-pox	0.06	9	—	—	—	—	—	13	—	—	3	—	1	2	3	—	—	—
Measles	0.19	14	5	—	3	—	1	13	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.32	23	4	11	5	9	7	36	24	5	4	1	—	1	—	—	—	—
Diphtheria	0.31	45	1	3	4	5	2	15	17	6	2	—	1	2	—	—	—	—
Whooping-cough	0.23	22	18	9	3	—	1	31	1	—	—	—	—	—	—	—	—	—
Typhus	0.06	8	—	—	—	—	—	—	1	—	—	—	2	3	1	—	1	—
Euteric Fever	0.25	35	2	1	—	1	—	4	2	1	1	2	1	1	1	3	12	1
Simple Cont. Fev.	0.06	8	—	—	—	—	—	—	1	3	—	1	—	—	—	—	1	—
Puerp. Fever	0.04	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
Diarr. and Dys.	0.29	41	16	2	3	—	—	21	—	—	—	—	1	—	—	3	7	1
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.72	102	1	—	—	—	—	1	—	—	—	1	2	6	15	39	24	14
Scrophula	0.08	11	2	—	1	—	—	3	—	1	1	2	—	—	1	3	—	—
Tuberc Mesent.	0.13	18	8	2	1	—	1	12	2	3	—	—	—	—	—	—	—	—
Phthisis	1.72	143	5	—	—	—	—	—	7	7	27	44	68	49	38	14	7	1
Hydrocephalus	0.13	19	5	3	6	—	—	13	5	1	—	—	—	—	—	—	—	—
Diseases of	2.37	334	102	7	1	5	2	117	2	3	2	4	7	11	19	56	60	39
Nervous Syst.	1.03	187	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Respiratory	2.41	340	54	20	18	7	2	103	13	2	4	2	9	7	21	44	60	39
Digestive	1.19	168	25	1	2	—	3	31	3	1	1	2	4	16	25	35	27	19
Urinary	0.45	64	1	—	—	—	—	1	2	2	1	—	7	6	9	16	10	10
Generative	0.04	5	—	—	—	—	—	—	—	—	—	—	2	1	—	2	—	—
Childbirth	0.13	18	—	—	—	—	—	—	—	—	—	2	9	6	1	—	—	—
Suicide	0.06	9	—	—	—	—	—	—	—	—	—	—	1	1	2	2	3	—
Other Violence	0.55	77	7	5	5	3	1	21	8	2	6	5	6	6	5	2	13	8
OTHER CAUSES	4.92	694	151	16	5	3	4	179	13	6	4	5	14	11	20	25	98	22

Deaths of Infants (under
one) to 1000 Births - } 105Marriages - 724
Births - 3,944Annual Rate { Persons Married - 10.23
per 1000 living { Births - 27.29

354.—WEM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	16.33	—	—	—	—	—	30.35	3.73	1.91	3.96	6.55	7.82	9.15	10.02	20.81	32.61	167
Mean Pop. 1871-80	—	10,722	264	247	279	258	265	1315	1312	1202	1010	779	1215	1169	1068	863	545	24
ALL CAUSES	16.33	1751	267	58	25	39	19	390	40	23	40	51	95	107	107	180	287	45
Small-pox	0.02	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Measles	0.08	5	—	1	1	—	—	7	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.34	41	1	5	3	9	4	23	12	1	2	1	1	1	1	—	—	—
Diphtheria	0.18	19	—	1	1	2	3	7	10	—	1	—	1	—	—	—	—	—
Whooping-cough	0.21	22	11	6	3	2	—	22	—	—	—	—	—	—	—	—	—	—
Typhus	0.04	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Euteric Fever	0.18	14	—	—	—	1	—	—	—	—	2	1	2	1	—	—	—	—
Simple Cont. Fev.	0.01	1	—	1	—	—	—	2	2	—	—	—	—	—	4	—	—	1
Puerp. Fever	0.03	5	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
Diarr. and Dys.	0.54	68	25	5	1	2	1	34	—	—	—	1	—	—	1	2	8	15
Cholera	0.03	3	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—
Cancer	0.30	63	—	—	—	—	—	—	—	—	—	—	1	7	8	13	21	15
Scrophula	0.08	9	2	1	—	—	—	3	1	2	—	—	—	—	—	—	—	—
Tuberc Mesent.	0.04	9	2	2	1	—	1	6	3	—	—	—	—	—	—	—	—	—
Phthisis	1.83	193	1	—	—	—	—	—	5	14	25	55	29	28	23	11	8	—
Hydrocephalus	0.17	18	5	4	—	2	3	14	3	1	—	—	—	—	—	—	—	—
Diseases of	2.02	217	40	7	5	—	1	53	1	2	4	5	3	8	11	22	55	34
Nervous Syst.	1.33	145	—	—	—	—	—	—	—	2	4	3	1	6	10	28	28	27
Respiratory	2.10	225	51	14	7	5	—	77	2	2	1	2	2	15	8	21	38	19
Digestive	1.01	149	19	—	—	1	—	11	4	3	5	2	2	14	14	33	35	19
Urinary	0.46	49	—	—	—	—	—	1	—	—	—	—	—	5	11	13	10	—
Generative	0.07	8	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—	—
Childbirth	0.07	8	—	—	—	—	—	—	—	—	—	—	1	5	2	—	—	—
Suicide	0.04	4	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Other Violence	0.53	57	5	—	—	—	—	12	3	1	3	1	4	3	8	6	8	—
OTHER CAUSES	5.97	426	109	11	2	3	4	127	2	1	3	4	6	9	11	16	44	20

Deaths of Infants (under
one) to 1000 Births - } 91Marriages - 582
Births - 2,939Annual Rate { Persons Married - 10.86
per 1000 living { Births - 27.41

355.—WHITCHURCH.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	19.15	—	—	—	—	—	43.02	4.18	2.77	4.09	5.85	7.03	9.71	12.56	17.58	60.07	15
Mean Pop. 1871-80	—	11,335	297	268	287	283	279	1414	1363	1191	1122	928	1486	1164	1019	830	576	15
ALL CAUSES	19.15	2171	474	112	33	41	19	679	57	83	56	54	101	113	128	229	346	15
Small-pox	0.06	7	—	—	—	—	—	—	—	—	—	2	2	—	1	—	2	—
Measles	0.18	20	2	13	2	2	—	19	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.32	36	3	3	6	9	5	26	2	1	2	—	—	—	—	—	—	—
Diphtheria	0.37	42	3	3	2	8	4	20	14	5	2	1	—	—	—	—	—	—
Whooping-cough	0.23	26	15	6	1	1	1	25	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.20	23	2	—	—	2	—	4	2	1	3	1	3	3	1	2	1	—
Simple Cont. Fev.	0.04	5	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Purp. Fever	0.05	6	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
Diarr. and Dys.	0.65	74	46	7	3	1	—	57	—	—	—	—	—	2	1	1	8	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.61	69	—	—	—	—	1	1	—	—	—	2	1	4	11	19	14	—
Scrofula	0.04	6	—	2	—	—	—	2	—	1	—	—	—	1	—	—	—	—
Tuberc. Mesent.	0.11	12	7	1	—	—	—	8	1	1	—	—	—	—	—	—	—	—
Phthisis	1.80	204	6	3	2	—	—	11	4	6	20	24	52	10	16	20	6	—
Hydrocephalus	0.18	20	8	7	—	2	1	18	1	—	—	1	—	—	—	—	—	—
Diseases of Nervous Syst.	2.40	272	65	12	2	3	1	84	4	2	3	4	7	3	20	20	48	—
Cerebratory	1.51	175	—	—	—	—	—	—	3	1	4	3	6	13	17	34	72	—
Respiratory	3.05	288	70	23	2	1	—	101	4	1	3	2	2	14	20	32	64	—
Digestive	1.27	144	11	1	1	1	2	16	2	3	3	3	6	17	18	41	29	—
Urinary	0.36	41	—	—	—	—	—	—	1	—	1	1	6	1	2	8	13	—
Generative	0.04	5	—	—	—	—	—	—	—	—	1	1	—	—	1	1	1	—
Childbirth	0.08	9	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—	—
Suicide	0.06	7	—	—	—	—	—	—	—	—	—	—	1	—	—	4	—	—
Other Violence	0.55	62	7	1	2	6	1	17	7	3	3	3	3	5	4	2	10	—
OTHER CAUSES	5.57	698	2.8	19	10	8	3	265	4	8	9	2	6	11	14	25	65	—

Deaths of Infants (under one) to 1000 Births } 132 Marriages - 724 Annual Rate of Persons Married - 12.77
Births - 3,603 per 1000 living (Births) - 51.79

356.—MARKET DRAYTON.

—	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	17.11	—	—	—	—	—	38.31	3.31	3.17	4.26	5.86	6.78	10.56	10.35	12.01	38.35	16
Mean Pop. 1871-80	—	14,753	572	359	408	364	384	1887	1904	1610	1386	1126	1843	1600	1302	1045	689	16
ALL CAUSES	17.11	2524	408	121	51	20	27	725	63	51	59	63	125	169	141	276	403	16
Small-pox	0.04	6	1	—	—	—	—	1	—	1	—	1	—	—	—	—	2	—
Measles	0.07	11	2	3	2	—	—	9	1	—	1	—	—	—	—	—	—	—
Scarlet Fever	0.18	26	3	3	5	—	5	16	7	2	1	—	—	—	—	—	—	—
Diphtheria	0.11	16	1	2	2	3	1	9	4	2	—	1	—	—	—	—	—	—
Whooping-cough	0.21	31	17	9	3	—	1	39	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	7	—	—	—	—	—	—	1	—	2	1	1	1	—	1	—	—
Enteric Fever	0.20	20	1	—	3	1	—	5	4	2	3	2	3	3	1	2	—	—
Simple Cont. Fev.	0.09	13	—	1	1	—	—	2	1	4	2	1	—	1	—	1	—	—
Purp. Fever	0.04	12	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—
Diarr. and Dys.	0.52	57	53	7	1	—	3	66	—	2	—	—	—	2	2	2	7	—
Cholera	0.02	3	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	—
Cancer	0.52	76	—	—	—	—	—	—	—	—	1	1	1	9	19	24	14	—
Scrofula	0.11	16	5	1	2	—	—	8	1	3	1	—	—	—	—	1	—	—
Tuberc. Mesent.	0.25	41	23	9	3	—	—	34	2	1	—	2	1	—	—	—	—	—
Phthisis	1.38	204	3	2	2	—	—	9	2	6	16	20	65	20	20	13	5	—
Hydrocephalus	0.12	17	5	4	—	—	1	10	2	2	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.35	216	117	15	5	3	3	115	6	5	2	2	9	7	12	25	39	—
Cerebratory	1.28	169	1	—	—	—	—	1	2	4	3	5	6	9	14	40	68	—
Respiratory	3.09	436	84	20	10	5	3	123	8	4	4	4	9	18	20	50	80	—
Digestive	1.29	177	22	5	2	3	3	63	6	2	4	2	12	23	10	20	30	—
Urinary	0.52	78	2	1	1	—	1	5	1	4	2	—	4	6	7	9	14	—
Generative	0.05	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Childbirth	0.12	17	—	—	—	—	—	—	—	—	1	4	6	6	—	—	—	—
Suicide	0.01	10	—	—	—	—	—	—	—	—	—	—	—	2	2	3	—	—
Other Violence	0.46	64	3	4	3	4	4	18	2	2	7	3	7	1	2	8	8	—
OTHER CAUSES	4.00	493	171	23	7	6	2	212	10	4	7	6	5	17	17	23	61	—

Deaths of Infants (under one) to 1000 Births } 113 Marriages - 880 Annual Rate of Persons Married - 11.93
Births - 4,412 per 1000 living (Births) - 22.91

357.—WELLINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000.	—	19'82	—	—	—	—	—	57'51	5'53	2'97	3'00	7'03	7'85	9'74	12'45	26'47	57'78	162'
Mean Pop. 1871-80	—	25,834	822	607	739	738	770	3766	3473	3036	2413	1863	3286	2514	2106	1579	971	40
ALL CAUSES	19'82	5121	1454	390	153	98	62	2166	192	91	94	131	258	274	273	418	561	60
Small-pox	0'27	71	10	5	5	3	2	23	9	7	3	5	30	8	2	2	1	1
Measles	0'19	44	14	22	1	3	1	41	5	—	1	—	—	—	—	—	—	—
Scarlet Fever	0'71	144	10	33	33	25	15	117	51	9	3	2	—	—	—	—	—	—
Diphtheria	0'13	34	2	5	6	4	3	30	11	2	—	—	—	—	—	—	—	—
Whooping-cough	0'33	83	40	31	7	3	3	84	—	2	—	—	—	—	—	—	—	—
Typhus	0'02	6	—	—	—	—	—	—	1	1	1	—	1	1	1	—	—	—
Enteric Fever	0'24	53	—	4	2	—	—	12	6	11	8	—	4	1	1	2	—	—
Simple Cont. Fev.	0'18	34	—	6	—	—	—	12	5	—	—	—	—	—	—	—	—	—
Puerp. Fev.	0'09	22	—	—	—	—	—	—	—	—	1	—	6	1	—	—	—	—
Diarr. and Dys.	0'23	240	137	32	6	1	3	109	—	1	—	—	3	1	4	7	3	19
Cholera	0'02	5	2	2	—	—	—	4	1	—	—	—	—	—	—	—	—	—
Cancer	0'34	97	—	—	—	—	—	—	—	—	—	1	4	14	30	38	18	13
Scrofula	0'07	17	—	—	1	—	—	8	3	—	1	1	1	1	1	2	—	—
Tuberc. Mesent.	1'29	107	60	27	3	—	—	95	4	2	—	—	—	—	—	—	—	—
Phthisis	1'34	347	14	11	3	3	—	31	7	10	24	05	109	50	56	17	5	—
Hydrocephalus	0'13	38	15	11	3	2	1	33	1	1	—	—	—	—	—	—	—	—
Diseases of	2'55	654	324	31	12	10	7	394	21	9	4	4	16	25	31	36	68	69
Nervous Syst.	1'10	293	—	1	—	—	—	1	1	7	10	9	12	33	41	65	60	44
Circulatory	3'85	991	295	109	40	11	7	42	14	5	6	13	31	45	53	105	138	121
Respiratory	0'25	69	4	—	—	—	—	7	5	2	—	4	23	26	41	66	69	2
Digestive	0'25	69	4	—	—	—	—	7	5	2	—	4	23	26	41	66	69	2
Urinary	0'04	11	—	—	—	—	—	—	—	—	1	2	2	1	—	—	—	—
Generative	0'07	19	—	—	—	—	—	—	—	—	2	3	5	8	1	—	—	—
Childbirth	0'04	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'52	135	1	8	10	7	7	33	27	9	7	5	7	11	9	11	10	6
Other Violence	4'09	1213	451	85	17	14	19	820	19	8	20	5	17	29	23	56	135	367

Deaths of Infants (under one) to 1000 Births } 140

Marriages - 2,073
Births - 0,743Annual Rate (Persons Married - 16'05
per 1000 living (Births - 37'73

358.—NEWPORT.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000.	—	17'12	—	—	—	—	—	41'10	4'37	3'54	4'05	5'75	6'89	8'29	11'97	22'27	34'30	144'57
Mean Pop. 1871-80	—	15,598	433	368	428	305	405	2029	1969	1863	1505	1182	1859	1005	1415	1091	709	31
ALL CAUSES	17'12	2,670	557	143	57	43	34	834	80	66	61	68	128	133	173	243	335	495
Small-pox	0'03	5	3	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1
Measles	0'13	21	7	6	4	2	—	19	—	1	—	—	1	—	—	—	—	—
Scarlet Fever	0'37	57	3	7	13	9	4	36	12	5	—	2	—	—	—	—	—	—
Diphtheria	0'17	27	1	1	2	3	3	10	8	7	—	—	1	—	1	—	—	—
Whooping-cough	0'20	41	18	16	3	5	1	41	—	—	—	—	—	—	—	—	—	—
Typhus	0'02	3	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
Enteric Fever	0'21	32	2	2	1	—	1	6	5	2	3	7	2	1	3	1	2	—
Simple Cont. Fev.	0'02	3	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Puerp. Fev.	0'04	6	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Diarr. and Dys.	0'47	74	48	4	3	4	—	59	1	—	—	—	1	—	—	3	4	6
Cholera	0'01	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	0'40	62	—	—	—	—	—	—	—	—	—	—	8	5	12	20	18	4
Scrofula	0'06	9	4	1	—	—	—	5	—	—	—	—	3	1	—	—	—	—
Tuberc. Mesent.	0'12	18	7	3	—	—	2	12	—	2	2	—	1	1	—	—	—	—
Phthisis	1'28	200	8	5	1	—	—	14	3	7	18	24	45	49	25	18	4	—
Hydrocephalus	0'17	28	8	7	1	—	1	17	4	1	2	1	1	—	—	—	—	—
Diseases of	2'18	340	154	27	6	5	3	175	8	6	4	—	2	14	31	32	35	23
Nervous Syst.	1'15	180	—	—	—	—	—	1	1	1	4	4	9	15	23	35	36	33
Circulatory	2'51	891	83	59	11	5	4	194	7	7	5	2	9	16	27	46	77	62
Respiratory	0'83	130	17	2	1	2	2	24	3	6	2	6	7	12	26	18	19	7
Digestive	0'29	45	2	—	—	—	—	1	2	1	2	2	3	3	7	9	7	5
Urinary	0'04	6	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—
Generative	0'11	17	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—
Childbirth	0'13	14	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Suicide	0'72	113	6	2	5	4	8	25	13	10	15	9	6	11	5	1	1	5
Other Violence	5'50	855	206	27	6	4	4	247	16	8	6	4	17	8	33	20	133	348

Deaths of Infants (under one) to 1000 Births } 119

Marriages - 869
Births - 4,665Annual Rate (Persons Married - 11'14
per 1000 living (Births - 29'91

STAFFORDSHIRE.

359.—STAFFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—
ANNUAL DEATH RATE PER 1000.	—	22.99	—	—	—	—	—	53.35	6.23	3.23	4.64	7.72	11.92	19.15	24.23	38.93	72.70	12
Mean Pop. 1871-80	—	28,657	816	734	753	752	752	3807	3471	2999	2779	2487	4178	3274	2414	1739	1060	
ALL CAUSES	22.99	6587	1280	367	163	126	95	2031	218	97	129	192	498	627	585	677	775	
Small-pox	0.04	11	1	—	—	1	—	2	—	1	2	—	2	2	—	—	—	
Measles	0.15	44	9	15	8	5	3	49	3	1	—	—	—	—	—	—	—	
Scarlet Fever	0.80	236	12	26	29	41	37	149	74	9	3	2	1	—	1	—	—	
Diphtheria	0.16	47	2	2	4	7	5	30	17	4	2	1	—	—	—	2	—	
Whooping-cough	0.45	129	66	53	16	9	4	128	—	—	—	—	—	—	—	—	—	
Typhus	0.01	3	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	
Enteric Fever	0.23	67	1	4	5	2	1	11	9	7	4	5	7	8	10	3	3	
Simple Cont. Fer.	0.03	9	1	—	—	1	1	5	1	1	1	1	—	—	1	—	1	
Puemp. Fever	0.09	26	—	—	—	—	—	—	—	—	—	11	10	5	—	—	—	
Diarr. and Dys.	0.62	179	102	23	5	—	2	132	—	—	—	2	—	2	5	10	14	
Cholera	0.02	6	—	2	—	—	—	2	1	—	—	1	—	—	—	1	1	
Cancer	0.64	182	—	—	—	—	—	—	1	—	—	—	6	19	23	23	31	
Scrofula	0.09	27	3	2	4	2	—	9	3	—	—	2	3	1	1	6	—	
Tuberc. Mesent.	0.21	61	31	11	5	2	2	51	4	—	3	—	1	—	—	1	—	
Phtisis	2.29	742	34	20	6	8	5	75	9	12	48	92	175	143	111	89	50	
Hydrocephalus	0.16	47	13	9	4	2	3	31	10	4	1	—	—	—	—	—	1	
Diseases of	4.09	1343	261	55	19	13	9	353	15	19	18	23	142	211	176	165	152	
Nervous Syst.	1.80	615	3	—	1	—	—	4	2	7	7	9	31	54	67	118	128	
Circulatory	2.86	820	189	104	26	9	8	320	15	6	9	6	23	63	65	87	124	
Digestive	0.89	254	26	3	4	2	3	33	7	4	5	6	15	33	45	45	30	
Urinary	0.28	108	1	1	—	1	1	4	8	3	—	1	14	4	11	24	23	
Generative	0.03	8	—	—	—	—	—	—	—	—	—	—	—	—	1	3	9	
Childbirth	0.11	31	—	—	—	—	—	—	—	—	—	5	14	12	—	—	—	
Suicide	0.10	30	—	—	—	—	—	—	—	—	1	3	1	8	3	9	4	
Other Violence	0.72	207	12	9	13	11	6	51	17	14	8	12	24	20	16	17	16	
OTHER CAUSES	5.12	1462	519	49	16	13	10	605	21	4	9	10	26	34	50	74	199	

Deaths of Infants (under one) to 1000 Births } 130

Marriages - 2,133
Births - 9,882Annual Rate of Persons Married per 1000 living } Births - 14.29
Births - 34.48

360.—STONE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—
ANNUAL DEATH RATE PER 1000.	—	20.01	—	—	—	—	—	54.65	6.19	2.87	3.82	6.19	8.67	11.56	15.26	30.47	65.85	10
Mean Pop. 1871-80	—	26,010	781	697	743	732	692	3645	3344	2957	2670	2279	3060	2940	2339	1607	978	
ALL CAUSES	20.01	5254	1260	365	166	118	83	1992	207	85	102	141	218	340	357	508	644	
Small-pox	0.07	18	2	—	—	—	—	2	1	—	3	4	1	2	1	4	—	
Measles	0.24	64	14	22	12	6	—	54	8	—	1	—	1	—	—	—	—	
Scarlet Fever	0.79	212	3	24	32	39	30	139	69	19	4	1	2	2	1	—	—	
Diphtheria	0.14	38	1	5	4	2	7	19	14	1	5	1	1	—	—	—	—	
Whooping-cough	0.23	67	34	20	7	4	1	69	1	—	—	—	—	—	—	—	—	
Typhus	0.03	9	—	—	—	—	—	—	2	1	—	—	1	1	—	2	1	
Enteric Fever	0.19	50	1	3	3	3	—	13	6	3	4	6	8	3	2	2	1	
Simple Cont. Fer.	0.10	28	3	1	1	—	1	5	3	3	2	3	2	2	2	3	3	
Puemp. Fever	0.12	32	—	—	—	—	—	—	—	—	2	7	18	5	—	—	—	
Diarr. and Dys.	0.81	210	168	30	5	3	2	178	2	1	—	—	2	1	6	7	11	
Cholera	0.01	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Cancer	0.26	97	—	—	—	—	—	—	—	—	—	—	2	18	17	24	29	
Scrofula	0.06	17	3	2	—	—	—	5	2	1	2	1	2	1	1	2	—	
Tuberc. Mesent.	0.21	53	30	13	2	4	1	50	2	2	—	—	1	—	—	—	—	
Phtisis	2.04	559	15	10	9	1	2	17	16	19	44	29	141	112	74	36	18	
Hydrocephalus	0.20	53	22	16	5	1	1	47	5	—	—	—	—	—	1	—	—	
Diseases of	5.06	824	251	62	31	14	9	457	26	16	4	8	29	9	50	76	100	
Nervous Syst.	1.25	335	1	—	—	—	—	1	5	6	19	8	14	33	14	75	91	
Circulatory	3.53	947	219	99	28	13	12	378	16	3	7	9	23	46	63	103	169	
Digestive	1.43	385	26	5	1	4	2	38	9	6	3	5	22	34	26	61	125	
Urinary	0.35	93	3	—	—	—	—	3	—	2	4	4	2	10	11	19	21	
Generative	0.03	14	—	—	—	—	—	—	—	—	—	—	—	1	2	6	2	
Childbirth	0.10	27	—	—	—	—	—	—	—	—	—	4	13	8	—	—	—	
Suicide	0.10	28	—	—	—	—	—	—	—	—	1	5	6	3	4	7	1	
Other Violence	0.54	145	6	1	6	5	4	22	12	8	5	6	13	17	21	18	8	
OTHER CAUSES	3.99	1071	287	60	20	17	8	492	13	7	4	9	20	22	27	34	116	

Deaths of Infants (under one) to 1000 Births } 141

Marriages - 1,450
Births - 8,957Annual Rate of Persons Married per 1000 living } Births - 17.26
Births - 33.29

361.—NEWCASTLE-UNDER-LYME.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	21.41	—	—	—	—	—	63.28	5.58	3.85	5.82	8.36	9.33	12.00	18.00	31.88	74.09	172.8
Mean Pop. 1871-80	—	32,443	1015	931	983	961	930	4818	4318	3740	3091	2702	4008	3644	2616	1720	876	319
ALL CAUSES	21.41	6945	1924	556	276	160	133	3049	241	144	180	226	430	470	471	550	649	533
Small-pox	0.00	97	11	1	3	3	4	22	9	6	7	11	18	15	6	1	2	—
Measles	0.54	175	40	58	28	22	13	161	14	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.60	194	8	27	32	50	31	128	20	10	1	1	2	—	—	—	—	—
Diphtheria	0.10	33	4	4	3	4	3	18	7	3	2	1	1	—	—	—	—	—
Whooping-cough	0.33	118	50	39	15	10	1	115	3	—	—	—	—	—	—	—	—	—
Typhus	0.03	10	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.10	80	1	1	5	4	3	11	10	14	11	9	8	6	3	—	1	1
Simple Cont. Fev.	0.03	33	1	1	6	3	1	22	7	8	1	2	—	—	—	—	—	—
Puerp. Fever	0.12	39	—	—	—	—	—	—	—	—	—	6	17	13	—	—	—	—
Diarr. and Dys.	0.83	290	166	37	21	8	3	222	2	—	1	1	6	5	5	15	21	13
Cholera	0.00	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	0.40	130	—	—	—	—	—	—	1	—	—	—	—	4	17	40	27	13
Scrofula	0.08	25	4	—	1	—	—	5	—	4	—	—	—	2	3	—	—	—
Tuberc. Mesent.	0.24	73	40	21	4	2	—	67	5	1	—	—	—	—	—	—	—	—
Phthisis	1.79	581	7	12	7	2	3	31	20	29	58	75	119	118	86	29	16	1
Hydrocephalus	0.35	112	33	37	11	6	6	93	10	5	1	1	2	—	—	—	—	—
Diseases of Nervous Syst.	3.01	978	483	77	28	21	10	621	18	16	8	9	18	36	44	76	80	32
Circulatory	0.39	288	2	—	2	2	2	6	6	8	8	6	23	35	31	62	60	23
Respiratory	3.69	1196	305	140	64	25	17	554	12	6	6	9	26	66	89	151	159	86
Digestive	0.86	530	39	9	2	1	1	53	5	6	7	5	20	35	45	51	49	19
Urinary	0.26	85	—	—	1	1	1	3	5	3	1	3	5	9	12	16	21	7
Generative	0.03	9	—	—	—	—	—	—	—	—	—	—	4	1	3	1	—	—
Childbirth	0.15	49	—	—	—	—	—	—	—	—	3	12	20	18	1	—	—	—
Suicide	0.04	14	—	—	—	—	—	—	—	—	1	—	2	2	2	1	1	1
Other Violence	1.27	412	16	12	11	9	6	54	13	23	48	61	90	96	86	13	17	7
OTHER CAUSES	5.06	1612	719	89	58	12	23	807	27	8	11	9	32	33	54	97	181	221

Deaths of Infants (under one) to 1000 Births } 147

Marriages } 2,197
Births } 13,035Annual Rate { Persons Married } 13.54
per 1000 living { Births } 40.27

362.—WOLSTANTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	24.23	—	—	—	—	—	85.73	6.45	3.38	4.52	6.58	8.51	13.74	21.54	38.47	82.83	185.47
Mean Pop. 1871-80	—	72,109	2161	2038	2254	2226	2058	11002	9689	8320	7056	6505	10550	8211	6739	3270	1301	405
ALL CAUSES	24.23	17,566	6011	1909	732	470	302	9484	625	281	319	428	808	1123	1250	1258	1153	735
Small-pox	0.11	79	10	5	2	3	4	24	5	8	7	15	10	9	—	1	—	—
Measles	0.53	417	99	102	71	37	23	330	24	—	—	—	—	—	—	—	—	—
Scarlet Fever	1.06	763	54	122	130	125	89	539	194	26	6	8	2	2	—	—	—	—
Diphtheria	0.04	32	7	2	2	5	1	17	8	2	1	—	2	—	—	—	—	—
Whooping-cough	0.35	394	193	112	30	20	15	344	10	—	—	—	—	—	—	—	—	—
Typhus	0.05	24	—	—	—	—	—	5	5	4	—	8	3	1	5	3	—	—
Euteric Fever	0.23	245	10	13	10	13	7	53	59	51	28	28	15	15	5	2	—	—
Simple Cont. Fev.	0.21	149	7	10	20	23	7	69	29	11	6	9	9	6	4	3	1	—
Puerp. Fever	0.10	73	—	—	—	—	—	—	—	—	5	15	42	11	—	—	—	—
Diarr. and Dys.	1.49	1012	639	158	27	17	6	896	10	3	—	5	8	10	9	24	24	23
Cholera	0.01	9	—	—	—	—	—	1	—	—	1	1	—	—	8	2	1	—
Cancer	0.28	201	—	1	—	—	—	1	—	—	1	2	9	25	60	60	29	8
Scrofula	0.18	57	16	13	2	—	—	31	7	7	2	6	1	1	—	—	—	—
Tuberc. Mesent.	0.21	547	193	111	29	6	2	313	14	2	2	1	2	1	1	1	—	—
Phthisis	1.70	1237	17	24	5	6	9	11	24	47	109	135	304	235	162	33	13	2
Hydrocephalus	0.30	216	77	73	25	13	2	193	14	9	1	—	1	1	—	—	—	—
Diseases of Nervous Syst.	3.71	2578	1509	249	71	21	31	1891	49	29	19	21	63	138	173	189	161	74
Circulatory	0.62	612	—	—	—	—	—	1	14	23	13	17	19	65	122	111	121	19
Respiratory	4.79	3321	805	469	138	60	49	1721	35	19	18	33	111	263	391	451	394	143
Digestive	0.64	653	103	14	16	5	7	150	18	9	10	17	42	79	121	112	54	14
Urinary	0.28	201	3	7	2	3	4	19	8	1	2	14	20	31	36	32	23	19
Generative	0.04	28	—	—	—	—	—	—	—	—	—	1	5	7	8	6	3	—
Childbirth	0.11	104	—	—	—	—	—	—	—	—	10	14	44	35	3	—	—	—
Suicide	0.05	51	—	—	—	—	—	—	—	1	1	2	4	12	7	1	2	1
Other Violence	0.73	539	18	24	36	23	15	114	47	32	41	68	99	77	76	26	34	6
OTHER CAUSES	5.78	4044	2223	251	110	42	21	2785	64	37	21	23	49	29	101	142	334	431

Deaths of Infants (under one) to 1000 Births } 183

Marriages } 6,540
Births } 32,797Annual Rate { Persons Married } 19.29
per 1000 living { Births } 45.43

363.—STOKE-UPON-TRENT.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	25.80	—	—	—	—	—	86.78	7.06	3.90	5.51	7.45	9.25	16.50	24.27	40.09	54.37	153
Mean Pop. 1871-80	—	96,787	3391	2821	2915	2831	2761	14719	12513	10840	9761	8715	14572	10958	7597	4519	1983	61
ALL CAUSES	25.80	24,967	7914	2610	1108	653	485	12770	953	425	533	649	1348	1808	1544	1839	1673	111
Small-pox	0.20	190	25	10	7	4	5	51	39	28	19	18	18	10	4	3	—	—
Measles	0.49	478	99	174	164	40	23	419	26	1	—	1	—	—	—	—	—	—
Scarlet Fever	1.22	1182	79	210	227	177	152	844	274	40	12	5	6	—	—	—	—	—
Diphtheria	0.10	99	9	20	9	10	6	54	39	5	2	—	—	6	2	—	—	—
Whooping-cough	0.91	493	224	147	56	39	14	430	15	—	—	—	—	—	—	—	—	—
Typhus	0.04	41	1	—	2	—	4	7	6	6	4	4	6	1	3	4	—	—
Enteric Fever	0.44	428	11	14	20	12	20	77	63	45	26	46	49	31	23	19	6	—
Simple Cont. Fev.	0.14	137	2	12	15	12	6	47	21	16	9	—	—	5	7	8	—	—
Puerp. Fever	0.11	106	—	—	—	—	—	—	—	—	8	22	51	24	1	—	—	—
Diarr. and Dys.	1.07	1619	1101	284	49	15	9	1469	9	1	4	4	12	14	13	31	47	—
Cholera	0.03	32	13	2	1	—	—	16	1	1	1	—	—	4	2	2	1	—
Cancer	0.29	278	—	—	—	—	1	1	1	5	1	3	25	67	160	160	36	1
Scrofula	0.15	145	51	25	7	9	6	98	9	5	6	7	5	3	3	6	3	—
Tubes Mesent.	0.42	402	202	101	40	16	2	761	12	7	1	—	1	7	3	—	—	—
Phthisis	0.23	2163	88	59	14	17	5	163	39	67	157	262	421	524	520	118	23	—
Hydrocephalus	0.37	354	123	102	44	17	23	504	31	11	6	1	—	1	—	—	—	—
Diseases of	2.73	3506	1837	322	113	61	39	2431	99	31	48	94	61	124	178	245	237	11
Nervous Syst.	1.17	1133	4	1	—	3	1	9	18	23	37	52	89	206	223	266	166	6
Respiratory	4.39	4741	1284	635	211	87	60	2307	77	27	39	33	161	249	346	534	482	16
Digestive	0.93	202	133	23	16	10	7	191	31	19	9	30	59	136	162	132	88	2
Urinary	0.31	297	6	5	6	5	9	31	12	6	9	17	40	64	45	40	35	—
Genesirals	0.04	34	—	—	—	—	—	—	—	—	1	1	7	6	11	6	2	—
Childbirth	0.11	110	—	—	—	—	—	—	—	—	6	13	47	59	—	—	—	—
Suicide	0.04	42	—	—	—	—	—	—	—	—	3	3	8	9	7	5	5	—
Other Violence	0.79	769	19	26	43	41	29	178	65	54	56	50	105	83	70	61	43	1
OTHER CAUSES	5.27	5681	2123	418	127	63	61	3211	87	27	37	35	77	198	150	220	473	65

Deaths of Infants (under one) to 1000 Births - 189

Marriages - 9,568
Births - 41,897Annual Rate { Persons Married - 19.77
per 1000 living { Births - 43.29

364.—LEEK.

—	Annual Death Rate per 1000.	21.22	—	—	—	—	—	60.48	5.42	4.20	5.98	7.34	8.48	11.90	15.02	31.56	66.41	170
ANNUAL DEATH RATE PER 1000	—	21.22	—	—	—	—	—	60.48	5.42	4.20	5.98	7.34	8.48	11.90	15.02	31.56	66.41	170
Mean Pop. 1871-80	—	29,600	604	856	672	826	821	4250	8911	8381	2825	2467	4003	3152	2450	1722	1027	39
ALL CAUSES	21.22	6295	1036	592	202	136	100	2576	212	142	169	181	340	380	390	555	682	67
Small-pox	0.01	11	—	—	—	—	1	1	2	1	—	2	1	3	1	—	—	—
Measles	0.48	141	37	52	16	13	5	124	14	5	—	1	—	—	—	—	—	—
Scarlet Fever	0.71	211	15	33	37	33	23	145	10	11	3	1	1	—	2	—	—	—
Diphtheria	0.10	39	—	5	—	—	9	14	7	5	3	1	—	—	—	—	—	—
Whooping-cough	0.53	156	82	40	9	8	4	152	4	—	—	—	—	—	—	—	—	—
Typhus	0.01	4	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
Enteric Fever	0.27	79	2	2	—	4	2	10	10	10	8	6	12	10	6	4	1	—
Simple Cont. Fev.	0.09	27	—	1	2	1	—	5	3	7	1	2	3	1	1	1	1	—
Puerp. Fever	0.00	24	—	—	—	—	—	—	—	—	2	10	11	5	—	—	—	—
Diarr. and Dys.	0.81	229	152	30	10	—	1	193	2	1	1	5	1	3	4	6	14	1
Cholera	0.01	3	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—
Cancer	0.29	156	—	—	—	—	—	—	—	1	—	1	2	12	25	47	21	—
Scrofula	0.09	56	6	1	1	4	—	11	2	4	2	—	—	2	3	2	1	—
Tubes Mesent.	0.23	101	37	41	8	5	5	92	12	8	2	8	—	—	—	—	—	—
Phthisis	1.05	679	8	5	5	4	2	24	12	29	61	73	149	137	53	25	7	—
Hydrocephalus	0.22	34	40	17	5	5	5	70	13	6	3	1	—	1	—	—	—	—
Diseases of	2.81	335	336	44	29	19	10	638	27	13	8	8	26	24	45	69	166	6
Nervous Syst.	1.47	424	1	2	1	—	—	4	6	12	10	11	34	63	107	136	7	—
Respiratory	4.65	1300	504	153	49	24	14	544	23	5	17	9	33	56	74	140	184	11
Digestive	0.93	202	133	23	16	10	7	191	31	19	9	30	59	136	162	132	88	2
Urinary	0.31	297	6	5	6	5	9	31	12	6	9	17	40	64	45	40	35	—
Genesirals	0.04	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.10	31	—	—	—	—	—	—	—	—	—	8	7	18	—	—	—	—
Suicide	0.09	29	—	—	—	—	—	—	—	—	1	2	2	6	9	7	3	—
Other Violence	0.41	184	5	9	8	6	5	53	5	0	13	7	11	15	15	10	10	—
OTHER CAUSES	4.45	1321	283	52	17	10	11	672	13	9	12	10	21	23	23	33	123	36

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 1,319
Births - 11,172Annual Rate { Persons Married - 13.14
per 1000 living { Births - 27.66

365.—CHEADLE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	19.37	—	—	—	—	—	47.91	6.00	2.75	4.41	8.66	9.65	10.31	16.11	25.41	63.01	157.7
Mean Pop. 1871-80	—	21,062	673	623	633	610	614	3164	3007	2544	1994	1675	2714	2319	1890	1448	857	34
ALL CAUSES	19.37	4253	964	295	122	78	57	1516	183	70	88	143	262	230	305	368	540	536
Small-pox	0.08	17	2	1	—	—	—	3	2	—	2	4	5	1	—	—	—	—
Measles	0.22	49	10	19	3	8	2	42	6	—	—	1	1	—	—	—	—	—
Scarlet Fever	0.64	145	9	25	28	12	11	86	46	4	2	1	5	1	—	—	—	—
Diphtheria	0.19	42	1	9	6	4	2	22	14	2	1	1	—	—	—	—	—	—
Whooping-cough	0.41	91	47	23	12	2	4	88	3	—	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	1	1	1	—	—	1	7	—	—	—	—	—
Enteric Fever	0.25	56	1	7	3	4	5	29	3	3	—	—	5	5	5	2	—	1
Simple Cont. Fev.	0.08	17	1	1	—	1	2	6	—	2	1	1	—	—	—	—	—	—
Puerp. Fever	0.09	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.69	151	81	21	1	1	1	105	1	1	1	1	4	7	2	5	8	21
Cholera	0.05	10	4	—	—	—	1	5	—	1	—	1	1	—	—	—	—	—
Cancer	0.44	96	—	—	—	—	—	—	—	—	1	—	7	8	18	22	20	11
Scrofula	0.08	18	3	3	—	—	—	6	3	1	—	3	2	1	—	1	—	—
Tuberc Mesent.	0.47	103	43	39	5	1	1	80	8	—	—	2	6	1	—	—	—	—
Phthisis	2.01	441	8	10	3	1	2	24	6	17	41	74	118	74	66	15	5	1
Hydrocephalus	0.23	51	16	6	6	4	6	36	10	3	—	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.50	548	221	85	7	10	4	277	7	9	5	7	18	19	50	40	78	65
Circulatory	1.76	340	1	—	—	—	—	1	4	3	3	5	16	22	47	77	104	58
Respiratory	3.24	7.0	151	58	19	8	9	215	9	4	5	5	19	28	39	84	147	126
Digestive	1.00	220	31	6	3	3	—	43	11	3	2	9	16	17	16	46	68	12
Urinary	0.45	94	2	—	—	—	—	4	—	—	—	2	5	6	14	18	22	17
Generative	0.07	16	—	—	—	—	—	—	—	—	—	—	4	4	5	2	—	1
Childbirth	0.58	17	—	—	—	—	—	—	—	—	—	4	5	8	—	—	—	—
Suicide	0.06	14	—	—	—	—	—	—	—	—	—	2	2	2	3	1	5	—
Other Violence	0.49	108	5	8	6	5	2	26	11	9	5	3	10	9	13	6	11	5
OTHER CAUSES	3.94	866	328	32	19	13	5	297	29	7	6	7	12	21	22	49	80	226

Deaths of Infants (under one) to 1000 Births } 123

Marriages - 1,635
Births - 7,879Annual Rate (Persons Married per 1000 living (Births) - 14.89
- 35.88

366.—UTTOXETER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	18.14	—	—	—	—	—	35.08	4.23	2.80	4.52	5.13	8.12	12.20	13.08	27.47	61.09	162.6
Mean Pop. 1871-80	—	14,199	356	339	365	348	382	1790	1701	1870	1416	1149	1773	1459	1300	1052	676	313
ALL CAUSES	18.14	2576	403	100	52	37	30	628	72	44	64	50	144	178	170	289	419	509
Small-pox	0.03	4	1	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—
Measles	0.12	17	5	3	3	2	1	14	2	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.37	51	4	5	7	8	9	33	12	3	4	—	1	—	—	—	—	—
Diphtheria	0.20	29	—	2	—	4	5	11	6	4	2	3	2	1	—	—	—	—
Whooping-cough	0.18	40	20	9	6	2	1	38	2	—	—	—	—	—	—	—	—	—
Typhus	0.04	5	—	—	—	—	—	—	—	1	1	1	—	2	—	—	—	—
Enteric Fever	0.39	49	—	2	2	1	—	5	7	3	2	5	7	1	2	8	2	—
Simple Cont. Fev.	0.03	4	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1
Puerp. Fever	0.04	5	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Diarr. and Dys.	0.73	30	26	3	—	1	—	30	2	—	—	—	—	2	—	1	6	9
Cholera	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.35	78	—	—	—	—	—	—	—	—	—	—	—	4	14	25	28	9
Scrofula	0.11	16	1	2	1	1	—	5	3	1	9	—	—	—	—	—	—	—
Tuberc Mesent.	0.14	20	9	5	1	1	1	17	—	1	—	—	1	—	—	—	—	—
Phthisis	1.79	254	5	1	1	—	—	7	3	8	27	34	65	61	28	17	4	—
Hydrocephalus	0.31	41	29	7	1	5	1	34	6	1	1	—	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.79	391	97	15	7	1	—	120	3	3	4	3	10	20	28	40	86	55
Circulatory	1.46	297	—	—	—	—	—	—	2	2	1	4	8	8	22	44	77	69
Respiratory	3.02	429	56	22	9	4	4	95	6	1	1	2	14	20	25	48	100	122
Digestive	1.15	163	16	2	1	2	2	23	5	3	3	8	6	4	8	16	29	7
Urinary	0.56	80	1	—	1	—	—	2	4	1	4	—	—	4	4	—	1	1
Generative	0.04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.09	13	—	—	—	—	—	—	—	—	—	—	7	4	—	—	—	—
Suicide	0.18	12	—	—	—	—	—	—	—	—	—	—	3	3	4	2	1	—
Other Violence	0.45	61	5	—	3	2	2	12	3	5	3	2	5	8	5	8	2	16
OTHER CAUSES	3.84	643	142	22	9	3	—	129	6	6	6	2	8	13	15	35	61	267

Deaths of Infants (under one) to 1000 Births } 97

Marriages - 896
Births - 4,215Annual Rate (Persons Married per 1000 living (Births) - 12.62
- 29.60

367.—BURTON-UPON-TRENT.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	19.83	—	—	—	—	—	52.16	5.26	3.16	4.47	6.21	9.10	14.58	18.19	33.19	67.64	171
Mean Pop. 1871-80	—	63,253	2187	1944	2011	1952	1905	9090	8312	6708	5816	5525	9028	7032	4740	3073	1681	—
ALL CAUSES	19.83	12,541	3247	1009	461	287	211	5215	437	214	280	343	876	1023	804	1020	1137	11
Small-pox	0.13	81	17	4	0	2	2	84	4	3	5	7	10	11	3	1	—	—
Measles	0.57	334	69	81	37	17	12	216	13	3	1	1	—	—	—	—	—	—
Scarlet Fever	0.79	497	31	80	88	16	61	335	118	36	9	3	3	2	—	—	—	—
Diphtheria	0.18	113	14	11	16	12	13	66	25	8	4	—	—	—	—	—	—	—
Whooping-cough	0.28	243	101	82	82	9	8	232	11	—	—	—	—	—	—	—	—	—
Typhus	0.02	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.23	146	6	—	6	2	4	24	16	7	16	11	24	16	9	6	1	—
Sept. Chol. Fev.	0.03	31	—	6	6	3	—	15	2	1	—	—	—	—	—	—	—	—
Pneum. Fever	0.13	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysent. and Dys.	0.77	485	236	66	16	8	2	418	1	—	1	2	1	2	8	10	20	1
Cholera	0.02	11	1	—	2	—	—	3	—	1	—	—	—	—	—	1	2	—
Cancer	0.48	302	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—
Scrofula	0.11	71	22	11	2	1	3	40	3	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0.59	192	107	43	7	8	2	172	5	—	—	—	—	—	—	—	—	—
Phthisis	2.19	1367	62	41	15	9	10	137	83	28	64	145	247	312	170	87	34	—
Hydrocephalus	0.40	254	83	69	33	10	7	210	27	8	3	1	2	3	—	—	—	—
Diseases of Nervous Syst.	2.74	1732	612	94	38	25	17	786	41	23	19	22	73	131	132	176	195	13
Circulatory	1.17	743	2	1	1	—	1	5	9	10	8	12	48	84	115	180	180	21
Respiratory	3.23	2107	625	260	85	40	23	1042	52	13	21	24	51	106	139	186	259	21
Digestive	0.81	574	89	16	6	7	3	120	13	10	11	12	38	71	78	91	95	8
Urinary	0.27	237	3	4	2	2	2	15	9	—	—	—	—	—	—	—	—	—
Generative	0.06	40	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Childbirth	0.09	58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.05	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.73	460	56	20	14	14	13	95	31	50	35	32	63	48	42	54	29	1
OTHER CAUSES	2.83	2414	1039	192	44	35	28	1244	40	21	19	23	51	58	66	87	103	57

Deaths of Infants (under one) to 1000 Births

Marrriages - 4,639 Births - 25,150

Annual Rate of Persons Married per 1000 living

14.67 39.78

368.—TAMWORTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	18.89	—	—	—	—	—	49.90	4.80	2.78	3.91	6.05	6.97	9.35	14.41	25.48	38.06	167
Mean Pop. 1871-80	—	18,105	573	552	551	580	518	2724	2567	2017	1740	1413	2455	1925	1400	1057	620	22
ALL CAUSES	18.89	3320	853	257	121	74	56	1901	115	56	68	94	171	180	216	277	360	45
Small-pox	0.12	21	7	3	—	—	—	10	2	—	1	2	1	1	2	—	—	—
Measles	0.45	81	18	23	20	9	6	78	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.56	101	6	13	19	15	19	72	24	3	—	—	—	—	—	—	—	—
Diphtheria	0.08	15	2	2	1	1	3	10	3	1	—	—	—	—	—	—	—	—
Whooping-cough	0.21	55	34	14	3	3	1	55	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.19	84	—	—	—	1	2	3	3	7	2	3	6	8	2	—	—	—
Sept. Chol. Fev.	0.03	14	—	—	1	2	1	4	3	1	1	—	1	1	3	1	—	—
Pneum. Fever	0.07	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysent. and Dys.	0.82	149	87	28	2	1	1	119	3	—	—	—	—	—	—	—	—	—
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.45	81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	0.07	13	2	1	1	1	—	5	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0.75	136	94	24	8	—	1	127	4	—	—	—	—	—	—	—	—	—
Phthisis	1.42	237	6	5	—	—	1	12	11	12	17	36	58	22	28	17	8	—
Hydrocephalus	0.43	77	41	19	8	4	8	69	7	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.55	452	178	29	12	6	5	221	15	7	7	9	12	14	28	39	47	21
Circulatory	1.43	239	—	—	—	—	—	—	2	4	7	9	15	14	30	31	70	23
Respiratory	3.26	639	147	76	21	10	2	262	5	2	2	9	11	29	44	71	103	100
Digestive	1.01	189	13	1	4	3	—	29	4	4	4	6	10	17	37	38	59	15
Urinary	0.35	64	2	2	1	—	—	5	1	—	—	—	—	—	—	—	—	—
Generative	0.04	7	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Childbirth	0.08	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.05	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.26	123	11	5	7	3	5	19	12	10	5	7	13	15	22	6	6	25
OTHER CAUSES	2.08	557	203	27	12	9	6	239	11	5	6	8	13	31	37	21	47	141

Deaths of Infants (under one) to 1000 Births

Marrriages - 3,178 Births - 6,923

Annual Rate of Persons Married per 1000 living

13.91 38.24

369.—LICHFIELD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and over
ANNUAL DEATH RATE PER 1000	—	19'54	—	—	—	—	—	47'68	5'16	3'37	4'71	5'77	8'61	12'05	18'34	29'13	62'53	133'				
Mean Pop. 1871-80	—	35,703	1036	909	1021	1043	976	5050	4516	3823	3251	2928	4912	4016	3021	2218	1371	587				
ALL CAUSES	19'54	6976	1548	439	178	123	120	2408	233	129	153	169	423	484	554	646	838	919				
Small-pox - -	0'10	37	5	—	—	—	2	7	8	6	2	3	7	2	4	3	—	—				
Measles - -	0'21	75	15	26	17	9	3	70	4	—	—	—	—	1	—	—	—	—				
Scarlet Fever -	0'66	224	21	27	35	40	37	160	69	7	—	—	2	4	—	1	—	—				
Diphtheria - -	0'13	52	3	6	7	7	7	27	13	4	—	—	1	—	—	—	—	—				
Whooping-cough	0'31	112	26	31	19	4	4	103	4	—	—	—	—	—	—	—	—	—				
Typhus - -	0'04	13	—	—	—	—	1	1	1	3	2	—	—	2	2	1	1	—				
Enteric Fever -	0'28	101	2	1	2	3	7	15	16	11	10	8	8	12	13	2	2	—				
Simple Cont. Fev.	0'05	27	—	—	2	1	1	4	4	1	—	—	3	3	3	2	2	—				
Puerp. Fever -	0'05	19	—	—	—	—	—	—	—	—	2	6	7	4	—	—	—	—				
Diarr. and Dys.	0'43	170	81	24	3	3	1	115	1	—	—	—	4	—	3	3	10	23				
Cholera - -	0'02	7	2	—	1	1	—	4	—	—	1	—	—	—	—	2	—	—				
Cancer - -	0'50	173	—	—	—	1	—	1	—	—	—	1	6	21	36	86	35	21				
Serofula - -	0'11	41	13	6	2	—	—	21	—	5	2	2	3	2	6	—	—	—				
Tuberc. Mesent.	0'14	59	25	14	3	1	—	43	1	2	3	1	—	—	—	—	—	—				
Phthisis - -	1'33	545	4	2	—	—	—	10	6	16	39	64	135	122	88	41	23	1				
Hydrocephalus	0'29	71	31	15	3	5	3	57	10	2	—	—	1	—	—	—	—	—				
Diseases of																						
Nervous Syst.	3'44	1227	269	42	14	7	6	329	17	25	41	27	99	131	130	129	171	168				
Circulatory ..	1'17	454	1	—	—	—	—	1	1	4	12	8	29	45	57	109	123	41				
Respiratory ..	3'17	1130	281	131	41	14	12	484	26	6	4	9	24	41	64	114	139	174				
Digestive ..	0'89	317	31	6	1	3	2	40	6	7	1	7	22	35	40	61	61	37				
Urinary ..	0'10	111	3	2	2	3	2	12	6	2	3	2	9	8	23	27	33	19				
Generative ..	0'03	17	—	—	—	—	—	—	—	—	1	1	2	2	3	6	1	—				
Childbirth - -	0'08	50	—	—	—	—	—	—	—	—	2	2	12	14	—	—	—	—				
Suicide - -	0'01	31	—	—	—	—	—	—	—	—	1	—	—	4	5	9	1	—				
Other Violence	0'02	25	14	6	19	7	13	52	23	17	14	12	17	15	22	18	18	11				
OTHER CAUSES	4'67	1671	637	95	21	14	19	847	27	11	9	13	12	29	35	62	174	469				

Deaths of Infants (under
one) to 1000 Births - } 123Marriages - 2,364
Births - 12,613Annual Rate (Persons Married - 13'24
per 1000 living (Births - 35'33

370.—CANNOCK (PENKEDGE).*

—	Annual Death Rate per 1000	19'34	—	—	—	—	—	38'12	5'74	3'75	4'02	5'00	7'20	8'95	13'60	25'80	61'53	149'3				
Mean Pop. 1871-80	—	20,911	902	877	922	925	910	4596	4062	3385	2660	2394	4109	3285	2471	1605	899	398				
ALL CAUSES	19'34	5786	1753	459	215	153	91	2671	235	127	123	134	296	294	336	439	547	283				
Small-pox - -	0'29	60	8	4	2	2	3	19	7	4	6	4	2	3	8	1	—	—				
Measles - -	0'19	54	17	15	10	3	5	50	4	1	—	—	—	—	—	—	1	—				
Scarlet Fever -	0'4	232	17	35	48	44	27	174	61	11	3	—	—	1	—	—	—	—				
Diphtheria - -	0'24	72	3	4	7	13	6	35	22	12	8	—	—	—	—	—	1	—				
Whooping-cough	0'36	108	32	37	4	7	4	104	4	—	—	—	—	—	—	—	—	—				
Typhus - -	0'02	6	—	—	—	1	1	2	1	—	1	1	—	—	1	—	—	—				
Enteric Fever -	0'21	61	—	—	4	3	5	12	13	7	7	4	9	8	2	—	—	—				
Simple Cont. Fev.	0'03	15	1	—	1	3	1	6	2	1	—	2	1	—	1	—	—	1				
Puerp. Fever -	0'01	18	—	—	—	—	—	—	—	—	1	3	9	5	—	—	—	—				
Diarr. and Dys.	0'70	209	135	26	9	2	—	172	3	8	1	—	1	2	1	3	9	14				
Cholera - -	0'06	17	7	2	1	—	—	19	—	1	—	—	—	—	1	3	1	—				
Cancer - -	0'14	153	—	—	1	—	—	1	—	1	—	—	7	12	56	35	38	13				
Serofula - -	0'07	21	6	—	—	—	—	6	4	1	2	—	3	2	1	1	—	—				
Tuberc. Mesent.	0'24	81	47	18	5	2	1	73	4	2	1	2	—	1	—	—	—	—				
Phthisis - -	1'22	384	8	1	2	—	—	11	6	12	35	43	110	68	42	26	6	—				
Hydrocephalus	0'19	36	18	10	4	1	1	40	5	5	2	—	2	2	—	—	—	—				
Diseases of																						
Nervous Syst.	2'24	619	293	40	14	14	7	368	21	4	7	6	16	22	31	49	91	24				
Circulatory ..	1'21	363	7	1	—	1	—	9	4	11	9	6	22	29	45	86	85	17				
Respiratory ..	3'58	1070	358	148	69	18	15	398	28	13	4	11	32	33	47	84	129	91				
Digestive ..	0'91	293	34	5	5	2	4	51	3	5	5	19	15	27	46	61	47	24				
Urinary ..	0'10	91	1	1	1	1	1	5	2	4	3	3	9	11	22	17	10	—				
Generative ..	0'03	10	—	—	—	—	—	—	—	—	—	2	2	1	2	—	—	—				
Childbirth - -	0'06	26	—	—	—	—	—	—	—	—	1	4	8	12	1	—	—	—				
Suicide - -	0'06	17	—	—	—	—	—	—	—	—	1	1	1	2	6	2	5	1				
Other Violence	0'03	27	17	9	13	15	2	56	20	22	26	21	31	26	54	13	15	12				
OTHER CAUSES	4'78	1133	722	94	27	19	8	870	19	8	5	9	16	28	30	60	101	210				

Deaths of Infants (under
one) to 1000 Births - } 141Marriages - 2,067
Births - 12,439Annual Rate (Persons Married - 13'62
per 1000 living (Births - 41'63

* The name of this District was changed from PENKEDGE to CANNOCK on 1st April 1877.

371.—WOLVERHAMPTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—	75—	80—	85—	90—
ANNUAL DEATH RATE PER 1000.	—	22.78	—	—	—	—	—	73.26	7.48	3.52	4.00	6.65	8.20	11.96	18.00	33.35	73.51	121				
Mean Pop. 1871-80	—	140,761	4507	3025	4077	3053	3986	20509	17853	15072	14233	12367	10993	15256	11879	7854	3015	13				
ALL CAUSES	22.78	32,065	9024	3029	1424	937	611	15025	1336	562	608	823	1006	1824	2245	2792	2878	25				
Small-pox	0.37	756	107	27	32	21	39	231	178	40	78	68	73	59	20	7	2					
Measles	0.35	492	115	182	89	64	21	401	28	2	—	—	—	—	—	—	—					
Scarlet Fever	1.05	1474	89	230	277	274	184	1074	829	39	12	11	7	3	—	—	—					
Diphtheria	0.10	154	11	14	26	16	17	81	95	31	4	3	2	3	2	1	1					
Whooping-cough	0.69	849	330	246	121	72	20	823	21	—	—	—	—	—	—	—	—					
Typhus	0.02	34	2	1	—	2	3	8	3	4	3	6	3	5	2	—	—					
Euteric Fever	0.29	411	10	13	16	14	16	69	64	36	48	24	20	56	27	17	15					
Simple Cont. Fev.	0.19	273	12	14	16	23	23	88	80	17	13	17	21	14	18	18	11					
Euteric Fev.	0.07	93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
Diarr. and Dys.	1.27	1792	1073	390	98	34	11	1611	14	2	3	7	11	7	12	33	63					
Cholera	0.01	18	2	—	1	1	—	4	1	1	—	—	—	1	4	3	—	2				
Cancer	0.41	583	1	1	—	3	—	5	1	1	—	—	—	29	75	144	165	112				
Scrofula	0.19	110	25	12	3	8	4	47	7	6	15	8	12	7	4	3	2					
Tuberc. Mesent.	0.31	442	257	120	51	12	3	406	36	6	5	—	—	—	—	—	—					
Fathia	1.75	2070	41	37	22	9	5	114	45	77	172	273	511	586	819	121	39					
Hydrocephalus	0.29	279	105	58	35	20	11	229	31	11	3	2	2	2	—	—	—					
Diseases of Nervous Syst.	2.65	3731	1405	255	87	68	38	1051	91	49	32	58	123	170	257	367	679					
Circulatory	1.15	1613	3	3	2	1	1	11	41	41	64	48	137	204	282	353	297					
Respiratory	4.51	6345	1784	819	300	150	81	3134	104	39	42	63	161	318	486	793	783					
Digestive	0.93	1307	179	34	20	16	7	250	53	24	35	47	86	131	196	259	185					
Urinary	0.22	922	7	8	4	7	2	33	11	18	8	20	47	61	124	16	10					
Generative	0.05	77	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—					
Childbirth	0.11	156	—	—	—	—	—	—	—	—	9	25	58	82	3	—	—					
Selficide	0.04	63	—	—	—	—	—	—	—	—	—	6	6	7	13	17	13					
Other Violence	0.73	1021	87	33	33	33	46	249	127	71	58	44	77	79	108	104	62					
OTHER CAUSES	5.30	7438	3284	801	181	104	73	4148	116	51	70	60	126	176	236	287	827					

Deaths of Infants (under one) to 1000 Births } 161

Marriages - 11,161
Births - 55,953Annual Rate { Persons Married - 15.86
per 1000 living { Births - 39.75

372.—WALSALL.

—	Annual Death Rate per 1000.	—	—	—	—	—	—	78.43	7.81	4.00	4.69	6.52	7.28	11.34	17.17	34.11	70.15	16				
ANNUAL DEATH RATE PER 1000.	—	22.82	—	—	—	—	—	78.43	7.81	4.00	4.69	6.52	7.28	11.34	17.17	34.11	70.15	16				
Mean Pop. 1871-80	—	77,970	2651	2271	2390	2242	2362	11016	10454	9032	7740	6808	10013	8271	6227	3864	1840	1				
ALL CAUSES	22.82	17,790	5635	1060	824	551	376	9346	816	361	363	444	795	972	1060	1318	1597	1				
Small-pox	0.69	540	69	30	34	30	38	221	187	40	35	33	34	21	9	4	2					
Measles	0.50	265	60	101	34	19	10	224	11	1	—	—	—	—	—	—	—					
Scarlet Fever	1.21	943	61	169	167	161	121	682	205	94	4	4	3	4	2	—	1					
Diphtheria	0.14	103	17	19	11	13	7	67	21	9	1	2	—	3	2	1	—					
Whooping-cough	0.53	455	128	153	58	19	16	444	11	—	—	—	—	—	—	—	—					
Typhus	0.04	51	—	1	1	2	1	5	5	5	5	5	3	2	1	1	1					
Euteric Fever	0.48	271	7	24	16	13	8	70	60	35	43	39	37	33	20	10	7					
Simple Cont. Fev.	0.15	118	4	14	8	10	6	42	25	13	8	6	8	7	2	2	4					
Euteric Fev.	0.07	27	—	—	—	—	—	—	—	—	6	12	20	19	—	—	—					
Diarr. and Dys.	1.28	1073	671	221	47	16	8	963	7	2	—	1	1	13	7	20	50					
Cholera	0.01	10	1	2	1	—	—	4	—	—	—	—	—	1	2	1	—					
Cancer	0.26	221	—	—	1	1	—	2	1	—	2	2	6	38	62	60	43					
Scrofula	0.08	39	14	10	5	2	—	31	2	4	6	2	—	—	—	—	—					
Tuberc. Mesent.	0.46	355	241	111	15	7	5	539	6	1	5	1	2	—	—	—	—					
Fathia	1.45	1128	27	35	8	7	4	111	16	40	50	142	231	208	154	90	10					
Hydrocephalus	0.16	126	51	43	8	7	1	112	9	3	1	1	—	—	—	—	—					
Diseases of Nervous Syst.	2.81	2180	992	172	83	48	23	1518	55	24	29	27	45	79	121	178	194					
Circulatory	1.07	688	7	3	2	1	4	17	14	14	20	23	62	126	148	199	161					
Respiratory	4.73	2351	1064	508	171	78	51	1815	70	22	24	33	84	131	218	268	244					
Digestive	0.85	670	119	18	13	8	8	157	13	12	11	15	29	72	122	121	72					
Urinary	0.29	230	3	4	4	2	2	21	13	7	10	4	21	38	26	46	23					
Generative	0.03	23	—	—	—	—	—	—	—	—	1	2	3	3	9	2	1					
Childbirth	0.09	69	—	—	—	—	—	—	—	—	1	15	23	27	3	—	—					
Selficide	0.05	29	—	—	—	—	—	—	—	—	4	6	11	4	2	6	4					
Other Violence	0.77	636	22	10	27	38	55	141	58	29	23	43	72	60	49	20	21					
OTHER CAUSES	5.67	3950	2021	300	197	81	28	2297	63	22	13	28	39	77	97	163	367					

Deaths of Infants (under one) to 1000 Births } 168

Marriages - 5,738
Births - 33,453Annual Rate { Persons Married - 14.72
per 1000 living { Births - 42.93

373.—WEST BROMWICH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	21.50	—	—	—	—	—	73.53	6.34	8.14	4.66	5.41	7.17	10.53	17.21	33.04	70.07	174.7
Mean Pop. 1871-80	—	116,304	3982	3120	3408	3505	3408	17846	15481	13356	11879	10479	10412	12429	9007	5720	2806	64
ALL CAUSES	21.50	25,135	7719	2878	1227	796	505	13125	981	419	553	567	1176	1309	1506	1890	1985	1596
Small-pox -	0.27	315	95	11	18	18	11	89	59	27	68	29	53	23	6	1	2	1
Measles -	0.36	429	71	167	84	24	22	594	29	1	1	1	1	1	1	1	1	1
Scarlet Fever -	1.24	1438	89	234	279	179	171	1071	297	30	16	11	8	3	2	1	1	1
Diphtheria -	0.11	124	12	15	23	21	17	84	18	8	3	2	1	1	1	1	1	1
Whooping-cough	0.50	578	267	177	65	34	15	561	17	1	1	1	1	1	1	1	1	1
Typhus -	0.01	51	1	1	1	1	1	5	7	4	2	1	1	1	1	1	1	1
Enteric Fever -	0.47	540	36	92	97	89	22	130	72	55	65	46	64	37	22	11	3	1
Simple Cont. Fev.	0.09	104	9	17	19	8	9	55	13	4	1	1	1	1	1	1	1	1
Puerp. Fever -	0.05	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	1.16	1351	778	301	69	13	15	1176	8	2	1	1	1	1	1	1	1	1
Cholera -	0.01	17	1	1	2	2	1	7	1	1	1	1	1	1	1	1	1	1
Cancer -	0.39	454	—	—	1	1	3	5	1	1	1	1	1	1	1	1	1	1
Serofula -	0.10	121	31	25	9	3	3	74	10	14	18	1	1	1	1	1	1	1
Tuberc. Mesent.	0.19	419	194	103	65	18	8	416	18	4	1	1	1	1	1	1	1	1
Phthisis -	1.19	1380	10	4	7	8	1	25	26	41	137	150	367	302	177	95	26	4
Hydrocephalus -	0.28	328	131	94	32	17	11	265	26	8	4	2	1	1	1	1	1	1
Diseases of	2.57	2391	1177	268	103	55	51	1529	29	44	59	43	73	117	195	291	294	169
Nervous Syst.	0.04	1169	5	2	—	—	—	11	22	29	32	32	163	120	209	290	230	41
Circulatory	5.86	4438	727	135	167	26	2	1323	74	28	41	43	155	182	342	441	325	27
Respiratory	0.01	1012	205	45	15	5	9	132	18	16	32	37	64	95	124	193	125	9
Digestive	0.02	369	4	14	11	5	6	40	8	8	12	5	33	63	57	73	68	5
Urinary	0.01	50	1	—	—	—	—	1	—	—	—	1	10	12	15	8	3	—
Generative	0.10	111	—	—	—	—	—	—	—	—	—	18	31	37	—	—	—	—
Childbirth -	0.05	55	—	—	—	—	—	—	—	—	—	5	7	9	12	11	6	3
Suicide -	0.03	691	39	40	47	32	31	209	30	28	28	45	70	73	92	57	63	16
Other Violence -	5.46	6269	3365	316	137	37	49	4176	30	30	33	37	82	97	132	200	711	92
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births - } 157Marriages - 9,591
Births - 49,049Annual Rate { Persons Married - 16.43
per 1000 living { Births - 42.14

374.—DUDLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	24.24	—	—	—	—	—	84.91	7.87	3.74	4.96	6.26	7.17	11.22	15.27	31.60	71.04	174.11
Mean Pop. 1871-80	—	137,174	4776	4189	4139	4144	4192	21446	18891	10052	13922	11809	18218	14081	10776	7135	3607	125
ALL CAUSES	24.24	33,243	10,748	3902	1700	1040	665	18205	1487	600	691	733	1296	1580	1646	2261	2595	2133
Small-pox -	0.84	1294	220	74	107	77	82	558	329	13	50	37	52	23	13	8	1	—
Measles -	0.50	808	138	344	159	80	43	764	41	1	1	1	1	1	1	1	1	1
Scarlet Fever -	1.18	1623	109	269	339	293	262	1212	339	43	11	3	2	2	1	1	1	1
Diphtheria -	0.08	110	9	21	11	22	8	71	17	7	2	1	6	3	1	1	1	1
Whooping-cough	0.55	753	360	210	99	47	20	736	16	8	1	1	1	1	1	1	1	1
Typhus -	0.17	92	1	1	1	1	2	5	14	7	12	9	11	11	8	10	3	3
Enteric Fever -	0.22	713	20	43	29	27	28	147	113	81	68	70	76	37	80	94	12	3
Simple Cont. Fev.	0.12	165	11	19	17	15	12	74	18	9	6	7	12	13	10	7	7	3
Puerp. Fever -	0.07	94	—	—	—	—	—	—	—	—	—	29	36	21	1	—	—	—
Diarr. and Dys.	1.32	1598	1002	463	100	32	7	1604	15	7	5	1	8	11	18	28	60	64
Cholera -	0.01	13	1	1	—	—	1	3	—	—	—	1	1	1	1	1	1	1
Cancer -	0.32	441	1	1	1	1	1	5	—	4	2	10	22	67	112	120	89	24
Serofula -	0.07	94	27	19	9	2	4	61	4	5	4	5	6	4	5	1	1	1
Tuberc. Mesent.	0.32	438	170	161	49	16	8	467	10	5	4	4	4	4	4	1	1	1
Phthisis -	1.02	142	15	20	18	7	6	66	33	42	144	205	326	290	149	91	36	2
Hydrocephalus -	0.21	278	119	72	32	14	6	213	14	9	6	8	2	1	1	1	1	1
Diseases of	2.73	3743	1618	276	112	76	55	2108	83	43	62	54	110	143	187	231	418	124
Nervous Syst.	0.05	1319	5	1	3	2	1	25	31	33	49	53	143	232	364	644	695	233
Circulatory	4.21	5912	1869	833	310	144	73	3229	119	33	49	53	143	232	364	644	695	233
Respiratory	1.12	1394	262	63	21	15	8	371	45	25	28	26	81	129	188	246	189	21
Digestive	0.30	498	5	16	10	11	6	43	17	13	12	14	35	32	89	74	49	2
Urinary	0.03	44	—	—	—	—	—	—	—	—	1	2	4	14	6	9	8	—
Generative	0.10	142	—	—	—	—	—	—	—	—	9	17	47	64	5	—	—	—
Childbirth -	0.05	142	—	—	—	—	—	—	—	—	9	17	47	64	5	—	—	—
Suicide -	0.03	1143	62	67	62	46	57	294	127	68	55	67	104	163	92	72	7	3
Other Violence -	0.61	8058	4778	1534	284	112	53	6159	94	50	59	47	96	126	124	204	763	1265
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births - } 171Marriages - 15,723
Births - 62,768Annual Rate { Persons Married - 22.92
per 1000 living { Births - 45.75

WORCESTERSHIRE.
375.—STOURBRIDGE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	40—	50—	60—	75 and upward.
AL DEATHS (PER 1000)	—	21.42	—	—	—	—	—	71.48	6.89	3.02	4.60	5.75	6.82	10.06	14.25	28.61	35.58	171.05
in Pop. 1-80	—	76,491	2,506	2213	2234	2255	2345	11,553	10257	9033	7630	6586	10219	7891	6079	4160	2278	805
CAUSES	21.42	16,386	5151	1610	705	454	320	8258	767	273	351	379	697	794	866	1190	1494	1377
Scarlet Fever	0.54	410	90	23	23	15	27	181	88	27	26	33	23	13	13	4	—	—
Measles	0.45	346	70	155	66	31	17	317	28	—	1	—	—	—	—	—	—	—
Whooping Cough	1.13	862	55	149	153	150	120	625	161	37	10	2	5	1	1	—	—	—
Diphtheria	0.09	63	4	11	7	10	9	41	16	4	2	—	4	—	—	—	—	—
Consumption	0.40	807	185	61	25	21	5	302	5	—	—	—	—	—	—	—	—	—
Smallpox	0.02	16	—	—	—	—	1	1	5	—	4	1	4	2	1	—	—	—
Scarlet Fever	0.28	294	6	37	13	11	12	89	58	24	48	37	31	24	10	12	6	—
Measles	0.10	80	4	3	8	8	10	33	10	5	6	6	1	2	5	3	2	1
Whooping Cough	0.04	63	—	—	—	—	—	—	—	—	2	12	33	15	1	—	—	—
Diphtheria	1.10	165	453	161	25	10	6	685	4	—	—	1	5	4	7	15	21	21
Consumption	0.01	4	1	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—
Smallpox	0.05	285	—	1	1	—	—	2	—	1	1	2	7	41	69	73	51	27
Measles	0.08	29	9	9	5	1	2	23	8	2	2	4	5	5	4	4	—	—
Whooping Cough	0.44	325	185	91	25	5	4	310	10	4	4	2	1	—	1	2	—	1
Diphtheria	1.12	151	25	8	7	1	5	64	19	37	61	120	127	195	110	67	26	5
Consumption	0.19	142	44	28	13	9	3	109	24	9	2	4	1	—	—	—	—	—
Scarlet Fever	2.18	1804	765	52	40	34	14	912	51	31	27	23	47	64	123	178	243	110
Measles	1.22	96	1	4	—	1	—	6	14	17	22	21	44	83	132	234	394	167
Whooping Cough	5.14	267	889	420	140	70	23	1681	63	11	13	34	60	89	140	315	530	254
Diphtheria	0.19	677	119	51	7	3	4	185	6	9	13	14	24	73	95	132	167	29
Consumption	0.08	290	5	9	7	2	1	24	4	9	7	5	21	33	40	57	58	31
Smallpox	0.04	52	—	—	—	—	—	—	—	—	1	—	5	4	5	4	6	7
Scarlet Fever	0.12	63	—	—	—	—	—	—	—	—	4	16	34	12	2	—	—	—
Measles	0.04	39	—	—	—	—	—	—	—	1	2	3	5	9	2	3	2	—
Whooping Cough	0.08	59	32	31	23	15	23	135	67	52	43	25	39	35	45	29	41	25
CAUSES	5.25	4111	3243	209	86	53	29	2720	63	15	21	29	47	66	72	101	303	67

Deaths of Infants (under
one) to 1000 Births } 160

Marrriages - 5,333
Births - 32,312

Annual Rate { Persons Married* - 13.94
per 1000 living { Births - 42.11

376.—KIDDERMINSTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	40—	50—	60—	75 and upward.
AL DEATHS (PER 1000)	—	19.25	—	—	—	—	—	35.04	4.72	2.40	4.32	5.57	6.62	9.40	15.74	29.40	61.25	162.87
in Pop. 1-80	—	37,945	1123	995	1003	968	1004	5093	4554	4160	3817	3395	5149	4000	3310	2357	1379	641
CAUSES	19.25	7303	1779	534	230	163	97	2803	215	100	165	180	341	387	621	693	845	1044
Scarlet Fever	0.04	15	4	—	—	—	1	5	—	1	1	2	1	2	—	1	1	—
Measles	0.25	131	21	53	22	12	17	123	4	1	—	—	—	1	—	—	—	—
Whooping Cough	0.08	254	25	55	51	54	26	311	40	2	3	1	1	—	—	—	—	—
Diphtheria	0.15	87	4	11	7	6	4	22	18	8	3	1	—	—	—	—	—	—
Consumption	0.32	121	61	50	16	7	1	114	7	—	—	—	—	—	—	—	—	—
Smallpox	0.03	12	—	—	—	—	1	1	2	3	—	—	—	—	1	2	3	—
Scarlet Fever	0.18	67	1	4	5	1	11	12	4	11	7	3	3	2	6	5	3	—
Measles	0.14	55	12	7	3	5	2	24	2	—	2	—	—	1	5	1	4	4
Whooping Cough	0.06	28	—	—	—	—	—	—	—	—	—	3	13	7	—	—	—	—
Diphtheria	0.29	175	250	63	5	4	5	323	5	—	—	1	1	1	4	3	15	30
Consumption	0.02	5	2	—	—	—	—	2	—	1	—	1	—	2	1	1	—	—
Smallpox	0.20	159	—	—	—	—	—	—	—	1	2	1	8	23	78	50	44	20
Measles	0.06	23	7	2	1	1	—	11	4	3	5	1	1	—	—	—	—	—
Whooping Cough	0.25	94	53	22	7	3	1	88	1	2	2	1	—	—	—	—	—	—
Diphtheria	1.17	672	44	21	5	3	1	74	11	15	48	104	150	219	20	49	30	2
Consumption	0.13	50	15	12	7	4	2	40	4	2	4	—	—	—	—	—	—	—
Scarlet Fever	2.16	630	195	43	28	14	7	282	18	9	16	11	21	26	32	54	144	146
Measles	1.20	425	3	2	—	—	—	7	13	11	15	35	41	70	113	123	60	—
Whooping Cough	3.25	1270	284	102	51	20	12	1419	13	4	17	9	34	45	111	163	247	181
Diphtheria	0.21	340	22	6	3	4	1	66	13	5	6	6	17	22	33	79	89	34
Consumption	0.29	159	4	8	5	1	1	14	2	4	2	5	17	14	21	29	18	32
Smallpox	0.05	21	—	—	—	—	—	—	—	1	—	—	1	5	5	4	1	—
Scarlet Fever	0.07	21	—	—	—	—	—	—	—	—	2	4	12	8	—	—	—	—
Measles	0.06	24	—	—	—	—	—	—	—	—	2	2	6	8	6	3	1	—
Whooping Cough	0.61	520	37	6	12	7	5	57	19	18	15	3	11	29	10	27	13	18
CAUSES	4.63	1759	703	36	25	11	11	810	22	5	17	10	20	28	38	67	153	533

Deaths of Infants (under
one) to 1000 Births } 133

Marrriages - 3,958
Births - 12,374

Annual Rate { Persons Married - 16.12
per 1000 living { Births - 33.93

377.—TENBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and over
ANNUAL DEATH RATE PER 1000.	—	18.24	—	—	—	—	—	35.96	4.44	3.32	4.49	4.33	7.01	9.11	15.51	26.08	41.51	180			
Mean Pop. 1871-80	—	7708	217	191	202	206	213	1029	923	873	712	577	953	845	703	579	343	16			
ALL CAUSES	18.24	1406	233	62	30	28	17	370	41	29	32	25	67	77	110	151	211	28			
Small-pox	0.08	6	1	—	—	—	—	1	—	—	—	—	1	3	—	—	1	—			
Measles	0.12	17	3	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—			
Scarlet Fever	0.52	40	2	2	7	5	7	23	10	8	—	—	—	—	—	—	—	—			
Diphtheria	0.14	11	—	1	1	1	1	4	6	—	—	—	1	—	—	—	—	—			
Whooping-cough	0.26	29	7	3	3	4	1	29	—	—	—	—	—	—	—	—	—	—			
Typhus	0.01	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			
Euteric Fever	0.29	24	—	1	1	—	—	4	3	—	1	—	3	3	4	2	1	—			
Simple Cont. Fev.	0.04	5	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—			
Puep. Fever	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0.49	34	15	2	—	—	—	17	—	—	—	—	—	—	—	4	2	28	1		
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0.31	29	—	—	—	—	—	—	—	—	—	—	—	1	3	10	12	18	1		
Scrofula	0.05	4	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—			
Tuberc Mesent.	0.08	6	4	—	—	—	—	4	—	1	1	—	—	—	—	—	—	—			
Phthisis	1.19	92	1	—	2	—	—	3	3	5	11	9	21	18	11	4	2	—			
Hydrocephalus	0.16	12	3	6	1	—	—	10	1	—	—	—	—	1	—	—	—	—			
Diseases of																					
Nervous Syst.	2.61	201	29	2	2	2	1	36	6	9	4	—	3	9	9	21	39	47	44		
Circulatory	1.19	92	—	—	—	—	—	—	1	1	—	—	3	3	8	11	14	28	17		
Respiratory	2.91	221	42	29	7	3	1	75	3	3	4	—	1	11	29	58	84	89	89		
Digestive	0.93	71	3	1	—	—	—	4	—	2	—	—	1	5	10	19	21	8	—		
Urinary	0.34	26	—	—	—	—	—	—	—	—	—	—	1	4	5	4	3	4	—		
Generative	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0.15	8	—	—	—	—	—	—	—	—	—	—	—	3	5	—	—	—	1		
Suicide	0.09	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Other Violence	0.53	41	—	3	3	3	2	11	1	3	5	1	4	5	1	3	7	8	—		
OTHER CAUSES	3.44	419	122	9	3	5	2	141	4	4	3	4	7	8	11	16	28	179			

Deaths of Infants (under
one) to 1000 Births } 103Marriages - 413
Births - 2233Annual Rate { Persons Married - 10.69
per 1000 living { Births - 29.2

378.—MARTLEY.

ANNUAL DEATH RATE PER 1000.	—	16.55	—	—	—	—	—	31.44	3.97	2.36	3.00	5.30	7.07	8.14	12.32	25.63	53.85	139.1
Mean Pop. 1871-80	—	16,559	443	375	410	426	428	2112	2004	1781	1439	1188	1904	1819	1683	1194	793	38
ALL CAUSES	16.55	1706	470	91	44	39	20	684	82	42	44	63	141	148	195	303	427	58
Small-pox	0.07	12	—	—	—	1	—	1	—	—	2	2	5	—	1	1	—	—
Measles	0.17	27	7	8	3	4	2	24	—	1	—	—	1	1	—	—	—	—
Scarlet Fever	0.28	46	1	6	11	9	1	28	14	2	1	1	—	—	—	—	—	—
Diphtheria	0.13	22	2	—	2	1	2	7	11	1	2	1	—	—	—	—	—	—
Whooping-cough	0.18	29	17	10	1	1	—	29	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Euteric Fever	0.18	19	2	—	1	—	3	6	2	1	2	6	6	4	1	1	—	—
Simple Cont. Fev.	0.07	12	—	—	—	1	1	2	2	1	—	—	—	2	—	1	1	—
Puep. Fever	0.02	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.48	78	47	4	2	—	—	63	2	1	—	—	2	—	—	1	8	19
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Cancer	0.49	80	—	—	—	1	—	1	1	—	—	—	1	7	14	21	20	15
Scrofula	0.06	10	5	—	—	—	—	5	3	—	—	—	1	1	—	—	—	—
Tuberc Mesent.	0.06	10	5	—	—	1	—	6	—	2	—	—	—	—	—	—	—	—
Phthisis	1.19	105	5	1	1	—	—	7	2	8	14	27	41	42	94	10	7	—
Hydrocephalus	0.15	24	9	2	1	3	1	16	4	—	2	1	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.10	245	45	10	3	3	2	63	3	3	4	5	9	10	23	65	78	60
Circulatory	1.19	92	6	—	—	1	—	7	7	6	4	2	11	16	35	63	107	65
Respiratory	2.76	451	101	29	7	9	2	147	7	4	2	—	12	19	31	54	83	92
Digestive	1.02	167	16	2	—	2	1	21	3	1	—	—	6	12	21	46	39	29
Urinary	0.34	62	—	—	1	—	—	1	—	—	—	1	2	11	12	14	9	12
Generative	0.02	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Childbirth	0.03	13	—	—	—	—	—	—	—	—	—	2	7	4	—	—	—	—
Suicide	0.01	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.56	51	8	3	1	—	2	14	8	8	6	7	8	8	15	3	7	7
OTHER CAUSES	4.7	665	191	16	10	2	3	221	17	2	4	4	9	8	11	24	77	264

Deaths of Infants (under
one) to 1000 Births } 101Marriages - 823
Births - 4,348Annual Rate { Persons Married - 10.13
per 1000 living { Births - 28.43

379.—WORCESTER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000	—	23.13	—	—	—	—	—	68.24	6.21	2.88	5.04	6.98	9.18	14.81	21.84	35.63	74.79	171.20
Pop. 1871-80	—	32,355	881	737	815	740	770	3055	3541	3407	3370	2805	4719	3840	2016	2018	1194	500
ALL CAUSES	23.13	7184	1820	443	200	140	85	2090	220	08	170	202	433	557	637	719	893	850
all-pox	0.20	67	12	4	2	5	1	24	14	5	4	4	6	8	8	1	—	—
cholera	0.00	136	29	46	23	11	5	119	5	1	1	—	—	—	—	—	—	—
scarlet Fever	0.54	175	15	32	34	24	19	124	38	1	2	5	1	2	—	—	—	—
diphtheria	0.10	31	1	1	6	2	16	32	3	1	—	—	—	—	—	—	—	—
crouping-cough	0.20	84	23	24	26	9	1	83	1	—	—	—	—	—	—	—	—	—
measles	0.02	7	—	—	—	—	—	—	3	1	—	—	3	—	—	—	—	—
scarlet Fever	0.29	53	2	1	2	8	3	10	12	16	12	5	12	8	6	5	2	—
diphtheria	0.07	23	—	1	3	—	—	2	6	1	5	1	1	1	—	1	3	—
whooping-cough	0.01	19	—	—	—	—	—	—	—	—	—	—	6	9	4	—	—	—
scarlet and Dys.	1.40	515	304	59	10	5	3	450	0	—	1	1	8	6	8	12	12	22
measles	0.02	6	2	1	—	—	—	3	—	—	—	—	1	—	2	—	—	—
scarlet	0.32	166	—	—	—	—	—	—	—	—	1	—	4	21	39	44	40	17
measles	0.07	22	10	5	4	1	—	50	—	1	1	—	—	—	—	—	—	—
measles	0.07	131	29	27	5	5	4	164	—	—	—	—	—	—	—	—	—	—
measles	2.10	621	18	4	—	3	1	24	14	9	59	1	64	177	150	165	51	14
measles	0.21	73	30	13	6	6	4	61	6	2	1	1	1	2	—	—	—	—
Nervous Syst.	2.74	888	185	45	16	10	9	263	20	5	11	19	23	45	67	125	167	120
Cerebrum	1.64	513	1	1	—	1	—	3	9	8	17	15	24	77	80	94	120	50
Respiratory	4.01	1209	271	111	26	28	11	437	13	5	12	10	35	73	101	177	200	130
Digestive	1.50	383	50	8	3	3	1	64	7	5	7	7	27	46	61	74	62	19
Urinary	0.61	269	—	1	4	2	1	9	4	2	4	4	30	37	42	40	39	21
Generative	0.03	17	—	—	—	—	—	—	1	—	1	—	—	—	2	6	2	—
Birth	0.03	22	—	—	—	—	—	—	—	—	4	7	8	9	1	—	—	—
Violence	0.05	17	—	—	—	—	—	—	—	—	1	2	2	4	7	1	—	—
Violence	0.75	243	20	9	7	8	2	46	13	15	16	13	26	23	30	23	12	13
ALL CAUSES	5.17	1667	712	25	37	13	13	812	20	15	19	21	28	48	59	68	136	471

Deaths of Infants (under one) to 1000 Births } 170 Marriages } 2,440 Annual Rate } Persons Married } 15.08
Births } 10,332 Births } per 1000 living } Births } 32.09

380.—UPTON-ON-SEVERN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000	—	18.45	—	—	—	—	—	33.41	3.80	2.49	3.90	5.35	9.20	15.21	19.40	27.58	64.48	156.69
Pop. 1871-80	—	23,305	519	475	518	480	500	2400	2503	2647	2308	1905	3034	2728	2293	1715	1084	508
ALL CAUSES	18.45	4290	587	124	68	41	32	832	95	66	95	102	270	415	447	473	690	796
all-pox	0.04	9	1	—	—	—	—	1	—	—	1	—	1	3	3	—	—	—
cholera	0.07	17	3	6	1	2	2	14	8	—	—	—	—	—	—	—	—	—
scarlet Fever	0.22	52	4	8	6	5	8	31	12	7	1	—	—	—	—	—	1	—
diphtheria	0.15	25	—	3	2	5	1	31	15	5	—	1	1	—	2	—	—	—
crouping-cough	0.14	33	18	7	4	2	—	31	1	—	—	—	—	—	—	—	—	—
measles	0.01	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
scarlet Fever	0.10	24	2	1	1	—	1	5	2	8	2	—	2	—	3	—	—	—
diphtheria	0.04	9	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
whooping-cough	0.06	14	—	—	—	—	—	—	—	—	1	3	8	2	—	—	—	—
scarlet and Dys.	0.33	76	32	3	—	3	1	89	—	1	1	2	5	2	2	4	10	10
measles	0.00	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
scarlet	0.30	116	—	—	1	—	—	1	—	—	—	—	6	10	28	33	24	15
measles	0.05	13	1	2	—	2	—	5	2	1	1	—	—	—	2	1	—	—
measles	0.12	23	12	8	—	1	—	21	2	1	2	1	—	—	—	—	—	—
measles	1.46	540	1	1	—	1	1	4	2	6	41	40	84	89	50	31	11	1
measles	0.16	28	11	8	6	3	4	32	5	—	1	—	—	—	—	—	—	—
Nervous Syst.	4.39	1023	178	20	9	4	5	176	14	15	15	19	28	148	154	135	181	112
Cerebrum	2.21	514	—	1	—	—	—	1	2	5	7	6	10	43	80	116	170	65
Respiratory	7.56	321	136	32	11	4	4	177	14	4	9	11	29	29	29	70	105	85
Digestive	0.91	212	19	—	—	—	—	10	5	0	1	6	10	24	34	28	43	25
Urinary	0.45	106	1	—	—	—	—	1	—	—	—	1	7	11	20	24	22	10
Generative	0.03	7	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1	1
Birth	0.07	17	—	—	—	—	—	—	—	—	—	—	8	7	1	—	—	—
Violence	0.10	24	—	—	—	—	—	—	—	—	—	—	3	10	4	5	2	—
Violence	0.48	115	9	4	3	4	2	22	7	4	8	3	7	14	15	6	11	11
ALL CAUSES	5.82	894	205	20	4	5	2	139	9	4	5	2	11	14	18	20	104	423

Deaths of Infants (under one) to 1000 Births } 105 Marriages } 1,183 Annual Rate } Persons Married } 19.15
Births } 5,606 Births } per 1000 living } Births } 24.05

Deaths in Registration Districts in the Ten Years 1871-80.

377.—TENBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	5—
DEATH PER 1000	—	18.24	—	—	—	—	—	35.96	4.44	3.82	4.49	4.33	7.01	9.11	15.51	2
Pop. 1871-80	—	7708	217	101	202	206	213	1029	923	873	712	577	953	845	703	1
CAUSES	18.24	1406	233	62	30	23	17	370	41	29	32	25	67	77	110	1
Small-pox	0.08	6	1	—	—	—	—	1	—	—	—	—	1	—	—	—
Measles	0.12	17	3	9	—	—	1	14	2	1	—	—	—	—	—	—
Scarlet Fever	0.22	40	2	2	7	5	7	23	10	5	—	—	1	—	—	—
Epidemic Typhus	0.14	11	—	1	1	1	1	4	—	—	—	—	—	—	—	—
Whooping-cough	0.26	29	7	5	3	4	1	20	—	—	—	—	—	—	—	—
Dysentery	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.29	24	—	1	1	1	1	4	3	—	1	—	3	3	4	—
Septic Cont. Fev.	0.01	5	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Erysip. Fever	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mar. and Dys.	0.49	33	15	2	—	—	—	17	—	—	—	—	—	—	—	—
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.31	29	—	—	—	—	—	—	—	—	—	—	1	3	10	—
Tuberc.	0.05	4	1	1	—	—	—	2	1	—	—	—	—	—	—	—
Meas. Mesent.	0.04	6	4	—	—	—	—	4	—	1	1	—	—	—	—	—
Phthisis	1.19	92	1	—	2	—	—	3	3	5	11	9	21	15	11	—
Hydrocephalus	0.16	12	3	6	1	—	—	10	1	—	—	—	—	—	—	—
Nervous Syst.	2.61	201	29	2	2	2	1	36	6	2	4	—	2	9	21	—
Circulatory	1.19	92	—	—	—	—	—	—	1	1	2	3	3	8	11	—
Respiratory	2.91	224	42	20	7	5	1	75	3	3	4	1	3	11	29	—
Digestive	0.93	71	3	1	—	—	—	4	—	2	—	—	1	3	10	—
Urinary	0.34	26	—	—	—	—	—	—	—	—	—	—	1	4	5	—
Generative	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.10	8	—	—	—	—	—	—	—	—	—	—	3	5	—	—
Suicide	0.09	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.63	41	—	3	3	3	2	11	1	3	5	1	2	5	1	—
OTHER CAUSES	3.44	419	122	9	3	5	2	141	4	4	3	4	7	3	11	—

Deaths of Infants (under
one) to 1000 Births . . . 103

Marriages
Births . . . 412
2.238

Annual Rate { Persons Married
per 1000 living { Births . . .

378.—MARTLEY.

ANNUAL DEATH RATE PER 1000	—	10.55	—	—	—	—	—	31.44	3.97	2.30	3.06	5.30	7.07	8.14	12.3	—
Mean Pop. 1871-80	—	10,559	443	375	410	423	428	2112	2004	1781	1479	1188	1904	1819	168	—
ALL CAUSES	10.55	1704	470	91	44	39	20	664	82	43	44	63	141	118	19	—
Small-pox	0.07	12	—	—	—	1	—	1	—	—	2	2	5	—	—	—
Measles	0.17	27	7	8	5	4	—	24	—	1	—	—	1	—	—	—
Scarlet Fever	0.28	46	1	6	11	9	1	28	14	2	—	1	—	—	—	—
Epidemic Typhus	0.11	25	2	—	2	1	2	7	11	1	2	—	—	—	—	—
Whooping-cough	0.18	29	17	10	1	1	—	29	—	—	—	—	—	—	—	—
Dysentery	0.01	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0.18	19	2	—	1	—	3	6	2	1	2	6	6	4	—	—
Septic Cont. Fev.	0.07	12	—	—	—	1	1	2	2	1	—	—	—	2	—	—
Erysip. Fever	0.02	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mar. and Dys.	0.48	78	47	4	2	—	—	53	2	1	—	—	2	—	—	—
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	0.49	80	—	—	—	1	—	3	1	—	—	—	3	7	—	—
Tuberc.	0.06	10	5	—	—	—	—	5	3	—	—	1	1	—	—	—
Meas. Mesent.	0.06	19	5	—	—	—	—	6	—	2	—	—	—	—	—	—
Phthisis	1.19	105	5	1	1	1	—	7	2	4	14	27	54	47	—	—
Hydrocephalus	0.15	24	9	2	1	2	—	16	4	—	2	—	—	—	—	—
Nervous Syst.	2.10	245	45	10	3	2	—	39	5	3	4	5	9	10	—	—
Circulatory	1.45	319	6	—	—	—	—	7	7	6	4	2	11	19	—	—
Respiratory	2.76	451	10	39	—	—	—	132	7	7	4	3	12	19	—	—
Digestive	1.02	167	16	—	—	—	—	41	9	1	—	—	1	3	—	—
Urinary	0.38	62	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.02	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.03	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.04	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.56	91	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	4.7	625	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births . . .

[illegible]

76	24-88	52-63	148
76	840	542	27
120	269	2-2	18
-	1	-	-
-	-	-	-
-	1	-	-
-	4	2	-
-	1	3	-
-	1	-	10
-	-	-	-
5	28	13	9
1	1	-	-
14	9	2	1
-	-	-	-
16	28	12	76
16	54	56	57
16	56	61	106
12	17	21	26
1	2	-	12
-	-	-	-
4	3	4	1
1	3	3	1
14	18	51	151

Deaths in Married
Families

14-25
22-41

377.—TENBURY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and over
ANNUAL DEATH RATE PER 1000	—	18.24	—	—	—	—	—	35.96	4.44	3.82	4.49	4.33	7.01	9.11	15.51	23.08	31.51	180			
Mean Pop. 1871-80	—	7708	217	191	202	206	213	1029	923	873	712	677	953	845	703	579	383	18			
ALL CAUSES	18.24	1406	233	62	30	23	17	370	41	29	32	25	67	77	110	131	211	228			
Small-pox	0.08	6	1	—	—	—	—	1	—	—	—	—	1	3	—	—	—	—			
Measles	0.12	17	3	9	—	—	1	11	2	1	—	—	—	—	—	—	—	—			
Scarlet Fever	0.52	40	2	2	7	5	7	23	10	5	—	—	—	—	1	—	—	—			
Diphtheria	0.14	11	—	1	1	1	1	4	6	—	—	—	1	—	—	—	—	—			
Whooping-cough	0.26	29	7	3	3	4	1	29	—	—	—	—	—	—	—	—	—	—			
Typhus	0.01	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			
Enteric Fever	0.29	24	—	1	1	1	1	4	3	—	1	—	2	3	4	2	—	—			
Simple Cont. Fev.	0.01	5	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—			
Puerp. Fever	0.01	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			
Diarr. and Dys.	0.19	34	15	2	—	—	—	17	—	—	—	—	—	—	—	4	2	—			
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0.31	39	—	—	—	—	—	—	—	—	—	—	—	1	3	10	12	10			
Scrofula	0.05	4	1	1	—	—	—	2	1	—	—	—	—	—	1	—	—	—			
Tuberc Mesent.	0.08	6	4	—	—	—	—	4	—	1	1	—	—	—	—	—	—	—			
Phthisis	1.19	91	1	—	2	—	—	3	3	5	11	9	2	18	11	4	2	—			
Hydrocephalus	0.16	12	3	6	1	—	—	10	1	—	—	—	1	—	—	—	—	—			
Diseases of																					
Nervous Syst.	2.61	201	29	2	2	2	1	36	6	2	4	—	2	9	21	33	47	46			
Circulatory	1.19	92	—	—	—	—	—	—	1	2	—	3	3	8	11	14	28	28			
Respiratory	2.01	224	42	20	7	5	1	75	2	3	4	1	3	11	20	26	24	25			
Digestive	0.25	71	3	1	—	—	—	4	—	2	—	—	1	3	5	10	19	11	5		
Urinary	0.34	26	—	—	—	—	—	—	—	—	—	1	4	5	4	3	4	3			
Generative	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0.11	8	—	—	—	—	—	—	—	—	—	—	3	5	—	—	—	—			
Suicide	0.09	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence	0.53	41	—	3	3	3	2	11	1	3	5	1	2	5	3	3	7	7			
OTHER CAUSES	5.44	419	122	9	3	5	2	141	4	4	3	4	7	3	11	16	25	22			

Deaths of Infants (under one) to 1000 Births } 103

Marriages - 412
Births - 2,233Annual Rate { Persons Married - 10.09
per 1000 living { Births - 20.20

378.—MARTLEY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and over
ANNUAL DEATH RATE PER 1000	—	16.55	—	—	—	—	—	31.44	3.97	2.36	3.06	5.30	7.07	8.14	12.32	25.63	53.85	1534			
Mean Pop. 1871-80	—	16,359	443	375	410	430	453	2112	2004	1781	1429	1188	1094	1819	1533	1194	793	38			
ALL CAUSES	16.55	4706	470	91	44	33	29	684	82	42	44	63	141	118	195	303	427	54			
Small-pox	0.07	12	—	—	—	1	—	1	—	—	2	2	5	—	1	1	—	—			
Measles	0.17	27	7	8	3	4	2	21	—	1	—	—	1	1	—	—	—	—			
Scarlet Fever	0.28	45	1	6	11	9	1	28	14	2	1	1	—	—	—	—	—	—			
Diphtheria	0.11	22	2	—	2	1	4	7	11	1	2	1	—	—	—	—	—	—			
Whooping-cough	0.18	29	17	10	1	1	—	29	—	—	—	—	—	—	—	—	—	—			
Typhus	0.01	2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—			
Enteric Fever	0.18	59	2	—	1	—	3	6	2	1	2	6	6	4	1	1	—	—			
Simple Cont. Fev.	0.07	12	—	—	—	1	1	2	—	1	—	3	—	2	—	—	1	—			
Puerp. Fever	0.02	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—			
Diarr. and Dys.	0.48	78	47	4	2	—	—	53	2	1	—	—	2	—	1	1	8	10			
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—			
Cancer	0.49	80	—	—	—	1	—	1	1	—	—	—	3	7	14	21	30	13			
Scrofula	0.06	10	5	—	—	—	—	5	3	—	—	1	1	—	—	—	—	—			
Tuberc Mesent.	0.06	10	5	—	—	1	—	6	—	2	—	—	1	—	—	—	—	—			
Phthisis	1.19	105	5	1	1	—	1	7	2	8	14	27	34	42	24	10	7	—			
Hydrocephalus	0.13	24	9	2	1	3	1	16	4	—	2	1	—	1	—	—	—	—			
Diseases of																					
Nervous Syst.	2.10	343	45	10	3	3	2	63	3	3	4	5	9	10	23	63	78	80			
Circulatory	1.05	319	6	—	—	—	—	7	—	6	4	2	11	16	33	63	107	63			
Respiratory	2.76	451	101	29	7	9	2	147	7	4	2	—	12	19	31	24	33	32			
Digestive	1.02	167	16	2	—	2	1	21	3	1	—	—	6	12	21	46	23	20			
Urinary	0.38	62	—	—	1	—	—	1	—	—	—	1	2	11	12	14	9	12			
Generative	0.02	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—			
Childbirth	0.04	13	—	—	—	—	—	—	—	—	—	2	7	4	—	—	—	—			
Suicide	0.01	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			
Other Violence	0.56	51	8	2	1	—	2	14	8	8	6	7	8	8	15	3	7	7			
OTHER CAUSES	4.7	663	191	16	10	2	3	223	17	2	4	4	9	8	11	24	77	294			

Deaths of Infants (under one) to 1000 Births } 101

Marriages - 823
Births - 4,643Annual Rate { Persons Married - 10.13
per 1000 living { Births - 23.43

379.—WORCESTER.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—	75—	80—	85—	90—	95—	100—
ANNUAL DEATH RATE PER 1000	—	23.13	—	—	—	—	—	08.24	6.21	2.88	5.04	6.08	9.18	14.51	21.84	33.63	74.79	171						
Mean Pop. 1871-80	—	32,355	881	737	815	740	776	3055	3541	3407	3370	2805	4719	3840	2016	2018	1194	2						
ALL CAUSES	23.13	7184	1520	443	200	146	85	2099	220	98	170	202	433	557	637	719	803	8						
Small-pox	0.29	67	12	4	2	5	1	24	14	3	4	4	6	8	3	1	—							
Measles	0.19	126	25	46	29	11	8	119	5	1	1	—	—	—	—	—	—							
Scarlet Fever	0.24	175	15	32	34	24	10	124	28	2	2	3	1	2	—	—	—							
Diphtheria	0.10	51	1	1	6	6	2	16	12	3	1	—	—	—	—	—	—							
Whooping-cough	0.26	84	33	24	16	9	1	83	1	—	—	—	—	—	—	—	—							
Typhus	0.02	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Euteric Fever	0.22	53	2	1	2	8	3	16	12	14	12	5	12	8	6	3	8							
Scarlet Cont. Fer.	0.07	23	—	1	3	—	—	6	6	1	—	—	1	1	—	—	—							
Purp. Fever	0.01	19	—	—	—	—	—	—	—	—	—	—	6	9	4	—	—							
Diarr. and Dys.	1.22	515	344	59	10	3	3	429	6	—	1	1	8	6	8	12	12							
Cholera	0.02	6	2	1	—	—	—	3	—	—	—	—	1	—	2	—	—							
Cancer	0.51	168	—	—	—	—	—	—	—	—	—	—	4	21	39	44	40							
Scrofula	0.07	21	10	3	4	1	—	20	—	1	1	—	—	—	—	—	—							
Tuberc. Mesent.	0.07	121	69	25	6	2	3	164	6	—	—	—	3	1	—	—	—							
Phthisis	2.10	621	18	4	—	3	1	24	14	9	20	24	177	130	105	51	14							
Hydrocephalus	0.23	73	30	13	6	6	4	61	6	2	1	1	2	—	—	—	—							
Diseases of Nervous Syst.	2.74	888	185	43	16	10	9	263	20	8	11	13	23	43	87	125	167	1						
Cerebr. Syst.	1.87	513	1	1	—	—	—	13	9	8	17	15	24	77	80	94	120							
Respiratory	4.61	1299	271	111	28	28	11	457	33	8	12	16	31	73	101	117	259	1						
Digestive	1.70	323	50	8	3	2	3	64	7	5	7	17	45	63	74	62	62							
Urinary	0.61	159	—	1	4	3	1	9	4	2	4	20	32	42	40	36	2							
Generative	0.05	17	—	—	—	—	—	—	1	—	1	—	3	—	2	6	2							
Childbirth	0.03	29	—	—	—	—	—	—	—	—	4	7	8	9	1	—	—							
Swindle	0.05	17	—	—	—	—	—	—	—	—	1	2	2	4	7	1	—							
Other Violence	0.75	241	20	9	7	8	2	43	13	18	16	13	20	23	50	22	12							
OTHER CAUSES	5.17	1567	712	75	17	13	13	812	29	15	19	21	28	48	59	18	136	4						

Deaths of Infants (under one) to 1000 Births - 176 Marriages - 2,449 Annual Rate of Persons Married per 1000 living (Births) - 15.03

380.—UPTON-ON-SEVERN.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70—	75—	80—	85—	90—	95—	100—
ANNUAL DEATH RATE PER 1000	—	18.45	—	—	—	—	—	33.41	3.80	2.49	3.96	5.35	9.20	15.21	19.49	27.58	64.48	154						
Mean Pop. 1871-80	—	23,305	519	473	518	480	500	2400	2503	2647	2308	1905	3034	2723	2203	1715	1084	5						
ALL CAUSES	18.45	4299	587	124	48	41	31	832	95	66	95	102	279	415	447	473	690	7						
Small-pox	0.04	9	1	—	—	—	—	1	—	—	1	—	1	3	3	—	—							
Measles	0.07	17	3	6	1	2	2	24	8	—	—	—	—	—	—	—	—							
Scarlet Fever	0.22	52	4	8	6	3	8	31	12	7	1	—	—	—	—	—	—							
Diphtheria	0.15	25	—	8	2	5	1	21	15	6	—	1	1	—	—	—	—							
Whooping-cough	0.14	33	18	7	4	2	—	31	1	—	—	—	—	—	—	—	—							
Typhus	0.01	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—							
Euteric Fever	0.10	24	2	1	1	—	1	3	2	8	3	2	2	—	—	—	—							
Scarlet Cont. Fer.	0.04	9	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—							
Purp. Fever	0.08	14	—	—	—	—	—	—	—	—	1	3	8	2	—	—	—							
Diarr. and Dys.	0.33	76	33	5	—	3	1	39	—	1	1	2	5	2	2	4	10							
Cholera	0.00	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—							
Cancer	0.59	116	—	—	1	—	—	1	—	—	—	—	8	10	28	22	24							
Scrofula	0.03	12	1	2	—	2	—	5	2	1	1	—	—	—	—	—	—							
Tuberc. Mesent.	0.12	22	12	8	—	1	—	21	2	1	2	1	—	—	—	—	—							
Phthisis	1.46	310	1	1	—	1	1	4	2	6	41	40	84	89	50	21	11							
Hydrocephalus	0.16	38	11	8	6	3	4	32	5	—	1	—	—	—	—	—	—							
Diseases of Nervous Syst.	4.39	1023	158	20	9	4	5	176	14	15	13	19	78	148	124	128	181							
Cerebr. Syst.	3.21	514	—	1	—	—	—	—	2	5	7	6	19	43	85	146	176							
Respiratory	2.54	392	136	32	11	4	4	177	14	4	9	11	29	39	49	70	105							
Digestive	0.91	212	19	—	—	—	1	10	5	6	1	6	10	24	34	18	43							
Urinary	0.45	106	1	—	—	—	—	—	—	—	1	7	11	30	24	22	2							
Generative	0.03	7	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1							
Childbirth	0.07	17	—	—	—	—	—	—	—	—	—	—	8	7	1	—	—							
Swindle	0.10	24	—	—	—	—	—	—	—	—	—	—	2	3	10	4	3							
Other Violence	0.48	113	9	4	3	4	2	32	7	4	8	7	14	13	4	14	14							
OTHER CAUSES	2.82	894	205	29	4	5	2	139	9	4	3	2	11	14	18	26	104	4						

Deaths of Infants (under one) to 1000 Births - 103 Marriages - 1,183 Annual Rate of Persons Married per 1000 living (Births) - 19.15

881.—EVESHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	17.42	—	—	—	—	—	40.19	3.47	3.04	3.83	6.00	7.50	9.80	12.24	23.06	38.97	145.7
Mean Pop. 1871-80	—	15,447	431	414	418	416	416	2005	1982	1779	1880	1189	1973	1664	1332	1081	607	30
ALL CAUSES	17.42	2601	508	127	57	30	80	842	67	54	53	82	148	163	163	249	411	48
Small-pox	0.03	10	—	—	2	—	—	2	—	1	1	5	—	—	1	—	—	—
Measles	0.08	12	5	3	1	1	1	11	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.34	62	6	11	9	13	3	42	5	3	1	—	1	—	—	—	—	—
Diphtheria	0.30	47	1	2	5	1	5	15	19	9	1	—	—	1	—	—	—	—
Whooping-cough	0.23	35	19	8	3	—	3	33	2	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.01	44	2	1	—	1	2	6	2	5	5	6	9	3	3	2	1	—
Simple Cont. Fev.	0.01	9	—	—	—	1	—	1	1	2	2	2	—	—	—	—	—	—
Paup. Fever	0.00	14	—	—	—	—	—	—	—	—	—	—	5	7	—	—	—	—
Diarr. and Dys.	0.33	82	46	12	—	1	—	69	1	—	—	1	1	1	1	2	8	4
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer	0.34	83	—	—	—	—	—	—	—	—	1	1	—	11	17	21	25	4
Serofula	0.05	9	1	—	1	—	—	2	—	—	1	—	—	1	1	1	1	—
Tubes Mesent.	0.12	14	10	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	1.50	231	3	—	—	—	—	3	2	6	18	36	67	39	25	21	13	1
Hydrocephalus	0.08	13	6	1	—	—	1	8	4	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.14	331	107	12	4	1	—	121	6	4	4	6	12	8	13	28	64	39
Circulatory	1.43	221	—	—	—	—	1	1	3	3	3	1	12	12	23	45	53	44
Respiratory	2.83	442	110	47	17	4	7	183	6	1	2	2	8	8	22	49	50	36
Digestive	0.91	149	18	—	1	1	2	22	2	—	1	2	6	6	16	31	21	11
Urinary	0.40	62	1	—	—	—	—	—	—	—	—	—	—	—	—	17	13	2
Generative	0.03	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.11	17	—	—	—	—	—	—	—	—	—	—	8	9	—	—	—	—
Suicide	0.04	6	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—
Other Violence	0.52	80	4	2	4	1	2	13	9	6	7	8	2	7	8	8	7	10
OTHER CAUSES	4.08	723	299	21	7	4	3	297	4	7	2	2	6	14	9	24	107	23

Deaths of Infants (under
one) to 1000-Births } 123Marriages : 913
Births : 4,878Annual Rate of Persons Married : 11.82
per 1000 living (Births : 31.55)

882.—PERSHORE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	16.76	—	—	—	—	—	36.38	4.08	3.28	4.55	7.37	6.14	8.72	10.47	23.36	53.69	142.7
Mean Pop. 1871-80	—	13,851	379	338	372	337	355	1781	1764	1553	1230	1017	1605	1525	1299	903	678	30
ALL CAUSES	16.76	2322	455	90	39	39	25	648	72	51	56	75	104	133	136	232	364	45
Small-pox	0.02	3	1	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—
Measles	0.12	16	2	4	3	2	2	14	—	1	1	—	—	—	—	—	—	—
Scarlet Fever	0.48	61	6	9	12	10	6	43	16	4	—	2	1	—	—	—	—	—
Diphtheria	0.23	81	1	1	1	3	4	10	10	8	2	—	1	—	—	—	—	—
Whooping-cough	0.17	24	13	7	—	2	1	23	1	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.17	23	—	—	—	—	1	1	4	4	8	1	1	1	2	1	—	—
Simple Cont. Fev.	0.03	4	1	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—
Paup. Fever	0.04	6	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—
Diarr. and Dys.	0.57	79	39	10	1	1	1	53	2	—	—	—	—	1	—	3	8	10
Cholera	0.02	5	—	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0.43	59	—	—	—	—	—	—	—	—	—	1	2	8	8	13	14	2
Serofula	0.05	7	—	1	—	—	—	1	4	1	1	—	—	—	—	—	—	—
Tubes Mesent.	0.03	7	1	1	1	—	—	3	2	1	—	—	—	—	—	—	—	—
Phthisis	1.22	169	2	4	1	1	—	8	3	9	15	31	43	28	16	8	3	—
Hydrocephalus	0.03	8	—	2	—	1	1	4	1	2	—	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.43	356	52	11	2	—	2	67	5	2	3	3	5	14	21	40	90	57
Circulatory	1.79	248	—	1	—	—	—	1	4	1	3	4	10	21	25	55	86	57
Respiratory	2.48	347	76	21	9	7	1	117	8	4	3	3	6	13	18	43	66	41
Digestive	0.93	152	20	1	2	2	—	25	4	3	3	5	6	6	13	25	35	12
Urinary	0.43	64	—	—	—	—	—	1	1	1	2	—	6	7	7	11	18	1
Generative	0.04	6	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Childbirth	0.14	22	—	—	—	—	—	—	—	—	2	1	7	12	—	—	—	—
Suicide	0.08	11	—	—	—	—	—	—	—	—	1	—	1	1	1	2	—	—
Other Violence	0.49	68	12	—	3	4	2	21	3	5	3	3	4	8	6	8	3	1
OTHER CAUSES	4.24	583	229	12	3	5	8	222	4	4	6	8	8	11	15	14	43	23

Deaths of Infants (under
one) to 1000-Births } 112Marriages : 913
Births : 4,973Annual Rate of Persons Married : 13.56
per 1000 living (Births : 29.12)

WORCESTERSH.] *Deaths in Registration Districts in the Ten Years 1871-80.*

383.—DROITWICH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	17.23	—	—	—	—	—	43.06	4.56	2.37	4.10	4.80	0.54	0.90	12.11	25.02	37.05	13.05
Mean Pop. 1871-80	—	24,261	725	631	700	637	684	3377	3067	2098	2245	1803	3273	2077	2130	1539	922	4
ALL CAUSES	17.23	4187	981	213	103	71	55	1454	140	61	92	91	214	205	258	385	523	6
Small-pox	0.08	19	2	—	—	—	—	2	2	1	3	5	3	—	—	1	—	—
Measles	0.14	34	4	16	7	1	3	31	1	1	1	—	—	—	—	—	—	—
Scarlet Fever	0.48	117	9	15	15	23	10	70	26	8	2	4	5	2	—	—	—	—
Diphtheria	0.14	34	2	5	1	3	5	14	13	3	—	1	8	1	—	—	—	—
Whooping-cough	0.29	71	40	19	8	1	—	68	2	1	—	—	—	—	—	—	—	—
Typhus	0.04	9	—	1	1	1	—	3	—	1	1	1	—	3	1	—	—	—
Enteric Fever	0.19	47	2	2	1	1	2	8	4	4	5	4	9	6	5	3	1	—
Simple Cont. Fev.	0.03	13	2	—	—	1	1	4	2	2	1	—	1	1	—	—	1	—
Fæcal. Fever	0.11	24	—	—	—	—	—	—	—	—	3	7	8	6	—	—	—	—
Diarr. and Dys.	0.08	165	112	13	3	1	1	132	2	1	—	1	1	2	2	3	6	—
Cholera	0.01	5	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Cancer	0.40	96	1	1	—	—	—	2	—	—	—	—	2	15	16	27	29	—
Scrophula	0.13	32	6	5	2	1	3	17	4	—	2	—	2	2	2	2	1	—
Tuberc. Mesent.	0.19	46	23	6	4	1	2	38	3	1	2	—	—	—	—	—	—	—
Phthisis	1.24	702	10	4	2	2	—	18	3	8	32	57	77	50	44	22	4	—
Hydrocephalus	0.23	71	22	18	8	4	5	57	9	2	—	2	—	—	—	1	—	—
Nervous Syst.	2.01	494	77	20	8	6	4	115	11	6	9	4	14	21	57	70	108	—
Circulatory	1.31	318	5	2	—	—	—	5	4	4	5	4	24	27	24	63	91	—
Respiratory	2.71	637	148	61	32	6	10	247	6	7	5	6	11	41	34	73	106	—
Digestive	0.95	231	33	6	3	1	3	43	5	2	2	2	11	13	22	40	44	—
Urinary	0.40	97	1	—	1	2	—	4	3	2	4	3	8	13	13	22	15	—
Generative	0.07	16	—	—	—	—	—	—	—	—	—	1	5	3	—	3	3	—
Childbirth	0.08	50	—	—	—	—	—	—	—	2	2	7	7	7	2	—	—	—
Swindle	0.07	16	—	—	—	—	—	—	—	—	—	—	—	3	6	5	2	—
Other Violence	0.43	157	18	8	10	6	3	42	37	11	4	6	11	19	13	9	11	—
OTHER CAUSES	4.52	1097	464	43	7	19	6	250	11	4	8	1	10	18	17	27	117	30

Deaths of Infants (under one) to 1000 Births } 126

Marriages - 2,131
Births - 7,813

Annual Rate { Persons Married - 17.48
per 1000 living { Births - 32.20

384.—BROMSGROVE.

	Annual Death Rate per 1000.	10-30	—	—	—	—	—	55-81	5-95	3-17	4-93	6-20	6-91	9-71	15-04	24-02	61-08	108
ANNUAL DEATH RATE PER 1000	—	10.39	—	—	—	—	—	55.81	5.95	3.17	4.93	6.20	6.91	9.71	15.04	24.02	61.08	108
Mean Pop. 1871-80	—	80,458	937	826	852	839	823	4277	3800	3441	2928	2534	4099	3263	2899	1962	1131	41
ALL CAUSES	10.39	5005	1464	476	216	154	97	2387	225	109	145	157	277	317	405	483	701	6
Small-pox	0.11	54	3	—	1	—	—	4	6	4	2	8	2	6	—	1	1	—
Measles	0.23	11	14	27	17	4	6	68	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.68	208	29	34	48	43	32	199	53	9	2	—	2	1	1	1	—	—
Diphtheria	0.14	43	3	4	3	7	2	19	11	7	2	1	1	1	—	—	—	—
Whooping-cough	0.34	164	44	56	14	6	3	101	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	9	—	—	—	—	—	—	—	1	1	2	—	1	4	—	—	—
Enteric Fever	0.20	90	2	1	3	3	3	12	17	13	14	6	10	9	5	8	1	—
Simple Cont. Fev.	0.10	31	—	1	3	1	1	6	7	2	3	3	1	—	1	2	5	—
Fæcal. Fever	0.03	15	—	—	—	—	—	—	—	—	—	1	3	8	3	—	—	—
Diarr. and Dys.	1.00	594	194	50	6	2	1	213	8	—	—	1	3	2	5	5	12	2
Cholera	0.03	16	6	2	2	—	—	10	1	—	—	1	—	—	1	1	2	—
Cancer	0.45	132	—	—	—	—	1	1	1	—	1	1	1	20	22	31	41	1
Scrophula	0.19	37	21	11	4	2	—	38	6	1	2	1	1	3	1	3	1	—
Tuberc. Mesent.	0.25	77	26	23	6	2	1	69	4	2	3	2	2	—	—	—	—	—
Phthisis	1.29	814	15	14	2	2	5	98	6	14	27	70	114	97	73	12	13	—
Hydrocephalus	0.24	72	30	18	2	1	3	54	10	6	1	1	—	—	—	—	—	—
Nervous Syst.	2.20	670	152	26	10	6	3	203	18	9	8	8	20	47	79	143	11	—
Circulatory	1.23	403	1	—	1	1	4	4	5	8	10	11	20	23	60	84	119	4
Respiratory	3.20	902	281	103	48	24	15	471	11	4	9	4	38	34	68	97	131	13
Digestive	0.90	302	43	10	3	2	3	63	6	4	7	6	14	22	24	52	31	2
Urinary	0.72	37	3	1	2	1	1	8	4	3	1	5	9	6	16	11	23	1
Generative	0.03	16	—	—	—	—	—	—	—	—	—	—	1	6	4	1	2	—
Childbirth	0.10	50	—	—	—	—	—	—	—	2	4	11	13	—	—	—	—	—
Swindle	0.05	16	—	—	—	—	—	—	—	1	—	2	3	5	4	—	—	—
Other Violence	0.24	196	23	6	4	4	8	45	23	14	3	7	15	11	16	13	11	—
OTHER CAUSES	4.32	1571	581	84	31	21	12	730	27	7	15	11	18	21	33	61	118	22

Deaths of Infants (under one) to 1000 Births } 140

Marriages - 1,737
Births - 10,461

Annual Rate { Persons Married - 11.41
per 1000 living { Births - 34.36

385.—KING'S NORTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	16.51	—	—	—	—	—	30.90	5.23	2.73	3.40	4.51	6.10	9.38	14.52	27.72	41.74	158.1
Mean Pop. 1871-80	—	81,472	2378	2120	2212	2150	2163	11032	9677	8560	8647	8033	12900	9080	6520	4160	2233	82
ALL CAUSES	16.51	13,418	3535	1964	468	314	234	5615	506	234	204	368	781	853	948	1153	1380	121
Small-pox -	0.11	92	9	—	—	4	3	17	6	4	6	17	21	9	7	3	2	—
Measles -	0.18	150	38	52	18	16	11	135	11	2	2	—	—	—	—	—	—	—
Scarlet Fever -	0.74	663	55	92	101	99	72	404	151	20	9	3	1	—	—	—	—	—
Diphtheria -	0.19	153	11	12	12	18	21	70	47	19	7	2	1	—	—	—	—	—
Whooping-cough -	0.42	341	137	121	43	20	9	382	7	2	—	—	—	—	—	—	—	—
Typhus -	0.03	25	—	1	2	1	4	5	2	2	4	2	2	2	2	1	1	—
Enteric Fever -	0.24	195	1	3	8	7	6	57	30	21	20	24	37	12	13	7	3	—
Simple Cont. Fev. -	0.06	45	2	—	4	2	4	14	7	1	3	2	5	5	2	4	—	—
Puerp. Fever -	0.05	43	—	—	—	—	—	—	—	—	1	8	6	—	—	—	—	—
Diarr. and Dys. -	0.63	674	410	104	23	6	—	573	3	1	—	3	4	7	4	21	25	27
Cholera -	0.01	7	—	1	—	1	—	2	—	—	1	1	—	—	2	—	—	—
Cancer -	0.48	194	—	—	—	—	—	—	1	1	8	2	13	44	102	91	91	36
Scrophula -	0.05	41	7	2	3	6	—	15	2	4	3	2	1	—	4	3	1	1
Tuberc. Mesent. -	0.18	144	64	32	19	3	3	113	11	8	2	—	4	—	1	1	1	1
Phthisis -	1.47	1199	13	11	5	4	5	38	10	34	18	155	334	263	136	69	29	4
Hydrocephalus -	0.23	207	81	49	17	1	13	177	21	7	—	—	1	—	—	—	—	—
Diseases of (Nervous Syst. -	1.09	1375	451	101	47	50	16	631	51	29	32	20	57	74	119	171	133	161
Circulatory " -	0.93	774	3	1	—	—	1	5	9	16	17	14	40	70	114	108	206	147
Respiratory " -	3.23	2436	730	283	91	49	35	1189	41	13	19	25	69	127	183	278	395	230
Digestive " -	0.81	671	79	22	8	2	4	113	18	7	7	14	41	72	169	124	194	57
Urinary " -	0.31	273	1	3	2	2	1	9	7	5	8	13	20	33	32	31	37	25
Generative " -	0.04	32	—	—	—	—	—	—	—	—	—	1	2	4	8	8	1	—
Childbirth -	0.07	53	—	—	—	—	—	—	—	—	7	24	22	—	—	—	—	—
Suicide -	0.07	81	—	—	—	—	—	—	—	—	4	6	5	9	18	6	3	—
Other Violence -	0.26	291	48	12	14	8	8	60	21	16	15	29	28	33	50	21	13	53
OTHER CAUSES -	3.43	2898	1388	139	63	28	16	1658	33	23	29	16	40	57	89	111	232	145

Deaths of Infants (under
one) to 1000 Births } 123Marriages - 7,661
Births - 27,537Annual Rate (Persons Married - 18.51
per 1000 living (Births - 35.39)

386.—BIRMINGHAM.

[WARWICKSHIRE]

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	25.82	—	—	—	—	—	86.10	8.03	3.88	5.36	7.30	10.52	16.73	24.80	43.75	84.54	181.2
Mean Pop. 1871-80	—	228,684	7474	6436	6640	6426	6490	33376	28321	25014	24611	22850	30622	27966	19778	11950	5663	1706
ALL CAUSES	25.82	61,635	17042	5956	2705	1741	1234	28758	2201	904	1319	1690	3354	4679	4922	5231	4800	355
Small-pox -	0.14	142	125	34	57	27	13	256	128	17	139	171	179	51	42	10	6	—
Measles -	0.41	1073	247	404	294	167	88	995	47	19	—	1	—	—	—	—	—	—
Scarlet Fever -	1.12	272	163	526	374	451	338	1894	619	71	16	9	53	4	1	—	—	—
Diphtheria -	0.22	72	32	76	74	76	81	309	108	24	11	8	11	4	—	—	—	—
Whooping-cough -	0.90	2111	849	679	308	178	73	2092	49	—	—	—	—	—	—	—	—	—
Typhus -	0.02	67	1	—	2	1	2	6	8	12	7	10	7	1	2	3	1	—
Enteric Fever -	0.33	778	15	16	26	23	38	124	129	84	92	76	107	71	47	50	22	4
Simple Cont. Fev. -	0.11	251	14	23	28	18	23	101	43	11	18	15	16	21	7	10	8	1
Puerp. Fever -	0.07	170	—	—	—	—	—	—	—	—	5	43	74	47	1	—	—	—
Diarr. and Dys. -	1.84	4386	307	711	143	40	28	5911	36	6	10	22	35	40	92	72	104	1
Cholera -	0.01	20	2	3	2	3	1	11	3	—	1	1	1	1	2	4	1	1
Cancer -	0.49	1166	—	—	1	—	2	3	8	3	12	8	87	109	501	363	290	22
Scrophula -	0.09	295	37	37	13	14	7	118	19	13	13	8	11	10	7	4	2	—
Tuberc. Mesent. -	0.21	496	250	131	40	11	9	446	18	8	7	7	—	3	3	2	—	—
Phthisis -	2.18	3013	84	69	51	38	23	214	12	142	599	654	1454	1431	133	410	108	6
Hydrocephalus -	0.29	690	247	117	74	42	39	609	16	22	5	3	8	—	—	—	—	—
Diseases of (Nervous Syst. -	2.75	6532	1809	497	209	135	90	2746	184	104	16	123	318	507	616	770	721	315
Circulatory " -	1.14	2716	8	6	5	3	10	32	39	60	98	103	267	435	550	260	418	145
Respiratory " -	5.24	12591	2007	1365	590	248	131	3573	103	52	86	128	408	778	1109	1794	1612	126
Digestive " -	0.69	2120	354	65	24	21	15	469	51	39	46	38	173	279	345	300	217	55
Urinary " -	0.45	1082	11	13	15	19	17	73	60	28	37	38	132	154	194	180	153	17
Generative " -	0.07	120	—	—	—	—	—	—	—	1	3	7	83	33	20	30	9	3
Childbirth -	0.10	127	—	—	—	—	—	—	—	—	14	32	93	85	3	—	—	—
Suicide -	0.11	254	—	—	—	—	—	—	—	—	13	16	35	51	71	42	21	2
Other Violence -	1.24	3065	1040	371	141	134	95	1361	214	107	108	63	165	213	198	134	149	101
OTHER CAUSES -	4.73	11028	5747	1852	572	322	95	7978	185	95	13	86	229	214	224	460	1001	1320

Deaths of Infants (under
one) to 1000 Births } 179Marriages - 23,465
Births - 93,201Annual Rate (Persons Married - 19.66
per 1000 living (Births - 38.39)

337.—ASTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000.	—	20.65	—	—	—	—	—	70.75	0.15	2.80	4.20	5.25	6.00	11.20	17.30	32.78	66.34	161.47
Mean Pop. 1871-80	—	178,362	5091	5462	5654	5332	5103	27634	23135	10637	17438	16042	27504	20267	13588	8073	3824	1220
ALL CAUSES	20.65	30,838	12,129	4000	1667	1024	732	19352	1423	563	745	842	1003	2280	2363	2540	2537	1970
Small-pox	0.27	478	69	6	8	7	11	12	19	30	69	85	84	44	19	9	—	—
Measles	0.37	656	149	254	194	50	85	618	36	—	—	—	—	—	—	1	—	
Eruptive Fever	1.67	1912	128	822	601	343	251	1405	407	27	21	6	1	2	1	—	—	
Erysipelas	0.22	469	41	61	48	57	40	247	102	20	9	4	2	4	—	1	—	
Crouping-cough	0.76	1358	644	462	178	10	62	1326	31	1	—	—	—	—	—	—	—	
Whooping-cough	0.02	29	—	—	—	—	—	—	14	9	7	2	2	2	1	1	—	
Diphtheria	0.31	562	15	17	22	21	23	98	102	66	71	53	66	45	28	11	14	
Eruptive Cont. Fev.	0.03	93	3	10	8	7	7	35	16	6	8	5	9	4	6	4	2	
Erysip. Fever	0.67	125	—	—	—	—	—	—	—	—	7	24	61	12	—	—	—	
Scar. and Dys.	1.20	2675	1800	478	95	22	14	2467	22	1	3	3	13	10	11	35	31	
Measles	0.02	27	6	5	2	—	1	14	8	2	—	—	1	—	—	—	—	
Scar.	0.40	714	—	—	1	1	—	2	4	2	3	5	31	103	200	102	123	
Measles	0.08	136	30	56	8	5	4	73	10	8	9	5	8	8	10	2	1	
Scar. Mesent.	0.23	406	211	149	29	8	8	302	14	8	5	5	3	4	6	1	—	
Measles	1.74	3098	63	47	20	10	13	163	54	67	162	335	765	730	438	238	47	
Erysipelas	0.39	831	297	181	63	85	18	451	56	10	3	4	2	2	—	—	—	
Nervous Syst.	2.25	4917	1985	872	155	94	67	1973	129	69	49	53	134	178	236	457	453	
Circulatory	1.90	1791	11	2	1	6	8	28	24	27	36	31	159	367	305	191	3.6	
Respiratory	3.98	7067	2277	1025	321	132	73	2819	140	26	46	74	220	341	462	715	772	
Digestive	6.78	1284	267	36	24	12	14	351	28	21	33	31	90	196	234	218	190	
Urinary	0.31	531	11	15	9	14	7	51	21	16	9	19	38	69	105	107	71	
Generative	0.04	77	—	—	—	—	—	—	—	—	—	8	7	24	15	19	8	
Birth	0.03	143	—	—	—	—	—	—	—	—	8	25	40	61	2	—	—	
Side	0.07	125	—	—	—	—	—	—	—	—	3	5	14	19	25	19	14	
Violence	0.25	983	411	51	36	11	20	704	69	33	25	20	47	49	55	57	37	
ALL CAUSES	4.18	7471	4530	581	117	74	64	5373	26	56	42	57	96	125	168	182	418	894

Deaths of Infants (under one) to 1000 Births

Marriages - 13,951 Births - 75,781

Annual Rate per 1000 living { Persons Married - 15.64 Births - 42.49

338.—MERIDEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000.	—	17.02	—	—	—	—	—	35.63	3.91	2.79	3.38	8.45	6.47	8.29	11.90	24.88	52.03	148.18
Mean Pop. 1871-80	—	11,010	274	262	268	270	272	1366	1355	1264	947	759	1313	1104	1076	840	542	274
ALL CAUSES	17.02	1874	303	82	41	24	24	476	153	38	32	65	85	99	129	209	282	436
Small-pox	0.07	8	—	1	—	—	—	1	—	1	—	—	2	—	—	1	—	—
Measles	0.09	10	1	4	2	1	1	9	—	—	—	—	—	—	—	—	—	—
Eruptive Fever	0.35	38	3	5	7	4	7	24	11	1	—	1	1	—	—	—	—	—
Erysipelas	0.11	12	—	—	2	2	1	5	—	—	—	—	—	—	—	—	—	—
Crouping-cough	0.19	21	12	6	3	—	—	21	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0.03	5	—	—	1	—	—	1	—	—	1	—	1	1	1	—	—	—
Diphtheria	0.12	13	—	1	—	—	—	2	1	3	1	1	2	—	—	1	2	—
Eruptive Cont. Fev.	0.07	8	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Erysip. Fever	0.05	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scar. and Dys.	0.45	50	25	2	1	1	1	30	1	—	—	—	—	1	1	1	5	10
Measles	0.02	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scar.	0.45	49	—	—	—	—	—	—	—	—	—	—	—	2	2	5	18	9
Measles	0.08	9	5	—	—	—	—	5	—	—	—	—	2	1	—	1	—	—
Scar. Mesent.	0.08	9	3	—	1	1	1	6	—	1	—	—	1	—	—	1	—	—
Measles	1.96	190	4	1	—	1	—	6	2	6	9	12	26	32	14	9	2	1
Erysipelas	0.13	14	6	3	1	1	2	13	1	—	—	—	—	—	—	—	—	—
Nervous Syst.	2.08	529	41	7	2	1	3	57	8	6	6	5	4	9	29	18	22	28
Circulatory	1.49	164	1	—	—	1	—	2	—	4	2	6	3	7	16	20	24	32
Respiratory	3.31	369	28	37	11	4	1	111	8	3	3	4	7	10	22	38	46	104
Digestive	1.80	143	15	—	—	3	2	20	2	—	1	2	8	8	14	19	21	28
Urinary	0.05	73	—	—	—	—	—	—	1	—	—	—	3	4	3	12	21	12
Generative	0.16	7	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	2
Birth	0.03	8	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—
Side	0.13	17	—	—	—	—	—	—	—	—	1	—	—	2	1	8	3	4
Violence	0.45	49	3	3	3	2	1	12	2	6	4	4	3	5	4	8	3	1
ALL CAUSES	3.74	414	123	14	4	3	2	148	9	5	3	5	4	7	13	15	51	151

Deaths of Infants (under one) to 1000 Births

Marriages - 264 Births - 2,908

Annual Rate per 1000 living { Persons Married - 16.23 Births - 28.41

389.—ATHERSTONE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upw.
ANNUAL DEATH RATE PER 1000.	—	19.30	—	—	—	—	—	51.24	4.52	3.72	4.11	6.51	7.86	10.20	12.48	25.69	61.06	149.48
Mean Pop. 1871-80	—	13,147	397	372	378	374	370	1891	1725	1479	1241	1045	1718	1321	1008	801	511	237
ALL CAUSES	19.39	2540	611	198	80	51	20	960	78	55	51	68	133	144	137	216	312	364
Small-pox	0.03	10	2	—	—	—	—	2	1	—	—	—	—	1	—	—	—	1
Measles	0.46	61	18	20	6	8	2	54	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.32	68	4	9	9	8	8	38	18	8	1	—	—	3	—	—	—	—
Diphtheria	0.05	6	—	—	—	2	—	2	2	—	—	—	—	—	—	—	—	—
Whooping cough	0.34	45	22	12	6	1	2	43	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	8	—	—	—	—	1	1	—	1	3	—	—	—	—	—	—	—
Enteric Fever	0.39	51	—	—	3	2	2	7	3	7	12	8	5	8	2	2	1	1
Simple Cont. Fev.	0.02	8	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.11	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	1.12	147	85	25	7	3	—	120	2	—	—	—	—	1	1	4	8	6
Cholera	0.02	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Cancer	0.49	65	—	—	—	—	—	—	—	—	1	—	3	6	9	19	14	13
Scrofula	0.12	14	4	1	—	—	1	6	1	1	1	—	—	—	—	—	—	—
Tuberc. Mesent.	0.33	41	28	14	2	1	1	48	1	2	—	—	—	—	—	—	—	—
Phthisis	1.47	193	11	7	—	—	—	18	6	4	16	23	54	29	15	12	4	—
Hydrocephalus	0.18	24	8	7	4	3	3	20	4	—	—	—	—	—	—	—	—	—
Diseases of	2.18	587	90	11	5	1	1	168	5	3	1	3	12	10	14	25	60	46
Nervous Syst.	1.34	176	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Circulatory	3.81	501	107	60	20	6	6	183	6	4	4	6	8	16	24	43	54	29
Respiratory	0.31	102	17	3	2	—	1	26	1	3	2	—	—	2	27	20	39	16
Digestive	0.31	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urinary	0.03	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.11	13	—	—	—	—	—	—	—	—	1	2	6	6	—	—	—	—
Childbirth	0.05	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.64	111	8	6	7	3	—	24	7	13	6	4	15	6	7	13	8	10
Other Violence	5.68	469	212	21	9	7	1	230	7	4	1	3	6	13	8	13	85	121

Deaths of Infants (under
one) to 1000 Births } 128Marriages - 820
Births - 4,782Annual Rate { Persons Married - 12.57
per 1000 living { Births - 84.37

390.—NUNEATON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upw.
ANNUAL DEATH RATE PER 1000.	—	22.08	—	—	—	—	—	65.44	5.77	3.00	6.71	7.47	7.76	11.06	14.08	26.13	62.20	170.12
Mean Pop. 1871-80	—	13,067	396	319	319	347	352	1733	1594	1401	1252	1044	1700	1402	1231	930	537	241
ALL CAUSES	22.08	2835	756	206	70	55	38	1184	92	42	84	78	132	155	181	247	334	419
Small-pox	0.11	61	12	5	4	1	3	25	6	4	8	7	9	—	—	—	—	—
Measles	0.18	21	5	9	6	1	1	22	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.34	79	10	7	11	13	9	50	17	2	1	—	—	—	—	—	—	—
Diphtheria	0.02	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Whooping cough	0.21	27	13	11	1	1	1	27	—	—	—	—	—	—	—	—	—	—
Typhus	0.11	15	—	—	2	—	—	4	2	3	1	3	2	—	—	—	—	—
Enteric Fever	0.37	49	—	1	1	1	1	4	6	7	10	5	7	—	—	—	—	—
Simple Cont. Fev.	0.11	15	—	—	1	2	—	3	3	1	1	—	—	—	—	—	—	—
Puerp. Fever	0.05	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.77	100	51	18	3	—	—	72	1	—	—	—	—	—	1	6	3	17
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.54	70	—	—	—	—	—	—	—	—	—	—	3	11	11	14	21	7
Scrofula	0.07	9	—	—	1	—	—	3	2	—	—	1	1	—	—	—	—	—
Tuberc. Mesent.	0.56	75	41	21	3	1	—	66	3	1	2	—	—	—	—	—	—	—
Phthisis	1.71	224	—	—	—	—	1	2	7	6	19	27	48	43	58	15	7	2
Hydrocephalus	0.26	54	8	10	3	4	—	25	6	2	—	—	—	1	—	—	—	—
Diseases of	2.79	661	107	12	3	6	3	131	4	3	8	5	9	13	21	42	75	54
Nervous Syst.	1.45	150	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory	4.03	526	145	—	23	11	6	193	11	2	3	3	11	23	31	53	70	45
Respiratory	1.59	143	13	4	1	1	—	19	2	1	4	2	2	18	26	29	37	11
Digestive	0.51	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urinary	0.03	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative	0.08	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.06	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.68	89	8	2	4	3	1	18	9	6	9	6	10	8	7	6	6	4
Other Violence	5.64	737	341	36	10	9	8	404	8	2	3	1	8	6	12	20	65	206

Deaths of Infants (under
one) to 1000 Births } 102Marriages - 1,018
Births - 4,673Annual Rate { Persons Married - 15.58
per 1000 living { Births - 86.70

391.—FOLESHILL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000.	—	23.03	—	—	—	—	—	63.23	6.07	4.36	7.19	6.14	7.88	9.52	13.20	25.00	64.25	165.24
Gen Pop. } 1871-80 }	—	17,873	534	453	489	483	524	2483	2264	1905	1684	1400	2171	1838	1614	1296	800	328
ALL CAUSES	23.03	4119	1038	320	152	88	61	1719	151	91	121	86	171	175	213	336	514	542
all-pox - -	0.10	25	6	3	3	—	—	12	5	5	5	3	—	2	2	1	—	—
cholera - -	0.24	61	11	22	11	6	7	67	3	—	—	—	—	1	—	—	—	—
Scar Fever -	0.65	117	7	16	23	29	10	75	32	8	1	—	—	—	—	—	—	—
diphtheria -	0.14	25	—	6	3	2	3	14	7	2	1	—	—	—	—	—	1	—
whooping-cough	0.22	40	19	14	4	2	1	40	—	—	—	—	—	—	—	—	—	—
measles - -	0.08	14	—	1	—	—	—	1	3	6	—	—	—	1	1	—	1	—
Scar Fever -	0.36	65	1	—	4	2	1	8	7	11	14	5	5	1	5	4	—	1
Scar Cont. Fev.	0.16	29	—	—	2	5	3	14	4	4	1	3	—	1	—	1	—	—
Scar Fever -	0.03	9	—	—	—	—	—	—	—	—	—	3	4	1	1	—	—	—
Scar and Dys. -	0.53	103	29	20	5	2	1	87	1	1	—	—	—	—	3	1	3	3
Scar - -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Scar - -	0.45	77	—	—	1	—	—	1	—	—	—	—	6	8	10	19	25	8
Scar - -	0.13	24	2	2	2	—	—	6	3	3	—	—	—	3	1	3	2	—
Scar Mesent. -	0.24	61	96	43	9	4	1	153	5	—	—	—	—	1	—	—	—	—
Scar - -	1.58	283	9	2	4	1	1	17	5	11	37	42	71	52	50	15	2	—
Scar - -	0.33	64	29	15	4	—	3	51	11	—	—	—	—	—	—	—	—	—
Nervous Syst.	2.26	401	113	23	13	7	4	162	11	7	16	8	8	17	22	44	69	49
Cerebrum - -	1.40	230	7	1	3	3	1	15	2	10	7	2	16	25	27	82	69	29
Respiratory -	3.09	552	159	63	16	16	8	272	14	6	6	1	14	13	26	65	61	61
Digestive - -	1.46	261	42	13	6	3	1	67	7	2	5	7	13	23	29	43	47	18
Urinary - -	0.41	74	4	—	2	1	2	9	3	1	4	1	5	7	6	17	15	6
Generative -	0.07	13	—	—	—	—	—	—	—	—	—	—	1	—	6	5	1	—
Birth - -	0.08	13	—	—	—	—	—	—	—	—	2	2	5	6	—	—	—	—
Side - -	0.11	20	—	—	—	—	—	—	—	—	1	—	—	3	4	7	4	4
Violence - -	0.04	110	9	4	6	8	3	23	12	8	13	2	9	—	12	9	14	8
ALL CAUSES	7.36	1315	323	68	17	11	9	239	18	6	4	4	12	7	17	83	193	203

Deaths of Infants (under
one) to 1000 Births } 100

Marriages - 1,401
Births - 6,551

Annual Rate { Persons Married - 15.68
per 1000 living { Births - 58.33

392.—COVENTRY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
REAL DEATH RATE PER 1000.	—	21.50	—	—	—	—	—	68.09	6.67	3.26	5.73	6.79	7.80	11.07	16.23	29.06	63.12	170.87
Gen Pop. } 1871-80 }	—	42,614	1107	1003	1092	1001	1092	5535	4901	4703	4263	3756	5952	4795	3887	2744	1637	532
ALL CAUSES	21.50	9100	2456	673	305	186	149	3769	333	147	244	255	468	531	631	814	1066	941
all-pox - -	0.23	224	34	7	1	6	12	61	43	18	26	20	21	18	9	3	—	—
cholera - -	0.24	115	19	32	24	13	5	111	6	—	—	1	—	—	—	—	—	—
Scar Fever -	0.17	250	20	48	74	54	51	245	64	13	2	—	4	2	—	—	—	—
diphtheria -	0.13	63	3	3	8	3	7	26	18	4	1	—	1	—	2	3	1	—
whooping-cough	0.47	209	36	38	74	13	6	197	3	—	—	—	—	—	—	—	—	—
measles - -	0.06	25	—	—	1	1	—	3	3	4	7	3	2	—	2	—	—	—
Scar Fever -	0.23	109	2	3	2	6	3	15	19	10	25	9	5	3	9	2	3	—
Scar Cont. Fev.	0.17	64	4	4	4	4	4	20	9	2	4	9	2	4	7	1	2	—
Scar Fever -	0.08	34	—	—	—	—	—	—	—	2	9	21	5	—	—	—	—	—
Scar and Dys. -	1.46	624	444	84	24	8	—	557	1	1	1	—	2	3	3	7	18	31
Scar - -	0.01	6	3	—	1	1	—	5	—	—	—	—	—	—	—	—	1	—
Scar - -	0.59	232	—	—	—	—	—	—	—	1	3	1	9	28	21	70	63	16
Scar - -	0.10	37	11	—	—	1	2	19	3	1	5	—	5	2	1	2	—	—
Scar Mesent. -	0.43	122	23	30	5	1	4	164	2	4	4	3	4	—	—	—	—	—
Scar - -	1.96	817	34	16	4	1	4	51	13	13	79	111	187	154	124	26	33	—
Scar - -	0.22	158	42	24	14	8	11	109	22	6	8	1	—	1	1	—	—	—
Nervous Syst.	2.60	1168	263	61	24	12	10	870	27	15	20	17	25	54	77	138	212	133
Cerebrum - -	1.24	644	2	1	1	2	1	7	10	10	10	8	24	33	63	123	143	62
Respiratory -	3.75	1641	412	181	54	33	15	191	23	8	9	13	33	43	107	113	196	233
Digestive - -	1.57	438	77	6	4	3	2	94	10	6	12	13	27	36	51	30	73	37
Urinary - -	0.44	116	2	1	4	2	3	9	3	4	2	7	21	21	28	35	38	16
Generative -	0.04	33	—	—	—	—	—	—	—	—	—	—	1	4	7	16	7	1
Birth - -	0.07	39	—	—	—	—	—	—	—	—	3	3	10	12	—	—	—	—
Side - -	0.14	61	—	—	—	—	—	—	—	—	3	1	7	7	13	18	10	8
Violence - -	0.49	210	23	7	9	4	7	20	13	12	7	13	15	14	15	14	21	17
ALL CAUSES	4.03	1769	516	81	15	11	8	264	29	15	10	16	22	29	43	55	128	168

Deaths of Infants (under
one) to 1000 Births } 104

Marriages - 4,124
Births - 14,957

Annual Rate { Persons Married - 19.26
per 1000 living { Births - 36.17

393.—RUGBY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	16·97	—	—	—	—	—	12·07	3·99	2·07	4·41	6·37	7·58	8·92	12·64	22·12	29·45	163·4
Mean Pop. 1871-80	—	20,124	688	654	651	605	635	3233	2960	2908	2706	2118	3193	2849	2381	1786	1033	422
ALL CAUSES	16·97	4433	930	243	84	62	41	1360	118	80	122	135	205	254	301	393	659	748
Small-pox	0·11	28	2	—	1	—	—	3	—	4	4	2	9	—	2	8	1	—
Measles	0·17	45	7	20	5	6	1	35	3	—	—	1	1	—	—	—	—	—
Scarlet Fever	0·50	73	4	9	12	12	12	49	24	8	1	—	—	—	1	—	—	—
Diphtheria	0·08	22	—	6	1	1	1	9	6	2	1	1	—	—	1	—	—	1
Whooping-cough	0·19	49	23	13	5	7	1	49	—	—	—	—	—	—	—	—	—	—
Typhus	0·03	7	—	—	—	—	—	—	1	—	1	2	1	—	1	—	—	1
Enteric Fever	0·33	85	3	1	2	3	4	13	14	9	6	8	13	6	6	—	—	8
Simple Cont. Fev.	0·11	30	1	—	—	—	1	3	3	2	—	1	6	3	1	2	—	2
Fuemp. Fever	0·03	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0·45	144	70	14	3	2	2	91	3	—	2	2	3	—	3	8	13	17
Cholera	0·01	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0·46	121	—	—	—	—	—	—	—	—	—	—	1	12	27	31	39	10
Serofula	0·09	24	4	3	2	—	1	10	3	5	—	—	2	—	1	—	1	1
Tuberc Mesent.	0·09	24	7	7	—	—	—	18	1	—	3	—	—	—	—	—	—	—
Phthisis	1·28	335	5	5	1	—	—	11	3	17	26	33	93	48	33	15	11	—
Hydrocephalus	0·11	23	6	6	4	—	—	16	7	3	2	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2·13	257	124	25	5	6	5	163	6	6	7	7	17	18	22	61	125	122
Circulatory	1·29	234	—	1	1	2	—	4	—	4	10	9	20	27	59	71	87	34
Respiratory	3·23	815	207	75	24	9	7	322	15	5	13	8	31	37	60	71	135	136
Digestive	0·17	253	30	4	1	1	1	37	5	6	3	5	11	21	34	40	55	35
Urinary	0·34	10	—	—	—	—	1	1	2	2	2	2	6	11	7	12	25	11
Generative	0·06	16	—	—	—	—	—	—	—	—	—	1	—	2	4	5	1	5
Childbirth	0·13	35	—	—	—	—	—	—	—	—	1	4	13	17	—	—	—	—
Suicide	0·10	26	—	—	—	—	—	—	—	—	1	2	3	—	7	7	2	3
Other Violence	0·56	145	7	6	4	4	1	22	12	5	11	9	14	10	16	19	15	9
OTHER CAUSES	4·20	1092	428	47	10	8	2	493	10	6	13	13	23	25	25	45	718	321

Deaths of Infants (under
one) to 1000 Births } 121Marriages . 1,611
Births . 7,001Annual Rate (Persons Married
per 1000 living { Births . . . 13·33
Births . . . 29·41

394.—SOLIHULL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	15·15	—	—	—	—	—	34·32	4·26	3·37	3·80	4·61	6·00	8·30	11·88	21·77	52·62	157·1
Mean Pop. 1871-80	—	18,359	406	447	476	467	478	2334	2208	1956	1789	1497	2151	2121	1675	1254	764	319
ALL CAUSES	15·15	2782	544	127	51	42	34	801	94	66	68	69	147	176	199	273	402	487
Small-pox	0·09	16	2	—	—	—	—	4	—	—	2	1	2	4	3	—	—	—
Measles	0·12	22	6	6	4	1	—	17	4	1	—	—	—	—	—	—	—	—
Scarlet Fever	0·33	61	2	3	10	9	5	29	18	6	2	3	2	1	—	—	—	—
Diphtheria	0·28	61	—	6	2	6	3	17	16	10	1	2	1	1	1	—	—	—
Whooping-cough	0·52	50	32	10	1	2	2	57	2	—	—	—	—	—	—	—	—	—
Typhus	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·13	24	—	1	1	1	1	4	2	5	1	3	2	4	2	1	2	—
Simple Cont. Fev.	0·04	7	1	—	—	1	1	3	1	1	—	—	—	—	—	—	—	—
Fuemp. Fever	0·04	7	—	—	—	—	—	—	—	—	—	3	3	—	1	—	—	—
Diarr. and Dys.	0·48	86	51	2	2	3	2	60	4	—	—	2	—	2	1	3	7	10
Cholera	0·01	2	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer	0·51	98	—	—	—	—	—	—	—	2	1	—	2	10	19	25	22	17
Serofula	0·03	15	2	3	—	1	1	7	1	1	2	1	3	—	1	—	—	—
Tuberc Mesent.	0·19	17	3	3	1	1	1	10	1	—	1	1	—	—	—	—	—	—
Phthisis	1·18	217	3	3	1	—	1	8	2	10	21	24	50	41	56	12	7	3
Hydrocephalus	0·20	37	9	7	2	4	2	29	3	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1·94	353	56	11	6	3	1	77	6	9	7	7	12	13	31	48	75	61
Circulatory	1·11	294	1	—	—	—	—	1	1	1	1	5	4	9	21	27	45	39
Respiratory	2·40	411	120	39	8	5	5	172	11	1	2	2	15	19	18	45	88	74
Digestive	0·90	305	16	3	1	1	1	12	3	1	3	3	11	20	16	37	33	14
Urinary	0·30	51	1	1	—	2	1	6	2	5	1	3	7	4	10	8	19	9
Generative	0·11	21	—	—	—	—	—	—	—	—	—	—	4	6	4	5	—	—
Childbirth	0·07	13	—	—	—	—	—	—	—	—	—	1	6	6	—	—	—	—
Suicide	0·08	15	—	—	—	—	—	—	—	—	1	2	2	1	2	5	1	1
Other Violence	0·51	93	9	1	2	3	2	17	7	8	6	6	9	8	10	8	8	8
OTHER CAUSES	3·71	681	226	29	7	3	3	239	8	6	5	2	11	13	17	31	53	254

Deaths of Infants (under
one) to 1000 Births } 114Marriages . 961
Births . 4,700Annual Rate (Persons Married
per 1000 living { Births . . . 10·47
Births . . . 28·09

395.—WARWICK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	19'75	—	—	—	—	—	50'28	4'70	3'33	4'73	6'48	7'83	11'08	17'30	23'16	41'20	100
Mean Pop. 1871-80	—	50,857	1243	1104	1141	1069	1123	5082	5312	4981	5079	4522	7207	5912	4983	3830	2301	95
ALL CAUSES	19'75	10,046	1903	483	216	142	100	2857	253	106	240	293	564	655	862	1081	1445	16
Small-pox	0'01	29	3	—	—	—	—	3	1	1	4	5	5	4	5	1	1	—
Measles	0'24	115	23	45	16	13	6	105	7	1	—	—	2	2	—	—	—	—
Scarlet Fever	0'44	119	10	38	34	30	29	133	56	15	5	4	1	3	2	—	—	—
Diphtheria	0'08	4	1	6	6	4	4	25	8	4	1	—	—	4	—	—	—	—
Whooping-cough	0'26	132	59	86	19	9	5	128	2	2	—	—	—	—	—	—	—	—
Typhus	0'03	15	—	—	—	1	—	1	—	3	2	2	1	1	5	1	1	—
Enteric Fever	0'26	133	2	1	1	6	5	15	12	13	18	13	16	18	7	14	6	—
Simple Cont. Fev.	0'10	51	1	—	2	3	6	12	10	6	2	2	3	1	2	2	6	—
Puerp. Fever	0'04	18	—	—	—	—	—	—	—	—	2	4	8	4	—	—	—	—
Diarr. and Dys.	0'75	183	239	86	11	2	3	261	4	1	—	1	2	9	12	21	29	—
Cholera	0'01	3	—	2	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Cancer	0'67	339	—	—	—	—	—	—	—	—	4	1	11	30	66	95	92	—
Scrofula	0'13	67	8	7	2	3	1	21	4	10	6	7	6	2	3	5	2	—
Tuberc. Mesent.	0'26	134	79	18	9	4	2	112	10	3	4	1	2	—	—	—	2	—
Phthisis	1'97	1002	32	9	7	3	2	43	14	24	81	117	242	180	128	102	34	—
Hydrocephalus	0'29	100	37	17	10	3	—	67	13	7	7	2	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'90	1433	211	39	23	14	11	298	23	17	22	25	69	135	149	197	272	—
Circulatory	1'71	868	1	2	—	1	1	5	10	16	13	15	41	51	103	207	291	—
Respiratory	2'85	1440	351	127	38	16	14	245	20	8	14	26	34	62	111	141	215	—
Digestive	1'19	605	66	5	4	2	—	77	2	4	3	15	24	35	95	123	159	—
Urinary	0'46	236	1	2	1	1	2	7	6	2	5	4	12	24	38	31	64	—
Generative	0'05	25	—	—	—	—	—	—	—	—	—	—	3	4	4	6	1	—
Childbirth	0'06	30	—	—	—	—	—	—	—	—	3	6	11	9	1	—	—	—
Suicide	0'12	62	—	—	—	—	—	—	—	—	3	7	6	5	12	13	12	—
Other Violence	0'54	274	23	10	3	7	10	52	2	11	23	17	57	29	30	15	18	—
OTHER CAUSES	4'45	2271	799	93	28	16	8	946	23	18	18	13	24	33	62	100	287	—

Deaths of Infants (under one to 1000 Births) } 137

Marriages - 3,629
Births - 13,882Annual Rate { Persons Married - 14'27
per 1000 living { Births - 27'30

396.—STRATFORD-ON-AVON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	17'48	—	—	—	—	—	38'50	4'32	3'15	4'42	6'82	7'37	8'77	12'19	23'80	39'19	100
Mean Pop. 1871-80	—	22,434	557	509	500	506	508	2040	2709	2474	1092	1650	2827	2473	2119	1640	1017	4
ALL CAUSES	17'48	3922	746	201	80	65	40	1152	121	78	88	113	214	217	262	394	692	—
Small-pox	0'01	11	1	—	—	—	—	1	—	—	2	1	2	4	1	—	—	—
Measles	0'17	28	11	12	7	—	3	31	3	1	—	—	—	1	—	—	—	—
Scarlet Fever	0'31	59	6	14	11	17	4	57	12	5	—	—	3	—	—	—	—	—
Diphtheria	0'12	27	1	3	2	2	5	13	6	4	3	1	—	—	—	—	—	—
Whooping-cough	0'27	61	20	18	6	4	1	50	2	—	—	—	—	—	—	—	—	—
Typhus	0'00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'13	25	—	1	—	—	2	3	4	5	6	5	2	1	5	1	2	—
Simple Cont. Fev.	0'08	19	—	1	—	—	—	1	2	3	6	—	1	3	—	—	1	—
Puerp. Fever	0'02	5	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Diarr. and Dys.	0'55	123	66	9	3	3	2	79	7	—	2	—	1	1	6	4	12	—
Cholera	0'01	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	0'40	111	—	—	—	—	—	—	1	1	—	—	1	14	14	38	50	—
Scrofula	0'19	23	5	3	3	2	2	15	—	1	1	1	2	1	2	—	—	—
Tuberc. Mesent.	0'21	44	14	13	4	1	1	35	5	3	1	1	1	1	1	—	—	—
Phthisis	1'42	518	8	2	1	—	—	11	4	10	31	50	89	35	42	20	4	—
Hydrocephalus	0'15	53	7	3	2	5	3	20	10	2	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'09	469	84	19	6	9	6	121	17	10	9	3	11	21	57	32	54	—
Circulatory	1'36	303	—	—	—	—	—	—	3	3	7	13	22	21	30	60	92	—
Respiratory	2'87	615	141	74	18	10	5	246	14	1	3	11	24	15	25	17	171	—
Digestive	1'14	251	27	—	1	2	2	32	5	8	3	5	7	22	40	30	100	—
Urinary	0'43	96	2	1	2	—	1	6	1	1	1	3	3	5	8	24	25	—
Generative	0'07	15	—	—	—	—	—	—	—	—	—	1	2	2	5	2	2	—
Childbirth	0'04	10	—	—	—	—	—	—	—	—	1	2	4	3	—	—	—	—
Suicide	0'07	15	—	—	—	—	—	—	—	—	—	—	—	4	1	5	4	—
Other Violence	0'52	117	5	3	4	2	1	17	9	8	6	6	18	4	9	17	10	—
OTHER CAUSES	4'78	1071	244	13	8	8	4	267	20	12	5	8	10	27	23	43	131	—

Deaths of Infants (under one to 1000 Births) } 107

Marriages - 1,352
Births - 6,949Annual Rate { Persons Married - 12'65
per 1000 living { Births - 50'97

397.—ALCESTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000 }	—	19.29	—	—	—	—	—	47.88	6.81	4.50	4.87	6.30	7.02	9.22	13.44	24.05	58.18	100.75
MEAN POP. } 1871-80 }	—	18,802	543	478	541	517	488	2567	2380	2087	1745	1430	2413	2028	1659	1314	513	337
ALL CAUSES	19.29	5626	814	205	96	72	42	1229	162	94	85	92	191	187	223	316	478	574
Small-pox - -	0.10	19	5	-	-	-	-	5	-	-	4	2	1	-	-	-	-	-
Measles - -	0.31	58	15	18	5	6	1	45	10	2	-	-	1	1	-	-	-	-
Scarlet Fever -	0.72	135	3	15	22	25	13	78	42	12	1	2	1	-	-	-	-	-
Diphtheria - -	0.28	32	1	5	5	5	2	12	14	11	-	-	-	-	-	1	-	-
Whooping-cough	0.24	45	26	11	3	3	1	44	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.02	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Enteric Fever -	0.32	61	-	1	4	3	3	10	10	7	9	7	8	2	4	2	1	1
Simp. Cont. Fever	0.14	26	-	-	2	-	-	2	5	3	2	2	2	2	3	4	-	-
Puerp. Fever -	0.03	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
Diarr. and Dys. -	0.50	110	51	18	8	5	1	74	5	-	-	-	4	-	4	6	6	18
Cholera - -	0.02	3	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-
Cancer - -	0.47	88	-	-	-	-	-	-	1	-	-	-	2	16	20	15	23	11
Scrofula - -	0.18	34	9	9	1	1	-	20	8	-	1	2	3	2	-	3	-	-
Tubes Mesent. -	0.16	31	18	3	2	1	-	24	3	-	1	-	2	-	-	1	-	-
Phthisis - -	1.83	344	11	5	3	-	-	19	3	14	37	41	64	59	35	33	18	7
Hydrocephalus -	0.15	29	14	7	1	-	2	24	3	1	1	-	-	1	-	-	-	-
Diseases of																		
Nervous Syst. -	2.10	395	66	11	11	1	3	92	10	7	5	4	9	18	37	31	100	91
Circulatory " -	1.32	243	2	1	-	-	-	3	2	8	6	3	16	16	34	29	65	55
Respiratory " -	3.40	610	180	66	21	6	7	289	14	8	1	6	16	21	36	66	99	92
Digestive " -	0.83	156	15	2	3	2	1	23	2	4	3	4	5	8	19	25	37	17
Urinary " -	0.25	72	1	-	1	-	-	2	1	-	1	2	8	7	10	10	8	4
Generative " -	0.01	8	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-
Childbirth - -	0.12	23	-	-	-	-	-	-	-	1	3	12	7	1	1	-	-	-
Suicide - -	0.06	11	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	-
Other Violence -	0.57	108	22	1	4	8	2	37	9	9	3	4	6	6	7	10	7	34
OTHER CAUSES	4.91	923	374	38	7	8	6	483	15	7	8	5	7	12	17	34	98	25

Deaths of Infants (under one) to 1000 Births } 130 Marriages - 1,115 Annual Rate { Persons Married - 11.86
Births - 6,270 per 1000 living { Births - 33.35

398.—SHIPSTON-ON-STOUR.

ANNUAL DEATH RATE PER 1000 }	—	17.63	—	—	—	—	—	35.75	3.78	2.65	4.60	6.33	5.93	7.61	12.12	22.01	58.00	100.75
MEAN POP. } 1871-80 }	—	18,775	505	445	546	471	503	2473	2431	2110	1620	1263	2191	2023	1790	1422	1007	450
ALL CAUSES	17.63	3311	618	133	62	30	32	884	92	56	75	80	160	154	217	313	533	725
Small-pox - -	0.03	6	1	-	-	-	-	1	-	-	-	1	2	-	1	1	-	-
Measles - -	0.09	17	4	5	5	-	1	15	2	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0.16	39	1	5	5	8	3	19	4	2	4	-	-	-	1	-	-	-
Diphtheria - -	0.23	41	1	3	3	7	7	19	21	3	-	-	-	-	-	-	-	-
Whooping-cough	0.31	59	34	20	4	2	1	58	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.01	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Enteric Fever -	0.11	39	-	-	1	-	1	2	1	1	4	6	5	4	5	1	9	1
Simp. Cont. Fever	0.05	10	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-
Puerp. Fever -	0.02	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Diarr. and Dys. -	0.54	102	37	3	4	-	2	44	1	-	-	3	2	1	2	6	18	15
Cholera - -	0.12	3	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
Cancer - -	0.44	83	-	-	-	-	-	-	-	-	-	-	-	5	16	24	23	15
Scrofula - -	0.14	27	6	3	-	-	-	9	1	2	4	-	2	1	2	2	4	-
Tubes Mesent. -	0.11	21	13	4	1	-	1	14	1	1	1	2	1	1	-	-	-	-
Phthisis - -	1.44	270	13	7	1	1	1	25	4	15	35	42	52	64	89	9	6	1
Hydrocephalus -	0.21	59	18	5	2	1	-	26	9	2	-	-	-	1	1	-	-	-
Diseases of																		
Nervous Syst. -	2.27	427	77	10	6	6	2	81	7	9	5	4	9	10	41	38	114	89
Circulatory " -	1.60	310	2	-	-	-	2	2	1	2	6	1	7	14	29	27	129	16
Respiratory " -	2.72	511	131	28	12	6	8	196	8	3	3	6	15	16	27	49	89	103
Digestive " -	1.02	162	14	4	3	-	1	22	6	2	3	1	9	10	22	46	53	15
Urinary " -	0.27	35	1	-	-	-	-	1	1	1	3	-	3	10	3	14	10	13
Generative " -	0.05	19	-	-	-	-	-	-	-	-	-	-	1	1	5	1	2	-
Childbirth - -	0.07	13	-	-	-	-	-	-	-	-	1	1	6	5	-	-	-	-
Suicide - -	0.05	10	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	-
Other Violence -	0.43	85	8	5	4	4	1	22	9	3	3	6	3	2	7	14	7	-
OTHER CAUSES	5.01	933	245	52	11	6	3	317	12	9	10	6	11	15	21	35	113	57

Deaths of Infants (under one) to 1000 Births } 107 Marriages - 1,077 Annual Rate { Persons Married - 11.65
Births - 5,775 per 1000 living { Births - 30.76

399.—SOUTHAM.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (PER 1000)	—	17.52	—	—	—	—	—	39.63	5.02	3.42	4.19	7.13	6.50	6.63	12.23	21.83	37.50	140.23
Pop. { 1-80 }	—	10,403	293	250	294	294	277	1417	1334	1160	850	715	1365	1132	990	797	513	212
CAUSES	17.52	1823	365	85	43	37	23	553	75	40	36	51	83	75	124	174	295	317
Scar - -	0.22	25	3	—	1	1	—	5	—	—	1	5	2	—	4	4	2	—
Fever - -	0.24	25	5	6	4	2	2	19	3	1	—	1	1	—	—	—	—	—
aria - -	0.45	47	4	6	5	4	4	23	19	3	1	—	1	—	—	—	—	—
ing-cough	0.37	58	5	6	3	2	2	18	15	2	—	—	1	—	—	—	—	2
ing-cough	0.23	34	18	9	3	3	—	33	1	—	—	—	—	—	—	—	—	—
— - -	0.02	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Fever - -	0.17	18	1	—	1	2	1	5	—	2	1	2	1	2	—	3	2	—
Cont. Fav.	0.25	27	—	1	—	—	—	1	8	2	—	—	4	1	4	3	2	—
Fever - -	0.04	4	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—
and Dys.	0.43	43	13	8	—	1	—	22	1	—	—	—	—	—	3	2	10	7
— - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
— - -	0.50	52	—	—	—	—	—	—	—	—	—	1	1	3	13	11	15	6
— - -	0.06	8	—	—	—	—	2	2	—	—	—	—	—	—	1	2	3	1
Desent.	0.02	9	3	1	1	—	—	6	—	1	1	—	—	—	—	1	—	—
cephalus	1.21	138	3	1	—	—	—	4	3	4	13	23	22	32	10	8	3	—
— - -	0.15	16	4	3	1	1	—	9	2	2	—	—	2	—	—	1	—	—
reous Syst.	2.16	25	24	8	2	2	4	40	2	3	3	1	5	6	15	23	67	29
ulatory	0.57	90	1	—	—	—	—	1	1	1	2	1	5	4	16	12	37	29
ulatory	2.54	24	73	17	8	7	1	101	4	1	2	1	5	4	16	12	37	29
odine	1.15	121	12	4	1	—	1	18	4	3	1	2	4	5	13	21	23	31
inary	0.43	44	1	—	2	—	—	3	—	2	—	—	4	1	4	5	13	11
erative	0.08	8	—	—	—	—	—	—	—	—	—	—	—	2	4	2	—	—
ith - -	0.12	13	—	—	—	—	—	—	—	—	1	3	1	8	—	—	—	—
— - -	0.06	6	—	—	—	—	—	—	—	—	1	—	2	—	1	1	1	—
Violence	0.03	65	1	1	2	4	2	10	0	8	4	1	4	7	4	6	6	3
CAUSES	4.03	510	194	14	9	8	3	225	3	4	3	1	6	6	11	26	69	151

Deaths of Infants (under one) to 1000 Births } 112 Marriages 672 Annual Rate { Persons Married 12.92
Births 3,263 per 1000 living { Births 31.37

WESTERSHIRE.]

400.—LUTTERWORTH.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
DEATHS (PER 1000)	—	17.85	—	—	—	—	—	38.10	3.14	3.00	4.64	7.64	7.36	8.55	10.87	21.63	32.43	105.67
Pop. { 1-80 }	—	13,303	315	298	332	316	344	1633	1056	1200	1220	942	1577	1473	1491	1202	774	327
CAUSES	17.85	2431	433	93	58	38	19	623	52	45	57	72	116	126	162	260	408	543
Scar - -	0.02	12	—	—	—	—	—	—	—	—	1	2	—	4	3	1	1	—
Fever - -	0.14	19	4	8	2	2	—	16	3	—	—	—	—	—	—	—	—	—
aria - -	0.12	17	1	3	2	4	1	11	3	2	—	—	—	—	1	—	—	—
ing-cough	0.04	11	1	2	2	1	2	8	2	—	—	—	—	1	—	—	—	—
ing-cough	0.15	21	12	7	2	—	—	21	—	—	—	—	—	—	—	—	—	—
— - -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fever - -	0.09	26	—	—	3	3	—	6	3	6	3	2	1	1	—	2	—	—
Cont. Fav.	0.12	16	—	—	1	1	—	2	1	2	2	3	1	1	—	2	1	1
Fever - -	0.04	6	—	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—
and Dys.	0.20	41	18	5	—	—	—	23	1	—	—	—	1	—	1	2	7	6
— - -	0.04	5	—	—	1	—	—	1	2	—	—	—	—	—	1	—	1	—
— - -	0.07	93	—	—	—	1	—	1	—	—	—	—	4	6	10	23	35	13
— - -	0.03	11	—	—	—	—	1	1	2	1	—	1	2	1	1	—	—	—
Desent.	0.14	20	8	3	1	3	—	13	2	1	1	1	—	—	—	—	—	—
cephalus	1.58	218	5	3	1	—	1	10	4	6	22	53	43	49	20	20	4	1
— - -	0.22	31	11	8	1	2	1	21	8	—	—	—	—	—	—	—	—	—
reous Syst.	2.63	33	80	13	4	4	3	164	9	8	16	6	7	9	17	37	73	88
ulatory	1.63	225	2	1	1	—	—	4	2	6	3	1	13	11	54	47	41	44
ulatory	3.60	83	21	9	6	3	1	112	3	2	4	4	9	10	16	50	82	69
odine	1.11	133	10	—	1	2	—	13	1	2	3	3	9	10	30	38	39	13
inary	0.36	49	—	1	—	—	1	2	—	3	2	2	3	4	3	10	11	7
erative	0.06	8	—	—	—	—	—	—	—	—	—	1	2	—	1	2	—	—
ith - -	0.11	15	—	—	—	—	—	—	—	—	3	1	6	5	—	—	—	—
— - -	0.07	10	—	—	—	—	—	—	—	—	—	—	2	1	2	1	2	1
Violence	0.26	48	7	—	1	3	4	13	1	2	1	3	1	3	2	4	8	9
CAUSES	4.69	630	195	15	6	6	2	225	3	5	2	7	8	7	13	19	83	271

Deaths of Infants (under one) to 1000 Births } 119 Marriages 734 Annual Rate { Persons Married 11.39
Births 3,059 per 1000 living { Births 26.20

401.—MARKET HARBOROUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	18'81	—	—	—	—	—	45'34	4'23	3'66	5'32	6'66	7'84	9'54	13'35	25'72	68'03	154'95
Mean Pop. 1871-80	—	16139	442	400	426	401	400	2069	1085	1776	1428	1273	2058	1719	1513	1185	801	331
ALL CAUSES	18'81	3635	629	150	71	45	43	938	84	65	76	72	151	164	202	303	465	513
Small-pox	0'03	5	1	—	—	—	—	1	—	1	1	—	2	—	—	—	—	—
Measles	0'25	41	9	16	7	4	3	39	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'30	45	4	3	8	8	5	28	14	4	2	—	—	—	—	—	—	—
Diphtheria	0'21	34	—	1	5	5	3	14	10	7	—	1	—	1	—	1	—	—
Whooping-cough	0'30	49	20	18	7	2	2	49	—	—	—	—	—	—	—	—	—	—
Typhus	0'02	4	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
Enteric Fever	0'40	64	2	3	1	1	2	9	9	8	11	4	7	6	4	5	1	—
Simple Cont. Fev.	0'04	7	—	—	1	1	—	2	—	1	—	1	1	—	—	2	—	—
Puerp. Fever	0'04	7	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Diarr. and Dys.	0'72	117	75	11	—	2	—	88	—	1	—	—	—	2	1	4	8	13
Cholera	0'02	3	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—
Cancer	0'86	193	—	—	—	1	—	1	—	—	1	—	—	5	6	23	39	9
Scrofula	0'09	15	4	1	—	—	—	6	3	1	—	8	—	1	1	—	—	—
Tubes Mesent.	0'21	34	15	7	3	1	2	28	3	—	2	—	—	—	—	—	1	—
Phthisis	1'00	259	3	—	1	—	1	5	2	10	30	33	52	49	41	19	7	—
Hydrocephalus	0'17	27	13	5	2	3	1	21	1	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'32	375	97	21	3	4	3	128	5	7	4	4	8	8	29	44	52	29
Circulatory "	1'41	225	1	—	—	—	1	2	2	6	5	2	9	23	24	35	75	22
Respiratory "	2'53	495	104	45	18	3	3	178	9	3	3	3	14	19	35	31	67	46
Digestive "	1'10	177	35	1	—	—	—	37	2	2	5	3	8	16	23	35	59	15
Urinary "	0'32	51	—	—	1	1	1	3	3	1	—	—	1	9	6	10	15	4
Generative "	0'04	9	—	—	—	—	—	—	—	—	—	1	2	4	2	—	—	—
Childbirth	0'09	14	—	—	—	—	—	—	—	—	2	3	2	7	—	—	—	—
Suicide	0'09	15	—	—	—	—	—	—	—	—	—	—	1	1	2	4	3	1
Other Violence	0'57	92	7	4	3	4	5	23	7	6	2	6	1	6	6	18	5	12
OTHER CAUSES	5'27	847	259	14	9	5	10	277	12	8	7	9	12	11	13	44	137	329

Deaths of Infants (under
one) to 1000 Births } 129Marriages - 1,030
Births - 4,890Annual Rate { Persons Married - 12'76
per 1000 living { Births - 30'30

402.—BILLESDON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000.	—	18'40	—	—	—	—	—	37'97	3'83	2'45	4'53	5'90	9'97	15'80	17'68	26'77	53'87	153'17
Mean Pop. 1871-80	—	8821	221	221	218	221	212	1093	1017	857	795	763	1274	1044	837	609	372	169
ALL CAUSES	18'40	1631	279	69	33	19	15	415	39	21	36	45	127	165	148	163	219	233
Small-pox	0'01	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Measles	0'11	10	4	3	1	—	—	8	—	1	—	—	—	—	—	—	—	—
Scarlet Fever	0'41	36	1	6	3	3	4	17	14	2	1	—	1	1	—	—	—	—
Diphtheria	0'09	8	—	—	2	2	—	4	1	2	—	—	—	—	1	—	—	—
Whooping-cough	0'31	27	12	9	2	1	1	25	2	—	—	—	—	—	—	—	—	—
Typhus	0'09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'25	22	—	1	1	2	—	4	4	—	4	3	1	3	2	1	—	—
Simple Cont. Fev.	0'06	5	1	—	—	1	—	2	—	—	—	—	—	—	—	1	2	—
Puerp. Fever	0'07	6	—	—	—	—	—	—	—	—	1	1	2	2	—	—	—	—
Diarr. and Dys.	0'57	10	23	7	4	1	—	35	—	—	—	—	—	2	—	1	3	7
Cholera	0'02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Cancer	0'35	82	—	—	—	—	—	—	—	—	—	—	1	4	3	10	11	3
Scrofula	0'08	7	2	1	—	—	—	3	—	—	3	—	1	—	—	—	—	—
Tubes Mesent.	0'14	12	7	1	1	1	1	11	—	—	—	—	—	—	—	—	—	—
Phthisis	1'64	145	2	4	—	—	—	6	4	4	12	21	33	31	17	9	5	—
Hydrocephalus	0'21	19	7	3	1	—	1	12	3	2	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	4'15	396	43	5	4	2	2	56	2	3	6	3	41	69	49	51	41	49
Circulatory "	1'34	118	—	—	—	—	—	—	—	—	—	—	3	7	9	26	33	10
Respiratory "	2'60	229	46	19	8	2	5	89	4	3	3	5	11	10	29	21	51	50
Digestive "	0'83	73	8	3	—	—	—	11	—	—	2	3	4	9	12	10	9	—
Urinary "	0'44	39	—	—	—	—	—	—	—	—	1	—	4	7	7	2	12	6
Generative "	0'03	3	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—
Childbirth	0'06	5	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—
Suicide	0'14	13	—	—	—	—	—	—	—	—	1	1	1	1	3	5	1	—
Other Violence	0'56	49	6	—	4	1	—	11	2	2	1	1	7	10	2	2	7	4
OTHER CAUSES	4'01	551	116	7	2	3	1	129	2	2	—	2	7	12	7	11	47	123

Deaths of Infants (under
one) to 1000 Births } 116Marriages - 472
Births - 2,401Annual Rate { Persons Married - 10'70
per 1000 living { Births - 27'23

405.—MARKET BOSWORTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	19.33	—	—	—	—	—	51.57	4.02	2.97	3.00	6.97	7.51	7.04	12.34	22.02	28.03	154
Mean Pop. } 1871-80 —	—	14,179	436	388	414	412	382	2032	1815	1547	1275	1105	1744	1440	1272	1008	630	2
ALL CAUSES	19.33	2741	751	148	81	32	34	1048	82	45	39	77	131	110	137	232	383	45
Small-pox - -	0.00	13	1	1	1	—	1	4	1	—	2	1	2	1	2	—	—	—
Measles - -	0.32	46	14	14	7	4	—	39	6	—	1	—	—	—	—	—	—	—
Scarlet Fever -	0.50	71	5	14	18	10	7	54	15	2	—	—	—	—	—	—	—	—
Diphtheria - -	0.08	11	—	1	1	—	1	3	4	1	1	—	1	—	1	—	—	—
Whooping-cough	0.31	45	27	10	4	—	—	41	2	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	3	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—
Enteric Fever -	0.20	51	—	—	3	—	—	3	3	7	5	4	7	2	9	2	5	1
Simple Cont. Fev.	0.01	9	—	—	—	—	2	2	1	—	—	1	1	—	—	1	—	—
Puerp. Fever -	0.00	13	—	—	—	—	—	—	—	—	1	3	1	2	—	—	—	—
Diarr. and Dys.	0.73	104	64	14	3	1	1	83	1	—	—	—	1	—	—	2	7	1
Cholera - -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer - -	0.49	69	—	—	—	—	—	—	—	—	—	1	4	4	16	22	17	1
Scrofula - -	0.07	10	1	1	—	—	1	3	—	1	—	—	1	1	—	—	—	—
Tuberc Mesent.	0.13	18	10	1	2	—	—	13	—	—	2	1	2	—	—	—	—	—
Phthisis - -	1.27	180	2	3	1	1	1	8	3	7	12	21	56	25	20	14	6	—
Hydrocephalus	0.17	24	6	5	3	2	1	17	5	1	—	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2.84	417	206	31	7	4	2	210	4	5	2	3	7	3	18	47	49	3
Circulatory "	1.29	197	—	—	1	—	—	1	3	—	—	—	—	—	16	25	66	2
Respiratory "	3.23	465	122	43	18	5	4	191	6	4	1	9	9	17	18	45	87	7
Digestive "	1.01	147	29	7	1	1	2	40	3	2	4	8	8	11	21	21	21	4
Urinary "	0.29	41	—	—	—	—	1	2	—	1	—	—	2	2	—	7	15	—
Generative "	0.03	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Childbirth - -	0.06	9	—	—	—	—	—	—	—	—	—	2	3	4	—	—	—	—
Suicide - -	0.06	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence -	0.49	70	1	2	3	2	3	11	9	3	5	2	7	4	7	6	11	1
OTHER CAUSES -	5.05	715	263	12	9	2	7	293	10	5	2	8	4	12	14	24	50	25

Deaths of Infants (under
one) to 1000 Births } 146Marriages - 906
Births - 5,161Annual Rate { Persons Married - 13.63
per 1000 living { Births - 30.40

406.—ASHBY-DE-LA-ZOUCH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	19.78	—	—	—	—	—	55.87	5.01	3.80	5.26	7.10	7.78	10.02	12.57	23.82	30.41	104
Mean Pop. } 1871-80 —	—	32,533	1004	950	973	997	914	4847	4333	3740	3130	2534	4242	3433	2673	1030	1134	92
ALL CAUSES	19.78	6435	1700	436	221	148	104	2708	217	142	165	180	330	344	350	505	674	54
Small-pox - -	0.40	150	27	2	12	9	5	55	18	13	9	19	19	6	5	—	1	—
Measles - -	0.29	85	21	32	13	9	5	85	9	—	—	—	1	—	—	—	—	—
Scarlet Fever -	0.73	238	20	37	43	50	33	186	40	7	—	2	1	2	—	—	—	—
Diphtheria - -	0.07	23	—	3	—	5	3	15	6	1	—	—	—	—	1	—	—	—
Whooping-cough	0.35	121	60	42	12	7	1	122	1	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	6	—	—	—	—	—	—	—	2	1	9	1	—	—	—	—	—
Enteric Fever -	0.35	113	—	6	5	3	2	20	16	13	17	12	16	8	5	5	1	—
Simple Cont. Fev.	0.03	21	—	—	—	—	1	—	2	4	2	1	2	—	—	2	1	—
Puerp. Fever -	0.07	24	—	—	—	—	—	—	—	—	1	6	7	9	1	—	—	—
Diarr. and Dys.	0.77	251	100	29	5	—	1	195	2	1	—	—	6	5	3	8	11	2
Cholera - -	0.04	7	1	—	1	—	—	—	1	—	—	—	1	1	—	1	—	—
Cancer - -	0.43	129	—	—	—	—	—	—	—	—	1	—	1	16	24	42	17	1
Scrofula - -	0.08	27	3	1	1	1	1	—	—	2	5	1	4	3	1	—	—	—
Tuberc Mesent.	0.21	68	24	17	5	3	1	—	5	—	3	—	2	3	—	—	—	—
Phthisis - -	1.35	439	12	5	1	—	2	20	12	22	43	66	111	80	51	23	7	1
Hydrocephalus	0.30	90	23	20	10	5	7	68	15	10	3	2	1	—	—	—	—	—
Diseases of																		
Nervous Syst.	3.13	1015	473	59	29	11	13	55	17	10	15	12	23	22	42	60	125	10
Circulatory "	1.23	348	—	—	—	—	—	—	3	4	9	8	16	36	54	87	122	10
Respiratory "	2.93	942	236	115	41	12	5	471	17	8	11	13	26	32	52	75	122	10
Digestive "	0.81	294	29	4	6	2	—	43	9	6	3	5	16	18	38	57	49	2
Urinary "	0.35	113	2	—	—	—	—	—	4	3	4	6	8	10	16	21	56	2
Generative "	0.04	14	—	—	—	—	—	—	—	—	1	—	1	2	2	—	—	—
Childbirth - -	0.12	34	—	—	—	—	—	—	—	—	4	18	15	—	—	—	—	—
Suicide - -	0.07	24	—	—	—	—	—	—	—	—	5	1	2	3	—	—	—	—
Other Violence -	0.60	225	15	12	13	10	17	57	22	21	17	9	26	13	13	18	2	18
OTHER CAUSES -	4.80	1760	617	55	25	13	15	728	18	15	11	11	27	34	32	62	142	6

Deaths of Infants (under
one) to 1000 Births } 110Marriages - 2,636
Births - 12,312Annual Rate { Persons Married - 14.78
per 1000 living { Births - 37.84

407.—LOUGHBOROUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000	—	22.62	—	—	—	—	—	67.17	4.45	3.06	5.14	8.20	9.00	10.85	13.82	29.39	60.50	17.00
Mean Pop. 1871-80	—	20,009	786	724	608	701	694	3603	3192	2911	3548	2092	3398	2719	2338	1701	1128	—
ALL CAUSES	22.62	5904	1653	892	160	131	84	2420	143	89	131	172	308	295	323	500	690	—
Small-pox	0.13	33	7	—	1	1	2	11	3	1	—	—	—	—	—	—	—	—
Measles	0.29	102	27	41	18	10	1	97	3	2	—	—	—	—	—	—	—	—
Diphtheria	0.71	130	14	29	35	43	50	139	24	8	2	—	—	—	—	—	—	—
Whooping-cough	0.03	13	5	1	1	—	—	7	5	1	—	—	—	—	—	—	—	—
Whooping-cough	0.33	85	42	27	8	6	1	84	1	—	—	—	—	—	—	—	—	—
Typhus	0.05	13	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
Enteric Fever	0.20	78	7	8	3	—	4	17	8	10	9	—	—	—	—	—	—	—
Stimp. Cont. Fev.	0.10	27	—	—	3	1	2	6	1	4	2	1	—	—	—	—	—	—
Pneum. Fever	0.15	53	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	—
Dysent. and Dys.	1.12	243	207	—	7	3	1	243	5	—	—	—	—	—	—	—	—	—
Cholera	0.03	9	2	1	—	—	—	8	1	—	—	—	—	—	—	—	—	—
Cancer	0.03	178	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrophula	0.20	52	28	5	1	3	2	29	1	5	1	—	—	—	—	—	—	—
Tuberc Mesent.	0.03	173	119	27	3	3	3	155	5	1	1	—	—	—	—	—	—	—
Phthisis	2.11	551	22	9	3	3	2	45	11	19	67	93	154	91	46	18	12	—
Hydrocephalus	0.59	103	27	27	17	8	8	87	9	4	2	—	—	—	—	—	—	—
Neurones Syst.	2.44	609	256	31	7	15	6	315	14	4	8	5	14	24	45	84	103	—
Cerebratory	1.20	214	1	1	—	1	—	3	3	4	2	5	13	27	42	80	91	—
Respiratory	3.69	964	257	94	28	16	8	605	19	25	5	11	25	10	41	107	107	—
Digestory	1.10	285	69	8	4	2	—	74	19	2	7	10	18	19	34	41	45	—
Urinary	0.07	97	1	2	—	2	1	6	1	1	—	—	—	—	—	—	—	—
Generative	0.05	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.13	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scalds	0.07	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.55	143	14	8	10	6	5	43	9	11	5	7	13	9	10	15	11	—
OTHER CAUSES	5.43	1412	531	51	11	9	8	639	15	8	6	10	11	13	32	53	150	—

Deaths of Infants (under one) to 1000 Births	176
--	-----

Marrriages	-	2,174
Births	-	9,386

Annual Rate of	Persons Married	-	16.66
per 1000 living	Births	-	35.96

408.—BARROW-UPON-SOAR.

ANNUAL DEATH RATE PER 1000		—	20'20	—	—	—	—	—	57'79	5'06	3'43	5'54	6'98	7'12	9'15	(3'41)	33'28	30'97	U
Mean Pop. 1871-80 —		—	25,213	816	677	736	727	726	3082	3298	2843	2309	1934	3246	2700	1162	1658	989	
ALL CAUSES		20'20	5093	1484	348	142	83	71	2128	167	98	128	135	231	247	290	372	663	
Small-pox - -	0'13	31	6	5	2	-	-	2	15	5	2	4	4	1	2	1	-	1	
Measles - - -	0'34	85	14	37	14	10	4	79	8	-	1	-	-	-	-	-	-	-	
Scarlet Fever -	0'44	111	6	15	20	12	15	68	31	6	-	5	1	-	-	-	-	-	
Diphtheria - -	0'19	31	3	2	2	-	3	10	17	-	-	1	1	-	-	2	-	2	
Whooping-cough	0'21	93	46	27	8	6	6	93	3	-	-	-	-	-	-	-	-	-	
Typhus - - -	0'03	8	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	1	
Euteric Fever -	0'21	66	2	1	3	1	2	9	12	11	8	2	3	7	4	3	5	1	
Stomach Cont. Fev.	0'03	8	-	1	1	1	1	4	2	-	-	1	-	-	-	-	-	1	
Fever - - -	0'05	12	-	-	-	-	-	-	-	-	-	1	1	4	5	1	-	-	
Diarr. and Dys.	1'19	200	-	41	10	2	1	214	-	-	-	1	1	1	2	4	1	13	
Cholera - - -	0'61	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	
Cancer - - -	0'32	131	-	-	-	-	-	-	-	-	-	1	-	4	12	33	34	34	
Serofala - - -	0'21	53	32	8	3	-	-	40	-	-	1	3	2	-	4	-	-	-	
Tuberc Mesent.	0'43	123	86	20	3	3	-	114	1	4	-	-	1	-	-	1	1	1	
Phtisie - - -	1'23	455	8	5	3	2	2	20	7	17	57	73	129	75	32	19	13	-	
Hydrocephalus	0'32	80	21	12	13	6	7	85	12	7	-	-	1	-	-	-	-	-	
Nervous Syst.	2'32	712	299	48	6	6	7	564	16	13	7	5	11	18	27	60	105	-	
Cerebratory	1'19	330	2	1	-	-	-	3	3	4	6	5	14	23	49	64	92	-	
Respiratory	3'18	803	156	61	19	16	10	322	14	2	2	13	25	31	48	68	161	-	
Digestive	0'46	215	27	4	3	2	-	50	3	2	2	3	7	14	20	46	12	-	
Urinary	0'42	165	1	-	1	-	1	3	5	-	4	4	8	17	14	39	17	-	
Generative	0'04	9	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	
Childbirth - -	0'08	39	-	-	-	-	-	-	-	-	1	4	7	6	1	-	-	-	
Suicide - - -	0'03	21	-	-	-	-	-	-	-	-	2	1	-	6	3	5	2	-	
Other Violence	0'04	168	14	8	10	8	3	43	15	9	11	6	11	11	14	21	12	-	
OTHER CAUSES	4'53	1,445	521	37	17	9	7	821	14	13	14	2	11	17	28	68	-	-	

Deaths of Infants (under one) to 1000 Births	-	161
--	---	-----

Marrriages	-	1,573
Births	-	9,245

Annual Rate of Persons Married	-	32.48
per 1000 living (Births	-	33.67

409.—LEICESTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and aged
ANNUAL DEATH RATE PER 1000	—	24.46	—	—	—	—	—	92.52	5.77	8.12	4.77	6.30	8.47	12.82	18.75	30.99	71.84	174.2
Mean Pop. } 1871-80 - }	—	103,798	3549	3018	2896	2867	2781	15111	12773	11190	11462	10723	17018	12110	8665	5709	3001	1913
ALL CAUSES	24.46	26,609	9619	2562	909	571	320	13981	737	349	547	676	1441	1554	1025	1769	2158	1772
Small-pox - -	0.50	338	88	19	10	5	21	112	50	12	23	43	32	20	5	5	1	2
Measles - -	0.53	297	137	222	191	68	29	577	18	2	—	—	—	—	—	—	—	—
Scarlet Fever - -	0.67	730	54	152	144	125	64	553	151	15	2	3	4	1	—	—	—	—
Diphtheria - -	0.11	115	16	23	11	11	10	71	21	4	—	1	4	3	3	6	1	1
Whooping-cough	0.33	5.7	253	188	74	34	12	561	14	—	—	1	1	—	—	—	—	—
Typhus - -	0.01	15	—	—	—	—	1	2	2	2	3	2	1	1	—	1	—	—
Enteric Fever - -	0.37	494	13	20	19	15	7	14	47	49	69	40	55	30	23	14	8	—
Simple Cont. Fev.	0.07	21	3	4	5	5	3	23	13	10	7	5	5	2	6	2	1	—
Puerp. Fever - -	0.06	65	—	—	—	—	—	—	—	—	10	14	25	16	—	—	—	—
Diarr. and Dys. -	2.62	2814	2202	413	39	15	3	2692	7	—	1	2	8	8	10	20	69	31
Cholera - -	0.02	17	4	—	—	2	—	6	—	—	—	1	—	2	1	3	2	3
Cancer - -	0.42	453	1	—	—	—	1	2	—	1	3	6	29	64	172	132	74	12
Scrofula - -	0.15	163	10	20	6	5	5	111	11	8	7	5	10	4	5	3	1	—
Tuberc. Mesent. -	0.07	357	183	65	22	7	3	310	27	3	4	4	4	4	2	—	—	—
Phthisis - -	2.06	2238	161	83	22	4	10	280	49	41	202	304	374	431	254	92	39	—
Hydrocephalus -	0.29	317	134	73	31	29	7	383	24	10	6	2	6	1	—	—	—	—
Diseases of {																		
Nervous Syst. -	3.03	3119	1300	239	72	46	35	1793	73	29	38	29	115	169	224	287	333	37
Circulatory " -	1.35	1414	7	2	4	1	—	14	24	42	35	30	134	221	264	329	181	—
Respiratory " -	3.81	4118	1111	278	101	115	49	2017	73	29	32	29	121	218	267	416	378	—
Digestive " -	1.91	1637	247	55	18	7	3	812	27	21	14	27	78	104	155	155	124	—
Urinary " -	0.42	453	7	6	—	9	1	81	21	9	15	22	45	24	67	71	79	—
Generative " -	0.05	52	—	—	—	—	—	—	—	—	—	3	10	13	8	15	3	—
Childbirth - -	0.08	91	—	—	—	—	—	—	—	1	5	14	31	37	3	—	—	—
Suicide - -	0.08	91	—	—	—	—	—	—	—	—	3	5	10	17	26	21	9	—
Other Violence -	0.55	602	105	31	20	23	17	296	41	24	29	31	54	44	55	41	44	31
OTHER CAUSES -	5.50	3581	3199	545	85	46	29	2933	48	35	24	38	81	87	111	153	219	89

Deaths of Infants (under
one) to 1000 Births - } 214Marriages - 11,577
Births - 43,040Annual Rate { Persons Married - 21.21
per 1000 living { Births - 41.41

410.—MELTON MOWBRAY.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and aged
ANNUAL DEATH RATE PER 1000	—	19.48	—	—	—	—	—	48.30	5.47	3.74	5.75	6.86	7.52	11.29	12.80	35.86	67.15	155.2
Mean Pop. } 1871-80 - }	—	20,200	532	499	538	498	498	2565	2358	2193	1810	1632	2647	2187	1030	1512	545	431
ALL CAUSES	19.48	3937	853	190	86	56	54	1239	129	82	104	112	199	247	247	301	528	639
Small-pox - -	0.02	4	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	—
Measles - -	0.25	50	9	16	9	5	3	42	7	1	—	—	—	—	—	—	—	—
Scarlet Fever - -	0.48	97	4	16	24	9	6	59	25	7	3	1	—	2	—	—	—	—
Diphtheria - -	0.19	20	—	—	—	4	4	8	8	1	1	—	1	1	—	—	—	—
Whooping-cough	0.31	62	24	17	10	2	4	57	6	—	—	—	—	—	—	—	—	—
Typhus - -	0.01	3	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Enteric Fever - -	0.30	60	1	1	1	2	3	8	1	8	7	8	6	7	4	6	4	1
Simple Cont. Fev.	0.21	43	—	2	1	1	2	6	6	4	6	1	5	3	4	4	3	1
Puerp. Fever - -	0.03	19	—	—	—	—	—	—	—	—	—	1	5	3	1	—	—	—
Diarr. and Dys. -	0.75	151	89	12	5	1	—	107	1	—	1	—	1	1	3	6	14	17
Cholera - -	0.09	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer - -	0.76	142	—	—	1	—	—	1	—	—	—	1	3	9	28	33	43	29
Scrofula - -	0.08	17	3	1	1	—	—	3	6	—	2	1	2	—	2	—	—	—
Tuberc. Mesent. -	0.21	43	12	9	1	—	—	22	5	5	3	3	2	1	2	1	—	—
Phthisis - -	1.72	347	1	1	1	2	1	6	5	14	37	52	84	81	54	19	5	—
Hydrocephalus -	0.22	45	14	11	1	3	3	52	5	4	1	—	2	—	1	—	—	—
Diseases of {																		
Nervous Syst. -	2.18	411	121	15	7	8	5	157	8	8	5	8	13	22	28	56	74	71
Circulatory " -	1.35	313	1	—	—	—	—	1	7	4	7	6	13	26	30	69	86	—
Respiratory " -	2.69	365	102	52	12	11	8	275	10	5	7	6	13	21	24	38	47	—
Digestive " -	1.24	251	21	1	1	1	—	24	7	3	5	1	13	29	19	37	49	—
Urinary " -	0.34	76	—	2	1	—	—	3	4	—	3	2	2	5	11	20	13	—
Generative " -	0.07	14	—	—	—	—	—	—	—	—	—	—	—	4	3	1	4	—
Childbirth - -	0.06	13	—	—	—	—	—	—	—	—	—	3	3	7	—	—	—	—
Suicide - -	0.08	13	—	—	—	—	—	—	—	—	—	3	1	1	2	6	1	—
Other Violence -	0.59	119	8	1	2	4	7	22	8	10	4	12	17	10	9	5	17	14
OTHER CAUSES -	5.03	1014	352	33	5	3	5	401	16	6	10	5	14	16	22	63	138	166

Deaths of Infants (under
one) to 1000 Births - } 135Marriages - 1,397
Births - 6,340Annual Rate { Persons Married - 13.83
per 1000 living { Births - 31.48

RUTLANDSHIRE.

411.—OAKHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS (1899)	—	18'88	—	—	—	—	—	44'48	5'03	3'52	4'07	7'55	8'41	8'28	12'83	24'41	58'88	157'02
Pop. 0—	—	11,060	283	274	272	258	276	1396	1300	1249	1008	821	1333	1232	1029	807	552	235
USES	18'88	2088	424	102	40	27	22	621	83	44	41	62	112	102	132	197	325	309
—	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
—	0'21	23	7	5	3	1	—	16	6	—	—	—	—	—	—	—	—	—
—	0'71	59	6	10	13	7	11	47	21	5	—	1	2	—	1	—	—	—
—	0'19	21	1	—	1	1	—	3	9	6	2	—	—	—	—	1	—	—
—	0'42	46	24	14	4	1	—	43	2	1	—	—	—	—	—	—	—	—
—	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0'20	12	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—
—	0'04	4	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	0'01	4	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—
—	0'26	62	23	2	2	—	—	27	1	—	1	1	2	—	—	4	9	17
—	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	0'00	61	—	—	—	1	—	1	—	—	—	—	1	2	15	50	10	11
—	0'09	10	1	3	—	—	—	4	1	—	—	1	2	—	—	—	—	—
—	0'14	16	6	3	—	—	—	9	2	—	—	—	—	—	—	—	—	—
—	1'73	191	3	2	2	—	—	7	3	10	23	50	49	58	15	9	8	1
—	0'17	19	10	6	—	1	1	18	—	—	—	—	—	1	—	—	—	—
—	2'73	289	28	15	8	5	2	88	14	5	2	5	5	9	18	24	29	43
—	1'41	156	1	—	—	—	—	1	2	4	2	1	7	11	16	33	48	31
—	2'13	283	71	22	6	2	4	105	3	4	2	4	11	9	17	35	60	32
—	1'16	124	13	—	—	6	—	23	2	1	1	4	7	10	10	23	27	11
—	0'33	57	—	—	—	—	—	—	—	—	—	—	3	2	6	3	14	10
—	0'05	6	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—
—	0'05	6	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—
—	0'17	19	—	—	—	—	—	—	—	—	—	1	3	3	5	3	4	1
—	0'17	41	1	4	2	—	—	9	3	3	1	3	4	3	4	5	4	5
—	5'13	557	191	15	5	—	4	218	8	1	2	7	7	8	12	28	75	205

Deaths of Infants (under
one) to 1000 Births - 128Marriages - 726
Births - 3,322Annual Rate of Persons Married
per 1000 living (Births - 13'13
Deaths - 30'04)

412.—UPPINGHAM.

DEATHS (1899)	—	18'07	—	—	—	—	—	40'61	3'43	2'38	4'61	6'84	7'50	9'71	12'05	24'25	56'08	163'00
Pop. 0—	—	12,136	312	301	285	286	1483	1435	1473	1237	852	1467	1250	1115	895	614	277	
USES	18'07	2103	433	63	38	38	23	603	50	35	58	59	110	122	141	217	349	454
—	0'06	7	—	—	—	—	—	—	—	—	2	—	1	2	—	2	—	—
—	0'11	14	6	1	2	3	1	13	1	—	—	—	—	—	—	—	—	—
ver	0'29	35	1	2	6	7	5	21	7	4	1	—	—	2	—	—	—	—
—	0'12	15	—	—	1	4	2	7	4	2	—	—	—	1	—	1	—	—
enough	0'20	31	16	8	6	—	2	31	—	—	—	—	—	—	—	—	—	—
—	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ver	0'40	49	2	—	—	—	—	10	6	10	10	3	1	3	4	3	—	—
St. Fov	0'10	12	—	1	—	—	—	1	—	1	—	1	3	2	2	1	1	—
ver	0'02	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Dys.	0'31	62	27	4	3	2	—	36	—	—	—	—	1	2	—	4	9	10
—	0'02	3	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—
—	0'59	23	—	—	—	—	—	—	—	—	—	—	3	6	14	22	21	4
—	0'07	8	—	2	—	—	—	2	—	—	—	—	2	—	1	—	—	—
ent.	0'10	12	8	—	—	1	—	9	1	—	2	—	—	—	—	—	—	—
—	1'14	134	1	—	1	—	1	3	3	3	18	17	24	23	29	6	—	—
ains	0'12	14	19	—	1	1	—	12	—	—	1	—	—	1	—	—	—	—
is Syst.	2'44	296	31	10	4	5	—	112	3	2	5	7	14	12	19	26	24	34
—	1'08	131	3	1	—	1	—	5	4	2	2	1	8	9	11	24	23	16
story.	3'14	381	13	27	7	4	—	184	6	3	3	8	15	19	11	31	70	47
re "	0'24	111	10	1	2	2	1	16	2	1	5	3	7	3	12	20	31	9
y "	0'23	43	—	—	—	—	—	—	1	—	1	3	3	5	6	9	9	6
live "	0'03	4	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1
—	0'03	8	—	—	—	—	—	—	—	—	—	1	—	3	2	—	—	—
—	0'12	15	—	—	—	—	—	—	—	—	1	1	1	—	3	5	3	2
ure	0'24	63	1	—	2	1	—	7	3	3	3	5	9	6	9	12	3	—
and S.	5'44	602	174	11	2	3	—	191	5	4	3	4	8	11	14	29	108	293

Deaths of Infants (under
one) to 1000 Births - 115Marriages - 769
Births - 3,709Annual Rate of Persons Married
per 1000 living (Births - 12'07
Deaths - 30)

LINCOLNSHIRE.

413.—STAMFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	19'06	—	—	—	—	—	43'44	4'07	3'32	3'93	7'21	9'22	11'30	15'38	28'59	53'27	101'12			
Mean Pop. 1871-80	—	18,082	400	426	440	433	451	2240	2163	2016	1755	1512	2342	1921	1006	1232	890	255			
ALL CAUSES	19'03	3447	671	148	83	33	38	973	88	67	69	100	216	217	247	358	475	625			
Small-pox	0'02	4	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—			
Measles	0'29	53	13	20	10	5	2	50	3	—	—	—	—	—	—	—	—	—			
Scarlet Fever	0'35	63	4	8	13	9	7	41	14	5	2	—	—	—	—	—	—	—			
Diphtheria	0'10	18	—	1	3	—	—	4	—	—	—	—	—	—	—	—	—	—			
Whooping-cough	0'27	48	23	12	4	3	1	47	1	—	—	—	—	—	—	—	—	—			
Typhus	0'02	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Enteric Fever	0'35	64	2	2	2	2	1	9	1	10	3	6	8	—	—	—	—	—			
Simple Cont. Fev.	0'04	7	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
Puerp. Fever	0'06	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0'13	114	73	6	1	—	—	81	1	—	—	—	—	—	—	—	—	—			
Cholera	0'01	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
Cancer	0'28	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Serofula	0'11	19	4	2	1	—	—	7	1	1	2	1	4	—	—	—	—	—			
Tuberc Mesent.	0'13	21	10	3	1	—	—	15	2	1	18	53	85	69	21	21	10	7			
Phthisis	1'01	205	8	3	6	2	5	19	5	1	2	—	—	—	—	—	—	—			
Hydrocephalus	0'17	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diseases of																					
Nervous Syst.	2'26	462	93	13	6	—	2	114	7	8	4	9	21	16	31	63	86	101			
Circulatory	1'58	285	—	—	—	—	—	—	2	3	5	2	15	24	34	66	88	125			
Respiratory	3'79	690	173	45	13	2	6	180	5	3	5	3	16	20	29	72	102	120			
Digestive	1'27	229	12	3	2	2	2	21	7	4	4	3	14	13	21	37	52	41			
Urinary	0'19	88	—	—	1	1	—	2	2	1	3	3	7	7	7	15	28	17			
Generative	0'04	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0'07	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	0'12	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence	0'75	135	8	3	3	2	4	20	9	12	8	10	11	9	13	12	16	13			
OTHER CAUSES	3'81	694	223	19	16	2	5	335	9	5	6	9	18	21	29	39	53	129			

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 1,144
Births - 5,880Annual Rate (Persons Married
per 1000 living (Births) - 12'63
- 30'86

414.—BOURN.

	Annual Death Rate per 1000.	19'37	—	—	—	—	—	46'71	5'46	3'14	5'71	7'84	7'53	8'07	12'83	23'81	51'5	150'2			
Mean Pop. 1871-80	—	19,450	536	500	525	537	512	2519	2493	2231	1787	1364	2344	1993	1766	1445	900	448			
ALL CAUSES	19'37	3767	780	268	100	64	63	1224	136	70	102	107	177	179	227	344	425	706			
Small-pox	0'01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Measles	0'23	41	6	21	9	2	1	29	4	1	1	—	—	—	—	—	—	—			
Scarlet Fever	0'71	139	9	17	20	22	22	10	24	3	3	3	2	—	—	—	—	—			
Diphtheria	0'17	34	1	1	4	1	5	12	13	3	4	1	—	—	—	—	—	—			
Whooping-cough	0'29	75	34	23	9	6	—	72	3	—	—	—	—	—	—	—	—	—			
Typhus	0'01	7	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—			
Enteric Fever	0'29	75	—	2	1	1	1	5	2	10	4	14	7	—	—	—	—	—			
Simple Cont. Fev.	0'05	14	1	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—			
Puerp. Fever	0'03	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0'64	122	53	14	6	1	—	71	2	—	—	—	—	—	—	—	—	—			
Cholera	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0'38	115	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Serofula	0'11	22	5	3	5	1	—	12	1	—	—	—	—	—	—	—	—	—			
Tuberc Mesent.	0'11	22	6	13	1	2	—	17	3	—	—	—	—	—	—	—	—	—			
Phthisis	1'07	225	6	2	3	4	2	17	6	12	35	28	17	25	25	18	12	—			
Hydrocephalus	0'29	39	13	8	4	5	5	13	4	2	—	—	—	—	—	—	—	—			
Diseases of																					
Nervous Syst.	2'28	444	111	20	8	3	6	133	12	2	5	7	14	14	21	41	54	85			
Circulatory	1'61	314	2	—	—	—	—	2	2	2	4	4	12	20	25	29	10	28			
Respiratory	2'64	521	137	40	18	10	5	210	6	2	4	5	8	14	23	51	55	105			
Digestive	0'95	191	22	4	1	3	2	62	2	2	4	4	8	15	21	25	25	20			
Urinary	0'59	73	4	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—			
Generative	0'04	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0'11	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	0'10	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence	0'54	165	13	3	7	1	2	26	8	7	2	2	12	13	13	18	16	11			
OTHER CAUSES	5'46	958	330	37	14	4	11	530	14	8	7	5	12	18	21	32	100	277			

Deaths of Infants (under
one) to 1000 Births } 124Marriages - 1,376
Births - 6,278Annual Rate (Persons Married
per 1000 living (Births) - 13'12
- 32'63

415.—SPALDING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	70— and up
ANNUAL DEATH RATE PER 1000	—	18'94	—	—	—	—	—	48'71	4'63	3'33	4'56	6'51	8'02	9'23	12'38	24'60	49'33	142
Mean Pop. 1871-80	—	23073	631	585	603	638	587	3047	2532	2641	2304	1720	2781	2332	2050	1701	1127	6
ALL CAUSES	18'94	4369	1041	231	98	67	48	1485	131	88	105	112	248	217	255	420	556	7
Small-pox	0'07	17	—	—	—	—	—	—	1	1	4	6	5	3	—	—	—	—
Measles	0'14	33	9	10	6	2	4	31	6	—	1	—	—	—	—	—	—	—
Scarlet Fever	0'49	114	6	14	15	16	13	64	25	9	1	2	3	—	—	—	—	—
Diphtheria	0'07	30	1	—	2	3	3	9	7	4	—	—	—	—	—	—	—	—
Whooping-cough	0'40	93	53	23	8	5	1	80	2	1	—	—	—	—	—	—	—	—
Typhus	0'03	7	—	—	—	—	—	—	3	1	1	—	1	—	—	1	—	—
Enteric Fever	0'18	42	—	1	—	2	3	6	4	3	5	5	8	—	1	6	3	1
Simple Cont. Fev.	0'10	32	1	—	1	2	—	1	1	1	2	—	—	—	1	2	4	2
Purp. Fever	0'07	16	—	—	—	—	—	—	—	—	—	2	3	5	—	—	—	—
Diarr. and Dys.	0'76	173	89	17	9	1	2	118	1	—	—	1	1	—	4	5	14	—
Cholera	0'02	4	—	—	—	—	—	—	—	1	—	—	—	1	—	2	—	—
Cancer	0'54	123	—	—	—	—	—	—	—	—	—	—	2	9	17	39	29	—
Scrofula	0'12	27	6	6	1	—	1	14	1	—	3	1	—	1	5	2	—	—
Tuberc. Mesent.	0'07	15	7	2	1	—	—	10	1	1	—	—	1	1	—	—	—	—
Phthisis	1'19	264	1	1	—	—	—	2	6	19	34	60	113	86	84	28	14	—
Hydrocephalus	0'21	53	10	8	8	7	4	37	6	7	4	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'52	581	103	27	8	8	2	208	12	7	10	6	21	21	36	12	66	—
Circulatory	1'24	319	—	1	—	—	—	1	4	3	6	1	17	30	37	63	93	—
Respiratory	3'19	735	103	47	18	8	4	246	8	1	6	2	23	24	31	71	147	1
Digestive	0'97	224	17	4	1	—	—	32	2	8	3	9	14	14	24	55	47	—
Urinary	0'33	79	1	—	—	—	—	1	3	—	1	1	9	5	10	13	18	—
Generative	0'03	6	—	—	—	—	—	—	—	—	—	—	—	1	1	2	1	—
Childbirth	0'07	17	—	—	—	—	—	—	—	—	1	3	7	5	1	—	—	—
Suicide	0'11	21	—	—	—	—	—	—	—	—	3	—	2	7	5	6	1	—
Other Violence	0'61	141	5	9	11	8	6	39	15	10	7	6	9	6	10	13	15	—
OTHER CAUSES	4'10	1193	503	89	9	7	3	883	13	11	11	6	5	14	23	37	77	—

Deaths of Infants (under one) to 1000 Births } 130

Marriages - 1,641
Births - 7,430Annual Rate of Persons Married - 14'22
per 1000 living { Births - 32'42

416.—HOLBEACH.

ANNUAL DEATH RATE PER 1000	—	18'79	—	—	—	—	—	47'90	4'29	3'35	6'11	7'44	7'74	8'80	11'56	23'70	52'57	14
Mean Pop. 1871-80	—	19,300	502	493	557	528	540	2710	2420	2149	1784	1432	2404	1932	1669	1405	875	4
ALL CAUSES	18'79	3627	897	232	83	50	36	1208	105	72	100	103	180	177	193	319	420	6
Small-pox	0'04	8	3	—	—	—	—	3	—	—	2	1	2	—	—	—	—	—
Measles	0'16	20	8	11	3	2	2	20	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'23	68	2	8	14	12	5	41	13	4	4	2	—	2	—	—	—	—
Diphtheria	0'17	31	—	2	4	1	4	11	9	6	2	—	1	1	—	—	—	3
Whooping-cough	0'45	86	49	23	10	—	2	86	—	—	—	—	—	—	—	—	—	—
Typhus	0'03	5	—	—	—	—	—	—	1	2	—	—	—	1	—	4	1	—
Enteric Fever	0'21	42	—	—	—	5	2	7	8	4	3	4	3	3	2	1	2	2
Simple Cont. Fev.	0'09	18	1	—	—	—	1	2	1	2	—	1	1	1	1	1	2	—
Purp. Fever	0'02	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'49	95	25	11	1	—	1	48	2	—	—	—	1	1	1	2	17	—
Cholera	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'63	124	—	—	—	—	—	—	1	—	—	—	—	10	29	35	36	—
Scrofula	0'14	27	8	7	1	1	—	17	1	—	1	1	2	—	—	2	5	—
Tuberc. Mesent.	0'17	23	12	10	1	—	—	24	3	2	2	—	—	—	—	—	—	—
Phthisis	1'15	317	9	7	1	1	—	18	7	13	52	29	47	46	37	17	11	—
Hydrocephalus	0'22	60	11	12	5	3	3	34	7	5	2	2	—	—	—	—	—	—
Diseases of Nervous Syst.	2'62	447	147	30	11	3	2	193	8	10	10	7	9	12	21	41	69	—
Circulatory	1'03	188	2	1	—	—	—	3	2	4	1	5	15	24	19	42	64	—
Respiratory	3'19	615	164	60	15	7	2	258	7	1	8	2	15	20	30	64	114	—
Digestive	1'07	266	19	3	1	2	2	37	3	2	3	8	8	21	23	41	41	—
Urinary	0'37	110	—	1	—	1	0	3	1	—	—	—	13	6	8	22	24	—
Generative	0'06	11	1	—	1	—	—	2	—	—	—	—	2	4	—	2	—	—
Childbirth	0'01	9	—	—	—	—	—	—	—	—	—	1	6	2	—	—	—	—
Suicides	0'05	13	—	—	—	—	—	—	—	—	—	1	2	2	3	3	3	—
Other Violence	0'62	116	6	8	8	6	4	39	11	6	8	1	9	9	8	11	12	—
OTHER CAUSES	4'81	927	419	46	7	6	2	481	13	6	10	6	8	11	16	21	61	—

Deaths of Infants (under one) to 1000 Births } 135

Marriages - 1,384
Births - 6,612Annual Rate of Persons Married - 14'34
per 1000 living { Births - 31'41

417.—BOSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	18.56	—	—	—	—	—	45.42	5.07	3.27	4.03	6.01	7.52	10.32	12.61	23.03	33.00	141.29
Mean Pop. 1871-80	—	59,120	1075	914	1032	904	600	5085	4770	4278	3779	3011	4049	4091	3480	2896	1922	836
ALL CAUSES	18.56	7262	1592	351	164	95	85	2287	242	140	186	210	302	422	437	667	1011	1289
Small-pox	0.4	15	3	—	—	—	1	4	—	2	—	1	2	2	3	—	1	—
Measles	0.14	69	25	23	10	5	2	65	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.41	161	7	21	17	20	14	84	43	17	6	1	—	5	—	—	—	—
Diphtheria	0.10	41	1	—	4	—	—	12	13	—	—	—	—	1	—	—	—	—
Whooping-cough	0.20	118	43	46	13	4	2	118	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	12	—	1	1	—	—	2	6	—	1	—	1	—	—	—	—	—
Enteric Fever	0.16	63	—	1	1	2	2	6	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.07	29	3	—	1	—	1	5	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.03	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.61	259	140	21	10	4	1	176	5	1	1	—	—	5	8	5	16	28
Cholera	0.02	6	3	—	—	—	—	3	—	—	—	—	1	1	—	—	—	—
Cancer	0.62	211	—	—	—	—	—	—	—	—	—	1	8	24	33	79	61	29
Scrofula	0.10	40	6	3	1	1	2	13	2	4	5	5	6	3	—	—	—	—
Tuberc Mesent.	0.17	68	42	5	2	1	—	50	—	—	—	—	1	1	—	—	—	—
Phthisis	1.77	191	14	6	2	4	1	29	14	25	83	101	182	119	89	49	23	1
Hydrocephalus	0.20	83	27	13	7	6	3	56	13	4	—	2	1	—	—	—	—	—
Diseases of Nervous Syst.	2.83	1106	302	48	55	10	12	597	23	18	17	14	20	37	66	112	191	209
Cerebratory	1.35	527	—	2	1	—	—	5	—	2	6	13	18	42	67	115	170	45
Respiratory	2.65	1035	212	87	39	13	11	382	21	7	6	13	35	50	58	83	170	288
Digestive	1.13	442	19	3	4	2	7	35	14	5	7	9	16	36	49	84	117	71
Urinary	0.56	141	2	1	1	—	1	7	3	3	—	1	5	8	11	22	28	38
Generative	0.04	15	—	—	—	—	—	—	—	—	—	—	1	5	2	6	1	—
Childbirth	0.05	20	—	—	—	—	—	—	—	—	—	2	5	12	1	—	—	—
Suicide	0.10	40	—	—	—	—	—	—	—	—	1	3	6	5	4	12	5	4
Other Violence	0.70	572	15	5	16	9	8	53	23	20	21	14	25	28	19	18	25	16
OTHER CAUSES	4.51	1769	686	66	16	9	10	787	29	11	8	10	34	28	45	79	190	360

Deaths of Infants (under one) to 1000 Births } 133

Marriages - 2,958
Births - 12,035Annual Rate of Persons Married per 1000 living } 15.12
Births } 30.74

418.—SLEAFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	17.14	—	—	—	—	—	41.53	5.04	2.91	4.31	7.43	6.78	8.42	11.63	21.01	50.41	143.31
Mean Pop. 1871-80	—	25,777	715	669	681	703	709	3477	3314	2952	2514	1939	3126	2683	2286	1812	1149	534
ALL CAUSES	17.14	4419	1010	200	103	71	53	1444	167	86	109	144	212	226	267	397	573	792
Small-pox	0.02	4	—	1	—	—	—	1	—	—	1	—	—	2	—	—	—	—
Measles	0.15	38	7	15	7	3	4	66	—	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.39	152	5	59	31	21	10	97	43	3	1	—	2	4	1	—	1	—
Diphtheria	0.11	24	2	1	9	2	3	16	6	7	1	1	—	1	—	2	—	—
Whooping-cough	0.27	70	41	17	8	1	1	68	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	8	—	—	—	—	1	1	4	2	—	—	—	—	—	—	—	1
Enteric Fever	0.23	59	2	1	3	—	2	8	5	9	3	8	9	4	12	1	—	—
Simple Cont. Fev.	0.10	25	—	—	—	2	—	3	3	2	—	1	6	10	9	—	1	4
Puerp. Fever	0.10	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.84	216	100	20	4	5	5	169	3	1	—	—	—	3	2	6	16	46
Cholera	0.02	6	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—
Cancer	0.54	138	—	—	—	—	—	—	1	—	—	—	5	11	29	24	39	19
Scrofula	0.09	23	3	2	—	—	1	6	1	1	—	—	3	3	2	5	1	—
Tuberc Mesent.	0.19	67	31	7	1	1	—	40	3	2	1	4	—	—	—	—	—	—
Phthisis	1.52	391	8	1	1	3	1	11	19	19	53	81	78	61	39	27	7	1
Hydrocephalus	0.19	48	19	9	2	2	1	32	8	5	—	1	1	—	—	—	—	—
Diseases of Nervous Syst.	2.13	748	159	19	9	8	8	191	14	12	13	6	12	15	33	48	99	99
Cerebratory	1.16	260	—	—	—	—	—	1	4	1	2	2	19	20	33	29	91	67
Respiratory	2.05	755	175	84	21	10	2	262	11	6	2	5	21	32	39	79	125	173
Digestive	0.92	237	26	3	3	3	3	33	3	5	6	2	12	15	22	45	37	36
Urinary	0.41	106	—	1	—	—	—	1	—	—	—	3	4	6	8	16	27	33
Generative	0.05	12	—	—	—	—	—	—	—	—	—	—	1	1	2	2	4	1
Childbirth	0.10	27	—	—	—	—	—	—	—	—	2	5	9	11	—	—	—	—
Suicide	0.07	19	—	—	—	—	—	—	—	—	—	2	3	8	4	2	5	—
Other Violence	0.52	151	9	3	3	5	1	21	16	5	11	6	6	8	9	21	72	18
OTHER CAUSES	3.86	1001	432	19	13	5	6	425	21	12	7	4	13	12	25	44	121	214

Deaths of Infants (under one) to 1000 Births } 128

Marriages - 1,743
Births - 8,013Annual Rate of Persons Married per 1000 living } 13.62
Births } 31.90

419.—GRANTHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
REAL DEATH RATE PER 1000	—	18'07	—	—	—	—	—	47'30	4'84	2'99	4'43	6'43	6'72	9'70	12'10	21'01	50'12	164'16
San Pop. } 871-80 - }	—	32,142	933	852	887	865	820	4367	3948	3612	3037	2509	4198	3435	2853	2163	1324	586
ALL CAUSES	15'07	5808	1339	373	151	95	103	2061	191	108	136	167	282	336	247	475	743	992
ill-pox - -	0'08	27	1	-	-	-	2	3	2	2	5	2	8	2	2	1	-	-
cholera - -	0'27	88	24	29	17	6	6	82	-	3	-	-	-	1	-	-	-	-
dysent. - -	0'61	197	10	35	25	23	20	123	61	0	8	-	2	1	1	-	-	-
tubercle - -	0'21	66	-	5	8	5	14	32	19	13	2	2	-	-	1	-	-	-
whooping-cough	0'43	137	60	50	12	8	5	135	2	-	-	-	-	-	-	-	-	-
diphtheria - -	0'02	6	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-
scarlet Fever - -	0'29	92	-	5	3	2	2	12	12	10	7	2	12	7	5	11	7	4
measles - -	0'05	17	1	-	-	-	-	1	1	4	2	2	2	-	1	-	-	-
typhoid Fever - -	0'06	19	-	-	-	-	-	-	-	-	3	4	7	5	-	-	-	-
typhus and Dysent.	0'17	249	141	32	5	2	1	181	2	3	2	-	1	1	5	3	10	24
zoster - -	0'01	4	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-
scarlet - -	0'71	127	-	-	-	1	-	1	-	-	1	-	5	20	42	61	78	20
dysent. - -	0'04	23	3	2	1	1	1	8	1	-	1	1	2	6	3	2	-	1
measles - -	0'05	14	43	20	3	2	1	49	5	3	-	-	-	2	-	-	-	-
typhoid - -	1'53	498	5	8	4	-	2	19	3	18	32	86	127	17	47	58	2	1
typhus - -	0'12	62	22	8	4	6	6	46	7	7	1	-	-	-	-	1	-	-
Nervous Syst.	2'05	657	164	31	13	7	4	219	21	5	9	8	16	33	75	60	114	130
Cerebrum - -	1'78	412	-	-	-	-	-	-	2	5	8	8	19	29	55	45	124	12
Respiratory - -	3'07	988	236	89	25	15	14	382	14	4	10	7	13	31	43	10	124	209
Digestive - -	0'96	310	43	2	4	1	1	61	7	2	7	8	10	24	43	44	74	37
Urinary - -	0'37	120	2	-	-	-	1	3	1	1	3	3	2	11	14	21	45	18
Generative - -	0'05	10	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	3
Birth - -	0'10	31	-	-	-	-	-	-	-	-	1	6	11	17	-	-	-	-
Violence - -	0'08	27	-	-	-	-	-	-	-	-	-	1	2	3	2	8	7	3
Violence - -	0'50	161	21	7	10	3	4	45	14	4	7	11	17	1	3	10	12	12
ALL CAUSES	4'04	1592	362	50	14	12	5	647	17	20	14	4	21	25	20	47	91	324

Deaths of Infants (under one) to 1000 Births - 128

Marriages - 2,376
Births - 10,439

Annual Rate of Persons Married per 1000 living { Births - 14'78
Births - 32'09

420.—LINCOLN.

—	Annual Death Rate per 1000.	20'95	—	—	—	—	—	39'64	5'55	3'61	5'71	7'71	8'77	12'72	16'51	27'09	61'61	163'04
REAL DEATH RATE PER 1000	—	20'95	—	—	—	—	—	39'64	5'55	3'61	5'71	7'71	8'77	12'72	16'51	27'09	61'61	163'04
San Pop. } 871-80 - }	—	58,401	1683	1530	1008	1523	1538	7882	7120	6201	5539	4878	8293	6090	4966	3623	2217	832
ALL CAUSES	10'05	12,234	3231	776	319	219	150	4701	385	227	316	373	727	851	823	1014	1306	1438
ill-pox - -	0'05	29	7	4	2	3	-	10	-	2	-	3	3	-	1	2	-	-
cholera - -	0'21	126	20	42	18	13	8	111	11	3	-	-	-	1	-	-	-	-
dysent. - -	0'63	399	19	14	64	67	48	232	106	52	4	6	3	9	2	-	1	-
tubercle - -	0'10	54	7	3	4	7	3	24	19	4	4	1	1	2	1	-	-	-
whooping-cough	0'35	208	114	49	27	9	3	201	4	-	-	-	-	-	-	-	-	-
diphtheria - -	0'04	21	-	1	-	-	-	1	4	5	3	1	2	-	2	3	-	-
scarlet Fever - -	0'27	214	1	3	7	13	8	22	21	12	12	26	30	23	17	8	18	4
measles - -	0'07	43	-	1	2	-	5	6	9	1	7	2	20	13	-	-	1	1
typhoid Fever - -	0'07	43	-	-	-	-	-	-	-	-	2	7	20	13	-	-	-	-
typhus and Dysent.	1'04	628	431	76	13	7	2	521	11	2	-	1	4	8	5	11	24	33
zoster - -	0'02	12	2	-	-	-	-	2	-	-	1	1	-	3	3	3	-	1
scarlet - -	0'32	204	-	-	-	1	-	1	1	-	2	2	9	15	29	69	71	30
dysent. - -	0'09	55	15	7	3	3	2	27	6	4	3	3	3	2	2	3	-	-
measles - -	0'23	159	90	18	3	3	3	107	11	9	3	5	10	10	10	1	1	-
typhoid - -	3'02	1178	21	9	8	3	3	39	10	48	155	160	210	279	132	25	14	3
typhus - -	0'27	119	57	34	17	7	9	121	18	8	4	2	1	1	1	-	-	-
Nervous Syst.	3'14	2110	670	72	23	23	13	810	87	21	20	22	81	172	163	294	256	190
Cerebrum - -	1'33	779	-	-	-	-	-	2	9	11	20	28	46	10	101	128	224	157
Respiratory - -	3'12	1824	492	248	75	31	19	161	25	10	12	19	57	71	106	163	251	215
Digestive - -	0'85	401	48	10	2	2	5	67	15	11	8	13	32	61	70	110	68	40
Urinary - -	0'42	245	4	-	-	1	2	7	14	3	8	10	18	31	31	29	46	35
Generative - -	0'05	35	-	-	-	-	-	-	-	1	1	1	2	9	6	7	5	3
Birth - -	0'18	44	-	-	-	-	-	-	-	-	4	8	16	18	1	-	-	-
Violence - -	0'07	41	-	-	-	-	-	-	-	1	4	3	6	7	9	-	-	-
Violence - -	0'31	210	21	16	16	10	9	72	18	22	22	15	29	30	23	20	21	19
ALL CAUSES	4'49	23,88	1212	127	50	22	16	1437	20	13	20	24	10	39	47	105	333	190

Deaths of Infants (under one) to 1000 Births - 162

Marriages - 4,837
Births - 19,079

Annual Rate of Persons Married per 1000 living { Births - 16'50
Births - 34'21

417.—BOSTON.

	Annual Death Rate per 1000	All Ages	Under 1 Year	1	2	3	4	Total under 5 Years	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70 and over
ANNUAL DEATH RATE PER 1000	17.56							45.42	5.07	5.27	5.75	6.75	6.75	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22
MEAN POP. 1871-80	15,124	1873	944	1022	1064	1090	1083	4779	4275	3779	3242	2649	2082	1486	1082	725	425	225	125	65	35	25
ALL CAUSES	17.56	7202	1202	321	164	56	55	2287	212	190	156	219	332	425	487	507	501	401	281	181	121	71
Small-pox	0.14	16	3	-	-	-	1	4	-	-	-	1	2	3	3	-	-	-	-	-	-	-
Measles	0.14	60	25	25	15	5	2	65	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0.41	161	7	21	15	20	14	84	45	17	6	1	3	5	-	-	-	-	-	-	-	-
Diphtheria	0.19	61	1	-	4	4	2	12	12	6	2	3	3	1	1	-	-	-	-	-	-	-
Whooping-cough	0.20	110	42	46	13	4	2	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	0.02	12	-	1	1	-	-	2	4	-	-	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever	0.16	63	-	1	1	2	-	4	4	3	9	8	5	4	4	4	4	4	4	4	4	4
Simple Cont. Fev.	0.07	29	-	-	1	-	-	1	5	-	-	1	1	1	1	1	1	1	1	1	1	1
Furyp. Fever	0.02	11	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarr. and Dys.	0.61	250	109	21	10	4	1	176	5	1	1	2	2	3	3	3	3	3	3	3	3	3
Cholera	0.02	6	3	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Cancer	0.02	211	-	-	-	-	-	-	-	-	-	1	5	24	26	26	26	26	26	26	26	26
Scrophula	0.10	60	-	3	-	1	-	15	2	4	3	5	6	5	-	-	-	-	-	-	-	-
Tuberc. Mesent.	0.17	64	42	5	2	1	-	50	4	3	1	1	1	1	-	-	-	-	-	-	-	-
Phthisis	1.77	291	127	6	2	4	1	291	19	25	62	101	120	120	120	120	120	120	120	120	120	120
Hydrocephalus	0.20	51	27	15	7	6	3	56	13	4	3	1	1	1	1	1	1	1	1	1	1	1
Nervous Syst.	2.43	1174	202	49	23	10	12	197	25	10	17	16	20	27	36	46	56	66	76	86	96	106
Cerebrum	1.25	527	-	2	1	-	-	3	6	2	6	15	10	10	10	10	10	10	10	10	10	10
Spinal Cord	1.18	1025	212	57	27	12	11	282	21	7	6	11	25	30	36	42	48	54	60	66	72	78
Digestive	1.13	441	12	3	4	2	7	25	14	3	7	9	10	10	10	10	10	10	10	10	10	10
Urinary	0.06	111	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Generative	0.04	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	0.05	29	-	-	-	-	-	-	-	-	1	2	5	12	1	-	-	-	-	-	-	-
Infants	0.10	49	-	-	-	-	-	-	-	-	1	3	6	5	4	12	3	4	12	3	4	1
Other Violence	0.79	172	15	5	16	9	4	55	13	20	21	16	25	26	19	19	19	19	19	19	19	19
OTHER CAUSES	4.51	1709	615	68	15	9	19	78	20	11	8	10	31	28	43	39	39	39	39	39	39	39

Deaths of Infants (under one) to 1000 Births } 132

Marriages - 2,958
Births - 12,935Annual Rate (Persons Married) - 15.12
per 1000 living (Births) - 30.75

418.—SLEAFORD.

	Annual Death Rate per 1000	17-14						11-53	5-04	2-01	4-31	7-43	6-78	8-42	11-43	21-51	50-44	145-3
ANNUAL DEATH RATE PER 1000	17.14							51.53	5.04	2.01	4.31	7.43	6.78	8.42	11.43	21.51	50.44	145.3
MEAN POP. 1871-80	25,777	715	679	691	703	703	5477	3314	2902	2314	1939	3120	2683	2286	1812	1140	594	594
ALL CAUSES	17.14	4119	1610	200	103	71	53	1444	167	86	109	144	212	226	267	397	575	702
Small-pox	0.02	4	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	-
Measles	0.15	24	7	15	7	3	4	26	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	0.39	144	5	20	21	21	50	97	45	3	1	-	1	4	1	-	-	-
Diphtheria	0.11	24	2	1	2	2	3	10	6	7	1	1	-	1	-	-	-	-
Whooping-cough	0.27	70	41	17	8	1	1	68	2	-	-	-	-	-	-	-	-	-
Typhus	0.03	8	-	-	-	-	1	1	4	2	-	-	-	-	-	-	-	-
Enteric Fever	0.12	59	-	-	-	-	-	3	5	0	-	-	6	0	4	12	-	-
Simple Cont. Fev.	0.10	25	-	1	3	-	2	8	3	0	2	2	4	1	1	1	-	-
Furyp. Fever	0.10	24	-	-	-	-	-	3	-	-	1	6	10	9	3	1	-	-
Diarr. and Dys.	0.84	216	100	50	4	5	5	110	3	1	-	-	-	3	3	5	15	45
Cholera	0.02	6	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-
Cancer	0.04	158	-	-	-	-	-	-	1	-	-	-	5	11	29	54	59	19
Scrophula	0.09	33	-	-	-	-	1	6	1	-	-	-	3	3	2	2	1	-
Tuberc. Mesent.	0.10	69	31	7	1	-	1	40	3	1	-	4	2	3	1	-	-	-
Phthisis	1.52	301	8	1	1	3	1	11	19	12	53	81	78	61	36	27	7	1
Hydrocephalus	0.19	46	19	9	2	2	1	32	8	5	-	-	1	-	-	-	-	-
Nervous Syst.	2.13	248	130	79	0	8	8	194	14	12	13	6	12	13	23	48	99	99
Cerebrum	1.16	259	-	-	-	-	-	1	1	1	2	2	19	10	33	29	91	47
Spinal Cord	1.07	753	175	54	21	10	2	202	11	6	5	2	21	12	32	79	125	175
Digestive	0.04	225	26	-	-	-	-	33	5	0	-	-	13	8	10	45	37	36
Urinary	0.01	10	-	-	-	-	-	1	-	-	-	-	4	1	2	2	2	1
Generative	0.05	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth	0.10	27	-	-	-	-	-	-	-	-	2	5	9	11	-	-	-	-
Infants	0.07	19	-	-	-	-	-	-	-	-	2	2	0	0	4	2	5	14
Other Violence	0.52	154	9	3	3	5	1	21	16	5	11	6	6	8	9	21	32	14
OTHER CAUSES	3.96	1901	432	19	13	8	6	425	21	12	7	4	13	12	25	44	62	24

Deaths of Infants (under one) to 1000 Births } 120

Marriages - 1,743
Births - 8,013Annual Rate (Persons Married) - 13.83
per 1000 living (Births) - 81.90

419.—GRANTHAM.

	Annual Deaths Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS IN FEB. 1907	—	18.07	—	—	—	—	—	47.30	4.84	2.99	4.43	6.43	6.72	9.70	12.10	21.91	56.12	164.16
Male Pop. 71-80	—	32,142	933	852	887	865	820	4367	3913	3612	3037	2599	4158	3465	2863	2168	1324	586
CAUSES	18.07	5808	1339	373	151	95	163	2061	191	108	136	167	282	336	547	475	743	902
Diph- - -	0.08	27	1	-	-	-	2	3	2	2	5	2	8	2	2	1	-	-
Scarlet - -	0.27	88	24	29	17	6	6	82	-	3	-	2	1	1	-	-	-	-
Erysipelas -	0.61	197	10	35	25	23	10	123	61	6	5	-	2	1	1	-	-	-
Throat - -	0.21	66	-	5	8	5	14	32	19	13	2	2	-	-	1	-	-	-
Whooping-cough	0.43	157	69	50	12	8	5	165	2	-	-	-	-	-	-	-	-	-
Measles - -	0.02	6	-	-	-	-	1	1	1	1	-	2	1	-	-	-	-	-
Scarlet Fever -	0.29	99	-	5	3	2	2	12	13	10	7	9	12	7	5	11	7	-
Erysipelas -	0.05	17	1	-	-	-	-	1	1	4	2	2	2	2	1	-	3	1
Throat - -	0.06	19	-	-	-	-	-	-	-	-	4	7	5	-	-	-	-	-
Scarlet and Diph.	0.77	249	141	33	5	2	1	181	2	3	2	-	1	1	3	3	19	24
Measles - -	0.01	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Whooping-cough	0.71	227	-	-	-	1	-	1	-	-	1	5	29	42	61	75	59	-
Measles - -	0.04	23	3	2	1	1	1	8	1	-	1	2	6	3	2	-	1	-
Scarlet - -	0.16	74	43	29	5	2	1	69	5	3	-	1	2	2	2	-	-	-
Whooping-cough	1.55	498	5	8	4	-	2	19	3	18	52	86	157	17	47	58	2	1
Measles - -	0.10	62	22	8	4	6	6	40	7	7	1	-	-	-	-	-	-	-
Cerebral Syst.	2.05	653	104	31	13	7	4	219	21	5	9	8	16	35	53	66	114	155
Cerebrum - -	1.28	412	-	-	-	-	-	2	2	5	8	8	19	30	35	45	124	12
Respiratory -	3.67	1288	230	89	25	15	14	382	13	4	10	7	13	21	43	1.0	1.8	209
Negative - -	0.96	319	43	2	4	1	1	31	7	2	7	8	19	24	43	44	54	57
Primary - -	0.37	120	2	-	-	-	1	3	1	1	1	3	2	11	11	21	45	18
Secondary - -	0.03	10	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	3
Birth - -	0.19	31	-	-	-	-	-	-	-	-	1	6	11	14	-	-	-	-
Infant - -	0.08	27	-	-	-	-	-	-	-	-	-	1	2	5	2	8	7	1
Violence - -	0.20	161	21	7	10	3	4	45	14	4	7	11	13	17	1	5	16	13
OTHER CAUSES	4.04	1292	561	50	14	12	2	647	17	20	14	4	21	30	20	47	92	202

Deaths of Infants (under one) to 1000 Births	128
--	-----

Marrriages	-	2,376
Births	-	10,409

Annual Rate of Persons Married	-	14'78
per 1000 living Births	-	32'63

420.—LINCOLN.

DATE PLACED IN THE YEAR 1900	—	20 '95	—	—	—	—	—	30 '04	5 '55	3 '61	5 '71	7 '71	8 '77	12 '78	16 '81	27 '90	31 '01	163 '04
an Pop. 71-80 - 3	—	38,401	1683	1530	1608	1533	1358	7882	7120	6291	5539	4878	8293	6890	4986	3623	2217	882
L CAUSES	10 '95	12,254	3231	770	319	210	150	4701	395	227	316	373	727	851	823	1014	1366	1438
Lymph - -	0 '05	29	7	4	2	3	—	10	—	2	—	3	3	—	1	—	—	—
Id - - -	0 '22	120	30	42	18	19	8	111	11	3	—	—	—	1	—	—	—	—
et Fever -	0 '65	399	19	14	64	67	48	232	108	23	4	6	3	—	2	—	—	—
theria - -	0 '10	54	7	3	4	7	3	24	19	4	4	1	1	2	1	—	—	—
Sping-cough	0 '35	206	114	49	27	9	3	292	4	—	—	—	—	—	—	—	—	—
88 - - -	0 '91	21	—	1	—	—	—	1	4	5	3	1	2	—	2	3	—	—
the Fever -	0 '37	214	1	3	7	13	8	22	21	12	12	20	30	13	17	8	14	4
Cont. For -	0 '07	218	—	1	2	—	—	3	9	1	7	4	3	1	1	4	1	—
et Fever -	0 '67	42	—	—	—	—	—	—	2	7	7	21	12	—	—	—	—	—
and Dys. -	1 '04	628	431	76	13	7	2	524	11	2	—	1	4	8	5	1	24	23
rs - - -	0 '02	12	2	—	—	—	—	2	—	—	1	1	—	1	3	3	—	1
er - - -	0 '52	204	—	—	—	1	—	1	—	—	2	2	9	14	39	98	71	39
ula - - -	0 '09	25	15	7	3	—	2	37	6	4	4	5	3	2	2	3	1	—
Measnt. -	0 '23	154	80	18	3	9	3	167	11	9	3	—	3	1	—	1	1	—
sis - - -	2 '92	1178	21	9	3	3	3	79	10	48	133	110	2	20	123	58	14	3
cephalus -	0 '27	14	57	34	17	7	9	124	18	8	4	—	1	1	—	—	—	—
Cervous Syst.	2 '44	2110	670	72	53	29	13	810	87	23	28	59	91	172	163	291	266	196
Inventory -	1 '21	773	—	2	—	—	—	2	9	11	39	15	40	10	103	158	224	127
Respiratory -	3 '12	1874	492	248	151	31	19	661	25	10	12	19	67	71	129	165	185	216
ognitive -	0 '35	49	48	10	2	2	5	11	8	13	22	61	70	110	119	119	40	20
Primary -	0 '42	247	4	—	—	1	2	7	14	3	8	10	18	31	31	22	40	20
Consumptive -	0 '02	35	—	—	—	—	—	—	—	1	1	1	2	9	6	7	8	3
Birth - -	0 '18	41	—	—	—	—	—	—	—	—	4	5	16	16	1	—	—	—
de - - -	0 '07	44	—	—	—	—	—	—	—	1	4	9	6	7	9	8	6	—
Violence -	0 '51	249	21	16	16	16	9	72	16	22	22	15	29	50	23	33	21	19
ER CATAC -	4 '89	26.6	1212	1.7	1.0	2.7	16	1437	30	13	59	24	13	59	17	105	232	709

Deaths of Infants (under one) to 1900 Births	162
--	-----

Marrriages	=	4,837
Births	=	19,979

Annual Rate of Persons Married	-	16.56
per 1000 living	{ Births	- - - 54.21

417.—BOSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18.56	—	—	—	—	—	45.42	5.07	3.27	4.02	6.01	7.52	10.32	12.61	23.03	32.09	147.26			
Mean Pop. 1871-80	—	29,120	1075	944	1032	904	600	5035	4770	4278	3779	3041	4049	4081	3486	2886	1922	836			
ALL CAUSES	18.56	7262	1592	851	1044	95	85	2287	242	140	186	210	302	422	437	667	1011	1281			
Small-pox	0.74	15	3	—	—	—	1	4	—	2	—	1	2	2	3	—	1	—			
Measles	0.18	68	25	23	10	5	2	65	3	—	—	—	—	—	—	—	—	—			
Scarlet Fever	0.41	161	7	2	10	20	14	84	43	17	6	1	3	5	—	—	—	—			
Diphtheria	0.10	41	1	—	4	4	3	12	13	6	2	2	—	—	—	—	—	—			
Whooping-cough	0.30	118	53	46	13	4	2	118	—	—	—	—	—	—	—	—	—	—			
Typhus	0.03	12	—	1	1	—	—	2	6	—	1	—	1	—	—	—	—	—			
Enteric Fever	0.16	63	—	—	—	—	2	6	5	—	—	—	—	—	—	—	—	—			
Simple Cont. Fev.	0.07	29	3	—	1	—	—	5	—	—	—	—	—	—	—	—	—	—			
Puerp. Fever	0.03	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0.64	229	160	21	10	4	1	176	5	1	1	—	—	—	—	—	—	—			
Cholera	0.02	6	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—			
Cancer	0.62	211	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Scrofula	0.10	40	—	3	1	1	2	13	2	4	5	5	6	3	3	19	61	29			
Tuberc Mesent.	0.17	63	42	5	2	1	—	50	14	6	—	—	—	—	—	—	—	—			
Phthisis	1.77	691	16	6	2	4	1	29	14	25	83	101	182	119	69	49	23	1			
Hydrocephalus	0.20	81	27	13	7	6	3	56	13	4	—	2	1	—	—	—	—	—			
Diseases of Nervous Syst.	2.83	1106	302	48	55	10	12	197	25	18	17	14	20	37	66	112	191	200			
Cerebratory	1.35	527	—	2	1	—	—	5	—	2	6	13	18	42	67	115	170	45			
Respiratory	2.65	1035	212	87	39	12	11	332	21	7	6	13	35	60	58	85	170	208			
Digestive	1.13	443	19	3	4	2	7	35	14	5	7	9	16	36	45	81	117	71			
Urinary	0.54	141	2	1	1	—	—	7	—	—	—	—	—	—	—	—	—	—			
Generative	0.04	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0.05	20	—	—	—	—	—	—	—	—	—	—	2	5	12	1	—	—			
Suicide	0.10	40	—	—	—	—	—	—	—	—	—	—	3	6	5	4	12	5	4		
Other Violence	0.70	572	15	5	16	9	8	53	23	20	21	14	25	28	19	18	25	16			
OTHER CAUSES	4.51	1769	686	66	18	9	10	787	29	11	8	10	34	28	45	70	190	266			

Deaths of Infants (under one) to 1000 Births } 139

Marriages - 2,958
Births - 12,035Annual Rate { Persons Married - 15.12
per 1000 living { Births - 30.74

418.—SLEAFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	17.14	—	—	—	—	—	41.53	5.04	2.91	4.34	7.43	6.78	8.42	11.63	21.91	50.43	149.3			
Mean Pop. 1871-80	—	25,777	715	669	681	703	709	3477	3314	2952	2514	1939	3126	2683	2286	1812	1140	531			
ALL CAUSES	17.14	4419	1010	200	103	71	53	1444	167	86	109	144	212	226	267	397	675	792			
Small-pox	0.02	4	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
Measles	0.15	28	7	15	7	3	4	56	—	1	—	—	—	—	—	—	—	—			
Scarlet Fever	0.39	124	5	50	31	21	10	97	43	3	1	—	2	4	1	—	—	—			
Diphtheria	0.11	24	2	1	3	2	3	16	6	7	1	1	—	—	—	—	—	—			
Whooping-cough	0.27	70	41	17	8	1	1	68	2	—	—	—	—	—	—	—	—	—			
Typhus	0.13	8	—	—	—	—	1	1	4	2	—	—	—	—	—	—	—	—			
Enteric Fever	0.23	59	2	1	3	—	2	6	5	9	—	—	—	—	—	—	—	—			
Simple Cont. Fev.	0.10	25	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—			
Puerp. Fever	0.10	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Diarr. and Dys.	0.84	216	100	26	4	5	5	160	3	1	—	—	—	—	—	—	—	—			
Cholera	0.02	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cancer	0.54	128	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Scrofula	0.09	23	3	—	—	—	—	6	1	—	—	—	—	—	—	—	—	—			
Tuberc Mesent.	0.19	59	21	7	1	1	—	40	5	2	1	4	2	3	2	—	—	—			
Phthisis	1.52	391	8	1	3	1	—	11	19	12	53	81	78	61	68	27	7	1			
Hydrocephalus	0.19	48	19	9	2	2	1	37	8	6	—	—	—	—	—	—	—	—			
Diseases of Nervous Syst.	2.13	548	130	79	9	8	3	194	14	12	13	6	12	18	33	48	99	99			
Cerebratory	1.16	240	—	—	—	—	—	1	4	1	2	2	19	20	31	29	91	67			
Respiratory	2.65	755	175	84	21	10	2	262	11	6	2	5	21	32	39	79	125	173			
Digestive	0.92	237	26	3	—	—	3	1	35	3	5	6	12	13	22	45	57	36			
Urinary	0.41	116	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Generative	0.05	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth	0.10	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Suicide	0.07	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Violence	0.52	151	9	3	5	1	1	21	16	5	11	6	6	8	9	21	19	16			
OTHER CAUSES	3.86	1001	432	19	13	5	6	425	21	12	7	4	15	12	25	44	121	214			

Deaths of Infants (under one) to 1000 Births } 126

Marriages - 1,743
Births - 8,013Annual Rate { Persons Married - 13.83
per 1000 living { Births - 81.90

419.—GRANTHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (FEB 1881)	—	18.07	—	—	—	—	—	47.30	4.84	2.99	4.43	6.43	6.72	9.70	12.16	21.01	56.12	164.16
Pop. 1881	—	32,142	953	832	887	865	820	4357	3948	3612	3037	2599	4158	5435	2853	2108	1324	586
CAUSES	18.07	4808	1330	373	151	95	103	2061	101	108	136	167	282	336	547	475	743	902
Scroph.	0.04	27	1	—	—	—	2	3	2	2	5	2	8	2	2	1	—	—
Inf. Fever	0.27	88	24	29	17	6	6	82	—	5	—	2	—	1	—	—	—	—
Chol. Fever	0.61	197	10	35	23	20	123	61	6	3	—	—	2	1	1	—	—	—
Chol. and Dys.	0.21	64	—	5	8	14	32	19	14	2	2	—	—	—	1	—	—	—
Spring-cough	0.43	137	69	50	12	8	135	2	—	—	—	—	—	—	—	—	—	—
Inf. Fever	0.02	6	—	—	1	—	1	1	1	1	—	2	1	—	—	—	—	—
Chol. and Dys.	0.29	92	—	5	3	2	12	11	10	7	9	12	7	5	11	7	—	—
Chol. and Dys.	0.05	17	1	—	—	—	1	1	4	2	2	2	—	1	—	—	—	—
Chol. and Dys.	0.06	19	—	—	—	—	—	—	—	3	4	7	5	—	—	—	—	—
Chol. and Dys.	0.57	249	141	32	5	2	181	2	3	2	—	1	1	1	3	19	24	—
Chol. and Dys.	0.01	4	1	—	—	—	1	1	—	—	—	—	—	—	1	2	—	—
Chol. and Dys.	0.71	227	—	—	—	1	1	1	—	—	1	—	5	29	42	61	75	20
Chol. and Dys.	0.04	23	3	2	1	1	8	1	—	1	1	2	6	3	2	—	—	—
Chol. and Dys.	0.16	74	43	20	3	2	10	6	3	1	—	—	1	2	2	—	—	—
Chol. and Dys.	1.53	498	5	8	4	—	2	19	3	18	22	86	127	17	47	28	2	1
Chol. and Dys.	0.19	62	22	8	4	6	40	7	7	1	—	—	—	—	—	—	—	—
Chol. and Dys.	2.05	653	164	51	13	7	4	219	21	5	9	8	16	33	53	63	114	183
Chol. and Dys.	1.28	412	—	—	—	—	—	—	2	5	8	8	10	50	53	13	124	12
Chol. and Dys.	3.76	988	236	89	23	13	14	332	13	4	10	7	13	21	43	10	128	399
Chol. and Dys.	0.96	120	43	2	4	1	1	61	7	2	7	8	10	54	63	64	74	70
Chol. and Dys.	0.27	120	2	—	—	—	1	3	1	1	1	3	2	11	11	21	45	18
Chol. and Dys.	0.03	10	—	—	—	—	—	—	—	—	—	—	—	—	4	4	—	2
Chol. and Dys.	0.14	31	—	—	—	—	—	—	—	—	1	6	11	12	—	—	—	—
Chol. and Dys.	0.08	27	—	—	—	—	—	—	—	—	1	2	5	2	—	8	7	1
Chol. and Dys.	0.50	161	31	7	10	3	4	45	14	4	7	11	11	17	1	5	16	12
Chol. and Dys.	4.04	1292	562	20	14	12	9	617	17	20	14	4	21	30	20	47	91	221

Deaths of Infants (under
one) to 1000 Births - 128Marriages - 2,376
Births - 10,439Annual Rate of Persons Married
per 1000 living (Births) - 14.78
- 32.65

420.—LINCOLN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (FEB 1881)	—	20.95	—	—	—	—	—	39.04	5.55	3.61	5.71	7.71	8.77	12.72	16.51	27.09	61.63	163.04
Pop. 1881	—	58,401	1683	1350	1008	1533	1538	7882	7120	6201	5539	4878	8233	6000	4986	3623	2217	581
CAUSES	10.95	12,234	3231	776	319	219	150	4701	395	227	316	373	727	851	823	1014	1300	1438
Scroph.	0.05	29	7	4	2	3	—	16	—	2	—	5	5	—	1	2	—	—
Inf. Fever	0.22	126	30	42	18	13	8	111	11	3	—	—	—	1	—	—	—	—
Chol. Fever	0.65	399	19	14	61	67	48	232	106	33	4	6	3	2	1	—	1	—
Chol. and Dys.	0.10	54	7	3	4	7	3	24	19	4	4	1	1	2	1	—	—	—
Spring-cough	0.35	206	114	49	27	9	3	202	4	—	—	—	—	—	—	—	—	—
Inf. Fever	0.01	21	—	1	—	—	—	1	4	5	5	1	2	—	2	3	—	—
Chol. and Dys.	0.37	214	1	3	7	13	8	32	21	12	12	26	30	23	17	8	19	4
Chol. and Dys.	0.07	58	—	1	2	—	3	6	9	1	7	4	3	1	—	4	1	1
Chol. and Dys.	0.07	45	—	—	—	—	—	—	—	—	2	7	21	13	—	—	—	—
Chol. and Dys.	1.08	628	431	76	13	7	2	622	11	2	—	1	4	8	5	11	24	33
Chol. and Dys.	0.02	12	2	—	—	—	—	2	—	—	1	1	—	1	3	3	—	4
Chol. and Dys.	0.32	204	—	—	—	1	—	1	1	—	2	2	9	13	29	68	71	20
Chol. and Dys.	0.09	25	15	7	3	—	2	27	6	4	4	5	3	2	2	3	1	—
Chol. and Dys.	0.13	134	80	18	3	3	3	107	11	9	3	—	2	1	—	1	—	—
Chol. and Dys.	2.02	1175	21	9	8	3	3	130	50	48	155	160	30	219	121	58	14	3
Chol. and Dys.	0.27	159	57	24	17	7	9	124	18	8	4	2	1	1	1	—	—	—
Chol. and Dys.	3.44	2110	679	72	73	29	13	810	37	22	29	12	41	172	163	201	398	190
Chol. and Dys.	1.33	779	—	2	—	—	—	2	9	11	20	18	46	10	10	158	224	97
Chol. and Dys.	3.12	1874	492	248	73	31	19	861	28	10	12	19	67	71	123	165	254	215
Chol. and Dys.	0.85	485	48	10	2	2	3	65	15	11	8	13	32	61	70	110	128	40
Chol. and Dys.	0.42	245	4	—	—	1	2	7	14	5	8	10	18	31	31	29	48	33
Chol. and Dys.	0.05	33	—	—	—	—	—	—	—	1	1	1	2	9	6	7	5	5
Chol. and Dys.	0.18	44	—	—	—	—	—	—	—	—	4	5	16	18	1	—	—	—
Chol. and Dys.	0.07	41	—	—	—	—	—	—	—	1	4	3	6	7	9	8	6	—
Chol. and Dys.	0.51	209	51	16	16	10	9	72	16	22	22	15	29	50	21	30	21	19
Chol. and Dys.	4.79	28.8	1212	1.7	1.0	2.2	1.6	1467	20	15	50	24	10	59	67	105	232	100

Deaths of Infants (under
one) to 1000 Births - 162Marriages - 4,837
Births - 19,979Annual Rate of Persons Married
per 1000 living (Births) - 16.56
- 34.21

421.—HORNCASTLE.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	17.57	—	—	—	—	—	39.41	5.13	3.77	5.35	7.76	6.89	8.85	11.21	22.12	37.67	48.12
Mean Pop. 1871-80	—	22,641	612	500	500	538	500	2880	2807	2549	2186	1714	2772	2328	2106	1645	1110	441
ALL CAUSES	17.57	3978	800	163	87	40	36	1183	144	96	117	133	191	206	236	354	578	72
Small-pox	0.11	24	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Measles	0.09	20	8	—	—	—	—	12	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.07	14	6	—	—	—	—	10	16	6	7	2	2	—	—	—	—	—
Diphtheria	0.21	78	1	1	3	8	9	22	12	7	—	4	1	—	—	—	—	—
Whooping-cough	0.28	63	13	18	10	1	—	62	1	—	—	—	—	—	—	—	—	—
Typhus	0.04	8	—	—	1	—	1	2	1	1	1	1	1	—	—	—	—	—
Enteric Fever	0.02	72	1	—	2	2	—	6	15	2	6	1	8	9	3	—	—	—
Simple Cont. Fev.	0.07	15	1	1	—	—	—	3	3	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.06	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.28	63	24	3	2	2	—	31	3	—	1	—	—	—	1	—	—	—
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Cancer	0.37	128	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Serofula	0.18	41	6	6	2	—	—	14	4	3	3	8	6	12	27	41	23	20
Tuberc Mesent.	0.21	48	30	4	2	1	—	38	2	9	12	66	100	72	42	31	11	—
Phthisis	1.83	415	6	2	2	—	—	10	8	7	—	—	—	—	—	—	—	—
Hydrocephalus	0.27	61	16	13	11	3	2	43	8	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.51	508	172	21	15	10	2	220	13	6	14	7	8	13	27	60	113	100
Cerebratory	1.39	315	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	1.92	435	98	27	8	7	1	151	11	—	4	6	9	25	27	67	116	100
Dysentery	0.80	181	15	1	—	—	—	16	3	1	3	4	6	9	31	40	42	27
Urinary	0.35	80	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Generative	0.04	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.06	14	—	—	—	—	—	—	—	—	—	2	1	6	4	1	—	—
Suicide	0.06	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.70	117	2	1	9	2	3	17	10	11	3	5	6	3	13	5	14	17
OTHER CAUSES	5.01	11.7	379	39	7	1	3	429	16	11	7	6	12	17	15	40	122	68

Deaths of Infants (under one) to 1000 Births } 117 Marriages - 1,485 Annual Rate { Persons Married - 13.12
Births - 6,818 per 1000 living { Births - 30.12

422.—SPILSBY.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	16.88	—	—	—	—	—	37.58	4.29	3.11	5.16	7.15	8.44	8.61	11.91	17.06	48.16	62.63
Mean Pop. 1871-80	—	28,567	708	743	754	703	605	3723	3615	3275	2732	2081	3318	2985	2609	2004	1387	683
ALL CAUSES	16.88	4822	1009	187	101	61	35	1890	155	102	141	149	280	257	318	376	604	97
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.07	21	7	5	4	2	—	18	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0.00	87	2	4	12	15	6	39	28	18	4	2	1	—	—	—	—	—
Diphtheria	0.07	21	2	—	—	3	1	6	7	2	2	1	—	—	—	—	—	—
Whooping-cough	0.29	54	55	20	4	1	2	89	1	—	—	—	—	—	—	—	—	—
Typhus	0.05	14	—	—	—	—	—	—	5	4	2	—	—	1	1	—	—	—
Enteric Fever	0.29	36	1	2	—	2	—	6	4	8	2	6	10	4	4	—	—	—
Simple Cont. Fev.	0.11	12	3	1	1	1	1	7	6	1	2	4	2	1	1	—	—	—
Puerp. Fever	0.02	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.34	96	42	10	6	2	1	61	4	—	1	1	—	1	1	—	—	—
Cholera	0.02	5	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Cancer	0.61	173	—	—	—	—	—	—	—	—	—	—	6	12	35	38	60	24
Serofula	0.19	23	5	3	—	1	1	10	1	1	2	2	—	—	—	—	—	—
Tuberc Mesent.	0.18	51	26	8	6	2	—	41	2	9	8	11	150	83	58	27	4	2
Phthisis	1.89	540	7	2	6	1	1	17	8	24	65	81	1	—	—	—	—	—
Hydrocephalus	0.21	61	18	6	6	2	2	34	16	6	1	1	2	1	—	—	—	—
Diseases of Nervous Syst.	2.71	773	316	28	18	11	3	375	18	7	12	6	19	18	44	54	96	119
Cerebratory	1.16	331	2	—	—	—	—	2	1	4	3	6	15	37	36	63	101	39
Respiratory	1.96	329	199	47	15	10	7	208	11	5	7	6	9	22	19	61	99	102
Dysentery	0.85	211	21	1	1	1	1	25	8	1	2	5	11	22	33	38	61	27
Urinary	0.34	96	—	—	—	—	—	4	3	1	2	5	11	7	14	12	19	17
Generative	0.01	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.06	16	—	—	—	—	—	—	—	—	—	2	10	4	—	—	—	—
Suicide	0.05	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.48	134	5	8	11	4	2	31	17	11	9	5	2	2	6	7	3	1
OTHER CAUSES	4.76	1.61	767	42	14	4	4	481	13	7	8	7	15	19	37	38	192	85

Deaths of Infants (under one) to 1000 Births } 117 Marriages - 1,079 Annual Rate { Persons Married - 13.72
Births - 8,578 per 1000 living { Births - 10.36

4-155

Year	Month	Day	Time	Place	Remarks	Amount	Balance	Interest	Dividend	Other
1900	Jan	1	10:00	St. Paul
1900	Jan	2	10:00	St. Paul
1900	Jan	3	10:00	St. Paul
1900	Jan	4	10:00	St. Paul
1900	Jan	5	10:00	St. Paul
1900	Jan	6	10:00	St. Paul
1900	Jan	7	10:00	St. Paul
1900	Jan	8	10:00	St. Paul
1900	Jan	9	10:00	St. Paul
1900	Jan	10	10:00	St. Paul
1900	Jan	11	10:00	St. Paul
1900	Jan	12	10:00	St. Paul
1900	Jan	13	10:00	St. Paul
1900	Jan	14	10:00	St. Paul
1900	Jan	15	10:00	St. Paul
1900	Jan	16	10:00	St. Paul
1900	Jan	17	10:00	St. Paul
1900	Jan	18	10:00	St. Paul
1900	Jan	19	10:00	St. Paul
1900	Jan	20	10:00	St. Paul
1900	Jan	21	10:00	St. Paul
1900	Jan	22	10:00	St. Paul
1900	Jan	23	10:00	St. Paul
1900	Jan	24	10:00	St. Paul
1900	Jan	25	10:00	St. Paul
1900	Jan	26	10:00	St. Paul
1900	Jan	27	10:00	St. Paul
1900	Jan	28	10:00	St. Paul
1900	Jan	29	10:00	St. Paul
1900	Jan	30	10:00	St. Paul
1900	Jan	31	10:00	St. Paul

Deaths of persons under
age 21 1997 Earthquake

Marriages	-	2,617
Births	-	10,563

Annual Rate of Persons Mailed
per 1000 Living Males

424.—CAISTOR.

ANNUAL DEATH RATE PER 1000	15.23						54.70	53.50	50.20	49.00	47.80	46.60	45.40	44.20	43.00	41.80	40.60	39.40	38.20	37.00	35.80	34.60	33.40	32.20	31.00	29.80	28.60	27.40	26.20	25.00	23.80	22.60	21.40	20.20	19.00	17.80	16.60	15.40	14.20	13.00	11.80	10.60	9.40	8.20	7.00	5.80	4.60	3.40	2.20	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
----------------------------	-------	--	--	--	--	--	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Deaths of Infants (under
one) to 1000 Births 173Marrinzo 1 / 1
Barker 1 / 1

421.—HORNCASTLE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	17.57	—	—	—	—	—	39.41	5.13	3.77	5.35	7.76	6.89	8.85	11.21	22.15	32.07	148.01
Mean Pop. 1871-80	—	22,641	612	500	590	558	500	2880	2807	2549	2186	1714	2772	2328	2106	1645	1110	544
ALL CAUSES	17.57	3978	800	163	87	40	36	1135	144	96	117	133	101	206	236	304	578	778
Small-pox	0.11	24	2	—	—	—	—	2	—	—	2	6	5	4	4	—	1	—
Measles	0.09	50	8	8	1	1	1	19	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.37	54	8	8	11	9	12	46	18	6	7	2	2	2	—	1	—	—
Diphtheria	0.24	78	1	1	3	8	9	22	12	7	2	4	1	—	—	—	—	—
Whooping-cough	0.28	63	33	18	10	1	—	62	1	—	—	—	—	—	—	—	—	—
Typhus	0.04	8	—	—	1	—	1	2	—	1	1	1	1	—	—	—	—	1
Enteric Fever	0.52	71	1	—	2	2	—	6	3	15	6	1	8	9	3	7	4	1
Simple Cont. Fev.	0.07	15	1	1	—	—	—	3	2	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.04	9	—	—	—	—	—	—	—	—	3	2	3	—	1	—	—	—
Diarr. and Dys.	0.28	63	24	3	2	2	—	31	3	—	1	—	—	—	1	1	9	17
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Cancer	0.57	128	—	—	—	—	—	—	—	—	—	—	6	12	27	41	39	19
Scrofula	0.18	41	6	6	2	—	—	14	4	3	3	8	1	2	2	1	2	1
Tuberc Mesent.	0.51	48	30	4	2	2	—	38	2	3	3	—	—	—	—	—	—	—
Phthisis	1.83	416	6	2	2	1	—	11	9	50	23	60	100	72	42	31	12	—
Hydrocephalus	0.27	61	16	13	11	3	2	45	8	7	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2.51	568	172	21	15	10	2	220	15	6	14	7	8	13	27	60	112	56
Circulatory	1.39	315	—	—	—	—	—	—	—	2	4	6	9	25	27	67	116	39
Respiratory	1.92	435	98	27	8	7	1	151	11	—	4	5	4	16	24	30	89	61
Digestive	0.80	321	15	1	—	—	—	16	3	1	5	4	6	9	31	46	42	24
Urinary	0.35	80	—	—	—	—	1	1	3	1	—	2	8	8	15	20	18	—
Generative	0.04	10	—	—	—	—	—	—	—	—	1	—	—	5	4	—	—	—
Childbirth	0.06	14	—	—	—	—	—	—	—	—	2	1	6	4	1	—	—	—
Suicide	0.06	13	—	—	—	—	—	—	—	—	—	—	3	1	3	3	3	—
Other Violence	0.70	113	2	1	9	2	3	17	19	11	3	5	6	3	13	5	14	17
OTHER CAUSES	5.01	1157	379	39	7	1	3	429	16	11	7	6	12	17	15	40	122	463

Deaths of Infants (under
one) to 1000 Births } 117Marriages - 1,485
Births - 6,818Annual Rate { Persons Married - 13.12
per 1000 living { Births - 30.12

422.—SPILSBY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	16.58	—	—	—	—	—	37.58	4.29	3.11	5.16	7.15	8.44	8.61	11.91	17.96	48.16	142.6
Mean Pop. 1871-80	—	28,567	768	743	754	763	605	3723	3615	3275	2732	2084	3318	2985	2609	2004	1387	685
ALL CAUSES	16.58	4822	1000	187	104	64	33	1899	155	102	141	149	280	257	318	376	668	977
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.07	21	7	5	4	2	—	18	2	—	1	—	—	—	—	—	—	—
Scarlet Fever	0.0	87	2	4	12	15	6	39	28	13	4	2	1	—	—	—	—	—
Diphtheria	0.07	21	2	—	—	3	1	6	7	2	2	1	—	—	—	2	1	—
Whooping-cough	0.29	84	56	29	4	1	2	83	1	—	—	—	—	—	—	—	—	—
Typhus	0.05	14	—	—	—	—	—	—	3	4	2	—	—	1	1	—	1	—
Enteric Fever	0.20	56	1	2	—	2	1	6	4	8	5	6	10	4	7	4	4	—
Simple Cont. Fev.	0.11	12	3	1	1	1	1	7	6	1	2	4	2	1	1	4	3	1
Puerp. Fever	0.02	7	—	—	—	—	—	—	—	1	3	3	—	—	—	—	—	—
Diarr. and Dys.	0.34	96	42	10	6	2	1	61	4	—	1	1	—	1	1	6	10	11
Cholera	0.02	5	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Cancer	0.61	173	—	—	—	—	—	—	—	—	—	—	6	12	33	38	60	24
Scrofula	0.08	23	5	3	—	1	1	10	1	1	3	2	—	—	2	1	—	—
Tuberc Mesent.	0.18	51	26	8	5	2	—	41	2	2	5	—	—	—	—	1	—	—
Phthisis	1.89	540	7	2	6	1	1	17	8	24	63	81	156	85	68	37	4	4
Hydrocephalus	0.21	61	18	6	6	2	2	34	16	6	1	1	2	1	—	—	—	—
Diseases of Nervous Syst.	2.71	773	316	28	18	11	3	376	18	7	19	6	19	18	46	54	98	119
Circulatory	1.16	331	—	—	—	—	—	—	1	4	3	8	15	37	36	63	103	39
Respiratory	1.96	559	139	47	15	10	7	298	11	5	7	6	9	22	49	61	99	102
Digestive	0.85	241	21	1	1	1	1	25	8	5	5	5	11	22	33	38	61	27
Urinary	0.34	96	—	—	—	2	2	4	3	1	3	5	11	7	14	12	19	17
Generative	0.04	12	—	—	—	—	—	—	—	1	—	—	2	3	3	2	1	—
Childbirth	0.06	16	—	—	—	—	—	—	—	—	—	2	10	4	—	—	—	—
Suicide	0.06	13	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Other Violence	0.44	135	5	8	12	4	2	31	17	11	9	5	5	12	8	7	8	18
OTHER CAUSES	4.76	1,61	267	42	14	4	4	431	13	7	8	7	15	16	37	58	122	297

Deaths of Infants (under
one) to 1000 Births } 117Marriages - 1,950
Births - 8,508Annual Rate { Persons Married - 18.72
per 1000 living { Births - 50.06

423.—LOUTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000	—	17.77	—	—	—	—	—	41.31	4.35	3.13	5.97	6.90	7.78	9.12	12.41	23.08	32.46	14
Mean Pop. 1871-80	—	34,330	928	843	930	911	803	4510	4277	3991	3217	2608	4188	3672	3142	2392	1567	1
ALL CAUSES	17.77	6099	1354	261	101	86	61	1803	180	127	192	180	329	335	390	552	822	1
Small-pox	0.02	7	1	—	—	—	—	1	—	—	3	1	2	—	—	—	—	—
Measles	0.10	35	10	10	8	2	5	33	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.43	149	6	13	17	21	17	74	48	9	11	8	5	1	—	—	—	—
Diphtheria	0.07	25	—	3	—	2	6	11	4	2	1	1	3	—	—	2	—	—
Whooping-cough	0.34	116	70	24	5	5	2	112	4	—	—	—	—	—	—	—	—	—
Typhus	0.02	8	1	—	—	1	1	3	—	2	—	—	2	1	—	—	—	—
Enteric Fever	0.21	71	3	—	1	4	2	10	13	3	6	9	4	5	8	8	2	—
Simple Cont. Fev.	0.07	23	—	—	1	3	—	4	—	3	2	2	1	1	3	—	—	—
Pump. Fever	0.04	15	—	—	—	—	—	—	—	—	3	9	0	1	—	—	—	—
Diarr. and Dys.	0.53	183	115	13	2	2	1	123	3	1	—	1	8	1	3	6	9	—
Cholera	0.05	18	10	—	—	—	—	10	1	—	—	—	1	—	2	1	1	—
Cancer	0.54	184	—	1	—	—	—	1	—	—	1	2	3	14	56	48	51	—
Scrophula	0.07	23	9	2	—	1	—	5	3	4	1	2	6	1	—	2	1	—
Tuberc. Mesent.	0.12	40	10	2	—	—	2	23	4	2	3	1	2	1	—	—	—	—
Phthisis	1.62	553	8	4	1	2	—	15	11	20	74	84	146	90	27	39	19	—
Hydrocephalus	0.23	89	23	17	5	4	2	20	20	13	2	3	1	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.84	975	305	31	11	8	4	353	23	13	16	14	23	28	61	105	143	—
Circulatory	1.41	485	1	—	1	—	—	2	—	9	5	2	39	28	29	130	130	—
Respiratory	2.55	875	192	53	29	7	4	200	11	9	15	10	19	46	47	79	133	—
Digestive	0.88	301	45	1	3	3	1	53	9	3	11	7	12	22	42	37	60	—
Urinary	0.07	128	4	1	1	1	—	7	1	—	4	7	4	9	13	20	33	—
Generative	0.04	13	—	—	—	—	—	—	—	—	—	1	5	—	—	2	7	—
Childbirth	0.03	29	—	—	—	—	—	—	—	—	1	6	13	9	—	—	—	—
Suicide	0.07	23	—	—	—	—	—	—	—	—	—	—	3	1	4	6	8	—
Other Violence	0.53	183	115	13	10	5	8	43	8	14	12	14	23	16	14	18	9	—
OTHER CAUSES	4.49	1538	521	41	13	13	8	63	18	16	19	8	12	38	31	87	176	—

Deaths of Infants (under
one) to 1000 Births } 129Marriages - 2,497
Births - 10,503Annual Rate { Persons Married - 14.02
per 1000 living { Births - 30.57

424.—CAISTOR.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000	—	18.23	—	—	—	—	—	54.79	5.56	3.75	5.23	6.92	8.22	11.10	13.28	23.38	50.63	14
Mean Pop. 1871-80	—	57,892	1723	1580	1601	1635	1590	8149	6948	6021	6120	5454	8459	6315	4700	3161	1854	1
ALL CAUSES	18.23	10,552	3117	703	304	297	129	4460	388	226	320	376	695	701	625	739	929	1
Small-pox	0.04	571	63	22	18	25	19	142	39	13	20	18	55	23	13	6	8	—
Measles	0.18	105	20	49	14	5	6	95	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.55	316	22	37	56	50	29	194	77	22	7	7	4	4	—	1	—	—
Diphtheria	0.14	79	3	5	8	10	11	33	25	10	3	1	3	2	—	—	1	—
Whooping-cough	0.50	171	81	40	19	10	6	159	2	—	—	—	—	—	—	—	—	—
Typhus	0.05	51	—	—	—	—	2	2	1	2	7	7	3	5	4	1	—	—
Enteric Fever	0.28	161	2	3	5	8	4	21	21	18	23	15	21	18	8	11	8	—
Simple Cont. Fev.	0.10	58	1	3	2	2	1	9	13	2	12	2	5	3	4	3	3	—
Pump. Fever	0.07	42	—	—	—	—	—	—	—	2	12	20	8	—	—	—	—	—
Diarr. and Dys.	1.04	662	453	71	10	4	3	53	3	1	—	1	1	3	4	17	10	—
Cholera	0.02	13	5	3	—	—	—	6	—	—	—	—	1	5	—	2	—	—
Cancer	0.39	297	—	—	—	—	—	—	1	1	1	—	7	20	49	65	40	—
Scrophula	0.08	47	10	5	8	2	1	21	3	3	3	3	4	4	2	3	2	—
Tuberc. Mesent.	0.25	147	73	24	13	5	1	114	8	3	6	1	5	6	4	1	—	—
Phthisis	1.46	843	9	0	3	3	3	20	14	43	93	190	238	129	83	41	13	—
Hydrocephalus	0.19	112	23	30	12	6	4	81	19	6	3	1	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.90	1678	718	83	33	26	6	128	30	18	14	24	45	62	62	114	181	—
Circulatory	1.53	779	—	—	2	—	—	2	6	17	12	16	43	31	104	133	194	—
Respiratory	2.78	1617	487	201	62	54	12	796	29	11	23	34	57	79	146	144	173	—
Digestive	0.90	519	61	9	5	8	1	79	15	9	13	12	42	68	76	12	34	—
Urinary	0.28	161	4	2	1	—	1	8	7	4	2	8	15	21	16	19	33	—
Generative	0.06	23	—	—	—	—	—	—	—	—	—	1	4	9	7	5	—	—
Childbirth	0.10	53	—	—	—	—	—	—	—	—	4	12	26	16	—	—	—	—
Suicide	0.08	56	—	—	—	—	—	—	—	1	3	7	3	5	5	7	4	—
Other Violence	0.69	347	18	14	10	8	10	68	65	33	38	27	60	44	23	24	18	—
OTHER CAUSES	3.39	1994	1000	102	23	8	9	1142	20	13	13	17	30	45	36	87	228	—

Deaths of Infants (under
one) to 1000 Births } 133Marriages - 4,789
Births - 20,457Annual Rate { Persons Married - 16.54
per 1000 living { Births - 25.34

425.—GLANFORD BRIGG.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	18·15	—	—	—	—	—	46·55	4·91	4·05	5·16	7·58	6·84	8·45	11·12	22·23	52·06	148·69
Mean Pop. — 1871-80 —	—	38,204	1150	1042	1134	1067	1054	5456	4847	4196	3549	2904	4057	3098	3290	2515	1633	740
ALL CAUSES	18·15	6033	1700	384	170	105	91	2540	238	170	183	227	339	338	366	559	800	1113
Small-pox - -	0·06	22	-	-	2	-	-	2	-	1	3	5	3	-	-	6	-	-
Measles - -	0·22	85	21	26	12	12	7	75	6	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0·24	206	10	31	26	27	33	127	48	22	3	2	1	2	1	-	-	-
Diphtheria - -	0·14	74	3	3	4	6	8	24	18	6	1	2	2	-	-	1	-	-
Whooping-cough	0·20	114	53	37	14	5	1	110	4	-	-	-	-	-	-	-	-	-
Typhus - -	0·02	9	-	-	-	-	-	-	2	2	1	1	-	1	-	7	1	1
Enteric Fever -	0·28	108	4	1	3	2	1	12	8	9	12	13	10	15	10	1	9	5
Simp. Cont. Fev.	0·19	34	-	-	3	-	-	5	6	5	1	2	1	2	1	6	6	1
Puerp. Fever -	0·05	19	-	-	-	-	-	-	-	2	-	-	6	3	-	-	-	-
Diarr. and Dys.	0·78	297	199	30	2	1	-	232	6	1	1	-	3	3	2	8	18	23
Cholera - -	0·01	4	1	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
Cancer - -	0·44	167	-	-	-	-	-	-	-	-	-	-	7	17	33	53	41	16
Serofula - -	0·10	37	10	5	2	-	-	17	4	3	2	2	2	5	1	-	1	-
Tuberc. Mesent.	0·11	69	29	12	1	2	-	40	2	4	5	3	2	5	1	-	1	-
Phthisis - -	0·63	410	7	8	-	-	-	17	15	35	83	114	153	91	55	50	13	-
Hydrocephalus	0·23	89	24	18	13	5	7	60	15	4	3	-	-	1	-	-	-	-
Diseases of																		
Nervous Syst.	2·77	1657	405	41	14	12	6	478	26	17	7	7	21	25	48	95	183	130
Circulatory "	1·20	457	-	-	-	-	-	1	6	11	15	18	23	54	57	95	119	74
Respiratory "	2·75	1087	191	102	37	18	10	428	11	9	6	10	27	43	49	85	178	209
Digestive "	0·82	315	26	6	4	-	1	36	2	8	4	13	27	41	60	71	34	34
Urinary "	0·33	127	-	-	-	-	-	4	2	2	-	4	3	7	13	20	26	22
Generative "	0·05	19	-	-	-	-	-	-	-	-	-	1	1	3	5	6	1	2
Childbirth - -	0·08	29	-	-	-	-	-	-	-	-	1	10	8	10	-	-	-	-
Suicide - -	0·05	19	-	-	-	-	-	-	-	-	-	1	1	2	3	6	4	2
Other Violence -	0·55	210	13	7	10	2	6	38	11	16	13	19	21	12	16	29	10	14
OTHER CAUSES -	4·43	16·8	694	48	20	11	5	753	38	16	10	9	19	19	18	32	168	351

Deaths of Infants (under
one) to 1000 Births - } 135Marriages - 2,622
Births - 13,238Annual Rate { Persons Married - 13·73
per 1000 living { Births - - - 34·63

426.—GAINSBOROUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	18·74	—	—	—	—	—	47·58	5·67	3·18	5·23	6·54	7·66	8·91	11·65	20·02	53·71	146·73
Mean Pop. — 1871-80 —	—	28,589	852	782	752	798	780	3904	3370	2901	2695	2309	3863	2984	2411	1993	1296	623
ALL CAUSES	18·74	5358	1296	296	125	90	79	1883	191	93	141	157	290	266	281	411	722	913
Small-pox - -	0·10	18	6	-	1	1	1	9	2	1	1	4	5	4	1	3	-	-
Measles - -	0·15	42	7	11	6	4	5	31	5	1	-	-	-	1	-	-	-	-
Scarlet Fever -	0·55	158	6	29	21	23	21	110	33	11	5	3	2	1	-	-	-	-
Diphtheria - -	0·21	99	6	5	7	7	7	32	18	5	1	2	2	-	-	-	-	-
Whooping-cough	0·33	15	42	27	14	4	3	90	4	1	-	-	-	-	-	-	-	-
Typhus - -	0·04	12	-	-	-	-	1	2	1	1	5	1	1	-	-	1	-	-
Enteric Fever -	0·12	91	3	6	2	2	1	14	9	7	9	8	12	5	9	6	10	3
Simp. Cont. Fev.	0·14	40	-	2	-	2	4	8	4	2	4	-	1	3	2	-	5	3
Puerp. Fever -	0·08	21	-	-	-	-	-	-	-	-	-	4	11	6	1	-	-	-
Diarr. and Dys.	0·84	239	151	29	2	4	1	178	2	1	-	-	3	2	3	7	10	53
Cholera - -	0·03	8	2	1	-	-	1	4	2	-	-	-	-	-	-	2	-	-
Cancer - -	0·44	127	-	-	-	-	-	-	-	-	-	-	3	15	50	51	36	12
Serofula - -	0·11	31	6	-	2	-	1	9	4	-	2	1	7	2	3	1	2	-
Tuberc. Mesent.	0·21	69	36	9	6	3	-	54	3	1	-	1	-	1	-	-	-	-
Phthisis - -	1·65	473	4	6	1	-	-	11	9	16	57	91	139	81	33	21	8	1
Hydrocephalus	0·17	49	13	15	5	1	5	29	7	3	-	-	-	-	-	-	-	-
Diseases of																		
Nervous Syst.	2·70	772	304	33	12	8	3	37	14	8	8	3	14	9	34	62	118	146
Circulatory "	1·03	194	1	2	-	3	-	6	2	3	6	7	16	23	34	40	107	53
Respiratory "	3·54	955	216	81	50	11	12	240	15	6	9	9	21	22	48	119	172	187
Digestive "	1·07	375	49	3	1	4	1	78	14	5	4	4	13	18	31	45	84	28
Urinary "	0·39	112	1	1	1	-	-	3	1	-	1	2	7	17	10	18	34	19
Generative "	0·02	7	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-
Childbirth - -	0·08	13	-	-	-	-	-	-	-	-	1	2	13	7	-	-	-	-
Suicide - -	0·07	21	-	-	-	-	-	-	-	-	-	7	2	-	1	9	5	1
Other Violence -	0·52	149	9	10	3	3	6	31	24	9	13	5	6	15	7	13	19	11
OTHER CAUSES -	4·13	1181	434	48	12	10	6	510	11	12	13	3	18	12	27	40	113	418

Deaths of Infants (under
one) to 1000 Births - } 141Marriages - 1,957
Births - 9,223Annual Rate { Persons Married - 13·69
per 1000 living { Births - - - 32·33

NOTTINGHAMSHIRE.

427.—EAST RETFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
AL DEATH (PER 1000)	—	18'39	—	—	—	—	—	42'52	4'90	3'04	5'17	6'07	7'82	9'38	12'00	21'71	32'65	161'85
n Pop. 1-80	—	23,153	600	565	630	602	587	3053	2815	2537	2186	1770	2901	2430	2114	1652	1140	555
CAUSES	18'39	4237	903	191	84	67	53	1208	138	77	113	118	227	228	255	360	600	843
Box -	0'47	37	2	—	—	—	—	2	1	—	4	2	6	2	—	—	—	—
Febr -	0'15	35	2	8	7	7	2	20	4	2	—	—	—	—	—	—	—	—
Cont. Fev.	0'41	95	6	11	18	15	13	63	22	6	2	—	2	—	—	—	—	—
and Dys.	0'29	41	2	1	3	7	4	17	15	7	2	2	—	1	2	—	—	—
ing-cough	0'23	51	39	15	3	2	2	52	1	—	—	—	—	—	—	—	—	—
Febr -	0'01	3	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—
Cont. Fev.	0'31	108	1	—	3	2	3	19	15	13	15	11	7	8	12	8	7	8
and Dys.	0'05	11	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—
ing-cough	0'47	109	67	9	2	1	—	79	3	—	1	—	—	4	—	6	7	10
Febr -	0'02	5	1	—	—	—	1	3	—	—	—	—	—	—	—	—	1	1
Cont. Fev.	0'72	167	—	—	—	—	—	—	1	1	—	—	5	17	15	61	49	18
and Dys.	0'09	24	—	—	—	—	—	5	1	2	1	2	4	6	—	—	1	—
Mesent.	0'35	76	44	12	3	1	1	61	5	3	3	—	—	—	—	—	—	—
cephalus	1'33	255	6	2	1	—	—	9	5	14	54	56	104	68	43	16	5	—
Febr -	0'72	61	13	10	4	4	6	31	9	3	1	2	—	—	—	—	—	—
erous Syst.	2'37	590	194	18	5	4	3	221	11	5	6	10	20	15	31	61	108	104
erous Syst.	1'76	316	3	—	—	—	—	3	—	—	6	3	10	18	27	36	57	64
erous Syst.	1'09	716	160	68	22	9	9	261	7	2	7	5	14	22	39	54	132	167
erous Syst.	0'71	311	17	—	—	—	1	21	1	5	5	5	11	21	19	31	48	59
erous Syst.	0'31	10	—	—	—	—	—	3	4	—	—	—	1	9	9	11	13	19
erous Syst.	0'03	11	—	—	—	—	—	—	—	—	—	—	—	4	—	4	3	—
erous Syst.	0'06	14	—	—	—	—	—	—	—	—	2	—	5	7	—	—	—	—
erous Syst.	0'10	23	—	—	—	—	—	—	—	—	—	1	5	5	4	7	4	1
erous Syst.	0'63	141	10	8	2	5	4	29	21	9	8	6	10	11	13	7	13	17
erous Syst.	4'26	183	540	21	9	6	5	56	10	4	8	6	10	13	15	20	108	265

Deaths of Infants (under
one) to 1000 Births } 125

Marriages - 1,583
Births - 7,258

Annual Rate (Persons Married - 13'72
per 1000 living (Births - 31'26

428.—WORKSOP.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
AL DEATH (PER 1000)	—	19'04	—	—	—	—	—	52'10	5'04	3'42	5'03	6'33	8'08	9'43	15'35	26'32	59'10	156'09
n Pop. 1-80	—	26,955	581	773	805	776	768	4003	3137	2501	2406	2350	3814	2948	2179	1611	951	565
CAUSES	19'04	5129	1402	354	151	115	86	2688	104	69	121	148	308	278	334	424	562	873
Box -	0'21	63	11	5	—	1	2	18	8	3	6	8	12	7	1	8	—	—
Febr -	0'20	54	15	12	13	1	5	52	1	—	—	—	—	—	—	—	—	—
Cont. Fev.	0'54	146	10	25	22	2	22	104	35	4	—	3	2	—	—	—	—	—
and Dys.	0'14	57	2	2	4	1	4	17	10	3	2	2	—	1	—	—	—	—
ing-cough	0'23	10	42	28	11	4	2	87	3	—	—	—	—	—	—	—	—	—
Febr -	0'03	9	—	—	—	—	—	—	1	1	4	1	2	—	—	—	—	—
Cont. Fev.	0'51	112	6	5	9	6	6	12	27	14	11	11	20	10	11	4	2	—
and Dys.	0'06	21	1	1	1	1	—	4	1	5	1	1	2	2	—	—	—	—
ing-cough	0'29	160	93	25	6	—	3	127	2	—	1	—	—	4	—	9	5	12
Febr -	0'03	8	3	1	1	—	—	5	—	—	—	—	—	—	1	2	—	—
Cont. Fev.	0'59	82	—	—	—	—	—	—	—	—	—	—	6	13	25	15	14	9
and Dys.	0'14	35	14	3	—	—	1	18	4	1	1	2	8	—	1	—	—	—
Mesent.	0'72	47	42	19	7	2	1	72	6	3	3	2	1	1	1	—	—	—
cephalus	1'47	424	4	4	1	2	1	11	12	14	41	56	119	57	61	82	6	3
Febr -	0'19	61	25	11	8	—	1	41	9	—	1	—	—	—	—	—	—	—
erous Syst.	2'08	601	377	40	15	6	3	447	17	10	9	5	17	31	27	67	91	70
erous Syst.	1'21	425	—	1	—	—	—	1	15	7	5	11	29	29	65	101	40	—
erous Syst.	1'35	562	394	112	29	14	14	445	12	2	7	4	19	18	43	19	156	135
erous Syst.	0'35	331	65	7	3	2	2	34	6	3	3	5	13	31	41	62	43	23
erous Syst.	0'24	85	1	1	1	—	1	4	2	4	2	2	6	5	7	37	16	19
erous Syst.	0'16	37	—	—	—	—	—	—	1	—	1	—	1	1	2	5	6	—
erous Syst.	0'09	21	—	—	—	—	—	—	—	—	1	4	7	10	—	—	—	—
erous Syst.	0'06	17	—	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—
erous Syst.	0'72	194	5	7	8	7	1	27	14	14	15	14	20	11	27	14	18	14
erous Syst.	3'75	165	439	44	19	9	8	251	16	5	3	10	18	18	23	41	112	123

Deaths of Infants (under
one) to 1000 Births } 135

Marriages - 1,737
Births - 10,491

Annual Rate (Persons Married - 12'90
per 1000 living (Births - 38'62

429.—MANSFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and over
ANNUAL DEATH RATE PER 1000	—	21.72	—	—	—	—	—	68.34	5.76	3.35	6.02	7.08	8.25	10.23	13.40	27.12	63.00	168.8
Mean Pop. 1871-80	—	40,306	1283	1189	1150	1211	1175	6011	5200	4423	3802	3380	5554	4293	3203	2370	1379	228
ALL CAUSES	21.72	8773	2720	744	208	191	152	4108	303	143	235	250	458	439	442	643	877	86
Small-pox	0.26	107	19	10	4	3	5	41	16	7	12	10	13	4	3	1	—	—
Measles	0.43	171	29	63	28	12	12	154	18	—	—	1	1	—	—	—	—	—
Scarlet Fever	0.86	342	22	58	67	52	48	247	77	14	5	5	5	—	—	—	—	—
Diphtheria	0.04	18	1	1	1	1	1	5	8	—	—	—	—	—	—	—	—	—
Whooping-cough	0.41	179	76	65	17	12	4	174	4	—	—	—	—	—	—	—	—	—
Typhus	0.03	13	—	—	—	—	1	2	1	1	1	1	3	—	2	—	1	1
Enteric Fever	0.40	161	2	5	10	5	5	27	18	18	20	23	25	11	14	4	1	—
Simple Cont. Fev.	0.10	41	2	1	3	3	2	11	11	5	6	2	1	—	2	1	2	—
Puerp. Fever	0.07	50	—	—	—	—	—	—	—	—	3	7	13	7	—	—	—	—
Diarr. and Dys.	1.03	416	285	61	8	5	2	503	—	1	—	2	2	2	2	7	19	8
Cholera	0.02	9	1	—	—	—	—	1	2	—	1	—	1	1	1	2	—	—
Cancer	0.57	150	—	—	—	1	—	1	—	—	—	1	4	11	33	53	32	13
Scrofula	0.11	45	16	9	—	2	1	23	4	1	2	2	2	—	5	—	1	—
Tuberc. Mesent.	0.39	154	82	40	14	5	—	141	13	5	—	—	1	—	—	—	—	—
Phthisis	1.76	711	17	11	5	4	3	58	15	23	97	116	163	123	61	25	17	—
Hydrocephalus	0.43	181	71	43	16	8	—	134	18	8	1	—	3	—	—	—	—	—
Diseases of Nervous Syst.	2.85	1113	52	67	28	14	8	614	35	11	8	9	27	40	54	91	155	73
Circulatory	1.35	547	—	—	—	—	—	2	5	13	17	10	45	54	74	129	183	88
Respiratory	3.35	1425	441	101	61	29	18	748	16	15	15	15	31	56	46	127	200	128
Digestive	0.23	57	68	5	1	2	2	76	6	6	—	—	5	24	36	43	73	23
Urinary	0.24	118	1	2	2	1	2	8	4	—	—	2	12	10	15	22	22	14
Generative	0.05	22	—	—	—	—	—	—	—	—	—	2	2	3	5	7	3	—
Childbirth	0.12	47	—	—	—	—	—	—	—	—	5	8	18	15	1	—	—	—
Suicide	0.07	50	—	—	—	—	—	—	—	—	2	1	2	6	8	—	4	1
Other Violence	0.04	24	19	20	8	19	14	73	17	16	20	21	23	29	21	16	21	17
OTHER CAUSES	2.69	2649	1039	90	25	15	14	1179	23	6	12	14	37	28	34	68	171	67

Deaths of Infants (under one) to 1000 Births } 163

Marriages - 3,230
Births - 16,761Annual Rate { Persons Married - 15.09
per 1000 living { Births - 41.49

430.—BASFORD.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and over
ANNUAL DEATH RATE PER 1000	—	21.21	—	—	—	—	—	63.49	5.05	3.75	5.75	7.10	7.92	10.13	15.08	25.14	62.11	164.2
Mean Pop. 1871-80	—	101,435	3115	3053	3069	3105	2995	15673	13641	11320	9602	8845	14186	10362	7022	5422	3093	116
ALL CAUSES	21.21	21,510	7276	1852	744	405	353	10720	775	424	552	628	1124	1070	1036	1363	1921	182
Small-pox	0.32	224	65	16	11	8	20	130	49	29	30	35	28	21	8	4	—	—
Measles	0.42	433	95	163	64	44	31	401	20	1	—	—	1	—	—	—	—	—
Scarlet Fever	0.77	776	50	127	118	127	102	524	202	34	11	2	1	1	—	1	—	—
Diphtheria	0.07	71	4	7	30	11	40	15	15	5	3	—	—	—	—	—	—	—
Whooping-cough	0.43	450	209	127	57	24	13	429	9	—	—	—	—	—	—	—	—	—
Typhus	0.10	83	—	1	1	5	1	9	15	15	20	12	14	8	4	1	—	—
Enteric Fever	0.37	475	16	7	10	14	23	41	56	69	51	46	27	17	7	8	—	—
Simple Cont. Fev.	0.11	141	12	13	15	11	54	21	9	9	6	10	9	7	5	7	—	—
Puerp. Fever	0.09	83	—	—	—	—	—	—	—	7	23	41	18	—	—	—	—	—
Diarr. and Dys.	1.03	74	145	30	11	2	029	4	1	2	8	7	7	6	21	39	28	28
Cholera	0.07	74	11	5	1	1	54	1	2	—	1	4	—	—	5	3	—	—
Cancer	0.40	406	—	—	2	1	2	5	3	1	1	3	21	61	91	104	81	33
Scrofula	0.19	191	105	58	11	—	—	144	5	8	7	4	5	—	3	6	—	—
Tuberc. Mesent.	0.41	415	222	106	20	14	2	370	14	7	6	6	4	5	1	2	—	—
Phthisis	1.82	1261	89	41	25	11	6	172	43	72	204	204	458	281	179	105	21	7
Hydrocephalus	0.25	249	92	62	17	12	11	184	34	8	5	3	4	—	—	—	—	—
Diseases of Nervous Syst.	2.82	2801	1459	177	76	40	32	1784	66	26	23	25	67	76	111	168	268	129
Circulatory	1.21	1241	7	1	5	1	13	12	21	32	22	22	80	190	193	279	323	114
Respiratory	3.39	1441	322	206	142	80	46	1266	65	20	33	33	89	117	133	264	423	204
Digestive	0.84	818	173	26	13	7	4	228	16	12	10	22	51	87	88	121	145	61
Urinary	0.28	292	5	—	3	3	4	19	13	5	6	6	29	31	29	37	37	27
Generative	0.04	43	—	—	—	—	—	—	—	—	2	3	5	13	6	5	—	—
Childbirth	0.11	90	—	—	—	—	—	—	—	—	8	20	33	37	1	—	—	—
Suicide	0.07	69	—	—	—	—	—	—	—	—	6	8	7	13	16	14	—	—
Other Violence	0.06	61	31	31	21	28	20	126	28	44	39	35	64	48	53	84	34	22
OTHER CAUSES	4.97	5028	2599	231	86	41	18	3620	71	36	21	15	66	70	99	128	432	160

Deaths of Infants (under one) to 1000 Births } 165

Marriages - 7,569
Births - 43,198Annual Rate { Persons Married - 15.30
per 1000 living { Births - 42.50

* Changes were made in the boundary of this district during the decade; see pp. 371-72.

RADFORD (9) years to 30th June 1880.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
ALL DEATHS (FEB. 1880)	—	23'91	—	—	—	—	—	81'63	6'45	3'62	6'73	8'46	8'40	12'06	18'24	33'45	75'26	184'45
Pop. (1-80)	—	39,630	1245	1131	1062	1035	1047	5529	4699	4131	3070	5732	6125	4547	3273	2143	1150	360
CAUSES	23'91	9000	2802	767	300	255	157	4281	288	142	254	300	489	560	547	681	807	681
Apex -	0'40	150	24	9	6	10	10	59	14	6	12	23	20	9	1	2	—	—
Inf. Fever -	0'52	200	39	79	32	27	14	191	9	—	—	—	—	—	—	—	—	—
Berria -	0'21	341	22	48	53	62	46	231	93	10	4	—	1	1	—	1	—	—
Quins-cough -	0'03	19	1	4	2	4	—	11	2	2	1	—	—	2	1	—	—	—
Quins-cough -	0'40	151	60	55	15	13	6	149	2	—	—	—	—	—	—	—	—	—
Inf. Fever -	0'08	12	—	—	—	—	—	—	—	2	3	—	—	1	3	—	—	—
Cont. Fev. -	0'35	208	1	5	10	8	9	33	28	20	26	30	19	9	13	9	7	2
Inf. and Dys. -	0'19	70	7	6	8	5	4	30	10	7	—	1	2	4	6	2	3	—
Inf. and Dys. -	0'12	45	—	—	—	—	—	—	—	—	2	7	24	12	—	—	—	—
Inf. and Dys. -	1'79	598	454	69	12	9	4	548	1	2	1	—	5	5	1	4	13	29
Inf. and Dys. -	0'02	6	1	—	—	—	—	1	—	—	—	—	—	—	1	3	—	—
Inf. and Dys. -	0'45	175	—	—	—	—	—	—	—	—	1	1	9	22	45	44	55	9
Inf. and Dys. -	0'28	88	47	16	2	3	1	69	—	3	3	3	2	2	—	—	—	—
Inf. and Dys. -	0'25	190	104	61	8	7	4	184	9	—	1	1	1	1	1	—	—	—
Inf. and Dys. -	1'51	947	29	24	6	6	2	67	18	32	133	143	215	190	83	39	14	1
Inf. and Dys. -	0'23	109	41	28	12	11	6	98	6	2	1	—	2	—	—	—	—	—
Inf. and Dys. -	3'61	1528	533	63	25	19	12	652	24	6	19	15	52	105	116	113	128	101
Inf. and Dys. -	1'28	481	2	2	—	—	—	7	5	6	9	15	24	31	88	116	116	54
Inf. and Dys. -	3'25	1489	411	190	71	43	14	729	21	6	11	14	26	66	109	108	235	112
Inf. and Dys. -	0'84	517	83	8	4	—	4	99	7	7	8	8	16	16	44	60	60	15
Inf. and Dys. -	0'25	91	—	1	2	—	1	4	1	2	3	3	11	6	9	23	21	15
Inf. and Dys. -	0'04	16	—	—	—	—	—	—	—	—	—	—	2	3	3	3	—	—
Inf. and Dys. -	0'10	37	—	—	—	—	—	—	—	—	5	8	13	12	—	—	—	—
Inf. and Dys. -	0'09	33	—	—	—	—	—	—	—	—	1	4	4	5	9	7	2	1
Inf. and Dys. -	0'43	168	32	8	17	7	5	69	15	6	5	10	12	9	9	19	8	6
CAUSES	4'48	1689	911	91	15	21	12	1030	19	13	10	9	18	23	30	57	129	313

Deaths of Infants (under one) to 1000 Births - 103 Marriages - 3,302 Annual Rate (Persons Married - 17'54
Births - 14,554 per 1000 living (Births - 38'66

* Changes were made in the boundary of this district during the decade, and the district was abolished on 1st July 1880; see pp. 371-73.

431.—NOTTINGHAM.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
ALL DEATHS (FEB. 1880)	—	22'55	—	—	—	—	—	79'30	6'33	3'72	5'17	7'18	9'23	13'46	19'26	34'58	74'09	170'02
Pop. (1-80)	—	101,505	2002	2316	2248	2273	2302	11891	10613	10174	10216	10564	10288	12241	8998	5727	3207	1084
CAUSES	22'55	22,891	6077	1755	749	480	368	9429	672	378	564	744	1503	1051	1733	1969	2405	1841
Apex -	0'24	247	38	18	18	11	16	101	61	23	30	47	49	22	8	4	—	1
Inf. Fever -	0'47	475	190	170	83	58	27	448	24	2	—	1	—	—	—	—	—	—
Berria -	0'53	542	31	78	92	81	79	363	132	28	8	3	4	1	—	—	—	—
Quins-cough -	0'04	59	2	5	3	6	6	22	8	1	1	2	1	1	—	1	1	—
Quins-cough -	0'40	403	126	132	62	52	12	504	9	—	—	—	—	—	—	—	—	—
Inf. Fever -	0'12	22	—	—	1	—	—	1	2	3	4	1	8	6	1	1	—	—
Cont. Fev. -	0'47	476	8	10	15	18	22	73	49	50	71	66	71	34	2	18	16	5
Inf. and Dys. -	0'05	67	3	5	7	8	4	27	17	5	5	6	10	2	4	—	7	—
Inf. and Dys. -	0'06	27	—	—	—	—	—	—	—	—	13	27	17	—	—	—	—	—
Inf. and Dys. -	1'78	1299	956	129	23	13	9	1142	6	9	2	2	8	6	12	26	47	45
Inf. and Dys. -	0'03	26	6	—	2	2	—	19	1	—	2	5	1	—	3	2	4	—
Inf. and Dys. -	0'31	521	—	—	—	—	—	—	—	—	—	3	32	104	155	116	87	24
Inf. and Dys. -	0'15	149	48	23	16	6	7	103	10	9	7	2	6	5	2	4	—	—
Inf. and Dys. -	0'47	481	299	106	18	12	4	480	12	14	5	2	3	—	—	—	—	—
Inf. and Dys. -	3'20	2228	32	12	10	4	3	53	30	78	219	247	620	462	269	116	31	3
Inf. and Dys. -	0'23	258	131	91	39	23	20	286	24	14	3	2	5	3	—	1	—	—
Inf. and Dys. -	2'78	2787	1044	163	73	41	30	1526	56	23	26	22	73	141	299	297	327	191
Inf. and Dys. -	1'24	1257	6	2	—	1	1	10	14	24	35	36	181	173	299	287	321	63
Inf. and Dys. -	4'21	4217	860	478	183	97	39	1613	70	39	35	47	147	254	338	294	723	268
Inf. and Dys. -	0'66	677	39	9	4	2	6	118	18	9	29	12	61	148	135	178	128	28
Inf. and Dys. -	0'41	418	4	2	7	5	4	29	19	6	14	16	43	64	61	73	77	29
Inf. and Dys. -	0'08	77	1	—	—	—	—	2	—	—	1	—	10	20	23	31	8	2
Inf. and Dys. -	0'08	78	—	—	—	—	—	—	—	—	5	11	29	32	1	—	—	—
Inf. and Dys. -	0'08	83	—	—	—	—	—	—	—	—	2	2	11	15	22	27	10	6
Inf. and Dys. -	0'61	615	70	22	26	25	17	169	41	28	24	43	67	72	80	51	59	19
CAUSES	4'72	4807	2213	184	73	32	28	2622	67	36	37	53	68	118	153	179	308	170

Deaths of Infants (under one) to 1000 Births - 184 Marriages - 12,662 Annual Rate (Persons Married - 24'95
Births - 33,066 per 1000 living (Births - 32'53

* Changes were made in the boundary of this district during the decade; see pp. 321-73.

429.—MANSFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and over
ANNUAL DEATH RATE PER 1000	—	21.72	—	—	—	—	—	68.34	5.76	3.35	6.02	7.66	8.23	10.23	13.40	27.12	63.00	168.6
Mean Pop. 1871-80	—	40,306	1285	1180	1150	1211	1175	6011	5200	4423	3902	3380	3554	4293	3293	2270	1379	228
ALL CAUSES	21.72	8773	2720	744	208	194	132	4108	303	143	235	250	458	499	442	645	877	90
Small-pox	0.28	167	19	10	4	3	5	41	16	7	12	10	13	4	3	1	—	—
Measles	0.43	174	39	63	28	11	12	154	18	—	—	1	1	—	—	—	—	—
Scarlet Fever	0.86	549	24	58	67	32	48	247	77	14	8	3	5	—	—	—	—	—
Diphtheria	0.04	18	1	1	1	1	1	5	8	—	3	—	—	1	—	—	1	—
Whooping-cough	0.44	179	16	65	17	12	4	174	4	—	1	—	—	—	—	—	—	—
Typhus	0.01	13	—	—	1	—	1	2	1	1	1	1	3	—	2	—	1	1
Enteric Fever	0.40	161	2	5	10	5	5	27	18	18	29	23	23	11	10	4	4	1
Simple Cont. Fev.	0.10	41	2	1	3	3	2	11	11	5	6	2	1	—	2	1	2	—
Puerp. Fever	0.07	20	—	—	—	—	—	—	—	—	3	7	13	7	—	—	—	—
Diarr. and Dys.	1.03	416	285	61	8	5	2	363	—	1	—	2	2	2	2	7	19	8
Cholera	0.02	9	1	—	—	—	—	1	2	—	1	—	1	1	1	2	—	—
Cancer	0.37	160	—	—	—	1	—	1	—	—	—	1	1	4	11	22	28	13
Scrophula	0.11	45	16	9	—	2	1	25	4	1	2	2	2	—	5	—	—	—
Tuberc. Mesent.	0.39	124	82	40	14	5	—	141	13	3	—	—	—	—	—	—	—	—
Phtisis	1.76	711	17	11	3	4	3	98	15	23	37	116	104	123	61	35	17	—
Hydrocephalus	0.46	184	71	41	16	10	8	154	18	8	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.85	1143	525	67	28	14	8	644	23	11	8	9	27	40	54	91	135	79
Circulatory	1.02	547	—	1	—	—	—	2	5	13	17	10	41	54	74	129	155	88
Respiratory	3.55	1435	441	101	61	29	18	748	10	13	13	15	31	36	56	127	209	138
Digestive	0.93	377	66	5	1	2	2	76	6	0	5	5	24	30	43	72	68	28
Urinary	0.28	113	1	2	2	1	2	8	4	—	2	6	13	10	12	22	23	14
Generative	0.05	22	—	—	—	—	—	—	—	—	—	2	2	5	8	7	3	—
Childbirth	0.12	47	—	—	—	—	—	—	—	—	5	8	18	15	1	—	—	1
Suicide	0.07	50	—	—	—	—	—	—	—	—	—	—	—	6	—	6	4	—
Other Violence	0.64	274	19	20	8	12	14	73	17	16	20	21	23	29	21	16	21	17
OTHER CAUSES	5.09	2049	1059	80	25	15	14	1174	25	6	12	14	37	28	34	68	171	47

Deaths of Infants (under one) to 1000 Births } 163 Marriages - 3,230 Annual Rate { Persons Married - 15.99
Births - 16,761 per 1000 living { Births - 41.49

430.—BASFORD.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and over
ANNUAL DEATH RATE PER 1000	—	21.24	—	—	—	—	—	63.40	5.65	3.75	5.75	7.10	7.92	10.15	15.08	25.14	62.11	164.1
Mean Pop. 1871-80	—	101,435	3445	3059	3069	3105	2995	15073	13641	11320	9602	8845	14186	10562	7922	5422	3093	116
ALL CAUSES	21.24	21,540	7276	1852	741	405	353	10720	775	424	553	628	1124	1070	1636	1363	1921	192
Small-pox	0.32	724	65	14	11	8	20	120	49	29	30	35	29	21	8	4	—	—
Measles	0.42	473	95	163	64	44	33	401	20	1	—	—	1	1	—	—	—	—
Scarlet Fever	0.77	776	50	127	118	157	102	624	292	54	11	2	1	1	—	1	—	—
Diphtheria	0.07	71	6	4	7	10	11	40	15	5	—	—	—	—	—	—	—	—
Whooping-cough	0.43	450	209	127	57	24	12	429	0	1	—	—	—	—	—	—	—	—
Typhus	0.11	93	1	1	1	5	1	9	15	15	29	12	14	8	4	1	—	—
Enteric Fever	0.37	375	6	16	7	10	14	53	41	56	51	46	46	27	17	7	8	2
Simple Cont. Fev.	0.11	141	3	12	13	15	11	54	21	9	9	6	10	9	7	5	7	4
Puerp. Fever	0.09	89	—	—	—	—	—	—	—	—	7	25	41	18	—	—	—	—
Diarr. and Dys.	1.63	741	115	30	11	2	929	4	1	—	2	5	7	7	6	21	30	28
Cholera	0.07	74	33	11	6	1	1	54	1	2	—	1	4	—	5	3	3	—
Cancer	0.40	46	—	—	2	1	2	5	3	1	1	3	21	61	91	104	81	35
Scrophula	0.12	191	103	58	11	—	—	144	5	8	7	4	8	—	3	6	3	—
Tuberc. Mesent.	0.41	415	222	106	59	14	2	370	14	7	6	6	4	3	1	2	—	—
Phtisis	1.82	1651	89	41	25	11	6	172	43	72	24	24	438	281	179	105	31	7
Hydrocephalus	0.25	149	92	62	17	12	11	194	61	8	—	3	4	—	—	—	—	—
Diseases of Nervous Syst.	2.82	1261	1459	177	78	40	32	1784	66	36	23	25	61	76	111	168	268	200
Circulatory	1.21	1241	7	1	3	1	13	13	13	22	32	24	80	136	183	279	363	114
Respiratory	3.39	2441	1222	506	142	80	46	1996	85	20	28	33	85	117	123	264	432	291
Digestive	0.81	848	178	26	13	7	4	223	16	12	10	22	51	87	88	121	144	61
Urinary	0.28	289	5	4	3	3	4	19	13	5	6	6	29	31	29	37	37	2
Generative	0.04	43	—	—	—	—	—	—	—	—	2	3	6	13	8	5	7	2
Childbirth	0.10	50	—	—	—	—	—	—	—	—	8	20	53	27	1	—	—	—
Suicide	0.07	69	—	—	—	—	—	—	—	—	6	8	7	13	16	14	4	3
Other Violence	0.60	614	53	31	24	28	20	126	58	44	39	35	64	48	54	34	24	23
OTHER CAUSES	4.97	2028	2039	231	86	41	15	3020	72	36	21	15	50	70	90	128	432	160

Deaths of Infants (under one) to 1000 Births } 163 Marriages - 7,859 Annual Rate { Persons Married - 15.99
Births - 43,198 per 1000 living { Births - 42.59

* Changes were made in the boundary of this district during the decade; see pp. 211-22.

RADFORD (9½ years to 30th June 1880).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	23.91	—	—	—	—	—	81.63	6.45	3.62	6.73	8.46	8.40	12.06	18.24	33.45	75.20	184.45
Pop. 71-80	—	39,630	1245	1131	1062	1035	1047	5520	4699	4131	3970	3732	6125	4547	3273	2145	1130	360
L. CAUSES	23.91	9000	2802	767	300	255	157	4381	288	142	254	300	489	560	567	631	807	631
E-pox - -	0.49	150	24	9	6	10	10	59	14	6	12	23	20	9	1	2	—	—
Scarlet Fever - -	0.23	290	39	79	32	27	14	191	9	—	—	—	—	—	—	—	—	—
Whooping Cough - -	0.21	341	22	48	33	62	46	231	93	16	4	—	1	1	—	1	—	—
Diphtheria - -	0.05	19	1	4	2	4	—	11	2	2	1	—	—	2	1	—	—	—
Measles - -	0.40	151	60	55	15	13	6	149	2	—	—	—	—	—	—	—	—	—
Small Pox - -	0.02	12	—	—	—	—	—	—	—	2	3	—	—	1	3	—	—	—
Scarlet Fever - -	0.25	208	1	5	10	8	9	33	28	30	28	30	19	9	13	9	7	2
Cont. Fev. - -	0.19	70	7	6	8	5	4	30	10	7	3	1	2	2	4	5	2	3
Whooping Cough - -	0.12	45	—	—	—	—	—	—	—	—	2	7	24	12	—	—	—	—
Measles and Dys. - -	1.29	598	454	69	12	9	4	518	1	2	1	—	5	8	1	4	13	20
Whooping Cough - -	0.02	6	1	—	—	—	—	1	—	—	—	—	1	—	1	3	—	—
Scarlet Fever - -	0.45	173	—	—	—	—	—	—	—	1	1	9	32	43	44	35	8	—
Measles - -	0.20	88	47	16	2	3	1	60	—	5	5	3	3	2	—	—	3	—
Whooping Cough - -	0.22	199	104	61	8	7	4	184	9	—	1	1	1	1	1	—	—	—
Measles - -	0.27	947	29	24	6	2	67	18	32	123	143	215	190	83	59	14	1	—
Whooping Cough - -	0.23	109	41	28	12	11	6	98	6	2	1	—	—	—	—	—	—	—
Cerebral Syst. - -	3.61	1258	533	63	25	19	12	652	24	4	19	15	52	105	110	112	158	103
Respiratory - -	1.29	481	2	2	—	—	—	3	7	5	6	9	13	34	51	88	116	84
Digestive - -	0.05	1489	411	190	71	43	14	729	21	6	11	14	26	66	203	169	223	112
Urinary - -	0.24	317	83	8	4	—	4	99	7	7	8	8	16	16	44	40	50	12
Generative - -	0.25	96	—	1	2	—	1	4	1	2	3	3	11	6	9	25	21	13
Generative - -	0.04	16	—	—	—	—	—	—	—	—	—	—	2	5	3	3	5	—
Birth - -	0.10	37	—	—	—	—	—	—	—	—	5	8	12	12	—	—	—	—
Inf. - -	0.09	33	—	—	—	—	—	—	—	—	1	4	4	5	9	7	2	1
Violence - -	0.45	168	32	8	17	7	5	69	15	6	5	10	12	9	9	19	8	6
CAUSES	4.48	1689	911	91	15	21	12	1050	19	13	10	9	18	23	30	57	133	312

Deaths of Infants (under one) to 1000 Births } 193 Marriages - 3,302 Annual Rate of Persons Married - 17.54
Births } 14,554 per 1000 living } Births - 38.66

* Changes were made in the boundary of this district during the decade, and the district was abolished on 1st July 1890; see pp. 271-72.

431.—NOTTINGHAM.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	22.55	—	—	—	—	—	79.36	6.33	3.72	5.17	7.18	9.23	13.46	19.20	34.58	74.99	170.02
Pop. 71-80	—	101,508	2092	2316	2248	2273	2302	11891	10613	10174	10916	10364	16288	12341	8998	5717	3207	1084
L. CAUSES	22.55	22,891	6077	1755	749	480	368	9429	672	378	564	744	1503	1651	1733	1969	2405	1843
E-pox - -	0.24	347	38	18	13	11	16	101	61	23	39	47	49	23	5	4	—	1
Scarlet Fever - -	0.47	475	190	170	83	38	57	448	24	2	—	1	—	—	—	—	—	—
Whooping Cough - -	0.23	542	31	78	97	81	79	366	132	28	8	3	4	1	—	—	—	—
Diphtheria - -	0.04	33	2	3	3	6	6	22	8	1	1	2	1	1	—	1	1	—
Measles - -	0.40	403	156	132	62	32	12	394	9	—	—	—	—	—	—	—	—	—
Small Pox - -	0.02	22	—	—	1	—	—	1	2	3	4	1	5	6	1	1	—	—
Scarlet Fever - -	0.47	470	8	10	15	18	22	73	49	50	71	66	71	24	53	18	16	5
Cont. Fev. - -	0.09	93	3	5	7	8	4	27	17	5	2	6	10	3	4	6	7	6
Whooping Cough - -	0.06	57	—	—	—	—	—	—	—	—	13	17	17	—	—	—	—	—
Measles and Dys. - -	1.24	1299	966	139	23	13	9	1142	6	2	2	2	6	6	12	26	47	40
Whooping Cough - -	0.05	26	6	2	2	—	—	10	1	—	2	2	1	—	5	2	4	—
Scarlet Fever - -	0.61	521	—	—	—	—	—	—	—	—	3	32	104	155	116	87	24	—
Measles - -	0.15	149	48	28	10	6	7	163	16	9	7	2	6	2	3	2	4	—
Whooping Cough - -	0.47	481	290	106	18	12	5	440	13	14	5	2	2	—	—	—	—	—
Measles - -	2.29	2228	22	12	10	4	5	53	20	78	210	247	660	462	262	119	31	3
Whooping Cough - -	0.35	338	131	91	29	23	20	290	24	14	5	2	9	3	—	1	—	—
Cerebral Syst. - -	1.75	2787	1044	168	75	41	26	1596	55	28	25	32	73	131	204	195	257	191
Respiratory - -	2.24	1257	6	2	—	1	1	10	14	24	33	30	151	174	259	297	321	86
Digestive - -	4.21	4257	860	478	163	61	29	1625	70	20	31	47	117	254	338	284	123	269
Urinary - -	0.41	418	4	2	7	3	4	23	18	9	29	22	61	108	155	175	128	26
Generative - -	0.05	77	1	—	—	—	—	1	—	—	1	—	10	20	23	11	8	2
Birth - -	0.08	78	—	—	—	—	—	—	—	—	5	11	29	22	1	—	—	—
Inf. - -	0.04	63	—	—	—	—	—	—	—	—	2	3	11	15	22	17	10	4
Violence - -	0.41	415	70	22	26	23	17	160	41	26	31	43	57	72	51	122	79	—
CAUSES	4.72	4807	2243	284	73	32	26	2622	67	56	57	65	88	118	153	179	692	379

Deaths of Infants (under one) to 1000 Births } 184 Marriages - 12,662 Annual Rate of Persons Married - 24.25
Births } 53,966 per 1000 living } Births - 32.58

* Changes were made in the boundary of this district during the decade; see pp. 371-72.

432.—SOUTHWELL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	18.58	—	—	—	—	—	37.20	4.83	4.12	5.05	8.43	8.29	9.57	10.82	11.04	11.35	11.25
Mean Pop. 1871-80	—	21,144	550	470	529	516	518	2589	2465	2280	1913	1513	2520	2174	2001	1763	1288	686
ALL CAUSES	18.58	3028	667	132	80	30	45	963	119	94	108	128	203	203	221	371	646	83
Small-pox	0.07	14	2	—	—	1	—	3	—	—	2	1	1	6	—	1	—	—
Measles	0.15	32	4	12	2	4	3	25	6	—	—	—	—	—	1	—	—	—
Scarlet Fever	0.39	82	5	8	14	10	14	49	21	6	—	1	1	—	—	—	—	—
Diphtheria	0.11	24	2	—	3	2	4	11	7	2	3	—	—	—	1	—	—	—
Whooping-cough	0.27	57	34	9	5	4	—	55	2	—	—	—	—	—	—	—	—	—
Typhus	0.63	7	—	—	—	—	—	—	1	1	—	2	—	—	2	1	—	—
Enteric Fever	0.26	76	—	2	1	—	1	4	9	11	10	8	14	7	9	3	1	—
Simple Cont. Fev.	0.09	13	—	—	1	1	1	5	—	5	1	3	—	2	1	—	—	—
Interp. Fever	0.43	7	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Diarr. and Dys.	0.83	69	23	3	—	—	1	32	1	—	—	1	3	—	—	1	15	16
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Cancer	0.65	139	—	—	—	—	—	—	1	—	—	—	10	13	21	11	29	12
Scrofula	0.11	24	7	2	3	—	—	12	1	—	2	3	2	—	1	2	—	1
Tuberc. Mesent.	0.18	30	21	8	—	—	—	32	4	1	1	—	—	1	—	—	—	—
Phthisis	2.01	426	5	1	2	—	—	8	—	23	42	78	101	71	47	29	21	4
Hydrocephalus	0.21	44	17	4	4	—	—	27	8	7	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2.60	329	184	10	9	1	3	237	12	8	4	5	12	21	17	41	100	15
Cerebratory	1.64	347	2	—	—	—	—	2	1	4	5	2	10	11	25	83	129	14
Respiratory	2.48	125	78	35	12	9	7	141	18	4	7	5	11	13	25	62	109	18
Digestive	1.00	211	10	—	2	—	—	17	1	1	3	4	8	15	26	47	66	3
Urinary	0.37	79	2	—	—	—	2	4	1	1	3	3	8	6	16	21	15	—
Generative	0.04	9	—	—	—	—	—	—	—	—	1	1	1	—	2	1	3	—
Childbirth	0.05	13	—	—	—	—	—	—	—	—	1	—	9	3	—	—	—	—
Suicide	0.13	27	—	—	—	—	—	—	—	1	3	—	3	—	5	3	4	2
Other Violence	0.57	121	10	6	4	5	3	26	7	11	4	5	8	10	12	17	14	10
OTHER CAUSES	4.81	1011	255	32	15	4	4	310	12	10	9	5	11	15	9	39	130	45

Deaths of Infants (under
one) to 1000 Births } 113Marriages - 1,360
Births - 5,923Annual Rate { Persons Married - 12.93
per 1000 living { Births - 25.03

433.—NEWARK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000.	—	20.05	—	—	—	—	—	50.88	1.42	3.73	5.72	6.92	7.87	10.78	12.05	14.44	16.12	15.96
Mean Pop. 1871-80	—	30,176	853	752	830	793	793	4021	3711	3401	2917	2341	3735	3125	2702	2152	1447	664
ALL CAUSES	20.05	6030	1413	332	146	88	67	2046	161	127	161	162	224	337	350	526	812	1697
Small-pox	0.05	15	—	—	1	1	—	2	2	3	5	8	1	—	—	1	—	—
Measles	0.17	57	7	21	10	5	3	46	5	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.37	171	12	29	14	13	24	113	56	11	6	3	2	—	—	—	—	—
Diphtheria	0.08	25	2	3	2	1	1	9	8	2	1	1	—	—	—	1	1	—
Whooping-cough	0.24	71	33	22	8	2	1	71	—	—	—	—	—	—	—	—	—	—
Typhus	0.64	15	—	—	—	—	—	—	1	1	2	3	1	—	2	3	—	—
Enteric Fever	0.45	133	1	5	2	4	5	15	13	19	12	13	13	13	6	14	9	2
Simple Cont. Fev.	0.07	22	2	1	2	—	1	6	2	1	2	—	2	—	2	2	4	1
Interp. Fever	0.64	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.65	197	103	17	4	1	1	198	8	1	—	1	1	—	—	13	17	24
Cholera	0.02	6	—	1	—	1	—	2	—	—	—	—	1	—	—	—	1	2
Cancer	0.56	168	—	—	—	—	—	—	—	—	—	—	5	19	37	46	40	21
Scrofula	0.11	33	8	—	2	1	1	17	—	3	3	1	4	3	2	2	1	2
Tuberc. Mesent.	0.40	119	83	15	8	1	1	108	6	2	2	—	—	—	—	—	—	—
Phthisis	1.87	261	5	1	—	—	—	11	6	17	67	83	141	148	69	47	20	2
Hydrocephalus	0.26	79	23	11	8	7	6	55	19	4	2	—	—	—	—	—	—	1
Diseases of Nervous Syst.	2.33	718	129	29	13	11	5	281	14	11	7	11	11	30	42	71	110	96
Cerebratory	1.75	56	2	—	—	—	—	2	2	6	9	6	16	34	60	91	193	10
Respiratory	3.28	299	272	106	23	13	7	421	8	6	9	9	22	37	44	80	135	197
Digestive	0.97	291	37	1	—	1	1	40	6	3	5	8	17	18	4	5	19	35
Urinary	0.43	139	1	4	3	2	1	11	1	1	6	2	5	8	12	19	19	21
Generative	0.03	27	—	—	—	—	—	—	—	—	—	—	3	4	6	7	1	—
Childbirth	0.06	18	—	—	—	—	—	—	—	—	1	1	3	13	—	—	—	—
Suicide	0.12	35	—	—	—	—	—	—	—	—	2	4	3	7	4	9	4	8
Other Violence	0.61	184	12	4	11	7	4	36	18	12	13	8	17	19	16	17	15	17
OTHER CAUSES	4.78	1410	353	72	14	4	2	475	15	13	9	8	12	24	27	33	120	65

Deaths of Infants (under
one) to 1000 Births } 145Marriages - 2,170
Births - 9,721Annual Rate { Persons Married - 14.41
per 1000 living { Births - 33.23

434.—BINGHAM.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000.	18'53	—	—	—	—	—	43'83	5'06	3'60	6'20	8'48	8'23	8'50	11'51	18'81	49'88	13'
Mean Pop. 1871-80	14,693	369	347	394	367	387	1864	1830	1639	1201	1061	1680	1542	1399	1164	800	4
ALL CAUSES	18'53	2722	580	120	41	40	27	817	93	59	80	90	139	132	161	219	399
Small-pox	0'11	13	3	1	1	—	5	1	1	2	3	1	2	—	1	—	—
Measles	0'17	23	8	5	2	—	22	1	2	—	—	—	—	—	—	—	—
Scarlet Fever	0'39	58	3	5	7	8	36	17	5	2	—	—	—	—	—	—	—
Diphtheria	0'12	17	—	2	1	2	3	8	4	2	1	1	—	—	—	—	—
Whooping-cough	0'32	47	24	8	2	1	46	1	—	—	—	—	—	—	—	—	—
Typhus	0'02	3	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Enteric Fever	0'18	20	1	—	—	—	1	1	3	7	3	3	2	2	2	2	2
Simple Cont. Fev.	0'03	5	—	1	—	—	—	—	1	—	1	—	—	1	—	—	—
Paup. Fever	0'02	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'37	55	22	5	—	5	2	—	—	—	1	1	1	1	2	7	7
Cholera	0'02	3	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Cancer	0'76	97	—	—	—	—	—	—	1	—	—	1	6	17	22	31	31
Scrofula	0'10	15	6	—	—	—	6	2	1	—	2	3	1	—	—	—	—
Tuberc. Mesent.	0'26	58	21	5	1	5	31	—	1	1	3	1	1	—	—	—	—
Phthisis	1'01	261	4	—	—	—	8	3	9	37	50	53	58	52	21	11	11
Hydrocephalus	0'19	28	8	8	3	2	21	2	5	1	1	—	—	—	—	—	—
Diseases of																	
Nervous Syst.	2'14	314	19	13	3	5	2	112	9	8	8	1	11	11	24	24	55
Circulatory	1'65	243	1	—	—	—	—	1	3	4	2	1	3	12	22	40	97
Respiratory	2'26	420	92	40	11	10	7	160	11	5	1	2	10	12	18	21	78
Digestive	1'03	132	22	—	—	—	—	22	3	5	5	6	11	9	16	25	36
Urinary	0'47	69	—	—	1	1	1	3	1	—	—	—	7	7	13	13	14
Generative	0'07	10	1	—	—	—	1	—	—	—	—	—	—	2	2	4	4
Childbirth	0'04	6	—	—	—	—	—	—	—	—	—	3	8	—	—	—	—
Suicide	0'07	10	—	—	—	—	—	—	—	1	—	—	8	2	1	2	2
Other Violence	0'29	16	5	3	—	3	2	13	9	10	8	5	10	5	4	10	4
OTHER CAUSES	4'73	693	200	23	6	7	2	239	14	2	8	4	7	12	5	22	57

Deaths of Infants (under one) to 1000 Births } 130

Marriages - 910
Births - 4,461

Annual Rate of Persons Married per 1000 living { Births - 12'59
Births - 30'36

DERBYSHIRE.]

435.—SHARDLOW.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000.	18'75	—	—	—	—	—	40'75	5'23	3'15	5'30	6'20	7'52	9'89	12'52	24'38	65'00	15'
Mean Pop. 1871-80	30,299	1209	1079	1100	1081	1101	5640	4820	4410	3796	3404	5333	4024	3210	2432	1350	6
ALL CAUSES	18'75	7367	1856	472	190	161	118	1806	232	139	261	211	401	398	402	593	820
Small-pox	0'03	21	2	—	1	—	3	2	4	1	3	3	1	3	1	—	—
Measles	0'29	114	20	47	13	—	160	4	—	4	1	—	—	—	—	—	—
Scarlet Fever	0'31	241	11	56	24	48	249	142	39	4	1	4	—	1	—	—	—
Diphtheria	0'12	47	1	2	8	8	3	21	16	2	1	2	—	—	1	—	—
Whooping-cough	0'33	129	62	43	8	8	3	129	3	—	—	—	—	—	—	—	—
Typhus	0'03	10	—	—	1	—	1	1	1	1	1	2	—	—	1	—	—
Enteric Fever	0'40	138	2	2	1	4	2	11	13	18	31	15	53	18	11	6	3
Simple Cont. Fev.	0'11	42	1	4	2	1	1	10	9	5	6	2	5	1	2	2	1
Paup. Fever	0'07	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'34	212	127	16	5	3	1	152	2	1	1	1	3	4	3	4	12
Cholera	0'02	9	4	—	—	—	—	4	—	—	—	—	1	2	—	—	1
Cancer	0'43	170	—	—	—	—	—	—	—	—	—	6	19	34	49	41	41
Scrofula	0'11	43	12	5	1	1	1	2	3	2	2	2	5	4	2	—	—
Tuberc. Mesent.	0'32	127	67	21	13	1	4	104	6	5	2	5	2	3	—	—	—
Phthisis	1'03	648	9	10	1	8	—	23	12	18	66	102	167	167	11	28	80
Hydrocephalus	0'33	151	47	23	11	6	5	162	19	5	2	1	1	—	—	—	—
Diseases of																	
Nervous Syst.	2'49	343	37	60	17	13	15	411	53	13	8	18	20	33	49	83	151
Circulatory	1'29	303	2	—	—	—	—	1	8	9	9	7	22	43	30	105	156
Respiratory	2'78	1091	394	101	28	20	16	461	18	9	8	8	27	27	51	18	195
Digestive	0'96	376	47	6	4	2	2	62	3	9	6	5	29	29	49	81	173
Urinary	0'31	151	—	—	2	—	—	4	5	2	5	2	17	11	14	22	33
Generative	0'07	25	—	—	—	—	—	—	—	—	—	1	3	6	6	3	3
Childbirth	0'09	31	—	—	—	—	—	—	—	2	8	18	9	—	—	—	—
Suicide	0'09	31	—	—	—	—	—	—	—	1	2	4	8	7	9	6	6
Other Violence	0'28	228	14	11	12	8	9	37	22	7	10	13	24	22	18	20	19
OTHER CAUSES	4'13	577	77	73	22	23	10	911	50	12	9	13	16	19	19	60	177

Deaths of Infants (under one) to 1000 Births } 133

Marriages - 2,376
Births - 13,931

Annual Rate of Persons Married per 1000 living { Births - 12'49
Births - 32'43

432.—SOUTHWELL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-
ANNUAL DEATH RATE PER 1000	—	18.58	—	—	—	—	—	37.20	4.83	4.12	5.65	8.43	8.29	9.57	10.8
Mean Pop. 1871-80	—	21,144	550	476	529	516	518	2580	2465	2280	1913	1513	2520	2174	2061
ALL CAUSES	18.58	3925	667	132	80	30	45	963	119	94	108	123	203	203	221
Small-pox	0.07	14	2	—	—	1	—	3	—	—	2	1	1	6	—
Measles	0.15	32	4	12	2	4	3	25	6	—	—	—	—	—	1
Scarlet Fever	0.39	82	3	8	14	10	14	49	2	6	2	1	1	—	—
Diphtheria	0.11	24	2	—	3	2	4	11	7	2	3	—	—	—	1
Whooping-cough	0.27	57	34	9	8	4	—	55	2	—	—	—	—	—	—
Typhus	0.63	7	—	—	—	—	—	—	1	1	—	2	—	—	2
Enteric Fever	0.26	50	—	2	1	—	1	4	9	11	10	8	14	7	9
Simple Cont. Fev.	0.03	13	—	—	1	1	1	3	—	3	1	3	—	2	1
Puerp. Fever	0.13	7	—	—	—	—	—	—	—	—	—	1	3	3	—
Diarr. and Dys.	0.33	69	23	3	—	—	1	32	1	—	—	1	3	—	—
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0.63	130	—	—	—	—	—	—	1	—	—	—	10	13	21
Scrofula	0.11	34	7	2	3	—	—	12	1	—	2	3	2	—	1
Tuberc. Mesent.	0.18	39	21	8	—	—	—	32	4	1	1	—	—	1	—
Phthisis	2.01	426	5	1	2	—	—	8	—	21	49	78	101	71	47
Hydrocephalus	0.21	44	17	4	4	—	2	27	9	5	—	—	1	—	—
Diseases of															
Nervous Syst.	2.50	520	184	10	9	1	5	237	12	8	4	5	12	21	17
Circulatory	1.64	347	2	—	—	—	—	2	1	4	5	2	10	14	25
Respiratory	2.48	525	78	35	19	9	7	141	18	4	7	5	11	13	25
Digestive	1.00	211	10	—	2	—	—	12	1	1	3	4	8	13	24
Urinary	0.37	79	2	—	—	—	2	4	1	1	1	3	3	8	6
Generative	0.04	9	—	—	—	—	—	—	—	—	1	1	1	—	2
Childbirth	0.06	13	—	—	—	—	—	—	—	—	1	—	9	3	—
Suicide	0.13	27	—	—	—	—	—	—	—	1	3	—	3	6	5
Other Violence	0.37	121	10	6	4	3	2	26	7	11	4	5	5	10	12
OTHER CAUSES	4.81	1011	255	32	15	4	4	310	12	10	9	5	11	15	9

Deaths of Infants (under one) to 1000 Births } 113

Marriages - 1,360
Births - 5,923Annual Rate { Persons Married
per 1000 living { Births - .

433.—NEWARK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-
ANNUAL DEATH RATE PER 1000	—	20.05	—	—	—	—	—	50.88	4.42	3.73	5.72	6.92	7.87	10.75	12.05
Mean Pop. 1871-80	—	30,116	853	752	830	703	793	4021	3711	3101	2817	2341	3735	3125	2702
ALL CAUSES	20.05	6030	1413	332	146	88	67	2046	161	127	161	162	294	337	350
Small-pox	0.05	13	—	—	1	1	—	2	2	3	3	3	1	—	—
Measles	0.17	32	7	21	10	5	3	46	8	1	—	—	—	—	—
Scarlet Fever	0.37	171	12	29	14	13	24	113	56	11	6	8	2	—	—
Diphtheria	0.08	25	2	5	2	1	1	9	8	2	1	1	—	—	2
Whooping-cough	0.24	71	38	22	8	2	1	71	—	—	—	—	—	—	—
Typhus	0.04	11	—	—	—	—	—	—	1	1	2	3	1	—	2
Enteric Fever	0.45	95	1	3	2	4	5	15	13	15	12	15	10	13	6
Simple Cont. Fev.	0.07	22	2	1	2	—	—	6	—	—	2	—	2	—	2
Puerp. Fever	0.01	13	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.65	197	105	17	4	1	1	128	8	1	—	2	5	6	—
Cholera	0.02	6	—	1	—	1	—	2	—	—	—	—	1	—	—
Cancer	0.50	178	—	—	—	—	—	—	—	—	—	—	5	19	31
Scrofula	0.11	33	8	—	2	1	1	12	—	3	3	1	4	8	2
Tuberc. Mesent.	0.40	112	83	13	8	1	1	108	6	2	2	—	—	—	—
Phthisis	1.87	461	5	1	—	—	—	11	6	27	67	83	141	108	60
Hydrocephalus	0.26	72	23	11	8	7	4	55	15	4	2	—	1	—	—
Diseases of															
Nervous Syst.	2.33	718	220	29	13	11	5	281	14	11	7	11	13	20	42
Circulatory	1.75	556	2	—	—	—	—	2	2	6	9	6	16	34	50
Respiratory	3.28	959	272	106	23	13	7	421	8	6	9	9	22	37	44
Digestive	0.97	291	37	1	—	1	1	40	8	3	5	8	17	18	41
Urinary	0.43	130	1	4	3	2	1	11	1	1	6	2	6	8	12
Generative	0.09	27	—	—	—	—	—	—	—	—	—	—	—	—	6
Childbirth	0.06	18	—	—	—	—	—	—	—	—	1	1	3	13	—
Suicide	0.12	25	—	—	—	—	—	—	—	—	2	—	3	—	—
Other Violence	0.61	184	12	4	11	—	—	—	—	—	—	—	—	—	—
OTHER CAUSES	4.78	1450	383	72	32	11	—	—	—	—	—	—	—	—	—

Deaths of Infants (under one) to 1000 Births

434.—BINGHAM.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	40-	50-	60-	75 and over.
1871	—	15.53	—	—	—	—	—	43.53	5.06	5.06	6.20	8.48	8.23	8.50	11.51	18.51	49.88	121.00
1880	—	14.603	369	347	304	367	587	1894	1850	1689	1291	1061	1089	1342	1399	1164	800	403
1871-80	15.53	2722	580	120	41	49	27	817	83	59	80	90	133	132	161	219	309	533
0-11	15	3	1	1	—	—	—	5	1	1	2	3	1	2	—	1	—	—
0-17	25	8	2	2	4	3	—	22	1	2	3	—	—	—	—	—	—	—
0-29	28	3	5	7	8	3	—	36	17	3	2	—	—	—	—	—	—	—
0-12	17	—	2	1	2	3	—	8	4	2	1	—	—	—	—	—	—	—
0-32	47	34	8	2	1	1	—	46	1	—	—	—	—	—	—	—	—	—
0-02	3	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
0-18	20	1	—	—	—	—	—	1	1	3	7	3	8	2	9	2	2	—
0-02	5	—	—	1	—	—	—	1	—	—	1	1	—	—	1	—	—	—
0-37	55	22	8	—	—	3	2	32	—	—	—	1	1	4	1	2	7	9
0-02	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
0-15	97	—	—	—	—	—	—	—	1	1	—	—	1	6	17	23	61	19
0-10	14	0	—	—	—	—	—	6	2	1	—	—	2	3	1	—	—	—
0-28	38	21	5	1	3	1	—	51	1	1	1	—	1	1	1	—	—	—
1-31	241	4	2	2	2	—	—	8	3	9	37	56	65	88	102	71	71	1
0-18	25	8	8	3	2	—	—	21	2	8	1	1	—	—	—	—	—	—
3-14	214	19	13	3	5	2	—	119	9	8	8	1	11	11	21	64	24	28
1-25	243	1	—	—	—	—	—	1	3	4	2	1	3	12	23	40	97	54
2-36	429	92	40	11	10	7	—	160	11	5	1	2	10	12	10	22	70	101
1-03	122	22	—	—	—	—	—	32	3	5	5	6	11	9	10	25	56	14
0-47	69	1	—	1	1	1	—	3	1	—	—	—	7	7	6	13	24	12
0-67	10	—	—	—	—	—	—	1	—	—	—	—	—	1	2	4	—	—
0-04	6	—	—	—	—	—	—	—	—	—	—	—	3	8	—	—	—	—
0-07	10	—	—	—	—	—	—	—	—	—	1	—	—	8	2	1	2	1
0-39	16	5	3	—	3	2	—	13	0	10	8	5	10	5	4	10	8	8
4-73	623	220	23	0	7	2	—	238	14	2	8	4	7	12	6	22	67	209

Infants (under 1 year) in 1880 Births - 250 Marriages - 910 Annual Rate of Persons Married - 12.03
per 1000 living Births - 4,461 per 1000 living Births - 50.10

435.—SHARDLOW.

	1871	1880	1871-80	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	30-	40-	50-	60-	75 and over.
1871	—	—	—	—	—	—	—	—	40.76	5.23	3.15	5.30	6.29	7.22	9.89	13.52	14.38	127.88
1880	—	—	—	—	—	—	—	—	5640	4820	4410	3796	3404	3336	4024	3210	2423	1550
1871-80	—	—	—	—	—	—	—	—	1800	252	139	267	311	401	338	402	395	678
0-11	—	—	—	—	—	—	—	—	3	2	4	7	3	1	1	—	—	—
0-17	—	—	—	—	—	—	—	—	109	4	—	—	1	1	—	—	—	—
0-29	—	—	—	—	—	—	—	—	145	65	20	4	1	1	—	—	—	—
0-12	—	—	—	—	—	—	—	—	51	10	2	1	—	—	—	—	—	—
0-32	—	—	—	—	—	—	—	—	123	9	—	—	—	—	—	—	—	—
0-02	—	—	—	—	—	—	—	—	1	1	1	1	1	2	—	—	—	—
0-18	—	—	—	—	—	—	—	—	11	13	18	51	15	33	16	1	—	—
0-02	—	—	—	—	—	—	—	—	20	9	3	6	2	3	3	—	—	—
0-37	—	—	—	—	—	—	—	—	152	2	1	—	1	1	2	—	—	—
0-02	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—
0-15	—	—	—	—	—	—	—	—	2	3	8	2	2	6	13	—	—	—
0-10	—	—	—	—	—	—	—	—	101	6	3	2	2	9	16	—	—	—
0-28	—	—	—	—	—	—	—	—	35	12	16	16	101	161	261	—	—	—
1-31	—	—	—	—	—	—	—	—	162	19	6	2	3	3	3	—	—	—
0-18	—	—	—	—	—	—	—	—	411	53	15	8	13	23	27	—	—	—
0-02	—	—	—	—	—	—	—	—	1	4	9	9	7	7	7	—	—	—
0-37	—	—	—	—	—	—	—	—	665	18	9	9	8	8	8	—	—	—
0-02	—	—	—	—	—	—	—	—	62	3	2	8	2	2	2	—	—	—
0-15	—	—	—	—	—	—	—	—	4	5	—	—	—	—	—	—	—	—
0-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0-28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1-03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0-47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0-67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0-04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0-07	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0-39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Marriages - 2376 Annual Rate of Persons Married - 12.03
Births - 15,931 per 1000 living Births - 50.10

432.—SOUTHWELL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000.	—	18.58	—	—	—	—	—	37.20	4.83	4.12	5.65	8.43	8.20	9.57	10.82	11.01	11.35	11.25
Mean Pop. 1871-80	—	21,144	550	476	520	516	518	2580	2465	2280	1913	1513	2520	2174	2061	1763	1298	698
ALL CAUSES	18.58	3025	667	132	80	30	45	903	110	94	108	128	203	208	221	371	645	853
Small-pox	0.07	14	2	—	—	1	—	3	—	—	—	1	1	6	—	1	—	—
Measles	0.15	32	4	12	9	4	3	25	—	—	—	—	—	—	1	—	—	—
Scarlet Fever	0.39	82	3	8	14	10	11	46	21	6	2	1	1	—	—	—	—	—
Diphtheria	0.11	24	2	—	3	2	4	11	7	2	3	—	—	—	1	—	—	—
Whooping-cough	0.27	57	54	9	8	4	—	55	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	7	—	—	—	—	—	—	1	—	—	2	—	—	2	1	—	—
Enteric Fever	0.16	50	—	2	1	—	1	4	9	11	10	8	14	7	9	3	1	—
Simple Cont. Fev.	0.03	13	—	—	1	1	1	3	—	2	1	3	2	3	1	—	—	—
Puerp. Fever	0.03	7	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Diarr. and Dys.	0.23	69	23	3	—	—	1	32	1	—	—	1	3	—	—	1	15	18
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Cancer	0.67	139	—	—	—	—	—	—	1	—	—	—	10	13	21	11	29	32
Scrofula	0.11	24	7	2	3	—	—	12	1	—	—	2	5	2	1	2	—	1
Tuberc. Mesent.	0.18	59	21	8	—	—	—	32	4	1	—	—	1	1	—	—	—	—
Phthisis	2.01	426	5	1	2	—	—	8	4	21	49	78	101	71	47	29	21	8
Hydrocephalus	0.21	44	17	4	4	—	—	25	9	5	—	—	—	—	—	—	—	—
Diseases of	2.50	520	184	10	9	1	3	207	12	8	4	5	12	21	17	41	160	18
Nervous Syst.	1.64	347	2	—	—	—	—	2	1	4	5	2	10	11	23	83	129	18
Circulatory	2.48	723	78	35	12	9	7	141	18	4	7	5	11	13	25	62	109	18
Respiratory	1.00	211	10	—	2	—	—	12	1	1	3	4	8	15	24	4	66	3
Digestive	0.37	79	2	—	—	—	2	4	1	1	1	3	3	8	6	16	21	15
Urinary	0.04	9	—	—	—	—	—	—	—	—	1	1	1	—	2	1	3	—
Generative	0.06	13	—	—	—	—	—	—	—	—	1	—	9	3	—	—	—	—
Childbirth	0.13	27	—	—	—	—	—	—	—	1	3	—	3	4	5	3	4	2
Suicide	0.57	121	10	6	4	3	3	26	7	11	4	5	5	10	12	17	14	1
Other Violence	4.81	1011	255	32	15	4	4	319	12	10	9	5	11	15	9	39	130	45
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births } 113Marriages - 1,360
Births - 5,923Annual Rate { Persons Married - 12.92
per 1000 living { Births - 28.03

433.—NEWARK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000.	—	20.05	—	—	—	—	—	50.88	4.43	3.73	5.72	6.92	7.87	10.78	95	24.61	36.12	159.4
Mean Pop. 1871-80	—	30,116	853	752	830	793	793	4021	3711	3401	2817	2341	3735	6125	2703	2152	1447	686
ALL CAUSES	20.05	6039	1413	332	140	88	67	2046	161	127	161	162	294	337	350	526	812	1029
Small-pox	0.05	15	—	—	1	1	—	2	2	3	—	3	1	—	—	1	—	—
Measles	0.17	23	7	21	10	5	3	46	8	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.57	171	12	20	14	13	24	113	56	11	6	8	2	—	—	—	—	—
Diphtheria	0.08	25	2	5	2	1	1	9	8	2	1	1	—	—	—	—	—	—
Whooping-cough	0.24	71	33	22	8	2	1	71	—	—	—	—	—	—	—	—	—	—
Typhus	0.04	11	—	—	—	—	—	—	1	1	2	3	1	—	2	3	—	—
Enteric Fever	0.45	135	1	5	2	4	5	15	13	15	12	13	13	6	14	9	2	1
Simple Cont. Fev.	0.07	22	2	1	2	—	—	6	—	1	2	—	2	2	2	4	—	—
Puerp. Fever	0.04	13	—	—	—	—	—	—	—	—	—	2	5	6	—	—	—	—
Diarr. and Dys.	0.65	197	105	17	4	1	1	128	8	1	—	1	1	8	5	12	17	26
Cholera	0.02	6	—	1	—	1	—	2	—	—	—	—	1	—	—	—	—	—
Cancer	0.56	168	—	—	—	—	—	—	—	—	—	—	5	19	37	46	40	21
Scrofula	0.11	33	8	—	2	1	1	12	—	3	—	—	1	4	2	2	1	2
Tuberc. Mesent.	0.40	119	83	13	8	1	1	108	6	9	2	—	—	1	—	—	—	—
Phthisis	1.67	381	5	1	—	—	—	11	6	17	67	83	141	1	69	47	29	1
Hydrocephalus	0.26	72	33	11	8	7	6	55	15	4	2	—	—	—	—	—	—	—
Diseases of	2.31	718	220	29	13	11	5	281	14	11	7	11	13	20	42	71	110	94
Nervous Syst.	1.75	546	2	—	—	—	—	2	2	6	9	6	16	34	50	21	103	10
Circulatory	3.24	929	272	106	23	15	7	421	8	6	9	9	22	33	44	88	133	207
Respiratory	0.97	291	57	1	—	1	1	49	8	3	5	8	17	16	4	19	29	85
Digestive	0.43	139	1	4	3	2	1	11	1	1	6	2	5	8	4	24	12	31
Urinary	0.02	27	—	—	—	—	—	—	—	—	—	—	—	—	6	7	—	1
Generative	0.06	13	—	—	—	—	—	—	—	—	1	1	3	13	—	—	—	—
Childbirth	0.16	28	—	—	—	—	—	—	—	—	1	1	3	13	—	—	—	—
Suicide	0.12	25	—	—	—	—	—	—	—	—	2	4	3	7	4	9	8	2
Other Violence	0.61	184	12	4	11	7	4	34	18	12	13	8	17	19	10	17	15	17
OTHER CAUSES	4.78	1440	353	72	14	4	2	575	15	15	9	8	12	24	17	33	122	66

Deaths of Infants (under
one) to 1000 Births } 145Marriages - 2,170
Births - 9,721Annual Rate { Persons Married - 14.41
per 1000 living { Births - 32.88

434.—BINGHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATH (PER 1000)	—	18.53	—	—	—	—	—	43.83	5.06	3.60	6.20	8.48	8.23	8.56	11.51	18.81	49.88	131.09
Male Pop. } 1871-80 }	—	14,693	369	317	304	367	387	1864	1839	1639	1291	1061	1689	1542	1399	1164	899	405
ALL CAUSES	18.53	2723	580	120	41	49	27	817	93	59	80	90	139	132	161	215	390	533
Diphtheria	0.11	13	3	1	1	—	—	5	1	1	2	3	1	2	—	1	—	—
Erysipelas	0.17	23	8	5	2	4	3	22	1	2	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	38	3	5	7	8	3	16	17	3	2	—	—	—	—	—	—	—
Typhoid	0.12	17	—	2	1	2	3	8	4	2	1	1	—	—	—	—	—	—
Whooping-cough	0.23	47	34	8	2	1	1	46	1	—	—	—	—	—	—	—	—	—
Rubeola	0.02	3	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Erysipelas	0.18	26	1	—	—	—	—	1	1	5	7	3	5	—	—	—	—	—
Scarlet Cont. Fev.	0.02	5	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Typhoid	0.02	5	—	—	—	—	—	—	—	—	1	—	—	4	—	—	—	—
Tr. and Dys.	0.37	55	22	8	—	3	2	32	—	—	—	—	1	1	2	1	2	9
Tr. and Dys.	0.02	3	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Per	0.06	97	—	—	—	—	—	—	—	1	—	—	1	6	17	22	51	19
Fula	0.10	15	0	—	—	—	—	6	2	1	—	2	3	1	—	—	—	—
Measles	0.38	51	5	1	5	1	5	31	—	1	1	2	1	1	1	—	—	—
Measles	1.91	241	4	2	2	—	—	6	3	9	37	56	65	28	33	21	11	1
Rubeola	0.19	28	8	3	2	—	—	21	2	3	1	1	—	—	—	—	—	—
Nervous Syst.	2.14	314	19	13	3	5	2	119	9	5	8	1	11	11	24	24	53	40
Cerebral	1.45	243	1	—	—	—	—	1	3	4	2	1	3	12	22	40	97	38
Respiratory	2.65	420	92	40	11	10	7	160	11	5	1	2	10	12	19	31	76	101
Digestive	1.33	22	—	—	—	—	—	23	3	5	5	6	11	9	15	23	36	14
Urinary	0.47	69	—	1	1	1	1	3	1	1	—	—	—	7	8	13	14	13
Generative	0.07	10	1	—	—	—	—	1	—	—	—	—	—	1	2	2	4	—
Birth	0.04	6	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	1
Side	0.07	10	—	—	—	—	—	—	—	—	1	—	—	3	2	1	2	1
Violence	0.59	86	5	3	—	3	2	13	9	10	8	3	10	5	4	19	4	8
ALL CAUSES	4.73	693	290	23	6	7	2	298	14	2	3	4	7	12	5	22	37	299

Deaths of Infants (under one) to 1000 Births } 130 Marriages } 910 Annual Rate of Persons Married } 12.59
Births } 4,461 per 1000 living } Births } 50.36

DERBYSHIRE.]

435.—SHARDLOW.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATH (PER 1000)	—	18.75	—	—	—	—	—	49.75	6.23	3.15	5.30	6.20	7.52	9.80	12.52	14.38	58.60	157.04
Male Pop. } 1871-80 }	—	30,299	1209	1079	1160	1091	1101	5640	4820	4410	3790	3404	5333	4024	3210	2432	1350	678
ALL CAUSES	18.75	7367	1856	472	199	161	118	1806	232	139	261	211	401	298	402	593	890	1065
Diphtheria	0.05	21	2	—	1	—	—	3	2	4	1	3	3	1	2	1	—	—
Erysipelas	0.09	114	26	47	18	12	6	169	4	—	—	1	—	—	—	—	—	—
Scarlet Fever	0.51	241	11	20	34	43	29	148	65	20	4	1	4	—	1	—	—	—
Typhoid	0.12	47	1	2	8	8	3	24	16	2	1	3	—	—	—	1	—	1
Whooping-cough	0.32	129	62	45	8	8	3	123	3	—	—	—	—	—	—	—	—	—
Rubeola	0.03	10	—	—	—	1	—	1	1	1	1	1	2	—	2	1	—	—
Erysipelas	0.10	138	2	2	1	4	2	11	13	18	31	15	33	16	11	6	3	1
Scarlet Cont. Fev.	0.11	41	1	4	1	1	2	10	5	2	2	2	3	1	2	—	—	—
Typhoid	0.07	—	—	—	—	—	—	—	—	—	2	8	9	8	—	—	—	—
Tr. and Dys.	0.54	212	127	16	5	3	1	132	2	1	1	1	3	4	3	4	17	24
Tr. and Dys.	0.02	9	4	—	—	—	—	4	—	—	—	—	—	1	2	—	1	1
Per	0.43	170	—	—	—	—	—	—	—	—	—	—	6	10	31	49	41	21
Fula	0.11	45	12	5	1	1	1	2	3	2	2	2	5	4	2	—	—	—
Measles	1.32	137	67	21	13	1	4	161	6	8	3	3	3	9	2	—	—	—
Measles	1.95	248	9	10	1	5	—	23	12	13	26	104	167	167	21	28	20	2
Rubeola	0.32	131	47	23	11	6	3	162	12	5	2	1	1	1	—	—	—	—
Nervous Syst.	2.49	911	337	60	17	12	13	441	33	13	8	12	20	33	49	85	151	167
Cerebral	1.29	505	2	—	1	—	1	4	5	9	5	7	27	41	57	108	156	94
Respiratory	2.73	1691	594	101	38	29	16	661	18	9	8	8	27	27	51	18	112	139
Digestive	0.96	376	47	6	4	1	2	62	20	9	3	3	20	29	49	87	123	129
Urinary	0.51	131	—	—	2	2	—	4	3	5	2	8	12	11	14	22	33	18
Generative	0.07	25	—	—	—	—	—	—	—	—	—	1	3	6	6	3	1	—
Birth	0.09	24	—	—	—	—	—	—	—	—	2	3	18	9	—	—	—	—
Side	0.09	31	—	—	—	—	—	—	—	—	1	2	4	3	—	9	6	2
Violence	0.78	228	14	14	12	8	5	87	22	7	10	13	25	22	18	20	19	39
ALL CAUSES	4.5	18.8	777	73	22	23	16	911	109	12	9	13	16	10	19	60	177	601

Deaths of Infants (under one) to 1000 Births } 133 Marriages } 2,576 Annual Rate of Persons Married } 12.49
Births } 13,931 per 1000 living } Births } 33.45

436.—DERBY.

	Annual Death Rate per 1,000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1,000	—	21.27	—	—	—	—	—	63.91	6.07	3.28	5.43	6.81	9.33	13.75	18.43	35.30	74.54	131.7
Mean Pop. 1871-80	—	70,483	2211	2031	1083	1018	1801	10004	8389	7101	8874	6772	11342	8093	6712	3601	1892	62
ALL CAUSES	21.27	14,992	3,063	1283	532	349	270	6304	800	296	373	461	1058	1113	1053	1271	1411	111
Small-pox	0.04	45	1	—	—	1	1	4	5	5	4	5	18	6	2	1	—	—
Measles	0.25	246	65	30	41	21	13	233	10	2	—	1	—	—	—	—	—	—
Scarlet Fever	0.81	629	27	103	115	116	87	448	143	25	5	2	2	2	1	1	—	—
Diphtheria	0.07	50	3	4	9	6	8	30	10	3	1	1	2	1	—	—	—	—
Whooping-cough	0.45	302	118	117	37	16	10	298	4	—	—	—	—	—	—	—	—	—
Typhus	0.03	21	—	1	—	—	—	1	5	6	2	2	2	1	2	—	—	—
Enteric Fever	0.33	250	4	8	9	6	9	36	25	22	44	26	49	23	17	9	—	—
Simple Cont. Fev.	0.10	73	5	4	6	5	7	27	15	8	3	2	2	4	4	3	—	—
Puerp. Fever	0.05	27	—	—	—	—	—	—	—	—	4	11	13	9	—	—	—	—
Diarr. and Dys.	1.04	732	403	103	26	3	5	633	9	2	—	2	4	7	6	10	20	9
Cholera	0.01	7	—	—	—	1	—	1	—	—	—	2	—	—	2	—	—	—
Cancer	0.38	271	—	—	—	—	2	2	—	—	1	3	9	42	75	81	46	1
Scrofula	0.11	79	17	9	8	3	3	39	6	6	7	5	8	2	3	3	—	—
Tuberc. Mezent.	0.21	218	122	44	5	15	2	183	12	7	3	—	5	1	1	—	—	—
Phthisis	0.25	158	17	13	2	2	5	39	21	42	158	208	487	594	176	62	24	1
Hydrocephalus	0.19	124	42	24	16	9	8	109	14	3	5	1	3	2	—	—	—	—
Diseases of Nervous Syst.	0.26	259	1064	160	67	47	25	1373	77	18	23	19	37	86	118	100	231	16
Circulatory	1.59	557	3	—	—	—	—	—	15	17	23	24	36	169	166	217	182	8
Respiratory	3.54	2167	579	323	103	44	28	1629	35	12	19	25	77	133	195	327	266	29
Digestive	0.16	684	70	11	2	4	3	90	13	9	11	27	38	87	89	153	116	8
Urinary	0.18	293	1	8	2	2	8	21	9	9	6	10	39	41	46	39	41	3
Generative	0.06	42	—	—	—	—	—	—	—	—	2	3	9	8	9	7	4	—
Childbirth	0.10	69	—	—	—	—	—	—	—	—	2	12	36	18	1	—	—	—
Suicide	0.03	60	—	—	—	—	—	—	—	—	2	2	6	12	15	11	11	1
Other Violence	0.28	477	34	23	17	18	14	101	39	18	26	55	75	89	86	46	37	8
OTHER CAUSES	4.19	2910	1302	226	65	27	21	1611	40	23	20	23	32	32	73	101	314	28

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 7,873
Births - 27,297Annual Rate (Persons Married per 1000 living (Births - 27.54
- 35.50

437.—BELPER.

	Annual Death Rate per 1,000	20-43	—	—	—	—	—	53.97	6.12	3.62	6.03	7.91	8.40	10.71	18.75	29.25	45.54	123.7
Mean Pop. 1871-80	—	55,521	1768	1594	1606	1650	1670	8127	7096	6279	6225	4604	7259	5883	4711	3457	2073	79
ALL CAUSES	20.43	11,344	2855	747	375	239	170	4386	434	227	315	364	616	630	652	1011	1360	156
Small-pox	0.07	59	4	—	1	1	2	8	6	2	4	10	4	5	1	—	1	—
Measles	0.21	119	23	50	19	11	5	111	8	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.74	409	18	47	75	65	60	305	112	26	3	2	1	—	—	—	—	—
Diphtheria	0.06	45	2	8	—	9	5	24	9	5	8	—	1	—	1	—	—	—
Whooping-cough	0.33	180	85	60	20	10	3	178	8	—	—	—	—	—	—	—	—	—
Typhus	0.05	21	—	—	—	1	1	2	1	7	3	3	3	3	1	3	—	—
Enteric Fever	0.26	143	8	—	6	6	3	18	16	9	25	16	22	21	7	—	—	—
Simple Cont. Fev.	0.14	77	3	6	4	7	2	22	17	8	3	6	2	2	3	4	—	—
Puerp. Fever	0.10	51	—	—	—	—	—	—	—	—	3	15	18	18	2	—	—	—
Diarr. and Dys.	0.70	387	229	46	17	6	2	300	4	—	—	4	5	3	8	9	20	3
Cholera	0.02	13	2	—	3	—	1	6	1	1	—	—	2	—	2	—	—	—
Cancer	0.35	183	—	—	—	—	—	—	—	—	—	—	—	17	45	57	44	19
Scrofula	0.12	67	13	8	5	2	2	30	4	6	5	4	4	2	6	4	—	—
Tuberc. Mezent.	0.37	206	100	28	15	9	—	155	14	10	6	4	9	1	2	—	—	—
Phthisis	1.55	1080	24	17	4	1	3	49	26	47	141	184	200	185	102	51	24	8
Hydrocephalus	0.26	143	42	31	13	9	4	109	25	7	1	1	—	—	1	—	—	—
Diseases of Nervous Syst.	0.13	1570	817	94	46	23	20	1063	55	29	13	16	43	67	82	173	232	16
Circulatory	1.50	535	—	—	—	—	1	4	19	16	16	21	43	74	121	194	145	14
Respiratory	3.28	1878	487	204	75	28	18	812	35	11	14	11	48	57	104	206	204	23
Digestive	1.02	364	58	10	3	3	5	79	11	14	8	6	27	75	74	129	116	6
Urinary	0.23	183	—	—	—	—	3	8	6	7	6	6	14	18	23	32	42	19
Generative	0.07	37	—	—	—	—	—	—	—	—	—	1	6	9	3	10	5	1
Childbirth	0.11	62	—	—	—	—	—	—	—	—	7	14	23	36	2	—	—	—
Suicide	0.03	35	—	—	—	—	—	—	—	—	3	2	4	9	3	12	7	1
Other Violence	0.55	306	16	22	12	15	8	73	27	14	25	26	31	39	32	22	27	2
OTHER CAUSES	4.50	2,851	922	116	43	25	12	1128	55	37	19	13	33	42	62	97	271	30

Deaths of Infants (under one) to 1000 Births - 133

Marriages - 4,523
Births - 21,114Annual Rate (Persons Married per 1000 living (Births - 16.23
- 38.98

438.—ASHBORNE.

	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and above.
TOTAL DEATHS (ATE PER 1000)	—	19'44	—	—	—	—	—	41'25	6'37	3'70	5'11	6'97	7'99	10'49	13'70	20'47	57'69	160'57
Pop. (1880)	—	10,276	540	498	514	536	521	2618	2432	2162	2036	1636	2503	2009	1868	1406	1000	447
ALL CAUSES	19'44	3912	681	186	95	65	62	1080	155	80	104	114	200	217	256	336	582	758
Diphtheria	0'02	5	—	—	—	—	—	25	—	—	—	1	—	1	—	—	—	—
Scarlet Fever	0'15	29	6	14	4	1	—	72	—	1	—	—	—	—	—	—	—	—
Erysipelas	0'15	148	7	14	23	14	14	72	62	10	5	—	2	3	—	—	—	—
Whooping-cough	0'11	22	—	1	—	—	—	4	—	—	—	—	1	—	—	—	—	—
Measles	0'03	6	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—
Scarlet Fever	0'20	82	2	3	3	3	1	12	7	2	7	7	4	4	4	—	—	—
Erysipelas	0'07	14	1	—	—	2	—	4	—	—	3	1	1	1	—	—	—	—
Scarlet Fever	0'05	10	—	—	—	—	—	—	—	—	—	4	2	2	—	—	—	—
Erysipelas	0'19	80	31	5	1	3	—	40	—	1	1	—	2	2	2	—	—	—
Scarlet Fever	0'02	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	0'05	114	—	—	—	—	—	—	1	1	—	2	3	6	22	21	31	17
Measles	0'10	21	6	2	2	1	—	11	2	1	1	—	5	—	—	—	—	—
Erysipelas	0'23	46	21	5	2	3	1	56	3	3	—	—	—	4	—	—	—	—
Whooping-cough	0'11	424	6	5	2	—	4	17	6	22	62	62	91	85	51	31	18	—
Measles	0'05	62	17	13	5	1	2	38	11	2	—	1	—	—	—	—	—	—
Nervous Syst.	3'04	616	563	13	5	10	5	241	9	9	3	9	15	15	32	64	111	110
Respiratory	1'37	278	—	—	—	—	2	2	1	3	5	4	7	18	33	68	91	46
Digestive	3'72	351	115	88	26	5	9	103	11	5	4	2	11	17	33	55	103	117
Urinary	1'18	249	14	5	1	1	—	21	3	2	2	4	9	17	28	27	69	28
Generative	0'33	74	—	—	—	—	—	1	—	1	2	3	5	7	10	10	17	10
Birth	0'03	13	—	—	—	—	—	—	—	—	1	—	3	2	1	4	2	—
Death	0'10	20	—	—	—	—	—	—	—	—	2	2	12	3	1	—	—	—
Violence	0'08	17	—	—	—	—	—	—	—	—	2	4	1	3	3	5	—	—
Violence	0'51	101	8	5	3	5	3	24	6	5	6	5	11	8	9	11	13	—
ALL CAUSES	4'57	224	211	30	9	11	4	265	23	7	5	9	17	21	22	49	119	287

Deaths of Infants (under one) to 1000 Births - } 100

Marriages - 1,244
Births - 6,222

Annual Rate (Persons Married - 12'27
per 1000 living (Births - 30'09

439.—CHESTERFIELD.

	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and above.
TOTAL DEATHS (ATE PER 1000)	—	21'32	—	—	—	—	—	63'76	5'94	3'74	5'94	7'81	8'03	11'31	16'38	32'87	70'06	181'81
Pop. (1880)	—	88,073	3137	2742	2882	2707	2730	14198	12077	9600	8067	7427	12733	9578	6784	4314	2253	742
ALL CAUSES	21'32	18774	5834	1712	701	488	318	9063	717	370	470	580	1022	1083	1111	1418	1502	1849
Diphtheria	0'22	191	23	8	6	7	6	50	22	6	13	22	20	21	9	4	2	1
Scarlet Fever	0'44	389	84	144	73	25	32	541	25	1	—	—	2	—	—	—	—	—
Erysipelas	0'22	369	43	126	137	130	100	581	183	28	11	5	5	4	—	—	—	—
Whooping-cough	0'06	84	5	12	—	10	3	30	11	2	2	—	4	2	—	2	—	—
Measles	0'41	359	181	112	32	19	8	532	5	—	—	1	1	—	—	—	—	—
Scarlet Fever	0'05	43	—	—	—	2	3	5	4	4	9	3	4	0	1	1	1	—
Erysipelas	0'42	371	10	19	16	10	10	63	37	49	38	44	53	27	18	12	6	1
Scarlet Fever	0'12	128	12	9	10	8	8	47	22	11	7	4	11	7	4	10	4	1
Erysipelas	0'10	89	—	—	—	—	—	—	—	—	18	33	27	—	—	—	—	—
Scarlet Fever	0'74	633	404	119	15	5	4	547	8	2	3	2	4	10	7	18	23	22
Erysipelas	0'02	19	8	—	—	—	—	11	1	1	—	—	1	—	1	2	1	—
Measles	0'33	290	—	—	—	1	1	2	1	—	—	1	14	41	71	83	38	16
Scarlet Fever	0'14	131	47	18	4	—	1	70	6	4	5	9	10	4	7	6	5	—
Erysipelas	0'35	311	161	81	21	5	6	277	8	9	7	4	3	—	1	1	1	—
Whooping-cough	1'64	1442	33	40	16	7	7	163	34	66	161	253	541	273	126	73	23	3
Measles	0'53	303	132	87	22	18	9	308	23	6	4	3	1	—	—	1	—	—
Nervous Syst.	3'50	2818	1564	164	65	20	18	1851	46	33	24	20	46	83	118	202	288	183
Respiratory	1'26	1198	6	1	2	2	3	13	22	17	22	31	61	123	194	263	270	94
Digestive	3'94	3474	1069	489	136	89	29	1833	68	17	32	38	10	115	196	343	411	206
Urinary	0'38	243	6	8	2	5	1	22	6	6	3	12	23	29	32	37	14	17
Generative	0'05	45	—	—	—	—	—	—	—	—	3	2	7	9	12	9	5	1
Birth	0'13	114	—	—	—	—	—	—	—	—	12	16	45	46	1	—	—	—
Death	0'08	70	—	—	—	—	—	—	—	—	1	5	16	15	18	14	9	—
Violence	0'90	793	86	28	16	28	20	160	20	24	24	47	87	83	10	40	29	—
ALL CAUSES	4'24	1841	1811	224	80	30	32	2227	13	19	20	22	46	63	83	148	257	685

Deaths of Infants (under one) to 1000 Births - } 140

Marriages - 6,539
Births - 32,216

Annual Rate (Persons Married - 15'63
per 1000 living (Births - 44'53

440.—BAKEWELL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up.
ANNUAL DEATH RATE PER 1000.	—	19.58	—	—	—	—	—	48.27	5.16	3.53	5.27	7.50	8.12	10.09	15.15	30.02	30.40	13.71
Mean Pop. 1871-80	—	50,037	803	758	772	702	700	3855	3388	3286	2769	2519	3330	3311	2805	2188	1294	25
ALL CAUSES	19.58	5886	1007	265	141	99	75	1628	185	116	140	189	320	364	425	670	898	26
Small-pox	0.04	31	2	1	—	1	—	4	—	—	2	1	3	1	—	—	—	—
Measles	0.06	13	3	7	4	—	3	17	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.55	165	9	16	29	25	23	101	43	11	2	1	2	4	1	—	—	—
Diphtheria	0.09	24	—	—	3	3	5	11	10	1	—	—	—	—	—	—	—	—
Whooping-cough	0.24	73	37	20	8	2	4	71	2	—	—	—	—	—	—	—	—	—
Typhus	0.05	11	1	1	1	—	—	3	2	3	2	1	2	2	—	1	—	—
Enteric Fever	0.20	61	—	—	—	3	2	6	5	19	6	6	14	3	7	4	1	—
Simple Cont. Fev.	0.12	35	—	1	3	—	—	4	2	4	6	6	3	5	2	1	3	1
Purp. Fever	0.04	19	—	—	—	—	—	—	—	—	1	6	8	4	—	—	—	—
Diarr. and Dys.	0.25	74	18	2	2	3	1	46	1	—	2	1	2	1	2	5	5	1
Cholera	0.09	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.38	114	—	—	—	1	—	1	—	—	—	—	1	11	21	37	25	1
Scorula	0.15	44	11	8	4	1	—	24	2	1	6	2	3	4	—	—	—	—
Tuberc. Mesent.	0.11	31	12	4	6	2	1	25	1	3	1	1	2	1	—	—	—	—
Phthisis	1.72	516	6	1	4	—	1	14	8	15	47	89	137	101	60	48	8	—
Hydrocephalus	0.29	86	28	15	7	9	7	61	13	1	2	—	—	—	—	—	—	—
Diseases of Nervous Syst.	3.10	651	322	61	20	12	11	419	25	16	10	11	21	26	47	100	126	10
Circulatory	1.54	479	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	5.77	123	177	71	15	10	6	279	18	19	10	12	28	64	64	114	142	5
Digestive	1.04	326	24	8	2	1	—	35	10	10	6	7	15	30	46	68	67	20
Urinary	0.35	101	—	—	1	1	1	3	3	2	4	3	17	10	13	19	24	2
Generative	0.09	27	—	—	—	—	—	—	—	—	—	—	1	3	9	10	3	—
Childbirth	0.05	14	—	—	—	—	—	—	—	—	—	4	6	4	—	—	—	—
Suicide	0.04	17	—	—	—	—	—	—	—	—	—	—	1	3	3	6	1	—
Other Violence	0.45	153	3	9	6	4	2	21	7	0	11	4	18	14	17	7	14	1
OTHER CAUSES	5.46	1644	421	49	20	11	6	517	51	19	18	18	34	48	62	129	240	28

Deaths of Infants (under one) to 1000 Births } 121

Marriages - 1,993
Births - 9,030Annual Rate { Persons Married - 12.53
per 1000 living { Births - 30.03

441.—CHAPEL-EN-LE-FRITH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up.
ANNUAL DEATH RATE PER 1000.	—	19.07	—	—	—	—	—	47.82	5.55	3.74	5.46	5.75	8.87	11.01	16.51	31.26	77.87	13.71
Mean Pop. 1871-80	—	17,032	434	459	471	419	456	2319	2089	1847	1740	1691	2547	2017	1593	1094	583	25
ALL CAUSES	19.07	3362	744	184	80	57	44	1109	116	69	95	92	226	222	263	342	454	37
Small-pox	0.01	6	—	—	—	—	—	—	—	—	1	—	1	2	—	1	1	—
Measles	0.14	25	7	10	3	1	—	21	5	—	—	—	1	1	—	—	—	—
Scarlet Fever	0.01	114	8	22	11	10	12	72	25	9	5	2	1	1	—	—	—	—
Diphtheria	0.07	13	—	2	2	1	—	5	4	3	—	—	—	—	—	—	—	—
Whooping-cough	0.29	21	24	15	8	2	—	49	2	—	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—
Enteric Fever	0.27	47	2	1	—	2	2	7	9	5	3	7	7	6	1	—	—	—
Simple Cont. Fev.	0.14	25	—	2	—	2	4	8	3	—	—	3	3	1	—	4	2	—
Purp. Fever	0.12	22	—	—	—	—	—	—	—	—	1	2	6	12	1	—	—	—
Diarr. and Dys.	0.41	73	40	8	9	1	2	63	—	—	—	—	2	1	—	3	7	—
Cholera	0.01	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.39	64	1	—	—	—	—	1	—	—	1	1	1	5	13	16	22	1
Scorula	0.10	18	5	2	—	—	—	7	2	2	2	—	3	1	1	—	—	—
Tuberc. Mesent.	0.29	51	27	5	1	5	4	42	2	2	2	1	—	—	—	1	1	—
Phthisis	1.78	514	5	4	2	—	—	11	9	14	37	37	85	55	47	15	8	—
Hydrocephalus	0.25	41	19	8	5	—	—	34	6	1	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.67	470	111	23	13	4	7	103	12	8	9	2	17	17	35	61	67	46
Circulatory	1.54	271	1	—	—	1	—	2	3	2	6	2	13	23	39	72	55	30
Respiratory	5.14	533	110	43	15	7	8	227	10	5	5	6	13	23	41	68	94	41
Digestive	1.57	212	23	—	4	—	—	17	4	4	4	8	13	21	41	43	47	29
Urinary	0.43	76	—	—	—	—	—	—	2	2	1	2	6	7	8	16	22	9
Generative	0.04	7	—	—	—	—	—	—	—	—	—	—	2	2	—	1	2	—
Childbirth	0.10	17	—	—	—	—	—	—	—	—	—	1	10	6	—	—	—	—
Suicide	0.02	15	—	—	—	—	—	—	—	—	—	—	2	1	—	4	3	—
Other Violence	0.75	128	15	4	4	3	1	21	7	1	11	10	14	18	14	7	8	—
OTHER CAUSES	4.01	718	278	24	9	10	4	325	13	6	6	4	11	21	29	53	128	18

Deaths of Infants (under one) to 1000 Births } 129

Marriages - 1,110
Births - 5,752Annual Rate { Persons Married - 18.59
per 1000 living { Births - 36.63

442.—HAYFIELD.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
DEATHS (PER 1000)	—	21'40	—	—	—	—	—	64'87	6'71	4'16	6'24	6'15	8'55	11'24	17'13	30'28	70'11	184'77
Pop. (-80-)	—	34,354	951	854	917	842	834	4328	3979	3631	3307	3124	4040	3987	3194	2187	1096	201
CAUSES	21'40	7384	1780	547	223	176	127	2833	267	151	219	192	423	448	547	850	867	558
Box - -	0'07	24	2	1	-	-	1	4	4	2	3	-	5	1	3	1	-	-
Fever - -	0'04	118	35	42	14	14	10	101	10	1	-	-	14	5	-	-	-	-
Fever - -	0'06	265	19	67	53	43	41	195	80	12	2	3	3	-	-	-	-	-
Fever - -	0'09	32	1	2	6	5	3	17	10	1	3	-	1	-	-	-	-	-
Ang-cough	0'40	128	65	42	12	9	6	134	4	-	-	-	-	-	-	-	-	-
Fever - -	0'05	17	-	-	1	-	-	1	1	1	1	2	4	3	2	-	2	-
Fever - -	0'56	122	4	5	4	3	3	19	10	11	13	10	14	17	10	13	4	1
Cont. Fer.	0'12	41	-	4	3	2	3	11	3	4	2	-	4	5	-	2	4	1
Fever - -	0'10	34	-	-	-	-	-	-	-	-	-	6	12	13	3	-	-	-
and Dys.	0'78	169	164	81	4	5	3	204	9	-	-	1	2	2	4	15	31	18
- - -	0'01	8	-	-	-	-	1	1	1	-	-	1	1	-	1	2	1	-
- - -	0'53	115	-	-	-	-	1	1	-	-	1	2	4	14	27	56	21	9
- - -	0'06	27	6	3	-	1	2	12	-	4	4	1	3	1	-	2	-	-
Desent.	0'30	103	39	18	12	4	1	94	2	3	1	-	-	-	-	-	-	-
- - -	0'19	73	9	7	3	3	3	24	7	31	101	101	151	121	92	58	31	2
Phalua -	0'42	144	61	34	7	10	11	123	16	3	1	-	-	-	-	1	-	-
vous Syst.	2'05	1012	583	62	29	17	11	592	18	23	12	14	24	31	62	116	120	78
inary - -	1'47	504	2	-	-	-	-	2	10	8	15	10	57	53	81	129	115	41
inary - -	4'23	1452	365	139	24	26	11	809	25	7	13	8	31	45	98	343	364	148
ative - -	1'44	498	54	8	3	6	2	75	12	13	11	17	47	75	101	96	25	-
ary - -	0'33	113	2	2	1	-	-	5	1	-	-	3	9	10	29	47	21	9
erative -	0'05	16	-	-	-	-	-	-	-	1	1	2	8	2	7	-	-	-
th - -	0'14	43	-	-	-	-	-	-	-	-	2	9	15	21	1	-	-	-
- - -	0'09	30	-	-	-	-	-	-	-	-	1	-	5	10	4	5	-	-
tolence -	0'49	167	19	10	9	6	6	53	16	18	8	4	14	14	16	14	7	3
CAUSES	3'79	1308	537	191	33	21	8	792	24	8	15	5	21	32	47	85	145	218

Deaths of Infants (under one to 1000 Births) } 158 Marriages - 1,945 Annual Rate (Persons Married - 11'32
Births } 11,263 per 1000 living (Births - 32'79

443.—STOCKPORT.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
DEATHS (PER 1000)	—	24'73	—	—	—	—	—	80'33	7'88	3'83	5'92	7'89	9'56	14'14	21'97	43'52	56'40	188'81
Pop. (-80-)	—	107,433	3050	2612	2804	2656	2006	13794	12006	11338	10908	10013	10505	12793	9676	6393	3116	891
CAUSES	24'73	26,570	6062	2150	927	629	413	11081	946	434	646	790	1578	1800	2126	2782	2095	1653
Box - -	0'08	91	7	1	2	3	1	14	7	4	17	13	12	13	4	-	1	-
Fever - -	0'41	445	184	167	65	40	22	422	22	-	1	-	-	-	-	-	-	-
Fever - -	1'12	1198	81	161	212	223	168	823	294	41	11	3	8	8	1	1	-	-
Fever - -	0'12	159	7	17	18	14	14	70	59	10	2	3	5	5	5	9	-	-
Ang-cough	0'45	484	214	149	65	27	13	670	14	-	-	-	-	-	-	-	-	-
Fever - -	0'07	72	-	1	1	1	1	4	12	10	6	5	8	8	6	3	1	-
Fever - -	0'40	425	9	16	22	21	21	89	10	31	43	42	49	35	53	52	7	1
Cont. Fer.	0'12	127	7	8	13	3	8	39	23	7	8	7	12	9	6	10	4	2
Fever - -	0'09	95	-	-	-	-	-	-	-	-	6	23	36	23	-	-	-	-
and Dys.	1'35	1454	973	229	37	10	8	1248	8	3	3	10	11	18	40	26	34	-
- - -	0'01	14	4	-	-	-	-	4	-	-	-	-	-	3	1	1	3	-
- - -	0'40	426	1	-	-	-	-	1	-	-	2	3	23	64	108	108	83	12
- - -	0'11	114	34	16	6	6	4	66	5	9	5	2	9	8	5	4	-	-
Desent.	0'28	393	145	76	22	8	6	245	22	10	8	1	3	2	-	-	-	-
- - -	2'27	2414	25	26	12	7	5	78	54	72	293	375	622	484	270	124	61	7
Phalua -	0'35	371	151	99	50	19	8	239	23	10	2	1	-	1	-	-	-	-
vous Syst.	2'20	3548	1272	232	110	32	45	1680	81	39	35	30	90	180	296	402	438	229
inary - -	1'43	1538	5	-	3	-	1	9	19	34	29	46	121	191	296	396	390	197
inary - -	5'21	1295	551	142	102	47	157	87	25	33	44	158	265	323	523	593	812	-
ative - -	1'29	1291	143	28	21	13	12	235	18	34	28	35	90	146	118	361	191	14
ary - -	0'25	377	12	14	6	5	5	49	16	14	8	22	36	41	58	64	48	31
erative -	0'03	37	1	-	-	-	-	1	-	-	-	7	10	21	8	7	1	-
th - -	0'12	128	-	-	-	-	-	-	-	-	3	20	36	46	5	-	-	-
- - -	0'09	95	-	-	-	-	-	-	-	-	4	5	16	25	21	18	8	-
tolence -	0'85	712	29	81	21	27	17	170	46	41	54	39	90	67	73	71	43	51
CAUSES	4'76	5110	2663	587	93	48	29	2894	84	39	51	48	118	159	237	309	495	721

Deaths of Infants (under one to 1000 Births) } 182 Marriages - 10,879 Annual Rate (Persons Married - 29'25
Births } 38,356 per 1000 living (Births - 35'79

444.—MACCLESFIELD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	23·25	—	—	—	—	—	62·92	5·65	3·72	6·21	8·45	10·15	14·79	20·72	37·73	78·84	150·9
Mean Pop. 1871-80	—	60,676	1594	1452	1503	1451	1506	7500	6917	6310	6034	5112	5817	7023	6072	4337	2292	726
ALL CAUSES	23·25	11,105	3027	908	308	254	160	4723	391	235	375	432	844	1039	1258	1636	1807	130
Small-pox	0·03	21	1	—	—	—	—	3	—	2	3	4	5	3	1	—	—	—
Measles	0·39	235	77	85	39	22	3	226	8	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·61	371	25	58	66	69	45	254	88	20	4	3	2	—	—	—	—	—
Diphtheria	0·09	56	3	5	5	9	8	39	15	6	—	1	2	—	—	—	—	—
Whooping-cough	0·34	203	103	61	22	9	7	202	6	—	—	—	—	—	—	—	—	—
Typhus	0·05	23	—	—	—	2	1	3	4	1	2	1	6	—	7	1	2	1
Enteric Fever	0·22	136	—	3	8	4	2	17	13	11	17	16	21	9	10	12	5	2
Simple Cont. Fev.	0·10	69	2	2	—	7	4	15	6	4	5	3	5	4	4	5	6	2
Puerp. Fever	0·07	42	—	—	—	—	—	—	—	—	3	10	17	13	—	—	—	—
Diarr. and Dys.	0·78	475	270	50	18	7	5	330	4	4	3	4	8	9	10	20	37	26
Cholera	0·01	8	4	1	—	—	—	5	1	—	—	—	1	—	—	—	—	—
Cancer	0·57	344	—	—	—	—	—	—	—	1	3	1	14	42	80	92	73	29
Scrofula	0·27	163	56	31	11	7	3	168	5	4	13	8	4	6	9	5	3	—
Tuberc. Mesent.	0·21	121	48	21	7	9	5	90	6	11	4	2	4	2	5	2	3	—
Phthisis	2·58	1566	10	7	5	5	1	28	25	50	176	224	336	307	216	126	47	11
Hydrocephalus	0·54	203	59	30	27	18	14	154	27	15	2	2	2	2	—	1	—	—
Diseases of Nervous Syst.	3·56	2160	682	108	39	26	14	869	43	16	27	40	99	183	171	249	301	162
Circulatory "	2·05	1212	8	—	—	—	—	2	11	13	27	23	25	67	205	329	338	102
Respiratory "	4·18	2535	527	238	62	32	23	862	39	18	17	23	67	120	329	324	684	237
Digestive "	1·23	623	52	6	2	4	69	19	7	13	14	26	73	116	159	159	82	—
Urinary "	0·43	264	1	2	1	1	—	5	3	3	6	7	15	28	39	60	67	28
Generative "	0·07	44	—	—	—	—	—	—	—	—	1	1	1	7	8	14	8	4
Childbirth	0·11	65	—	—	—	—	—	—	—	—	3	10	23	29	—	—	—	—
Suicide	0·09	56	—	—	—	—	—	—	—	—	1	2	5	13	18	4	10	3
Other Violence	0·50	394	15	15	16	9	8	61	32	21	11	8	26	26	29	46	28	16
OTHER CAUSES	4·47	2699	1084	178	98	24	17	1229	34	19	29	25	53	66	102	132	227	89

Deaths of Infants (under
one) to 1000 Births . . . 159Marriages . . . 5,433
Births . . . 19,920Annual Rate { Persons Married . . . 17·92
per 1000 living { Births . . . 33·63

445.—ALTRINCHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	17·94	—	—	—	—	—	46·77	5·81	3·53	4·04	5·24	7·97	10·36	16·17	30·04	71·68	150·2
Mean Pop. 1871-80	—	54,406	1456	1378	1364	1420	1373	6001	6282	5725	5348	5154	5176	6284	4693	3232	1797	679
ALL CAUSES	17·94	9702	2034	579	313	192	152	3270	365	202	248	270	652	651	759	986	1288	167
Small-pox	0·17	50	5	1	1	3	2	12	9	12	7	9	24	10	4	2	1	—
Measles	0·12	122	25	42	23	13	8	111	9	1	—	—	—	—	1	—	—	—
Scarlet Fever	0·61	334	12	48	50	41	45	196	93	27	4	5	3	3	—	—	—	—
Diphtheria	0·18	98	10	3	12	11	10	46	35	9	6	—	1	1	—	—	—	—
Whooping-cough	0·39	210	76	67	29	16	8	196	14	—	—	—	—	—	—	—	—	—
Typhus	0·05	27	—	—	1	—	—	1	3	3	2	4	8	2	3	—	1	—
Enteric Fever	0·15	79	2	2	3	5	—	12	10	4	8	8	9	8	4	9	6	1
Simple Cont. Fev.	0·05	27	—	—	2	1	3	6	3	3	2	3	3	1	1	—	4	1
Puerp. Fever	0·09	47	—	—	—	—	—	—	—	—	1	14	14	17	1	—	—	—
Diarr. and Dys.	0·65	354	227	40	12	3	1	283	4	1	—	3	1	4	4	10	21	25
Cholera	0·01	5	2	—	—	—	—	2	—	—	—	—	—	—	1	2	—	—
Cancer	0·47	258	—	—	—	—	—	—	—	1	—	—	5	27	57	65	75	25
Scrofula	0·08	46	11	9	4	4	3	31	3	4	2	—	2	1	3	—	—	—
Tuberc. Mesent.	0·08	45	11	11	9	1	1	33	3	3	1	1	—	1	1	2	—	—
Phthisis	1·92	1047	19	8	6	6	3	42	16	31	114	127	275	197	135	87	19	6
Hydrocephalus	0·24	133	39	35	12	8	8	102	20	4	2	—	1	3	1	—	—	—
Diseases of Nervous Syst.	2·42	1318	413	67	52	18	12	542	50	24	11	19	44	54	91	131	214	165
Circulatory "	1·47	801	5	—	—	—	—	5	11	20	39	11	47	75	104	185	225	94
Respiratory "	3·54	1761	377	151	66	29	15	635	34	3	15	17	51	79	120	211	343	245
Digestive "	1·12	607	51	8	1	3	1	64	13	16	6	7	37	42	94	119	132	45
Urinary "	0·33	181	1	—	—	—	—	3	7	4	2	9	8	17	31	32	51	22
Generative "	0·03	17	—	—	—	—	—	—	—	—	—	—	1	2	5	5	2	2
Childbirth	0·08	45	—	—	—	—	—	—	—	—	—	5	24	11	2	—	—	—
Suicide	0·06	31	—	—	—	—	—	—	—	—	1	1	4	6	8	8	5	—
Other Violence	0·53	291	18	15	13	12	12	70	14	16	19	16	41	24	22	22	25	13
OTHER CAUSES	3·50	1793	732	69	36	16	16	869	34	16	16	12	42	45	62	82	168	419

Deaths of Infants (under
one) to 1000 Births . . . 118Marriages . . . 3,206
Births . . . 17,327Annual Rate { Persons Married . . . 11·79
per 1000 living { Births . . . 31·06

446.—RUNCORN.

—	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AGE DEATHS (PER 1000)	—	20.76	—	—	—	—	—	59.34	6.46	3.48	5.46	6.28	8.50	11.07	18.80	31.61	66.34	169.51
an Pop. } 71-80	—	32,279	1039	929	954	908	899	4729	4130	3502	3043	2853	4552	5549	2679	1781	1007	564
L CAUSES	20.76	6700	1721	529	251	175	130	2806	267	125	100	182	387	414	505	563	608	617
ill-pox - -	0.10	33	1	-	-	4	4	9	5	1	3	7	6	1	-	1	-	-
et Fever - -	0.44	141	34	48	21	14	8	125	15	1	-	-	-	-	-	-	-	-
et Fever - -	0.82	264	26	39	51	39	31	186	64	5	4	1	3	-	1	-	-	-
et Fever - -	0.50	96	8	6	12	9	10	45	31	14	3	2	1	-	-	-	-	-
oping-cough	0.50	160	74	48	23	7	7	139	1	-	-	-	-	-	-	-	-	-
us - -	0.04	12	-	-	-	-	-	-	8	2	3	1	2	-	-	-	1	-
ic Fever - -	0.21	68	1	-	1	1	3	6	8	6	7	2	10	9	6	8	5	1
le Cont. Fev.	0.15	48	1	3	2	1	-	7	6	4	2	3	6	8	5	2	3	2
p. Fever - -	0.08	25	-	-	-	-	-	-	-	-	2	4	10	9	-	-	-	-
r. and Dys. -	1.04	337	905	52	12	7	1	277	3	-	-	2	3	5	8	4	14	21
ra - -	0.01	3	3	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
er - -	0.45	150	-	-	-	-	-	-	-	1	-	-	1	24	34	40	25	19
ala - -	0.08	26	3	3	-	-	-	6	2	1	5	3	4	1	4	-	-	-
a Mesent. -	0.20	63	28	18	8	-	-	49	5	2	-	-	-	-	3	1	-	-
itis - -	1.77	571	12	14	8	2	-	31	15	11	49	78	139	118	80	25	7	2
cephalus -	0.17	55	18	12	8	8	5	49	4	1	1	-	-	-	-	-	-	-
Nervous Syst.	2.59	836	239	50	24	13	11	587	27	7	9	15	25	20	68	84	122	66
irculatory -	1.00	334	1	-	-	-	1	2	1	7	10	3	24	55	85	67	92	36
Respiratory -	3.60	1256	322	140	38	21	17	241	19	12	4	22	32	49	102	137	155	128
igestive - -	0.96	310	30	6	4	5	7	52	9	4	10	5	13	42	44	62	44	25
inary - -	0.39	126	2	2	2	3	2	11	2	3	3	3	10	14	23	20	12	12
enerative -	0.03	9	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	4
Birth - -	0.10	31	-	-	-	-	-	-	-	-	2	5	14	9	-	-	-	-
de - -	0.05	16	-	-	-	-	-	-	-	-	2	-	1	-	4	3	4	2
r Violence -	1.05	356	18	9	18	11	8	64	32	34	28	22	56	37	32	22	13	8
ER CAUSES -	4.42	1450	645	79	31	27	15	797	15	9	16	6	25	53	39	63	128	290

Deaths of Infants (under
one) to 1000 Births - } 141Marriages - 1,968
Births - 12,205Annual Rate (Persons Married
per 1000 living (Births - } 12.19
• 37.81

447.—NORTHWICH.

ANNUAL DEATH RATE PER 1000	—	20.95	—	—	—	—	—	61.55	6.55	3.63	4.58	6.17	7.77	10.65	15.03	30.07	68.64	171.43
POPULATION 1971-80	—	40,678	1300	1207	1242	1224	1144	6117	5423	4651	3768	3338	5484	4384	3350	2231	1333	490
ALL CAUSES	20.95	8521	2430	668	297	197	173	3765	355	169	172	206	426	467	505	701	915	840
Diphtheria	0.07	28	3	—	1	—	—	4	2	—	3	1	0	5	1	2	—	1
Epidemic Typhus	0.53	216	31	79	35	16	37	193	16	—	2	—	—	—	—	—	—	—
Epidemic Typhus	0.95	385	17	50	16	67	44	264	90	21	2	1	5	3	1	—	—	—
Epidemic Typhus	0.17	70	6	4	3	8	12	35	26	6	5	—	—	—	—	—	—	—
Epidemic Typhus	0.46	189	102	52	14	9	4	181	8	—	—	—	—	—	—	—	—	—
Epidemic Typhus	0.03	13	1	—	1	—	—	2	—	1	2	—	4	2	—	1	—	1
Epidemic Typhus	0.23	134	3	5	4	4	4	20	12	13	10	15	22	11	13	6	1	1
Epidemic Typhus	0.04	16	—	1	—	1	—	2	3	—	2	—	—	3	1	2	3	—
Epidemic Typhus	0.08	33	—	—	—	—	—	—	—	5	7	9	10	2	—	—	—	—
Epidemic Typhus	0.90	305	216	47	9	8	5	585	8	2	2	3	3	1	1	33	17	—
Epidemic Typhus	0.02	7	—	—	—	1	2	2	1	1	—	—	—	—	—	—	—	—
Epidemic Typhus	0.42	171	—	—	—	—	—	—	—	—	—	—	7	17	40	49	29	19
Epidemic Typhus	0.08	34	6	4	1	—	2	13	5	2	3	1	2	1	5	2	—	—
Epidemic Typhus	0.50	205	121	32	17	9	4	193	8	2	—	—	3	4	2	1	—	—
Epidemic Typhus	1.55	629	6	8	2	6	3	24	14	25	62	89	161	167	76	60	89	—
Epidemic Typhus	0.25	102	32	19	12	5	4	72	13	9	5	1	—	2	—	—	—	—
Epidemic Typhus	2.91	1189	576	68	18	12	17	691	23	9	7	11	29	20	65	167	171	82
Epidemic Typhus	1.34	547	—	—	—	—	—	—	6	9	8	13	34	28	77	129	139	24
Epidemic Typhus	3.23	1312	400	165	31	23	14	678	11	7	7	11	25	67	84	135	204	131
Epidemic Typhus	0.96	100	35	4	5	1	5	48	13	5	6	12	21	35	48	92	65	21
Epidemic Typhus	0.30	124	1	—	—	5	3	9	6	8	4	6	8	12	21	13	39	15
Epidemic Typhus	0.04	18	—	—	—	—	—	—	—	—	—	1	6	5	4	2	2	—
Epidemic Typhus	0.07	29	—	—	—	—	—	—	—	—	—	3	11	14	—	—	—	—
Epidemic Typhus	0.07	27	—	—	—	—	—	—	—	—	—	1	—	—	7	8	1	—
Epidemic Typhus	0.91	372	8	19	27	19	14	81	41	44	26	23	24	28	23	20	19	19
ALL CAUSES	4.78	1923	846	91	56	23	19	1013	36	7	9	7	20	27	40	60	190	67

Deaths of Infants (under
one) to 1000 Births - } 153Marriages - 2,700
Births - 15,877Annual Rate (Persons Married
per 1000 living (Births - } 13.32
• 39.03

448.—CONGLETON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	20.73	—	—	—	—	—	57.78	4.04	4.31	6.28	8.39	9.02	12.23	15.30	31.21	72.20	169.5
Mean Pop. 1871-80	—	87,145	1109	945	1027	999	970	5050	4721	4201	3773	3135	4001	4054	3261	2313	1265	479
ALL CAUSES	20.73	7702	1897	506	243	160	112	2018	233	181	237	263	442	496	499	722	914	797
Small-pox	0.04	15	2	1	—	—	—	3	—	—	1	3	2	—	1	3	—	—
Measles	0.33	122	29	43	25	11	7	115	5	2	—	—	—	—	—	—	—	
Scarlet Fever	0.73	270	18	46	56	45	40	205	46	10	4	—	4	1	—	—	—	
Diphtheria	0.09	33	1	4	6	3	2	16	9	1	2	—	2	1	—	1	—	
Whooping-cough	0.41	158	71	48	20	10	7	181	2	—	—	—	—	—	—	—	—	
Typhus	0.08	29	—	—	—	—	1	1	5	7	3	8	4	3	—	—	—	
Enteric Fever	0.43	160	1	5	8	6	4	24	24	21	23	18	23	14	5	7	6	
Simple Cont. Fev.	0.03	12	—	—	1	2	—	3	—	2	—	—	—	1	—	3	—	
Puerp. Fever	0.10	36	—	—	—	—	—	—	—	—	2	8	12	14	—	—	—	
Diarr. and Dys.	0.56	208	144	16	4	3	1	168	3	—	—	—	—	—	3	5	16	
Cholera	0.02	6	1	1	1	—	—	3	1	—	—	—	—	1	1	—	—	
Cancer	0.59	144	—	—	—	3	—	—	4	4	—	1	4	20	30	38	33	
Scrofula	0.30	113	58	20	5	3	3	89	3	5	4	1	3	3	4	2	1	
Tuberc Mesent.	0.46	148	82	30	10	7	—	129	2	—	—	—	2	3	3	—	—	
Phthisis	2.18	811	5	4	2	1	3	13	11	46	115	136	185	133	95	57	17	
Hydrocephalus	0.38	143	51	28	16	10	10	115	14	9	2	1	—	—	1	—	—	
Diseases of																		
Nervous Syst.	2.39	889	315	46	19	11	6	394	23	19	16	10	24	37	53	98	147	
Circulatory	1.16	431	1	—	—	—	—	2	6	5	10	10	28	31	70	101	114	
Respiratory	3.50	1301	325	195	29	18	7	504	18	6	6	10	42	63	78	124	243	
Digestive	1.47	471	60	12	8	4	4	88	10	10	8	11	16	49	65	105	85	
Urinary	0.31	117	4	—	—	—	—	5	6	1	3	6	6	13	10	20	23	
Generative	0.06	19	—	—	—	—	—	—	—	1	—	—	5	2	7	2	—	
Childbirth	0.12	46	—	—	—	—	—	—	—	—	2	10	16	17	1	—	—	
Suicide	0.07	27	—	—	—	—	—	—	—	—	—	—	4	7	6	5	4	
Other Violence	0.65	243	5	8	14	6	5	38	19	18	24	14	29	79	20	22	18	
OTHER CAUSES	4.74	1757	726	76	19	20	19	833	25	15	10	18	30	35	40	69	196	60

Deaths of Infants (under
one) to 1000 Births : 145Marriages : 2,545
Births : 13,117Annual Rate { Persons Married : 13.70
per 1000 living { Births : 85.31

449.—NANTWICH

ANNUAL DEATH RATE PER 1000	—	18.57	—	—	—	—	—	53.51	6.42	3.15	4.62	6.39	7.39	9.51	14.65	27.81	38.86	157.99
Mean Pop. 1871-80	—	57,666	1868	1639	1693	1669	1591	8463	7558	6451	5481	4980	8123	6301	4744	3143	1760	719
ALL CAUSES	18.57	10,711	2789	885	382	262	212	4530	485	203	253	315	600	599	695	874	1036	1121
Small-pox	0.13	77	8	1	2	1	4	16	6	2	3	10	15	11	9	5	—	—
Measles	0.31	181	42	72	29	17	11	171	9	1	—	—	—	—	—	—	—	—
Scarlet Fever	1.05	605	50	83	103	83	77	394	156	27	12	3	7	2	—	—	—	—
Diphtheria	0.12	68	5	6	4	13	7	35	16	5	4	3	1	1	2	—	—	—
Whooping-cough	0.28	162	89	45	17	5	4	169	2	—	—	—	—	—	—	—	1	—
Typhus	0.03	19	—	2	—	1	2	5	3	3	3	1	—	1	3	—	—	—
Enteric Fever	0.35	202	12	12	15	5	9	51	27	11	20	24	25	14	14	9	7	—
Simple Cont. Fev.	0.08	45	—	3	—	—	3	13	—	5	—	—	—	—	—	—	—	—
Puerp. Fever	0.04	44	—	—	—	—	—	—	—	—	2	11	17	13	4	1	—	—
Diarr. and Dys.	0.63	364	204	66	10	5	6	291	8	1	1	1	4	4	6	2	21	21
Cholera	0.02	10	1	2	—	1	—	4	—	—	—	—	—	1	2	1	—	—
Cancer	0.84	198	—	—	—	—	—	—	1	—	—	2	8	21	32	67	48	19
Scrofula	0.08	47	10	1	—	—	1	13	6	3	1	3	5	5	5	4	2	—
Tuberc. Mesent.	1.55	893	212	45	17	9	4	287	37	8	8	1	4	2	4	—	—	—
Phthisis	1.55	893	19	10	3	5	2	89	24	43	67	113	237	169	105	58	25	3
Hydrocephalus	0.24	140	49	34	10	11	9	113	14	4	3	5	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.61	1504	634	108	43	18	14	817	83	17	16	12	39	40	85	139	153	130
Circulatory	1.24	713	1	—	2	1	3	7	12	10	15	18	32	62	104	164	167	91
Respiratory	3.08	1775	462	245	63	39	20	829	35	12	11	14	63	78	97	209	242	257
Digestive	1.52	321	88	19	11	6	4	128	18	8	14	22	35	48	90	97	95	43
Urinary	0.29	169	—	3	—	—	—	7	—	—	—	1	6	12	14	23	31	21
Generative	0.06	32	—	—	—	—	—	—	—	—	—	1	3	8	5	6	3	—
Childbirth	0.11	64	—	—	—	—	—	—	—	—	2	12	25	23	—	—	—	—
Suicide	0.06	33	—	—	—	—	—	—	—	—	—	3	2	8	—	—	—	—
Other Violence	0.53	332	16	31	23	11	7	85	26	13	22	27	31	55	27	38	21	17
OTHER CAUSES	3.51	2121	867	97	29	27	23	1061	51	17	22	19	29	36	61	80	213	107

Deaths of Infants (under
one) to 1000 Births : 135Marriages : 4,059
Births : 20,692Annual Rate { Persons Married : 14.03
per 1000 living { Births : 38.83

450.—CHESTER.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7
ANNUAL DEATH RATE PER 1000	—	21.03	—	—	—	—	—	32.41	0.23	3.75	5.21	8.22	10.97	14.34	19.60	33.01	66.50	107
Mean Pop. 1871-80	—	73,336	2000	1876	1969	1922	1924	9781	8694	8274	7203	6410	10374	8213	6272	4432	2948	16
ALL CAUSES	21.03	15,422	3164	993	454	293	222	5126	542	310	375	527	1138	1178	1229	1503	1761	17
Small-pox	0.11	83	11	2	—	4	6	23	13	4	4	17	12	7	2	—	—	—
Measles	0.22	197	46	82	24	14	7	172	20	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.68	500	27	78	89	78	61	337	130	22	3	3	6	2	1	—	—	—
Diphtheria	0.17	126	9	9	10	16	12	86	30	20	7	5	3	2	1	1	1	—
Whooping-cough	0.39	287	127	96	24	19	6	181	5	1	—	—	—	—	—	—	—	—
Typhus	0.07	53	—	—	—	—	1	1	5	5	8	3	10	8	10	3	1	—
Enteric Fever	0.26	189	5	10	6	6	6	31	24	23	20	16	32	15	16	7	3	—
Simple Cont. Fev.	0.14	91	5	2	3	3	2	13	11	7	9	8	9	7	9	6	3	—
Fuery. Fever	0.09	65	—	—	—	—	—	—	—	—	—	—	14	41	7	—	—	—
Diarr. and Dys.	0.79	580	282	69	13	4	2	470	5	3	—	3	1	8	8	19	69	—
Cholera	0.01	11	5	1	—	—	—	6	—	—	1	—	—	1	1	—	—	—
Cancer	0.56	414	—	—	—	—	—	—	1	2	—	8	12	30	90	130	94	—
Scrofula	0.11	74	16	7	5	2	3	35	9	6	8	5	9	1	1	1	—	—
Tuberc. Mesent.	0.10	71	22	19	4	1	1	47	13	6	2	2	1	1	1	—	—	—
Phthisis	2.22	1024	18	16	10	4	3	31	24	47	152	240	433	338	176	99	43	—
Hydrocephalus	0.32	233	66	60	25	18	11	10	44	13	4	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	3.35	2140	638	111	57	27	13	1056	42	26	14	36	121	186	205	233	301	—
Circulatory	1.55	1137	2	1	1	1	1	6	6	24	19	25	78	145	160	233	268	—
Respiratory	3.22	2261	517	258	84	38	29	962	43	13	24	26	83	124	205	205	330	—
Digestive	1.10	807	118	25	10	8	7	168	12	10	15	29	45	74	109	159	143	—
Urinary	0.42	335	2	1	3	2	2	10	7	5	8	15	44	20	64	46	51	—
Generative	0.06	43	—	1	—	—	—	1	—	—	2	1	9	9	11	2	4	—
Childbirth	0.10	72	—	—	—	—	—	—	—	—	3	9	37	25	3	—	—	—
Suicide	0.04	44	—	—	—	—	—	—	—	—	1	1	9	7	14	8	2	—
Other Violence	0.79	579	35	21	17	17	23	113	49	31	35	51	65	59	82	53	41	—
OTHER CAUSES	4.08	2295	905	150	55	29	20	1159	57	41	33	23	60	63	92	195	397	—

Deaths of Infants (under one) to 1000 Births } 131

Marriages - 6,250
Births - 24,233Annual Rate { Persons Married - 16.96
per 1000 living { Births - 33.04

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

451.—WIRRAL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7
ANNUAL DEATH RATE PER 1000	—	15.72	—	—	—	—	—	40.22	5.73	3.37	4.23	5.16	6.68	10.55	13.40	26.09	61.01	101
Mean Pop. 1871-80	—	25,674	717	659	706	673	651	3406	3060	2882	2931	2386	3740	2731	2051	1416	761	—
ALL CAUSES	15.72	4035	821	267	130	82	70	1370	176	97	124	123	250	288	276	378	473	—
Small-pox	0.06	16	4	—	—	—	1	5	—	—	—	3	3	5	—	1	—	—
Measles	0.14	36	11	15	4	1	2	33	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.58	150	12	21	27	20	18	98	37	8	1	3	1	—	—	1	—	—
Diphtheria	0.29	99	8	17	16	13	6	65	30	6	2	—	1	—	—	—	—	—
Whooping-cough	0.37	95	40	28	15	7	4	94	1	—	—	—	—	—	—	—	—	—
Typhus	0.03	7	—	—	—	—	—	—	—	1	1	1	1	3	—	—	—	—
Enteric Fever	0.17	43	—	1	2	—	—	3	6	4	—	—	—	—	—	2	1	—
Simple Cont. Fev.	0.06	16	—	1	—	—	—	1	2	1	—	1	2	2	—	2	2	—
Fuery. Fever	0.07	17	—	—	—	—	—	—	—	—	1	6	9	1	—	—	—	—
Diarr. and Dys.	0.63	161	106	21	8	1	1	131	—	—	—	1	1	1	1	4	8	—
Cholera	0.02	5	2	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—
Cancer	0.41	106	—	—	—	—	—	—	—	—	—	2	1	11	22	31	30	—
Scrofula	0.11	28	6	3	1	—	2	12	1	—	4	3	1	1	3	—	—	—
Tuberc. Mesent.	0.20	62	16	12	4	3	2	37	8	4	1	—	1	1	—	—	—	—
Phthisis	1.65	432	6	4	1	1	4	16	9	22	52	52	99	61	53	36	11	—
Hydrocephalus	0.28	12	15	19	6	7	7	54	11	2	3	—	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	1.95	701	154	25	17	6	3	203	21	10	12	4	16	19	29	50	84	—
Circulatory	1.20	304	1	—	—	1	1	3	7	7	8	4	16	22	34	71	77	—
Respiratory	2.53	649	166	54	22	6	8	236	9	4	7	8	25	30	46	60	97	—
Digestive	0.93	328	23	3	2	3	1	31	4	3	6	8	13	23	24	50	51	—
Urinary	0.42	118	—	4	1	1	—	6	1	5	2	5	5	11	16	33	33	—
Generative	0.05	12	—	—	—	—	—	—	—	2	—	2	—	—	5	4	—	—
Childbirth	0.11	28	—	—	—	—	—	—	—	—	3	9	14	9	—	—	—	—
Suicide	0.03	13	—	—	—	—	—	—	—	—	—	1	3	5	2	3	—	—
Other Violence	0.63	163	8	9	5	4	4	30	9	13	12	14	50	12	13	10	—	—
OTHER CAUSES	2.65	679	244	31	6	6	5	292	17	5	3	7	14	27	31	55	85	—

Deaths of Infants (under one) to 1000 Births } 104

Marriages - 1,007
Births - 7,878Annual Rate { Persons Married - 7.54
per 1000 living { Births - 33.04

452.—BIRKENHEAD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	20.39	—	—	—	—	—	62.44	7.95	3.54	4.53	6.31	8.64	12.85	21.25	38.90	68.97	164.1
Mean Pop. 1871-80	—	91,445	2865	2548	2680	2515	2503	13109	11026	9490	8806	8806	15024	11015	7312	4366	1966	68
ALL CAUSES	20.39	18,645	4576	1802	835	589	383	8185	877	334	390	558	1298	1419	1554	1700	1356	963
Small-pox	0.21	192	83	4	3	6	5	31	21	13	12	23	29	22	8	3	—	—
Measles	0.38	487	92	171	98	61	27	434	27	2	—	1	—	—	—	—	—	—
Scarlet Fever	1.04	947	61	198	179	148	112	621	238	46	10	13	13	6	—	—	—	—
Diphtheria	0.22	204	20	39	25	28	33	166	52	8	3	1	2	—	—	—	—	—
Whooping-cough	0.66	516	219	173	58	25	15	403	23	—	—	—	—	—	—	—	—	—
Typhus	0.15	136	3	1	1	—	—	5	2	4	9	16	32	22	24	15	7	—
Enteric Fever	0.28	235	5	9	7	9	7	37	34	18	15	6	34	32	21	14	4	1
Simple Cont. Fev.	0.12	108	1	—	—	—	2	2	10	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.05	59	—	—	—	—	—	—	—	—	2	18	39	11	—	—	—	—
Diarr. and Dys.	0.87	796	481	187	29	10	2	659	16	6	1	4	8	8	25	26	21	22
Cholera	0.03	29	4	—	—	1	1	19	2	8	—	1	2	1	1	6	2	1
Cancer	0.28	348	—	2	1	2	1	6	2	—	1	3	15	48	98	103	82	29
Scrofula	0.15	135	39	85	12	7	6	90	16	7	5	6	5	2	1	—	—	—
Tuberc Mesent.	1.29	187	57	53	11	3	5	149	39	18	17	28	39	3	—	—	—	—
Phthisis	1.79	1640	14	16	12	7	5	39	42	140	209	469	861	361	217	91	60	1
Hydrocephalus	0.32	185	84	93	32	28	13	253	33	6	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2.53	2116	807	214	94	53	33	1201	73	37	22	40	68	198	173	246	227	121
Circulatory	1.90	916	4	2	4	—	1	11	23	21	28	26	45	123	150	214	149	61
Respiratory	3.54	2656	741	355	193	74	46	1302	61	16	39	26	104	291	350	410	353	194
Digestive	1.09	1059	216	45	24	15	6	309	18	17	28	13	39	122	156	184	114	23
Urinary	0.49	367	7	5	4	11	8	35	20	12	11	11	35	45	55	77	42	14
Generative	0.05	43	—	—	—	—	—	—	—	—	1	1	5	8	9	9	2	1
Childbirth	0.11	161	—	—	—	—	—	—	—	—	2	18	48	83	—	—	—	—
Suicide	0.07	65	—	—	—	—	—	—	—	—	5	10	12	12	9	—	4	1
Other Violence	0.79	725	41	40	22	27	12	142	47	35	31	33	110	115	91	65	24	14
OTHER CAUSES	4.62	5618	1689	281	89	61	36	2105	99	25	27	34	87	110	145	152	242	62

Deaths of Infants (under one) to 1000 Births } 133

Marriages - 6,197
Births - 34,455Annual Rate { Persons Married - 13.55
per 1000 living { Births - 37.89

453.—LIVERPOOL.

[LANCASHIRE

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	33.57	—	—	—	—	—	110.29	12.62	5.60	6.80	9.95	16.19	24.25	35.77	59.78	99.62	182.1
Mean Pop. 1871-80	—	224,285	6260	4983	5357	5180	5042	26828	23223	21955	21092	22235	30566	30448	20710	12098	4830	125
ALL CAUSES	33.57	75,291	17059	7705	8533	2234	1473	32002	2921	1207	1434	2213	6405	7385	7408	7190	4812	27.1
Small-pox	0.42	962	133	69	58	76	72	401	185	77	42	63	110	59	18	4	1	—
Measles	0.91	202	414	75	376	234	98	1878	141	5	1	3	—	—	—	—	—	—
Scarlet Fever	1.15	248	134	49	470	43	3	1779	119	26	17	22	9	1	—	—	—	—
Diphtheria	0.09	211	19	51	33	55	21	149	38	8	2	4	4	1	—	—	—	—
Whooping-cough	1.00	2441	760	711	332	192	115	2130	108	7	1	—	—	—	—	—	—	—
Typhus	0.58	1801	5	4	8	8	8	27	54	46	102	115	283	291	236	105	35	4
Enteric Fever	0.39	658	11	39	37	29	18	125	75	42	65	63	103	77	71	43	12	3
Simple Cont. Fev.	0.30	670	53	52	30	58	37	170	85	43	21	31	71	86	60	70	35	8
Puerp. Fever	0.08	172	—	—	—	—	—	—	—	—	9	47	77	39	—	—	—	—
Diarr. and Dys.	1.96	4397	227	1144	83	37	3792	82	18	6	23	46	80	93	149	117	43	—
Cholera	0.04	87	27	12	4	—	1	44	3	2	—	2	10	5	13	5	—	—
Cancer	0.45	1110	2	1	—	1	1	5	2	1	7	7	60	237	297	257	109	39
Scrofula	0.15	133	74	71	34	25	11	113	58	29	12	14	14	5	3	—	—	—
Tuberc Mesent.	0.29	646	265	210	62	37	11	555	33	12	4	3	1	—	—	—	—	—
Phthisis	3.64	1238	81	84	78	42	38	373	217	485	584	3536	2007	1188	469	100	11	—
Hydrocephalus	0.39	868	350	219	101	67	33	725	64	11	6	1	1	—	—	—	—	—
Diseases of Nervous Syst.	3.26	7395	2618	620	281	160	104	1783	239	86	78	98	339	478	620	794	386	20
Circulatory	1.84	4118	11	2	5	5	4	27	48	84	125	136	766	827	865	815	448	125
Respiratory	7.05	15819	3157	1860	719	379	240	6105	329	78	96	109	748	1395	2061	2367	1614	364
Digestive	1.07	2402	358	73	21	29	11	471	64	41	52	76	184	283	453	559	179	16
Urinary	0.61	1338	9	17	14	25	21	86	37	25	35	40	170	270	270	203	121	2
Generative	0.07	159	3	1	—	—	—	4	1	—	2	12	37	41	31	16	11	1
Childbirth	0.09	205	—	—	—	—	—	—	—	—	7	34	95	69	—	—	—	—
Suicide	0.06	141	—	—	—	—	—	—	—	—	5	12	23	34	31	24	5	3
Other Violence	1.81	4082	1105	150	101	89	75	1500	215	115	148	185	486	406	428	328	150	41
OTHER CAUSES	5.93	13539	3255	1259	806	260	185	7416	351	144	113	155	494	576	661	939	1275	119

Deaths of Infants (under one) to 1000 Births } 217

Marriages - 33,468
Births - 78,870Annual Rate { Persons Married - 29.81
per 1000 living { Births - 36.08

455.—WEST DERBY.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upward
ANNUAL DEATH RATE PER 1000	—	23.35	—	—	—	—	—	75.01	8.60	4.26	5.43	6.95	9.81	14.77	22.56	40.48	76.60	161.1
Mean Pop. 1871-80	—	400,613	13,393	11,673	11,748	11,503	11,097	50,474	49,702	42,382	37,630	38,327	60,150	50,538	32,070	18,840	8,403	2,480
ALL CAUSES	23.35	95,951	25,344	10,254	4586	2891	2074	45149	4281	1805	2045	2665	6784	7464	7348	7631	6483	3290
Small-pox	0.53	2160	239	61	90	105	83	578	300	134	153	270	403	208	88	27	5	4
Measles	0.39	2416	508	931	428	230	117	2274	133	15	5	5	—	1	—	—	—	
Scarlet Fever	1.08	4495	234	648	732	650	359	2889	1133	210	60	94	44	21	5	1	—	
Diphtheria	0.17	620	61	88	92	108	92	443	164	51	8	15	6	7	9	3	2	
Whooping-cough	0.76	3103	1140	1707	442	250	123	2970	127	4	1	—	—	1	—	—	—	
Typhus	0.20	805	1	4	4	6	2	17	37	46	54	79	154	168	182	73	20	
Erysipelas	0.30	1216	16	55	66	46	63	240	169	104	117	102	168	151	85	40	30	
Scarlet Cont. Fev.	0.15	632	33	36	32	35	51	167	84	28	37	20	60	70	73	52	21	
Puerp. Fever	0.08	230	—	—	—	—	—	—	—	—	9	69	170	82	—	—	—	
Diarr. and Dys.	1.30	5346	3433	1136	183	49	85	4841	24	9	4	10	25	48	69	93	101	
Cholera	0.03	188	72	24	6	2	1	105	10	2	2	2	10	11	13	18	19	
Cancer	0.41	1674	1	1	1	2	—	5	4	5	7	13	83	267	485	467	977	
Scrophula	0.13	522	186	82	44	27	23	302	45	31	21	12	15	13	6	9	7	
Tuberc. Mesent.	0.39	1478	693	971	151	53	34	1395	75	56	8	11	16	9	10	5	4	
Phtisis	0.37	3708	127	138	73	53	51	442	247	917	775	1085	2345	2213	1506	547	116	
Hydrocephalus	0.47	1917	739	517	533	125	79	1691	158	59	11	5	7	—	—	1	—	
Diseases of Nervous Syst. Circulatory	2.64	10825	3925	949	570	231	144	5622	322	172	147	105	223	374	798	1135	1072	
Respiratory	1.24	5072	22	10	3	19	10	57	81	118	135	151	311	842	944	1070	942	
Digestive	4.21	17632	4704	2517	843	419	239	8722	363	118	112	194	690	1005	1528	2316	1828	
Urinary	0.99	4070	743	146	39	32	39	999	100	75	70	102	363	541	640	624	450	
Generative	0.04	1461	16	20	34	22	28	120	80	45	32	57	234	215	228	228	140	
Childbirth	0.09	379	—	—	—	—	—	—	—	—	16	50	173	135	6	—	—	
Suicide	0.03	308	—	—	—	—	—	—	—	1	5	15	40	52	49	32	11	
Other Violence	0.74	3019	875	124	97	72	68	1236	173	98	116	123	300	297	286	220	115	
OTHER CAUSES	5.94	16231	7574	1389	553	325	220	10096	425	170	129	115	365	437	465	722	1382	

Deaths of Infants (under one) to 1000 Births } 161 Marriages - 31,055 Annual Rate { Persons Married - 15.16
one) to 1000 Births } 161 Births - 157,200 per 1000 living { Births - 38.38

* Including Toxteth Park, which was created a Registration District on 1st January 1881.

456.—PRESCOT.

ANNUAL DEATH RATE PER 1000	—	22.02	—	—	—	—	—	70.51	7.47	3.84	5.62	6.41	9.58	14.77	21.40	39.25	73.50	160.7
Mean Pop. 1871-80	—	105,256	3043	3271	3324	3281	3005	10584	10400	11539	9712	9428	16328	11833	7994	4826	2273	690
ALL CAUSES	22.02	24,126	6510	2678	1200	740	496	11693	1050	443	546	604	1564	1748	1711	1894	1725	1140
Small-pox	0.22	236	57	7	8	9	20	71	32	18	21	23	26	17	7	—	—	1
Measles	0.65	679	130	267	138	69	27	631	44	2	—	—	—	—	—	—	—	—
Scarlet Fever	1.21	1278	85	210	245	217	150	908	267	66	19	8	8	1	1	—	—	—
Diphtheria	0.21	223	22	44	60	59	24	163	33	7	5	2	2	1	—	1	—	—
Whooping-cough	0.53	590	225	178	82	50	19	640	19	1	—	—	—	—	—	—	—	—
Typhus	0.09	94	1	1	2	1	1	6	8	8	9	10	19	14	10	7	3	—
Erysipelas	0.47	497	13	18	14	17	16	78	55	52	52	48	85	34	48	18	8	—
Scarlet Cont. Fev.	0.17	181	6	9	9	13	7	43	26	11	14	9	25	12	17	16	6	—
Puerp. Fever	0.10	108	—	—	—	—	—	—	—	—	—	—	24	49	28	1	—	—
Diarr. and Dys.	1.48	4098	918	373	46	13	12	1362	5	4	7	3	8	7	12	28	22	10
Cholera	0.03	53	8	3	4	2	1	18	1	—	—	—	2	3	3	1	1	—
Cancer	0.29	503	—	—	—	1	—	—	1	3	—	2	—	15	46	77	73	69
Scrophula	0.11	112	87	16	6	6	4	71	8	5	5	3	6	3	4	3	2	—
Tuberc. Mesent.	0.35	341	185	79	59	18	10	310	40	6	2	3	3	—	—	—	—	—
Phtisis	1.80	10098	33	37	13	4	8	67	63	17	164	193	309	455	245	118	28	4
Hydrocephalus	0.42	433	134	131	62	25	18	370	43	12	9	1	3	—	—	—	—	—
Diseases of (Nervous Syst. Circulatory)	2.94	2094	1173	183	107	61	23	1549	83	37	35	76	129	246	251	273	285	150
Respiratory	0.28	1030	2	—	—	1	1	4	19	18	23	20	80	126	180	228	219	75
Digestive	4.26	4486	1168	614	305	102	55	2146	95	30	32	39	143	256	286	316	331	201
Urinary	1.04	1667	197	65	18	16	12	308	33	19	22	21	98	157	160	180	114	38
Generative	0.03	393	1	4	3	2	6	16	11	5	17	8	23	37	49	48	41	23
Childbirth	0.11	111	—	—	—	—	—	—	—	—	1	—	6	6	9	6	3	—
Suicide	0.04	43	—	—	—	—	—	—	—	—	3	4	5	14	10	2	4	2
Other Violence	0.95	1065	47	58	41	28	19	191	53	70	64	93	154	153	94	85	25	29
OTHER CAUSES	4.16	4463	2095	381	173	83	61	2793	103	58	30	41	93	113	140	212	337	191

Deaths of Infants (under one) to 1000 Births } 146 Marriages - 7,601 Annual Rate { Persons Married - 14.44
one) to 1000 Births } 146 Births - 44,529 per 1000 living { Births - 32.31

457.—ORMSKIRK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000	—	20·61	—	—	—	—	—	55·18	7·32	4·14	5·02	6·99	10·24	15·14	18·28	31·45	67·24	134·90
Mean Pop. 1871-80	—	71,261	2001	1830	1929	1911	1765	9436	8387	7629	7192	6713	10533	7827	5915	4314	2464	800
ALL CAUSES	20·61	14,890	3221	950	476	301	259	5207	614	316	404	469	1078	1185	1081	1357	1650	1229
Small-pox	0·20	144	15	6	1	4	4	30	16	8	13	17	33	15	6	5	2	—
Measles	0·18	117	29	45	22	6	5	107	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	0·72	514	23	69	39	69	61	315	158	34	14	5	4	—	—	—	—	—
Diphtheria	0·51	321	14	23	24	30	23	114	74	19	4	1	2	4	—	3	—	—
Whooping-cough	0·25	176	95	43	19	8	4	169	7	—	—	—	—	—	—	—	—	—
Typhus	0·06	44	—	—	—	—	1	1	4	4	4	9	11	4	4	3	—	—
Euteric Fever	0·50	333	1	6	9	12	12	40	41	54	41	49	59	40	29	17	13	1
Simple Cont. Fev.	0·10	72	2	3	4	4	7	22	14	6	4	4	7	—	—	1	—	—
Puerp. Fever	0·07	49	—	—	—	—	—	—	—	—	—	17	23	7	2	—	—	—
Diarr. and Dys.	0·70	499	301	67	16	3	3	390	4	3	3	2	4	7	8	10	37	11
Cholera	0·02	11	2	—	—	—	—	4	—	—	—	—	—	—	4	1	—	1
Cancer	0·33	236	—	—	—	—	1	1	—	—	—	—	—	7	40	60	55	24
Scrofula	0·07	52	11	7	1	—	—	19	4	4	7	3	5	6	4	2	—	—
Tuberc. Mesent.	0·17	122	61	24	4	1	—	90	10	9	4	2	1	3	—	—	—	—
Phthisis	2·40	1710	30	22	12	6	11	71	26	89	154	198	456	364	234	120	25	3
Hydrocephalus	0·27	191	79	47	17	10	6	130	14	12	3	—	2	1	—	—	—	—
Diseases of Nervous Syst.	2·83	2018	721	118	71	28	31	969	57	27	27	21	49	77	135	205	294	137
Circulatory	1·30	925	1	2	—	—	—	5	7	13	22	18	39	118	197	295	239	113
Respiratory	3·49	2484	639	76	54	32	32	991	61	18	50	35	70	181	170	303	424	260
Digestive	1·34	935	194	19	6	7	164	17	15	21	20	71	129	143	182	130	63	—
Urinary	0·40	285	3	3	1	3	2	12	7	5	9	8	34	43	44	28	69	12
Generative	0·06	41	—	1	—	—	—	1	—	—	—	—	4	11	6	13	6	—
Childbirth	0·09	65	—	—	—	—	—	—	—	—	3	5	39	26	1	—	—	—
Suicide	0·07	50	—	—	—	—	—	—	—	—	3	2	16	7	6	7	6	3
Other Violence	0·71	597	15	38	22	9	14	98	31	27	31	35	64	80	51	29	43	14
OTHER CAUSES	3·99	2849	1115	193	16	48	35	1435	12	27	17	18	62	76	60	127	299	606

Deaths of Infants (under
one) to 1000 Births } 105Marriages : 5,136
Births : 23,366Annual Rate of Persons Married : 14·41
per 1000 living (Births : 83·49

458.—WIGAN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000	—	25·77	—	—	—	—	—	87·28	7·78	4·58	6·13	8·13	9·27	13·75	20·62	38·37	77·25	182·46
Mean Pop. 1871-80	—	125,806	4101	3864	3949	3835	3695	19744	16635	14273	12721	11716	18270	13261	9006	6010	2805	805
ALL CAUSES	25·77	32,445	9935	4009	1681	950	657	17232	1295	654	780	952	1694	1824	1981	2306	2167	1590
Small-pox	0·12	1·9	16	4	4	8	6	38	18	13	14	24	27	13	1	1	—	—
Measles	0·74	920	195	396	172	68	32	865	42	2	—	—	—	—	—	—	—	—
Scarlet Fever	1·39	1631	86	241	307	269	2·2	1115	401	81	19	7	9	2	—	—	—	—
Diphtheria	0·06	89	6	14	13	9	6	51	17	6	—	3	1	2	—	—	—	—
Whooping-cough	0·61	609	381	232	97	46	27	783	23	2	—	—	—	—	—	1	—	—
Typhus	0·09	112	—	1	1	—	3	5	12	13	16	23	12	13	6	6	—	—
Euteric Fever	0·47	497	6	21	35	23	13	98	94	71	66	72	80	44	38	17	17	—
Simple Cont. Fev.	0·17	207	8	8	17	14	11	68	37	35	19	8	7	2	—	10	5	—
Puerp. Fever	0·12	157	—	—	—	—	—	—	—	—	7	35	68	44	18	23	43	63
Diarr. and Dys.	1·92	2423	1415	628	126	21	8	2198	16	3	2	6	8	18	23	43	63	43
Cholera	0·02	26	7	4	1	1	—	13	—	—	—	1	—	2	3	3	1	1
Cancer	0·26	321	1	—	—	—	—	1	—	—	1	2	17	47	89	85	63	18
Scrofula	0·05	59	20	4	5	1	—	29	5	6	8	4	4	3	—	3	—	—
Tuberc. Mesent.	0·38	478	211	151	49	29	16	4	441	18	4	1	6	9	—	—	—	—
Phthisis	1·74	2187	52	45	22	10	12	152	58	62	259	319	465	421	266	128	28	1
Hydrocephalus	0·29	247	87	62	24	19	13	205	21	10	4	3	4	—	—	—	—	—
Diseases of Nervous Syst.	3·15	3870	1912	349	154	93	53	2561	108	59	40	39	80	117	201	274	296	185
Circulatory	1·13	1419	8	2	4	4	2	20	32	16	44	46	111	196	274	323	238	63
Respiratory	5·57	7010	2130	1049	355	177	16	3817	182	47	59	55	182	291	485	784	723	404
Digestive	0·98	1225	245	6	10	10	7	4	34	15	32	25	36	77	110	163	201	123
Urinary	0·20	374	6	10	10	7	4	37	16	7	5	11	35	49	54	74	63	33
Generative	0·14	63	—	2	1	—	—	3	—	—	1	2	10	13	10	10	5	1
Childbirth	0·14	171	—	—	—	—	—	—	—	—	9	27	59	71	5	—	—	—
Suicide	0·03	59	—	—	—	—	—	—	—	1	—	2	11	12	13	12	7	1
Other Violence	1·22	1654	47	67	60	35	34	243	89	119	127	180	292	215	191	112	68	21
OTHER CAUSES	4·81	6076	3096	638	190	100	10	4134	91	57	60	41	91	125	140	205	408	24

Deaths of Infants (under
one) to 1000 Births } 172Marriages : 10,917
Births : 37,622Annual Rate of Persons Married : 17·54
per 1000 living (Births : 46·7

459.—WARRINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
ALL DEATHS PER 1000	—	22.21	—	—	—	—	—	67.61	5.05	3.84	5.74	7.33	9.00	13.66	21.22	37.75	80.50	176.92
Pop. 71-80	—	62,306	2189	1006	1013	1867	1880	9755	8028	6026	6082	5678	9541	7029	4637	2837	1333	440
CAUSES	22.21	13,841	3850	1429	614	415	281	6505	478	266	349	416	867	960	988	1071	1073	778
Diarrhoea	0.09	55	8	2	2	1	3	16	2	7	7	7	7	4	3	—	1	—
Scarlet Fever	0.61	379	78	155	73	47	14	267	12	—	—	—	—	—	—	—	—	—
Erysipelas	0.95	594	36	113	199	102	64	444	110	26	6	4	3	1	—	—	—	—
Septicæmia	0.09	53	6	11	4	10	8	36	11	1	—	1	—	1	—	—	1	—
Whooping-cough	0.65	403	177	130	52	27	15	391	12	—	—	—	—	—	—	—	—	—
Measles	0.10	65	—	1	—	1	—	2	6	1	15	6	11	7	12	3	2	—
Scarlet Fever	0.20	184	6	13	10	10	2	40	26	11	22	16	33	16	6	11	8	—
Erysipelas	0.19	118	5	7	9	8	7	36	19	7	4	7	11	12	5	8	5	1
Scarlet Fever	0.10	60	—	—	—	—	—	—	—	—	8	15	28	9	—	—	—	—
Scarlet and Dysentery	1.16	722	484	122	31	6	3	646	2	—	1	3	3	8	10	14	11	11
Scarlet	0.04	26	10	3	—	1	—	14	—	—	—	1	4	—	2	1	3	1
Scarlet	0.29	182	—	—	—	1	—	1	—	—	—	—	7	24	23	57	55	9
Measles	0.08	48	11	5	1	4	1	24	6	4	2	2	6	—	3	1	2	—
Measles	1.89	1140	13	21	17	7	3	130	8	1	—	—	3	1	1	—	—	—
Measles	0.25	221	92	66	19	11	9	167	17	9	6	1	1	—	—	—	—	—
Nervous System	2.70	1683	631	120	44	30	23	848	44	23	20	30	75	110	126	142	167	63
Respiratory	1.04	648	3	2	1	4	1	11	13	17	18	24	64	80	122	134	120	45
Respiratory	3.70	2304	667	221	95	51	35	1162	54	6	14	20	73	147	179	270	277	291
Respiratory	1.40	640	109	18	12	8	10	157	18	9	15	10	41	64	104	130	73	31
Respiratory	0.30	120	5	3	5	2	2	17	9	6	9	7	13	23	23	39	33	11
Respiratory	0.04	22	—	—	—	—	—	—	—	—	—	2	3	8	3	3	2	2
Birth	0.11	70	—	—	—	—	—	—	—	—	4	16	22	27	1	—	—	—
Birth	0.00	38	—	—	—	—	—	—	—	—	—	—	—	—	7	6	9	3
Violence	1.10	741	34	33	33	23	13	133	46	54	71	78	110	87	70	47	27	15
CAUSES	4.90	3090	1412	281	88	37	46	1564	56	27	20	20	41	62	82	132	250	423

Deaths of Infants (under one) to 1000 Births

151

Marriages - 5,044
Births - 25,614Annual Rate (Persons Married - 16.15
per 1000 living (Births - 41.11

460.—LEIGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
ALL DEATHS PER 1000	—	23.05	—	—	—	—	—	75.40	7.51	5.00	5.83	8.81	8.39	11.98	18.11	35.02	77.42	177.63
Pop. 71-80	—	49,121	1644	1415	1405	1307	1411	7302	6315	5383	4038	4430	7053	5360	3962	2610	1342	456
CAUSES	23.05	11,618	3212	1152	530	367	249	5510	474	269	288	368	592	642	712	914	1039	810
Diarrhoea	0.65	26	4	4	1	—	—	9	3	1	3	8	2	—	—	—	—	—
Scarlet Fever	0.63	303	84	114	57	28	18	299	8	—	—	—	—	—	1	—	—	—
Erysipelas	1.41	683	36	101	112	116	63	438	181	35	11	3	5	—	—	—	—	—
Septicæmia	0.08	35	6	4	6	2	7	25	8	3	—	1	1	—	—	—	—	—
Whooping-cough	0.38	177	69	49	23	16	6	173	4	—	—	—	—	—	—	—	—	—
Measles	0.12	60	—	—	1	—	1	2	1	9	3	8	7	14	3	7	5	1
Scarlet Fever	0.54	277	11	16	31	14	18	89	40	22	27	35	24	31	13	7	6	1
Erysipelas	0.14	70	—	6	10	7	4	27	10	6	2	3	4	4	2	3	2	1
Scarlet Fever	0.17	82	—	—	—	—	—	—	—	—	9	22	32	19	—	—	—	—
Scarlet and Dysentery	1.19	584	346	105	19	8	5	681	3	1	1	2	2	3	6	13	33	38
Scarlet	0.05	27	6	3	—	—	—	9	—	—	—	1	2	2	2	5	4	2
Scarlet	0.43	209	—	—	—	1	—	1	1	—	1	3	7	31	47	54	48	16
Measles	0.07	35	—	—	—	—	—	16	2	6	1	3	3	2	—	—	—	—
Measles	0.24	481	319	87	28	12	1	457	11	9	—	1	1	7	—	—	—	—
Measles	1.90	928	44	19	3	6	7	79	16	47	167	143	208	146	98	67	31	9
Measles	0.27	131	50	28	9	8	3	117	9	3	2	—	—	—	—	—	—	—
Nervous System	2.78	1967	473	76	48	29	16	642	38	28	21	13	27	64	85	125	191	183
Respiratory	1.24	639	3	2	3	—	2	10	14	22	15	17	41	67	168	166	145	74
Respiratory	5.04	2475	817	324	81	44	25	1291	31	14	10	39	43	100	143	244	305	351
Respiratory	1.17	374	110	14	9	6	4	143	13	11	8	10	38	32	83	96	81	42
Respiratory	0.29	140	2	2	3	2	2	11	3	1	7	7	13	13	20	19	21	21
Respiratory	0.05	25	2	—	—	—	—	2	—	—	—	1	3	1	4	12	1	1
Birth	0.13	64	—	—	—	—	—	—	—	—	1	11	20	22	1	—	—	—
Birth	0.00	28	—	—	—	—	—	—	—	—	—	—	—	—	5	5	6	1
Violence	0.84	413	29	21	20	20	9	99	20	25	22	27	31	40	36	26	28	9
CAUSES	2.55	1745	786	161	50	48	35	1070	59	26	25	18	41	41	57	73	132	203

Deaths of Infants (under one) to 1000 Births

159

Marriages - 4,107
Births - 20,144Annual Rate (Persons Married - 16.22
per 1000 living (Births - 41.11

461.—BOLTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	24.34	—	—	—	—	—	78.54	8.14	4.26	5.85	7.60	9.77	14.11	22.20	40.85	55.80	137.3
Mean Pop. } 1871-80 }	—	175,406	5574	4061	4885	4779	4708	24007	21448	10034	17862	16385	20889	20100	14395	8904	4229	123
ALL CAUSES	24.34	42,687	11408	4280	1885	1136	794	19503	1746	811	1045	1246	2627	2837	3196	3637	3631	2348
Small-pox - -	0.13	224	44	6	5	8	9	72	26	6	19	26	45	20	10	3	3	—
Measles - -	0.65	1140	290	415	194	329	74	1072	62	3	1	1	—	—	—	—	1	
Scarlet Fever -	1.13	1978	99	226	363	325	274	1319	508	163	20	6	14	7	—	1	—	
Diphtheria - -	0.05	79	6	8	9	8	13	44	20	6	—	—	5	—	3	1	—	
Whooping-cough	0.65	1145	435	361	268	91	46	1101	41	2	1	—	—	—	—	—	—	
Typhus - -	0.08	100	—	1	—	1	1	3	13	5	12	17	15	9	13	7	4	
Enteric Fever -	0.41	721	36	36	33	24	9	138	91	70	79	81	109	73	45	23	11	
Simp. Cont. Fev.	0.14	244	18	24	20	25	15	102	44	21	17	9	6	8	12	7	10	
Fuerr. Fever -	0.08	149	—	—	—	—	—	—	—	—	4	33	75	—	—	—	—	
Diarr. and Dys.	1.51	2648	1639	511	84	25	15	2274	20	2	7	8	15	30	20	61	98	
Cholera - -	0.03	91	14	10	2	3	—	19	5	1	3	7	9	11	14	5	4	
Cancer - -	0.34	602	—	—	—	1	1	2	—	1	2	2	75	84	158	178	115	
Serofula - -	0.09	166	32	23	14	5	2	70	16	18	19	9	17	6	4	6	3	
Tuberc. Mesent.	0.31	540	243	146	63	23	12	476	29	31	4	1	5	6	4	2	1	
Phthisis - -	2.11	2890	90	75	34	16	21	236	68	148	408	511	916	755	415	196	58	
Hydrocephalus	0.24	416	140	112	50	29	15	340	40	14	5	3	3	2	—	—	—	
Diseases of { Nervous Syst. 2.95 5169 1975 567 165 94 60 2061 182 67 50 51 141 258 332 535 698 254																		
{ Circulatory " 1.07 1869 2 5 4 - - 15 50 50 61 69 170 278 313 481 545 209																		
{ Respiratory " 5.40 14.0 2502 1084 408 170 125 4069 291 16 95 127 236 567 918 1228 1237 887																		
{ Digestive " 1.05 1843 302 86 21 19 9 407 239 38 33 48 129 197 303 341 351 73																		
{ Urinary " 0.34 603 7 15 4 7 5 38 21 12 99 26 66 69 113 102 94 28																		
{ Generative " 0.04 74 1 - - - - - 1 - - - 5 20 11 11 5 2																		
Childbirth - -	0.12	211	—	—	—	—	—	—	—	—	7	35	91	75	3	—	—	
Suicide - -	0.09	150	—	—	—	—	—	—	—	1	5	9	24	29	30	35	18	
Other Violence -	0.75	1308	64	65	49	37	32	247	92	81	85	95	173	144	174	114	72	
OTHER CAUSES -	4.56	8046	5729	684	203	133	22	4841	210	77	74	81	172	175	267	331	622	

Deaths of Infants (under
one) to 1000 Births } 167Marriages - 15,202
Births - 68,755Annual Rate { Persons Married - 17.33
per 1000 living { Births - 30.20

462.—BURY.

ANNUAL DEATH RATE PER 1000 }	—	23.52	—	—	—	—	—	75.84	7.95	4.17	5.91	7.42	9.60	13.68	20.69	33.23	57.46	131.3
Mean Pop. } 1871-80 }	—	110,381	3531	3073	3154	3127	2965	15836	13892	12467	12238	11426	18667	13550	10316	6679	3070	295
ALL CAUSES	23.52	28,074	7074	2006	1132	682	527	12021	1104	520	723	848	1792	1895	2154	2667	2685	185
Small-pox - -	0.04	44	8	2	2	1	-	13	4	2	9	6	5	4	1	-	-	-
Measles - -	0.43	511	115	212	92	38	50	487	24	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1.21	1444	94	207	568	214	174	957	374	73	29	8	9	3	1	-	-	-
Diphtheria - -	0.07	82	2	16	11	10	10	49	21	2	1	8	1	-	1	-	1	-
Whooping-cough	0.35	414	177	130	65	26	15	403	11	-	-	-	-	-	-	-	-	-
Typhus - -	0.15	179	2	3	2	6	2	15	14	17	23	11	31	23	16	21	5	3
Enteric Fever -	0.36	426	9	19	14	9	15	66	42	35	39	43	62	36	40	34	21	8
Simp. Cont. Fev.	0.25	301	23	30	22	24	13	112	34	13	9	13	29	20	22	21	20	4
Fuerr. Fever -	0.08	98	-	-	-	-	-	-	-	-	1	16	51	29	1	-	-	-
Diarr. and Dys.	1.20	1450	928	225	51	17	7	1220	8	5	4	4	16	17	22	37	54	37
Cholera - -	0.02	19	3	-	-	-	-	3	-	-	1	1	-	2	-	6	-	-
Cancer - -	0.32	385	-	-	-	1	1	2	1	-	-	1	11	63	96	100	82	20
Serofula - -	0.07	89	24	10	10	2	4	50	8	2	4	5	6	6	2	6	-	-
Tuberc. Mesent.	0.20	239	102	62	18	9	8	199	17	7	4	6	1	3	1	-	-	-
Phthisis - -	2.39	2651	84	54	17	15	14	184	47	79	817	415	720	496	345	178	32	11
Hydrocephalus	0.34	402	164	111	39	21	12	841	27	14	11	2	2	4	1	-	-	-
Diseases of { Nervous Syst. 3.37 4024 1589 411 142 74 49 2265 121 55 43 51 117 170 242 356 412 192																		
{ Circulatory " 1.38 1632 7 2 - 1 3 13 25 44 60 40 147 211 300 358 368 76																		
{ Respiratory " 4.68 5391 1827 684 224 91 62 23.1 87 28 36 48 172 232 451 786 828 412																		
{ Digestive " 1.08 1290 158 38 14 11 12 23.1 28 23 30 47 91 145 218 241 165 80																		
{ Urinary " 0.31 370 7 9 6 8 8 38 21 12 17 16 26 48 49 35 62 23																		
{ Generative " 0.03 41 - - - - - - - - - 2 3 6 8 9 6 7 -																		
Childbirth - -	0.11	124	-	-	-	-	-	-	-	-	6	27	43	58	-	-	-	-
Suicide - -	0.11	127	-	-	-	-	-	-	-	1	5	6	20	28	25	21	17	4
Other Violence -	0.62	753	45	33	37	21	18	133	74	55	50	35	87	85	72	82	44	16
OTHER CAUSES -	4.35	5126	2206	549	117	77	70	2819	112	53	50	43	128	142	216	336	633	175

Deaths of Infants (under
one) to 1000 Births } 163Marriages - 10,590
Births - 43,432Annual Rate { Persons Married - 17.76
per 1000 living { Births - 36.50

463.—BARTON-ON-IRWELL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	70 and over
ANNUAL DEATH RATE PER 1000	—	20.99	—	—	—	—	—	64.07	7.67	4.64	5.65	6.50	8.72	11.90	19.81	35.32	75.66	197
Mean Pop. 1871-80	—	62,193	1845	1602	1667	1658	1596	8367	7540	6038	6267	6023	5527	7130	5099	3243	1076	47
ALL CAUSES	20.99	15,056	3143	1123	523	350	218	5361	579	322	354	385	831	855	1010	1145	1208	94
Small-pox	0.19	117	19	1	1	3	4	28	15	10	12	16	19	12	4	1	1	—
Measles	0.41	258	59	80	49	22	10	239	17	—	—	—	2	—	—	—	—	—
Scarlet Fever	1.10	637	33	85	131	113	12	433	182	45	9	5	10	3	—	—	—	—
Diphtheria	0.08	52	4	8	8	9	7	34	9	2	—	2	1	—	1	1	—	—
Whooping-cough	0.39	240	109	72	23	21	10	233	5	—	—	—	—	—	—	—	—	—
Typhus	0.03	19	—	—	—	1	1	2	3	3	3	2	2	—	3	—	1	—
Euteric Fever	0.39	241	11	13	14	8	7	55	17	32	21	21	35	26	17	9	6	—
Simple Cont. Fev.	0.11	70	1	5	3	7	5	21	14	3	4	1	12	5	6	3	1	—
Purp. Fever	0.06	31	—	—	—	—	—	—	—	—	1	1	9	10	7	—	—	—
Leary. and Dys.	0.94	685	287	83	20	4	1	497	3	1	—	3	6	5	12	10	27	—
Cholera	0.02	15	3	—	—	1	1	5	3	—	—	—	2	—	3	1	1	—
Cancer	0.28	234	—	1	—	—	—	1	—	—	1	1	7	26	60	74	33	1
Scrofula	0.12	77	13	13	4	5	1	34	10	11	7	3	1	4	2	2	1	—
Tuberc. Mesent.	0.19	117	46	22	12	4	4	88	12	10	3	1	1	1	—	—	—	—
Fistula	1.96	1919	33	21	16	6	7	93	24	48	143	178	312	207	143	53	13	—
Hydrocephalus	0.29	180	78	31	23	8	2	152	16	7	2	2	1	—	—	—	—	—
Diseases of Nervous Syst.	2.64	1041	480	138	53	32	18	729	53	33	24	19	50	78	111	198	207	15
Circulatory	1.21	755	2	—	1	1	1	5	13	24	29	10	46	88	129	171	128	—
Respiratory	4.44	2790	732	346	100	47	31	1756	67	30	20	31	94	149	227	319	364	29
Digestive	1.01	630	74	9	6	7	5	101	14	5	17	15	35	69	97	120	121	—
Urinary	0.84	214	3	1	2	3	2	11	10	9	3	8	16	29	35	52	41	—
Generative	0.05	24	—	—	—	—	—	—	—	—	—	2	4	9	10	3	4	—
Childbirth	0.09	58	—	—	—	—	—	—	—	—	—	8	28	22	—	—	—	—
Infanticide	0.05	29	—	—	—	—	—	—	—	—	2	1	4	2	11	6	3	—
Other Violence	0.08	405	57	28	17	9	7	88	24	31	24	23	48	51	76	51	23	—
OTHER CAUSES	3.22	2661	1029	122	38	39	22	1210	32	18	19	16	39	72	86	106	239	62

Deaths of Infants (under one) to 1000 Births } 144

Marriages - 4,500
Births - 21,895Annual Rate of Persons Married per 1000 living } Births - 14.47
- - - - - } - 35.20

464.—CHORLTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	70 and over
ANNUAL DEATH RATE PER 1000	—	23.63	—	—	—	—	—	77.52	8.08	4.00	5.05	16.91	9.51	14.94	23.13	44.88	89.16	172
Mean Pop. 1871-80	—	234,805	7315	6315	6367	6222	5974	32193	26783	23403	22788	23680	40504	28465	19160	11397	5048	13
ALL CAUSES	23.63	55,473	14,537	5583	2382	1527	1024	25032	2165	935	1151	1637	3851	4252	4432	5109	4468	23
Small-pox	0.13	299	47	13	16	11	13	706	51	16	13	46	48	25	12	5	1	—
Measles	0.52	1127	226	485	216	130	72	1160	13	3	1	—	5	2	—	—	—	—
Scarlet Fever	0.94	1214	113	337	372	263	265	1492	276	83	20	13	23	4	—	1	—	—
Diphtheria	0.11	262	19	41	37	32	32	162	71	9	4	1	9	2	1	3	—	—
Whooping-cough	0.67	1567	570	497	243	146	83	1210	53	2	—	—	—	—	—	—	—	—
Typhus	0.05	127	—	1	2	3	4	10	18	11	10	12	17	20	18	6	5	—
Euteric Fever	0.27	867	21	57	52	36	32	178	134	73	76	94	117	90	64	54	16	—
Simple Cont. Fev.	0.12	267	23	27	28	19	29	126	44	8	11	11	12	24	17	21	12	—
Purp. Fever	0.09	201	—	—	—	—	—	—	—	—	6	49	101	41	4	—	—	—
Leary. and Dys.	1.23	2936	1914	537	85	35	17	2978	22	8	5	5	16	17	34	61	91	—
Cholera	0.03	63	25	9	2	2	1	59	—	—	—	—	4	8	4	3	2	—
Cancer	0.42	280	—	—	1	1	1	3	—	1	3	3	4	46	172	263	207	179
Scrofula	0.12	288	76	63	27	14	11	181	23	18	21	6	14	11	8	5	1	—
Tuberc. Mesent.	0.27	429	392	168	66	30	13	659	51	37	7	3	5	5	1	—	—	—
Fistula	2.69	6920	115	74	49	30	33	199	170	225	540	884	1766	1327	747	531	62	—
Hydrocephalus	0.28	539	324	239	91	69	84	737	51	23	6	7	5	6	1	—	—	—
Diseases of Nervous Syst.	3.01	7070	2469	672	368	149	87	5045	232	81	63	68	243	314	533	731	785	2
Circulatory	1.04	2447	15	4	—	3	4	26	46	72	61	94	249	402	463	525	394	2
Respiratory	5.04	11830	2745	1447	475	263	128	2008	200	61	108	125	453	730	1158	1739	1577	—
Digestive	0.98	3303	332	63	24	18	23	480	38	56	47	62	177	390	296	399	309	—
Urinary	0.56	845	8	17	10	12	63	65	40	22	38	34	83	142	142	144	111	—
Generative	0.05	120	1	—	—	1	—	2	—	1	—	4	23	53	35	21	14	—
Childbirth	0.10	225	—	—	—	—	—	—	—	—	6	39	95	12	8	—	—	—
Infanticide	0.06	130	—	—	—	—	—	—	—	—	4	4	23	36	24	29	9	—
Other Violence	0.29	926	160	74	35	28	14	721	86	35	20	23	79	72	83	49	78	—
OTHER CAUSES	4.46	10446	4982	729	224	145	84	6294	185	102	91	103	254	533	424	275	933	11

Deaths of Infants (under one) to 1000 Births } 163

Marriages - 15,713
Births - 89,243Annual Rate of Persons Married per 1000 living } Births - 13.38
- - - - - } - 38.43

465.—SALFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	27.65	—	—	—	—	—	95.96	9.27	4.36	6.45	7.72	10.47	16.99	25.84	14.95	91.24	1833
Mean Pop. } 1871-80 }	—	155,208	5129	4307	4514	4302	4207	22459	18723	16013	14845	14725	25924	18959	12383	7141	3174	883
ALL CAUSES	27.65	42,909	12135	5027	2181	1332	877	21552	1736	698	957	1137	2714	3222	3200	3210	2890	1594
Small-pox - -	0.49	755	101	76	30	22	35	223	102	47	57	69	133	72	22	6	1	—
Measles - -	0.92	1434	306	503	255	155	85	1364	42	3	—	—	4	—	—	—	—	
Scarlet Fever - -	1.19	1830	96	283	345	347	222	1245	417	60	22	10	11	4	—	1	—	
Diphtheria - -	0.12	191	16	39	31	21	27	124	35	4	1	3	1	4	4	2	—	
Whooping-cough - -	0.91	1407	606	477	224	108	48	1363	42	2	—	—	—	—	—	—	—	
Typhus - -	0.08	120	—	1	2	3	2	8	12	6	13	11	98	18	9	12	2	
Enteric Fever - -	0.44	680	29	61	38	31	31	190	103	51	72	61	81	38	32	41	17	
Simple Cont. Fev. - -	0.14	215	7	15	20	13	13	73	33	12	10	10	20	18	18	13	6	
Puerp. Fever - -	0.09	142	—	—	—	—	—	—	—	—	7	31	71	33	—	—	—	
Diarr. and Dys. - -	1.96	3047	1906	684	105	30	9	2791	18	3	2	4	13	16	32	45	64	
Cholera - -	0.02	30	11	2	1	—	—	14	—	—	1	1	—	5	3	3	—	
Cancer - -	0.46	719	—	3	—	1	—	4	—	1	6	1	35	128	291	198	114	
Scrofula - -	0.16	244	72	45	28	14	10	169	23	11	9	6	4	—	4	1	—	
Tuberc Mesent. - -	0.37	574	277	145	46	25	12	508	34	16	6	4	1	4	—	1	—	
Phthisis - -	2.75	4372	53	54	41	21	20	191	125	145	418	512	1117	1018	517	183	40	
Hydrocephalus - -	0.54	842	327	209	91	55	45	727	79	24	3	4	3	2	—	—	—	
Diseases of { Nervous Syst. 3.11 4533 2058 444 185 86 65 2858 122 52 32 59 146 228 308 425 415 207																		
{ Circulatory 1.09 1694 9 4 9 3 4 19 24 45 47 63 189 274 344 330 239 129																		
{ Respiratory 5.55 8607 2119 1163 406 291 94 3087 118 37 47 58 302 663 892 1103 1003 636																		
{ Digestive 0.97 1304 223 53 19 20 9 324 31 20 22 44 123 206 265 233 129																		
{ Urinary 0.40 622 8 12 13 19 12 04 29 15 17 23 75 107 102 95 78																		
{ Generative 0.04 62 — — — — — — — — — — — — — — — — —																		
Childbirth - -	0.09	129	—	—	—	—	—	—	—	—	8	29	51	49	2	—	—	
Suicide - -	0.06	92	—	—	—	—	—	—	—	—	4	6	15	16	21	15	14	
Other Violence - -	0.73	1127	107	60	68	50	50	335	99	59	67	57	99	125	111	96	66	
OTHER CAUSES - -	4.97	7702	1812	637	224	59	80	4912	153	76	61	58	171	217	297	374	656	690

Deaths of Infants (under
one) to 1000 Births - } 184Marriages - 12,820
Births - 63,793Annual Rate { Persons Married - 16.43
per 1000 living { Births - - - 42.29

466.—MANCHESTER (3 years 1871-73).*

ANNUAL DEATH RATE PER 1000 }	—	31.46	—	—	—	—	—	103.82	10.28	5.15	7.89	10.17	14.32	20.68	31.78	54.15	94.25	184
Mean Pop. } 1871-80 }	—	254,576	7890	6613	5574	6423	6133	33644	27894	25782	25376	24593	42039	31845	22832	13106	5921	139
ALL CAUSES	31.46	24,026	6175	2511	972	679	445	10782	860	398	601	750	1806	1976	2177	2129	1674	87
Small-pox - -	0.47	561	36	15	9	12	16	88	47	22	39	56	61	32	10	4	1	1
Measles - -	0.94	304	87	212	93	45	37	474	21	2	3	1	1	—	—	—	—	
Scarlet Fever - -	1.21	941	62	156	178	164	130	690	207	22	10	8	—	—	—	—	—	
Diphtheria - -	0.07	32	6	14	5	5	7	36	8	2	—	—	1	2	—	—	—	
Whooping-cough - -	0.89	676	229	104	98	75	34	642	34	—	—	—	—	—	—	—	—	
Typhus - -	0.24	185	—	2	3	5	3	13	18	18	18	18	33	21	23	13	9	
Enteric Fever - -	0.40	308	9	14	17	21	9	69	43	22	31	32	41	27	18	18	5	
Simple Cont. Fev. - -	0.27	209	7	16	12	18	14	67	31	14	10	8	11	18	22	22	3	
Puer. Fever - -	0.08	58	—	—	—	—	—	—	—	—	4	21	20	11	2	—	—	
Diarr. and Dys. - -	2.69	2031	1353	466	64	11	8	1992	16	3	3	1	3	13	16	51	26	
Cholera - -	0.04	34	11	4	—	1	1	17	—	—	—	—	—	4	6	7	—	
Cancer - -	0.46	855	—	—	—	1	1	—	2	—	—	5	34	65	122	82	49	
Scrofula - -	0.23	175	53	44	14	6	7	124	14	5	8	4	6	5	1	6	2	
Tuberc Mesent. - -	0.31	233	95	69	21	14	1	200	14	5	6	2	4	2	—	—	—	
Phthisis - -	3.39	2549	16	59	14	11	8	78	68	69	242	335	762	805	301	115	26	
Hydrocephalus - -	0.39	385	139	101	44	30	23	337	29	14	2	3	—	—	—	—	—	
Diseases of {	Nervous Syst.	3.39	2591	948	178	84	63	32	1307	80	30	23	29	128	179	251	250	228
	Circulatory	1.14	874	4	1	1	—	1	7	15	27	32	23	98	149	187	172	134
	Respiratory	6.12	4676	913	542	159	105	53	1791	62	16	32	46	195	339	661	789	513
	Digestive	1.01	891	89	22	14	3	6	125	24	14	21	24	75	108	152	143	89
	Urinary	0.43	327	1	6	2	5	—	4	18	13	6	12	11	47	61	58	31
Generative	0.07	50	—	—	—	—	—	—	—	—	1	3	11	14	10	5	4	
Childbirth - -	0.11	82	—	—	—	—	—	—	—	—	8	14	37	23	1	—	—	
Suicide - -	0.08	60	—	—	—	—	—	—	—	—	1	—	16	19	15	6	2	
Other Violence - -	1.20	815	79	57	39	31	25	211	73	64	65	52	111	91	93	86	47	
OTHER CAUSES - -	5.98	4366	2018	378	169	53	26	2384	63	43	30	54	117	161	227	319	471	66

Deaths of Infants (under
one) to 1000 Births - } 207Marriages* - 19,686
Births - 22,760Annual Rate { Persons Married* - 38.40
per 1000 living { Births - - - 38.67

* The Union of Prestwich was detached from MANCHESTER District on 1st October 1874, and created a separate Registration District. The Births and Deaths in Prestwich were separately abstracted from the commencement of 1874, but the number of marriages in this Table and the corresponding rate apply to the 3½ years ending 30th September 1874. The marriages, births, and deaths in MANCHESTER District exclusive of Prestwich, for the remainder of the decade 1871-80 are given in the following Table.

466.—MANCHESTER (7 years 1874-80).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000	—	32.16	—	—	—	—	—	105.82	10.21	5.07	7.25	10.17	15.23	22.93	36.01	60.21	110.54	192.51
Mean Pop. - 1871-80. -	—	157,619	4724	4116	4287	4151	4042	21320	18189	15719	15175	15445	25872	20003	13926	8131	3095	744
ALL CAUSES	32.16	35,483	8552	3666	1563	999	669	15440	1300	558	770	1009	2759	3214	3510	3427	2395	1002
Small-pox -	0.15	144	20	2	3	2	3	20	23	8	18	21	23	14	6	1	—	—
Measles -	0.02	685	142	206	122	79	42	651	54	—	—	—	—	—	—	—	—	—
Scarlet Fever -	1.13	1249	79	224	210	220	156	889	302	37	12	5	4	—	—	—	—	—
Diphtheria -	0.10	115	30	23	12	19	18	92	10	3	—	3	4	1	1	—	1	—
Whooping-cough -	1.11	1221	404	4.1	203	108	60	1166	54	1	—	—	—	—	—	—	—	—
Typhus -	0.12	131	4	2	—	3	1	10	8	3	9	19	19	25	24	12	2	—
Erysipelas -	0.50	329	13	25	24	20	11	95	42	30	27	23	40	24	20	17	8	1
Scarlet Cont. Fev. -	0.13	1.3	5	19	12	18	10	57	26	5	8	5	19	19	11	5	8	—
Fever, Fever -	0.8	85	—	—	—	—	—	—	—	—	3	16	42	23	—	—	—	—
Diarr. and Dys. -	1.70	1571	1145	419	75	24	13	1676	9	4	—	5	15	21	28	28	19	—
Cholera -	0.05	50	17	14	5	1	—	37	2	—	1	—	2	—	5	3	—	—
Cancer -	0.54	598	2	—	—	1	1	4	1	4	5	8	42	112	184	156	71	11
Scrophula -	0.28	308	102	85	29	12	10	238	26	9	6	8	6	5	3	4	2	—
Tuberc. Mesent. -	0.48	3719	117	127	63	17	12	336	12	13	6	3	2	1	1	1	—	—
Fistula -	0.42	461	106	119	61	28	28	402	40	8	4	3	3	1	—	—	—	—
Hydrocephalus -	0.42	461	106	119	61	28	28	402	40	8	4	3	3	1	—	—	—	—
Diseases of Nervous Syst. Circulatory Respiratory Digestive Urinary Generative	3.36 1.40 7.16 1.10 0.67 0.10	3707 1540 7899 1215 320 109	1516 6 1459 45 4 1	528 1 903 17 14 1	124 1 536 10 12 —	89 5 163 10 8 —	50 3 113 10 8 1	2117 16 5006 236 36 1	105 37 158 35 16 —	37 46 39 29 34 8	37 61 67 65 20 27	26 199 107 107 106 27	122 187 370 370 138 37	187 289 662 662 138 22	287 301 1052 1052 141 39	363 316 1322 1322 141 12	310 174 867 867 108 4	97 43 230 23 16 2
Childbirth -	0.11	118	—	—	—	—	—	—	—	—	8	12	58	38	2	—	—	—
Suicide -	0.10	107	—	—	—	—	—	—	—	—	3	6	19	25	18	22	13	1
Other Violence -	1.63	1805	101	58	64	62	47	322	159	104	77	91	235	230	243	185	91	28
OTHER CAUSES	0.02	6072	2996	502	177	91	66	3892	126	59	60	62	202	309	877	436	608	625

Deaths of Infants (under
one) to 1000 Births - 130Marriages* - 12,107
Births - 44,903Annual Rate of Persons Married* - 26.00
per 1000 living Births - 40.78

* This Table relates to the District of MANCHESTER, as constituted after the separation of the Union of Prestwich. The number of marriages and the corresponding rate are for the 6 years from 1st October 1874, and the births and deaths for the 7 years 1874-80. See also NOTE 1 previous Table.

467.—PRESTWICH (7 years 1874-80).*

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000	—	26.81	—	—	—	—	—	78.94	9.82	4.35	6.65	9.30	11.30	19.17	27.83	47.96	93.09	181.7
Mean Pop. - 1871-80. -	—	100,161	3339	2950	2936	3073	2814	15112	12714	10769	10163	9955	17254	12707	8619	5517	2555	796
ALL CAUSES	26.81	19,924	4635	1917	889	536	393	8350	847	328	473	648	1365	1705	1679	1852	1665	1012
Small-pox -	0.52	387	28	9	10	8	14	69	43	21	47	62	79	42	20	2	—	—
Measles -	0.03	469	107	187	92	42	21	443	50	—	—	—	—	—	—	—	—	—
Scarlet Fever -	1.97	948	32	130	186	132	107	627	253	26	18	4	10	2	—	—	—	—
Diphtheria -	0.12	65	9	11	11	10	11	52	16	5	3	4	2	—	—	1	1	—
Whooping-cough -	0.75	555	189	172	90	57	12	5.0	24	1	—	—	—	—	—	—	—	—
Typhus -	0.12	89	—	—	1	1	2	1	7	8	12	16	23	13	8	—	—	—
Erysipelas -	0.36	169	8	16	9	10	13	56	21	32	35	36	41	26	10	9	2	1
Scarlet Cont. Fev. -	0.15	109	7	7	6	7	10	37	18	4	5	5	8	6	9	4	3	—
Fever, Fever -	0.10	75	—	—	—	—	—	—	—	—	2	21	37	13	—	—	—	—
Diarr. and Dys. -	1.18	878	420	186	94	13	10	753	16	2	—	—	8	5	11	27	37	24
Cholera -	0.03	50	8	—	1	1	1	16	—	—	—	—	—	—	2	2	—	—
Cancer -	0.43	521	1	—	—	—	—	1	2	2	1	4	13	65	77	89	49	19
Scrophula -	0.13	96	26	20	8	3	2	59	13	8	2	1	3	4	1	4	1	—
Tuberc. Mesent. -	0.32	139	37	60	22	11	10	200	18	7	1	5	2	1	4	1	—	—
Fistula -	0.46	1900	20	19	8	8	8	58	35	44	175	261	466	449	264	115	32	1
Hydrocephalus -	0.46	544	116	104	29	18	18	287	26	8	6	3	—	1	2	1	—	—
Diseases of Nervous Syst. Circulatory Respiratory Digestive Urinary Generative	3.92 1.30 4.97 1.04 0.46 0.05	2910 963 3692 712 842 54	718 7 866 121 6 —	172 1 451 35 7 —	83 2 129 15 6 —	45 3 81 6 9 —	35 3 56 1 3 —	1033 15 1613 181 33 —	71 22 19 20 14 —	26 32 30 27 16 —	50 35 30 16 10 —	53 36 41 56 39 —	191 80 361 145 33 —	312 128 361 74 53 —	398 185 510 145 39 —	276 187 510 129 48 —	235 187 416 85 45 —	134 33 195 30 14 —
Childbirth -	0.09	64	—	—	—	—	—	—	—	—	—	4	28	20	—	—	—	—
Suicide -	0.09	65	—	—	—	—	—	—	—	—	—	3	14	13	15	13	7	3
Other Violence -	0.61	484	45	18	16	14	8	101	44	22	22	24	40	62	53	57	84	20
OTHER CAUSES	5.11	3221	1689	286	96	57	15	2154	73	34	19	25	84	115	134	229	423	216

Deaths of Infants (under
one) to 1000 Births - 165Marriages* - 5,453
Births - 28,114Annual Rate of Persons Married* - 16.78
per 1000 living Births - 37.53

* The Union of Prestwich was created a separate Registration District on 1st October 1874, but the births and deaths in this Table to the 7 entire years 1874-80. The births and deaths in Prestwich for the 3 years 1871-73, and the marriages in the 10 years to which year 1874, are merged with those of MANCHESTER, of which District Prestwich then formed part. See NOTE to the two preceding Tables.

468.—ASHTON-UNDER-LYNE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	25.22	—	—	—	—	—	83.81	7.31	3.95	6.30	8.28	10.01	13.50	22.07	44.17	35.14	18.76
Mean Pop. } 1871-80 - }	—	142,570	4179	3640	3754	3670	3620	18863	16737	15000	14349	13026	11621	10886	12804	8345	3003	1946
ALL CAUSES	25.22	35,954	9028	8359	1373	842	608	15310	1223	593	917	1078	2164	2279	2826	3690	3440	1939
Small-pox - -	0.03	45	7	3	3	—	1	14	3	3	3	7	5	2	6	2	—	—
Measles - -	0.44	630	153	285	89	58	42	602	25	1	—	1	—	—	—	—	—	—
Scarlet Fever -	1.00	1420	89	239	270	239	178	1045	313	49	8	7	6	—	—	1	1	—
Diphtheria - -	0.06	67	16	15	7	9	10	47	17	3	3	2	—	—	2	2	—	—
Whooping-cough	0.45	611	225	171	94	46	21	627	14	—	—	—	—	—	—	—	—	—
Typhus - -	0.06	79	1	—	7	2	1	11	16	4	13	8	10	6	6	4	1	—
Enteric Fever -	0.40	564	19	26	30	29	24	124	78	44	54	29	33	51	30	33	21	3
Simple Cont. Fev.	0.15	210	16	25	22	18	12	96	42	11	7	6	12	16	5	7	6	2
Febr. Fever - -	0.10	149	—	—	—	—	—	—	—	—	10	41	64	34	—	—	—	—
Diarr. and Dys. -	1.33	1892	1217	313	56	17	7	1610	7	6	6	15	10	38	58	58	83	33
Cholera - -	0.03	41	15	6	5	1	—	27	2	1	—	—	2	2	3	7	—	—
Cancer - -	0.38	436	2	1	—	1	—	4	1	1	3	2	22	50	151	151	95	23
Serofula - -	0.13	169	45	42	8	4	107	19	12	12	9	12	6	4	5	3	—	—
Tubes Mesent. -	0.30	429	297	103	53	13	10	583	16	9	11	7	4	7	8	3	1	—
Phthisis - -	2.57	5671	105	73	22	15	15	240	76	114	452	537	996	658	374	296	68	2
Hydrocephalus -	0.39	561	226	141	53	30	23	476	53	17	5	4	1	3	1	1	—	—
Diseases of { Nervous Syst. -	3.45	4914	1921	478	205	102	58	2742	115	55	54	54	114	394	322	517	212	37
Circulatory - -	1.32	1855	8	1	—	2	8	19	42	63	54	69	131	245	354	461	354	11
Respiratory - -	5.05	7193	1676	806	252	116	84	2943	103	27	48	54	181	368	743	1248	1077	416
Digestive - -	1.10	1573	167	34	22	10	13	216	46	37	39	37	109	159	263	323	254	40
Urinary - -	0.33	479	3	7	7	11	8	35	31	13	10	23	34	38	59	91	67	28
Generative - -	0.05	65	—	—	—	—	—	—	—	—	1	6	6	10	14	10	10	2
Childbirth - -	0.13	162	—	—	—	—	—	—	—	—	10	33	75	59	5	—	—	—
Suicide - -	0.08	121	—	—	—	—	—	—	—	—	3	6	19	28	24	27	19	4
Other Violence -	0.69	9.2	23	45	38	20	23	139	93	29	45	52	139	116	110	95	77	26
OTHER CAUSES -	5.20	7426	3389	555	146	85	63	428	119	64	66	48	150	182	232	431	516	162

Deaths of Infants (under
one) to 1000 Births } 179Marriages - 12,716
Births - 53,929Annual Rate { Persons Married
per 1000 living { Births - - - 17.81
- - - 37.82

469.—OLDHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000.	—	25.10	—	—	—	—	—	84.79	9.35	4.19	6.19	8.20	9.54	14.24	21.64	43.06	30.28	19.38
Mean Pop. } 1871-80 - }	—	147,722	4442	3952	4041	3963	3850	20229	17230	15497	14892	14030	23395	17706	12816	7695	3332	198
ALL CAUSES	25.10	37,077	9681	3975	1696	1090	733	17151	1611	649	922	1150	2282	2522	2772	5314	3617	177
Small-pox - -	0.09	128	21	7	4	6	4	42	7	10	10	26	19	12	9	1	2	—
Measles - -	0.53	789	202	315	118	75	51	741	48	—	—	—	—	—	—	—	—	—
Scarlet Fever -	1.43	2116	145	336	336	339	288	1592	519	62	13	8	10	1	1	—	—	—
Diphtheria - -	0.11	166	17	22	20	24	18	101	46	4	1	4	4	4	—	2	—	—
Whooping-cough	0.65	964	403	320	126	48	53	952	32	—	—	—	—	—	—	—	—	—
Typhus - -	0.08	123	1	—	3	2	2	8	9	12	25	10	22	7	12	7	9	1
Enteric Fever -	0.57	540	15	32	33	30	29	139	87	43	59	49	72	42	21	17	7	4
Simple Cont. Fev.	0.10	146	11	8	11	14	9	73	14	9	9	7	10	13	11	10	7	3
Febr. Fever - -	0.10	139	—	—	—	—	—	—	—	—	9	46	78	22	—	—	—	—
Diarr. and Dys. -	0.92	13.3	504	267	46	15	4	1156	18	4	3	5	15	12	25	49	65	40
Cholera - -	0.03	46	6	5	1	—	2	14	2	—	3	5	4	—	9	4	6	1
Cancer - -	0.35	515	—	—	—	—	—	—	1	—	—	3	19	81	123	162	67	29
Serofula - -	0.12	179	54	36	7	6	5	103	11	15	6	8	12	5	7	5	—	—
Tubes Mesent. -	0.41	610	288	188	41	19	8	547	21	15	8	6	7	5	1	—	—	—
Phthisis - -	2.42	3577	49	55	27	13	9	133	101	140	412	409	848	762	405	203	59	4
Hydrocephalus -	0.37	540	204	147	51	28	13	453	33	14	10	2	4	3	1	—	—	—
Diseases of { Nervous Syst. -	5.36	4557	1902	550	237	131	84	2904	194	79	59	60	141	185	292	493	449	179
Circulatory - -	1.41	2475	9	6	1	2	5	23	32	46	51	68	127	247	401	515	439	112
Respiratory - -	5.14	5791	1976	966	309	142	83	3476	174	45	57	78	253	455	743	1077	899	264
Digestive - -	1.03	1556	237	45	18	14	10	324	38	27	37	65	106	171	262	277	289	30
Urinary - -	0.36	539	4	19	13	19	16	71	40	10	25	23	65	61	73	77	69	28
Generative - -	0.05	79	—	—	—	—	—	—	—	1	3	24	17	19	9	8	—	—
Childbirth - -	0.15	225	—	—	—	—	—	—	—	9	43	85	77	1	—	—	—	—
Suicide - -	0.11	163	—	—	—	—	—	—	—	2	2	10	28	35	48	80	19	2
Other Violence -	0.57	896	52	44	45	22	11	184	65	41	41	45	103	110	82	54	35	2
OTHER CAUSES -	4.82	7101	3283	697	189	107	57	4240	147	70	70	81	146	199	238	572	674	256

Deaths of Infants (under
one) to 1000 Births } 174Marriages - 12,274
Births - 55,853Annual Rate { Persons Married
per 1000 living { Births - - - 16.63
- - - 37.67

470.—ROCHDALE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000	—	23.45	—	—	—	—	—	77.25	8.22	4.34	6.48	7.23	8.92	13.64	21.24	42.58	96.19	190.
Mean Pop. } 1871-80 - }	—	115,885	3189	2847	3025	2859	2314	14734	13264	12839	11879	11045	18123	13925	10511	6472	2833	81
ALL CAUSES	23.45	27,174	6415	2561	1110	761	535	11382	1090	533	770	799	1617	1900	2335	2750	2553	153
Small-pox - -	0.09	102	15	6	2	3	1	27	16	9	14	11	13	7	3	—	—	—
Measles - - -	0.69	799	185	392	159	61	44	741	45	1	—	—	—	—	—	—	—	—
Scarlet Fever -	1.00	1294	81	178	197	275	149	899	317	46	14	8	7	2	—	—	—	—
Diphtheria - -	0.11	129	19	19	18	13	17	89	30	7	—	—	—	—	—	—	—	—
Whooping-cough	0.46	530	227	177	62	39	12	517	13	—	—	—	—	—	—	—	—	—
Typhus - - -	0.06	66	2	—	—	—	—	3	8	4	8	8	8	5	10	3	5	—
Euteric Fever -	0.44	511	9	18	21	28	21	97	70	55	58	44	70	25	44	21	11	—
Simple Cont. Fev.	0.13	145	12	6	14	11	10	55	21	11	8	7	12	7	9	7	8	—
Pneum. Fever -	0.11	139	—	—	—	—	—	—	—	—	2	29	55	40	4	—	—	—
Diarr. and Dys. -	0.96	1115	651	173	34	9	9	878	7	2	2	3	14	16	14	40	78	3
Cholera - - -	0.03	52	3	1	1	1	1	7	1	1	1	—	—	—	—	—	—	—
Cancer - - -	0.28	435	—	1	1	1	—	3	—	1	—	3	12	65	111	124	93	2
Scrofula - - -	0.20	294	74	37	14	13	6	164	6	12	17	5	8	5	8	6	1	—
Tuberc. Mesent.	0.34	391	195	90	39	12	13	340	14	8	8	2	4	2	2	1	1	—
Fibrosis - - -	2.47	2857	37	47	14	15	5	118	34	110	343	381	647	264	367	217	65	—
Hydrocephalus -	0.48	536	179	150	69	38	24	460	53	14	4	2	4	2	1	—	—	—
Diseases of																		
Nervous Syst.	3.08	2567	1145	236	115	56	45	1391	117	48	59	52	90	169	285	424	504	21
Cerebrum - - -	1.49	1728	4	5	7	4	5	25	50	25	56	37	152	209	310	424	558	8
Respiratory - -	4.25	3231	1344	678	178	104	66	3072	80	32	45	47	134	168	485	172	694	24
Digestive - - -	1.15	1234	201	24	22	8	15	270	24	25	37	35	81	133	205	263	191	5
Urinary - - -	0.28	456	2	11	11	7	10	41	24	10	7	14	48	45	78	99	89	3
Generative - -	0.04	51	2	—	1	—	—	3	—	—	—	1	7	14	15	4	2	—
Childbirth - -	0.11	151	—	—	—	—	—	—	—	—	3	26	47	53	2	—	—	—
Stillbirth - - -	0.09	102	—	—	—	—	—	—	—	2	2	2	16	29	29	27	11	—
Other Violence -	0.55	640	33	23	27	34	18	125	43	40	42	35	61	74	79	78	45	2
OTHER CAUSES -	4.01	4663	2001	339	109	89	63	2614	124	61	88	42	115	138	177	220	420	61

Deaths of Infants (under
one) to 1000 Births } 153Marriages - 9,814
Births - 40,510Annual Rate (Persons Married
per 1000 living (Births - 16.94
- 34.96

471.—HASLINGDEN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000	—	22.12	—	—	—	—	—	71.78	7.39	4.27	5.70	7.17	8.12	11.99	20.21	46.60	88.23	188.
Mean Pop. } 1871-80 - }	—	87,625	2391	2316	2382	2328	2170	11787	10152	9354	9138	8597	13005	10009	7539	4734	2066	5
ALL CAUSES	22.12	18,385	5138	1780	770	445	324	8461	750	400	521	616	1105	1211	1522	1922	1814	190
Small-pox - -	0.02	21	2	2	1	—	—	5	1	2	2	2	5	3	1	—	—	—
Measles - - -	0.44	418	104	182	59	38	13	294	21	—	—	—	—	1	—	—	—	—
Scarlet Fever -	1.17	1022	56	142	192	151	112	653	275	59	13	10	7	5	—	—	—	—
Diphtheria - -	0.08	74	10	14	11	9	8	57	11	4	1	—	—	—	—	—	—	—
Whooping-cough	0.45	491	197	104	37	28	13	579	12	—	—	—	—	—	—	—	—	—
Typhus - - -	0.05	45	1	—	—	—	1	2	4	7	11	5	7	4	1	6	—	—
Euteric Fever -	0.41	356	14	15	18	14	8	69	45	49	58	25	52	31	21	17	8	—
Simple Cont. Fev.	0.05	45	4	7	3	2	2	13	5	3	1	—	—	—	—	—	—	—
Pneum. Fever -	0.15	117	—	—	—	—	—	—	—	5	4	58	20	25	5	—	—	—
Diarr. and Dys. -	0.94	825	482	126	20	8	6	642	6	5	4	6	11	8	14	31	65	—
Cholera - - -	0.04	53	8	3	2	1	1	15	1	1	1	—	—	2	4	2	2	—
Cancer - - -	0.54	293	2	—	—	—	—	2	—	—	—	1	9	40	61	89	27	—
Scrofula - - -	0.09	79	17	10	2	3	—	28	9	3	7	5	4	3	4	5	—	—
Tuberc. Mesent.	0.31	275	150	63	22	8	5	226	15	9	6	3	—	—	1	1	2	—
Fibrosis - - -	2.05	1796	46	32	15	6	4	103	19	75	229	272	357	325	225	132	29	—
Hydrocephalus -	0.40	354	146	84	39	19	14	901	29	13	4	2	2	2	1	—	—	—
Diseases of																		
Nervous Syst.	3.04	2691	929	185	69	59	34	1244	79	39	41	33	81	99	214	318	563	1
Cerebrum - - -	1.93	1459	5	1	—	4	3	13	15	31	23	44	68	170	251	361	221	1
Respiratory - -	4.45	2897	1117	212	135	42	43	1859	64	29	27	43	124	182	243	481	472	—
Digestive - - -	1.25	1094	242	81	18	8	2	365	28	13	27	25	66	87	145	239	135	—
Urinary - - -	0.41	358	9	10	11	4	4	38	11	10	7	16	26	47	65	58	69	—
Generative - -	0.04	57	—	—	—	—	—	—	—	—	1	5	6	7	9	8	1	—
Childbirth - -	0.12	109	—	—	—	—	—	—	—	—	5	21	45	35	—	—	—	—
Stillbirth - - -	0.04	54	—	—	—	—	—	—	—	—	2	3	8	8	14	14	4	—
Other Violence -	0.20	440	18	20	37	18	13	113	35	19	20	27	44	44	44	44	20	—
OTHER CAUSES -	5.61	5164	1299	224	89	34	40	1186	68	38	38	54	67	70	92	123	245	2

Deaths of Infants (under
one) to 1000 Births } 169Marriages - 8,667
Births - 32,071Annual Rate (Persons Married
per 1000 living (Births - 18.41
- 36.60

472.—BURNLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	23.40	—	—	—	—	—	80.45	7.39	3.80	6.21	7.46	8.48	11.91	18.86	37.34	83.47	182.7
Mean Pop. 1871-80	—	103,072	3184	2927	2014	2751	2098	14474	12104	10909	10465	9935	16133	11792	8578	5418	2493	76
ALL CAUSES	23.40	24,115	7187	2441	1004	508	414	11644	899	421	650	741	1358	1404	1601	2023	2081	129
Small-pox	0.10	105	9	4	4	7	2	96	8	11	11	15	22	3	6	3	—	—
Measles	0.61	628	171	231	111	45	29	607	19	1	1	1	—	—	—	—	—	—
Scarlet Fever	1.09	1119	78	165	501	197	147	789	270	36	9	7	6	—	2	—	—	—
Diphtheria	0.09	93	14	19	12	11	9	65	17	2	1	4	—	—	—	1	—	—
Whooping-cough	0.43	442	202	180	69	19	12	432	10	—	—	—	—	—	—	—	—	—
Typhus	0.05	54	—	—	—	2	2	4	9	4	8	6	12	5	4	2	—	—
Euteric Fever	0.43	443	13	14	16	10	14	67	58	56	61	49	68	30	34	17	7	1
Simple Cont. Fev.	0.12	123	9	8	14	14	6	51	19	7	10	4	9	7	6	8	2	2
Puerp. Fever	0.12	121	—	—	—	—	—	—	—	—	8	26	36	31	—	—	—	—
Diarr. and Dys.	1.19	1229	880	200	83	11	5	1079	14	5	1	1	12	10	12	20	37	38
Cholera	0.07	72	38	10	1	1	—	50	2	2	1	1	2	3	7	2	1	1
Cancer	0.25	259	—	—	—	—	1	2	—	—	—	2	12	30	68	75	51	19
Scrophula	0.14	147	47	23	9	3	2	84	10	5	8	6	9	8	6	4	4	1
Tuberc Mesent.	0.06	364	167	19	16	3	5	280	19	12	12	7	13	14	6	2	2	1
Phthisis	1.97	1032	46	42	29	15	11	143	39	66	238	316	445	347	230	133	45	8
Hydrocephalus	0.24	228	82	49	27	13	8	179	24	16	8	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	3.01	3107	1390	222	87	51	30	1750	76	39	41	36	83	111	183	209	230	141
Circulatory "	1.15	1199	5	—	6	3	1	13	25	45	41	129	180	180	285	260	221	99
Respiratory "	4.69	4744	1473	677	198	84	54	2484	84	27	41	50	161	224	371	510	541	251
Digestive "	1.14	1176	213	51	20	11	8	302	22	27	27	31	76	113	155	217	151	48
Urinary "	0.43	417	10	8	10	1	8	37	13	14	15	31	43	59	53	69	78	25
Generative "	0.05	50	1	—	1	—	—	2	—	1	1	2	12	7	11	8	4	1
Childbirth	0.11	119	—	—	—	—	—	—	—	—	2	25	47	44	—	—	—	—
Suicide	0.03	54	—	—	—	—	—	—	—	—	—	—	10	8	8	13	8	1
Other Violence	0.47	487	18	15	20	25	15	99	49	24	26	26	47	87	50	46	29	14
OTHER CAUSES	4.83	4968	2402	461	114	71	45	3093	91	41	63	49	80	163	162	224	408	62

Deaths of Infants (under
one) to 1000 Births . . . 183Marriages . . . 9,336
Births . . . 39,271Annual Rate { Persons Married . . . 18.12
per 1000 living { Births . . . 39.10

473.—CLITHEROE.

—	Annual Death Rate per 1000.	20.24	—	—	—	—	—	52.02	6.25	3.56	5.07	6.55	8.73	11.44	16.17	31.95	69.42	189.4
ANNUAL DEATH RATE PER 1000	—	22.202	624	577	578	533	557	2880	2377	2447	2210	2015	2031	2447	1997	1468	829	332
Mean Pop. 1871-80	—	22,202	624	577	578	533	557	2880	2377	2447	2210	2015	2031	2447	1997	1468	829	332
ALL CAUSES	20.24	4511	932	276	135	91	69	1503	161	87	112	132	209	280	323	469	576	299
Small-pox	0.01	3	—	1	—	8	—	1	—	—	—	—	—	1	—	1	—	—
Measles	0.55	78	15	35	11	8	4	73	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.67	149	9	15	28	25	20	97	33	13	4	2	—	—	—	—	—	—
Diphtheria	0.22	49	2	—	6	5	4	17	23	4	3	—	—	1	—	1	—	—
Whooping-cough	0.28	63	33	15	4	7	3	62	1	—	—	—	—	—	—	—	—	—
Typhus	0.06	14	—	—	—	—	—	—	1	3	2	3	2	—	1	1	—	1
Euteric Fever	0.34	90	1	4	4	1	6	16	11	6	9	8	11	6	5	4	4	—
Simple Cont. Fev.	0.13	24	3	3	1	2	—	9	4	2	—	2	1	4	1	—	4	1
Puerp. Fever	0.12	27	—	—	—	—	—	—	—	—	1	8	13	5	—	—	—	—
Diarr. and Dys.	0.06	124	73	15	2	—	1	93	3	—	—	1	2	1	3	4	9	8
Cholera	0.09	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.43	101	—	—	—	—	—	—	—	—	1	1	4	8	28	27	24	8
Scrophula	0.12	29	10	6	—	—	—	16	5	—	—	—	—	1	3	1	—	—
Tuberc Mesent.	0.23	41	23	8	2	1	2	36	1	5	4	3	1	1	—	—	—	—
Phthisis	1.67	573	2	4	2	1	1	10	6	17	48	51	101	65	46	22	3	1
Hydrocephalus	0.17	57	10	7	6	1	3	27	6	—	3	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.63	286	175	42	19	10	6	292	16	10	10	6	18	25	49	63	55	41
Circulatory "	1.23	310	1	—	—	1	1	3	5	6	1	5	18	33	31	37	76	45
Respiratory "	5.83	164	68	23	9	5	263	10	2	2	13	23	41	67	126	163	129	—
Digestive "	1.11	216	17	5	2	3	—	27	5	6	5	7	15	30	38	50	50	20
Urinary "	0.42	94	2	2	3	—	1	8	6	1	6	3	12	3	10	10	21	15
Generative "	0.01	8	1	—	—	—	—	1	—	—	—	—	—	1	1	3	2	—
Childbirth	0.12	27	—	—	—	—	—	—	—	—	—	4	9	14	—	—	—	—
Suicide	0.05	11	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	1
Other Violence	0.63	119	5	7	3	4	2	21	9	3	4	5	17	17	16	11	9	7
OTHER CAUSES	4.72	1051	384	39	19	13	9	464	12	9	9	8	20	17	35	84	121	307

Deaths of Infants (under
one) to 1000 Births . . . 130Marriages . . . 1,712
Births . . . 7,192Annual Rate { Persons Married . . . 15.36
per 1000 living { Births . . . 32.28

474.—BLACKBURN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	25.29	—	—	—	—	—	90.33	8.20	4.15	6.14	7.19	8.97	13.80	22.31	40.55	82.89	186
Mean Pop. } 1871-80 —	—	150,882	5011	4390	4524	4303	4042	22370	19231	17827	16530	15381	24559	18900	13090	7801	3624	19
ALL CAUSES	25.29	40427	12002	4556	1798	1003	700	20207	1577	740	1016	1106	2204	2554	2922	3163	3004	11
Small-pox —	0.03	40	4	3	—	3	1	13	3	2	2	5	8	4	3	1	—	—
Measles —	0.78	1253	291	528	221	95	60	1189	49	4	—	1	—	—	—	—	—	—
Scarlet Fever —	1.46	2327	170	415	437	393	286	1646	515	74	117	7	11	4	—	—	—	—
Diphtheria —	0.04	71	8	12	12	7	46	114	3	1	—	—	1	2	1	1	—	—
Whooping-cough —	0.53	840	391	261	95	69	28	624	15	1	—	—	—	—	—	—	—	—
Typhus —	0.04	100	—	—	—	2	5	7	15	18	10	13	13	6	6	3	1	—
Enteric Fever —	0.53	879	9	27	30	36	37	150	130	103	125	91	111	78	39	34	3	—
Simple Cont. Fev. —	0.07	104	5	12	12	9	8	46	21	5	3	2	8	7	5	5	3	—
Febr. Fever —	0.07	105	—	—	—	—	—	—	—	4	19	49	32	1	—	—	—	—
Diarr. and Dys. —	1.42	2274	1502	432	54	19	11	2318	16	5	9	4	14	21	13	31	71	—
Cholera —	0.02	97	1	2	1	1	—	5	2	1	—	2	5	6	9	6	3	—
Cancer —	0.31	496	1	—	—	—	—	1	—	2	1	1	22	74	143	142	83	—
Scrophula —	0.08	125	27	23	8	1	4	65	12	6	15	7	5	6	5	2	2	—
Tuberc. Ment. —	0.57	917	595	233	74	20	5	857	30	17	9	2	9	4	5	4	—	—
Phtisis —	0.29	5310	98	85	53	31	13	200	81	132	391	403	793	733	334	189	43	—
Hydrocephalus —	0.25	451	185	141	45	19	13	403	25	7	8	1	2	1	1	—	—	—
Diseases of																		
Nervous Syst. —	3.30	2290	2176	457	178	85	74	2970	176	70	61	48	139	203	263	471	531	3
Circulatory —	7.19	1794	4	2	3	1	1	11	28	47	55	64	178	271	340	405	236	—
Respiratory —	5.54	3851	2438	1198	317	151	86	4210	145	43	73	114	274	405	534	1049	1074	4
Digestive —	3.18	1687	344	45	21	14	9	453	43	40	51	65	181	173	313	541	370	—
Urinary —	0.15	445	14	8	5	13	6	46	17	19	19	19	43	46	61	79	71	—
Generative —	0.05	78	—	—	—	—	—	—	—	—	4	3	15	15	14	9	4	—
Childbirth —	0.12	185	—	—	—	—	—	—	—	19	29	79	61	4	—	—	—	—
Suicide —	0.06	95	—	—	—	—	—	—	—	1	1	6	19	18	21	17	9	—
Other Violence —	0.02	985	35	66	53	37	33	217	95	55	42	54	111	114	162	81	60	—
OTHER CAUSES —	4.57	7337	3800	896	162	97	73	4728	111	72	86	39	162	165	246	229	54	9

Deaths of Infants (under one) to 1000 Births } 191 Marriages } 15,730 Annual Rate { Persons Married } 17.18
 Births } 62,832 per 1000 living { Births } 39.30

475.—CHORLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	22.62	—	—	—	—	—	67.70	7.43	4.03	6.32	7.62	8.73	11.22	17.10	33.60	73.02	167
Mean Pop. } 1871-80 —	—	45,367	1354	1267	1343	1261	1202	6427	3517	5030	4590	4119	6333	4813	3691	2759	1315	5
ALL CAUSES	22.62	10,262	2710	857	333	203	183	4351	410	204	290	314	533	549	631	901	1107	9
Small-pox —	0.02	11	—	—	—	—	1	1	—	—	1	2	3	1	2	—	—	—
Measles —	0.37	167	47	64	23	16	4	168	9	—	—	—	—	—	—	—	—	—
Scarlet Fever —	0.07	435	25	64	63	83	54	191	102	25	6	2	10	—	—	1	—	—
Diphtheria —	0.14	62	7	4	5	11	4	31	17	8	3	1	3	—	—	1	—	—
Whooping-cough —	0.43	190	60	48	23	11	10	182	8	—	—	—	—	—	—	—	—	—
Typhus —	0.06	27	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—
Enteric Fever —	0.41	186	5	6	4	8	9	32	30	14	23	25	27	15	11	9	3	—
Simple Cont. Fev. —	0.15	64	4	7	11	4	5	31	18	5	4	1	2	7	2	1	—	—
Febr. Fever —	0.14	61	—	—	—	—	—	—	—	—	—	—	19	20	14	3	—	—
Diarr. and Dys. —	0.72	525	190	64	9	4	2	270	2	1	—	—	3	2	5	10	18	—
Cholera —	0.02	12	4	2	—	—	—	6	—	—	1	—	—	—	3	1	1	—
Cancer —	0.25	130	—	—	—	1	—	1	1	—	—	—	4	23	25	52	31	—
Scrophula —	0.09	41	6	8	3	—	2	19	4	5	2	2	5	2	1	1	—	—
Tuberc. Ment. —	0.57	560	159	53	11	6	4	239	8	6	1	2	1	1	1	—	—	—
Phtisis —	0.14	970	16	8	1	—	—	16	12	43	151	141	329	129	117	68	46	—
Hydrocephalus —	0.21	96	58	19	11	6	5	79	13	2	2	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst. —	2.49	1130	472	66	31	13	17	584	38	23	11	17	29	37	30	125	151	1
Circulatory —	1.94	697	1	—	—	—	—	1	9	12	13	19	46	66	106	155	127	—
Respiratory —	4.47	2024	209	249	72	44	24	895	51	12	10	9	40	92	129	253	274	—
Digestive —	0.94	425	48	9	3	5	1	61	15	2	11	12	13	40	68	91	93	—
Urinary —	0.35	141	2	2	2	2	3	11	5	4	7	10	11	12	13	29	42	—
Generative —	0.05	21	—	1	—	—	—	1	—	—	—	—	4	4	2	4	8	—
Childbirth —	0.13	87	—	—	—	—	—	—	—	—	—	18	26	18	—	—	—	—
Suicide —	0.06	23	—	—	—	—	—	—	—	—	—	2	2	2	2	6	2	—
Other Violence —	0.71	322	17	21	18	14	10	81	39	19	15	25	31	29	24	33	15	—
OTHER CAUSES —	5.29	2440	1130	147	41	33	39	1311	81	21	17	13	31	42	49	89	239	—

Deaths of Infants (under one) to 1000 Births } 153 Marriages } 5,530 Annual Rate { Persons Married } 15.56
 Births } 17,100 per 1000 living { Births } 37.69

476.—PRESTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	28.05	—	—	—	—	—	97.85	8.55	4.74	6.65	8.78	11.36	16.97	23.50	31.14	31.75	175.68
Mean Pop. 1871-80	—	122,503	8603	3209	3223	3204	2964	16203	14139	13252	12490	11343	18323	14423	10626	6991	3557	1156
ALL CAUSES	28.05	34.358	9838	3145	1400	892	580	15855	1200	628	830	996	2081	2447	2497	2576	2908	2031
Small-pox	0.13	165	18	2	2	7	4	83	37	13	22	23	24	13	7	3	—	—
Measles	0.67	824	189	328	151	80	33	781	88	2	—	—	2	—	—	—	—	—
Scarlet Fever	1.27	1559	186	256	297	243	204	1161	320	21	9	12	4	—	—	—	—	—
Diphtheria	0.24	292	93	68	48	47	31	297	63	11	3	—	5	—	—	—	—	—
Whooping-cough	0.64	784	247	245	103	45	25	765	18	—	—	—	—	—	—	—	—	—
Typhus	0.06	68	—	—	—	3	—	3	18	11	7	6	4	8	3	—	—	—
Enteric Fever	0.45	537	30	30	20	23	13	116	57	63	65	47	75	41	25	33	50	5
Simple Cont. Fev.	0.13	145	2	3	5	10	6	26	11	16	13	10	13	17	27	15	19	4
Puerp. Fever	0.10	130	—	—	—	—	—	—	—	—	—	33	49	39	2	—	—	—
Diarr. and Dys.	2.29	2511	2033	414	31	20	12	2520	10	6	5	4	4	26	29	46	96	67
Cholera	0.08	75	25	9	2	3	—	41	2	—	1	—	2	5	8	—	—	—
Cancer	0.44	541	—	—	1	—	—	2	—	3	2	4	24	67	142	167	97	30
Scrofula	0.12	150	47	25	12	9	5	95	9	2	5	8	10	2	4	4	—	—
Tuberc. Mesent.	0.41	499	257	111	36	10	15	429	21	7	8	9	7	9	4	2	3	—
Phthisis	2.83	3471	30	34	18	9	16	107	64	127	392	494	865	726	409	203	29	4
Hydrocephalus	0.18	461	135	117	68	29	20	332	56	20	5	6	4	—	—	—	—	—
Diseases of Nervous Syst.	3.53	4236	1624	242	120	60	50	2083	113	47	50	53	178	283	327	420	517	223
Circulatory	1.42	1753	11	2	2	2	3	20	31	56	41	56	135	267	330	368	395	117
Respiratory	5.41	6631	1652	715	239	128	58	1792	110	39	27	77	235	288	638	921	887	209
Digestive	1.11	1361	196	40	11	18	12	277	25	31	33	38	83	164	215	267	169	61
Urinary	0.51	630	20	8	14	16	9	67	18	23	17	30	73	76	90	93	95	28
Generative	0.05	89	1	—	2	1	—	4	—	—	1	2	11	13	8	13	6	1
Childbirth	0.13	161	—	—	—	—	—	—	—	—	4	26	71	60	—	—	—	—
Selficide	0.07	81	—	—	—	—	—	—	—	—	2	5	11	18	21	14	7	3
Other Violence	0.29	723	37	44	41	31	20	168	74	58	49	51	69	64	75	60	44	31
OTHER CAUSES	5.01	6116	3055	462	152	107	65	3829	104	50	57	33	115	122	165	241	318	92

Deaths of Infants (under one) to 1000 Births } 312

Marriages - 10,580
Births - 46,334Annual Rate (Persons Married) - 17.27
per 1000 living (Births) - 37.66

477.—FYLDE.

	Annual Death Rate per 1000.	21.25	—	—	—	—	—	00.85	8.62	3.51	5.08	7.95	9.46	13.61	18.31	29.84	65.87	102.91
ANNUAL DEATH RATE PER 1000	—	21.25	—	—	—	—	—	00.85	8.62	3.51	5.08	7.95	9.46	13.61	18.31	29.84	65.87	102.91
Mean Pop. 1871-80	—	35,768	1008	888	941	929	867	4633	4210	3934	3580	3082	5168	4012	3096	2316	1257	486
ALL CAUSES	21.25	7602	1707	555	262	174	121	2819	363	135	182	245	489	546	567	691	828	734
Small-pox	0.05	17	2	—	—	—	—	2	—	—	2	—	7	3	2	1	—	—
Measles	0.35	89	16	35	13	9	6	79	9	1	—	—	—	—	—	—	—	—
Scarlet Fever	1.01	843	19	63	65	65	35	227	94	23	7	6	8	—	—	—	—	—
Diphtheria	0.14	68	2	7	9	10	4	62	15	8	1	—	—	—	—	—	—	—
Whooping-cough	0.34	121	54	46	9	5	3	147	4	—	—	—	—	—	—	—	—	—
Typhus	0.04	15	—	—	—	—	—	—	2	2	2	—	2	2	2	2	1	—
Enteric Fever	0.45	162	1	4	8	6	5	24	15	7	10	24	29	21	15	11	4	2
Simple Cont. Fev.	0.08	22	1	—	—	—	1	2	5	1	2	2	2	5	1	2	9	—
Puerp. Fever	0.07	36	—	—	—	—	—	—	—	—	—	6	13	7	—	—	—	—
Diarr. and Dys.	0.97	348	232	49	5	2	—	588	5	1	1	1	1	3	10	6	18	14
Cholera	0.10	34	34	5	—	1	1	21	2	—	—	—	—	1	2	4	2	1
Cancer	0.41	145	—	—	—	1	—	1	—	—	—	—	4	15	36	39	56	13
Scrofula	0.16	58	17	7	2	3	—	29	7	1	3	2	4	2	4	4	2	—
Tuberc. Mesent.	0.15	56	19	6	4	2	—	38	6	5	7	1	3	2	1	—	—	—
Phthisis	2.05	794	14	9	10	4	4	41	12	20	83	118	171	130	86	49	17	7
Hydrocephalus	0.34	120	54	26	8	7	4	79	23	11	4	—	1	1	—	—	—	—
Diseases of Nervous Syst.	2.66	950	275	66	23	9	14	392	42	19	8	9	50	55	76	112	138	79
Circulatory	1.31	468	2	1	—	—	1	4	10	7	11	7	19	37	76	99	116	37
Respiratory	3.21	1147	282	113	39	24	14	472	22	5	7	15	37	33	86	143	195	114
Digestive	1.37	489	83	10	5	8	—	106	15	5	4	9	36	60	67	82	74	31
Urinary	0.48	170	3	1	3	1	1	9	8	4	6	5	11	22	24	36	31	12
Generative	0.04	14	—	—	—	—	—	—	—	—	—	1	2	4	3	—	—	—
Childbirth	0.11	89	—	—	—	—	—	—	—	—	—	—	19	13	2	—	—	—
Selficide	0.09	33	—	—	—	—	—	—	—	—	—	—	3	6	9	5	4	1
Other Violence	0.70	219	19	17	9	6	6	87	16	13	9	20	34	33	21	24	41	11
OTHER CAUSES	4.77	1675	618	100	45	21	22	806	82	15	15	9	59	85	84	70	177	231

Deaths of Infants (under one) to 1000 Births } 141

Marriages - 2,845
Births - 12,103Annual Rate (Persons Married) - 15.91
per 1000 living (Births) - 33.83

478.—GARSTANG.

—		Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	% above 1871-80
ANNUAL DEATH RATE PER 1000 }		—	17'85	—	—	—	—	—	37'55	5'99	3'81	5'20	7'42	8'28	12'05	12'10	25'28	54'73	162'
Mean Pop. 1871-80 }		—	12,281	354	313	346	332	306	1651	1502	1390	1289	1024	1545	1237	1058	803	550	27
ALL CAUSES		17'85	2192	413	97	52	33	20	620	90	53	67	76	123	140	128	203	301	577
Small-pox - -		0'04	5	2	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-
Measles - - -		0'15	18	4	6	1	1	1	13	2	1	-	-	1	1	-	-	-	-
Scarlet Fever -		0'53	65	1	5	9	6	5	26	27	2	3	-	2	-	-	-	-	-
Diphtheria - -		0'07	9	-	-	1	-	-	2	2	2	1	1	-	-	-	-	-	-
Whooping-cough		0'24	50	15	6	6	1	2	27	2	1	-	-	-	-	-	-	-	-
Typhus - - - -		0'10	12	1	-	2	-	-	3	2	-	-	5	2	1	-	-	1	-
Enteric Fever -		0'29	50	1	-	-	-	1	4	2	3	5	3	4	3	3	3	3	1
Simple Cont. Fev.		0'10	12	-	-	1	1	-	2	3	-	1	2	1	2	-	1	-	-
Febr. Fever - -		0'09	11	-	-	-	-	-	-	-	-	-	3	5	3	-	-	-	-
Diarr. and Dys.		0'54	64	29	4	-	1	-	34	2	-	1	3	1	2	3	3	3	11
Cholera - - - -		0'00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - -		0'25	51	-	-	-	-	-	-	-	-	-	1	1	6	2	9	9	3
Scrofula - - -		0'06	7	1	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-
Tuberc Mesent.		0'10	12	5	2	1	-	-	8	1	-	1	1	-	-	-	-	-	-
Fistulae - - -		1'01	235	2	3	-	-	1	6	4	10	22	37	53	45	25	22	4	1
Hydrocephalus -		0'17	21	6	6	1	2	-	15	3	1	1	-	-	1	-	-	-	-
Diseases of	Nervous Syst.	2'18	258	82	8	7	2	2	105	6	5	5	1	6	11	5	37	51	20
	Circulatory - -	1'37	168	1	1	-	-	-	2	3	1	2	4	9	10	17	34	49	23
	Respiratory - -	2'48	329	90	19	10	5	2	123	10	4	6	4	7	14	14	26	58	24
	Digestive - - -	0'91	112	11	3	-	-	-	14	5	2	3	8	7	11	10	11	13	26
	Genitourinary -	0'39	48	-	1	-	1	-	2	-	1	-	-	1	7	6	8	15	11
Genitourinary -		0'03	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Childbirth - -		0'10	12	-	-	-	-	-	-	-	-	1	2	5	3	1	-	-	-
Suicide - - - -		0'03	4	-	-	-	-	-	13	6	2	-	-	2	1	1	-	-	-
Other Violence -		0'67	84	2	5	4	1	1	13	-	-	11	5	12	5	8	8	6	6
OTHER CAUSES		4'85	205	158	28	9	11	8	211	11	8	4	2	8	18	23	23	82	50

Deaths of Infants (under one) to 1000 Births	108
--	-----

Marrriages	-	858
Births	-	3,855

Annual Rate of Persons Married	-	13.97
per 1000 living	{	Births
	-	51.39

479.—LANCASTER.

ANNUAL DEATHS. RATE PER 1000.	—	22.77	—	—	—	—	—	36.34	7.04	4.56	5.95	8.73	11.56	18.41	23.13	37.01	68.39	170.5
Mean Pop. 1871-80	—	36,750	1015	994	992	990	993	4880	4217	3995	3629	3227	2582	4661	3286	2303	1245	408
ALL CAUSES	22.77	8369	1663	538	262	172	118	2753	297	182	216	286	622	748	700	833	854	798
Small-pox	0.07	27	4	—	2	—	—	8	—	1	2	5	5	2	5	1	—	—
Measles	0.32	117	27	43	17	11	6	104	7	1	3	—	2	—	—	—	—	—
Scarlet Fever	0.75	245	18	48	41	43	36	185	69	15	3	6	2	8	1	—	—	—
Diphtheria	0.10	38	3	9	2	4	4	28	10	1	1	—	2	—	—	—	—	—
Whooping-cough	0.42	153	69	45	26	5	6	131	4	—	—	—	—	—	—	—	—	—
Typhus	0.03	12	—	—	—	—	—	—	2	3	2	1	1	1	—	2	—	—
Enteric Fever	0.20	119	6	4	3	5	1	17	14	10	15	12	12	8	9	8	1	—
Simple Cont. Fev.	0.07	28	—	—	1	—	5	6	6	3	1	—	—	2	4	2	—	—
Malar. Fever	0.05	19	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—
Diarr. and Dys.	0.73	267	138	84	8	4	—	204	2	—	—	2	7	8	9	13	10	—
Cholera	0.02	6	—	—	—	—	—	—	2	—	—	—	—	1	1	2	—	—
Cancer	0.41	149	—	—	—	—	—	41	6	—	—	—	5	16	27	47	66	18
Scrofula	0.21	77	24	9	5	1	2	61	6	5	6	4	5	4	6	1	2	—
Tuberc. Mesent.	0.25	12	36	17	5	3	3	62	6	8	4	3	—	—	—	—	—	—
Phthisis	0.26	117	11	5	3	1	3	35	26	9	157	22	18	186	64	29	—	—
Hydrocephalus	0.17	211	80	46	19	13	12	170	23	10	4	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	0.33	1232	359	41	21	10	6	317	23	17	16	20	113	166	187	144	132	101
Circulatory	1.50	550	—	—	—	—	1	1	3	12	11	20	33	55	143	129	77	—
Respiratory	4.18	1518	311	120	45	26	13	518	34	16	13	27	78	106	125	213	170	—
Digestive	1.65	587	50	7	5	3	3	68	16	9	5	6	22	61	65	24	43	18
Urinary	0.41	151	1	1	2	4	1	9	3	3	5	14	4	15	24	19	22	14
Generative	0.08	30	—	—	—	—	—	—	—	—	1	3	4	8	7	6	3	—
Childbirth	0.09	38	—	—	—	—	—	—	—	—	1	6	14	12	—	—	—	—
Suicide	0.08	28	—	—	—	—	—	—	—	—	—	1	1	11	—	6	3	1
Other Violence	0.71	261	14	9	10	12	—	44	26	12	14	28	38	22	28	20	10	11
OTHER CAUSES	4.54	1671	613	160	49	29	14	805	17	15	15	4	85	56	78	77	160	25

Deaths of Infants (under 1 year)	130
----------------------------------	-----

Marriages	-	2,971
Births	-	11,979

Annual Rate of Persons Married	-	16'17
per 1000 living (Births	-	32'00

480.—LUNESDALE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000 }	—	17'94	—	—	—	—	—	39'25	6'09	2'98	3'99	6'57	8'03	10'96	12'54	20'94	60'52	146'71
Mean Pop. } 1871-80 }	—	7055	176	183	173	180	168	879	854	785	727	609	873	730	622	516	303	152
ALL CAUSES	17'94	1266	213	61	32	22	17	345	52	23	29	40	70	80	78	139	187	223
Small-pox - -	0'01	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles - -	0'18	13	3	4	2	1	-	10	3	-	-	-	-	-	-	-	-	-
Scarlet Fever -	0'54	38	1	4	4	5	4	18	16	2	-	3	-	-	-	-	-	-
Diphtheria - -	0'09	6	-	3	1	-	1	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0'21	15	8	6	1	-	-	15	-	-	-	-	-	-	-	-	-	-
Typhus - -	0'04	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever -	0'27	19	2	-	-	3	-	5	1	1	1	1	4	2	1	3	-	-
Simple Cont. Fev.	0'04	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Puerp. Fever -	0'04	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys. -	0'50	35	23	4	1	1	-	29	-	-	-	1	-	1	-	-	-	4
Cholera - -	0'01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cancer - -	0'41	29	-	-	-	-	-	-	-	-	1	-	-	8	5	9	5	6
Scrofula - -	0'11	8	1	-	-	-	-	1	-	-	1	-	1	1	1	1	1	-
Tuberc Mesent. -	1'29	91	-	2	-	-	1	10	-	2	-	2	-	-	-	-	-	-
Phthisis - -	1'89	133	-	1	1	-	1	3	3	8	9	21	34	22	13	14	4	2
Hydrocephalus -	0'23	16	3	2	3	2	3	13	3	-	-	-	-	-	-	-	-	-
Diseases of } Nervous Syst. Circulatory } Respiratory } Digestive } Urinary } Generative }	2'27 1'35 2'61 1'29 0'34 0'04	100 95 184 91 24 3	34 - 43 13 13 3	6 - 15 3 3 -	3 - 4 1 1 -	- - 3 1 1 -	- - 6 - 19 -	43 7 71 2 19 -	7 1 4 1 1 -	2 2 2 1 4 -	2 2 2 4 - -	3 2 2 1 1 -	3 3 10 4 6 -	8 10 8 9 7 -	10 8 6 10 1 -	25 27 17 17 3 -	27 15 23 23 7 -	29 13 25 23 9 -
Childbirth - -	0'06	4	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-
Suicide - -	0'19	7	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Other Violence -	0'64	45	2	1	2	2	-	7	3	4	3	3	2	4	6	4	2	6
OTHER CAUSES -	4'45	314	73	10	7	4	1	95	6	3	4	1	2	10	12	15	50	114

Deaths of Infants (under
one) to 1000 Births - } 104Marriages - 384
Births - 2042Annual Rate { Persons Married - 10'89
per 1000 living { Births - 28'94

481.—ULVERSTON (5½ Years to 30th June 1876).*

ANNUAL DEATH RATE PER 1000 }	—	23'62	—	—	—	—	—	70'62	7'70	4'32	7'37	10'27	11'47	14'81	18'85	32'02	63'10	150'22
Mean Pop. } Jan. 1871 to June 1876 }	—	64,873	2201	1946	2057	1908	1751	9863	8097	6812	5776	5986	10464	7108	5054	3305	1703	705
ALL CAUSES	23'62	8423	2361	771	350	213	136	3831	343	162	234	338	600	579	524	582	591	594
Small-pox - -	0'62	220	20	8	6	10	6	50	22	7	13	27	54	27	15	3	1	1
Measles - -	0'38	137	40	44	28	12	6	130	6	-	-	-	1	-	-	-	-	-
Scarlet Fever -	1'01	361	21	69	63	33	36	244	69	16	7	5	11	6	3	-	-	-
Diphtheria - -	0'18	64	7	12	4	5	7	35	19	5	1	1	-	-	2	1	-	-
Whooping-cough	0'46	164	73	53	19	6	7	158	6	-	-	-	-	-	-	-	-	-
Typhus - -	0'05	17	-	-	-	-	-	-	1	2	6	1	5	1	-	1	-	-
Enteric Fever -	0'60	213	3	10	13	8	5	30	33	17	14	23	46	20	13	7	3	-
Simple Cont. Fev.	0'20	73	4	6	10	6	2	28	13	3	1	2	7	4	5	3	4	3
Puerp. Fever -	0'06	27	-	-	-	-	-	-	-	-	3	9	12	3	-	-	-	-
Diarr. and Dys. -	1'13	473	219	84	8	5	1	357	-	2	-	2	4	4	6	4	14	19
Cholera - -	0'03	11	1	-	-	-	-	1	1	-	-	-	3	3	-	1	1	-
Cancer - -	0'26	94	-	-	-	-	-	-	-	1	-	1	3	7	23	23	13	5
Scrofula - -	0'11	41	4	6	2	4	1	17	7	3	-	2	5	2	3	2	-	-
Tuberc Mesent. -	0'33	114	28	23	7	4	2	94	3	-	5	-	6	5	2	1	3	-
Phthisis - -	2'14	762	8	7	-	2	2	19	22	36	90	122	204	136	78	36	16	1
Hydrocephalus -	0'45	159	66	41	19	6	5	137	17	2	2	1	-	-	-	-	-	-
Diseases of } Nervous Syst. Circulatory } Respiratory } Digestive } Urinary } Generative }	2'90 1'19 3'06 1'27 0'26 0'04	1633 426 1311 453 91 16	442 1 386 79 3 -	84 1 147 12 2 -	22 - 24 5 1 -	10 - 14 4 1 -	606 - 621 165 7 -	28 1 22 8 2 -	11 3 8 7 2 -	14 15 15 14 2 -	15 38 40 36 2 -	30 58 40 61 4 -	19 58 40 41 1 -	52 58 40 41 4 -	52 58 40 41 4 -	84 79 141 78 22 6	96 97 123 38 18 -	63 56 91 13 12 -
Childbirth - -	0'13	48	-	-	-	-	-	-	-	-	6	9	20	13	-	-	-	-
Suicide - -	0'06	32	-	-	-	-	-	-	-	-	1	1	3	6	3	5	9	1
Other Violence -	1'04	372	19	15	9	9	7	29	18	16	23	31	73	45	54	31	17	19
OTHER CAUSES -	5'04	1790	867	150	63	31	20	1123	43	19	9	18	27	41	42	52	114	229

Deaths of Infants (under
one) to 1000 Births - } 145Marriages - 3,378
Births - 16,329Annual Rate { Persons Married - 18'83
per 1000 living { Births - 45'77

* The civil parish of Barrow-in-Furness was detached from ULVERSTON District 1st July 1876, and created a separate Registration District. This Table relates to the district of ULVERSTON as constituted during the 5½ years before the change.

481.—ULVERSTON (4½ years from 1st July 1876).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	17.80	—	—	—	—	—	43.72	5.30	2.90	5.87	7.41	8.37	10.56	14.83	29.32	33.78	150
Mean Pop. July 1876 to Dec. 1880	—	42,027	1294	1244	1235	1235	1205	6353	5531	4656	3672	3539	6029	4588	3266	2410	1410	2
ALL CAUSES	17.80	3373	792	236	110	63	49	1250	132	62	97	118	227	218	218	318	341	3
Small-pox -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Measles -	0.41	78	16	31	11	7	6	71	3	2	—	—	—	—	—	—	—	—
Scarlet Fever -	0.21	39	5	3	4	6	6	23	13	—	1	1	—	—	—	—	—	—
Diphtheria -	0.10	19	2	2	3	1	—	8	10	1	—	—	—	—	—	—	—	—
Whooping-cough -	0.29	38	13	8	4	6	—	34	2	—	—	—	—	—	—	—	—	—
Typhus -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever -	0.24	46	—	3	1	—	—	4	9	3	9	6	4	8	2	4	2	—
Simple Cont. Fev. -	0.06	11	—	—	—	—	—	—	1	1	2	—	—	1	1	—	—	—
Puemp. Fever -	0.05	10	—	—	—	—	—	—	—	—	—	—	4	6	1	—	—	—
Diarr. and Dys. -	0.61	115	71	18	3	—	1	93	2	—	—	—	2	2	3	4	1	—
Cholera -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer -	0.31	38	—	—	—	—	—	—	—	—	—	1	1	5	12	15	17	—
Scrofula -	0.12	22	4	2	2	3	—	12	4	—	—	—	1	2	—	—	—	—
Tuberc. Mesent. -	0.23	41	17	4	5	1	—	27	2	3	2	1	2	1	2	—	—	—
Phthisis -	0.05	230	5	2	7	5	—	19	12	19	43	59	90	73	43	29	4	—
Hydrocephalus -	0.30	57	25	12	8	3	3	51	3	2	1	—	—	—	—	—	—	—
Diseases of Nervous Syst. -	2.36	447	145	33	9	6	5	108	22	7	4	9	14	22	22	44	58	—
Circulatory " -	1.80	293	2	—	—	—	1	3	2	4	3	5	19	26	37	67	63	—
Respiratory " -	3.00	568	157	72	23	15	10	280	15	2	6	9	20	35	30	52	70	—
Digestive " -	3.12	211	28	5	2	3	6	44	6	6	6	1	14	15	56	45	17	—
Urinary " -	0.28	33	—	—	—	—	1	2	1	—	3	3	3	3	—	13	11	—
Generative " -	0.07	13	1	—	—	—	—	1	—	—	1	1	2	—	—	3	3	—
Childbirth -	0.07	13	—	—	—	—	—	—	—	—	—	1	4	8	—	—	—	—
Suicide -	0.11	29	—	—	—	—	—	—	—	—	—	—	4	1	5	9	1	—
Other Violence -	0.73	120	9	3	8	4	3	27	7	5	11	9	22	20	18	13	8	—
OTHER CAUSES -	3.81	724	287	37	9	3	7	343	14	7	6	6	17	10	19	24	69	3

Deaths of Infants (under one) to 1000 Births - 11½

Marriages - 1,363
Births - 6,937Annual Rate per 1000 living { Persons Married - 14.43
Births - 36.79

* This Table relates to the District of Ulverston as constituted during the 4½ years after the separation of Barrow-in-Furness. See 2 to previous Table.

482.—BARROW-IN-FURNESS (4½ years from 1st July 1876).*

—	Annual Death Rate per 1000.	18.30	—	—	—	—	—	63.53	0.36	3.86	4.50	5.23	6.14	9.11	15.13	30.92	39.10	141
ANNUAL DEATH RATE PER 1000	—	18.30	—	—	—	—	—	63.53	0.36	3.86	4.50	5.23	6.14	9.11	15.13	30.92	39.10	141
Mean Pop. July 1876 to Dec. 1880	—	40,982	1436	1304	1403	1332	1363	6843	5452	4088	3500	4040	7530	5073	2540	1279	474	1
ALL CAUSES	18.30	3370	1195	440	193	110	75	2018	156	71	71	93	208	208	173	178	126	1
Small-pox -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles -	0.54	107	24	49	23	6	6	103	2	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.69	127	7	23	32	13	19	95	37	2	2	1	—	—	—	—	—	—
Diphtheria -	0.21	45	3	7	7	7	6	50	14	1	—	—	—	—	—	—	—	—
Whooping-cough -	0.69	127	42	44	21	12	2	131	5	—	1	—	—	—	—	—	—	—
Typhus -	0.04	8	—	—	—	—	—	—	2	—	1	1	1	—	3	—	—	—
Enteric Fever -	0.21	58	2	1	5	1	6	15	11	3	3	8	13	4	1	—	—	—
Simple Cont. Fev. -	0.15	37	1	5	3	2	4	15	1	1	3	—	1	5	2	—	—	—
Puemp. Fever -	0.02	5	—	—	—	—	—	—	—	—	—	—	5	2	—	—	—	—
Diarr. and Dys. -	1.05	194	139	38	6	1	2	186	—	—	—	—	—	—	1	5	1	—
Cholera -	0.01	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer -	0.23	42	—	1	1	—	—	2	—	—	1	1	2	8	15	5	6	—
Scrofula -	0.11	29	8	6	2	—	—	17	2	1	—	—	—	—	—	—	—	—
Tuberc. Mesent. -	0.35	162	24	40	11	6	3	94	5	1	—	—	1	—	—	—	—	—
Phthisis -	1.48	272	4	7	4	2	1	18	7	13	23	33	68	53	19	16	6	—
Hydrocephalus -	0.43	79	33	16	2	7	3	61	12	5	—	1	—	—	—	—	—	—
Diseases of Nervous Syst. -	2.44	419	212	46	21	14	3	230	23	6	5	6	11	21	18	28	22	—
Circulatory " -	0.83	151	1	—	—	1	—	2	2	8	7	5	15	13	19	39	29	—
Respiratory " -	2.92	358	229	77	30	17	8	361	7	5	4	7	21	27	32	34	27	—
Digestive " -	0.05	175	47	9	2	4	2	65	11	3	4	7	10	30	20	21	14	—
Urinary " -	0.21	41	2	—	2	2	—	6	1	2	2	1	11	5	2	—	—	—
Generative " -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth -	0.01	8	—	—	—	—	—	—	—	—	1	2	3	2	—	—	—	—
Suicide -	0.04	8	—	—	—	—	—	—	—	—	—	—	1	2	1	2	1	—
Other Violence -	0.80	147	9	4	4	2	3	22	11	9	7	13	29	20	13	12	1	—
OTHER CAUSES -	3.44	634	408	58	23	11	7	307	10	9	4	6	13	12	6	—	—	—

Deaths of Infants (under one) to 1000 Births - 147

Marriages - 1,567
Births - 8,112Annual Rate per 1000 living { Persons Married - 15.76
Births - 41.04

* This Registration District was created 1st July 1876; see Notes to two preceding Tables.

YORKSHIRE, WEST RIDING.

483.—SEDBERGH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged.
ANNUAL DEATH RATE PER 1000	—	20.15	—	—	—	—	—	42.70	4.91	5.14	8.35	8.09	12.68	13.43	13.60	26.07	51.48	128.90
Mean Pop. } 1871-80	—	4,535	125	102	111	111	106	555	509	467	431	346	639	409	410	349	237	93
ALL CAUSES	20.15	914	167	59	14	9	8	237	25	24	36	23	81	67	56	91	122	147
Small-pox - -	0.11	5	1	1	—	—	—	1	2	—	—	—	1	1	—	—	—	1
Measles - -	0.76	12	5	3	—	—	1	9	1	—	—	1	—	—	—	—	—	—
Scarlet Fever -	0.20	9	—	3	—	2	—	5	1	1	1	—	1	—	—	—	—	—
Diphtheria - -	0.04	2	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—
Whooping-cough	0.24	11	3	6	—	—	—	9	2	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteric Fever -	0.60	27	1	—	—	—	1	3	2	1	5	3	6	3	1	2	—	1
Simple Cont. Fev.	0.13	6	—	—	1	1	—	2	—	—	—	1	—	1	1	—	—	1
Puerp. Fever -	0.09	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Diarr. and Dys. -	0.24	11	1	—	1	—	—	2	—	—	1	1	2	—	2	—	1	2
Cholera - -	0.07	3	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—
Cancer - -	0.26	12	1	—	—	—	—	1	—	—	—	—	—	1	3	2	2	2
Scrofula - -	0.20	9	1	—	1	—	—	3	—	—	1	—	3	1	—	—	1	—
Tuberc Mesent. -	0.29	13	3	—	—	—	—	3	3	4	—	—	1	—	—	—	—	—
Phtisis - -	1.08	90	—	—	—	—	—	—	—	6	12	8	53	11	7	8	2	—
Hydrocephalus -	0.22	10	4	—	1	1	2	8	1	—	—	—	1	—	—	—	—	—
Diseases of { Nervous Syst. 2.58 117 37 3 1 — — 1 42 3 3 1 1 9 4 5 14 17 15																		
{ Circulatory " 1.24 58 — — — — — — 3 — — 1 4 3 7 1 13 17 12																		
{ Respiratory " 1.20 148 23 14 5 1 — — 43 3 — — 5 1 9 9 11 13 24 28																		
{ Digestive " 1.35 61 4 2 1 — — — 8 — — — — 5 2 6 10 7 13 9																		
{ Urinary " 0.31 15 — — — — — — — — — — — — — — 2 2 7 3																		
{ Generative " 0.03 1 — — — — — — — — — — — — — — 1 — — —																		
Childbirth - -	0.07	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
Suicide - -	0.06	4	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—
Other Violence -	0.97	44	2	3	—	—	1	6	—	4	4	5	1	4	6	5	9	1
OTHER CAUSES -	5.25	238	82	4	3	3	—	99	4	2	4	1	2	9	4	13	33	74

Deaths of Infants (under
one) to 1000 Births } 116Marriages : 353
Births : 1,443Annual Rate of Persons Married : 15.62
per 1000 living { Births : 31.80

484.—SETTLE.

—	Annual Death Rate per 1000	19.24	—	—	—	—	—	47.28	4.56	3.63	6.96	8.28	10.07	12.48	13.47	25.76	67.69	155.81
ANNUAL DEATH RATE PER 1000	—	19.24	—	—	—	—	—	47.28	4.56	3.63	6.96	8.28	10.07	12.48	13.47	25.76	67.69	155.81
Mean Pop. } 1871-80	—	14,467	394	306	369	365	344	1838	1646	1534	1405	1333	2036	1531	1292	985	605	238
ALL CAUSES	19.24	2783	568	160	73	35	35	809	75	56	98	110	205	191	174	254	349	402
Small-pox - -	0.30	44	5	2	2	2	2	13	9	—	—	4	12	5	1	—	—	—
Measles - -	0.20	29	2	15	3	2	—	22	3	—	2	—	3	1	—	—	—	—
Scarlet Fever -	0.21	31	—	4	7	3	6	30	5	—	2	1	3	—	—	—	—	—
Diphtheria - -	0.02	3	—	1	—	1	—	3	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.26	37	21	11	1	1	—	34	8	—	—	—	—	—	—	—	—	—
Typhus - -	0.03	11	—	—	—	1	—	1	2	2	2	2	1	—	1	—	—	—
Enteric Fever -	0.51	74	1	—	1	3	1	11	7	9	12	7	9	5	—	6	1	—
Simple Cont. Fev.	0.10	14	—	5	—	1	1	8	—	2	1	1	3	—	1	1	1	1
Puerp. Fever -	0.10	14	—	—	—	—	—	—	—	—	—	4	6	4	—	—	—	—
Diarr. and Dys. -	0.26	38	19	1	3	1	—	24	4	—	—	—	1	1	1	4	3	—
Cholera - -	0.03	4	1	—	—	—	—	1	1	—	1	—	—	—	1	1	—	—
Cancer - -	0.36	53	—	—	—	—	—	—	—	—	1	—	—	3	7	17	14	8
Scrofula - -	0.10	14	4	1	—	—	—	5	1	1	1	—	2	3	2	—	—	—
Tuberc Mesent. -	0.27	59	19	8	4	1	—	32	4	13	38	49	55	54	30	13	4	—
Phtisis - -	1.86	263	—	—	—	—	3	3	4	14	38	49	55	54	30	13	4	—
Hydrocephalus -	0.33	48	21	11	6	2	2	42	3	1	1	1	—	—	—	—	—	—
Diseases of { Nervous Syst. 2.55 269 117 50 13 7 1 168 5 5 3 7 9 12 11 21 41 58 36																		
{ Circulatory " 1.76 269 1 — — — — — 1 1 3 3 5 13 24 28 55 36 30																		
{ Respiratory " 2.51 424 109 45 18 5 9 188 8 3 4 6 6 16 25 22 35 30 24																		
{ Digestive " 1.08 134 15 2 1 2 1 19 4 3 4 5 5 12 13 21 29 32 11																		
{ Urinary " 0.38 48 — — — — — — 1 — — — — 2 2 4 6 14 9																		
{ Generative " 0.04 6 — — — — — — — — — — — — 1 1 1 2																		
Childbirth - -	0.11	16	—	—	—	—	—	—	—	—	—	1	9	5	1	—	—	—
Suicide - -	0.07	10	—	—	—	—	—	—	—	—	—	1	1	2	3	3	—	—
Other Violence -	0.71	192	1	2	5	2	4	14	4	1	9	8	21	14	8	6	11	9
OTHER CAUSES -	4.57	602	232	18	8	1	6	253	9	6	7	8	18	13	14	25	71	23

Deaths of Infants (under
one) to 1000 Births } 123Marriages : 1,096
Births : 4,646Annual Rate of Persons Married : 15.15
per 1000 living { Births : 31.86

485.—SKIPTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000	—	20.41	—	—	—	—	—	54.00	5.45	8.02	6.85	7.97	9.26	11.42	15.43	32.72	72.19	184.7
Mean Pop. } 1871-80 }	—	34,769	964	925	903	858	843	4403	3900	3649	3472	3249	3010	3827	3176	2271	1219	423
ALL CAUSES	20.41	7006	1578	436	180	131	101	2426	216	143	238	259	464	437	490	743	880	806
Small-pox - -	0.03	28	4	-	2	-	1	7	-	3	5	5	4	2	2	-	-	-
Measles - -	0.22	77	20	27	11	8	5	71	8	-	5	1	2	-	-	-	-	-
Scarlet Fever -	0.56	194	13	20	33	31	20	117	61	15	4	5	1	1	-	-	-	-
Diphtheria - -	0.06	20	2	3	4	1	2	12	3	1	-	1	2	1	-	-	-	-
Whooping-cough -	0.24	83	41	21	5	6	4	77	5	-	-	1	-	-	-	-	-	-
Typhus - -	0.06	22	-	-	1	-	-	1	1	4	4	5	3	-	2	2	-	-
Enteric Fever -	0.32	112	6	4	7	3	1	21	11	7	16	9	18	5	8	10	4	-
Simple Cont. Fev.	0.08	28	1	2	4	1	2	10	2	1	3	1	1	1	2	3	2	-
Fæbr. Fever - -	0.05	21	-	-	-	-	-	-	-	-	1	5	7	7	1	-	-	-
Diarr. and Dys. -	0.44	152	95	16	2	-	2	115	3	2	1	-	4	2	5	7	7	8
Cholera - -	0.06	21	8	3	1	2	-	14	-	-	-	-	-	2	-	1	2	2
Cancer - -	0.25	90	-	-	-	-	-	-	-	-	-	1	6	11	23	32	17	6
Scrophula - -	0.08	29	2	1	3	1	-	7	3	-	2	5	3	5	1	3	2	-
Tuberc. Mesent. -	0.31	109	47	52	4	3	1	87	9	4	3	-	2	1	2	1	-	-
Phthisis - -	2.34	814	5	9	5	2	2	23	16	37	124	123	201	116	84	46	12	2
Hydrocephalus -	0.20	70	25	16	7	3	2	63	10	6	1	-	-	-	-	-	-	-
Diseases of {																		
Nervous Syst. -	2.29	1041	416	61	21	16	7	515	23	17	9	9	20	43	66	114	125	69
Circulatory - -	1.15	349	1	1	-	-	-	2	9	18	10	10	27	34	62	94	92	46
Respiratory - -	4.02	1397	330	132	35	17	18	532	14	4	12	13	45	58	83	190	252	175
Digestive - -	1.13	394	47	7	3	3	1	61	11	5	12	17	29	28	53	81	73	39
Urinary - -	0.37	130	1	-	3	2	-	6	1	1	7	6	19	13	15	29	27	14
Generative - -	0.05	16	-	-	-	-	-	-	-	-	-	1	5	2	5	3	-	-
Childbirth - -	0.12	40	-	-	-	-	-	-	-	-	1	9	32	7	-	-	-	-
Suicide - -	0.07	26	-	-	-	-	-	-	-	-	1	-	1	4	7	9	4	-
Other Violence -	0.24	133	8	9	8	13	6	44	9	6	8	11	15	22	35	23	19	13
OTHER CAUSES -	4.68	1382	512	72	21	19	27	631	31	16	16	17	23	42	54	80	229	113

Deaths of Infants (under
one) to 1000 Births } 138Marriages - 2,782
Births - 11,417Annual Rate { Persons Married - 16.01
per 1000 living { Births - 32.85

486.—PATELEY BRIDGE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up
ANNUAL DEATH RATE PER 1000	—	19.00	—	—	—	—	—	41.27	5.58	4.29	6.43	8.54	8.03	10.20	13.25	26.17	63.96	164.7
Mean Pop. } 1871-80 }	—	8,815	250	233	240	226	231	1180	1130	1002	824	656	1083	952	830	619	309	17
ALL CAUSES	19.00	1675	319	77	44	24	23	437	63	43	63	56	87	98	110	162	236	28
Small-pox - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	0.08	7	1	3	1	-	1	6	-	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0.39	34	2	4	5	5	20	22	2	-	-	-	-	-	-	-	-	-
Diphtheria - -	0.14	12	-	1	-	1	2	4	4	3	-	-	-	-	-	-	-	-
Whooping-cough -	0.23	26	17	5	2	-	1	25	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.05	4	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-
Enteric Fever -	0.27	24	-	-	-	-	1	1	6	1	2	3	3	4	2	1	1	-
Simple Cont. Fev.	0.02	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Fæbr. Fever - -	0.03	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Diarr. and Dys. -	0.35	31	17	2	1	1	-	21	1	-	2	-	-	2	2	2	2	-
Cholera - -	0.03	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Cancer - -	0.37	33	-	-	-	-	-	-	-	-	-	-	-	6	5	9	10	-
Scrophula - -	0.06	5	-	1	-	-	-	1	2	-	1	1	-	-	-	1	-	-
Tuberc. Mesent. -	0.24	23	11	4	2	1	-	18	1	2	1	1	-	-	-	-	-	-
Phthisis - -	2.27	200	2	-	-	1	1	4	4	9	24	35	47	32	20	22	3	-
Hydrocephalus -	0.12	11	2	4	1	-	2	9	1	1	-	-	-	-	-	-	-	-
Diseases of {																		
Nervous Syst. -	2.81	218	90	16	11	6	-	123	9	4	4	1	6	6	14	22	29	2
Circulatory - -	1.19	103	-	-	-	-	-	-	3	4	2	3	3	9	12	29	31	1
Respiratory - -	3.63	322	53	24	11	2	2	94	7	5	2	1	5	11	20	42	74	6
Digestive - -	1.12	99	5	1	-	-	1	7	2	4	2	2	2	7	14	23	21	3
Urinary - -	0.44	39	-	-	-	1	-	1	-	3	2	2	2	6	3	4	11	-
Generative - -	0.05	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
Childbirth - -	0.10	9	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-	-
Suicide - -	0.03	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
Other Violence -	0.48	42	1	1	3	1	1	7	4	2	4	1	5	4	3	4	4	-
OTHER CAUSES -	4.58	285	115	21	8	5	6	115	6	2	4	1	4	4	11	9	43	18

Deaths of Infants (under
one) to 1000 Births } 116Marriages - 554
Births - 2,748Annual Rate { Persons Married - 12.57
per 1000 living { Births - 31.17

487.—RIFON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000.	—	19.34	—	—	—	—	—	44.24	4.76	3.20	3.96	3.49	3.63	10.38	14.32	27.35	62.06	103.6
Mean Pop. 1871-80	—	16,207	433	379	390	415	363	1980	1892	1721	1667	1343	2103	1705	1508	1181	766	36
ALL CAUSES	19.34	3135	505	133	74	35	39	876	90	55	66	114	182	177	216	323	480	554
Small-pox	0.15	24	3	2	1	—	1	7	3	—	1	2	5	2	3	1	—	—
Measles	0.03	15	2	6	2	—	3	13	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.03	105	5	10	22	6	12	55	32	12	2	2	—	1	1	—	—	—
Diphtheria	0.09	14	1	3	1	2	—	7	—	2	—	—	—	1	—	—	—	1
Whooping-cough	0.13	25	16	6	2	—	—	24	1	—	—	—	—	—	—	—	—	—
Typhus	0.06	10	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Enteric Fever	0.39	61	—	1	—	4	3	8	4	3	7	—	1	10	5	7	7	1
Simple Cont. Fev.	0.08	13	2	—	—	—	—	3	2	2	—	—	—	—	—	—	—	—
Puerp. Fever	0.04	10	—	—	—	—	—	—	—	—	—	—	—	1	3	6	—	—
Diarr. and Dys.	0.44	72	39	5	1	1	—	46	2	—	—	2	—	—	1	1	4	7
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0.32	84	—	—	—	—	—	—	—	—	—	—	—	9	16	21	25	13
Serofula	0.03	5	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Tuberc. Mesent.	1.29	33	16	6	9	—	—	24	2	1	2	2	—	1	—	—	—	—
Phthisis	1.90	302	—	—	—	—	—	10	7	10	28	37	89	48	37	17	6	—
Hydrocephalus	0.11	18	6	5	2	1	—	14	1	1	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	3.21	570	204	23	12	2	2	245	16	5	4	8	8	10	18	49	76	77
Cerebrum	2.02	328	2	—	—	—	—	3	1	2	4	3	12	22	32	78	108	68
Respiratory	2.04	476	98	28	17	7	7	167	7	2	4	6	17	19	33	57	84	89
Digestive	1.26	204	31	1	1	3	1	37	2	7	1	2	10	16	24	43	42	29
Urinary	0.41	69	—	—	—	—	—	3	—	—	—	—	2	7	7	13	16	8
Generative	0.03	5	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Childbirth	0.04	13	—	—	—	—	—	—	—	2	1	7	3	—	—	—	—	—
Suicide	0.06	10	—	—	—	—	—	—	—	—	—	1	1	1	1	4	2	—
Other Violence	0.50	81	6	2	3	2	2	15	8	4	1	1	9	12	25	6	6	9
OTHER CAUSES	3.92	635	188	15	8	6	8	118	7	3	4	10	6	10	19	29	63	26

Deaths of Infants (under
one) to 1000 Births } 126Marriages - 1,136
Births - 4,706Annual Rate { Persons Married - 14.03
per 1000 living { Births - 29.01

488.—GREAT OUSEBURN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000.	—	17.67	—	—	—	—	—	37.05	4.57	2.20	4.82	5.45	7.01	10.76	13.57	25.36	49.40	106.0
Mean Pop. 1871-80	—	11,826	314	304	293	323	299	1533	1443	1321	1099	935	1442	1217	1083	899	592	202
ALL CAUSES	17.67	2090	386	89	38	31	24	568	66	29	53	51	114	131	147	223	293	410
Small-pox	0.03	4	1	—	2	—	—	1	—	—	—	2	—	1	—	—	—	—
Measles	0.17	20	4	7	2	4	1	18	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.29	34	2	1	6	7	5	21	6	4	—	1	2	—	—	—	—	—
Diphtheria	0.13	16	—	—	—	—	—	3	6	—	2	—	—	1	—	—	—	—
Whooping-cough	0.32	38	18	9	7	1	3	38	—	—	—	—	—	—	—	—	—	—
Typhus	0.03	4	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—
Enteric Fever	0.31	57	1	—	—	2	2	5	3	—	4	6	5	4	6	3	1	—
Simple Cont. Fev.	0.02	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Puerp. Fever	0.04	5	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
Diarr. and Dys.	0.58	69	34	7	—	2	—	43	1	—	—	1	2	1	1	4	1	15
Cholera	0.01	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.43	82	—	—	—	—	—	—	—	—	—	—	—	8	10	19	10	5
Serofula	0.10	12	3	—	—	—	1	4	3	—	—	—	—	1	—	—	—	—
Tuberc. Mesent.	0.20	24	11	4	—	1	—	16	—	3	2	—	—	1	1	—	—	—
Phthisis	1.45	171	2	—	—	—	2	4	3	7	14	19	49	34	25	12	4	—
Hydrocephalus	0.17	20	7	2	—	3	—	12	7	—	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.84	536	99	12	7	2	—	120	7	2	5	3	11	17	18	33	46	76
Cerebrum	1.84	290	—	—	—	—	—	—	3	4	2	3	7	10	27	49	76	39
Respiratory	2.59	366	65	25	9	5	4	108	8	1	2	3	15	14	32	29	60	60
Digestive	1.04	123	15	6	—	—	—	19	1	1	3	1	10	10	15	23	12	16
Urinary	0.33	89	—	—	—	—	—	—	1	—	1	1	4	6	3	8	9	6
Generative	0.04	5	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	1
Childbirth	0.06	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.14	17	—	—	—	—	—	—	—	—	—	1	2	4	2	2	5	—
Other Violence	0.61	71	6	1	2	—	—	9	4	2	5	2	7	6	11	12	29	4
OTHER CAUSES	3.88	458	120	15	6	3	3	146	11	2	5	3	8	7	15	29	51	104

Deaths of Infants (under
one) to 1000 Births } 107Marriages - 615
Births - 3,823Annual Rate { Persons Married - 10.40
per 1000 living { Births - 30.64

489.—KNARESBOROUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	19'65	—	—	—	—	—	50'30	4'77	2'56	4'60	5'70	8'46	11'05	16'23	31'28	69'76	174'2
Mean Pop. 1871-80	—	20,862	528	463	487	517	470	2465	2307	2304	2003	1842	2850	2362	1065	1480	880	333
ALL CAUSES	19'65	4100	843	215	85	55	42	1240	110	69	95	105	241	261	319	463	618	580
Small-pox	0'07	15	1	—	—	1	2	4	—	—	—	5	4	2	1	1	—	—
Measles	0'16	34	9	7	5	6	2	29	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'32	67	4	7	11	13	6	41	20	3	1	2	—	—	—	—	—	—
Diphtheria	0'12	24	1	—	1	3	4	9	10	1	1	1	—	2	—	—	—	—
Whooping-cough	0'22	46	24	13	7	2	—	46	—	—	—	—	—	—	—	—	—	—
Typhus	0'04	8	—	—	—	—	1	1	1	—	1	1	1	2	1	—	—	—
Enteric Fever	0'19	40	1	—	1	2	1	5	3	5	4	8	—	—	1	4	4	1
Simp. Cont. Fever	0'03	10	—	1	—	1	—	2	—	—	—	1	1	1	—	—	2	—
Febrile Fever	0'03	7	—	—	—	—	—	—	—	—	1	—	4	2	—	—	—	—
Diarr. and Dys.	0'57	118	73	10	2	1	—	86	3	1	—	2	—	4	2	4	5	11
Cholera	0'00	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'65	135	—	—	—	—	—	—	1	—	—	—	7	12	18	27	34	16
Scrofula	0'19	18	6	2	2	—	—	10	1	1	3	—	1	1	—	1	—	—
Tuberc. Mesent.	0'35	72	34	29	9	—	1	64	1	2	1	2	2	—	—	—	—	—
Phthisis	2'01	410	3	2	—	—	1	6	7	9	45	47	105	74	71	45	7	2
Hydrocephalus	0'37	78	27	22	4	4	2	59	11	2	2	2	1	—	1	—	—	—
Diseases of																		
Nervous Syst.	3'11	648	232	29	14	4	7	286	10	9	6	6	15	22	21	43	111	66
Circulatory	1'86	385	2	—	—	—	—	2	2	5	5	4	11	23	47	57	138	61
Respiratory	3'02	629	133	66	15	6	7	229	13	3	4	6	21	30	44	71	118	44
Digestive	1'33	373	28	3	1	2	1	35	6	5	8	3	15	26	38	45	65	32
Urinary	0'44	100	1	—	—	—	—	1	1	2	—	3	10	10	17	21	23	7
Generative	0'06	12	—	—	—	—	—	—	—	—	—	—	1	5	3	2	1	—
Childbirth	0'10	21	—	—	—	—	—	—	—	—	1	4	6	8	2	—	—	—
Suicide	0'05	11	—	—	—	—	—	—	—	—	—	1	4	1	1	3	1	—
Other Violence	0'46	95	9	4	3	3	2	21	6	8	6	9	6	6	15	7	6	7
OTHER CAUSES	3'58	83	254	19	8	5	5	201	10	6	6	4	17	30	14	39	112	270

Deaths of Infants (under one) to 1000 Births } 112

Marriages - 1,553
Births - 5,918

Annual Rate (Persons Married per 1000 living { Births - 14'94
- 28'51

490.—WETHERBY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	18'40	—	—	—	—	—	38'53	5'07	3'43	5'34	6'52	7'78	10'32	13'59	28'13	62'63	161'7
Mean Pop. 1871-80	—	15,534	304	360	384	383	366	1806	1781	1837	1516	1212	1947	1667	1457	1150	752	319
ALL CAUSES	18'40	2873	484	116	50	47	34	731	101	63	81	79	151	172	198	326	471	509
Small-pox	0'03	4	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—
Measles	0'06	10	2	4	—	1	—	7	3	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'43	65	1	4	8	18	7	38	18	6	—	3	—	—	—	—	—	—
Diphtheria	0'12	19	—	2	1	1	1	5	10	2	2	—	—	—	—	—	—	—
Whooping-cough	0'15	24	14	6	2	1	—	23	1	—	—	—	—	—	—	—	—	—
Typhus	0'02	8	—	—	1	1	—	3	—	—	—	—	—	—	—	1	—	—
Enteric Fever	0'17	27	—	—	—	—	—	—	2	2	3	4	—	4	—	3	5	—
Simp. Cont. Fever	0'05	8	1	—	—	—	—	1	—	1	—	—	—	—	2	—	—	—
Febrile Fever	0'06	10	—	—	—	—	—	—	—	—	—	—	6	3	1	—	—	—
Diarr. and Dys.	0'45	67	39	3	2	—	—	44	—	—	—	—	3	2	6	3	8	—
Cholera	0'01	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'47	73	—	1	—	—	—	1	—	—	—	1	2	5	11	24	20	—
Scrofula	0'03	4	2	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—
Tuberc. Mesent.	0'19	29	14	3	4	1	3	35	1	2	—	—	—	—	1	—	—	—
Phthisis	1'81	289	2	2	—	1	1	16	9	13	24	41	76	49	36	19	6	—
Hydrocephalus	0'15	33	8	5	5	1	2	16	4	1	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'86	444	152	22	9	6	6	195	11	8	4	3	9	11	26	32	72	3
Circulatory	1'61	350	—	1	—	3	—	4	1	6	9	3	8	20	35	62	80	5
Respiratory	2'97	462	81	45	11	2	2	141	12	6	7	2	6	24	76	54	93	1
Digestive	1'00	156	19	2	2	1	1	23	6	4	4	2	5	15	14	31	31	1
Urinary	0'39	60	—	—	—	—	1	1	—	—	3	1	1	3	5	20	33	—
Generative	0'05	8	—	—	—	—	—	—	—	—	—	—	—	3	2	1	2	—
Childbirth	0'14	22	—	—	—	—	—	—	—	—	—	1	3	12	—	—	—	—
Suicide	0'08	12	—	—	—	—	—	—	—	—	—	—	1	2	—	3	2	—
Other Violence	0'47	73	8	—	1	4	3	15	6	4	3	3	10	5	4	10	5	—
OTHER CAUSES	4'10	720	140	16	4	5	8	179	17	7	7	7	9	16	22	49	127	20

Deaths of Infants (under one) to 1000 Births } 113

Marriages - 918
Births - 4,285

Annual Rate (Persons Married per 1000 living { Births - 11'82
- 17'18

491.—WHARFEDALE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	20.17	—	—	—	—	—	59.30	6.24	3.76	6.44	7.13	8.75	10.65	15.16	32.03	73.07	130.4
Mean Pop. } 1871-80 - }	—	42,924	1305	1153	1145	1072	1007	5772	5029	4654	4223	3879	6432	4911	3714	2554	1296	400
ALL CAUSES	20.17	8,659	2212	674	245	159	134	3423	314	175	272	276	563	523	563	818	947	784
Small-pox - -	0.03	11	-	-	-	-	-	-	-	-	-	1	4	3	2	1	-	-
Measles - -	0.28	121	34	52	17	7	6	116	3	2	-	-	-	-	-	-	-	-
Scarlet Fever -	0.47	200	11	35	31	29	26	122	62	12	3	-	1	-	-	-	-	-
Diphtheria - -	0.10	41	3	2	5	3	5	18	16	1	-	1	-	4	-	-	-	-
Whooping-cough	0.44	187	104	52	10	10	4	180	7	-	-	-	-	-	-	-	-	-
Typhus - -	0.04	17	1	-	-	1	-	2	2	-	2	2	4	4	-	1	-	-
Enteric Fever -	0.45	194	3	6	10	6	7	34	20	12	24	18	31	18	13	5	18	3
Simple Cont. Fev.	0.08	33	-	5	2	4	1	12	3	4	1	-	-	4	1	4	-	-
Puerp. Fever -	0.05	23	-	-	-	-	-	-	-	-	2	5	12	4	-	-	-	-
Diarr. and Dys.	0.03	271	155	83	6	3	3	200	7	1	-	4	5	4	7	11	17	18
Cholera - -	0.03	12	1	1	-	-	2	4	2	1	2	-	-	-	-	1	2	-
Cancer - -	0.28	162	-	-	-	1	-	1	-	-	-	3	7	91	85	49	39	14
Scrofula - -	0.07	32	7	1	2	1	-	11	5	3	4	1	3	2	1	3	1	-
Tuberc. Mesent.	0.26	153	62	38	10	5	4	119	14	6	3	5	4	-	-	-	1	1
Phthisis - -	2.49	1032	12	6	2	6	4	30	16	37	150	153	265	166	118	71	22	4
Hydrocephalus	0.49	211	84	48	26	11	6	175	20	12	3	-	-	1	-	-	-	-
Diseases of																		
Nervous Syst.	3.12	1338	624	100	24	13	16	777	37	21	16	8	39	83	78	107	139	31
Circulatory "	1.38	794	7	-	1	3	1	12	15	8	9	22	37	66	39	161	140	46
Respiratory "	3.77	1617	421	183	61	24	20	700	29	10	10	15	37	63	163	191	237	126
Digestive "	0.05	408	42	8	4	3	4	61	12	6	10	8	25	38	53	52	60	26
Urinary "	0.29	124	1	1	2	-	1	5	4	3	10	5	12	15	11	18	20	10
Generative "	0.02	9	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-
Childbirth - -	0.09	39	-	-	-	-	-	-	-	-	2	6	18	16	-	-	-	-
Suicide - -	0.06	26	-	-	-	-	-	-	-	-	1	-	4	7	5	8	1	-
Other Violence -	0.46	198	9	9	10	11	5	44	16	9	6	13	18	22	23	17	23	9
OTHER CAUSES -	3.73	1603	621	104	22	13	19	791	31	27	17	6	23	54	27	73	153	300

Deaths of Infants (under
one to 1000 Births) - } 146Marriages - 2,997
Births - 15,267Annual Rate { Persons Married - 13.96
per 1000 living { Births - 35.87

492.—KEIGHLEY.

ANNUAL DEATH RATE PER 1000 }	—	23.02	—	—	—	—	—	74.78	7.74	4.47	7.76	8.41	8.86	11.95	19.39	35.89	79.79	154.2
Mean Pop. } 1871-80 - }	—	56,631	1535	1446	1428	1424	1367	7200	6420	6042	5966	5349	8510	6038	5167	3288	1688	423
ALL CAUSES	22.02	12077	3269	1168	449	294	204	5384	497	270	463	450	754	793	1000	1180	1267	819
Small-pox - -	0.27	153	21	26	16	5	4	72	15	6	8	16	11	9	12	3	1	-
Measles - -	0.28	217	56	84	30	16	15	201	35	3	-	-	-	-	-	-	-	-
Scarlet Fever -	0.84	475	18	79	72	62	52	283	128	35	7	8	3	1	-	-	-	-
Diphtheria - -	0.07	39	3	4	2	5	3	16	16	1	-	-	-	-	1	1	1	-
Whooping-cough	0.49	273	140	79	27	14	8	268	9	-	-	-	1	-	-	-	-	-
Typhus - -	0.04	22	-	-	-	1	-	1	4	2	5	3	2	2	2	1	-	-
Enteric Fever -	0.45	253	2	12	10	12	9	45	21	22	38	25	38	23	27	10	3	1
Simple Cont. Fev.	0.14	90	3	7	6	9	8	33	11	9	8	10	6	4	3	4	2	-
Puerp. Fever -	0.09	33	-	-	-	-	-	-	-	-	2	11	27	13	-	-	-	-
Diarr. and Dys.	0.82	461	271	79	6	6	3	365	8	4	-	2	1	11	11	9	27	18
Cholera - -	0.04	24	6	3	1	1	-	11	1	1	-	1	1	2	-	2	4	1
Cancer - -	0.43	246	-	-	1	-	-	1	-	2	1	-	5	32	56	89	68	13
Scrofula - -	0.11	61	6	5	4	2	-	19	8	4	11	3	7	1	5	2	3	-
Tuberc. Mesent.	0.28	215	112	47	14	6	4	183	7	5	5	4	2	3	1	3	-	-
Phthisis - -	2.66	1707	25	22	12	9	7	73	23	77	235	219	308	240	194	96	33	8
Hydrocephalus	0.31	174	52	36	23	12	11	133	24	8	4	2	1	2	-	-	-	-
Diseases of																		
Nervous Syst.	3.04	1723	699	190	49	29	15	910	54	25	20	18	34	61	111	161	198	121
Circulatory "	1.40	794	1	-	-	-	-	2	3	12	12	26	25	61	98	247	185	161
Respiratory "	4.76	2694	699	263	108	59	28	1263	48	12	24	32	91	115	191	318	400	297
Digestive "	1.04	390	82	13	2	3	5	105	14	11	13	13	37	68	96	111	92	23
Urinary "	0.31	192	2	2	2	1	9	16	4	5	8	10	19	21	27	29	36	29
Generative "	0.05	26	-	-	-	-	-	-	-	-	-	1	4	5	6	4	5	1
Childbirth - -	0.13	75	-	-	-	-	-	-	-	-	3	15	39	27	2	-	-	-
Suicide - -	0.03	19	-	-	-	-	-	-	-	-	-	-	5	4	3	5	1	1
Other Violence -	0.38	218	17	9	11	8	4	49	22	10	15	15	20	13	30	18	37	7
OTHER CAUSES -	4.21	2373	1653	172	52	34	19	1330	45	16	20	17	39	28	77	122	233	423

Deaths of Infants (under
one to 1000 Births) - } 163Marriages - 4,848
Births - 19,857Annual Rate { Persons Married - 17.12
per 1000 living { Births - 36.06

493.—TODMORDEN.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	22.73	—	—	—	—	—	68.27	9.02	4.57	6.28	6.85	8.36	11.63	18.58	39.12	86.26	218.64
Pop. 1871-80	—	33,925	942	816	823	820	781	4191	3670	3345	3295	3271	5322	4058	3224	2193	1677	279
ALL CAUSES	22.73	7711	1663	574	284	192	143	2861	353	153	207	224	445	472	609	853	929	610
all-pox	0.20	67	15	—	—	—	1	16	—	—	9	14	10	9	4	2	1	—
cholera	0.29	133	31	58	13	12	3	117	15	1	—	—	—	—	—	—	—	—
typhoid Fever	1.64	557	30	68	97	68	73	236	161	87	14	2	4	3	1	—	—	—
dysentery	0.11	36	3	7	4	4	6	24	6	3	—	—	1	1	—	—	—	—
typhus-cough	0.47	160	51	45	16	8	6	156	4	—	—	—	—	—	—	—	—	—
scarlatina	0.04	13	—	—	—	—	1	1	1	—	3	1	2	4	—	1	—	—
measles	0.34	134	33	16	4	6	4	63	15	14	19	15	20	18	10	8	2	—
whooping Cough	0.11	26	1	2	2	2	3	10	11	1	4	3	3	1	1	1	—	—
diphtheria	0.09	32	—	—	—	—	—	—	—	—	1	4	17	9	1	—	—	—
and Dysentery	0.71	241	112	88	6	—	—	156	3	1	1	—	3	9	12	14	28	14
smallpox	0.06	22	7	—	—	—	—	7	2	1	—	1	2	1	1	4	1	2
measles	0.34	115	—	—	—	1	—	1	1	—	—	2	9	12	32	50	23	16
scarlatina	0.13	45	10	4	—	—	—	14	6	3	3	2	7	1	3	4	3	—
measles	0.34	82	33	19	7	2	—	61	5	3	1	1	5	3	1	—	—	—
scarlatina	1.76	596	—	—	—	2	2	4	6	22	71	87	156	105	73	54	19	1
measles	0.24	82	23	22	9	9	8	61	12	3	—	—	—	1	—	—	—	—
Nervous Syst.	3.12	1000	304	50	20	16	9	299	20	12	15	9	26	37	68	141	215	86
Circulatory	1.95	335	1	—	—	1	—	12	7	9	9	6	20	46	62	83	84	21
Respiratory	4.29	1491	288	127	42	23	13	403	26	9	14	21	42	69	151	232	290	145
Digestive	1.27	432	57	6	5	2	3	73	11	7	10	18	32	29	29	74	80	23
Urinary	0.26	125	2	—	1	—	1	4	—	1	4	1	14	18	13	27	24	13
Generative	0.06	21	—	—	—	—	—	—	—	1	2	2	3	—	6	3	—	—
Birth	0.17	56	—	—	—	—	—	—	—	—	1	16	29	18	—	—	—	—
Infants	0.12	41	—	—	—	—	—	—	—	—	1	5	9	13	11	1	3	—
Violence	0.28	199	8	4	17	7	2	23	16	7	5	11	10	16	26	24	14	20
ALL CAUSES	4.53	1327	624	168	41	29	18	820	55	13	16	13	33	41	60	118	167	709

Deaths of Infants (under one) to 1000 Births — 140

Marriages — 1,786
Births — 11,134

Annual Rate of Persons Married — 10.53
per 1000 living (Births — 32.82)

494.—SADDLEWORTH.

	Annual Death Rate per 1000.	All AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	22.19	—	—	—	—	—	67.81	7.37	4.53	7.90	9.19	9.16	11.63	15.83	36.46	73.60	193.90
Pop. 1871-80	—	21,111	594	553	552	528	525	2752	2483	2254	2127	1905	5036	2433	1953	1292	663	163
ALL CAUSES	22.19	4685	1113	386	178	107	82	1866	183	102	170	172	278	283	314	471	488	355
all-pox	0.10	22	2	1	—	—	—	3	3	—	—	1	4	4	2	—	—	—
cholera	0.26	81	17	31	13	8	6	73	4	—	—	—	—	—	—	—	—	—
typhoid Fever	0.87	183	8	19	34	28	21	110	29	10	3	—	1	—	—	—	—	—
dysentery	0.05	11	1	9	1	2	1	7	2	1	—	—	1	—	—	—	—	—
typhus-cough	0.26	76	40	14	11	6	1	74	2	—	—	—	—	—	—	—	—	—
scarlatina	0.15	27	—	—	2	—	1	3	3	4	5	3	4	1	4	1	1	—
measles	0.45	94	—	1	4	3	1	9	10	9	16	10	13	11	7	9	1	1
whooping Cough	0.13	25	1	—	2	—	2	5	7	1	2	3	2	1	2	—	—	—
diphtheria	0.19	90	—	—	—	—	—	—	—	—	1	5	9	3	—	—	—	—
and Dysentery	0.50	190	108	15	2	1	3	139	2	1	2	1	5	3	5	6	14	12
smallpox	0.01	3	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—
measles	0.27	68	—	—	—	—	—	—	—	—	1	—	1	9	14	19	11	5
scarlatina	0.09	20	—	2	1	—	1	4	3	1	1	2	9	1	2	1	3	—
measles	0.37	78	36	13	9	1	—	19	4	1	5	3	2	1	1	—	—	—
scarlatina	2.79	598	7	15	3	2	2	19	16	24	83	100	117	90	61	46	23	—
measles	0.18	57	15	8	4	1	2	39	4	1	—	—	2	—	—	—	—	—
Nervous Syst.	2.71	783	256	63	23	19	14	460	23	14	6	7	18	13	25	71	103	42
Circulatory	1.14	249	—	—	—	—	2	2	3	7	7	6	15	27	21	72	49	29
Respiratory	4.07	839	228	112	50	11	10	301	11	7	6	7	26	24	82	112	128	83
Digestive	0.98	207	21	6	1	2	—	29	5	2	3	4	16	16	45	58	29	11
Urinary	0.33	69	—	1	—	1	1	3	1	1	3	3	3	9	9	18	13	7
Generative	0.06	12	1	—	—	—	—	1	—	—	—	—	1	2	3	2	2	1
Birth	0.09	20	—	—	—	—	—	—	—	—	—	3	10	7	—	—	—	—
Infants	0.10	21	—	—	—	—	—	—	—	—	1	2	3	4	3	2	2	1
Violence	0.53	111	3	3	10	2	2	29	9	6	8	7	9	16	14	15	5	5
ALL CAUSES	4.02	818	299	63	19	18	12	311	23	8	14	8	11	27	23	54	56	170

Deaths of Infants (under one) to 1000 Births — 155

Marriages — 1,326
Births — 7,168

Annual Rate of Persons Married — 12.56
per 1000 living (Births — 32.95)

495.—HUDDERSFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and aged
ANNUAL DEATH RATE PER 1000	—	22.30	—	—	—	—	—	68.23	7.53	4.55	7.10	8.27	9.04	12.52	17.82	38.45	77.85	1871
Mean Pop. 1871-80	—	148,332	4341	8855	3905	3786	3846	19733	17631	10213	15105	13682	22109	16796	12807	8617	4326	129
ALL CAUSES	22.30	33,215	7971	3000	1140	785	562	13464	1327	738	1073	1131	2122	2103	2282	3141	3563	246
Small-pox	0.04	26	5	2	2	1	—	10	7	6	6	12	8	6	5	1	—	—
Measles	0.43	634	153	268	99	44	29	526	56	4	—	—	—	—	—	—	—	—
Scarlet Fever	0.81	1244	62	202	180	198	187	779	318	71	10	10	18	2	—	—	—	—
Diphtheria	0.14	206	28	22	16	25	24	115	53	10	5	5	5	2	—	—	—	—
Whooping-cough	0.50	737	322	240	97	47	18	724	13	—	—	—	—	—	—	—	—	—
Typhus	0.03	114	1	—	1	8	1	6	12	11	20	8	16	17	11	11	2	—
Enteric Fever	0.45	673	9	27	26	25	15	106	69	62	74	61	103	68	59	88	31	—
Simple Cont. Fev.	0.14	294	8	13	13	14	9	60	26	16	14	8	13	19	11	20	10	—
Puerp. Fever	0.11	167	—	—	—	—	—	—	—	—	4	42	80	41	—	—	—	—
Diarr. and Dys.	0.78	1161	665	183	29	5	5	887	12	5	6	5	12	12	24	47	70	—
Cholera	0.05	76	23	6	2	3	2	36	1	2	2	—	—	3	—	13	8	—
Cancer	0.39	582	—	—	2	2	—	4	1	1	1	1	32	87	121	167	107	3
Serofula	0.12	172	30	21	12	7	6	76	18	13	15	4	15	12	8	5	5	—
Tuberc. Mesent.	0.28	415	169	110	31	15	5	320	21	8	16	6	9	6	8	5	6	—
Phthisis	2.74	4070	93	26	24	14	14	205	90	157	538	574	918	686	465	814	115	—
Hydrocephalus	0.46	655	190	153	66	37	43	514	91	45	14	5	8	4	1	—	—	—
Diseases of	3.25	4294	2013	397	144	94	57	2705	155	72	65	38	119	137	269	423	551	29
Nervous Syst.	1.14	1691	—	—	1	1	—	2	33	47	37	22	121	127	245	477	589	10
Circulatory	4.08	6058	1523	732	215	101	71	2695	109	37	42	47	171	275	408	733	915	22
Respiratory	1.07	1388	171	41	18	13	13	256	81	32	49	45	107	100	248	497	581	6
Digestive	0.42	622	8	10	13	10	10	51	17	10	15	35	57	66	85	119	212	—
Urinary	0.05	73	1	—	—	—	—	1	—	—	1	5	7	16	23	13	7	—
Generative	0.11	176	—	—	—	—	—	—	—	—	4	28	75	47	2	—	—	—
Childbirth	0.09	122	—	—	—	—	—	—	—	—	8	10	15	23	26	35	31	1
Suicide	0.52	765	25	34	31	30	28	148	59	45	49	40	91	71	80	104	20	—
Other Violence	4.11	6107	2172	457	90	72	68	3159	125	61	75	66	136	147	161	289	623	121

Deaths of Infants (under one) to 1000 Births } 156

Marriages - 12,159
Births - 51,061Annual Rate { Persons Married - 16.37
per 1000 living { Births - 24.43

496.—HALIFAX.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and aged
ANNUAL DEATH RATE PER 1000	—	22.62	—	—	—	—	—	72.74	7.53	4.57	7.34	7.80	8.56	12.00	19.35	37.11	77.88	1871
Mean Pop. 1871-80	—	161,858	4728	4044	4151	4028	4036	20087	18822	17002	16485	14931	24858	19106	14433	9458	4484	129
ALL CAUSES	22.62	36,614	8809	3387	1439	881	638	15244	1418	777	1210	1164	2129	2471	2793	3502	3492	240
Small-pox	0.05	77	8	—	—	2	2	12	11	5	7	17	8	13	2	2	—	—
Measles	0.35	572	179	221	104	49	28	541	28	2	—	—	—	—	—	—	—	—
Scarlet Fever	1.11	1791	120	292	354	286	217	1269	47	63	10	5	8	—	—	1	—	—
Diphtheria	0.05	88	4	7	10	17	10	41	22	5	8	1	8	2	1	1	—	—
Whooping-cough	0.44	716	327	220	80	38	27	701	15	—	—	—	—	—	—	—	—	—
Typhus	0.07	111	—	—	2	2	4	8	10	18	19	17	13	8	11	4	3	—
Enteric Fever	0.45	712	10	20	39	19	21	100	77	73	90	82	120	70	54	35	16	—
Simple Cont. Fev.	0.14	223	1	10	17	10	11	49	42	16	21	15	12	13	15	16	13	—
Puerp. Fever	0.08	183	—	—	—	—	—	—	—	—	5	28	63	34	1	—	—	—
Diarr. and Dys.	0.88	964	593	167	31	8	6	720	16	7	3	3	8	18	15	35	34	—
Cholera	0.03	52	14	2	—	2	1	19	1	—	1	2	4	5	9	6	3	—
Cancer	0.39	674	1	—	—	—	1	2	2	1	1	3	32	87	184	165	100	27
Serofula	0.10	161	32	20	13	7	2	75	11	17	14	9	8	17	6	2	1	—
Tuberc. Mesent.	0.25	407	136	81	78	13	13	315	24	18	21	9	10	4	5	2	1	—
Phthisis	2.43	3928	21	48	23	11	10	101	84	172	561	578	846	715	492	232	82	—
Hydrocephalus	0.31	534	180	148	54	41	23	449	70	25	7	1	2	—	—	—	—	—
Diseases of	3.89	4298	2702	599	208	125	83	3393	189	99	78	49	122	295	534	876	618	29
Nervous Syst.	1.10	1785	8	5	3	4	3	23	24	40	76	50	176	140	317	448	310	9
Circulatory	4.54	7380	1624	924	287	120	76	3044	135	40	68	83	217	369	691	1057	1133	24
Respiratory	1.10	1788	177	40	17	21	17	272	40	39	69	37	117	178	268	329	391	16
Digestive	0.52	517	5	10	5	7	9	36	18	7	16	21	54	73	76	105	78	21
Urinary	0.03	75	—	—	—	1	—	1	—	1	2	1	8	17	23	16	9	—
Generative	0.11	171	—	—	—	—	—	—	—	—	8	29	75	58	1	—	—	—
Childbirth	0.08	128	—	—	—	—	—	—	—	—	6	10	22	31	24	32	9	1
Suicide	0.50	846	50	36	48	21	21	185	47	54	57	52	91	97	86	78	83	26
Other Violence	4.05	6598	2704	596	130	65	60	3693	161	55	75	63	100	155	173	311	671	129

Deaths of Infants (under one) to 1000 Births } 157

Marriages - 15,068
Births - 56,317Annual Rate { Persons Married - 18.68
per 1000 living { Births - 35.10

497.—BRADFORD.

	Annual Death Rate per 1000.	ALL AGES	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS per 1000	—	23.86	—	—	—	—	—	83.71	7.63	4.35	6.57	7.02	9.19	13.52	19.86	37.08	80.47	180.27
Pop. 80	—	284,647	8540	7508	7410	7362	7185	38014	32081	29940	29223	26797	44710	34257	34792	16235	6787	1911
CAUSES	23.86	67,017	19137	7184	2007	1632	1203	31923	2518	1302	1910	2122	4111	4630	4923	5640	5475	3445
—	0.08	217	23	8	11	5	10	62	23	10	21	23	26	14	5	7	1	—
—	0.46	1309	324	560	201	114	49	1249	53	27	31	1	1	1	—	—	—	—
—	1.03	2940	161	450	554	475	432	2674	701	103	24	20	10	5	2	—	—	—
—	0.69	238	24	51	23	22	18	144	59	8	4	6	5	3	2	2	1	—
—	0.37	1612	667	641	202	113	47	1570	42	—	—	—	—	—	—	—	—	—
—	0.03	123	2	1	1	5	6	15	11	12	15	12	21	14	11	13	7	1
—	0.41	1163	25	38	60	33	42	194	123	111	174	116	144	108	60	37	40	25
—	0.12	341	17	25	24	21	13	101	51	30	31	19	51	31	23	23	19	11
—	0.02	232	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1.13	3287	2016	694	120	23	20	2617	40	8	7	11	27	47	53	74	123	60
—	0.03	88	8	10	7	4	2	31	4	5	1	2	7	7	9	10	7	5
—	0.45	1282	—	1	1	—	1	3	2	1	6	6	53	221	393	248	200	47
—	0.13	384	114	71	15	17	11	291	34	24	22	17	14	17	9	6	4	2
—	0.79	833	324	211	63	26	16	649	24	27	31	19	25	14	14	3	3	—
—	2.56	7128	87	90	46	29	81	230	131	284	807	1037	1772	1578	523	297	118	11
—	0.56	1599	836	478	155	105	63	1837	169	49	24	9	5	5	3	1	—	—
—	3.29	9308	3879	879	291	161	115	5325	277	145	115	111	212	545	519	555	932	432
—	1.38	3924	13	9	2	7	31	55	93	120	141	337	619	734	928	634	108	—
—	4.51	12831	3822	1841	837	545	146	6391	230	72	110	127	404	645	1047	1526	1374	194
—	1.01	2867	431	63	19	21	16	562	71	77	71	77	212	318	431	529	410	115
—	0.37	1048	7	17	11	6	15	55	34	37	40	43	112	133	174	194	168	49
—	0.06	162	—	—	—	—	1	1	1	1	7	5	25	23	45	38	29	8
—	0.11	399	—	—	—	—	—	—	—	1	16	42	121	122	3	—	—	—
—	0.07	211	—	—	—	—	—	—	—	4	9	37	84	37	46	41	21	3
—	0.56	1417	120	75	55	49	40	330	119	75	79	99	156	173	146	106	68	67
—	4.53	12979	6095	1156	255	146	102	8351	223	130	103	107	212	232	217	205	1075	1261

Deaths of Infants (under one) to 1000 Births. 177

Marriages - 25,730
Births - 103,074

Annual Rate { Persons Married - 18.08
per 1000 living { Births - 37.97

498.—HUNSLET.

	Annual Death Rate per 1000.	ALL AGES	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS per 1000	—	25.40	—	—	—	—	—	88.35	7.34	4.44	6.66	7.99	8.90	11.64	18.99	36.44	81.78	139.18
Pop. 80	—	52,244	1900	1575	1044	1594	1529	8248	6087	5561	4037	4519	8212	6085	4117	2470	1193	305
CAUSES	25.40	13,315	4463	1618	616	846	244	7287	491	247	329	361	731	708	782	900	902	577
—	0.21	110	21	2	2	5	2	32	18	7	11	13	15	12	1	1	—	—
—	0.54	294	61	121	48	25	17	272	21	1	—	—	—	—	—	—	—	—
—	1.02	531	29	78	108	85	62	360	134	21	7	4	5	—	1	1	—	—
—	0.09	45	5	6	9	6	8	82	8	1	1	—	—	—	1	—	—	—
—	0.60	316	117	103	47	23	11	506	10	—	—	—	—	—	—	—	—	—
—	0.08	43	—	1	1	1	2	5	6	2	8	3	4	8	2	4	1	—
—	0.42	221	4	8	13	5	12	42	24	23	31	21	38	16	13	8	2	1
—	0.17	89	2	10	8	6	10	30	19	8	3	5	5	2	3	6	3	1
—	0.12	65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1.84	1460	629	217	23	5	3	887	5	—	1	1	5	4	9	10	22	19
—	0.03	15	5	2	1	—	—	8	1	2	—	—	—	—	1	—	1	—
—	0.35	181	2	—	1	1	1	5	—	—	1	2	7	30	50	51	28	8
—	0.10	50	12	9	1	4	2	20	6	5	5	2	3	2	—	—	—	—
—	0.45	253	121	69	17	5	4	211	11	2	—	—	—	—	—	—	—	—
—	1.96	1624	5	11	6	4	5	31	50	51	133	154	237	191	280	43	13	9
—	0.35	192	77	53	21	7	5	162	15	3	1	—	1	—	—	—	—	—
—	0.66	1913	901	155	75	47	30	1238	53	23	21	20	43	82	94	131	145	66
—	1.05	448	2	—	2	1	2	7	5	18	23	17	33	85	209	112	95	24
—	0.76	2024	746	477	151	64	35	1473	44	25	23	27	88	109	188	280	237	112
—	0.94	491	92	37	7	6	5	137	11	14	16	14	35	53	67	85	52	14
—	0.10	197	—	11	1	6	4	29	5	9	2	6	21	24	27	18	18	3
—	0.09	81	1	—	—	—	—	1	—	—	—	1	8	7	5	3	—	—
—	0.13	69	—	—	—	—	—	—	—	7	11	31	19	—	—	—	—	—
—	0.07	35	—	—	—	—	—	—	—	1	1	1	3	7	7	10	3	—
—	0.55	261	45	16	20	5	7	87	23	14	16	16	31	25	23	20	8	—
—	5.29	2913	1346	258	61	33	17	1915	41	17	17	15	40	44	56	67	296	224

Deaths of Infants (under one) to 1000 Births. 192

Marriages - 4,248
Births - 23,250

Annual Rate { Persons Married - 16.26
per 1000 living { Births - 44.22

499.—HOLBECK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	26.64	—	—	—	—	—	94.00	7.81	4.36	6.74	7.42	8.49	12.04	20.35	40.58	84.22	27
Mean Pop. 1871-80	—	22,834	785	652	656	637	621	3349	2819	2411	2210	2035	3462	2682	1907	1215	597	1
ALL CAUSES	26.64	6084	1912	727	264	154	91	3148	206	105	140	151	294	323	388	403	507	2
Small-pox	0.11	25	5	—	2	—	1	8	5	1	1	3	5	2	—	—	—	—
Measles	0.53	122	81	51	18	18	4	117	5	—	—	—	—	—	—	—	—	—
Scarlet Fever	1.13	258	14	46	40	42	37	179	65	7	1	2	4	—	—	—	—	—
Diphtheria	0.09	21	4	2	4	7	1	18	2	—	1	—	—	—	—	—	—	—
Whooping-cough	0.76	174	73	64	17	11	5	169	8	—	—	—	—	—	—	—	—	—
Typhus	0.02	5	—	—	—	—	—	—	—	—	2	1	1	—	—	—	1	—
Enteric Fever	0.49	113	2	1	2	—	4	9	14	14	17	11	20	9	7	7	5	—
Simp. Cont. Fev.	0.14	31	—	4	4	3	1	13	6	2	1	1	—	2	3	3	1	—
Puerp. Fever	0.04	18	—	—	—	—	—	—	—	—	3	4	8	3	—	—	—	—
Diarr. and Dys.	1.77	404	293	81	16	4	2	390	3	1	2	—	3	3	—	8	8	—
Cholera	0.14	32	17	6	—	—	—	23	—	—	1	—	—	1	2	4	—	—
Cancer	0.40	92	—	—	—	—	1	1	—	—	1	—	3	5	29	62	17	—
Scrofula	0.09	20	2	3	1	1	1	8	1	2	3	3	—	—	1	—	—	—
Tuberc. Mesent.	0.50	114	61	26	7	2	—	99	1	4	3	3	2	2	—	—	—	—
Phthisis	2.13	487	4	5	1	1	1	12	11	19	70	72	110	92	57	34	9	—
Hydrocephalus	0.65	150	88	50	12	11	6	156	15	5	3	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	3.61	821	542	60	34	18	9	699	29	11	7	5	23	31	46	69	60	—
Circulatory	1.15	303	—	—	—	—	—	—	2	10	3	8	25	41	61	35	41	—
Respiratory	5.22	1193	562	184	68	25	10	696	21	2	7	12	30	49	101	130	129	—
Digestive	0.93	212	85	21	2	—	—	78	6	2	3	4	12	27	32	29	21	—
Urinary	0.61	139	1	1	4	1	—	7	4	6	1	5	14	23	33	29	15	—
Generative	0.01	6	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—
Childbirth	0.08	19	—	—	—	—	—	—	—	—	2	3	9	5	—	—	—	—
Suicide	0.08	19	—	—	—	—	—	—	—	—	2	3	9	5	—	—	—	—
Other Violence	0.40	14	31	6	3	4	—	44	6	5	7	6	2	7	3	5	7	—
OTHER CAUSES	5.43	1239	578	121	28	11	8	746	14	13	8	5	13	17	19	50	145	28

Deaths of Infants (under one) to 1000 Births } 196

Marriages - 1,382
Births - 9,733Annual Rate { Persons Married - 12.10
per 1000 living { Births - 42.63

500.—BRAMLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and over
ANNUAL DEATH RATE PER 1000	—	21.98	—	—	—	—	—	74.83	6.46	3.55	5.67	7.38	7.47	11.24	15.74	32.99	78.32	100
Mean Pop. 1871-80	—	49,421	1648	1498	1416	1398	1283	7273	6149	5183	4782	4389	7725	5908	4110	2522	1138	26
ALL CAUSES	21.98	10,865	3360	1138	450	287	206	5450	397	184	271	324	577	653	647	832	907	26
Small-pox	0.06	31	4	2	—	3	1	19	5	1	3	2	5	2	—	2	—	—
Measles	0.40	290	48	31	13	7	188	11	—	—	—	—	—	1	—	—	—	—
Scarlet Fever	0.29	441	30	71	86	28	327	90	14	2	4	5	—	—	1	—	—	—
Diphtheria	0.10	48	2	11	6	7	10	26	9	—	—	—	—	1	—	—	—	—
Whooping-cough	0.62	306	142	86	41	14	7	299	7	—	—	—	—	—	—	—	—	—
Typhus	0.06	32	—	1	1	—	2	1	3	7	6	5	1	4	2	—	—	—
Enteric Fever	0.49	249	—	4	8	10	13	35	31	33	35	27	41	20	18	3	5	—
Simp. Cont. Fev.	0.11	55	—	5	6	5	4	18	19	2	4	6	3	1	3	4	1	—
Puerp. Fever	0.03	41	—	—	—	—	—	—	—	—	2	7	21	10	1	—	—	—
Diarr. and Dys.	1.30	642	451	89	20	1	4	863	5	1	1	5	5	6	18	29	1	—
Cholera	0.05	23	13	2	—	—	—	15	1	1	—	—	1	—	2	2	1	—
Cancer	0.42	509	—	1	—	—	—	1	—	1	1	—	11	31	52	38	45	—
Scrofula	0.13	65	15	13	8	—	—	36	3	5	9	3	1	3	2	2	1	—
Tuberc. Mesent.	0.49	192	97	24	18	9	2	180	4	4	3	4	1	—	—	—	—	—
Phthisis	1.84	911	16	16	10	9	3	54	22	40	104	156	209	184	60	43	17	—
Hydrocephalus	0.36	117	66	45	15	19	6	151	17	2	2	3	1	—	1	—	—	—
Diseases of																		
Nervous Syst.	3.23	1595	676	188	57	35	25	951	51	23	18	11	28	47	73	145	165	58
Circulatory	1.26	623	1	—	—	—	1	5	14	6	22	11	47	58	111	147	125	29
Respiratory	4.07	2011	592	316	89	41	25	1073	31	5	14	24	61	94	136	205	237	121
Digestive	0.80	394	64	16	2	4	3	89	8	10	6	8	25	40	38	73	61	—
Urinary	0.41	201	2	5	2	1	7	17	10	3	9	5	29	26	31	38	32	—
Generative	0.04	22	—	—	—	—	—	—	—	—	—	1	3	7	3	5	3	—
Childbirth	0.10	47	—	—	—	—	—	—	—	2	10	20	20	15	—	—	—	—
Suicide	0.09	43	—	—	—	—	—	—	—	1	3	6	9	9	10	5	4	—
Other Violence	0.48	235	35	11	19	10	5	73	22	10	9	10	24	27	17	18	15	—
OTHER CAUSES	4.19	2071	1115	398	34	23	25	1335	41	19	13	17	33	50	42	66	186	312

Deaths of Infants (under one) to 1000 Births } 170

Marriages - 2,027
Births - 19,792Annual Rate { Persons Married - 8.20
per 1000 living { Births - 46.05

501.—LEEDS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	20.04	—	—	—	—	—	87.47	8.26	4.39	6.25	8.17	10.47	15.88	23.98	41.96	54.87	189.97
Mean Pop. 1871-80	—	176,634	5548	4761	4721	4678	4619	24327	20525	18054	17381	16656	23491	21449	14892	9334	4368	1157
ALL CAUSES	20.04	45087	13083	4485	1843	1140	747	21378	1605	792	1086	1360	2982	3406	3566	3917	3707	2198
Small-pox	0.19	535	51	4	11	10	7	43	51	18	33	53	77	19	15	5	5	—
Scarlet Fever	0.41	731	163	224	197	60	29	679	48	3	—	—	2	1	—	—	—	—
Dysentery	1.08	1912	108	297	324	321	237	1287	492	86	27	5	12	3	—	—	—	—
Typhoid	0.67	117	12	10	8	16	14	60	42	5	1	1	3	4	—	—	—	—
Whooping-cough	0.45	1147	427	399	155	95	47	1124	21	1	—	—	—	1	—	—	—	—
Diphtheria	0.11	192	1	—	—	1	5	5	14	11	26	28	39	39	22	8	—	—
Erysipelas	0.45	791	9	24	12	20	11	82	64	74	101	124	133	75	24	24	12	2
Scarlet Cont. Fev.	0.11	196	5	13	11	13	11	53	29	14	21	10	26	17	4	9	9	4
Typhoid	0.09	162	—	—	—	—	—	—	—	—	8	42	73	28	1	—	—	—
Scarlet and Dys.	1.23	3231	229	568	94	23	11	2925	16	1	2	8	14	22	38	61	88	55
Small-pox and Dys.	0.08	47	12	3	—	1	1	17	1	2	—	1	—	2	6	10	6	2
Measles	0.51	897	—	1	—	1	1	3	1	5	4	5	53	161	226	234	193	41
Scarlet	0.12	210	58	35	15	11	19	129	19	9	9	8	11	10	5	7	2	1
Scarlet Malignant	0.41	732	284	167	44	14	15	645	23	21	16	4	8	5	4	1	—	—
Scarlet	2.40	4239	26	30	30	12	12	110	108	161	423	511	1032	947	606	269	56	4
Scarlet	0.37	637	231	150	91	42	25	670	67	18	5	1	3	1	—	1	1	—
Nervous Syst.	3.43	6239	2466	497	193	112	73	3230	189	73	45	68	167	250	422	638	719	203
Cerebro-spinal	1.43	2325	7	6	2	2	1	15	20	61	63	81	273	451	465	465	291	133
Respiratory	3.91	8352	2244	1135	429	187	103	4162	142	50	47	111	290	544	804	1104	1651	269
Digestive	1.92	1863	205	48	23	11	18	305	38	32	47	44	153	231	235	236	230	83
Urinary	0.45	794	6	22	12	17	8	65	24	16	22	34	94	129	129	129	113	26
Generative	0.09	155	2	—	—	—	—	2	—	1	1	14	27	46	26	23	12	1
Birth	0.09	161	—	—	—	—	—	—	—	—	7	24	86	44	—	—	—	—
Infants	0.07	120	—	—	—	—	—	—	—	—	3	6	19	39	27	22	14	—
Violence	0.77	1328	149	59	64	47	26	355	119	45	52	90	141	168	153	108	86	47
ALL CAUSES	4.75	8288	4297	683	187	112	72	3391	126	91	89	78	156	269	237	344	723	472

Deaths of Infants (under one) to 1000 Births } 188

Marriages - 20,905
Births - 60,463

Annual Rate { Persons Married - 23.67
per 1000 living { Births - 39.33

502.—DEWSBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	23.51	—	—	—	—	—	83.27	8.37	4.28	6.47	7.42	8.49	12.11	18.57	36.01	80.76	182.72
Mean Pop. 1871-80	—	138,999	4447	3815	3891	3840	3718	19706	17146	16371	14540	13068	21328	16135	11143	6099	2990	874
ALL CAUSES	23.51	32676	9014	3576	1401	885	633	18409	1435	658	941	969	1820	1954	2060	2412	2422	1597
Small-pox	0.20	413	95	57	15	7	14	166	53	25	26	42	57	33	9	2	—	—
Scarlet	0.52	721	157	279	141	66	51	674	41	4	—	—	1	1	—	—	—	—
Dysentery	1.18	1655	113	294	267	254	221	1119	418	66	11	8	10	3	—	—	—	—
Typhoid	0.07	163	5	12	16	20	6	53	23	5	4	1	1	—	—	—	—	—
Whooping-cough	0.53	742	314	245	87	45	23	714	28	—	—	—	—	—	—	—	—	—
Diphtheria	0.06	87	1	1	1	1	6	6	7	9	17	18	11	9	3	5	3	1
Erysipelas	0.23	731	15	25	30	20	31	121	82	75	97	60	109	74	38	26	11	2
Scarlet Cont. Fev.	0.13	181	8	14	13	14	9	59	27	12	11	7	15	10	15	13	10	3
Typhoid	0.10	183	—	—	—	—	—	—	—	—	13	29	60	31	—	—	—	—
Scarlet and Dys.	1.12	1555	929	297	47	9	10	1292	21	3	5	4	12	18	50	41	71	68
Small-pox and Dys.	0.08	112	71	19	6	1	—	97	1	1	1	1	—	—	—	1	3	—
Measles	0.31	496	—	1	1	1	1	4	1	9	1	1	19	72	132	119	74	18
Scarlet	0.11	159	88	15	8	5	5	71	12	12	11	9	16	11	9	5	3	1
Scarlet Malignant	0.44	610	242	164	45	18	11	490	53	11	20	22	37	6	6	5	—	—
Scarlet	2.19	3032	43	47	26	12	15	143	79	132	415	445	729	524	337	176	49	3
Scarlet	0.54	750	276	213	79	32	25	645	71	10	3	4	5	—	—	—	—	—
Nervous Syst.	3.42	4751	2211	419	166	100	57	2933	155	57	51	52	86	126	250	403	409	190
Cerebro-spinal	1.10	1559	3	4	3	2	4	16	34	43	40	46	132	241	271	261	268	35
Respiratory	4.25	2916	1753	896	297	127	80	3163	118	57	52	43	170	298	454	636	832	260
Digestive	0.25	1153	174	29	13	8	3	227	40	20	21	28	79	129	202	299	146	41
Urinary	0.22	440	11	11	4	4	7	37	19	12	12	14	44	27	64	76	85	19
Generative	0.05	83	2	—	—	—	—	2	—	—	—	—	5	9	10	15	18	3
Birth	0.11	156	—	—	—	—	—	—	—	—	9	31	66	47	3	—	—	—
Infants	0.05	73	—	—	—	—	—	—	—	—	1	8	4	12	14	13	3	1
Violence	0.53	717	48	40	34	22	18	169	45	45	48	46	81	83	85	64	40	23
ALL CAUSES	4.65	6479	2403	868	104	67	60	4193	121	56	51	44	89	121	137	217	266	863

Deaths of Infants (under one) to 1000 Births } 181

Marriages - 13,416
Births - 54,503

Annual Rate { Persons Married - 19.50
per 1000 living { Births - 39.43

503.—WAKEFIELD.

	Annual Death Rate per 1000.	ALL Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5--	10--	15--	20--	25--	30--	40--	50--	60--	70--	at age
ANNUAL DEATH RATE PER 1000.	—	24.07	—	—	—	—	—	63.73	7.36	4.25	6.85	8.77	10.45	15.01	22.13	38.81	77.19	179	
Mean Pop. 1871-80	—	78,949	2704	2358	2362	2409	2266	12099	9930	8394	7347	7171	12375	8982	6045	3217	2012	4	
ALL CAUSES	24.07	19,002	5042	1861	729	477	328	8437	731	357	503	629	1293	1429	1338	1520	1535	12	
Small-pox	0.29	229	39	4	7	8	13	71	36	19	26	19	41	17	13	2	—	—	
Measles	0.33	243	49	114	51	21	9	244	17	—	—	—	—	1	—	—	—	—	
Scarlet Fever	1.05	830	51	130	147	147	118	392	196	37	9	9	5	2	—	—	—	—	
Diphtheria	0.09	69	12	15	10	13	—	59	9	4	2	—	1	—	—	1	—	—	
Whooping cough	0.50	392	165	124	50	23	17	379	13	—	—	—	—	—	—	—	—	—	
Typhus	0.04	38	—	—	1	—	1	2	5	3	4	1	2	7	3	1	—	—	
Enteric Fever	0.48	381	11	9	24	9	15	64	29	32	41	48	65	35	25	29	5	—	
Simple Cont. Fev.	0.12	96	7	11	8	7	4	37	15	3	1	7	9	3	7	5	—	—	
Puerp. Fever	0.11	88	—	—	—	—	—	—	—	—	7	23	37	20	1	—	—	—	
Diarr. and Dys.	1.31	1037	579	215	42	11	5	852	8	4	3	6	11	14	14	42	51	9	
Cholera	0.02	17	3	2	2	1	1	9	1	—	—	2	—	1	1	2	1	—	
Cancer	0.35	277	—	—	—	—	—	—	1	—	—	4	9	57	62	80	27	—	
Scrofula	0.18	144	81	32	8	6	—	77	6	13	5	10	11	4	9	7	3	—	
Tuberc Mesent.	0.08	834	242	176	36	16	7	477	15	6	11	6	5	16	1	2	1	—	
Phthisis	2.29	1808	26	28	9	10	9	83	42	68	194	235	448	334	214	125	29	—	
Hydrocephalus	0.53	300	111	79	27	17	13	249	36	14	1	2	2	—	1	—	—	—	
Diseases of																			
Nervous Syst.	3.98	5141	953	193	93	57	37	1833	190	58	44	54	179	292	289	311	273	16	
Circulatory	1.18	955	1	—	1	3	1	19	18	24	25	72	151	159	311	336	26	—	
Respiratory	4.27	5374	995	452	132	79	28	1716	64	16	22	31	115	162	247	335	244	—	
Digestive	0.20	712	85	16	10	4	4	119	13	15	16	15	35	73	109	139	104	—	
Urinary	0.31	246	1	5	4	3	3	16	8	2	5	7	19	42	44	45	7	—	
Generative	0.04	24	—	—	—	—	—	—	1	—	—	—	6	5	6	7	—	—	
Childbirth	0.10	79	—	—	—	—	—	—	—	—	5	11	31	31	1	—	—	—	
Suicide	0.07	72	—	—	—	—	—	—	—	1	3	4	16	15	15	71	8	—	
Other Violence	0.79	620	37	25	22	19	12	106	33	46	45	24	81	58	45	42	16	—	
OTHER CAUSES	4.15	3272	1636	203	45	32	19	1915	69	23	39	29	61	83	60	114	253	—	

Deaths of Infants (under
one) to 1000 Births } 154Marriages - 6,484
Births - 32,724Annual Rate { Persons Married - 16.43
per 1000 living { Births - 41.45

504.—PONTEFRAC.

ANNUAL DEATH RATE PER 1000.	—	22.93	—	—	—	—	—	74.39	6.15	3.54	5.26	7.29	8.36	11.51	16.99	29.10	67.41	127
Mean Pop. 1871-80	—	41,187	1434	1256	1314	1270	1239	6513	5524	4607	3804	3430	6122	4420	3114	2082	1160	48
ALL CAUSES	22.93	9444	2953	1050	399	250	193	4845	340	163	290	250	512	510	529	600	784	71
Small-pox	0.31	127	21	3	7	4	5	40	17	8	12	10	20	12	2	—	—	—
Measles	0.44	183	39	68	29	23	10	169	13	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.93	382	24	53	76	51	49	293	45	14	1	3	1	1	1	—	—	—
Diphtheria	0.12	51	10	8	6	5	9	38	9	1	3	—	—	—	—	—	—	—
Whooping-cough	0.45	183	84	67	17	11	5	181	1	—	—	—	—	—	—	—	—	—
Typhus	0.02	10	—	—	—	—	—	—	—	3	2	1	8	—	1	1	—	—
Enteric Fever	0.54	221	3	12	9	10	9	43	24	23	19	30	33	21	18	9	5	—
Simple Cont. Fev.	0.11	47	—	6	3	5	8	22	5	3	1	5	2	3	1	1	—	—
Puerp. Fever	0.07	27	—	—	—	—	—	—	—	—	2	5	12	8	—	—	—	—
Diarr. and Dys.	1.53	631	—	184	50	4	7	853	4	1	—	—	3	3	7	15	28	17
Cholera	0.01	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.32	—	—	—	—	—	—	—	1	—	—	2	9	17	32	32	27	10
Scrofula	0.13	83	16	11	3	2	—	32	3	3	1	2	5	1	2	1	—	—
Tuberc Mesent.	0.42	174	83	60	12	6	1	162	3	4	—	—	12	8	—	1	—	—
Phthisis	1.75	721	7	21	9	10	7	44	19	24	60	89	179	146	79	37	10	—
Hydrocephalus	0.28	114	39	31	8	7	1	97	19	6	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	3.54	4459	696	129	57	35	18	953	46	10	14	8	36	49	75	89	129	4
Circulatory	1.16	1476	2	1	1	2	—	6	4	9	13	34	53	67	114	121	12	—
Respiratory	3.38	1292	443	213	60	30	18	764	19	6	13	11	42	57	78	120	104	—
Digestive	0.91	390	58	11	2	4	1	76	10	4	9	6	25	55	73	79	60	—
Urinary	0.27	111	3	4	—	1	3	11	4	2	6	7	9	10	18	19	21	—
Generative	0.04	15	—	—	—	—	—	—	—	—	—	—	3	3	4	5	—	—
Childbirth	0.11	46	—	—	—	—	—	—	—	—	2	9	23	11	1	—	—	—
Suicide	0.07	27	—	—	—	—	—	—	—	—	1	3	2	4	8	7	3	—
Other Violence	0.78	322	25	17	11	8	11	72	19	18	18	33	34	29	31	21	13	—
OTHER CAUSES	5.20	2145	1032	391	59	19	10	1321	34	14	7	11	22	43	51	65	141	69

Deaths of Infants (under
one) to 1000 Births } 100Marriages - 3,338
Births - 18,469Annual Rate { Persons Married - 16.13
per 1000 living { Births - 44.91

505.—HEMSWORTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS { PER 1000 }	—	17.00	—	—	—	—	—	40.93	4.84	3.30	4.69	6.01	8.18	9.41	14.53	21.22	59.68	172.08
Pop. { 1-80 }	—	9510	256	250	250	260	254	1285	1156	1211	875	815	1333	1041	812	556	372	154
CAUSES	17.00	1642	348	90	45	30	13	523	56	40	41	40	100	98	118	118	222	205
pox - -	0.04	4	-	-	-	-	1	1	1	-	-	-	-	2	-	-	-	-
measles -	0.14	13	2	7	2	2	-	13	-	-	-	-	-	-	-	-	-	-
Fever -	0.56	54	5	8	10	4	3	81	18	4	-	-	-	2	-	-	-	-
erysipelas -	0.25	21	-	2	-	7	1	10	8	2	3	-	-	1	-	-	-	-
lung-cough -	0.22	21	12	4	2	1	1	29	1	-	-	-	-	-	-	-	-	-
scrophulous -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cont. Fev. -	0.44	42	-	1	-	2	1	4	1	4	4	7	8	5	8	1	-	-
Cont. Fev. -	0.12	2	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1
Fever and Dys. -	0.07	7	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	5
and Dys. -	0.33	32	16	-	-	-	-	16	2	-	-	-	-	-	-	-	-	-
and Dys. -	0.60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and Dys. -	0.46	44	-	-	-	-	-	-	-	-	-	-	-	1	11	10	15	9
and Dys. -	0.05	8	1	-	1	-	-	2	1	2	-	-	1	1	-	-	1	-
Measles -	0.32	31	12	8	7	-	-	27	1	-	-	-	1	1	-	-	-	-
Measles -	1.45	142	3	2	1	-	-	6	-	3	11	18	43	19	17	9	5	4
Measles -	0.15	14	5	6	-	-	-	12	2	-	-	-	-	-	-	-	-	-
Measles Syst. -	2.54	214	98	12	4	3	2	119	4	1	5	1	10	3	13	18	21	21
Measles Syst. -	1.34	129	-	-	1	-	-	1	1	4	5	2	4	10	22	24	19	17
Measles Syst. -	2.52	242	54	18	5	5	1	83	8	4	6	6	7	16	15	21	19	69
Measles Syst. -	0.68	65	3	2	2	1	-	8	2	2	2	2	5	6	12	10	10	8
Measles Syst. -	0.35	31	-	-	-	1	-	1	1	1	2	1	5	-	3	4	12	4
Measles Syst. -	0.03	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Birth - -	0.09	9	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-
Birth - -	0.04	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Violence -	0.75	72	2	4	4	-	1	11	4	7	7	5	10	9	7	5	7	5
CAUSES -	4.19	402	135	16	6	4	1	162	1	6	4	3	8	6	7	12	29	134

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 495
Births - 2,912Annual Rate { Persons Married - 10.30
per 1000 living { Births - 39.30

506.—BARNSELY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS { PER 1000 }	—	23.81	—	—	—	—	—	77.25	6.50	4.90	7.25	8.13	8.46	12.18	17.07	33.83	74.25	184.34
Pop. { 1-80 }	—	67,911	2432	2153	2143	2164	2160	11052	9110	7539	6122	5950	10308	7477	5078	3143	1060	479
CAUSES	23.81	16,172	5328	1732	690	451	331	8538	592	324	444	484	877	911	567	1064	1183	883
pox - -	0.07	47	8	-	1	1	2	12	5	6	5	5	7	5	2	-	-	-
measles -	0.56	577	81	147	64	56	23	834	21	1	-	-	2	3	-	-	-	-
Fever -	1.20	8.2	52	118	132	141	60	493	177	25	5	-	5	1	-	-	-	-
erysipelas -	0.05	44	5	7	5	4	35	12	2	-	-	-	3	1	-	1	-	-
lung-cough -	0.46	369	141	93	29	19	10	592	7	-	-	-	-	-	-	-	-	-
scrophulous -	0.06	39	-	-	-	-	2	2	3	4	8	7	3	5	2	2	2	1
Cont. Fev. -	0.55	375	5	11	17	12	11	58	45	42	42	23	51	32	32	28	9	5
Cont. Fev. -	0.10	70	5	2	5	5	5	22	10	5	6	3	5	3	2	5	4	2
Fever and Dys. -	0.13	66	-	-	-	-	-	-	-	-	10	19	34	23	-	6	13	24
and Dys. -	1.46	901	655	201	84	8	2	910	11	-	-	-	1	1	2	3	19	1
and Dys. -	0.04	21	13	5	2	-	-	15	-	-	-	-	1	1	2	3	1	1
Birth - -	0.20	178	-	-	-	-	1	1	-	1	2	3	11	24	40	56	21	19
Birth - -	0.14	92	12	21	3	2	5	63	4	3	6	1	6	2	1	4	2	-
Measles -	0.47	319	142	106	21	10	5	584	1	3	5	3	4	4	3	2	1	-
Measles -	1.89	1285	44	28	8	9	6	99	31	51	135	184	158	231	146	69	56	2
Measles -	0.42	294	133	77	25	12	7	254	16	9	1	2	1	-	-	-	-	-
Measles Syst. -	3.71	2517	1369	216	80	26	29	1741	37	21	16	10	45	60	102	143	197	114
Measles Syst. -	1.44	977	1	2	-	1	1	5	12	28	39	24	37	130	148	254	271	88
Measles Syst. -	4.06	2734	9.6	402	132	67	43	1570	58	15	14	21	37	107	140	245	230	180
Measles Syst. -	0.84	571	100	23	8	8	147	12	13	8	15	37	57	75	99	70	22	22
Measles Syst. -	0.23	1.6	3	8	1	2	3	17	11	4	5	6	15	9	24	23	28	13
Measles Syst. -	0.04	25	1	-	1	-	-	2	-	-	-	-	7	10	5	2	1	-
Birth - -	0.12	87	-	-	-	-	-	-	-	-	6	17	26	20	1	-	-	1
Birth - -	0.07	44	-	-	-	-	-	-	-	-	3	8	5	10	9	11	4	1
Violence -	1.16	791	31	23	21	21	13	109	38	55	82	94	151	121	62	41	24	14
CAUSES -	4.28	2913	1573	244	76	33	13	1943	49	24	31	21	47	42	58	12	214	101

Deaths of Infants (under
one) to 1000 Births } 172Marriages - 5,073
Births - 30,030Annual Rate { Persons Married - 14.94
per 1000 living { Births - 45.54

507.—WORTLEY.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000.	22.04	—	—	—	—	—	58.79	6.95	4.33	6.42	8.45	10.40	14.13	20.81	30.32	77.87	181
Mean Pop. 1871-80	48,023	1659	1474	1406	1450	1441	7490	6415	5614	4520	4212	7000	5315	3868	2496	1361	4
ALL CAUSES	22.04	10,717	2770	845	376	238	174	4403	446	243	290	356	733	751	805	903	982
Small-pox	0.22	705	18	4	4	2	4	32	14	7	5	17	17	5	4	4	—
Measles	0.25	123	29	50	21	10	4	114	7	—	—	—	—	—	—	—	—
Scarlet Fever	0.91	444	50	69	69	73	54	285	116	19	4	8	2	1	—	—	—
Diphtheria	0.11	54	6	6	3	6	9	30	17	3	2	—	—	1	—	—	—
Whooping-cough	0.43	209	113	60	18	6	8	207	2	—	—	—	—	—	—	—	—
Typhus	0.10	47	—	1	2	3	1	7	2	8	5	4	9	6	4	1	1
Enteric Fever	0.40	239	17	7	9	5	8	46	34	15	27	18	24	18	23	11	9
Simple Cont. Fev.	0.10	50	1	—	5	5	4	15	11	3	4	4	5	4	1	—	—
Puerp. Fever	0.13	61	—	—	—	—	—	—	—	—	5	12	50	14	—	—	—
Diarr. and Dys.	0.69	336	194	58	9	5	5	271	3	2	—	1	3	3	2	10	28
Cholera	0.01	6	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—
Cancer	0.54	167	—	—	1	1	—	2	1	1	—	1	9	25	29	51	21
Scrofula	0.13	63	14	20	1	4	—	41	5	1	—	2	3	3	—	3	1
Tubes Mesent.	0.27	123	49	40	13	3	—	105	8	9	—	—	—	—	—	—	—
Phthisis	2.12	1031	17	13	9	7	8	69	20	41	163	129	261	176	129	72	18
Hydrocephalus	0.39	188	74	47	14	9	7	151	23	7	—	—	—	—	—	—	—
Diseases of Nervous Syst.	4.02	1953	691	84	53	25	18	871	48	31	32	21	106	153	172	191	183
Circulatory	1.45	707	—	—	2	2	—	4	18	13	17	18	41	76	115	169	178
Respiratory	4.99	1987	583	263	91	41	16	1001	59	20	15	31	78	89	131	175	241
Digestive	1.02	405	65	13	11	3	2	94	9	9	18	8	33	46	72	94	82
Urinary	0.38	184	3	—	1	—	—	10	19	7	5	11	19	17	24	22	12
Generative	0.04	20	—	1	—	—	—	1	—	—	—	—	—	10	1	4	1
Childbirth	0.14	68	—	—	—	—	—	—	—	2	16	27	23	1	—	—	—
Suicide	0.05	23	—	—	—	—	—	—	—	—	1	3	6	3	5	3	1
Other Violence	0.62	300	11	11	10	7	12	51	11	18	20	28	20	53	26	31	21
OTHER CAUSES	3.54	1729	818	85	30	20	12	935	20	23	16	19	23	38	43	53	153

Deaths of Infants (under one) to 1000 Births } 142

Marriages - 3,304
Births - 19,516Annual Rate { Persons Married - 13.59
per 1000 living { Births - 40.14

508.—ECCLESALL BIERLOW.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-
ANNUAL DEATH RATE PER 1000.	21.12	—	—	—	—	—	63.14	7.81	3.71	4.90	5.83	8.06	11.94	18.32	35.26	70.05	187.6
Mean Pop. 1871-80	100,925	3235	2891	2819	2798	2753	14496	12199	10856	10578	9608	15702	11535	7915	6039	3267	635
ALL CAUSES	21.12	21,318	5864	2113	1004	620	421	10022	953	403	518	500	1265	1377	1450	1777	1800
Small-pox	0.16	158	27	8	5	9	7	56	21	8	15	10	22	9	1	7	—
Measles	0.32	320	65	120	55	45	15	300	16	2	—	1	—	—	—	—	—
Scarlet Fever	1.19	1206	68	157	212	191	156	781	321	51	18	15	5	7	—	—	—
Diphtheria	0.12	125	13	13	17	18	15	74	24	3	3	2	3	—	—	—	—
Whooping-cough	0.56	567	237	183	89	30	15	554	12	1	—	—	—	—	—	—	—
Typhus	0.07	68	—	1	2	1	3	7	10	2	9	4	14	19	8	—	1
Enteric Fever	0.34	348	10	11	11	18	13	65	49	30	24	39	41	25	26	21	6
Simple Cont. Fev.	0.15	152	8	10	9	11	8	46	22	16	11	10	19	7	6	2	2
Puerp. Fever	0.10	97	—	—	—	—	—	—	—	—	6	18	45	30	—	—	—
Diarr. and Dys.	1.08	1,091	768	185	32	9	3	967	7	—	1	3	9	8	6	18	23
Cholera	0.06	63	39	6	1	—	1	47	1	—	—	1	—	2	1	6	2
Cancer	0.38	379	1	—	—	1	—	2	2	—	2	14	43	104	119	79	11
Scrofula	0.12	117	42	17	7	2	4	74	7	10	6	3	7	—	—	—	—
Tubes Mesent.	0.39	391	182	109	59	16	6	342	16	6	10	3	3	5	3	2	—
Phthisis	2.32	2340	56	53	21	17	16	163	66	92	227	251	576	422	323	165	46
Hydrocephalus	0.36	363	151	86	43	27	15	302	28	13	7	3	1	4	1	—	—
Diseases of Nervous Syst.	2.94	2972	1199	246	112	60	54	1651	93	47	32	34	67	124	160	296	396
Circulatory	1.13	1164	3	—	1	3	11	—	21	21	40	29	110	167	217	246	240
Respiratory	4.13	4167	1224	591	212	83	49	2164	75	38	53	36	121	211	293	469	535
Digestive	0.95	955	183	29	13	10	7	312	19	15	25	16	39	85	125	188	143
Urinary	0.31	317	1	9	9	8	8	33	19	4	7	12	31	37	59	62	41
Generative	0.03	35	—	—	—	—	—	—	—	1	1	7	8	4	10	2	1
Childbirth	0.10	105	—	—	—	—	—	—	—	8	15	38	43	1	—	—	—
Suicide	0.06	60	—	—	—	—	—	—	—	2	5	12	15	11	14	3	—
Other Violence	0.26	265	47	13	20	10	4	94	22	13	8	11	19	23	19	27	19
OTHER CAUSES	3.46	3493	1590	265	101	48	39	2044	67	29	25	21	48	76	70	129	519

Deaths of Infants (under one) to 1000 Births } 161

Marriages - 5,320
Births - 38,719Annual Rate { Persons Married - 10.54
per 1000 living { Births - 38.36

509.—SHEFFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	70 and over
ANNUAL DEATH RATE PER 1000	—	27.41	—	—	—	—	—	91.22	9.72	4.31	6.67	8.15	10.70	16.57	25.05	45.43	32.96	189
Mean Pop. 1871-80	—	172,703	5862	5202	4908	4948	4821	25801	21584	18324	16340	15631	27917	20910	13796	7969	3551	0
ALL CAUSES	27.41	47,340	13442	5326	2353	1406	1008	23535	2097	790	1090	1279	2987	3465	3454	3622	3301	47
Small-pox -	0.52	893	187	74	74	46	52	433	143	29	46	72	111	44	11	3	1	
Measles -	0.48	830	185	338	190	78	48	779	47	1	1	1	1	1	1	1	1	
Scarlet Fever -	1.49	2577	159	439	473	403	339	1815	597	98	31	15	17	4	1	1	1	
Diphtheria -	0.07	124	15	22	13	20	16	86	30	4	1	1	1	1	1	1	1	
Whooping-cough -	0.80	1376	642	439	203	90	54	1331	44	1	1	1	1	1	1	1	1	
Typhus -	0.08	138	2	2	3	8	2	17	17	8	17	16	22	17	13	8	8	
Euteric Fever -	0.49	841	19	43	41	26	44	183	109	61	68	65	108	107	67	32	19	
Nump. Cont. Fev. -	0.35	608	27	41	44	28	28	178	58	22	28	31	71	82	69	41	23	
Puerp. Fever -	0.08	142	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarr. and Dys. -	1.82	3146	2030	613	113	25	18	2358	19	4	5	9	15	29	43	62	84	
Cholera -	0.05	85	44	14	1	1	1	60	3	1	1	1	1	1	1	1	1	
Cancer -	0.32	649	—	—	1	1	1	2	4	1	2	6	47	131	174	173	58	
Scrofula -	0.14	234	44	39	15	8	10	116	16	16	12	15	14	18	13	9	5	
Tuberc. Mesent. -	0.32	901	480	214	64	35	27	800	44	19	8	5	10	6	2	4	1	
Phthisis -	2.44	4202	66	70	27	21	16	214	103	133	273	478	1060	917	589	279	51	
Hydrocephalus -	0.36	619	213	175	79	31	23	521	64	13	9	2	7	2	1	1	1	
Diseases of (Nervous Syst. -	3.46	2568	2800	545	183	123	55	3711	172	69	77	65	149	242	359	475	468	
Circulatory -	1.21	2100	8	3	4	5	3	23	32	59	73	63	273	410	411	405	276	
Respiratory -	5.84	10055	2646	1817	561	253	140	5116	212	60	83	103	272	644	981	1177	1010	
Digestive -	0.91	1075	380	39	20	12	11	512	49	27	47	52	147	250	252	279	312	
Urinary -	0.36	628	6	14	18	7	11	56	27	18	27	65	106	101	98	82	81	
Generative -	0.06	112	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Childbirth -	0.12	208	—	—	—	—	—	—	—	—	18	49	77	63	1	—	—	
Suicide -	0.07	116	—	—	—	—	—	—	—	1	4	8	18	21	38	21	6	
Other Violence -	0.73	1288	112	56	68	87	44	331	126	68	74	76	164	123	112	97	60	
OTHER CAUSES	4.31	7808	3648	605	199	103	67	4622	181	79	78	59	154	231	239	413	391	

Deaths of Infants (under one) to 1000 Births . . . 183

Marriages . . . 22,713
Births . . . 73,400Annual Rate { Persons Married . . . 26.30
per 1000 living { Births . . . 42.50

510.—ROTHERHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	70 and over
ANNUAL DEATH RATE PER 1000	—	21.83	—	—	—	—	—	66.83	7.44	4.25	6.53	7.94	8.13	11.33	16.70	32.53	75.00	171
Mean Pop. 1871-80	—	66,465	2346	2070	2062	2112	2063	10653	8080	7434	6048	5758	9920	7371	5052	3169	1563	4
ALL CAUSES	21.83	14,507	4355	1428	626	307	313	7119	608	316	395	457	806	850	845	1031	1176	1
Small-pox -	0.29	261	41	18	12	8	11	50	45	19	33	19	33	22	6	2	—	
Measles -	0.23	218	31	91	41	23	13	199	16	1	2	1	1	1	1	1	1	
Scarlet Fever -	1.23	820	49	136	135	133	109	562	192	43	9	6	4	2	1	1	1	
Diphtheria -	0.08	26	6	8	4	7	8	33	11	4	2	1	1	1	1	1	1	
Whooping-cough -	0.43	516	132	99	44	19	11	308	11	1	1	1	1	1	1	1	1	
Typhus -	0.04	24	—	—	—	2	—	2	3	1	5	4	5	3	—	—	1	
Euteric Fever -	0.37	378	10	19	31	22	18	100	40	33	37	51	82	19	27	13	4	
Nump. Cont. Fev. -	0.23	151	11	10	15	11	9	56	30	10	12	7	12	6	10	3	4	
Puerp. Fever -	0.09	60	—	—	—	—	—	—	—	7	9	32	19	—	—	—	—	
Diarr. and Dys. -	0.92	611	374	119	26	4	8	381	8	1	1	2	3	3	7	17	17	
Cholera -	0.03	17	4	4	1	—	—	9	1	—	—	—	1	1	1	2	2	
Cancer -	0.41	271	—	—	1	—	—	1	—	—	2	2	7	51	63	69	37	
Scrofula -	0.19	89	19	14	7	1	1	42	9	8	5	5	2	3	2	4	1	
Tuberc. Mesent. -	0.40	269	142	64	21	5	7	239	12	5	6	5	3	1	1	1	1	
Phthisis -	1.69	1122	37	22	7	10	4	138	60	37	47	116	172	215	207	139	66	
Hydrocephalus -	0.32	210	84	66	17	11	7	175	13	7	4	1	1	1	1	1	1	
Diseases of (Nervous Syst. -	2.96	1650	361	146	57	41	25	1290	53	27	23	15	40	54	85	148	188	
Circulatory -	1.05	695	4	—	1	3	—	8	9	13	10	22	37	100	116	167	147	
Respiratory -	4.05	2629	829	333	116	53	20	1383	49	9	22	43	66	112	165	203	269	
Digestive -	0.97	644	121	16	9	4	8	138	18	10	15	15	45	66	86	95	104	
Urinary -	0.32	310	3	3	1	3	5	17	5	—	2	3	13	27	34	37	43	
Generative -	0.04	25	1	—	—	—	—	1	—	—	—	1	4	3	5	5	4	
Childbirth -	0.10	61	—	—	—	—	—	—	—	—	5	6	22	29	2	—	—	
Suicide -	0.06	99	—	—	—	—	—	—	—	1	4	—	5	9	8	9	5	
Other Violence -	1.06	707	22	21	32	13	15	115	61	50	63	53	108	85	69	44	43	
OTHER CAUSES	2.92	2019	1494	233	48	22	24	1823	45	22	20	16	46	43	80	75	168	

Deaths of Infants (under one) to 1000 Births . . . 149

Marriages . . . 5,353
Births . . . 29,277Annual Rate { Persons Married . . . 16.11
per 1000 living { Births . . . 44.98

511.—DONCASTER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000 }	—	21.37	—	—	—	—	—	65.14	6.20	3.27	5.27	7.71	9.18	11.17	15.61	26.63	33.98	133
MEAN POP. 1871-80 }	—	49,538	1507	1328	1352	1363	1283	6833	5981	5451	4646	4240	7023	5500	4229	3049	1808	7
ALL CAUSES	21.37	10,588	2910	805	360	215	161	4451	371	178	245	327	645	621	699	812	1155	11
Small-pox - -	0.31	196	14	4	4	5	6	33	28	11	11	22	28	15	7	2	1	-
Measles - -	0.22	141	32	46	81	9	11	129	7	2	-	-	2	-	-	-	-	-
Scarlet Fever -	0.80	397	25	49	77	65	27	273	93	17	5	3	6	-	-	-	-	-
Diphtheria - -	0.09	43	1	3	2	7	4	16	16	2	1	1	2	-	1	1	-	-
Whooping-cough	0.89	194	84	65	18	12	4	183	30	1	-	-	-	-	-	-	-	-
Typhus - -	0.04	18	-	-	-	-	-	-	-	8	3	4	6	1	-	-	-	-
Enteric Fever -	0.52	290	2	14	10	10	5	41	33	25	22	24	29	27	15	13	5	1
Nipple Cont. Fev.	0.12	61	2	5	5	2	-	14	10	3	3	7	10	8	1	1	5	1
Puerp. Fever -	0.08	42	-	-	-	-	-	-	-	-	2	14	13	12	1	8	27	2
Diarr. and Dys. -	0.83	410	258	51	11	-	4	334	1	2	-	-	4	1	6	3	2	2
Cholera - -	0.02	10	3	-	-	1	-	4	1	-	-	-	-	1	-	3	-	-
Cancer - -	0.47	232	1	-	1	-	-	2	1	-	1	1	6	32	45	61	60	10
Scrofula - -	0.06	41	8	8	3	1	2	22	3	1	1	5	-	3	1	1	4	1
Tuberc. Mesent.	0.49	244	142	60	16	2	4	224	15	4	8	1	2	1	2	2	1	-
Phthisis - -	1.74	894	18	14	6	1	1	40	16	21	10	113	248	167	166	65	19	1
Hydrocephalus	0.21	105	35	31	13	4	4	87	10	6	-	-	-	-	-	-	-	-
Diseases of																		
Nervous Syst.	3.09	1533	716	105	46	20	15	902	33	19	16	15	33	44	71	115	174	113
Circulatory "	0.99	489	4	-	1	-	2	7	8	3	4	16	46	59	86	96	117	6
Respiratory "	3.65	1808	471	210	73	33	21	808	33	10	17	22	62	71	102	177	187	20
Digestive "	1.11	548	53	10	3	9	2	77	9	7	9	29	32	56	94	97	104	6
Urinary "	0.32	160	1	2	1	-	-	4	8	2	7	10	12	22	24	24	26	2
Generative "	0.04	22	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2
Childbirth - -	0.08	42	-	-	-	-	-	-	-	-	2	3	25	10	2	-	-	-
Suicide - -	0.05	26	-	-	-	-	-	-	-	-	-	-	-	7	5	6	3	-
Other Violence -	0.79	318	18	14	9	13	6	59	28	21	24	26	41	41	25	32	40	11
OTHER CAUSES -	4.67	2366	1022	112	30	22	16	1242	22	17	12	11	43	59	58	100	250	99

Deaths of Infants (under
one) to 1000 Births } 167Marriages - 3,728
Births - 17,450Annual Rate (Persons Married - 15.03
per 1000 living (Births - 35.24

512.—THORNE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000 }	—	19.02	—	—	—	—	—	51.14	5.34	2.67	5.19	8.47	7.63	8.11	10.91	20.80	32.31	133
MEAN POP. 1871-80 }	—	10,590	469	423	455	432	417	2106	2078	1870	1521	1169	1978	1752	1577	1226	822	46
ALL CAUSES	19.02	3150	820	163	61	49	30	1123	111	59	79	99	151	142	172	235	430	54
Small-pox - -	0.05	9	1	-	-	-	-	1	-	1	1	2	1	1	1	1	-	-
Measles - -	0.27	44	11	19	13	4	2	39	4	-	-	-	-	1	-	-	-	-
Scarlet Fever -	0.38	96	7	15	16	14	12	64	23	4	4	1	-	-	-	-	-	-
Diphtheria - -	0.07	11	-	1	-	2	-	3	5	-	1	-	-	-	-	1	1	-
Whooping-cough	0.27	44	27	11	3	2	1	44	-	-	-	-	-	-	-	-	-	-
Typhus - -	0.02	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
Enteric Fever -	0.57	94	11	1	4	3	2	21	7	6	7	7	13	6	8	5	11	3
Nipple Cont. Fev.	0.11	18	2	1	1	-	-	4	1	1	1	3	2	1	1	3	1	-
Puerp. Fever -	0.08	13	-	-	-	-	-	-	-	-	1	2	9	1	-	-	-	-
Diarr. and Dys. -	0.63	104	68	6	1	-	-	75	-	-	-	-	-	1	-	3	7	10
Cholera - -	0.01	6	1	1	-	1	-	3	-	-	-	-	-	-	1	-	2	-
Cancer - -	0.42	69	-	-	-	-	-	-	-	-	-	-	-	1	2	11	19	14
Scrofula - -	0.13	21	3	1	-	2	-	6	1	1	5	3	1	1	1	1	-	-
Tuberc. Mesent.	0.53	39	20	9	2	1	1	31	4	-	-	-	-	1	1	1	-	-
Phthisis - -	1.64	272	6	2	1	-	-	9	3	4	32	51	67	47	28	25	7	1
Hydrocephalus	0.26	43	15	10	6	3	-	34	4	2	2	-	1	-	-	-	-	-
Diseases of																		
Nervous Syst.	2.83	447	160	12	2	4	2	189	8	4	5	7	8	7	19	28	90	6
Circulatory "	1.03	171	-	-	1	-	-	1	3	3	1	4	6	11	1	1	4	2
Respiratory "	2.70	448	122	38	8	8	2	176	11	5	1	-	9	17	14	40	39	33
Digestive "	0.97	151	23	6	-	-	1	30	5	2	2	1	9	7	21	29	28	11
Urinary "	0.35	58	1	1	-	-	-	2	-	1	2	6	7	7	7	7	17	5
Generative "	0.03	13	1	-	-	-	-	1	-	-	-	1	1	-	2	1	3	2
Childbirth - -	0.03	8	-	-	-	-	-	-	-	-	-	3	5	2	-	-	-	-
Suicide - -	0.05	9	-	-	-	-	-	-	-	-	-	1	3	5	2	-	-	-
Other Violence -	0.72	110	8	2	3	2	5	20	16	10	9	1	10	13	15	5	6	12
OTHER CAUSES -	5.91	560	234	27	10	3	2	315	11	6	4	3	4	11	22	27	86	24

Deaths of Infants (under
one) to 1000 Births } 151Marriages - 1,081
Births - 5,415Annual Rate (Persons Married - 12.79
per 1000 living (Births - 32.63

513.—GOOLE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (FEB. 1000)	—	21'39	—	—	—	—	—	64'58	7'11	3'57	5'12	8'31	8'75	9'67	14'14	25'86	57'83	155'59
Pop. 1-80	—	18,414	565	531	530	516	489	2631	2321	1833	1739	1480	2371	2037	1591	1133	683	295
CAUSES	21'39	3939	1112	300	143	90	64	1699	165	60	89	123	225	197	225	293	325	479
Pox	0'04	7	—	—	—	—	—	—	1	1	1	1	1	1	1	—	—	—
Fever	0'32	39	16	17	11	4	2	60	7	—	—	—	—	—	—	—	—	—
Cholera	1'21	227	17	38	40	27	20	142	60	12	4	3	2	3	—	—	1	—
Spasmodic	0'13	24	—	2	1	4	9	—	9	3	2	—	—	—	—	—	—	—
Cough	0'40	73	29	23	1	8	2	73	—	—	—	—	—	—	—	—	—	—
Scarlatina	0'03	5	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Fever	0'41	76	—	2	3	1	2	8	11	9	11	8	7	6	6	2	—	—
Cont. Fev.	0'07	12	1	3	1	—	—	5	3	2	—	—	—	1	1	—	—	—
Fever	0'07	13	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
and Dys.	1'22	279	190	44	6	2	—	243	—	—	1	—	1	3	—	5	12	13
Smallpox	0'03	6	4	—	—	2	—	6	—	—	—	—	—	—	—	—	—	—
Dysentery	0'56	103	—	—	—	—	—	—	—	—	—	—	5	9	32	28	13	16
Measles	0'12	23	8	4	1	3	—	16	2	1	—	1	1	1	1	—	—	—
Measles	0'46	84	46	23	7	2	—	78	2	—	—	—	2	1	—	—	—	—
Measles	1'60	276	—	1	—	—	—	2	9	10	29	52	81	40	25	16	10	2
Measles	0'57	68	25	15	8	5	2	55	10	2	—	—	—	—	1	—	—	—
Scarlatina	2'66	489	178	15	8	7	2	308	6	5	5	12	10	17	36	46	76	68
Respiratory	1'36	251	—	1	1	1	—	3	1	2	4	15	23	33	55	63	49	—
Respiratory	3'10	581	183	63	33	7	9	297	14	1	5	6	11	20	29	46	82	70
Gastro-intestinal	0'91	117	24	3	2	1	2	32	—	—	—	1	17	13	16	29	34	25
Primary	0'42	78	1	—	—	1	1	3	2	—	3	6	7	8	7	12	15	12
Secondary	0'06	11	—	—	—	1	—	1	—	—	—	1	—	2	3	1	2	1
Birth	0'08	15	—	—	—	—	—	—	—	—	—	2	7	6	—	—	—	—
Violence	0'00	11	—	—	—	—	—	—	—	—	1	—	3	2	—	3	2	—
Violence	1'04	199	17	4	5	1	4	31	19	10	16	16	26	22	17	13	13	9
CAUSES	4'23	799	355	40	15	12	6	438	11	6	2	3	18	16	16	51	67	189

Deaths of Infants (under one) to 1000 Births } 166 Marriages Births } 1,443
Annual Rate } 6,716 Annual Rate } 15'67
per 1000 living } Births } 36'47

514.—SELBY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (FEB. 1000)	—	20'31	—	—	—	—	—	55'35	7'27	3'83	4'85	8'05	7'24	9'60	13'15	25'16	57'06	148'24
Pop. 1-80	—	16,098	465	411	439	413	429	2157	1995	1830	1525	1255	2071	1646	1453	1125	701	340
CAUSES	20'31	3270	748	213	97	82	54	1194	145	70	74	101	150	168	191	283	400	504
Pox	0'02	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Fever	0'19	31	11	9	2	2	—	25	4	1	—	—	—	—	—	—	—	—
Cholera	1'04	167	8	22	28	24	21	103	47	7	4	2	1	3	—	—	—	—
Spasmodic	0'20	65	—	1	2	3	1	7	15	5	—	—	1	1	1	—	—	—
Cough	0'41	66	25	23	8	4	2	64	3	—	—	—	—	—	—	—	—	—
Scarlatina	0'01	9	—	—	—	—	—	—	1	1	2	3	1	—	1	—	—	—
Fever	0'23	37	—	—	1	1	—	2	1	1	8	9	6	2	4	1	—	—
Cont. Fev.	0'13	21	1	1	1	1	3	7	3	1	—	2	2	1	1	2	—	—
Fever	0'13	21	—	—	—	—	—	—	—	—	9	9	3	—	—	—	—	—
and Dys.	0'78	125	70	23	—	2	1	98	1	1	1	1	—	1	2	—	10	10
Smallpox	0'04	7	1	—	—	—	—	1	—	—	—	—	1	—	—	2	2	1
Dysentery	0'35	27	—	—	—	—	—	—	—	—	—	—	5	5	13	17	11	6
Measles	0'13	21	4	—	1	—	—	9	2	1	2	1	1	—	1	2	—	—
Measles	0'40	65	31	15	4	2	2	52	3	5	1	3	1	—	—	1	—	—
Measles	1'44	232	1	—	—	—	—	1	2	7	22	36	67	46	53	11	3	—
Measles	0'34	54	17	14	8	3	2	44	7	3	—	—	—	—	—	—	—	—
Scarlatina	2'87	462	175	20	5	18	5	23	16	5	5	6	6	12	20	44	72	66
Respiratory	1'29	246	—	—	—	—	—	—	4	7	7	6	11	22	20	37	71	45
Respiratory	2'63	424	94	34	19	11	5	163	4	2	2	4	11	13	21	36	67	61
Gastro-intestinal	1'15	186	8	2	1	—	—	11	4	4	4	5	7	13	19	46	41	21
Primary	0'31	51	2	1	—	—	—	3	—	3	1	1	1	4	4	6	18	15
Secondary	0'07	11	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—
Birth	0'06	15	—	—	—	—	—	—	—	—	—	3	1	5	—	—	—	—
Violence	0'03	9	—	—	—	—	—	—	—	—	1	1	5	1	1	3	—	—
Violence	0'65	103	5	6	8	2	3	23	11	7	10	7	7	8	10	10	7	5
CAUSES	4'97	801	295	68	10	9	5	337	13	10	6	8	8	14	18	25	85	262

Deaths of Infants (under one) to 1000 Births } 142 Marriages Births } 906
Annual Rate } 5,250 Annual Rate } 11'26
per 1000 living } Births } 32'61

515.—TADCASTER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	19'51	—	—	—	—	—	53'28	5'49	2'52	4'74	6'58	8'60	9'06	13'78	25'83	64'43	151'31
Mean Pop. 1871-80	—	22,517	607	627	662	635	641	3262	2930	2459	2063	1839	2035	2361	1887	1471	888	287
ALL CAUSES	19'51	4394	1146	296	151	86	59	1738	161	62	98	121	261	228	280	380	553	532
Small-pox	0'05	13	3	—	—	—	—	3	—	—	1	—	5	1	1	1	—	—
Measles	0'19	42	12	13	9	4	—	38	3	—	—	—	—	—	—	—	—	
Scarlet Fever	0'58	152	4	23	23	26	18	95	45	6	—	—	—	—	—	—	—	
Diphtheria	0'14	31	2	—	1	7	3	19	5	—	—	—	—	—	—	—	—	
Whooping-cough	0'35	78	42	20	12	2	—	76	2	—	—	—	—	—	—	—	—	
Typhus	0'03	6	—	—	—	1	—	1	2	—	1	1	—	1	—	—	—	
Enteric Fever	0'34	77	—	1	4	3	3	11	8	—	8	9	15	7	5	3	1	
Simple Cont. Fev.	0'11	25	1	1	5	—	—	6	4	—	—	—	2	2	1	6	2	
Puerp. Fever	0'05	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarr. and Dys.	0'68	153	93	28	9	1	—	124	1	—	—	—	—	—	1	2	12	
Cholera	0'02	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	0'36	81	—	—	—	—	—	—	—	—	—	1	1	10	15	23	24	
Scrofula	0'05	13	1	2	—	1	—	4	2	1	2	1	1	—	1	1	—	
Tuberc Mesent.	0'35	78	34	20	6	3	—	64	5	—	2	—	—	—	—	—	—	
Phthisis	1'63	368	4	3	3	—	1	11	4	16	35	46	115	69	21	37	5	
Hydrocephalus	0'17	38	17	10	8	2	2	31	3	—	—	—	—	—	—	—	—	
Diseases of Nervous Syst.	2'83	637	237	36	21	9	4	327	18	3	4	5	18	14	39	39	27	
Circulatory	1'28	289	2	—	—	—	—	2	4	3	5	3	6	15	40	63	90	
Respiratory	2'96	667	167	74	23	11	10	295	12	1	7	7	17	20	32	68	114	
Digestive	1'19	267	19	10	3	3	2	37	10	3	6	10	13	20	43	52	64	
Urinary	0'25	56	—	1	—	—	1	2	2	—	—	—	2	5	8	14	12	
Generative	0'04	9	—	—	—	—	—	—	—	—	1	1	—	2	1	2	—	
Childbirth	0'14	32	—	—	—	—	—	—	—	—	1	3	16	12	—	—	—	
Suicide	0'03	13	—	—	—	—	—	—	—	—	—	—	—	—	6	3	—	
Other Violence	0'82	184	8	10	6	5	2	31	15	10	16	14	18	21	23	15	11	
OTHER CAUSES	4'75	1067	478	43	14	12	7	574	19	4	8	5	19	11	20	31	117	161

Deaths of Infants (under one) to 1000 Births } 145 Marriages - 1,300 Annual Rate of Persons Married - 11'55
Births - 7,913 Births - 7,913 per 1000 living { Births - 85'14

[YORK. EAST RIDING.

516.—YORK.

ANNUAL DEATH RATE PER 1000	21'61	—	—	—	—	59'47	6'16	3'74	4'41	6'90	9'50	13'88	20'27	34'87	69'99	174'23		
Mean Pop. 1871-80	70,801	1988	1691	1807	1750	1713	8949	7909	7487	7167	6583	10443	8017	6201	4456	2619	979	
ALL CAUSES	21'61	15,208	3598	972	363	223	166	5322	487	280	316	454	992	1113	1257	1554	1833	1690
Small-pox	0'17	121	15	2	—	3	1	21	35	14	6	14	11	8	8	2	2	—
Measles	0'18	127	34	47	19	7	12	118	5	1	—	2	—	—	—	—	—	—
Scarlet Fever	0'41	283	13	35	50	30	28	174	52	12	4	8	8	3	2	—	—	—
Diphtheria	0'07	42	7	7	5	9	6	34	10	3	2	—	1	2	—	—	—	—
Whooping-cough	0'41	293	181	100	31	16	7	285	7	—	—	—	—	—	—	1	—	—
Typhus	0'02	15	—	—	—	—	1	1	2	—	—	—	2	3	2	1	4	—
Enteric Fever	0'33	251	4	7	5	6	10	22	36	20	17	13	49	24	17	15	8	—
Simple Cont. Fev.	0'07	47	3	2	3	—	—	10	7	—	3	2	3	2	2	5	7	—
Puerp. Fever	0'04	30	—	—	—	—	—	—	—	—	1	9	11	6	—	—	—	—
Diarr. and Dys.	1'23	871	595	104	18	8	3	728	4	—	2	—	13	7	13	25	41	33
Cholera	0'01	8	2	—	1	—	—	3	1	—	1	—	—	—	—	1	—	—
Cancer	0'44	323	—	—	—	—	—	—	1	1	4	10	51	65	92	80	33	—
Scrofula	0'10	72	18	9	7	4	3	41	9	4	6	5	5	3	2	2	—	—
Tuberc Mesent.	0'27	153	71	43	14	10	5	143	13	7	—	—	—	—	—	—	—	—
Phthisis	2'13	1510	7	7	3	5	2	24	37	54	121	218	416	370	806	166	21	3
Hydrocephalus	0'33	230	81	46	26	8	16	183	39	14	3	3	4	—	—	—	—	—
Diseases of Nervous Syst.	3'43	2470	728	124	40	29	13	934	50	17	29	20	107	191	235	316	363	373
Circulatory	1'57	1119	3	—	2	—	—	6	8	18	17	15	29	122	194	285	303	110
Respiratory	3'23	2492	478	203	81	42	25	1087	51	22	16	31	70	120	170	300	340	266
Digestive	1'01	717	61	12	7	3	3	90	17	16	13	17	69	79	124	125	197	26
Urinary	0'49	348	4	3	1	3	1	12	7	13	5	10	36	39	63	68	39	—
Generative	0'07	47	—	—	—	—	—	—	—	—	—	1	2	12	14	9	1	—
Childbirth	0'07	30	—	—	—	—	—	—	—	—	6	7	17	19	1	—	—	—
Suicide	0'09	67	—	—	—	—	—	—	—	—	—	5	10	9	13	18	5	4
Other Violence	0'62	439	87	9	15	14	15	90	37	20	29	35	60	34	56	33	29	—
OTHER CAUSES	4'76	8846	1902	142	37	18	14	1503	35	29	28	24	49	60	104	135	411	918

Deaths of Infants (under one) to 1000 Births } 187 Marriages - 6,057 Annual Rate of Persons Married - 17'11
Births - 22,914 Births - 22,914 per 1000 living { Births - 28'36

517.—POCKLINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	17.67	—	—	—	—	—	42.71	4.19	3.09	4.08	7.65	8.35	8.86	12.03	21.62	57.10	155
Mean Pop. 1871-80	—	15,712	436	377	401	399	396	2000	1886	1778	1693	1255	1844	1592	1463	1161	718	31
ALL CAUSES	17.67	2777	618	137	50	23	30	858	70	55	69	96	154	141	176	251	410	48
Small-pox	0.12	19	5	—	—	1	—	4	1	1	1	5	3	3	1	2	1	—
Measles	0.13	20	6	5	1	1	4	17	1	1	—	1	—	—	—	—	—	—
Scarlet Fever	0.41	64	6	12	10	6	9	43	17	2	—	1	—	—	—	1	—	—
Diphtheria	0.05	8	1	—	1	—	1	3	3	1	—	1	—	—	—	—	—	—
Whooping-cough	0.20	47	30	11	4	1	—	48	1	—	—	—	—	—	—	—	—	—
Typhus	0.02	4	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—	—
Euteric Fever	0.36	60	1	2	2	2	1	8	4	4	11	10	4	1	1	2	6	3
Simple Cont. Fev.	0.12	19	—	—	—	—	1	1	3	4	—	1	1	1	1	2	2	—
Fuery. Fever	0.03	5	—	—	—	—	—	—	—	—	1	1	1	1	2	—	—	—
Diarr. and Dys.	0.73	114	71	14	2	—	—	87	—	—	—	—	3	2	1	1	6	1
Cholera	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Cancer	0.41	64	—	—	—	—	—	—	—	—	—	1	—	3	19	21	13	—
Scrofala	0.09	14	5	1	—	—	—	6	2	—	—	1	—	—	—	—	1	—
Tubes Mesent.	0.14	22	8	9	—	2	—	19	—	—	—	1	1	—	1	—	—	—
Phthisis	1.54	242	1	2	1	1	—	5	1	14	28	46	63	42	29	9	4	—
Hydrocephalus	0.07	11	4	2	—	1	1	8	1	2	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	3.05	480	186	23	7	—	4	214	9	6	8	5	15	14	22	43	76	—
Circulatory	1.53	240	—	1	1	—	—	2	4	3	4	2	9	11	28	55	63	—
Respiratory	2.52	364	88	30	10	1	3	132	8	2	2	4	17	9	29	46	74	—
Digestive	1.94	164	21	6	2	—	1	10	1	2	3	6	5	14	13	28	37	—
Urinary	0.32	50	—	—	—	—	—	—	2	1	1	—	—	6	2	13	13	—
Generative	0.05	9	—	—	—	—	—	—	—	—	1	—	2	2	1	2	—	—
Childbirth	0.08	13	—	—	—	—	—	—	—	—	—	3	4	6	—	—	—	—
Suicide	0.05	8	—	—	—	—	—	—	—	—	—	1	1	2	1	1	2	—
Other Violence	0.13	23	8	3	2	2	3	18	10	8	4	4	4	2	13	6	9	—
OTHER CAUSES	4.14	651	185	16	7	5	2	213	12	4	4	5	11	12	12	20	82	22

Deaths of Infants (under one) to 1000 Births } 129 Marriages } 931 Annual Rate } Persons Married } 12.64
Births } 4,776 Births } 4,776 per 1000 living } Births } 30.40

518.—HOWDEN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	18.83	—	—	—	—	—	44.38	6.62	3.69	4.37	7.79	8.16	9.88	11.91	21.96	52.77	163
Mean Pop. 1871-80	—	13,757	358	346	371	352	335	1702	1632	1651	1420	1053	1605	1376	1276	1020	650	5
ALL CAUSES	18.83	2501	560	98	53	59	23	782	108	61	62	82	131	186	152	244	343	6
Small-pox	0.01	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	0.14	19	2	5	4	2	1	14	3	1	1	—	—	—	—	—	—	—
Scarlet Fever	0.46	63	5	6	7	10	5	38	17	8	2	—	1	1	—	1	—	—
Diphtheria	0.25	31	2	4	3	4	3	15	12	3	1	1	2	1	2	—	—	—
Whooping-cough	0.38	42	24	17	7	—	2	30	2	—	—	—	—	—	—	—	—	—
Typhus	0.09	15	—	—	—	—	—	—	—	1	3	2	1	2	1	1	1	—
Euteric Fever	0.31	42	—	2	—	—	1	3	6	4	3	3	5	3	3	5	3	—
Simple Cont. Fev.	0.04	5	—	—	—	—	1	1	—	1	2	—	—	—	—	—	1	—
Fuery. Fever	0.07	10	—	—	—	—	—	—	—	—	—	3	4	3	—	—	—	—
Diarr. and Dys.	0.56	71	44	6	1	—	—	21	1	—	1	—	—	2	3	2	4	—
Cholera	0.01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Cancer	0.35	44	—	—	—	—	—	—	—	—	—	—	2	4	14	9	10	—
Scrofala	0.11	15	7	—	—	1	—	8	—	3	—	1	1	1	—	1	—	—
Tubes Mesent.	0.39	53	31	10	3	3	—	47	5	1	—	1	1	1	—	—	—	—
Phthisis	1.90	261	1	—	2	—	2	5	7	18	24	41	63	42	27	23	5	—
Hydrocephalus	0.07	9	3	2	—	1	—	6	2	1	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.80	383	162	7	1	5	—	153	10	3	4	3	8	11	20	33	63	—
Circulatory	1.26	179	—	—	—	1	—	2	2	4	3	2	7	10	13	42	33	—
Respiratory	2.70	372	99	21	10	7	2	140	13	3	1	2	5	10	22	33	53	—
Digestive	1.03	144	12	3	2	—	—	17	4	2	—	—	4	5	10	20	34	—
Urinary	0.27	37	—	—	—	—	—	—	2	—	—	—	2	4	3	8	12	—
Generative	0.04	6	—	—	—	—	—	—	—	—	—	—	1	3	1	—	1	—
Childbirth	0.07	8	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—
Suicide	0.09	13	—	—	—	—	—	—	—	—	—	1	1	3	2	2	3	—
Other Violence	0.13	23	5	2	3	2	2	14	13	3	7	8	7	4	7	11	3	—
OTHER CAUSES	4.78	669	191	16	9	4	2	222	11	4	6	7	9	11	15	19	89	—

Deaths of Infants (under one) to 1000 Births } 138 Marriages } 1,019 Annual Rate } Persons Married } 14.81
Births } 4,123 Births } 4,123 per 1000 living } Births } 30.01

519.—BEVERLEY.

	Annual Death Rate per 1000.	ALL AGES	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wards
ANNUAL DEATH RATE PER 1000	—	19'36	—	—	—	—	—	46'15	4'28	5'16	5'66	6'23	7'88	10'55	15'55	26'53	59'45	168'46
Mean Pop. 1871-80	—	22,455	642	504	587	535	582	2960	2686	2309	2173	1863	2084	2427	2013	1587	1096	467
ALL CAUSES	19'36	4548	988	195	87	59	37	1366	115	73	123	116	235	256	313	421	610	729
Small-pox -	0'09	20	2	1	1	—	1	5	—	2	4	3	2	2	1	—	1	—
Measles -	0'13	30	7	11	6	6	—	30	—	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0'34	77	5	8	16	10	9	48	17	6	3	1	—	1	1	—	—	—
Diphtheria -	0'19	42	1	—	5	5	—	11	20	5	1	—	—	—	—	—	—	—
Whooping-cough -	0'29	65	31	24	2	3	1	64	1	—	—	—	—	—	—	—	—	—
Typhus -	0'03	6	—	—	—	—	—	—	—	1	2	1	—	1	—	1	—	—
Enteric Fever -	0'25	57	—	—	5	1	4	10	6	4	5	5	6	4	1	5	—	1
Simple Cont. Fev. -	0'04	17	—	—	—	—	—	—	4	2	2	2	2	—	1	2	—	—
Puerp. Fever -	0'07	16	—	—	—	—	—	—	—	—	—	1	7	6	1	4	9	—
Diarr. and Dys. -	0'88	194	133	15	3	3	1	161	1	—	—	—	4	1	1	2	—	—
Cholera -	0'04	10	4	—	—	2	—	6	—	—	—	—	—	—	—	—	—	—
Cancer -	0'60	135	—	—	—	—	—	—	—	1	1	—	—	14	33	29	36	13
Scrophula -	0'10	23	5	3	1	—	—	9	2	3	2	—	2	3	1	—	—	—
Tub. Mesent. -	0'20	46	17	12	2	5	1	37	4	3	1	—	—	—	—	—	—	—
Phthisis -	1'82	408	5	2	1	—	—	8	6	14	53	69	108	63	32	32	12	—
Hydrocephalus -	0'16	36	10	8	2	5	2	24	7	2	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst. -	3'25	729	151	24	13	2	5	225	17	5	9	10	27	46	67	92	141	30
Circulatory -	1'62	383	2	—	1	1	—	4	3	4	2	10	17	30	38	89	105	41
Respiratory -	2'18	489	113	45	16	6	7	187	7	4	5	7	11	23	29	44	86	81
Digestive -	1'02	239	54	4	2	2	—	42	5	2	4	3	6	16	34	37	48	23
Urinary -	0'43	96	1	—	1	1	—	3	—	—	—	—	1	5	12	15	21	11
Generative -	0'05	12	—	—	—	—	—	—	—	—	—	—	1	—	2	2	3	1
Childbirth -	0'06	14	—	—	—	—	—	—	—	—	1	2	7	4	—	—	—	—
Suicide -	0'07	14	—	—	—	—	—	—	—	—	—	2	3	1	4	2	2	—
Other Violence -	0'48	91	8	4	3	2	5	22	9	8	12	3	11	6	11	11	5	—
OTHER CAUSES -	4'98	1117	420	37	7	—	1	470	6	10	8	6	14	18	23	44	129	380

Deaths of Infants (under
one) to 1000 Births } 186Marriages - 1,537
Births - 7,348Annual Rate (Persons Married
per 1000 living (Births) - 14'13
- 35'36

520.—SCULCOATES.

	Annual Death Rate per 1000.	ALL AGES	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up- wards
ANNUAL DEATH RATE PER 1000	—	21'66	—	—	—	—	—	71'53	6'04	4'01	5'01	6'79	7'87	10'89	15'72	30'78	63'30	169'39
Mean Pop. 1871-80	—	84,005	2600	2387	2399	2381	2340	12167	10248	8743	7687	7418	13125	9631	6888	4629	2534	887
ALL CAUSES	21'66	18,199	5639	1775	640	370	279	8703	619	351	385	504	1033	1064	1083	1425	1604	1423
Small-pox -	0'17	145	17	8	5	7	8	45	22	8	11	19	23	6	6	3	2	—
Measles -	0'41	248	66	135	60	34	25	320	25	1	1	—	—	—	1	—	—	—
Scarlet Fever -	0'61	511	35	73	105	72	67	349	119	17	9	7	9	—	—	1	—	—
Diphtheria -	0'12	99	10	11	12	6	9	48	31	9	1	4	—	—	—	—	—	—
Whooping-cough -	0'55	459	190	185	54	27	12	444	14	—	1	—	—	—	—	—	—	—
Typhus -	0'05	44	1	—	1	1	2	5	9	6	5	5	6	3	2	—	—	—
Enteric Fever -	0'47	394	10	17	12	18	12	69	49	41	35	40	37	38	27	18	13	7
Simple Cont. Fev. -	0'23	195	8	23	21	16	11	73	23	15	4	6	14	19	7	16	13	12
Puerp. Fever -	0'07	63	—	—	—	—	—	—	—	—	1	9	30	17	—	—	—	—
Diarr. and Dys. -	1'88	1579	1067	285	25	15	8	1417	4	1	1	3	4	19	18	26	62	82
Cholera -	0'03	29	13	2	—	1	—	16	2	—	—	1	1	1	8	3	1	1
Cancer -	0'48	400	1	—	—	—	—	1	1	3	2	4	18	48	112	103	73	21
Scrophula -	0'13	110	31	25	7	4	1	68	13	8	5	1	2	4	4	3	2	—
Tub. Mesent. -	0'43	261	218	92	20	5	1	398	13	4	5	—	—	1	3	2	—	—
Phthisis -	2'00	1680	20	18	8	10	64	31	72	18	178	274	456	312	178	112	39	—
Hydrocephalus -	0'23	194	63	55	17	10	10	153	29	9	2	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst. -	3'19	2679	1100	196	26	42	20	1414	42	24	13	22	71	97	132	283	351	230
Circulatory -	1'13	947	7	—	1	2	—	10	20	18	20	23	66	132	147	211	135	106
Respiratory -	3'16	2739	764	277	134	43	34	1352	37	11	16	37	76	102	178	235	387	235
Digestive -	0'83	698	108	14	6	4	2	134	17	18	14	18	47	66	96	125	116	44
Urinary -	0'81	302	5	5	1	4	3	18	11	13	5	6	17	27	32	41	43	27
Generative -	0'05	41	—	—	—	—	—	—	—	1	1	1	4	6	12	7	7	1
Childbirth -	0'11	93	—	—	—	—	—	—	—	—	5	25	40	23	—	—	—	—
Suicide -	0'16	43	—	—	—	—	—	—	—	—	1	5	8	13	9	9	6	2
Other Violence -	0'59	492	43	24	30	11	22	130	52	37	29	26	42	48	48	32	22	21
OTHER CAUSES -	4'27	3551	1842	262	65	41	25	2235	55	35	20	16	55	62	72	122	279	630

Deaths of Infants (under
one) to 1000 Births } 170Marriages - 7,667
Births - 38,140Annual Rate (Persons Married
per 1000 living (Births) - 18'31
- 39'66

521.—HULL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
(L. DEATH PER 1000)	—	24.52	—	—	—	—	—	77.89	6.76	4.25	5.72	8.02	10.93	16.00	22.85	38.03	75.87	176.86
(Pop. 1-80)	—	73,360	2179	1921	1941	1956	1892	9889	8407	7296	6978	6930	12005	8883	6240	3089	2035	687
CAUSES	24.52	17,966	4047	1561	604	331	260	7703	568	307	399	556	1312	1421	1428	1517	1544	1213
Pox -	0.26	188	14	8	8	15	14	43	49	8	8	18	24	13	5	1	1	—
Fever -	0.35	261	63	94	59	24	11	24	10	—	—	—	—	1	—	—	—	—
eria -	0.57	419	39	63	79	73	59	291	96	18	3	3	4	1	1	—	—	—
ang-cough	0.07	52	7	9	4	7	3	39	13	1	—	1	3	5	—	—	—	—
—	0.56	408	167	148	39	28	14	396	12	—	—	—	—	—	—	—	—	—
—	0.03	23	1	2	—	2	1	6	—	2	2	3	4	4	1	—	2	1
e Fever -	0.47	343	5	9	9	6	10	39	29	27	44	42	72	32	24	18	10	6
Cont. Fev.	0.31	250	19	25	51	17	16	113	47	12	4	7	15	10	8	6	5	3
Fever -	0.07	51	—	—	—	—	—	—	—	—	—	12	20	9	2	—	—	—
and Dys.	1.68	1229	862	167	31	5	5	1090	9	—	1	9	13	12	13	24	27	19
—	0.08	23	11	3	1	—	2	17	1	—	—	—	1	2	1	—	1	—
—	0.48	349	—	—	—	1	—	1	1	—	1	2	23	57	105	82	51	21
—	0.12	91	22	10	8	—	2	37	7	9	6	13	3	7	—	—	—	—
Measent.	0.47	344	181	73	22	9	7	292	14	11	3	6	6	5	—	—	—	—
—	2.39	1687	22	17	16	8	5	64	36	65	145	228	435	860	215	110	51	4
ephalus -	0.19	140	47	33	13	8	7	108	20	7	3	2	—	—	—	—	—	—
erous Syst.	4.12	3019	1268	269	82	31	33	1684	39	28	30	41	118	330	268	214	240	167
entory -	1.51	1110	3	4	2	2	—	11	13	17	14	22	110	183	269	229	303	93
spiratory -	3.28	2918	659	887	139	40	25	1221	44	16	22	32	118	176	262	167	304	264
positive -	0.97	712	82	13	7	2	3	106	8	5	15	15	63	108	141	138	86	27
itary -	0.39	253	2	1	2	4	—	9	8	4	7	9	49	45	41	47	75	18
erative -	0.08	37	—	—	—	—	—	—	—	—	1	2	8	18	12	8	7	1
irth -	0.08	61	—	—	—	—	—	—	—	—	4	13	20	21	3	—	—	—
—	0.07	52	—	—	—	—	—	—	—	—	1	2	5	11	14	10	9	—
Violence -	0.99	734	87	24	19	17	21	118	67	43	46	56	101	93	68	76	30	29
CAUSES -	4.56	5186	1440	219	83	33	20	1756	49	54	32	55	90	86	86	133	225	529

Deaths of Infants (under
one) to 1000 Births } 178Marriages - 9,222
Births - 27,754Annual Rate { Persons Married - 25.17
per 1000 living { Births - 37.88

522.—PATRINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
(L. DEATH PER 1000)	—	19.08	—	—	—	—	—	54.90	4.63	2.92	5.39	4.06	9.62	9.41	9.80	21.48	52.15	142.78
(Pop. 1-80)	—	8037	250	203	255	231	205	1153	1059	958	854	739	1692	914	867	689	418	194
CAUSES	19.08	1705	453	81	45	29	23	633	49	28	46	30	105	86	83	145	218	277
Pox -	0.07	6	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—
ts -	0.16	14	4	8	2	—	1	13	1	—	—	—	—	—	—	—	—	—
e Fever -	0.65	28	2	1	10	11	9	33	15	4	3	1	—	—	—	—	—	—
eria -	0.17	15	1	—	1	2	1	5	5	1	1	1	1	1	—	—	—	—
ang-cough	0.23	23	9	11	4	1	—	23	—	—	—	—	—	—	—	—	—	—
—	0.04	4	—	—	—	—	—	—	1	—	—	—	—	1	1	—	1	—
e Fever -	0.27	24	—	—	4	—	1	5	3	3	—	1	1	2	2	1	2	2
Cont. Fev.	0.15	13	—	—	—	—	1	1	1	—	—	1	2	1	3	—	1	1
Fever -	0.07	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
and Dys.	0.79	71	20	5	—	—	—	56	2	—	—	—	1	—	—	2	2	7
—	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
—	0.53	47	—	—	—	—	—	—	—	—	—	—	2	7	10	9	14	5
—	0.10	9	2	1	—	—	—	3	—	—	—	—	1	1	—	—	—	1
Measent.	0.46	41	35	5	—	—	—	40	—	—	—	—	1	—	—	—	—	—
—	1.71	153	7	3	2	1	—	12	5	6	13	9	48	23	19	10	6	—
ephalus -	0.15	13	2	3	1	3	2	11	1	1	—	—	—	—	—	—	—	—
erous Syst.	3.25	289	138	14	4	4	—	175	4	2	1	1	11	4	10	23	31	27
entory -	1.12	100	2	—	—	—	—	7	1	1	2	1	7	12	8	23	27	15
spiratory -	1.64	147	31	18	7	1	4	61	2	—	1	2	3	5	8	19	25	24
positive -	1.09	97	4	1	1	1	—	7	1	2	1	1	1	3	6	28	31	14
itary -	0.29	25	1	—	1	—	—	4	—	—	1	—	1	2	2	3	3	2
erative -	0.02	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
irth -	0.11	10	—	—	—	—	—	—	—	—	1	—	1	4	—	—	—	—
—	0.09	8	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Violence -	0.74	66	3	3	2	1	1	30	3	3	10	3	11	12	3	5	3	4
CAUSES -	5.15	461	148	11	6	3	1	169	5	5	1	—	2	2	3	10	20	180

Deaths of Infants (under
one) to 1000 Births } 162Marriages - 472
Births - 2,817Annual Rate { Persons Married - 10.56
per 1000 living { Births - 31.82

523.—SKIRLAUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	16.74	—	—	—	—	—	41.61	4.13	4.12	5.43	5.05	7.04	8.41	11.69	19.82	47.18	133.79
Mean Pop. } 1871-80 }	—	9787	281	243	247	277	257	1805	1163	906	1032	851	1264	1034	838	651	459	214
ALL CAUSES	16.74	1698	418	57	35	18	15	543	48	41	50	43	89	87	98	129	207	297
Small-pox - -	0.06	6	1	-	-	-	-	1	-	-	-	-	2	1	-	2	-	-
Measles - -	0.11	11	3	5	1	-	-	9	-	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0.38	37	4	3	6	1	6	20	9	5	1	-	-	2	-	-	-	-
Diphtheria - -	0.04	4	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	0.27	26	16	3	4	1	-	24	2	-	-	-	-	-	-	-	-	-
Typhus - -	0.05	5	-	-	-	-	-	2	2	1	1	-	-	1	-	-	-	-
Enteric Fever -	0.35	32	1	1	-	-	-	2	2	1	3	2	3	3	9	1	5	1
Simple Cont. Fev.	0.13	13	1	-	2	-	-	3	1	1	1	-	1	2	-	2	1	-
Puerp. Fever -	0.06	6	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-
Diarr. and Dys. -	0.79	77	47	3	1	-	1	54	1	-	-	-	-	-	1	3	9	2
Cholera - -	0.03	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer - -	0.60	59	-	-	-	-	-	-	-	-	1	-	-	2	9	15	11	8
Scrofula - -	0.10	10	1	1	-	-	-	2	2	2	-	-	2	1	1	-	-	-
Tubes Mesent. -	0.13	13	10	2	1	-	-	13	-	-	-	-	-	-	-	-	-	-
Phthisis - -	1.47	144	2	-	-	-	-	2	2	6	25	19	40	27	9	10	4	-
Hydrocephalus -	0.16	16	7	1	1	3	-	12	2	1	-	-	-	-	-	-	-	-
Diseases of { Nervous Syst. 2.62 256 98 8 6 6 1 219 3 5 2 2 5 6 16 22 54 42																		
{ Circulatory " 1.52 149 1 - - - - 1 2 1 1 1 2 7 5 15 25 45 45																		
{ Respiratory " 2.36 221 64 18 5 6 - 68 6 3 3 4 4 5 8 10 14 41																		
{ Digestive " 0.89 87 12 2 1 - - 15 5 2 1 2 5 5 14 12 19 7																		
{ Urinary " 0.21 21 1 - - - - 1 1 - - 2 1 2 3 5 5 3 4																		
{ Generative " 0.03 3 - - - - - - - - - - - - 3 - - -																		
Childbirth - -	0.07	7	-	-	-	-	-	-	-	-	1	1	2	3	-	1	-	-
Suicide - -	0.08	8	-	-	-	-	-	-	-	1	-	2	1	2	4	1	2	1
Other Violence -	0.56	55	9	4	-	-	-	11	5	2	6	2	3	2	4	1	3	5
OTHER CAUSES -	8.79	869	153	7	2	1	5	168	8	2	6	2	3	2	7	10	27	135

Deaths of Infants (under
one) to 1000 Births } 181Marriages : 518
Births : 3,181Annual Rate { Persons Married : 10.89
per 1000 living { Births : 32.60

524.—DRIFFIELD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	19.30	—	—	—	—	—	55.29	4.85	3.49	4.21	6.05	6.08	8.70	11.42	24.81	52.90	165.71
Mean Pop. } 1871-80 }	—	19,606	584	500	559	539	522	2704	2434	2146	1995	1637	2469	2000	1739	1366	645	361
ALL CAUSES	19.30	3795	1120	193	95	45	42	1495	118	75	84	99	167	174	216	324	447	586
Small-pox - -	0.04	9	2	-	-	-	-	2	-	-	-	-	2	4	-	1	-	-
Measles - -	0.13	23	5	7	5	1	2	20	4	-	-	-	1	-	-	-	-	-
Scarlet Fever -	0.57	113	2	22	18	16	12	70	36	3	-	-	3	1	-	-	-	-
Diphtheria - -	0.20	49	5	6	2	4	3	20	12	3	1	1	-	1	1	-	1	-
Whooping-cough	0.33	64	41	15	6	-	-	64	-	-	-	-	-	-	-	-	-	-
Typhus - -	0.04	9	-	-	-	-	-	-	1	3	-	-	3	-	1	-	1	-
Enteric Fever -	0.40	79	2	2	1	2	1	8	7	3	7	9	9	6	13	8	8	1
Simple Cont. Fev.	0.09	17	-	-	-	-	1	1	4	1	1	1	-	3	2	1	3	-
Puerp. Fever -	0.07	13	-	-	-	-	-	-	-	-	2	1	8	4	-	-	-	-
Diarr. and Dys. -	0.87	171	113	14	2	-	1	130	1	1	2	1	1	-	4	6	10	16
Cholera - -	0.03	3	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1
Cancer - -	0.52	103	-	-	-	-	-	-	-	1	-	-	-	4	18	22	63	17
Scrofula - -	0.09	16	3	3	-	1	-	7	-	-	1	-	2	2	4	1	1	-
Tubes Mesent. -	0.39	76	55	12	3	1	-	71	2	1	-	1	-	1	1	-	-	-
Phthisis - -	1.28	152	17	5	3	-	-	25	4	11	31	40	63	28	22	16	5	1
Hydrocephalus -	0.10	10	7	3	1	1	1	13	3	3	1	-	-	-	-	-	-	-
Diseases of { Nervous Syst. 2.81 553 209 25 10 4 1 219 12 9 4 6 10 11 25 49 98 61																		
{ Circulatory " 1.37 269 1 - - - - - 1 3 6 14 15 27 34 12 64 12 64																		
{ Re-spiratory " 2.74 438 142 47 16 2 8 215 7 2 4 9 14 23 33 51 73 102																		
{ Digestive " 1.17 230 45 3 7 - 3 48 6 3 4 4 7 20 26 36 39 27																		
{ Urinary " 0.39 76 1 - - - - - 1 - - 3 1 3 8 8 13 18 19																		
{ Generative " 0.07 14 - - - - - - - - - - 1 1 3 5 4 - -																		
Childbirth - -	0.08	13	-	-	-	-	-	-	-	-	2	4	4	5	-	-	-	-
Suicide - -	0.07	12	-	-	-	-	-	-	-	2	-	-	-	1	1	3	-	1
Other Violence -	0.65	127	11	5	7	3	4	30	7	14	6	8	6	8	11	11	19	16
OTHER CAUSES -	4.89	916	489	23	14	10	3	509	8	7	7	9	11	14	11	29	85	291

Deaths of Infants (under
one) to 1000 Births } 168Marriages : 1,414
Births : 6,778Annual Rate { Persons Married : 14.38
per 1000 living { Births : 34.47

525.—BRIDLINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000	—	19'48	—	—	—	—	—	50'45	4'82	2'08	5'31	7'37	7'83	11'48	12'74	20'24	33'95	165
Mean Pop. 1871-80	—	16,080	407	380	424	427	382	2089	1910	1643	1693	1356	2121	1640	1413	1153	747	31
ALL CAUSES	19'48	3134	750	160	64	36	26	1054	92	40	90	100	106	189	180	291	403	5
Small-pox	0'09	15	3	1	—	2	1	7	1	1	1	1	3	—	1	—	—	—
Measles	0'21	34	7	17	1	—	—	25	7	1	1	—	—	—	—	—	—	—
Scarlet Fever	0'37	60	3	11	5	11	7	37	20	1	1	—	1	—	—	—	—	—
Diphtheria	0'14	23	3	—	—	1	3	2	9	4	—	2	—	—	—	—	—	—
Whooping-cough	0'30	49	26	13	8	—	—	47	2	—	—	—	—	—	—	—	—	—
Typhus	0'03	5	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—
Enteric Fever	0'44	71	—	—	3	1	2	6	9	6	10	7	11	9	5	6	2	—
Simple Cont. Fev.	0'05	13	—	1	2	1	1	5	3	—	2	—	—	2	1	—	—	—
Puerp. Fever	0'04	10	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Diarr. and Dys.	1'02	164	100	15	1	1	—	156	1	1	—	—	2	—	3	5	10	—
Cholera	0'02	4	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Cancer	0'50	80	—	—	1	—	—	1	—	—	—	—	2	11	16	30	12	—
Scrofala	0'07	11	2	2	—	—	—	4	1	—	1	1	1	1	—	—	2	—
Tuberc. Mesent.	0'19	30	16	3	1	—	—	20	2	2	1	—	—	—	1	1	—	—
Phthisis	1'50	241	6	2	3	1	—	11	4	12	25	39	58	86	29	14	8	—
Hydrocephalus	0'35	56	21	9	5	3	—	41	8	3	5	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2'87	461	136	21	5	3	2	183	7	7	3	6	12	12	24	47	50	—
Circulatory	1'46	235	—	—	—	—	—	—	—	1	1	1	14	23	22	25	78	—
Respiratory	2'81	432	119	49	21	5	4	198	8	2	5	4	7	17	16	30	74	—
Digestive	1'06	170	21	2	—	1	1	25	4	2	2	5	6	18	22	37	27	—
Urinary	0'39	63	1	—	—	—	—	1	—	—	2	2	10	2	8	16	12	—
Generative	0'09	14	—	—	—	—	—	—	—	—	1	1	3	2	4	1	1	—
Childbirth	0'07	11	—	—	—	—	—	—	—	—	3	3	1	4	—	—	—	—
Suicide	0'05	8	—	—	—	—	—	—	—	1	1	1	1	1	—	—	2	—
Other Violence	0'83	141	8	2	5	—	1	16	6	2	16	20	17	72	11	9	6	—
OTHER CAUSES	4'45	713	226	21	5	4	2	28	2	2	5	3	10	14	15	26	77	2

Deaths of Infants (under
one) to 1000 Births } 146Marriages - 1,130
Births - 5,214Annual Rate { Persons Married - 14'05
per 1000 living { Births - 32'41

YORK. NORTH RIDING.]

526.—SCARBOROUGH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000	—	19'50	—	—	—	—	—	36'03	4'97	3'21	5'13	5'67	7'55	11'75	15'38	26'91	39'11	168
Mean Pop. 1871-80	—	39,013	1083	973	998	1032	967	5033	4246	4105	3993	3562	4694	4451	3506	2684	1538	6
ALL CAUSES	19'50	7783	2016	454	169	100	93	2832	226	134	205	202	430	523	553	717	921	19
Small-pox	0'33	139	13	5	1	6	10	31	34	12	8	3	17	13	7	2	1	—
Measles	0'18	70	15	28	10	4	5	51	7	—	—	—	—	1	1	—	—	—
Scarlet Fever	0'22	80	6	12	16	8	9	51	21	6	2	—	—	2	1	—	—	—
Diphtheria	0'19	48	1	4	3	6	4	23	16	6	—	—	1	2	—	1	—	—
Whooping-cough	0'28	113	63	32	12	4	2	111	—	—	—	—	—	—	—	—	—	—
Typhus	0'05	21	—	—	—	—	—	—	1	4	2	3	5	2	4	—	—	—
Enteric Fever	0'27	106	—	1	4	5	2	13	11	9	18	14	12	12	7	5	3	—
Simple Cont. Fev.	0'07	27	—	1	2	—	1	4	2	4	—	—	—	1	2	—	—	—
Puerp. Fever	0'04	17	—	—	—	—	—	—	—	—	1	—	—	10	3	—	—	—
Diarr. and Dys.	0'85	339	243	26	5	—	2	278	1	—	1	2	7	7	7	5	18	—
Cholera	0'01	4	—	—	—	1	—	1	—	—	—	—	—	—	—	2	1	—
Cancer	0'48	191	—	—	2	—	—	2	—	—	—	—	3	8	25	63	50	—
Scrofala	0'07	26	4	1	2	2	2	11	1	2	5	—	1	2	—	1	1	—
Tuberc. Mesent.	0'35	139	88	19	8	1	2	119	5	9	1	2	—	—	—	—	1	—
Phthisis	1'49	673	10	11	7	6	5	29	16	25	78	84	170	194	77	43	12	—
Hydrocephalus	0'34	135	57	26	13	5	5	118	14	7	—	—	—	3	—	—	—	—
Diseases of																		
Nervous Syst.	3'11	1241	477	78	36	11	13	565	29	8	13	14	29	42	72	131	171	—
Circulatory	1'06	662	—	—	—	1	2	3	5	8	15	13	32	78	96	134	177	—
Respiratory	2'86	1143	810	157	60	16	16	123	16	3	8	9	29	20	67	106	165	—
Digestive	1'14	455	34	5	1	2	2	44	6	3	12	11	23	24	81	102	16	—
Urinary	0'42	167	2	—	—	3	—	4	4	2	7	3	11	21	39	37	32	—
Generative	0'06	21	—	—	—	—	—	—	—	—	—	1	—	—	—	2	6	—
Childbirth	0'10	38	—	—	—	—	—	—	—	—	2	5	11	29	—	—	—	—
Suicide	0'07	19	—	—	—	—	—	—	—	—	—	1	3	8	—	3	4	—
Other Violence	0'52	207	23	11	2	2	2	45	14	9	11	10	16	19	21	21	23	—
OTHER CAUSES	4'21	1683	670	55	23	12	12	772	18	12	16	14	25	34	16	69	125	—

Deaths of Infants (under
one) to 1000 Births } 160Marriages - 3,558
Births - 12,000Annual Rate { Persons Married - 17'83
per 1000 living { Births - 31'87

527.—MALTON.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	18.54	—	—	—	—	—	45.11	5.01	3.59	4.31	6.56	8.05	9.56	12.66	23.94	53.28	152.69
Mean Pop. 1871-80	—	22,956	655	586	620	622	583	3066	2756	2536	2367	1905	2918	2311	1983	1587	1038	489
ALL CAUSES	18.54	4255	974	214	95	50	50	1389	138	91	102	125	235	221	251	350	553	776
Small-pox	0.25	57	7	2	2	—	2	13	7	3	4	5	7	6	4	4	1	—
Measles	0.13	29	9	10	3	1	1	24	4	—	—	1	—	—	—	—	—	—
Scarlet Fever	0.54	121	5	15	24	16	16	76	32	7	1	3	—	—	2	—	—	—
Diphtheria	0.08	18	—	—	1	1	1	5	11	2	1	1	—	—	—	—	—	—
Whooping-cough	0.18	41	18	15	2	3	1	39	2	—	—	—	—	—	—	—	—	—
Typhus	0.03	7	—	—	—	—	1	1	1	1	1	—	—	1	—	—	—	—
Enteric Fever	0.44	101	4	1	2	—	3	10	7	5	7	11	18	13	10	8	10	3
Sept. Cont. Fev.	0.08	19	—	—	—	1	—	1	2	3	3	3	3	3	1	1	2	—
Puerp. Fever	0.05	10	—	—	—	—	—	—	—	—	1	2	—	6	1	—	—	—
Diarr. and Dys.	0.79	180	109	21	7	2	—	139	2	—	—	2	2	2	2	5	16	19
Cholera	0.01	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.42	97	—	—	—	—	—	—	—	1	—	1	1	10	16	31	25	13
Scrofula	0.07	16	1	2	2	—	1	6	4	2	2	—	—	—	1	1	—	—
Tuberc. Mesent.	0.12	28	18	2	6	—	—	25	1	—	1	1	—	—	—	—	—	—
Phthisis	1.58	362	5	—	1	1	—	7	9	18	51	57	100	50	41	18	8	—
Hydrocephalus	0.15	37	12	10	2	2	2	28	5	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.59	594	253	21	10	5	7	296	9	9	6	8	15	15	40	62	68	68
Circulatory	1.74	400	2	1	—	—	1	4	—	7	3	3	12	20	30	47	125	96
Respiratory	2.59	593	180	68	20	5	6	258	9	8	4	3	17	21	31	54	90	98
Digestive	1.08	147	26	5	2	1	—	34	8	5	2	—	13	31	39	44	60	39
Urinary	0.31	72	1	3	—	—	—	4	2	3	2	4	4	12	3	11	12	9
Generative	0.11	26	—	—	—	—	—	—	—	—	—	—	3	4	9	6	8	1
Childbirth	0.05	11	—	—	—	—	—	—	—	—	—	3	3	5	—	—	—	—
Suicide	0.07	17	—	—	—	—	—	—	—	1	1	—	1	4	2	4	5	1
Other Violence	0.51	118	12	5	0	8	2	33	8	9	7	10	10	4	8	13	9	7
OTHER CAUSES	4.57	1048	210	33	6	4	6	379	15	6	5	5	20	11	12	31	113	451

Deaths of Infants (under
one) to 1000 Births } 133

Marriages : 1,519
Births : 7,903

Annual Rate { Persons Married : 13.33
per 1000 living { Births : 32.21

528.—EASINGWOLD.

	Annual Deaths Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	16.69	—	—	—	—	—	33.95	3.75	2.50	3.54	6.73	7.93	8.45	9.73	21.60	50.79	154.67
Mean Pop. 1871-80	—	9779	255	263	246	245	234	1243	1143	1078	1073	817	1148	923	863	736	504	246
ALL CAUSES	16.69	1632	297	71	27	14	13	422	43	27	38	55	91	78	84	159	256	379
Small-pox	0.02	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Measles	0.10	10	2	2	2	1	2	9	—	—	—	—	1	—	—	—	—	—
Scarlet Fever	0.20	20	2	1	3	4	2	12	6	—	1	—	—	—	1	—	—	—
Diphtheria	0.13	13	1	—	—	1	2	4	3	5	1	—	—	—	—	—	—	—
Whooping-cough	0.13	13	8	1	4	—	—	13	—	—	—	—	—	—	—	—	—	—
Typhus	0.04	4	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
Enteric Fever	0.2	20	—	—	—	—	—	—	1	—	4	7	6	1	—	4	1	2
Sept. Cont. Fev.	0.03	3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Puerp. Fever	0.08	8	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Diarr. and Dys.	0.42	41	19	4	1	—	—	24	—	—	—	—	—	1	—	1	5	19
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.69	53	—	—	—	—	—	—	—	1	—	—	1	1	9	18	16	13
Scrofula	0.13	13	3	—	—	—	—	5	1	—	—	—	1	3	1	1	1	—
Tuberc. Mesent.	0.08	8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Phthisis	1.66	162	4	1	—	—	—	5	7	14	28	28	47	30	16	26	4	—
Hydrocephalus	0.28	27	13	6	8	1	2	25	2	—	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.02	198	56	9	3	2	2	71	2	3	3	1	4	6	8	21	33	43
Circulatory	1.65	161	—	—	—	—	—	—	1	2	3	4	3	9	17	25	34	46
Respiratory	2.54	248	56	23	4	3	2	88	5	3	1	2	1	8	4	29	49	69
Digestive	0.82	80	12	—	—	—	—	12	2	—	—	1	1	3	7	13	28	12
Urinary	0.1	50	—	—	—	—	—	—	—	1	1	2	4	6	10	15	1	—
Generative	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.11	11	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—
Suicide	0.12	12	—	—	—	—	—	—	—	—	—	1	8	1	—	5	—	2
Other Violence	0.42	41	2	4	3	1	1	11	3	3	2	3	2	3	2	5	—	7
OTHER CAUSES	4.31	420	112	18	3	1	—	141	8	1	6	2	4	5	9	14	38	102

Deaths of Infants (under
one) to 1000 Births } 108

Marriages : 633
Births : 2,789

Annual Rate { Persons Married : 13.97
per 1000 living { Births : 26.68

529.—THIRSK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000	—	18'82	—	—	—	—	—	42'16	4'01	4'10	4'27	6'62	8'16	9'89	11'59	25'14	58'06	153'
Mean Pop. 1871-80	—	12,508	359	343	339	321	322	1684	1520	1340	1241	981	1503	1274	1104	871	613	28
ALL CAUSES	18'82	2354	483	107	47	35	35	710	70	55	53	64	130	126	128	219	359	44
Small-pox	0'01	4	2	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—
Measles	0'15	19	7	5	—	—	—	17	1	—	—	—	1	—	—	—	—	—
Scarlet Fever	0'72	90	1	14	15	13	9	32	25	6	1	3	2	1	—	—	—	—
Diphtheria	0'14	17	2	—	1	2	4	9	2	4	1	—	—	1	—	—	—	—
Whooping-cough	0'24	50	16	8	3	2	1	30	—	—	—	—	—	—	—	—	—	—
Typhus	0'03	4	—	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—
Enteric Fever	0'30	37	1	1	—	—	—	2	4	2	1	1	6	4	5	3	4	—
Simple Cont. Fev.	0'04	8	—	—	1	—	—	1	1	1	1	2	1	—	—	—	1	—
Fever, Fever	0'01	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0'44	55	28	6	—	1	2	37	—	—	—	—	—	1	—	2	3	13
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'62	77	—	1	—	—	—	1	—	1	—	—	1	—	9	13	31	9
Scrofula	0'08	10	1	2	—	—	1	4	—	—	1	1	2	—	—	—	—	1
Tuberc. Mesent.	0'11	17	7	1	—	—	—	8	2	1	2	1	3	—	—	—	1	—
Phthisis	1'35	194	3	—	—	—	—	3	2	17	19	23	56	34	30	13	—	—
Hydrocephalus	0'21	53	13	4	2	3	1	2	4	1	—	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	2'49	311	85	12	2	4	5	108	6	6	3	5	8	7	19	30	12	49
Circulatory	2'06	258	—	—	—	—	1	1	1	2	6	5	10	18	21	27	22	53
Respiratory	3'39	424	162	34	12	7	5	158	8	3	4	4	11	13	15	25	79	98
Digestive	1'96	332	20	1	1	—	—	27	1	1	3	5	8	14	14	18	23	20
Urinary	0'41	53	—	1	—	—	—	1	—	—	1	1	2	5	6	14	12	11
Generative	0'91	5	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—
Childbirth	0'09	11	—	—	—	—	—	—	—	1	—	—	5	5	—	—	—	—
Suicide	0'03	4	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—
Other Violence	0'23	66	4	2	3	—	—	9	6	6	4	6	4	4	4	3	10	6
OTHER CAUSES	3'29	488	196	14	5	1	4	230	9	4	2	3	6	5	7	14	38	106

Deaths of Infants (under one) to 1000 Births . . . 119

Marriages . . . 836
Births . . . 4,057Annual Rate { Persons Married . . . 13'37
per 1000 living { Births . . . 32'68

530.—HELMESLEY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upw.
ANNUAL DEATH RATE PER 1000	—	18'14	—	—	—	—	—	40'58	4'39	2'27	3'50	6'30	9'23	9'61	11'33	23'63	57'67	161'
Mean Pop. 1871-80	—	11,575	329	271	312	282	287	1481	1413	1323	1229	936	1376	1166	997	831	597	256
ALL CAUSES	18'14	2100	427	86	37	30	21	601	62	30	43	59	127	112	113	213	527	413
Small-pox	0'03	8	1	—	—	—	—	1	—	—	1	—	2	—	—	1	1	—
Measles	0'11	13	3	3	2	2	—	10	1	—	—	1	—	—	1	—	—	—
Scarlet Fever	0'50	58	—	4	7	5	7	23	22	8	3	—	—	2	—	—	—	—
Diphtheria	0'13	15	2	—	—	—	1	5	4	2	2	1	—	—	1	—	—	—
Whooping-cough	0'23	37	18	11	4	1	2	36	1	—	—	—	—	—	—	—	—	—
Typhus	0'01	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Enteric Fever	0'24	18	1	—	—	—	—	1	—	—	4	7	5	8	3	1	1	1
Simple Cont. Fev.	0'02	2	—	—	—	—	—	—	—	—	—	1	2	4	2	—	1	—
Fever, Fever	0'08	9	—	—	—	—	—	—	—	—	1	2	4	2	—	—	—	—
Diarr. and Dys.	0'29	68	31	5	—	1	—	37	1	—	—	1	3	1	3	1	6	16
Cholera	0'03	6	2	1	—	—	—	3	—	—	—	—	1	—	—	1	1	—
Cancer	0'50	55	—	—	—	—	—	—	—	—	—	—	2	8	4	15	22	7
Scrofula	0'04	9	5	1	—	—	—	6	—	—	1	1	—	—	—	—	—	—
Tuberc. Mesent.	0'10	11	5	1	—	—	—	7	—	1	—	—	—	—	—	1	1	—
Phthisis	1'54	175	5	—	1	1	—	7	10	7	13	23	53	27	13	10	9	1
Hydrocephalus	0'18	22	2	5	4	4	1	16	3	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'95	342	107	11	4	5	4	131	5	—	3	4	9	6	15	27	63	89
Circulatory	1'6	182	—	1	—	—	—	1	1	1	2	2	2	7	17	31	63	44
Respiratory	2'92	346	69	29	4	5	3	130	2	—	3	2	9	12	24	53	69	56
Digestive	1'73	195	13	—	—	—	—	17	3	1	—	4	9	13	10	19	23	23
Urinary	0'48	56	—	1	1	—	—	2	—	—	1	2	3	3	5	8	19	13
Generative	0'69	10	—	—	—	—	—	—	—	—	—	1	2	—	1	3	6	—
Childbirth	0'14	15	—	—	—	—	—	—	—	2	—	—	5	6	—	—	—	—
Suicide	0'04	7	—	—	—	—	—	—	—	—	—	2	2	2	—	—	1	—
Other Violence	0'47	54	4	2	—	—	1	10	3	4	3	2	9	5	5	6	9	—
OTHER CAUSES	3'63	424	127	12	6	—	2	177	6	2	4	—	10	11	6	13	31	161

Deaths of Infants (under one) to 1000 Births . . . 120

Marriages . . . 617
Births . . . 3,570Annual Rate { Persons Married . . . 11'13
per 1000 living { Births . . . 30'54

531.—PICKERING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	21.06	—	—	—	—	—	56.10	6.26	3.35	5.78	9.82	7.96	10.28	12.77	24.36	65.74	189
Mean Pop. 1871-80	—	11,708	339	316	335	333	315	1640	1486	1285	1073	927	1571	1945	1034	776	470	98
ALL CAUSES	21.06	2466	661	125	58	45	31	920	93	43	62	91	125	125	132	189	369	37
Small-pox	0.08	9	1	—	—	—	—	1	—	—	—	2	1	—	—	2	—	1
Measles	0.19	22	10	5	3	1	1	20	—	—	—	1	1	—	—	—	—	—
Scarlet Fever	1.00	117	1	12	18	17	9	62	39	19	1	1	1	—	1	1	—	—
Diphtheria	0.07	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.22	61	38	17	2	1	3	69	2	—	—	—	—	—	—	—	—	—
Typhus	0.07	8	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
Enteric Fever	0.24	45	1	—	—	—	1	2	8	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0.09	10	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Puerp. Fever	0.10	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.61	41	2	1	—	—	—	44	2	—	—	—	—	—	—	—	—	—
Cholera	0.03	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0.63	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	0.07	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tubes Mesent.	0.32	35	18	4	2	2	—	26	1	2	—	—	—	—	—	—	—	—
Phthisis	1.27	149	3	—	—	—	—	3	8	23	29	49	22	14	9	—	—	—
Hydrocephalus	0.32	37	16	7	4	2	3	32	3	2	—	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	3.48	407	134	13	12	8	2	216	9	6	5	4	7	7	15	36	63	49
Circulatory "	1.73	202	—	—	—	—	—	1	1	1	—	—	—	13	21	37	65	43
Respiratory "	3.54	415	86	39	13	5	2	115	8	3	6	9	15	20	19	33	73	84
Digestive "	1.62	119	6	1	—	—	—	2	9	1	—	2	10	12	10	24	31	19
Urinary "	0.32	37	—	—	—	—	—	—	1	—	—	—	1	5	3	4	8	11
Generative "	0.05	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.17	29	—	—	—	—	—	—	—	—	—	7	6	7	—	—	—	—
Suicide	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.69	81	5	3	2	3	3	16	6	2	3	7	10	10	11	8	2	4
OTHER CAUSES	4.33	510	239	19	5	5	5	237	6	4	1	8	9	13	14	15	36	12

Deaths of Infants (under
one) to 1000 Births } 148Marriages - 936
Births - 4,460Annual Rate { Persons Married - 15.30
per 1000 living { Births - 33.17

532.—WHITBY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	19.60	—	—	—	—	—	50.93	5.33	3.63	6.02	7.41	8.01	11.06	12.90	27.61	53.85	127.2
Mean Pop. 1871-80	—	26,139	826	696	713	700	707	3642	3225	2863	2510	2185	3419	2748	2302	1695	1066	484
ALL CAUSES	19.60	5122	1163	343	164	118	67	1855	172	104	151	162	274	304	297	468	574	761
Small-pox	0.14	27	6	—	—	1	—	7	2	2	4	2	6	5	5	2	—	—
Measles	0.32	85	17	21	12	12	2	14	7	—	2	—	—	—	—	—	—	—
Scarlet Fever	0.59	133	13	20	20	25	13	97	42	10	1	1	1	—	—	—	—	—
Diphtheria	0.12	31	3	2	7	5	4	21	6	1	1	—	—	—	—	—	—	—
Whooping-cough	0.37	97	44	29	12	4	7	96	1	—	—	—	—	—	—	—	—	—
Typhus	0.01	15	—	—	—	—	—	—	1	2	2	4	3	1	2	—	—	—
Enteric Fever	0.41	108	—	—	4	6	4	14	15	10	10	10	10	13	10	4	—	—
Simple Cont. Fev.	0.13	25	1	1	6	4	1	13	—	2	—	—	—	—	—	—	—	—
Puerp. Fever	0.05	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarr. and Dys.	0.65	171	102	21	4	2	2	131	2	—	—	—	—	—	—	—	—	—
Cholera	0.03	7	1	1	1	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0.55	145	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	0.11	29	7	2	—	—	—	9	6	1	4	—	—	—	—	—	—	—
Tubes Mesent.	0.18	47	10	11	4	2	—	23	4	6	1	1	1	—	—	—	—	—
Phthisis	1.63	426	3	—	3	3	4	13	7	16	57	71	120	65	43	23	6	—
Hydrocephalus	0.30	78	23	19	6	8	4	63	11	3	3	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.48	648	217	29	14	8	9	277	14	11	12	6	11	18	36	70	103	90
Circulatory "	1.20	314	—	—	—	—	—	2	1	2	8	8	14	33	32	70	87	57
Respiratory "	3.21	829	162	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Digestive "	1.15	200	66	9	—	—	—	576	16	7	9	12	17	42	36	82	113	128
Urinary "	0.29	75	1	—	—	—	—	1	83	4	4	1	8	15	23	60	41	20
Generative "	0.07	18	—	—	—	—	—	2	2	—	—	—	—	3	2	3	14	13
Childbirth	0.11	29	—	—	—	—	—	—	—	—	—	4	14	9	—	—	—	—
Suicide	0.03	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.70	143	23	5	4	4	3	69	8	15	16	19	20	18	17	20	10	13
OTHER CAUSES	4.70	1230	405	57	18	11	8	263	19	11	8	9	16	30	36	74	126	265

Deaths of Infants (under
one) to 1000 Births } 126Marriages - 1,505
Births - 9,209Annual Rate { Persons Married - 15.26
per 1000 living { Births - 33.23

533.—GUISBROUGH (4½ years to 30th September 1875).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	7 and up
ANNUAL DEATH RATE PER 1000	—	24'80	—	—	—	—	—	83'40	7'97	5'51	10'34	11'68	11'15	12'80	15'04	31'18	58'12	144
Mean Pop. 1871-80	—	45,127	1619	1314	1384	1380	1236	6983	5864	4661	3745	4409	7649	5297	3359	1749	935	4
ALL CAUSES	24'80	5315	1797	507	223	149	93	2760	222	122	184	248	405	332	240	259	258	2
Small-pox	0'64	157	27	5	6	5	4	47	13	1	7	10	20	14	2	1	—	—
Measles	0'33	73	25	25	14	8	5	71	4	—	—	—	—	—	—	—	—	—
Scarlet Fever	1'11	284	14	35	43	23	157	35	16	3	5	1	1	1	—	—	—	—
Diphtheria	0'17	26	5	4	4	6	5	32	11	1	—	—	—	—	1	—	—	—
Whooping-cough	0'57	123	61	40	15	4	1	123	—	—	—	—	—	—	—	—	—	—
Typhus	0'10	21	—	—	—	—	1	1	4	—	5	—	—	2	1	2	—	—
Euteric Fever	1'17	251	2	5	7	14	7	35	23	24	31	41	49	22	14	6	5	1
Simple Cont. Fev.	0'15	34	1	1	3	5	5	11	—	2	4	1	3	1	1	2	1	—
Fus. Fever	0'18	29	—	—	—	—	—	—	—	—	6	11	12	8	2	—	—	—
Diarr. and Dys.	1'53	327	242	51	10	—	—	363	1	—	—	—	1	1	4	3	7	1
Cholera	0'08	17	5	1	—	—	—	6	2	2	—	—	1	1	2	2	1	—
Cancer	0'25	54	—	—	—	—	—	—	1	—	—	1	5	11	13	11	7	—
Serofula	0'17	36	16	6	3	2	1	28	—	1	2	1	2	1	—	—	—	—
Tubes Mesent.	0'49	105	43	38	7	2	1	90	5	3	—	—	3	2	—	—	—	—
Phthisis	1'79	185	4	7	5	2	—	15	19	—	41	65	160	71	23	23	4	—
Hydrocephalus	0'06	141	52	40	11	7	6	118	14	4	—	1	1	1	—	—	—	—
Diseases of																		
Nervous Syst.	2'80	600	338	27	16	8	6	395	13	5	11	9	11	11	30	33	47	—
Circulatory	0'83	177	3	1	—	—	—	4	5	1	5	6	14	34	37	41	32	—
Respiratory	3'49	749	277	118	42	23	14	474	11	6	9	17	23	30	33	46	49	—
Digestive	0'94	202	35	7	4	3	1	52	6	2	9	7	17	20	23	31	19	—
Urinary	0'23	71	2	1	1	3	3	10	2	1	2	2	11	7	9	11	9	—
Generative	0'02	4	—	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—
Childbirth	0'10	22	—	—	—	—	—	—	—	—	—	6	10	6	—	—	—	—
Suicide	0'04	8	—	—	—	—	—	—	—	—	—	—	5	—	1	1	—	—
Other Violence	1'38	295	29	7	6	2	2	39	11	24	38	41	64	31	27	12	7	—
OTHER CAUSES	5'46	1172	624	86	58	15	8	765	21	10	11	11	29	28	24	24	70	1

Deaths of Infants (under 1 one) to 1000 Births } 173 Marriages - 1,993 Annual Rate (Persons Married - 18'60
Births } 10,377 per 1000 living (Births - 48'41

* A large part of this District was transferred on 1st October 1875 to the newly formed District of MIDDLESBROUGH; see pp. 371-7. The figures in this Table relate to GUISBROUGH as constituted during the first 4½ years of the decade.

533.—GUISBROUGH (5½ years from 1st October 1875).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	7 and up
ANNUAL DEATH RATE PER 1000	—	20'45	—	—	—	—	—	65'11	6'74	3'90	5'74	8'30	7'63	9'40	16'04	25'00	58'15	18
Mean Pop. 1871-80	—	38,935	1312	1161	1265	1250	1322	6310	5567	4332	3416	3235	5992	4377	2743	1773	871	2
ALL CAUSES	20'45	4180	1364	416	174	121	82	2167	197	89	103	141	240	218	231	242	266	1
Small-pox	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0'45	93	25	31	19	9	5	89	2	1	—	—	1	—	—	—	—	—
Scarlet Fever	1'19	243	13	33	36	28	26	148	77	15	—	2	1	—	—	—	—	—
Diphtheria	0'13	27	2	1	4	6	2	15	4	—	1	1	2	2	1	1	—	—
Whooping-cough	0'53	108	50	35	14	3	2	104	4	—	—	—	—	—	—	—	—	—
Typhus	0'01	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—
Euteric Fever	0'28	71	1	—	8	5	2	11	12	8	3	8	14	8	7	2	2	—
Simple Cont. Fev.	0'06	13	1	2	1	3	2	9	1	1	—	—	—	—	—	—	1	—
Fus. Fever	0'07	14	—	—	—	—	—	—	—	1	3	8	9	—	—	—	—	—
Diarr. and Dys.	1'02	208	144	39	6	3	1	198	8	1	—	—	—	—	1	2	2	—
Cholera	0'07	14	5	4	1	—	—	10	1	—	—	—	1	1	—	—	—	—
Cancer	0'46	95	—	1	—	—	—	1	—	—	—	—	5	15	20	23	10	—
Serofula	0'20	40	16	6	3	—	—	25	5	2	2	1	2	1	—	2	—	—
Tubes Mesent.	0'40	81	36	19	1	3	3	62	6	2	1	6	1	1	1	—	1	—
Phthisis	1'29	325	6	7	4	—	4	31	8	18	44	61	72	42	30	34	3	—
Hydrocephalus	0'23	160	42	33	8	5	4	92	12	4	1	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'32	475	221	23	9	10	5	273	11	6	5	7	19	13	25	28	30	—
Circulatory	0'96	196	1	—	—	—	—	1	3	2	7	6	18	25	20	47	29	—
Respiratory	3'11	635	218	114	28	19	10	282	9	4	3	8	17	31	27	43	49	—
Digestive	0'87	178	35	8	7	1	4	55	8	3	3	4	11	21	11	21	31	—
Urinary	0'26	73	1	—	—	1	—	2	3	3	3	3	13	19	9	13	8	—
Generative	0'02	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Childbirth	0'11	22	—	—	—	—	—	—	—	—	—	6	6	10	—	—	—	—
Suicide	0'09	18	—	—	—	—	—	—	—	—	—	1	2	—	4	7	2	—
Other Violence	0'89	182	15	7	4	5	4	39	6	15	16	17	28	21	26	10	4	—
OTHER CAUSES	4'63	932	529	53	24	17	8	631	21	9	12	4	19	13	19	16	53	—

Deaths of Infants (under 1 one) to 1000 Births } 144 Marriages - 1,409 Annual Rate (Persons Married - 14'67
Births } 9,440 per 1000 living (Births - 46'18

* This Table relates to GUISBROUGH as constituted after the creation of the District of MIDDLESBROUGH. See Note to the preceding Table.

534.—MIDDLESBROUGH (5½ years from 1st October 1875).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	—	19'93	—	—	—	—	—	70'68	6'61	3'04	4'57	5'68	8'28	11'51	14'81	29'03	61'60	174'4
Mean Pop. Oct. 1875 to Dec. 1880.	—	32,076	2791	2329	2062	2582	2598	12062	11242	9019	7590	7338	18338	10000	5915	3071	1237	564
ALL CAUSES	19'93	8590	2879	1061	419	253	198	4810	390	144	182	219	530	604	460	468	400	235
Small-pox	0'00	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Measles	0'50	217	47	90	30	26	18	208	10	—	—	—	—	—	—	—	—	—
Scarlet Fever	1'07	461	26	59	89	75	54	363	157	18	2	1	—	—	—	—	—	—
Diphtheria	0'07	29	3	6	8	1	6	18	—	—	—	—	—	—	—	—	—	—
Whooping-cough	0'50	217	94	64	23	18	11	212	5	—	—	—	—	—	—	—	—	—
Typhus	0'01	4	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0'03	272	5	11	14	14	11	57	18	16	27	29	64	28	18	6	3	1
Simple Cont. Fev.	0'11	47	5	8	5	3	2	23	3	4	2	—	5	3	1	4	—	—
Puerp. Fever	0'06	26	—	—	—	—	—	—	—	—	—	—	6	1	9	—	—	—
Diarr. and Dys.	1'09	470	310	97	18	2	3	425	3	—	—	—	4	3	3	9	12	11
Cholera	0'01	3	2	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—
Cancer	0'19	124	—	—	—	—	—	—	—	—	—	—	12	21	33	37	9	9
Serofula	0'15	63	24	16	3	1	—	44	6	2	2	—	3	4	3	2	—	—
Tuberc Mesent.	0'74	320	171	98	20	9	6	304	7	3	1	—	3	1	1	—	—	—
Phthisis	1'9	687	7	10	5	10	9	41	24	32	57	77	184	100	74	32	3	1
Hydrocephalus	0'33	135	45	42	16	7	8	118	31	4	3	1	3	3	1	—	—	—
Of Diseases of																		
Nervous Syst.	2'63	1127	579	115	45	16	17	772	30	11	10	14	26	32	43	64	92	23
Circulatory	1'01	434	5	—	1	—	1	7	14	14	9	7	45	75	79	26	76	29
Respiratory	3'46	1493	503	2'6	87	32	22	920	27	7	12	17	67	104	82	116	83	28
Digestive	0'65	278	59	10	4	4	7	84	7	2	7	3	20	30	43	38	24	10
Urinary	0'32	136	4	—	8	3	3	23	13	4	4	9	17	17	16	17	13	4
Generative	0'04	16	—	1	—	—	—	1	—	—	—	—	3	3	1	2	—	1
Childbirth	0'10	40	—	—	—	—	—	—	—	—	3	8	15	14	—	—	—	—
Suicide	0'03	13	—	—	—	—	—	—	—	—	—	—	1	5	4	2	1	—
Other Violence	0'85	35	28	18	11	10	12	74	23	22	31	24	48	60	84	25	14	4
OTHER CAUSES	3'08	1389	962	137	37	22	13	171	32	11	9	16	29	27	30	39	65	120

Deaths of Infants (under one) to 1000 Births } 153

Marriages - 3,315
Births - 18,975Annual Rate { Persons Married - 15'30
per 1000 living { Births - 44'65

* This District was created on 1st October 1875; see pp. 371-75.

535.—STOKESLEY.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000.	—	18'22	—	—	—	—	—	45'10	6'33	3'54	5'43	7'16	7'80	10'17	10'73	21'00	48'24	151'1
Mean Pop. 1871-80.	—	11,453	305	279	324	299	251	1488	1405	1326	1161	950	1400	1141	997	781	510	264
ALL CAUSES	18'22	2081	456	103	52	35	26	672	89	47	63	68	110	116	107	164	246	398
Small-pox	0'02	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Measles	0'11	13	—	7	3	1	1	12	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'75	80	3	7	8	9	12	39	37	11	3	3	1	2	—	—	—	—
Diphtheria	0'11	13	1	2	—	1	—	4	5	2	1	1	—	—	—	—	—	—
Whooping-cough	0'30	94	14	10	6	—	1	31	3	—	—	—	—	—	—	—	—	—
Typhus	0'11	12	—	—	—	—	—	—	2	2	3	—	1	2	—	—	—	1
Enteric Fever	0'24	17	—	1	9	—	—	3	3	—	5	—	3	4	1	3	—	—
Simple Cont. Fev.	0'11	12	—	1	—	1	—	2	1	2	—	—	2	1	—	2	—	—
Puerp. Fever	0'06	7	—	—	—	—	—	—	—	—	1	1	3	2	—	—	—	—
Diarr. and Dys.	0'49	66	25	5	1	2	—	33	—	—	—	—	—	2	2	2	7	10
Cholera	0'02	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'47	54	—	—	—	—	—	—	—	—	—	—	—	2	6	21	17	8
Serofula	0'19	21	11	1	—	—	—	12	2	1	3	—	2	2	—	—	—	—
Tuberc Mesent.	0'19	22	8	6	1	1	—	16	1	4	—	—	—	—	1	—	—	—
Phthisis	1'07	191	2	2	—	—	—	4	6	5	23	38	49	34	18	7	4	1
Hydrocephalus	0'29	33	11	9	4	1	—	23	6	2	—	—	—	—	—	—	—	—
Of Diseases of																		
Nervous Syst.	2'31	2'4	89	19	2	8	5	116	9	4	5	2	5	10	11	26	32	44
Circulatory	1'04	119	2	—	—	—	1	3	1	3	—	1	6	14	13	30	34	24
Respiratory	2'45	280	71	2	9	4	1	107	5	1	3	3	11	14	19	30	41	46
Digestive	1'08	123	17	3	1	—	—	21	2	1	3	3	3	9	17	22	24	16
Urinary	0'26	30	—	1	1	—	1	3	—	—	1	1	3	4	1	3	6	8
Generative	0'03	3	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—
Childbirth	0'10	11	—	—	—	—	—	—	—	—	—	1	5	5	—	—	—	—
Suicide	0'17	14	—	—	—	—	—	—	—	—	1	2	1	2	3	3	1	1
Other Violence	0'47	54	6	1	6	2	2	17	2	2	5	2	4	1	4	5	4	8
OTHER CAUSES	5'23	197	195	12	8	5	2	222	11	7	4	—	11	6	9	18	73	25

Deaths of Infants (under one) to 1000 Births } 121

Marriages - 681
Births - 3,771Annual Rate { Persons Married - 12'10
per 1000 living { Births - 33'61

* Changes were made in the boundary of this District during the decade; see pp. 371-75.

536.—NORTHALLERTON.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS PER 1000	—	18.71	—	—	—	—	—	37.87	5.12	3.71	5.00	7.38	9.02	9.46	12.20	22.58	58.97	102.32
Pop. 1-80	—	11,755	325	231	319	310	305	1550	1407	1310	1102	921	1442	1104	1041	837	585	276
CAUSES	18.71	2199	402	94	35	32	21	587	72	49	71	68	130	115	127	189	345	448
Pox -	0.00	11	1	1	—	—	—	2	—	1	3	1	1	—	2	1	—	—
Scarlet Fever -	0.00	11	4	2	—	2	1	8	1	—	—	—	—	—	1	—	—	—
Dysentery -	0.00	68	6	10	9	9	4	36	20	4	1	2	2	—	—	1	—	—
Whooping-cough -	0.16	19	1	1	1	3	1	7	7	4	—	—	—	—	—	—	—	—
Measles -	0.32	38	19	14	3	—	2	38	—	—	—	—	—	—	—	—	—	—
Smallpox -	0.03	8	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—
Scarlet Fever -	0.41	50	—	4	—	1	1	6	1	—	8	8	6	5	5	2	1	2
Cont. Fev. -	0.00	11	2	—	—	—	—	2	1	2	—	—	—	2	—	—	—	—
Fever -	0.03	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
and Dys. -	0.47	53	26	3	3	—	—	32	2	—	1	1	—	—	3	3	3	8
Diarrhoea -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumption -	0.66	78	—	—	2	—	—	4	1	—	—	1	—	6	10	19	31	11
Measles -	0.06	11	2	—	—	—	—	4	1	1	—	—	1	2	—	—	2	—
Scarlet -	0.20	24	12	6	3	1	—	22	1	1	—	—	—	—	—	—	—	—
Whooping-cough -	1.79	210	1	1	1	1	1	5	2	12	80	28	66	30	16	15	5	1
Smallpox -	0.28	45	22	11	—	1	3	37	4	2	—	—	—	—	—	—	—	—
Consumption -	2.68	815	99	8	1	5	2	106	9	2	6	3	6	4	15	37	69	94
Scarlet -	1.70	340	—	—	—	2	—	2	3	4	6	3	9	18	21	41	29	33
Whooping-cough -	2.83	514	66	24	6	6	4	106	7	2	3	4	14	13	17	39	62	86
Scarlet -	0.84	99	7	1	—	—	1	9	1	2	3	3	9	12	14	28	15	15
Whooping-cough -	0.37	44	1	—	—	—	—	1	2	—	—	1	2	3	3	3	16	11
Scarlet -	0.08	9	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—
Birth -	0.00	11	—	—	—	—	—	—	—	—	1	—	—	5	5	—	—	—
Scarlet -	0.00	11	—	—	—	—	—	—	—	—	1	—	—	2	4	2	1	—
Violence -	0.45	53	5	1	1	1	3	11	5	1	4	2	4	3	7	4	8	4
CAUSES	4.97	475	137	7	3	—	1	130	5	3	3	7	4	6	8	13	24	222

Deaths of Infants (under
one) to 1000 Births . . . 111Marriages
Births . . . 793
3,610Annual Rate of Persons Married
per 1000 living (Births . . . 13.19
30.71

537.—BEDALE.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS PER 1000	—	19.30	—	—	—	—	—	34.56	1.20	0.61	3.70	6.05	8.22	11.31	13.40	20.50	30.71	153.37
Pop. 1-80	—	8,350	225	217	215	224	216	1097	978	954	789	645	998	838	716	612	457	224
CAUSES	19.30	1619	279	75	35	19	26	421	41	31	45	39	82	95	100	132	273	344
Pox -	0.07	6	—	—	1	—	—	1	—	—	—	1	1	—	—	1	—	—
Scarlet -	0.08	7	1	2	2	—	1	6	—	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.24	26	—	4	7	2	4	17	7	1	1	—	1	—	—	1	—	—
Dysentery -	0.28	23	—	3	4	1	3	11	—	2	1	—	—	—	1	—	—	—
Whooping-cough -	0.35	29	18	4	1	2	2	27	1	1	—	—	—	—	—	—	—	—
Measles -	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.24	26	—	—	1	—	—	1	2	4	6	1	6	2	—	—	—	3
Cont. Fev. -	0.25	17	—	—	—	—	—	—	2	—	4	2	4	2	2	1	—	—
Fever -	0.02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
and Dys. -	0.51	49	21	5	1	—	—	26	1	—	—	—	—	3	—	2	—	7
Diarrhoea -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumption -	0.07	48	—	—	—	1	—	1	—	—	—	—	—	3	3	12	15	13
Measles -	0.10	8	2	1	—	1	—	4	—	—	1	—	—	1	1	—	—	—
Whooping-cough -	0.11	9	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—
Smallpox -	1.35	132	2	1	—	—	—	3	—	—	18	18	33	22	13	16	—	—
Whooping-cough -	0.59	25	8	7	3	1	3	22	1	—	—	—	—	1	—	—	—	—
Consumption -	2.14	204	38	14	2	1	1	76	2	4	2	1	—	10	17	13	28	58
Scarlet -	1.54	126	—	—	—	—	—	89	1	—	1	1	—	6	10	2	23	27
Whooping-cough -	2.83	235	37	17	6	3	6	89	4	1	1	1	—	10	8	16	41	55
Scarlet -	1.22	104	6	—	1	1	2	10	1	2	2	1	—	14	18	15	24	13
Whooping-cough -	0.50	42	—	—	—	—	—	—	—	—	—	—	—	5	4	10	15	6
Scarlet -	0.10	8	—	—	—	—	—	—	—	—	—	—	—	2	1	2	2	1
Birth -	0.10	8	—	—	—	—	—	—	—	1	—	—	3	4	—	—	—	—
Scarlet -	0.04	3	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—
Violence -	0.03	3	—	2	1	3	1	14	5	2	2	4	3	1	5	8	3	4
CAUSES	5.07	424	97	15	5	2	2	121	—	—	4	8	7	6	15	1	14	190

Deaths of Infants (under
one) to 1000 Births . . . 112Marriages
Births . . . 507
2,181Annual Rate of Persons Married
per 1000 living (Births . . . 12.14
29.71

538.—LEYBURN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000.	—	18.71	—	—	—	—	—	38.39	4.14	3.83	4.90	8.09	9.45	13.11	13.78	19.97	52.25
Mean Pop. } 1871-80 - }	—	8515	209	215	216	199	216	1055	967	941	857	705	1003	824	791	721	444
ALL CAUSES	18.71	1593	284	53	28	22	18	405	40	36	42	57	95	108	109	144	232
Small-pox - -	0.05	4	—	—	—	—	—	4	—	—	1	—	—	1	1	1	—
Measles - -	0.07	6	1	1	1	1	—	4	1	1	—	—	—	—	—	—	—
Scarlet Fever -	0.52	44	5	4	4	6	4	23	9	7	2	1	—	2	—	—	—
Diphtheria - -	0.23	20	1	2	1	1	3	8	8	2	2	—	—	—	—	—	—
Whooping-cough	0.35	30	19	8	2	1	—	30	—	—	—	—	—	—	—	—	—
Typhus - -	0.01	3	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Enteric Fever -	0.18	15	—	—	—	—	—	—	1	1	2	—	—	5	2	2	—
Simp. Cont. Fever	0.03	4	—	1	—	—	—	1	1	—	—	—	—	—	1	1	—
Puerp. Fever -	0.14	12	—	—	—	—	—	—	—	—	1	4	3	3	1	—	—
Diarr. and Dys. -	0.42	36	17	1	—	—	1	19	—	—	—	—	1	1	2	4	4
Cholera - -	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cancer - -	0.69	59	—	—	—	—	—	—	—	—	—	—	1	7	6	15	23
Scrofula - -	0.02	2	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
Tubes Mesent. -	0.20	17	7	5	1	2	1	16	—	1	—	—	—	—	—	—	—
Phthisis - -	2.01	171	—	—	—	—	—	—	8	14	24	49	31	15	16	4	—
Hydrocephalus -	0.18	15	3	2	4	2	3	14	1	—	—	—	—	—	—	—	—
Diseases of																	
Nervous Syst.	2.35	200	71	8	5	2	—	86	3	7	8	1	2	4	9	24	55
Circulatory "	1.59	128	—	—	—	—	—	—	2	4	1	2	3	10	16	27	—
Respiratory "	3.38	263	43	11	3	3	—	63	2	1	3	2	7	10	18	21	37
Digestive "	1.07	91	11	2	1	—	—	14	2	1	4	2	2	13	15	10	19
Urinary "	0.34	32	—	—	—	—	1	1	1	—	—	—	4	3	5	3	7
Generative "	0.07	6	—	—	—	—	—	—	—	—	—	—	1	1	1	1	2
Childbirth - -	0.69	8	—	—	—	—	—	—	—	—	—	2	4	2	—	—	—
Suicide - -	0.05	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violence -	0.52	44	4	1	2	—	2	9	5	1	1	2	4	5	5	1	2
OTHER CAUSES -	5.14	438	104	7	3	3	1	118	6	2	3	3	10	9	11	26	64

Deaths of Infants (under
one) to 1000 Births - } 117Marriages - 505
Births - 2,435Annual Rate { Persons Married - 11.94
per 1000 living { Births - 28.60

539.—AYSGARTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000.	—	19.95	—	—	—	—	—	40.09	6.24	2.63	7.71	10.84	8.50	12.19	13.01	27.00	66.94
Mean Pop. } 1871-80 - }	—	5178	144	139	133	134	131	681	625	607	519	452	691	506	538	426	248
ALL CAUSES	19.95	1093	193	41	22	9	8	273	39	16	40	49	59	69	70	115	166
Small-pox - -	0.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles - -	0.26	14	4	6	—	1	—	11	2	—	—	—	1	—	—	—	—
Scarlet Fever -	0.24	13	—	1	4	1	1	7	5	—	—	1	—	—	—	—	—
Diphtheria - -	0.02	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Whooping-cough	0.22	12	7	2	1	—	—	10	2	—	—	—	—	—	—	—	—
Typhus - -	0.02	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Enteric Fever -	0.78	43	—	—	2	—	—	2	5	2	11	3	8	4	5	2	1
Simp. Cont. Fever	0.09	5	—	—	—	1	—	1	2	—	—	—	1	1	—	—	—
Puerp. Fever -	0.69	5	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—
Diarr. and Dys. -	0.26	14	7	—	—	—	—	7	1	—	—	—	—	1	1	3	1
Cholera - -	0.02	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer - -	0.51	28	—	—	—	—	—	—	1	—	—	—	—	1	5	5	3
Scrofula - -	0.15	8	—	1	—	—	1	3	1	—	1	2	—	1	—	—	—
Tubes Mesent. -	0.55	19	5	3	—	1	2	11	—	2	—	2	3	—	—	—	1
Phthisis - -	2.04	112	—	—	—	—	—	—	1	1	19	59	26	20	12	3	1
Hydrocephalus -	0.33	18	4	6	3	—	1	14	3	—	—	1	—	—	—	—	—
Diseases of																	
Nervous Syst.	2.37	140	33	5	2	2	1	43	5	4	1	2	1	5	7	15	30
Circulatory "	1.34	68	—	—	1	—	—	—	1	3	1	—	2	4	7	16	17
Respiratory "	2.98	163	27	13	3	1	—	44	1	1	1	1	5	10	11	24	45
Digestive "	1.92	67	8	—	—	—	—	5	—	—	1	—	1	9	10	21	15
Urinary "	0.27	31	—	—	—	—	—	—	—	—	—	—	—	3	2	9	11
Generative "	0.02	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Childbirth - -	0.07	4	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—
Suicide - -	0.04	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Other Violence -	0.64	35	4	—	2	1	—	7	2	1	2	3	3	3	1	4	5
OTHER CAUSES -	5.42	268	99	8	3	—	2	167	6	2	2	2	4	2	8	13	33

Deaths of Infants (under
one) to 1000 Births - } 118Marriages - 398
Births - 1,636Annual Rate { Persons Married - 14.53
per 1000 living { Births - 19.92

540.—REETH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH (E PER 1000)	—	20.17	—	—	—	—	—	41.55	5.66	4.17	8.15	8.68	9.97	13.50	20.62	32.06	78.79	156.73
in Pop. (1-80)	—	5,043	148	120	135	131	123	657	618	552	491	458	702	548	417	355	198	67
CAUSES	20.17	1017	192	32	19	13	17	273	35	23	40	38	70	74	86	117	156	105
pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ies	0.04	2	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
l Fever	0.59	30	—	3	3	1	3	10	13	3	1	1	2	—	—	—	—	—
erla	0.14	7	—	—	—	—	2	4	—	2	—	—	—	—	—	—	—	—
ing-cough	0.46	23	16	5	1	1	—	23	—	—	—	—	—	—	—	—	—	—
s Fever	0.12	6	—	1	—	—	1	2	1	1	—	1	2	3	1	—	—	—
e Cont. Fev.	0.40	20	—	—	—	1	—	1	2	3	2	2	3	—	5	—	—	—
l Fever	0.08	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
and Dys.	0.26	13	8	—	—	—	—	8	—	—	—	—	—	1	—	1	2	1
m	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
r	0.38	19	—	—	—	—	1	1	—	—	—	—	—	3	1	4	7	3
la	0.04	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Mezent.	0.03	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
la	0.29	131	4	1	1	—	—	6	2	4	18	17	35	25	20	16	8	—
cephalus	0.26	13	1	—	1	1	3	6	5	2	—	—	—	—	—	—	—	—
erous Syst.	1.71	86	38	2	2	—	3	45	3	—	2	1	2	3	8	9	9	4
regulatory	1.69	85	1	—	—	1	—	2	—	1	2	2	5	7	7	14	34	11
spiratory	5.21	162	90	5	1	1	2	39	2	2	6	3	8	8	19	33	31	11
igestive	1.31	66	2	1	—	—	2	5	1	1	1	2	2	8	6	14	22	2
inary	0.30	15	—	—	—	—	—	—	—	—	1	3	—	1	3	1	4	—
enerative	0.06	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
irth	0.14	7	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—
e	0.02	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
Violence	0.44	23	3	—	2	—	—	5	—	—	—	1	4	3	1	3	—	2
R CAUSES	5.47	277	89	13	7	3	1	113	5	3	3	—	5	8	16	21	38	71

Deaths of Infants (under
one) to 1000 Births } 121Marriages - 341
Births - 1,589.Annual Rate { Persons Married - 13.52
per 1000 living { Births - 31.31

541.—RICHMOND.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
AL DEATH (E PER 1000)	—	17.86	—	—	—	—	—	39.02	4.47	2.43	4.63	6.23	7.34	11.01	14.35	25.14	52.88	143.15
in Pop. (1-80)	—	13,506	375	343	356	330	336	1710	1507	1694	1382	1123	1702	1335	1179	907	624	343
CAUSES	17.86	2412	437	129	60	29	24	679	70	39	64	70	125	147	169	228	330	491
pox	0.12	16	1	—	1	—	—	2	2	1	—	1	1	2	3	3	1	—
ies	0.16	21	6	10	5	—	—	21	1	—	—	—	—	—	—	—	—	—
l Fever	0.30	41	3	5	4	3	5	29	14	2	1	2	—	1	4	—	—	—
erla	0.12	16	—	1	—	2	5	8	7	1	—	—	—	—	—	—	—	—
ing-cough	0.33	44	14	20	3	1	2	40	3	1	—	—	—	—	—	—	—	—
ie	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ie Fever	0.28	38	—	1	1	1	1	4	3	4	5	6	7	3	3	1	—	2
e Cont. Fev.	0.01	2	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
l Fever	0.02	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
and Dys.	0.40	51	37	3	2	—	—	42	—	—	—	—	—	—	—	3	3	5
ra	0.03	4	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1
r	0.28	79	—	—	—	—	—	—	—	—	—	2	—	4	12	15	26	20
la	0.07	9	1	2	2	—	—	5	1	—	—	—	—	—	2	1	—	—
Mezent.	0.06	8	1	—	2	—	1	4	—	—	1	2	—	—	—	—	—	—
la	2.14	289	6	5	3	4	—	18	1	11	34	31	60	37	42	26	9	—
cephalus	0.18	31	3	13	9	2	—	31	8	4	5	2	2	—	—	—	—	—
erous Syst.	2.28	204	98	5	3	1	1	109	5	3	4	—	5	13	16	18	65	65
regulatory	1.41	199	—	—	—	—	1	1	—	1	2	4	8	17	14	31	62	29
spiratory	2.12	294	85	26	14	4	4	135	7	1	4	2	14	17	17	44	55	95
igestive	1.31	177	29	5	1	—	—	35	2	—	5	6	5	8	29	31	37	19
inary	0.42	57	—	—	—	—	—	—	1	—	1	1	2	6	4	13	18	17
enerative	0.04	6	—	—	—	—	—	—	—	—	—	—	1	—	2	3	—	—
irth	0.07	10	—	—	—	—	—	—	—	—	—	3	5	2	—	—	—	—
le	0.07	9	—	—	—	—	—	—	—	—	—	—	—	1	3	1	—	—
Violence	0.17	61	4	8	1	2	—	17	4	6	9	1	1	2	7	4	28	11
R CAUSES	3.37	522	147	22	7	9	2	187	9	3	2	7	11	19	14	22	59	205

Deaths of Infants (under
one) to 1000 Births } 108Marriages - 836
Births - 4,051Annual Rate { Persons Married - 12.39
per 1000 living { Births - 29.80

DURHAM.
542.—DARLINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	20.59	—	—	—	—	—	62.23	7.17	3.98	5.72	7.94	8.82	11.70	15.83	27.29	59.72	168.7
Mean Pop. } 1871-80 }	—	44,244	1401	1207	1268	1300	1269	6145	5617	4775	4354	3982	6771	4868	3398	2250	1291	803
ALL CAUSES	20.59	9111	2551	746	359	210	145	4011	403	190	249	316	597	573	538	614	771	849
Small-pox - -	0.43	189	27	9	4	7	10	57	34	9	7	14	33	13	12	8	-	2
Measles - -	0.34	142	59	55	36	10	5	135	15	1	1	-	-	-	-	-	-	-
Scarlet Fever -	0.77	349	50	43	68	52	88	230	14	16	5	-	2	3	-	-	-	-
Diphtheria - -	0.69	41	6	3	6	2	1	18	12	5	3	-	1	-	1	-	-	-
Whooping cough	0.39	172	76	50	24	6	9	165	-	-	-	-	-	-	-	-	-	-
Typhus - -	0.05	24	-	1	-	1	1	3	-	-	4	3	4	4	4	1	1	-
Enteric Fever -	0.30	221	10	11	7	4	4	36	33	24	31	21	35	18	17	5	5	1
Simple Cont. Fev.	0.11	47	-	2	2	4	2	11	6	4	-	3	7	4	-	-	-	-
Puerp. Fever -	0.11	45	-	-	-	-	-	-	-	1	8	22	13	1	-	-	-	-
Diarr. and Dys. -	0.88	589	261	53	11	4	1	339	3	1	2	2	4	1	13	14	16	16
Cholera - -	0.01	4	-	-	-	1	-	1	-	-	-	-	1	-	-	1	1	1
Cancer - -	0.36	160	-	-	-	-	-	-	-	1	1	10	19	26	38	42	23	23
Scrofula - -	0.16	71	23	17	4	3	1	26	4	3	2	5	1	4	1	1	-	-
Tuberc Mesent. -	0.33	235	118	85	24	2	3	201	17	1	3	2	3	-	-	-	-	-
Phthisis - -	2.03	899	8	7	8	3	2	28	21	44	99	144	227	189	96	59	12	-
Hydrocephalus -	0.43	212	65	59	19	17	13	173	27	7	2	1	1	-	-	1	-	-
Diseases of																		
Nervous Syst. -	2.99	1521	647	96	58	20	11	812	27	17	13	13	21	50	63	87	119	97
Circulatory " -	1.26	559	1	2	1	3	2	9	6	12	10	18	47	56	78	103	147	74
Respiratory " -	2.79	1234	444	166	73	31	17	731	27	5	13	11	41	56	74	95	115	88
Digestive " -	1.00	492	89	18	7	6	2	122	16	6	12	16	25	52	58	76	85	41
Urinary " -	0.35	154	2	2	1	9	2	16	5	4	6	8	16	15	22	23	29	19
Generative " -	0.05	21	-	-	-	-	-	-	-	-	-	-	8	6	2	2	1	1
Childbirth - -	0.10	44	-	-	-	-	-	-	-	2	8	19	11	4	-	-	-	-
Suicide - -	0.04	18	-	-	-	-	-	-	-	-	1	1	4	6	5	1	-	-
Other Violence -	0.29	261	14	17	13	6	7	57	26	14	17	12	34	18	57	22	16	16
OTHER CAUSES -	4.99	1816	708	83	33	15	14	836	24	17	13	20	33	39	45	59	202	4.8

Deaths of Infants (under } 146 Marriages - 3,800 Annual Rate { Persons Married - 17.19
one) to 1000 Births Births per 1000 living { Births - 39.42

543.—STOCKTON (4¹/₂ years to 30th September 1875).*

	Annual Death Rate per 1000 }	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000 }	—	26.64	—	—	—	—	—	83.64	10.06	4.86	7.46	9.95	10.54	15.11	22.12	33.97	69.73	162.6
Mean Pop. } Jan. 1871 to Sept. 1875 }	—	108,600	3879	3282	3426	3215	3166	16968	13541	10998	9770	10769	19189	12348	7900	4225	2116	776
ALL CAUSES	26.64	13,740	4605	1515	590	440	275	7235	647	254	346	509	961	886	830	782	701	329
Small-pox - -	0.80	411	53	24	28	25	29	178	61	16	19	38	49	80	13	6	1	-
Measles - -	0.42	219	39	45	34	27	11	206	10	1	-	-	-	-	-	-	-	-
Scarlet Fever -	1.46	751	42	110	130	126	91	499	294	29	5	5	7	2	-	-	-	-
Diphtheria - -	0.12	64	4	10	5	6	3	39	18	4	3	1	5	2	-	1	-	-
Whooping-cough	0.41	238	101	79	26	22	2	230	8	-	-	-	-	-	-	-	-	-
Typhus - -	0.14	73	-	-	1	1	-	2	6	6	7	9	16	9	11	2	2	3
Enteric Fever -	1.99	551	8	20	13	22	21	84	63	37	68	81	94	85	32	29	11	1
Simple Cont. Fev.	0.13	91	4	8	10	6	-	34	15	3	6	7	9	4	-	4	1	-
Puerp. Fever -	0.12	62	-	-	-	-	-	-	-	5	22	19	16	9	-	-	-	-
Diarr. and Dys. -	1.49	769	404	157	20	7	3	681	6	2	2	4	9	4	11	24	13	13
Cholera - -	0.02	12	4	-	-	-	-	4	-	-	-	1	-	2	2	3	-	-
Cancer - -	0.28	146	-	1	-	-	-	1	-	1	-	-	14	17	45	45	19	4
Scrofula - -	0.10	70	9	6	3	2	3	23	7	5	2	1	7	2	-	1	1	1
Tuberc Mesent. -	0.30	489	254	161	45	14	6	467	12	2	1	-	1	-	3	1	-	-
Phthisis - -	2.01	1038	57	17	6	6	1	67	38	34	95	148	276	215	111	49	11	-
Hydrocephalus -	0.47	241	102	65	21	14	7	213	19	4	-	-	-	-	-	-	-	-
Diseases of																		
Nervous Syst. -	4.07	2697	1099	170	50	40	16	1325	45	15	16	25	89	128	143	138	110	65
Circulatory " -	1.13	585	2	-	1	-	-	3	11	8	12	69	82	105	115	119	33	33
Respiratory " -	3.62	1829	622	306	16	49	27	1100	39	10	14	81	70	79	128	169	134	101
Digestive " -	0.96	494	81	22	7	5	1	126	15	11	9	19	46	39	67	19	57	16
Urinary " -	0.28	112	2	8	-	6	1	25	4	3	4	3	18	17	17	21	24	5
Generative " -	0.01	19	-	-	-	-	-	-	-	-	-	1	2	4	8	3	1	-
Childbirth - -	0.13	68	-	-	-	-	-	-	-	4	16	27	21	-	-	-	-	-
Suicide - -	0.05	25	-	-	-	-	-	-	-	2	2	5	5	4	-	7	-	-
Other Violence -	1.03	332	14	19	16	18	14	101	37	38	85	52	72	70	51	50	17	12
OTHER CAUSES -	5.21	2753	334	232	67	44	22	1829	40	19	20	27	59	57	75	89	18	311

Deaths of Infants (under } 180 Marriages - 5,424 Annual Rate { Persons Married - 21.03
one) to 1000 Births Births per 1000 living { Births - 47.47

* A considerable part of this District was transferred on 1st October 1875 to the newly formed District of MIDDLESBROUGH; & pp. 371-78. The figures in this Table relate to STOCKTON as constituted during the first 4½ years of the decade.

543.—STOCKTON (5½ years from 1st October 1875).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Five and over 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.	
AL DEATH PER 1000	—	22.40	—	—	—	—	—	—	7.48	7.24	5.56	5.30	7.37	9.04	14.68	19.74	39.65	64.42	168.31
in Pop. 1875 to 1880	—	61,555	2004	1841	1874	1867	1970	3645	8418	6848	5364	5791	10135	7307	4728	2824	1431	501	
CAUSES	22.40	7515	2127	800	347	185	119	3559	318	128	165	224	539	570	465	388	483	443	
diphtheria	0.06	10	21	—	—	—	—	2	1	—	—	—	1	4	—	—	—	—	
Scarlet Fever	0.08	128	21	32	21	14	—	151	1	—	—	—	—	—	—	—	—	—	
Typhoid Fever	1.21	493	21	71	67	69	29	234	111	29	9	—	1	3	1	—	—	—	
Typhus	0.10	32	8	6	3	3	—	3	3	3	—	—	1	—	—	—	—	—	
Whooping-cough	0.42	141	56	45	20	12	4	133	4	—	—	—	—	—	—	—	1	—	
Measles	0.02	6	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Scarlet Fever	0.62	204	2	11	12	7	8	60	24	23	14	19	32	23	15	14	2	1	
Typhoid Fever	0.09	29	2	1	1	3	—	9	8	3	1	1	2	4	1	4	—	—	
Typhus	0.01	14	—	—	—	—	—	—	—	—	—	—	—	4	5	—	—	—	
Typhoid and Dysentery	0.30	352	180	74	17	3	—	274	3	—	—	—	5	4	3	4	11	14	
Typhoid	0.01	4	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	
Dysentery	0.00	100	—	—	—	—	—	—	—	—	1	—	—	6	17	30	25	7	
Measles	0.14	55	10	8	3	1	1	29	7	3	4	2	4	1	—	3	1	—	
Scarlet Fever	0.00	201	88	68	22	4	—	154	8	—	1	1	1	3	3	—	—	—	
Typhoid	2.22	742	94	23	5	6	4	63	21	28	65	102	107	133	84	40	10	1	
Whooping-cough	0.35	117	47	29	14	4	5	191	12	2	—	—	—	—	—	—	—	—	
Scarlet Fever	5.72	1343	437	80	37	18	11	902	27	10	8	13	50	156	105	22	12	46	
Typhoid	1.04	441	3	—	1	—	—	4	1	—	—	12	25	48	58	74	123	80	
Whooping-cough	3.08	1028	305	164	59	22	13	565	15	6	6	7	30	41	71	102	180	66	
Dysentery	0.90	321	39	15	6	5	3	94	2	—	—	10	29	34	37	45	61	18	
Typhoid	0.22	75	—	4	4	—	—	19	2	—	—	2	5	12	8	16	8	10	
Whooping-cough	0.01	11	—	—	—	—	—	—	—	1	—	2	1	4	—	2	—	1	
Birth	0.11	33	—	—	—	—	—	—	—	—	—	6	15	15	—	—	—	—	
Infant	0.04	27	—	—	—	—	—	—	—	—	—	2	5	9	4	—	—	—	
Violence	0.76	24	19	11	13	6	9	76	17	13	18	21	24	29	20	21	7	11	
CAUSES	4.69	176	859	131	25	9	5	1491	24	6	8	7	29	40	38	57	85	129	

Deaths of Infants (under } 117
one) to 1000 Births - }

Marriages	-	2,197
Births	-	11,161

Annual Rate of Persons Married	-	14.91
per 1000 living { Births	-	43.22

This Table relates to STOCKTON as constituted after the creation of the District of MIDDLESBROUGH. See note to the preceding Table.

544.—HARTLEPOOL.

CAUSE OF DEATH	—	22.49	—	—	—	—	—	75.26	8.37	1.24	5.27	7.82	9.15	12.57	17.51	39.28	68.41	100.00
AN POP.	—	14,292	1406	1369	1341	1340	1325	6871	5817	4601	4879	4158	6072	5035	3283	1093	829	284
71-80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
L CAUSES	22.49	9961	3189	1061	456	284	181	5171	487	105	257	325	638	633	375	391	615	474
Il-pox	0.28	113	20	4	5	6	7	42	14	2	5	8	23	10	4	2	1	—
ties	0.35	155	30	54	32	15	10	141	12	2	—	—	—	—	—	—	—	—
let Fever	1.35	524	42	80	105	109	61	386	194	21	6	3	1	—	—	—	—	—
theria	0.07	30	6	5	4	3	2	22	5	1	—	—	—	1	—	—	—	—
oping-cough	0.61	272	124	84	84	19	6	207	3	—	—	—	—	—	—	—	—	—
as	0.00	41	—	—	—	1	2	4	4	5	9	2	7	3	3	1	1	2
ic Fever	0.56	247	7	11	11	6	11	65	35	21	32	31	31	18	16	5	6	3
et Cont. Fer.	0.15	65	2	5	6	1	—	17	7	11	9	5	7	2	2	3	1	1
p. Fever	0.08	31	—	—	—	—	—	—	—	—	—	—	13	13	4	—	—	—
and Dys.	1.63	741	463	150	81	3	1	618	2	1	—	—	6	11	4	14	19	12
	0.02	11	3	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
rr	0.58	169	—	—	2	2	1	1	—	—	—	—	5	12	47	36	33	15
ula	0.16	65	17	20	—	—	—	21	5	6	8	1	5	—	1	—	—	—
s Mercut.	0.42	158	83	46	21	9	3	167	10	7	1	2	—	—	—	—	—	—
lula	1.93	862	24	17	1	3	3	54	31	33	84	159	27	167	77	84	6	—
cephalus	0.41	181	69	47	18	10	9	133	21	6	—	—	—	—	—	—	—	—
terious Syst.	2.84	1259	550	82	35	20	14	798	55	16	8	18	7	41	82	115	74	—
cretory	0.59	305	—	1	1	—	—	2	6	3	16	14	18	80	84	63	39	16
respiratory	3.50	1462	405	269	74	37	10	965	22	9	14	17	9	66	87	127	130	61
igestive	0.10	436	114	20	7	6	2	119	7	9	10	15	22	19	54	79	60	10
enerative	0.24	104	5	4	7	5	2	21	4	5	2	5	13	11	24	13	17	8
	0.04	18	—	—	—	—	—	—	—	—	1	1	3	4	4	3	2	—
birth	0.08	30	—	—	—	—	—	—	—	—	4	1	11	11	1	—	—	—
ds	0.04	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
r Violence	0.69	295	104	10	11	7	—	17	24	20	14	20	81	68	19	—	20	4
ER CAUSES	4.66	2641	1601	139	47	52	18	123	60	13	18	14	39	48	4	94	162	275

Deaths of Infants (under } 108
one) to 1000 Births - }

Marriages - 3,913
Births - 19,204

Annual Rate	Persons Married	17.67
per 1000 living	Births	48.34

545.—AUCKLAND.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	21.52	—	—	—	—	—	82.49	9.16	5.12	6.87	8.95	9.66	11.34	17.27	33.86	72.81	104.2
Mean Pop. 1871-80	—	76,366	2751	2373	2421	2339	2321	12102	10674	8918	7478	6318	11135	8190	5061	3429	1504	344
ALL CAUSES	21.52	18,721	6202	2009	821	519	402	9943	978	458	514	572	1070	928	978	1161	1161	895
Small-pox	0.72	532	55	14	15	12	26	124	103	37	41	52	83	49	41	13	9	—
Measles	0.49	372	69	130	73	31	29	441	351	—	—	1	1	—	—	—	—	—
Scarlet Fever	1.63	1248	83	165	191	201	146	780	50	60	21	10	7	—	—	—	1	—
Diphtheria	0.11	82	7	10	6	8	14	45	10	6	1	3	2	2	2	2	—	—
Whooping-cough	0.56	429	201	132	42	35	9	419	10	—	—	—	—	—	—	—	—	—
Typhus	0.10	74	2	1	3	1	3	10	7	9	8	9	14	10	5	2	—	—
Enteric Fever	0.71	541	19	41	21	21	20	121	59	62	60	67	62	44	28	20	11	8
Simple Cont. Fev.	0.25	191	4	10	14	15	15	56	15	18	60	15	21	12	9	9	6	4
Puerp. Fever	0.13	97	—	—	—	—	—	—	8	27	41	21	—	—	—	—	—	—
Diarr. and Dys.	0.04	717	378	197	29	8	6	618	3	2	2	1	5	8	17	37	23	—
Cholera	0.04	34	10	5	1	1	—	17	3	—	—	2	1	3	4	2	—	—
Cancer	0.29	223	—	1	1	1	1	4	—	—	2	—	9	32	37	59	81	15
Scrofula	0.10	71	20	3	4	1	1	29	11	6	3	10	1	3	6	3	—	—
Tuberc Mesent.	0.05	814	392	288	53	14	13	765	18	3	6	6	6	6	6	6	—	—
Phthisis	1.80	1378	34	16	7	9	4	62	84	71	154	221	353	222	149	78	18	1
Hydrocephalus	0.40	393	118	90	31	17	12	268	26	8	4	—	—	1	—	1	—	—
Diseases of Nervous Syst.	3.28	2533	1378	178	60	28	24	1672	72	38	32	28	61	63	137	157	179	18
Circulatory	1.80	764	1	1	1	1	—	5	20	17	21	24	80	99	131	182	158	40
Respiratory	3.43	2661	958	419	132	70	35	1634	56	17	17	27	71	95	169	224	216	141
Digestive	1.05	735	177	23	11	5	8	226	25	12	22	14	45	71	85	130	79	21
Urinary	0.21	190	2	7	5	2	3	19	9	3	7	7	16	28	21	35	22	9
Generative	0.01	31	—	—	1	—	—	1	—	—	—	2	4	4	9	9	1	—
Childbirth	0.13	94	—	—	—	—	—	—	—	—	7	19	34	33	1	—	—	—
Suicide	0.04	27	—	—	—	—	—	—	—	—	2	3	7	7	7	2	1	1
Other Violence	0.79	646	31	19	24	17	8	99	31	65	53	34	80	73	63	60	27	11
OTHER CAUSES	5.21	3974	2273	247	67	45	24	2060	39	29	21	18	43	48	89	114	260	35

Deaths of Infants (under
one to 1000 Births) } 177

Marriages - 7,036
Births - 34,948

Annual Rate { Persons Married - 13.43
per 1000 living { Births - 45.76

546.—TRESDALE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	19.14	—	—	—	—	—	44.61	5.30	3.79	5.21	7.90	10.82	10.59	14.95	28.12	60.28	155.2
Mean Pop. 1871-80	—	29,588	570	423	536	527	518	2674	2587	2132	2156	1709	2532	2124	1773	1369	846	386
ALL CAUSES	19.14	3910	784	213	83	56	54	1183	137	93	112	135	274	225	265	585	510	611
Small-pox	0.11	23	—	1	1	1	1	4	3	1	1	3	3	3	1	2	2	—
Measles	0.14	28	10	9	1	2	1	24	4	—	—	—	—	—	—	—	—	1
Scarlet Fever	0.61	176	4	12	14	19	13	62	34	14	6	4	4	—	—	—	—	—
Diphtheria	0.09	19	1	2	2	—	—	5	8	2	—	—	1	—	—	—	1	—
Whooping-cough	0.29	60	50	18	6	2	2	78	2	—	—	—	—	—	—	—	—	—
Typhus	0.07	14	—	—	—	—	—	—	1	2	3	5	1	1	1	—	—	—
Enteric Fever	0.25	31	3	1	2	1	—	7	6	2	7	11	6	—	5	—	1	4
Simple Cont. Fev.	0.09	18	2	1	4	—	—	7	1	—	1	—	2	1	—	—	2	1
Puerp. Fever	0.07	14	—	—	—	—	—	—	—	—	—	7	4	3	—	—	—	—
Diarr. and Dys.	0.79	40	11	10	—	2	2	35	1	2	—	1	—	1	2	5	6	7
Cholera	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0.47	97	—	—	—	—	—	—	—	—	1	—	4	8	10	23	18	21
Scrofula	0.11	30	1	3	—	1	1	6	4	4	5	2	3	1	2	2	—	1
Tuberc Mesent.	0.05	67	27	13	2	3	2	47	7	4	1	2	2	—	—	—	—	—
Phthisis	1.81	393	3	2	1	—	—	6	7	17	30	49	122	64	41	32	3	—
Hydrocephalus	0.34	71	31	14	6	3	4	60	19	—	—	—	1	—	—	—	—	—
Diseases of Nervous Syst.	2.62	539	158	23	15	7	10	219	10	15	7	11	15	18	29	53	78	79
Circulatory	1.32	313	1	—	—	—	—	1	2	3	4	1	16	28	31	60	102	66
Respiratory	3.17	714	142	34	16	10	4	248	19	6	7	9	29	23	54	50	131	117
Digestive	1.52	222	39	8	3	—	3	50	2	6	—	5	14	23	33	41	61	34
Urinary	0.44	144	1	—	1	1	—	5	3	1	2	4	7	13	11	13	14	13
Generative	0.03	43	—	—	—	—	—	—	—	—	—	2	3	2	1	3	—	—
Childbirth	0.13	23	—	—	—	—	—	—	—	—	3	5	8	9	1	—	—	—
Suicide	0.00	18	—	—	—	—	—	—	—	—	—	—	1	3	4	6	3	1
Other Violence	0.51	161	6	2	1	1	2	15	7	5	6	1	11	9	11	8	10	17
OTHER CAUSES	3.68	757	273	27	5	3	7	325	13	9	6	10	16	13	18	29	71	25

Deaths of Infants (under
one to 1000 Births) } 118

Marriages - 1,508
Births - 6,919

Annual Rate { Persons Married - 11.65
per 1000 living { Births - 32.15

547.—WEARDALE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (12 PER 1000)	—	20'08	—	—	—	—	—	57'16	5'07	5'32	6'07	11'04	10'37	12'50	17'39	35'39	69'03	172'84
AN POP. 71-80	—	18349	561	486	520	532	506	2605	2380	2101	1903	1686	2584	1936	1443	1004	505	162
ALL CAUSES	20'08	3704	1001	249	104	83	52	1489	135	115	127	194	268	242	251	355	338	260
l-pox -	0'13	54	4	1	—	—	—	6	4	1	—	5	1	4	1	2	—	—
les -	0'29	54	14	18	9	4	2	47	3	—	—	—	—	1	—	—	—	—
et Fever -	0'77	141	8	16	14	24	22	84	35	14	6	2	—	—	—	—	—	—
theria -	0'69	16	1	2	4	—	—	7	4	1	2	—	1	—	—	—	—	—
oping-cough	0'29	54	25	18	7	3	1	51	—	—	—	—	—	—	—	—	—	—
ns -	0'05	10	—	1	—	—	—	1	—	1	—	—	2	1	2	2	—	—
rie Fever -	0'45	82	—	2	1	1	3	7	7	11	8	14	8	6	10	5	5	1
le Cont. Fev.	0'21	36	—	1	4	2	3	10	3	8	2	1	4	4	3	4	2	—
p. Fever -	0'15	27	—	—	—	—	—	—	—	1	9	11	6	—	—	—	—	—
r. and Dys.	0'60	110	49	11	5	4	1	70	—	—	—	6	6	2	6	5	11	10
rra -	0'04	8	—	—	1	—	—	1	1	—	—	1	2	2	1	—	—	—
rr -	0'22	41	—	—	—	—	—	—	—	1	—	—	1	2	9	15	11	2
ula -	0'12	23	5	2	—	—	—	5	1	2	1	4	5	1	1	1	1	1
s Mesent.	0'38	69	31	19	10	2	—	63	3	—	—	1	2	2	—	—	—	—
is -	2'04	485	2	6	1	1	—	10	9	29	46	84	114	74	53	44	20	1
cephalus	0'42	77	31	18	6	5	2	62	7	5	2	—	—	1	—	—	—	—
ervous Syst.	2'25	413	131	33	12	9	3	183	11	13	5	6	12	11	29	42	39	38
regulatory	1'02	168	—	—	1	—	—	1	3	5	4	4	12	22	26	46	43	20
espiratory	3'54	630	191	69	14	11	9	295	18	3	8	22	22	36	41	94	80	43
igestive	1'23	223	36	4	2	1	2	45	3	5	4	10	16	27	32	42	71	11
inary	0'27	49	1	—	—	—	—	1	3	2	3	3	6	5	5	9	8	4
enerative	0'06	11	—	—	—	—	—	—	—	—	—	—	2	1	3	5	2	—
Birth -	0'16	22	—	—	—	—	—	—	—	4	9	9	10	6	—	—	—	—
ds -	0'05	9	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
r Violence -	0'54	102	4	3	1	—	1	9	8	5	12	11	13	14	15	10	6	2
ALL CAUSES	4'69	809	470	26	13	14	8	526	13	14	14	8	10	15	15	20	58	147

Deaths of Infants (under one) to 1000 Births } 148

Marriages - 1,381
Births - 6,765

Annual Rate { Persons Married - 15'06
per 1000 living { Births - 36'87

548.—LANCHESTER (6 years 1875-80).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (12 PER 1000)	—	20'04	—	—	—	—	—	66'06	6'85	4'18	5'95	7'10	7'29	9'30	14'98	26'81	65'70	189'43
AN POP. 75 80	—	52,674	1794	1501	1680	1610	1672	8276	7424	6099	5438	4865	7406	5415	3926	2399	1045	341
ALL CAUSES	20'04	6335	2061	683	282	165	119	3310	305	153	194	209	324	302	353	386	412	387
l-pox -	0'01	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
les -	0'33	104	21	41	10	9	3	64	9	2	—	—	—	—	—	—	—	—
et Fever -	1'32	418	21	58	67	59	57	247	124	15	9	5	1	3	—	—	—	—
theria -	0'07	23	2	5	4	3	1	15	5	1	—	1	—	1	—	—	—	—
oping-cough	0'40	125	61	32	22	6	3	124	2	—	—	—	—	—	—	—	—	—
ns -	0'04	14	2	—	—	1	1	4	2	2	1	2	1	1	1	—	—	—
rie Fever -	0'48	151	6	18	6	4	2	34	16	16	20	15	17	10	11	6	3	3
le Cont. Fev.	0'09	29	1	3	1	3	3	12	3	—	—	3	—	1	—	—	3	1
p. Fever -	0'11	56	—	—	—	—	—	—	—	—	1	6	21	8	—	—	—	—
r. and Dys.	0'75	237	136	54	8	2	—	200	1	—	—	3	3	3	2	6	9	11
rra -	0'02	6	—	—	—	—	—	1	2	—	1	—	—	—	1	1	—	—
rr -	0'23	104	1	—	—	—	—	1	—	—	2	—	2	16	29	25	25	6
ula -	0'25	110	62	22	3	2	2	91	3	3	2	2	5	—	2	—	3	—
s Mesent.	0'64	293	98	71	15	3	2	187	4	1	4	3	2	—	1	—	1	—
is -	1'07	527	8	4	6	4	5	27	11	53	75	94	129	66	70	—	—	1
cephalus	0'76	178	46	40	14	12	11	123	34	13	3	1	3	—	—	—	—	—
ervous Syst.	2'12	471	157	60	19	7	6	389	16	12	10	6	18	25	45	59	56	46
regulatory	0'87	275	1	—	—	1	—	3	6	10	7	13	23	42	59	58	33	23
espiratory	3'39	671	215	54	65	25	17	628	26	10	5	12	26	28	65	84	94	63
igestive	1'10	379	139	56	9	3	—	179	5	7	9	9	13	19	47	57	47	14
inary	0'28	90	3	9	—	1	1	13	7	3	4	4	9	4	12	15	15	8
enerative	0'03	11	—	—	—	—	—	—	—	—	—	1	2	4	2	1	—	—
Birth -	0'11	35	—	—	—	—	—	—	—	3	7	12	12	1	—	—	—	—
ds -	0'04	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
r Violence -	0'71	244	13	—	6	9	1	34	10	21	21	17	29	3	21	11	12	10
ALL CAUSES	4'09	1,389	753	75	15	13	9	897	13	8	11	12	11	20	29	1	51	192

Deaths of Infants (under one) to 1000 Births } 148

Marriages* - 1,265
Births - 13,062

Annual Rate { Persons Married - 12'72
per 1000 living { Births - 44'18

* The Union of Lancaster was created a separate Registration District on 1st April 1875, but the births and deaths in this Table relate the 6 entire years 1875-80. The births and deaths in Lancaster for the 4 years 1871-74 and the marriages in the 14 years to March 1875, merged with those of DUNHAM, of which District Lancaster then formed part. * See note to the next two Tables.

549.—DURHAM (4 years 1871-74).*

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up.
ANNUAL DEATH RATE PER 1000	—	26.40	—	—	—	—	—	87.16	11.55	6.89	8.22	10.89	11.46	15.02	17.44	22.53	70.04	13.7
Mean Pop. 1871-74	—	97,985	3433	2808	3118	2931	2713	15036	12488	11071	9701	8911	14512	10753	7669	4630	2331	514
ALL CAUSES	26.40	10,316	3193	1075	436	301	237	5242	877	283	310	388	663	560	535	605	663	54
Small-pox	0.03	803	112	31	34	42	47	266	147	53	59	84	94	52	31	18	7	1
Measles	0.43	189	27	76	31	18	10	163	14	1	—	—	—	—	—	—	—	—
Scarlet Fever	1.31	512	41	81	78	79	60	329	119	41	9	2	1	—	—	—	—	—
Diphtheria	0.10	40	1	10	5	4	3	23	7	2	5	—	2	1	—	—	—	—
Whooping-cough	0.24	110	41	44	9	10	2	106	4	—	—	—	—	—	—	—	—	—
Typhus	0.14	54	—	—	—	2	1	3	8	6	7	7	8	6	3	4	—	—
Enteric Fever	1.05	411	22	29	32	17	16	116	73	41	37	40	43	58	24	87	10	1
Stimp. Cont. Fev.	0.41	122	4	5	6	4	5	32	17	8	9	11	16	11	11	10	5	2
Puerp. Fever	0.19	63	—	—	—	—	—	—	—	10	20	20	20	12	—	—	—	—
Diarr. and Dys.	0.79	369	188	52	13	1	2	236	4	1	—	2	7	8	11	18	14	13
Cholera	0.05	19	5	2	1	—	2	10	2	—	—	—	1	1	—	—	—	—
Cancer	0.22	87	—	—	—	—	—	—	—	—	1	1	4	17	22	23	11	6
Scrofula	0.23	93	81	20	4	1	4	80	5	5	1	1	2	1	—	—	—	—
Tuberc. Mesent.	0.07	369	189	137	87	9	5	368	3	—	—	—	—	—	—	—	—	—
Phthisis	1.07	734	19	17	4	5	1	46	18	27	89	103	106	126	74	43	7	1
Hydrocephalus	0.39	231	85	71	19	10	7	202	17	3	4	2	2	—	—	—	—	—
Diseases of Nervous Syst.	3.13	1225	665	95	38	22	13	833	27	11	13	8	16	34	40	71	111	42
Circulatory	0.91	375	1	—	—	—	—	5	19	12	8	14	33	42	59	87	68	15
Respiratory	2.82	1106	326	167	54	37	23	607	42	6	6	15	24	56	65	118	117	47
Digestive	1.03	405	85	14	8	7	—	114	13	9	14	17	23	42	44	61	47	15
Urinary	0.21	82	1	3	—	—	—	10	7	2	3	1	11	10	14	13	6	4
Generative	0.02	8	—	—	—	—	—	—	—	—	1	—	3	1	2	1	—	—
Childbirth	0.16	64	—	—	—	—	—	—	—	—	7	9	27	19	2	—	—	—
Suicide	0.06	22	—	—	—	—	—	—	—	—	2	3	5	3	5	3	—	—
Other Violence	0.09	389	15	11	8	8	10	62	26	39	29	31	71	44	59	57	18	7
OTHER CAUSES	0.43	2312	1334	211	49	24	21	1639	27	11	13	14	43	54	63	90	227	349

Deaths of Infants (under one) to 1000 Births } 176

Marriages* - 3,958
Births - 13,178Annual Rate of Persons Married - 18.94
per 1000 living (Births) - 46.37

* The Union of Lanchester was detached from DURHAM District of 1st April 1875, and created a separate Registration District. The births and deaths in Lanchester were separately abstracted from the commencement of 1875, but the number of marriages in this Table and the corresponding rate apply to the 41 years ending 31st March 1875. The marriages, births, and deaths in DURHAM District exclusive of Lanchester for the remainder of the decade 1871-80 are given in the following Table.

549a.—DURHAM (6 years 1875-80).*

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and up.
ANNUAL DEATH RATE PER 1000	—	23.95	—	—	—	—	—	85.20	8.42	3.84	5.54	7.46	8.80	11.58	11.90	11.43	71.38	12.3
Mean Pop. 1875-80	—	60,469	1832	1697	1804	1797	1753	8083	8238	6910	6198	5450	8651	6405	4665	2959	1441	227
ALL CAUSES	23.95	8630	2732	1013	387	233	197	4592	416	180	206	244	457	445	417	538	674	57
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.45	164	31	60	28	20	6	131	12	—	—	—	—	—	—	—	—	—
Scarlet Fever	1.70	616	19	94	89	88	2	679	150	32	—	—	—	—	—	—	—	—
Diphtheria	0.05	19	2	—	2	2	—	6	5	—	—	—	—	—	—	—	—	—
Whooping-cough	0.42	132	70	—	16	—	—	49	2	1	—	—	—	—	—	—	—	—
Typhus	0.08	29	—	—	3	—	—	3	5	1	—	—	7	—	2	3	—	—
Enteric Fever	0.70	283	15	19	19	15	12	89	38	15	31	3	18	11	10	5	—	—
Stimp. Cont. Fev.	0.18	67	1	4	8	—	—	20	11	4	2	—	7	—	4	5	—	—
Puerp. Fever	0.14	49	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Diarr. and Dys.	1.16	421	214	21	18	—	—	361	4	1	—	—	6	—	5	9	18	10
Cholera	0.01	5	2	—	—	—	—	3	1	—	—	—	—	—	—	1	—	—
Cancer	0.29	106	—	—	—	—	—	—	1	—	—	—	6	—	29	30	18	5
Scrofula	0.07	27	4	4	4	—	—	—	1	2	—	3	4	—	1	2	—	—
Tuberc. Mesent.	1.14	412	101	148	28	8	—	379	12	4	6	3	2	—	3	2	—	—
Phthisis	1.90	691	52	10	4	3	6	83	16	31	79	103	165	175	57	56	10	2
Hydrocephalus	0.44	139	76	47	15	3	5	146	10	1	—	—	—	—	1	—	—	—
Diseases of Nervous Syst.	3.29	1193	629	82	40	23	15	780	26	14	9	11	20	35	50	68	115	47
Circulatory	1.11	402	—	—	1	—	—	—	9	8	16	11	24	61	50	69	87	29
Respiratory	3.34	1212	376	212	51	32	20	696	23	8	4	13	29	62	77	120	123	73
Digestive	0.88	355	75	20	8	2	2	107	8	7	7	19	30	45	61	41	44	20
Urinary	0.24	84	5	3	1	—	—	12	3	1	3	6	11	5	8	11	16	10
Generative	0.05	18	—	—	—	—	—	—	—	—	—	3	3	2	3	2	—	—
Childbirth	0.10	36	—	—	—	—	—	—	—	—	4	8	16	6	2	—	—	—
Suicide	0.06	20	—	—	—	—	—	—	—	—	—	2	3	6	5	1	—	—
Other Violence	0.75	273	13	5	8	7	11	44	19	23	18	22	30	32	50	23	16	10
OTHER CAUSES	5.30	1922	681	136	59	12	9	1107	21	8	13	10	28	31	26	65	109	367

Deaths of Infants (under one) to 1000 Births } 166

Marriages* - 2,938
Births - 16,413Annual Rate of Persons Married - 16.85
per 1000 living (Births) - 46.24

* This Table relates to the District of DURHAM, as constituted after the separation of the Union of Lanchester. The number of marriages and the corresponding rates are for the 64 years from 1st April 1875, and the births and deaths for the 6 years 1875-80. See also note to previous Table.

550.—EASINGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000.	—	25.17	—	—	—	—	—	55.98	8.45	4.76	7.16	9.48	9.62	12.38	16.75	32.27	61.74	165
Mean Pop. 1871-80	—	37,396	1321	1152	1208	1205	1128	6014	5387	4430	3644	3195	5237	3878	2747	1608	873	2
ALL CAUSES	25.17	9414	3007	1210	470	267	214	5188	455	211	261	303	504	480	400	548	530	4
Small-pox	0.78	293	51	20	17	22	16	124	41	22	9	27	59	25	4	4	1	
Measles	0.34	126	37	75	44	24	10	196	18	1	—	—	1	—	—	—		
Scarlet Fever	1.44	137	51	75	98	85	75	311	155	14	4	—	2	1	—	—		
Diphtheria	0.07	21	3	2	6	—	7	23	3	1	—	—	—	—	—	—		
Whooping-cough	0.51	208	89	67	27	13	5	201	7	—	—	—	—	—	—	—		
Typhus	0.15	59	1	—	3	1	1	6	8	9	10	7	8	5	2	3	1	
Enteric Fever	0.29	22	6	15	11	19	8	59	33	19	22	17	16	18	6	8	3	
Simple Cont. Fav.	0.13	50	1	1	5	2	6	15	8	7	4	5	4	1	3	2	—	
Pneum. Fever	0.11	40	—	—	—	—	—	—	—	—	2	10	18	10	—	—	—	
Diarr. and Dys.	1.16	431	225	169	21	10	1	366	11	1	1	2	4	—	—	10	14	
Cholera	0.03	11	1	—	2	—	1	4	1	—	—	—	—	2	2	—	1	
Cancer	0.40	150	—	—	—	—	1	1	—	1	2	—	5	36	27	51	18	
Scrofula	0.10	37	13	10	—	2	—	55	5	—	2	2	2	—	1	—	—	
Tuberc. Mesent.	1.01	377	149	160	83	5	6	333	7	5	3	1	6	—	1	—	—	
Fthisis	1.35	505	10	6	4	1	2	23	16	10	69	88	141	83	46	17	2	
Hydrocephalus	0.38	112	45	32	6	12	11	126	7	3	—	2	—	—	—	—	—	
Diseases of																		
Nervous Syst.	3.16	1181	626	100	43	18	18	803	18	11	10	6	23	29	59	74	91	
Respiratory	1.15	431	—	—	1	1	—	2	8	9	16	11	24	62	76	96	100	
Digestive	3.08	1159	286	202	81	21	17	107	25	6	9	10	29	34	62	93	104	
Urinary	1.32	491	147	56	13	9	5	230	8	8	6	12	20	87	51	62	45	
Generative	0.41	155	6	20	6	2	6	40	9	3	1	10	12	12	16	23	20	
Generative	0.05	20	—	—	—	—	—	—	—	—	1	—	5	3	5	4	2	
Childbirth	0.14	32	—	—	—	—	—	—	—	—	2	16	16	18	—	—	—	
Suicide	0.04	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violence	1.68	627	26	17	10	3	5	61	31	54	70	61	183	86	78	49	57	
OTHER CAUSES	5.31	1963	1154	225	59	17	12	1447	18	15	18	11	16	21	19	48	107	26

Deaths of Infants (under one) to 1000 Births } 168

Marriages - 2,682
Births - 17,969

Annual Rate of Persons Married per 1000 living { Births - 14.31
Births - 47.78

551.—HOUGHTON-LE-SPRING.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	7 and up
ANNUAL DEATH RATE PER 1000.	—	24.10	—	—	—	—	—	80.93	8.99	5.05	6.52	8.56	8.71	10.11	11.56	26.23	62.17	163
Mean Pop. 1871-80	—	30,138	1099	925	984	906	925	4839	4071	3182	2028	2651	4246	3126	2250	1506	756	3
ALL CAUSES	24.10	7268	2334	921	312	198	151	3016	365	176	191	227	371	316	326	395	470	5
Small-pox	0.61	191	21	9	5	8	8	52	41	22	11	18	25	14	3	3	3	
Measles	0.49	149	25	58	50	15	9	157	11	—	—	—	—	—	—	—	—	
Scarlet Fever	1.51	395	21	46	60	70	18	235	118	10	1	1	—	1	—	—	—	
Diphtheria	0.05	8	2	1	1	1	1	6	—	—	—	—	—	—	—	—	—	
Whooping-cough	0.42	147	81	44	19	7	2	165	1	—	—	—	—	—	—	—	—	
Typhus	0.07	29	—	—	1	—	1	2	4	2	1	4	1	3	2	1	—	
Enteric Fever	0.32	16	5	12	11	7	9	41	12	12	12	19	19	11	7	9	2	
Simple Cont. Fav.	0.23	69	5	9	6	7	4	31	12	5	4	2	5	2	1	2	2	
Pneum. Fever	0.11	38	—	—	—	—	—	—	—	—	2	11	21	4	—	—	—	
Diarr. and Dys.	1.51	464	240	151	21	3	1	413	4	—	1	5	2	—	—	7	12	
Cholera	0.05	15	3	4	—	1	—	10	4	—	—	—	—	—	—	—	—	
Cancer	0.26	78	—	—	—	—	—	—	—	—	1	1	4	11	17	23	13	
Scrofula	0.08	25	4	2	2	—	1	9	1	2	1	1	5	1	1	1	—	
Tuberc. Mesent.	0.83	211	93	102	23	4	3	221	12	4	2	1	1	4	1	—	—	
Fthisis	1.63	493	5	4	2	1	3	15	9	23	79	82	132	61	55	24	5	
Hydrocephalus	0.31	94	35	23	10	5	2	75	12	4	—	—	—	1	1	—	—	
Diseases of																		
Nervous Syst.	2.90	878	411	88	31	13	9	532	27	11	12	16	19	22	40	43	72	
Respiratory	0.82	247	—	2	—	—	—	2	7	9	6	4	17	33	21	50	34	
Digestive	2.47	1017	344	146	60	29	20	691	29	5	11	12	31	35	61	10	10	
Urinary	0.30	270	36	7	3	3	2	51	9	4	5	10	22	32	41	19	36	
Generative	0.20	59	—	—	—	1	1	5	2	1	1	4	4	9	7	10	10	
Generative	0.06	17	—	—	—	—	—	—	—	—	—	2	2	5	5	1	1	
Childbirth	0.11	42	—	—	—	—	—	—	—	—	3	11	15	12	—	—	—	
Suicide	0.02	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violence	0.81	243	10	10	8	10	3	41	12	20	21	15	24	11	2	27	18	
OTHER CAUSES	6.17	1694	964	407	28	11	14	1228	21	21	13	8	18	10	24	51	128	31

Deaths of Infants (under one) to 1000 Births } 170

Marriages - 2,405
Births - 13,669

Annual Rate of Persons Married per 1000 living { Births - 18.96
Births - 15.42

552.—CHESTER-LE-STREET.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	23.22	—	—	—	—	—	79.76	8.42	4.42	7.03	9.07	8.30	10.32	13.78	27.80	61.40	171.72
Mean Pop. 1871-80	—	38,320	1391	1073	1218	1161	1101	5884	5209	4530	3842	3350	5244	3991	2925	1946	992	348
ALL CAUSES	23.22	8901	2990	943	406	194	160	4603	446	200	270	302	435	412	403	541	610	589
Small-pox	0.54	308	23	7	10	7	8	55	17	19	15	22	23	18	13	5	1	—
Measles	0.37	149	24	58	25	8	6	121	19	—	—	—	—	—	—	—	—	—
Scarlet Fever	1.25	478	80	68	92	70	55	310	129	27	3	2	3	4	—	—	—	—
Diphtheria	0.05	20	3	—	2	—	4	9	9	—	—	—	1	—	1	—	—	—
Whooping-cough	0.33	123	58	42	16	6	1	123	2	—	—	—	—	—	—	—	—	—
Typhus	0.16	61	—	—	2	1	—	3	9	10	11	5	9	6	3	3	2	—
Enteric Fever	0.43	165	4	11	12	6	7	40	14	16	18	22	19	12	10	6	5	1
Simple Cont. Fev.	0.14	60	1	4	6	9	5	25	13	4	5	3	2	—	1	4	2	1
Puerp. Fever	0.11	41	—	—	—	—	—	—	—	1	7	21	12	—	—	—	—	—
Diarr. and Dys.	1.15	441	231	107	25	4	4	371	3	1	—	1	2	5	8	8	14	28
Cholera	0.02	7	—	1	1	—	—	2	—	—	—	—	—	1	—	2	2	—
Cancer	0.27	102	1	—	—	—	—	1	1	—	—	—	2	5	17	23	30	8
Scrophula	0.09	36	15	9	2	1	—	27	2	—	2	2	2	1	—	—	—	—
Tuberc. Mesent.	1.03	326	209	131	31	5	2	378	17	—	—	—	—	—	—	3	—	—
Phthisis	1.96	752	16	16	8	3	3	46	40	38	110	121	154	106	72	56	25	4
Hydrocephalus	0.43	165	81	39	18	8	6	152	6	4	3	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	2.85	1093	535	57	28	12	13	647	35	6	16	18	22	31	44	55	109	67
Circulatory	0.30	345	2	—	—	1	—	3	9	6	11	12	25	46	54	77	71	35
Respiratory	3.17	1216	413	212	69	29	20	743	90	11	15	17	23	44	50	87	119	74
Digestive	1.04	309	67	15	9	—	4	95	10	5	11	12	26	31	55	76	61	17
Urinary	0.20	76	1	1	4	2	—	8	3	2	2	4	5	7	9	13	17	6
Generative	0.04	17	—	—	—	—	—	—	—	—	—	4	2	—	5	5	1	—
Childbirth	0.13	20	—	—	—	—	—	—	—	—	6	8	19	16	1	—	—	—
Suicide	0.04	14	—	—	—	—	—	—	—	—	—	—	—	—	—	5	8	—
Other Violence	0.59	248	22	19	6	6	9	65	30	35	22	48	32	22	84	29	19	11
OTHER CAUSES	5.01	2151	1251	156	40	17	19	1477	33	16	6	14	24	25	29	69	148	347

Deaths of Infants (under one) to 1000 Births } 173

Marriages - 2,488
Births - 17,276

Annual Rate { Persons Married - 12.96
per 1000 living { Births - 45.08

553.—SUNDERLAND.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	23.98	—	—	—	—	—	79.28	9.75	4.20	5.47	7.18	8.82	13.12	18.93	36.06	74.47	175.99
Mean Pop. 1871-80	—	125,986	4093	3617	3802	3679	3549	18740	16427	13601	12620	11360	19118	14062	9690	6256	3087	966
ALL CAUSES	23.98	30201	8581	3277	1431	901	667	14857	1601	571	690	816	1687	1845	1836	2252	2299	1767
Small-pox	0.80	1610	174	72	59	65	64	434	170	57	56	107	85	58	31	10	1	1
Measles	0.41	317	102	100	89	59	36	485	29	2	—	—	1	—	—	—	—	—
Scarlet Fever	1.42	1787	81	274	267	292	239	1173	525	62	9	6	8	4	—	—	—	—
Diphtheria	0.12	145	15	25	21	17	15	96	30	6	4	2	2	—	—	2	—	1
Whooping-cough	0.70	886	737	789	123	70	39	838	27	—	—	—	—	1	—	—	—	—
Typhus	0.23	411	1	3	4	2	—	10	32	31	25	39	64	61	65	42	31	4
Enteric Fever	0.29	368	7	17	12	13	21	72	55	80	64	27	52	31	25	22	13	3
Simple Cont. Fev.	0.10	127	1	3	17	5	10	36	24	9	10	3	6	11	5	11	6	4
Puerp. Fever	0.10	122	—	—	—	—	—	—	—	—	10	40	44	21	3	—	—	—
Diarr. and Dys.	1.55	1708	993	405	90	13	3	1504	20	3	6	6	11	14	13	31	48	33
Cholera	0.03	37	12	2	—	1	3	18	3	—	—	—	1	4	—	2	1	2
Cancer	0.34	481	—	—	—	—	—	—	—	—	7	2	39	75	115	119	88	36
Scrophula	0.13	196	52	37	16	5	9	113	14	13	8	2	7	3	1	—	—	—
Tuberc. Mesent.	0.55	410	146	159	41	15	5	369	31	15	7	6	2	6	—	2	2	—
Phthisis	1.88	2,67	20	31	18	15	11	95	94	94	262	312	584	467	219	154	56	2
Hydrocephalus	0.28	475	171	119	61	29	24	404	53	9	3	2	4	1	—	—	—	—
Diseases of																		
Nervous Syst.	5.25	4029	1616	338	140	72	56	2502	141	33	46	56	103	152	246	384	493	300
Circulatory	1.53	1761	6	1	2	1	3	13	19	41	40	31	158	262	317	398	314	168
Respiratory	3.54	4485	1289	709	243	113	68	2418	102	21	33	35	103	295	472	518	396	—
Digestive	0.94	1183	162	28	18	5	2	224	36	31	18	27	93	163	227	168	46	—
Urinary	0.30	383	6	13	11	7	0	42	27	11	11	18	38	43	49	62	42	19
Generative	0.06	80	—	—	—	—	—	—	—	—	1	2	8	16	14	21	15	3
Childbirth	0.19	110	—	—	—	—	—	—	—	—	7	16	41	43	3	—	—	—
Suicide	0.06	73	—	—	—	—	—	—	—	—	1	9	11	11	17	13	10	1
Other Violence	0.75	147	79	86	70	24	29	189	83	65	54	61	129	115	99	78	48	20
OTHER CAUSES	4.75	6160	3320	557	144	75	48	4104	86	49	37	26	81	120	156	198	456	374

Deaths of Infants (under one) to 1000 Births } 166

Marriages - 12,161
Births - 51,731

Annual Rate { Persons Married - 19.31
per 1000 living { Births - 41.07

554.—SOUTH SHIELDS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	24.06	—	—	—	—	—	79.97	9.95	4.63	6.21	7.56	9.36	12.27	18.90	33.12	77.32	171.
Mean Pop. 1871-80	—	80,074	3132	2067	2872	2602	2613	14006	1153	9197	8272	8166	14377	10182	6557	3810	1790	58
ALL CAUSES	24.06	21434	6413	2593	1006	674	511	11200	1117	410	511	617	1345	1286	1239	1262	1384	90
Small-pox	0.84	745	107	42	50	69	51	410	115	50	56	77	10	11	19	11	1	—
Measles	0.30	360	78	144	59	33	20	326	19	1	—	—	—	—	—	—	—	—
Scarlet Fever	1.46	1201	74	190	210	210	175	859	304	48	12	4	13	2	1	—	—	—
Diphtheria	0.12	103	32	15	12	16	14	69	24	4	2	1	1	—	—	2	—	—
Whooping-cough	0.76	670	244	254	88	40	50	636	50	—	—	—	—	—	—	—	—	—
Typhus	0.11	94	—	1	—	3	1	5	11	10	14	12	12	10	8	5	6	—
Escarlatina	0.46	410	21	18	10	25	20	94	75	30	34	37	56	74	24	50	13	—
Simple Cont. Fev.	0.28	234	6	18	12	16	9	61	28	11	6	7	19	15	15	16	26	2
Pneum. Fever	0.9	81	—	—	—	—	—	—	—	—	6	12	42	21	—	—	—	—
Diarr. and Dys.	1.88	1207	714	332	41	12	4	1163	5	2	2	1	7	8	8	13	26	3
Cholera	0.64	35	15	8	1	—	—	24	1	—	—	—	1	1	3	2	1	—
Cancer	0.37	336	—	—	1	—	1	2	—	—	—	5	11	54	35	92	54	1
Scrophula	0.18	179	44	41	11	8	4	106	16	11	6	4	3	5	3	2	1	—
Tuberc. Mesent.	0.84	745	325	565	64	14	12	680	31	7	10	4	4	4	1	2	2	—
Phthisis	1.40	1638	261	30	18	9	11	94	66	87	166	227	431	513	179	66	21	—
Hydrocephalus	0.48	431	138	114	67	49	56	554	49	13	8	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	3.75	2780	190	100	84	43	3	161	49	43	26	24	60	19	145	28	167	14
Cerebratory	1.21	1077	6	1	2	2	2	13	13	17	25	27	105	174	194	114	24	8
Respiratory	3.89	3168	1135	264	175	79	55	2642	68	18	20	89	107	139	224	253	336	23
Digestive	0.97	862	163	31	15	6	6	223	21	10	19	21	72	87	118	125	129	6
Urinary	0.31	273	3	7	6	4	3	23	14	4	12	18	36	14	58	75	41	11
Generative	0.05	47	—	—	—	1	—	1	—	—	1	2	5	12	6	8	10	—
Childbirth	0.11	99	—	—	—	—	—	—	—	—	8	15	45	32	1	—	—	—
Suicide	0.04	36	—	—	—	—	—	—	—	—	—	1	11	7	3	—	4	—
Other Violence	0.18	672	78	28	19	29	15	158	56	63	79	54	125	168	89	66	43	8
OTHER CAUSES	4.23	3787	2314	294	81	41	34	2574	50	29	22	26	72	60	75	103	138	34

Deaths of Infants (under one) to 1000 Births - 164

Marriages - 7,154
Births - 39,021

Annual Rate of Persons Married per 1000 living (Births) - 16.06
- 43.81

555.—GATESHEAD.

ANNUAL DEATH RATE PER 1000	—	24.88	—	—	—	—	—	—	51.52	9.13	5.28	6.15	8.20	9.29	12.74	19.04	35.34	71.78	173.
Mean Pop. 1871-80	—	92,841	3216	2802	2628	2831	2762	14538	1238	10404	8784	8608	1406	10677	7607	4477	2180	69	—
ALL CAUSES	24.88	23050	6852	2610	1068	710	714	11851	1124	544	549	667	1399	1263	1312	1582	1637	111	—
Small-pox	0.55 <td>513<td>91<td>18<td>21<td>24<td>10<td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	513 <td>91<td>18<td>21<td>24<td>10<td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	91 <td>18<td>21<td>24<td>10<td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	18 <td>21<td>24<td>10<td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	21 <td>24<td>10<td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	24 <td>10<td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	10 <td>189<td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	189 <td>55<td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	55 <td>24<td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	24 <td>10<td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	10 <td>47<td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	47 <td>9<td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td></td>	9 <td>46<td>19<td>15<td>—<td>—<td>—</td></td></td></td></td></td>	46 <td>19<td>15<td>—<td>—<td>—</td></td></td></td></td>	19 <td>15<td>—<td>—<td>—</td></td></td></td>	15 <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Measles	0.42 <td>392<td>70<td>164<td>71<td>57<td>25<td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	392 <td>70<td>164<td>71<td>57<td>25<td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	70 <td>164<td>71<td>57<td>25<td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	164 <td>71<td>57<td>25<td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	71 <td>57<td>25<td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	57 <td>25<td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	25 <td>377<td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	377 <td>29<td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	29 <td>4<td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	4 <td>1<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	1 <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Scarlet Fever	1.60 <td>1483<td>89<td>240<td>230<td>259<td>185<td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1483 <td>89<td>240<td>230<td>259<td>185<td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	89 <td>240<td>230<td>259<td>185<td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	240 <td>230<td>259<td>185<td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	230 <td>259<td>185<td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	259 <td>185<td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	185 <td>973<td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	973 <td>44<td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	44 <td>74<td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	74 <td>16<td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	16 <td>8<td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	8 <td>—<td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td></td>	— <td>6<td>—<td>3<td>—<td>—<td>—</td></td></td></td></td></td>	6 <td>—<td>3<td>—<td>—<td>—</td></td></td></td></td>	— <td>3<td>—<td>—<td>—</td></td></td></td>	3 <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Diphtheria	0.67 <td>68<td>8<td>15<td>11<td>16<td>7<td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	68 <td>8<td>15<td>11<td>16<td>7<td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	8 <td>15<td>11<td>16<td>7<td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	15 <td>11<td>16<td>7<td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	11 <td>16<td>7<td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	16 <td>7<td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	7 <td>49<td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	49 <td>8<td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	8 <td>4<td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	4 <td>1<td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	1 <td>2<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	2 <td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	1 <td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	1 <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Whooping-cough	0.62 <td>579<td>231<td>109<td>65<td>35<td>22<td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	579 <td>231<td>109<td>65<td>35<td>22<td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	231 <td>109<td>65<td>35<td>22<td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	109 <td>65<td>35<td>22<td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	65 <td>35<td>22<td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	35 <td>22<td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	22 <td>735<td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	735 <td>21<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	21 <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Typhus	0.19 <td>97<td>1<td>—<td>2<td>1<td>—<td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	97 <td>1<td>—<td>2<td>1<td>—<td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1 <td>—<td>2<td>1<td>—<td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>2<td>1<td>—<td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	2 <td>1<td>—<td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1 <td>—<td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>4<td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	4 <td>10<td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	10 <td>8<td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	8 <td>7<td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td></td>	7 <td>12<td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td></td>	12 <td>17<td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td></td>	17 <td>9<td>31<td>12<td>6<td>—<td>—</td></td></td></td></td></td>	9 <td>31<td>12<td>6<td>—<td>—</td></td></td></td></td>	31 <td>12<td>6<td>—<td>—</td></td></td></td>	12 <td>6<td>—<td>—</td></td></td>	6 <td>—<td>—</td></td>	— <td>—</td>	—
Escarlatina	0.54 <td>480<td>18<td>45<td>27<td>29<td>2<td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	480 <td>18<td>45<td>27<td>29<td>2<td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	18 <td>45<td>27<td>29<td>2<td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	45 <td>27<td>29<td>2<td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	27 <td>29<td>2<td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	29 <td>2<td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	2 <td>132<td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	132 <td>60<td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	60 <td>51<td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	51 <td>53<td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td></td>	53 <td>41<td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td></td>	41 <td>56<td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td></td>	56 <td>49<td>19<td>11<td>8<td>—<td>—</td></td></td></td></td></td>	49 <td>19<td>11<td>8<td>—<td>—</td></td></td></td></td>	19 <td>11<td>8<td>—<td>—</td></td></td></td>	11 <td>8<td>—<td>—</td></td></td>	8 <td>—<td>—</td></td>	— <td>—</td>	—
Simple Cont. Fev.	0.11 <td>105<td>5<td>5<td>12<td>7<td>8<td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	105 <td>5<td>5<td>12<td>7<td>8<td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	5 <td>5<td>12<td>7<td>8<td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	5 <td>12<td>7<td>8<td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	12 <td>7<td>8<td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	7 <td>8<td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	8 <td>37<td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	37 <td>13<td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	13 <td>8<td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	8 <td>5<td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td></td>	5 <td>7<td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td></td>	7 <td>8<td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td></td>	8 <td>4<td>9<td>5<td>3<td>—<td>—</td></td></td></td></td></td>	4 <td>9<td>5<td>3<td>—<td>—</td></td></td></td></td>	9 <td>5<td>3<td>—<td>—</td></td></td></td>	5 <td>3<td>—<td>—</td></td></td>	3 <td>—<td>—</td></td>	— <td>—</td>	—
Pneum. Fever	0.68 <td>75<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	75 <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>—<td>24</td><td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	— <td>24</td> <td>35<td>14</td><td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	24	35 <td>14</td> <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	14	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Diarr. and Dys.	1.23 <td>1135<td>129<td>29<td>24<td>10<td>4<td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1135 <td>129<td>29<td>24<td>10<td>4<td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	129 <td>29<td>24<td>10<td>4<td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	29 <td>24<td>10<td>4<td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	24 <td>10<td>4<td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	10 <td>4<td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	4 <td>156<td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	156 <td>50<td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td></td>	50 <td>2<td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td></td>	2 <td>1<td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td></td>	1 <td>1<td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td></td>	1 <td>8<td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td></td>	8 <td>—<td>13<td>18<td>43<td>4<td>—</td></td></td></td></td></td>	— <td>13<td>18<td>43<td>4<td>—</td></td></td></td></td>	13 <td>18<td>43<td>4<td>—</td></td></td></td>	18 <td>43<td>4<td>—</td></td></td>	43 <td>4<td>—</td></td>	4 <td>—</td>	—
Cholera	0.04 <td>39<td>17<td>5<td>6<td>—<td>—<td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	39 <td>17<td>5<td>6<td>—<td>—<td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	17 <td>5<td>6<td>—<td>—<td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	5 <td>6<td>—<td>—<td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	6 <td>—<td>—<td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>28<td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	28 <td>1<td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	1 <td>—<td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td></td>	— <td>—<td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>2<td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td></td>	2 <td>—<td>—<td>1<td>2<td>—<td>—</td></td></td></td></td></td>	— <td>—<td>1<td>2<td>—<td>—</td></td></td></td></td>	— <td>1<td>2<td>—<td>—</td></td></td></td>	1 <td>2<td>—<td>—</td></td></td>	2 <td>—<td>—</td></td>	— <td>—</td>	—
Cancer	0.52 <td>285<td>1<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	285 <td>1<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1 <td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>1<td>1<td>—<td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1 <td>1<td>—<td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1 <td>—<td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td></td>	— <td>—<td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td></td>	— <td>—<td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td></td>	— <td>2<td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td></td>	2 <td>17<td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td></td>	17 <td>46<td>32<td>75<td>—<td>1<td>—</td></td></td></td></td></td>	46 <td>32<td>75<td>—<td>1<td>—</td></td></td></td></td>	32 <td>75<td>—<td>1<td>—</td></td></td></td>	75 <td>—<td>1<td>—</td></td></td>	— <td>1<td>—</td></td>	1 <td>—</td>	—
Scrophula	0.25 <td>212<td>16<td>45<td>18<td>9<td>9<td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	212 <td>16<td>45<td>18<td>9<td>9<td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	16 <td>45<td>18<td>9<td>9<td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	45 <td>18<td>9<td>9<td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	18 <td>9<td>9<td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	9 <td>9<td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	9 <td>117<td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	117 <td>21<td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	21 <td>12<td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	12 <td>9<td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	9 <td>5<td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	5 <td>7<td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td></td>	7 <td>7<td>2</td><td>—<td>—<td>—<td>—</td></td></td></td></td>	7 <td>2</td> <td>—<td>—<td>—<td>—</td></td></td></td>	2	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Tuberc. Mesent.	0.85 <td>793<td>341<td>275<td>81<td>40<td>12<td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	793 <td>341<td>275<td>81<td>40<td>12<td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	341 <td>275<td>81<td>40<td>12<td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	275 <td>81<td>40<td>12<td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	81 <td>40<td>12<td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	40 <td>12<td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	12 <td>743<td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	743 <td>32<td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	32 <td>15<td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	15 <td>8<td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	8 <td>1<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	1 <td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	1 <td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	1 <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Phthisis	2.22 <td>2033<td>327<td>32<td>20<td>11<td>2</td><td>115<td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	2033 <td>327<td>32<td>20<td>11<td>2</td><td>115<td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	327 <td>32<td>20<td>11<td>2</td><td>115<td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	32 <td>20<td>11<td>2</td><td>115<td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	20 <td>11<td>2</td><td>115<td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	11 <td>2</td> <td>115<td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	2	115 <td>70<td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td></td>	70 <td>117<td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td></td>	117 <td>204<td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td></td>	204 <td>288<td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td></td>	288 <td>568<td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td></td>	568 <td>77<td>—<td>120<td>14</td><td>—<td>—</td></td></td></td></td>	77 <td>—<td>120<td>14</td><td>—<td>—</td></td></td></td>	— <td>120<td>14</td><td>—<td>—</td></td></td>	120 <td>14</td> <td>—<td>—</td></td>	14	— <td>—</td>	—
Hydrocephalus	0.58 <td>508<td>192<td>132<td>61<td>35<td>56<td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	508 <td>192<td>132<td>61<td>35<td>56<td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	192 <td>132<td>61<td>35<td>56<td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	132 <td>61<td>35<td>56<td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	61 <td>35<td>56<td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	35 <td>56<td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td></td>	56 <td>693<td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td></td>	693 <td>50<td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td></td>	50 <td>17<td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td></td>	17 <td>4<td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td></td>	4 <td>—<td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td></td>	— <td>1<td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td></td>	1 <td>1<td>—<td>—<td>—<td>—<td>—</td></td></td></td></td></td>	1 <td>—<td>—<td>—<td>—<td>—</td></td></td></td></td>	— <td>—<td>—<td>—<td>—</td></td></td></td>	— <td>—<td>—<td>—</td></td></td>	— <td>—<td>—</td></td>	— <td>—</td>	—
Diseases of																			
Nervous Syst.	3.42	3175	1440	245	75	54	35	1847	88	41	40	64	17	111	14	28	318	16	—
Cerebratory	1.15	1084	4	—	2	2	2	11	24	19	25	16	—	15	1	21	26	9	—
Respiratory	3.65	3391	1620	523	167	95	54	1834	73	18	28	35	109	177	—	104	19	17	—
Digestive	1.01	940	161	28	10	7	6	442	21	14	21	24	1	1	—	8	—	3	—
Urinary	0.27	252	6	8	8	6	—	30	9	8	1	11	1	—	—	—	—	—	—
Generative	0.04	41	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
Childbirth	0.11	105	—	—	—	—	—	—	—	1	3	24	—	—	1	—	—	—	—
Suicide	0.04	36	—	—	—	—	—	—	—	—	—	—	—	—	14	1	7	—	—
Other Violence	0.73	678	14	19	26	14	12	175	41	50	49	—	—	—	—	13	38	6	—
OTHER CAUSES	4.83	453	218	114	57	34	7	256	58	11	24	—	—	—	—	10	304	51	—

Deaths of Infants (under one) to 1000 Births - 170

Marriages - 6,065
Births - 49,225

Annual Rate of Persons Married per 1000 living (Births) - 14.98
- 45.96

NORTHUMBERLAND.
556.—NEWCASTLE-ON-TYNE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	25.92	—	—	—	—	—	81.71	9.40	5.04	6.74	8.67	11.14	16.79	23.48	42.23	70.75	183.78
Mean Pop. 1871-80	—	140,725	4446	3968	3692	3867	3720	20002	16677	14523	14007	13618	22392	16423	11446	7068	3461	1109
ALL CAUSES	25.92	36,482	9915	8237	1492	994	703	16344	1507	732	944	1180	2494	2757	2687	2985	2700	2025
Small-pox	0.60	811	119	32	38	49	50	788	145	47	87	81	108	65	23	13	5	1
Measles	0.31	440	91	169	87	48	23	413	25	2	—	—	—	—	—	—	—	
Scarlet Fever	1.28	1797	109	237	304	318	214	1186	485	82	16	8	11	5	2	1	—	
Diphtheria	0.09	132	11	20	14	23	19	77	13	4	4	3	6	2	1	—	—	
Whooping-cough	0.60	828	337	249	122	61	39	792	37	3	—	—	—	—	—	—	—	
Typhus	0.14	197	1	4	3	4	1	18	7	17	13	18	26	34	35	15	9	
Enteric Fever	0.33	503	11	22	20	18	22	93	49	52	55	66	82	44	28	22	16	
Simple Cont. Fev.	0.10	142	5	5	9	11	14	44	21	16	8	1	9	13	8	3	5	
Puerp. Fever	0.09	127	—	—	—	—	—	—	—	—	12	21	34	37	—	—	—	
Diarr. and Dys.	1.39	1951	1182	355	61	22	6	1599	17	4	5	5	32	20	40	62	89	
Cholera	0.06	87	40	14	2	2	—	58	4	1	—	—	2	4	2	9	6	
Cancer	0.47	657	—	1	1	—	—	2	2	—	5	7	46	103	171	174	108	
Scrofula	0.13	185	61	20	7	3	8	99	16	16	15	9	10	3	4	7	4	
Tuberc Mesent.	0.73	1030	460	291	98	41	26	916	59	25	11	5	8	4	2	—	—	
Phthisis	2.26	3602	41	36	27	10	7	121	88	127	342	503	339	774	418	217	40	
Hydrocephalus	0.46	652	185	154	85	57	44	625	85	28	7	5	1	—	1	1	—	
Diseases of	3.72	5227	2121	388	150	84	63	2801	118	70	52	54	139	905	878	888	549	
Nervous Syst.	1.53	2154	13	—	—	—	2	19	21	44	64	59	171	371	396	467	412	
Circulatory	3.86	5426	1456	761	250	171	84	2672	123	34	51	64	186	316	409	576	646	
Respiratory	1.11	1563	245	31	14	9	9	208	23	24	37	50	109	221	238	274	180	
Digestive	0.34	484	6	4	8	4	11	63	27	14	16	29	76	65	63	84	64	
Urinary	0.08	112	—	—	—	—	—	—	—	—	4	4	17	23	26	21	13	
Generative	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	0.12	163	—	—	—	—	—	—	—	—	17	24	68	58	2	—	—	
Suicide	0.08	119	—	—	—	—	—	—	—	1	1	6	23	21	22	22	10	
Other Violence	1.08	1592	236	49	37	31	17	370	61	65	87	106	204	291	165	133	69	
OTHER CAUSES	4.63	6524	3211	401	147	78	56	3893	119	55	64	58	161	185	204	299	548	502

Deaths of Infants (under one) to 1000 Births } 176

Marriages - 19,064
Births - 60,237Annual Rate { Persons Married - 27.95
per 1000 living { Births - 39.96

557.—TYNEMOUTH.

ANNUAL DEATH RATE PER 1000.	—	22.90	—	—	—	—	—	73.87	8.19	4.48	6.36	7.88	9.00	12.32	17.35	30.99	69.33	165.95
Mean Pop. 1871-80.	—	104,392	3515	2972	3114	3039	2090	15621	13522	11374	9873	9385	15656	11650	8316	5337	2714	941
ALL CAUSES	22.90	23,910	6926	2577	986	599	451	11530	1108	510	628	740	1409	1435	1443	1654	1881	1562
Small-pox	0.43	447	41	14	14	15	23	107	58	23	35	59	75	58	20	5	6	1
Measles	0.83	349	79	133	56	33	29	321	24	2	—	2	—	—	—	—	—	—
Scarlet Fever	1.33	1391	87	232	254	190	169	832	350	67	19	10	9	2	1	—	—	—
Diphtheria	0.08	88	11	16	9	13	9	54	17	3	1	2	1	2	1	2	—	—
Whooping-cough	0.55	575	236	100	64	35	10	555	19	—	—	—	—	—	1	—	—	—
Typhus	0.10	101	1	1	1	4	3	10	17	11	10	17	7	11	11	6	3	—
Enteric Fever	0.33	348	11	14	15	14	12	66	54	40	43	23	45	18	18	14	12	2
Simple Cont. Fev.	0.16	167	7	11	11	11	10	53	40	4	10	11	12	8	12	6	7	3
Puerp. Fever	0.13	130	—	—	—	—	—	—	—	—	9	44	25	28	—	—	—	—
Diarr. and Dys.	1.16	1216	653	506	47	9	7	1022	11	3	—	5	8	12	17	23	33	43
Cholera	0.06	61	35	12	3	—	1	51	—	—	1	—	1	1	1	2	4	—
Cancer	0.41	424	—	—	—	—	2	2	—	1	—	2	19	44	100	120	97	39
Scrofula	0.11	112	30	14	4	3	3	54	12	8	10	4	8	9	4	—	1	—
Tuberc Mesent.	0.81	843	341	324	69	34	16	784	23	9	8	5	6	2	4	2	—	—
Phthisis	1.96	2650	48	48	34	12	7	139	59	98	199	279	510	565	272	125	37	4
Hydrocephalus	0.44	464	168	133	52	16	22	391	49	9	7	3	5	—	—	—	—	—
Diseases of	2.94	3674	1112	238	91	52	35	1538	103	57	46	55	69	116	194	321	292	239
Nervous Syst.	1.25	1504	6	8	2	3	2	16	30	39	32	41	114	172	255	273	281	91
Circulatory	3.90	3123	987	428	140	69	40	1633	64	25	39	35	56	148	290	276	344	235
Respiratory	1.10	1150	293	59	11	14	7	324	33	18	39	22	33	108	157	179	157	66
Digestive	0.30	316	9	21	5	10	5	50	17	9	5	8	31	32	28	48	37	25
Urinary	0.08	59	1	2	—	—	—	3	—	1	3	2	11	9	15	10	4	1
Generative	0.11	114	—	—	—	—	—	—	—	—	13	18	42	40	1	—	—	—
Childbirth	0.06	65	—	—	—	—	—	—	—	—	5	7	17	19	8	6	4	1
Suicide	0.91	982	28	27	21	21	19	146	64	69	72	79	151	153	103	91	51	30
Other Violence	4.75	4537	2732	318	93	42	29	3234	74	31	42	26	61	105	84	144	371	70
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under one) to 1000 Births } 161

Marriages - 8,025
Births - 42,945Annual Rate { Persons Married - 15.37
per 1000 living { Births - 41.14

558.—CASTLE WARD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS PER 1000	—	20'92	—	—	—	—	—	55'85	7'17	4'78	6'95	8'89	9'57	13'13	17'00	27'90	60'44	167'40
an Pop. 71-80	—	18,316	518	476	502	476	497	2469	2219	2029	1884	1600	2550	1988	1529	1129	637	273
L CAUSES	20'92	3831	890	256	98	65	70	1379	159	97	131	143	214	761	290	315	345	457
1-pox -	0'13	24	1	-	-	-	-	1	4	1	1	1	4	3	2	5	2	-
1-2 -	0'31	67	14	25	5	3	4	51	3	5	-	-	-	-	-	-	-	-
1-3 -	1'04	194	11	25	24	25	19	108	59	20	5	1	2	2	1	-	-	-
1-4 -	0'17	32	3	3	1	3	3	13	12	1	2	-	-	3	1	1	-	-
1-5 -	0'27	49	30	7	6	3	1	47	2	-	-	-	-	-	-	-	-	-
1-6 -	0'13	23	-	-	-	-	-	-	4	1	6	2	1	3	4	1	1	-
1-7 -	0'31	64	2	1	-	1	8	12	10	5	4	3	5	5	4	7	1	-
1-8 -	0'09	17	2	1	-	-	1	4	1	2	4	2	8	4	2	-	-	-
1-9 -	0'11	30	-	-	-	-	-	-	-	-	8	8	8	4	-	-	-	-
1-10 -	0'84	154	100	25	3	2	2	131	2	-	-	-	1	2	1	1	9	6
1-11 -	0'01	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1-12 -	0'32	59	-	-	-	-	-	-	-	-	1	1	1	9	17	14	9	8
1-13 -	0'19	16	3	-	-	-	1	4	-	1	3	-	1	2	-	1	4	1
1-14 -	0'47	86	36	24	11	-	3	74	6	5	1	-	-	-	-	-	-	-
1-15 -	2'17	397	5	3	2	1	-	11	6	17	54	57	100	55	20	28	9	4
1-16 -	0'33	61	33	18	5	1	-	57	1	1	-	1	1	-	-	-	-	-
1-17 -	3'24	594	132	32	16	4	5	183	11	5	9	11	80	67	37	77	69	75
1-18 -	1'45	266	-	-	-	-	-	-	1	3	4	5	9	26	43	60	69	46
1-19 -	2'49	456	119	50	14	10	7	290	17	6	4	8	13	29	17	24	70	69
1-20 -	1'32	221	47	3	1	-	-	53	5	6	7	5	12	12	21	47	43	15
1-21 -	0'38	69	3	-	-	1	1	6	1	1	6	4	-	8	2	3	14	13
1-22 -	0'04	8	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	-
1-23 -	0'16	29	-	-	-	-	-	-	-	-	11	11	6	1	-	-	-	-
1-24 -	0'09	16	-	-	-	-	-	-	-	-	1	2	2	3	1	4	1	2
1-25 -	0'74	135	12	5	4	6	6	33	6	11	7	12	17	18	12	7	9	3
1-26 -	4'24	776	337	84	7	5	7	394	8	6	13	7	17	11	22	24	71	213

Deaths of Infants (under
one) to 1000 Births - 134

Marrriages - 581
Births - 6920

Annual Rate { Persons Married - 6'34
per 1000 living { Births - 36'14

559.—HEXHAM.

ALL DEATHS PER 1000	—	19'64	—	—	—	—	—	17'99	6'96	1'63	6'43	9'34	9'23	9'85	17'31	29'18	43'46	151'81
an Pop- 71-80	—	33,314	923	843	897	895	873	4100	4106	3692	3157	2976	4540	3529	2837	2053	1267	551
L CAUSES	19'64	6542	1402	339	156	128	86	2111	249	171	216	278	419	351	391	599	804	553
1-pox	0'16	53	5	1	—	1	2	9	5	2	—	6	9	3	7	3	2	2
1-2	0'12	39	9	9	6	6	5	15	3	1	—	—	—	—	—	—	—	—
1-3	0'74	246	34	21	41	41	25	143	72	16	—	—	3	3	—	—	—	—
1-4	0'32	107	5	9	11	12	8	46	33	14	—	—	2	2	1	2	1	—
1-5	0'34	112	54	32	13	7	2	108	3	1	—	—	—	—	—	—	—	—
1-6	0'09	29	—	—	—	1	—	1	4	2	6	6	2	2	3	3	—	—
1-7	0'09	120	6	4	3	3	2	18	11	5	11	13	8	8	11	3	—	2
1-8	0'06	28	4	1	—	—	1	6	3	2	—	—	4	1	2	3	3	—
1-9	0'12	41	—	—	—	—	—	—	—	—	—	—	20	9	—	—	—	—
1-10	0'74	181	100	25	2	1	—	166	3	—	—	—	4	4	5	4	9	10
1-11	0'01	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
1-12	0'18	159	—	—	—	—	—	—	1	—	—	1	4	15	0	4	12	21
1-13	0'12	40	8	3	1	1	—	11	4	3	1	6	4	1	3	4	2	1
1-14	0'51	174	81	40	12	4	4	144	7	4	9	2	4	1	3	1	—	—
1-15	2'35	784	6	5	2	2	4	29	15	43	84	139	183	115	100	41	18	6
1-16	0'35	115	41	21	7	7	5	111	14	12	6	1	1	—	—	—	—	—
1-17	2'24	747	180	29	9	9	3	245	13	13	12	12	31	19	21	7	13	144
1-18	1'13	495	1	—	—	—	—	—	1	5	4	9	11	15	22	1	13	87
1-19	2'76	924	199	78	25	9	11	122	15	8	18	32	32	32	4	1	16	169
1-20	1'13	429	57	10	4	1	—	52	8	10	13	11	21	19	16	7	8	32
1-21	0'53	173	3	1	3	—	—	9	4	4	4	4	17	17	17	27	27	16
1-22	0'05	15	—	—	—	—	—	—	—	—	—	—	2	4	1	—	2	—
1-23	0'07	23	—	—	—	—	—	—	—	—	2	5	10	8	—	—	—	—
1-24	0'05	15	—	—	—	—	—	—	—	—	—	2	1	3	1	—	3	—
1-25	0'54	181	14	4	3	4	2	27	8	9	11	16	14	18	2	22	24	11
1-26	3'92	1412	692	41	15	15	9	781	13	17	11	10	29	12	16	—	14	537

Deaths of Infants (under
one) to 1000 Births - 125

Marrriages - 2857
Births - 11,376

Annual Rate { Persons Married - 12'31
per 1000 living { Births - 33'53

560.—HAITHWISTLE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000 }	—	16'66	—	—	—	—	—	33'72	4'25	2'83	5'56	8'01	9'33	7'98	13'01	25'06	60'98	134'2
Mean Pop. } 1871-80 }	—	7445	222	213	198	211	194	1038	918	812	755	637	997	789	607	447	305	10
ALL CAUSES	16'66	1240	213	56	25	14	12	350	30	23	42	51	93	63	79	112	188	202
Small-pox - -	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles - -	0'16	12	4	3	—	1	2	10	2	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0'30	22	2	2	4	2	3	13	4	—	2	—	1	—	1	—	—	—
Diphtheria - -	0'13	10	1	1	—	1	2	5	2	1	—	1	1	—	—	—	—	—
Whooping-cough	0'28	21	17	4	—	—	—	21	—	—	—	—	—	—	—	—	—	—
Typhus - -	0'05	4	—	—	—	—	—	—	1	—	—	—	2	—	—	1	—	—
Enteric Fever -	0'20	19	—	—	—	—	—	—	2	3	1	5	1	1	2	—	3	1
Simple Cont. Fev.	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever -	0'01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarr. and Dys.	0'35	26	18	4	—	—	—	17	1	—	—	—	—	1	—	1	5	5
Cholera - -	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer - -	0'27	20	—	—	—	—	—	—	—	—	—	—	—	—	2	3	10	5
Scrofula - -	0'12	9	4	2	—	—	—	6	—	1	1	—	1	—	—	—	—	—
Tubes Mesent.	0'24	25	13	1	1	—	—	15	3	1	—	1	—	—	1	—	1	2
Phthisis - -	2'40	179	—	—	—	1	1	2	—	8	28	28	51	28	14	18	6	1
Hydrocephalus	0'28	21	9	3	4	—	—	16	4	—	—	1	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	1'99	148	33	6	2	2	—	40	7	5	3	1	4	3	10	14	23	26
Circulatory "	1'80	131	3	1	—	—	1	5	1	1	—	2	2	10	18	21	44	30
Respiratory "	2'12	138	27	12	6	1	—	40	2	—	1	2	11	5	10	16	33	22
Digestive "	0'95	71	13	2	1	1	—	17	2	1	—	—	3	10	14	14	14	4
Urinary "	0'40	30	—	—	—	—	1	1	1	2	2	1	5	1	1	4	9	3
Generative "	0'05	4	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—
Childbirth - -	0'09	7	—	—	—	—	—	—	—	—	—	1	4	2	—	—	—	—
Suicide - -	0'07	5	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—
Other Violence	0'29	41	1	2	—	—	—	5	3	4	4	2	4	3	8	5	3	2
OTHER CAUSES	3'64	269	106	13	7	5	—	131	5	—	—	2	2	1	7	8	32	50

Deaths of Infants (under } 99 Marriages - 440 Annual Rate { Persons Married - 11'82
one) to 1000 Births } Births - 2,458 per 1000 living { Births - - - 33'02

561.—BELLINGHAM.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000 }	—	17'53	—	—	—	—	—	34'52	4'82	5'31	5'87	8'51	11'22	9'00	9'08	22'56	40'84	153'9
Mean Pop. } 1871-80 }	—	6594	187	157	169	177	150	840	707	603	596	552	882	722	606	461	311	134
ALL CAUSES	17'53	1156	197	45	20	15	13	290	37	32	35	47	99	65	55	104	155	237
Small-pox - -	0'05	3	—	1	—	—	—	4	—	—	—	—	—	—	—	2	—	—
Measles - -	0'09	6	2	1	—	1	—	4	1	—	1	—	—	—	—	—	—	—
Scarlet Fever -	0'57	38	3	4	3	4	2	16	15	3	—	2	1	—	—	1	—	—
Diphtheria - -	0'30	20	4	2	2	—	4	12	2	4	—	—	1	1	—	—	—	—
Whooping-cough	0'17	11	6	2	1	1	—	10	1	—	—	—	—	—	—	—	—	—
Typhus - -	0'08	5	—	—	—	—	—	—	—	1	—	—	3	—	—	—	1	—
Enteric Fever -	0'24	16	—	—	1	2	1	4	2	2	—	—	1	1	3	—	—	—
Simple Cont. Fev.	0'14	9	—	—	1	—	—	1	2	—	—	—	2	—	—	1	1	2
Puerp. Fever -	0'06	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Diarr. and Dys.	0'28	25	15	2	—	—	—	17	—	—	—	—	—	—	—	2	1	3
Cholera - -	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer - -	0'41	27	—	—	—	—	—	—	—	—	—	—	—	0	4	4	8	2
Scrofula - -	0'12	8	2	2	—	—	—	4	—	—	2	—	—	—	—	2	—	—
Tubes Mesent.	0'11	7	2	1	—	—	—	3	—	4	—	—	—	—	—	—	—	—
Phthisis - -	2'36	149	1	—	1	—	2	4	4	4	16	25	50	10	15	12	3	—
Hydrocephalus	0'30	20	8	6	2	2	—	18	1	—	—	—	—	1	—	—	—	—
Diseases of																		
Nervous Syst.	1'93	127	19	2	—	1	1	23	4	3	3	4	3	4	4	19	20	21
Circulatory "	1'58	91	2	—	—	—	—	2	—	1	—	1	6	5	6	14	26	20
Respiratory "	1'99	131	33	8	5	2	1	40	—	1	1	4	5	6	3	7	30	25
Digestive "	0'26	83	11	3	—	—	—	17	—	1	1	1	4	3	10	15	18	14
Urinary "	0'61	40	—	—	—	—	—	—	1	2	1	3	4	3	1	7	12	4
Generative "	0'14	9	—	—	—	—	—	—	—	—	1	—	—	2	1	2	2	—
Childbirth - -	0'08	5	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—
Suicide - -	0'04	3	—	—	—	—	—	—	—	—	—	—	1	1	—	2	1	—
Other Violence	0'59	39	4	—	1	—	—	5	1	3	1	2	6	6	2	6	5	2
OTHER CAUSES	4'19	278	85	9	3	1	2	100	3	3	6	4	6	5	4	9	28	114

Deaths of Infants (under } 101 Marriages - 330 Annual Rate { Persons Married - 10'01
one) to 1000 Births } Births - 1,053 per 1000 living { Births - - - 29'62

562.—MORPETH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS PER 1000	—	24.42	—	—	—	—	—	73.79	8.43	5.24	6.46	9.81	10.91	11.77	18.18	32.14	71.14	172.75
San Pop. 71-80	—	33,552	1111	907	1008	1005	960	4091	4426	3797	3235	2824	4640	3645	2679	1870	1036	400
ALL CAUSES	24.42	8195	2181	773	341	243	145	3683	373	199	209	277	507	429	487	601	737	801
1-pox - -	0.32	107	11	5	4	1	3	24	8	6	3	1	24	14	9	4	5	-
dys - -	0.38	129	30	42	20	18	5	115	10	-	-	2	2	-	-	-	-	-
et Fever -	1.67	561	28	90	102	95	61	376	141	25	8	2	5	2	-	-	2	-
theria - -	0.16	55	5	13	8	7	4	38	13	3	-	1	-	-	-	-	-	-
oping-cough	0.61	206	104	59	16	15	3	197	9	-	-	-	-	-	-	-	-	-
as - -	0.01	21	1	-	2	2	-	5	2	2	-	-	1	3	2	1	4	1
rie Fever -	0.54	182	5	9	15	7	6	42	29	20	16	18	22	12	19	4	6	3
le Cont. Fev.	0.20	66	8	8	7	4	2	29	11	6	3	1	1	5	1	3	3	1
p. Fever - -	0.13	42	-	-	-	-	-	-	-	-	3	11	10	8	-	-	-	-
r. and Dys.	1.11	374	204	86	18	6	5	314	3	-	1	4	3	4	5	6	13	21
ra - -	0.08	10	1	1	-	2	1	5	2	-	-	1	-	-	-	1	1	-
er - -	0.43	143	-	-	-	-	-	-	-	-	2	1	5	16	16	48	28	17
ia - -	0.08	27	9	1	-	2	1	13	-	2	1	1	3	2	1	1	2	-
le Mesent.	0.82	276	88	127	33	4	-	253	10	5	2	1	3	-	-	1	-	-
ia - -	3.28	764	9	6	3	7	2	27	18	40	95	117	193	129	89	41	23	-
ocephalus -	0.47	157	71	32	17	9	7	133	13	3	2	1	-	2	-	-	-	-
Nervous Syst.	3.89	1139	314	66	22	21	15	478	32	18	16	18	47	62	92	122	145	116
Circulatory "	1.45	479	2	-	1	-	-	3	4	7	6	10	37	40	69	105	125	69
Respiratory "	2.76	926	331	115	38	18	17	419	14	9	6	10	23	38	46	89	114	72
Digestive "	1.32	444	84	18	1	3	5	199	9	8	13	7	22	40	60	77	74	35
Urinary "	0.40	135	3	6	2	3	2	16	3	3	2	6	11	11	29	21	29	19
Generative "	0.16	19	-	-	-	-	-	-	-	-	-	1	2	4	8	3	1	-
Birth - -	0.11	37	-	-	-	-	-	-	-	-	2	10	16	9	2	-	-	-
de - -	0.04	13	-	-	-	-	-	-	-	-	-	-	5	2	5	1	1	1
r Violence -	0.79	263	15	5	10	6	3	41	15	22	16	21	29	36	31	18	18	16
ALL CAUSES -	4.83	1616	823	31	23	8	8	943	27	19	12	12	12	23	31	63	158	316

Deaths of Infants (under one) to 1000 Births - 141

Marriages - 2,304
Births - 15,508

Annual Rate of Persons Married per 1000 living { Births - 14.27
Births - 46.22

563.—ALNWICK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS PER 1000	—	19.61	—	—	—	—	—	61.94	6.79	4.68	6.08	7.87	10.03	12.53	14.72	24.53	60.50	158.36
San Pop. 71-80	—	20,358	523	469	530	509	497	2533	2502	2156	2064	1741	2817	2123	1821	1500	924	377
ALL CAUSES	19.61	4031	703	192	92	69	57	1113	179	101	144	137	308	296	268	368	539	597
1-pox - -	0.07	14	-	-	-	-	-	-	-	-	4	1	1	2	2	1	1	-
dys - -	0.19	89	7	16	7	3	-	33	5	-	-	-	-	1	-	-	-	-
et Fever -	0.75	155	6	16	20	20	21	83	47	15	7	1	1	-	1	-	-	-
theria - -	0.08	16	-	2	2	3	3	10	4	-	1	-	-	1	-	-	-	-
oping-cough	0.25	52	19	17	6	3	3	48	4	-	-	-	-	-	-	-	-	-
as - -	0.03	5	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-
rie Fever -	0.32	65	1	2	5	3	3	14	3	5	12	5	4	8	9	4	3	1
le Cont. Fev.	0.08	18	-	1	-	-	-	1	4	3	-	1	1	-	2	1	3	-
p. Fever - -	0.07	11	-	-	-	-	-	-	-	-	1	5	6	2	-	-	-	-
r. and Dys.	0.39	81	33	7	2	1	-	41	3	-	1	-	4	1	3	3	6	14
ra - -	0.00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
er - -	0.46	93	-	-	-	-	-	-	1	-	-	-	2	16	15	19	33	13
ia - -	0.08	12	2	1	-	-	-	3	1	1	2	-	1	1	2	1	-	-
le Mesent.	0.16	32	12	9	4	-	-	25	3	1	1	3	4	4	-	-	-	-
ia - -	2.84	583	5	3	2	2	3	15	12	29	81	72	170	94	58	38	14	-
ocephalus -	0.28	57	18	15	2	2	1	28	16	2	-	-	-	-	4	-	-	-
Nervous Syst.	3.89	573	122	22	9	6	2	161	14	12	5	7	20	27	52	73	110	110
Circulatory "	1.45	299	2	2	1	-	1	6	6	5	4	5	24	18	43	39	61	60
Respiratory "	2.74	528	153	43	15	8	7	236	11	2	5	7	15	17	29	61	98	109
Digestive "	1.22	251	30	3	1	2	3	39	8	4	3	4	4	20	19	40	68	34
Urinary "	0.48	98	1	1	1	2	1	6	3	3	3	3	10	0	11	23	36	9
Generative "	0.05	16	-	-	-	-	-	-	-	-	-	1	1	1	3	6	2	3
Birth - -	0.10	21	-	-	-	-	-	-	-	-	1	4	9	6	1	-	-	-
de - -	0.07	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3
r Violence -	0.57	117	10	1	5	4	1	21	4	4	5	7	9	29	10	11	10	6
ALL CAUSES -	4.08	879	590	52	9	10	7	338	29	15	2	12	12	23	19	38	97	240

Deaths of Infants (under one) to 1000 Births - 113

Marriages - 1,204
Births - 6,270

Annual Rate of Persons Married per 1000 living { Births - 11.71
Births - 30.50

564.—BELFORD.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000 }	—	15.68	—	—	—	—	—	31.86	4.13	2.92	2.92	7.05	7.27	8.12	10.41	26.57	56.25	168.28
Mean Pop. } 1871-80 }	—	5792	140	134	130	124	144	681	653	651	610	539	770	554	538	414	256	129
ALL CAUSES	15.63	908	153	35	12	12	5	217	27	19	18	38	56	43	56	110	144	178
Small-pox - -	0.19	11	—	2	—	—	—	2	—	—	1	1	3	—	2	1	1	—
Measles - -	0.03	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0.19	11	1	—	1	2	—	4	4	2	1	—	—	—	—	—	—	—
Diphtheria - -	0.10	6	—	—	—	1	—	1	3	1	—	—	—	—	—	1	—	—
Whooping-cough	0.28	10	9	8	1	2	—	15	3	—	—	—	—	—	—	—	—	—
Typhus - -	0.02	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Enteric Fever -	0.33	19	—	—	2	—	—	2	1	1	2	5	—	—	1	6	3	—
Simple Cont. Fev.	0.09	5	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—
Puerp. Fever -	0.10	6	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—
Diarr. and Dys. -	0.21	14	5	—	—	—	—	5	—	—	—	—	—	1	1	—	2	5
Cholera - -	0.02	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cancer - -	0.34	21	—	—	—	—	—	—	—	—	—	—	—	—	5	8	4	2
Scrofula - -	0.03	2	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Tuberc. Mesent.	0.24	14	9	3	—	—	—	13	—	—	—	—	1	—	—	—	—	—
Phthisis - -	1.71	99	1	1	—	—	—	97	2	4	7	22	26	9	9	10	7	—
Hydrocephalus -	0.33	19	5	4	—	4	2	15	3	—	—	1	—	—	—	—	—	—
Diseases of Nervous Syst.	1.74	101	15	3	2	1	—	22	5	—	1	1	3	6	4	14	56	19
Cerebratory - -	1.82	84	1	—	—	—	1	2	1	2	1	1	4	6	10	23	21	15
Respiratory - -	1.92	111	20	11	5	1	—	37	3	1	1	1	2	6	5	13	22	29
Digestive - -	1.04	69	11	1	—	—	—	13	1	—	—	—	1	3	9	9	18	4
Urinary - -	0.36	15	—	—	—	—	—	—	—	—	—	—	1	2	—	5	6	2
Generative - -	0.05	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Childbirth - -	0.07	4	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—
Suicide - -	0.05	3	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—
Other Violence -	0.50	24	2	—	—	—	—	2	3	—	1	2	6	3	3	4	5	2
OTHER CAUSES -	4.16	241	72	6	—	—	—	78	—	4	2	1	2	3	3	13	32	104

Deaths of Infants (under one) to 1000 Births - } 104 Marriages - 353 Annual Rate (Persons Married - 12.19
Births - 1,476 per 1000 living (Births - 25.48

565.—BERWICK.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000 }	—	19.94	—	—	—	—	—	40.79	6.40	4.00	4.28	8.01	9.21	10.08	13.33	28.28	68.35	167.00
Mean Pop. } 1871-80 }	—	21,222	551	502	581	515	546	2695	2547	2376	2175	1772	2715	2248	1875	1464	1054	401
ALL CAUSES	19.94	4232	758	210	138	81	84	1261	103	95	93	142	250	240	230	414	654	670
Small-pox - -	0.12	25	7	—	1	1	3	12	3	—	—	9	3	2	5	—	—	—
Measles - -	0.24	50	10	15	9	3	4	41	6	2	—	—	1	—	—	—	—	—
Scarlet Fever -	0.02	195	11	21	29	29	29	119	32	17	2	1	3	1	—	—	—	—
Diphtheria - -	0.24	49	6	5	9	7	9	36	6	4	1	2	—	—	—	—	—	—
Whooping-cough	0.22	67	26	15	10	5	2	64	3	—	—	—	—	—	—	—	—	—
Typhus - -	0.03	7	1	—	—	1	—	2	—	—	—	1	—	1	—	1	—	—
Enteric Fever -	0.43	92	—	4	7	3	5	19	17	9	9	9	7	8	5	5	3	1
Simple Cont. Fev.	0.10	21	1	1	2	1	2	7	2	5	1	—	2	1	1	—	1	1
Puerp. Fever -	0.14	9	—	—	—	—	—	—	—	—	—	2	5	2	—	—	—	—
Diarr. and Dys. -	0.07	13	73	15	1	3	—	92	—	1	1	2	1	3	2	7	12	23
Cholera - -	0.07	14	7	3	—	—	—	10	1	1	—	—	1	—	—	1	—	—
Cancer - -	0.37	122	—	—	—	—	—	—	1	—	—	—	—	—	23	24	41	17
Scrofula - -	0.08	17	4	3	2	—	—	9	1	1	—	—	2	—	10	25	41	1
Tuberc. Mesent.	0.15	32	13	12	2	1	—	28	3	1	—	—	—	—	—	—	1	—
Phthisis - -	1.83	388	—	—	—	1	4	5	14	17	47	63	109	63	27	23	13	2
Hydrocephalus -	0.28	60	13	15	7	7	4	46	8	4	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.36	391	53	7	6	2	2	63	8	5	2	10	16	18	46	83	133	109
Cerebratory - -	1.75	232	1	1	—	—	—	3	1	1	2	5	18	24	42	91	120	73
Respiratory - -	1.96	417	103	22	11	4	7	147	3	3	5	9	16	17	30	58	83	29
Digestive - -	1.18	251	54	3	4	1	—	12	3	3	4	6	11	15	23	40	53	28
Urinary - -	0.31	73	—	—	—	—	—	1	1	4	1	1	6	10	6	14	21	5
Generative - -	0.06	12	—	—	—	—	—	—	—	1	—	—	1	3	—	3	1	3
Childbirth - -	0.09	10	—	—	—	—	—	—	—	—	—	4	8	7	—	—	—	—
Suicide - -	0.07	15	—	—	—	—	—	—	—	—	—	—	2	—	4	5	1	—
Other Violence -	0.76	162	15	1	2	2	4	24	10	9	9	10	28	22	16	9	12	13
OTHER CAUSES -	5.19	1069	561	67	20	8	9	465	18	10	8	7	11	15	19	49	137	240

Deaths of Infants (under one) to 1000 Births - } 117 Marriages - 1,390 Annual Rate (Persons Married - 13.15
Births - 6,407 per 1000 living (Births - 30.61

NORTHUMB.] Deaths in Registration Districts in the Ten Years 1871-80.

566.—GLENDALE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000	—	14.74	—	—	—	—	—	24.66	1.72	3.73	4.38	5.21	7.10	7.07	11.50	22.76	39.96
Mean Pop. 1871-80	—	11,561	280	266	294	288	281	1415	1355	1313	1211	1037	1543	1202	1026	769	482
ALL CAUSES	14.74	1704	296	57	25	22	19	349	61	43	53	54	111	85	118	175	280
Small-pox	0.04	5	—	1	—	—	—	1	1	—	—	—	—	—	1	1	1
Measles	0.10	12	2	3	2	—	1	8	—	2	—	—	—	—	—	—	—
Scarlet Fever	0.34	42	2	3	1	4	7	17	18	4	2	—	—	—	1	—	—
Diphtheria	0.03	10	1	1	2	1	1	6	3	—	—	—	1	—	—	—	—
Whooping-cough	0.29	30	12	6	7	2	2	29	1	—	—	—	—	—	—	—	—
Typhus	0.03	3	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1
Euteric Fever	0.49	57	1	—	3	1	1	6	12	8	6	7	6	5	2	3	2
Simple Cont. Fev.	0.13	15	1	—	—	1	—	2	2	—	—	—	2	—	—	3	4
Powp. Fever	0.07	8	—	—	—	—	—	—	—	—	—	—	5	3	—	—	—
Diarr. and Dys.	0.21	24	7	—	1	—	—	8	1	1	—	—	—	—	—	2	5
Cholera	0.01	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Cancer	0.37	43	—	—	—	—	—	—	—	—	—	—	—	5	8	12	10
Scrofula	0.04	7	2	1	—	—	—	3	—	1	2	—	—	—	1	—	—
Taken Mcont.	0.10	12	6	1	1	1	—	9	1	1	1	—	—	—	—	—	—
Phthisis	1.61	188	—	1	1	2	—	4	2	15	21	23	27	50	17	12	5
Hydrocephalus	0.16	19	5	0	1	1	3	16	2	1	—	—	—	—	—	—	—
Diseases of																	
Nervous Syst.	1.67	194	19	8	1	—	1	29	5	2	1	6	6	5	13	16	37
Circulatory	1.78	206	—	—	—	—	—	—	1	1	4	2	2	5	4	18	24
Respiratory	1.68	194	35	12	2	4	1	54	5	1	3	5	8	10	27	38	—
Digestive	0.99	115	18	2	1	2	—	23	2	2	2	1	1	7	15	23	22
Urinary	0.38	44	2	—	—	—	—	2	2	1	—	1	4	3	4	6	6
Generative	0.06	7	1	—	—	—	—	1	—	—	—	1	1	—	2	—	1
Childbirth	0.10	11	—	—	—	—	—	—	—	—	—	2	3	5	1	—	—
Suicide	0.06	7	—	—	—	—	—	—	—	—	—	1	1	—	—	2	—
Other Violence	0.36	4	—	3	—	—	—	4	1	3	4	2	4	6	4	13	7
OTHER CAUSES	8.52	401	112	9	1	3	1	126	4	6	6	2	2	6	16	13	43

Deaths of Infants (under one) to 1000 Births } 74

Marriages - 674
Births - 3,018

Annual Rate of Persons Married - 11.63
per 1000 living { Births - 26.36

567.—ROTHBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000	—	15.75	—	—	—	—	—	27.97	6.00	3.79	3.80	6.87	6.61	11.14	11.24	21.26	35.96
Mean Pop. 1871-80	—	8895	100	163	187	169	170	858	805	788	710	611	923	743	605	470	281
ALL CAUSES	15.75	1096	175	30	13	7	15	240	40	24	27	42	61	83	68	114	159
Small-pox	0.07	5	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—
Measles	0.06	4	—	2	—	—	1	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.42	43	—	1	5	1	6	12	20	5	1	1	—	—	—	1	—
Diphtheria	0.15	10	1	—	—	1	—	2	5	3	1	1	—	—	—	—	—
Whooping-cough	0.20	14	10	2	—	—	1	13	1	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Euteric Fever	0.10	14	—	1	—	—	—	1	2	1	2	2	—	2	1	—	2
Simple Cont. Fev.	0.19	7	—	1	—	—	—	1	1	1	—	—	—	—	—	—	1
Powp. Fever	0.07	5	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—
Diarr. and Dys.	0.21	16	3	1	—	—	—	4	—	—	—	—	1	1	2	—	2
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Cancer	0.34	26	—	—	—	—	—	—	—	—	—	—	1	—	5	7	8
Scrofula	0.12	8	1	1	—	—	—	2	2	—	—	1	—	1	1	1	—
Taken Mcont.	0.04	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	2.19	151	1	—	—	—	—	1	3	5	15	19	20	41	11	14	3
Hydrocephalus	0.25	16	5	0	1	—	—	12	1	1	1	—	1	—	—	—	—
Diseases of																	
Nervous Syst.	2.20	181	32	5	—	1	2	40	5	4	1	3	6	8	12	16	31
Circulatory	1.17	81	—	—	—	1	—	1	—	2	—	—	1	2	4	1	11
Respiratory	1.55	107	28	3	—	1	—	35	2	1	1	—	2	3	6	1	24
Digestive	1.29	89	9	—	—	—	—	29	1	—	—	—	—	—	—	—	22
Urinary	0.21	16	—	—	—	—	—	—	—	—	—	1	—	—	2	—	6
Generative	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.07	5	—	—	—	—	—	—	—	—	—	—	2	3	—	1	1
Suicide	0.07	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.36	3	—	2	1	—	2	6	—	2	1	1	1	3	6	2	3
OTHER CAUSES	4.01	274	80	5	2	—	4	94	1	—	1	1	6	2	7	11	19

Deaths of Infants (under one) to 1000 Births } 93

Marriages - 313
Births - 1,880

Annual Rate of Persons Married - 9.05
per 1000 living { Births - 27.27

CUMBERLAND.

568.—ALSTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	19'86	—	—	—	—	—	46'52	6'47	3'00	7'66	9'95	9'01	10'23	25'06	14'18	10'24	15'21
Mean Pop. 1871-80	—	5151	143	108	136	130	130	647	634	593	548	422	666	593	495	316	165	71
ALL CAUSES	19'86	1023	209	42	21	11	18	301	41	18	42	42	60	61	124	108	118	168
Small-pox	0'06	3	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—
Measles	0'29	15	2	7	4	—	—	14	1	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'31	16	1	2	1	3	6	13	3	—	—	—	—	—	—	—	—	—
Diphtheria	0'41	21	1	—	—	—	3	9	10	—	—	—	1	1	—	—	—	—
Whooping-cough	0'23	12	4	6	1	—	1	12	—	—	—	—	—	—	—	—	—	—
Typhus	0'02	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0'19	10	1	—	1	1	—	3	1	1	3	—	1	—	—	—	—	—
Simple Cont. Fev.	0'05	4	—	1	—	—	1	2	—	—	—	—	1	—	—	—	—	1
Puerp. Fever	0'04	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarr. and Dys.	0'58	20	19	3	—	—	—	22	1	—	—	—	—	—	—	1	4	1
Cholera	0'02	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	0'50	50	—	—	—	—	—	—	—	—	—	—	1	1	2	6	8	5
Scrofula	0'14	7	1	—	—	—	—	1	1	—	1	—	—	1	—	1	1	—
Tuberc Mesent.	0'16	8	4	—	1	—	—	5	2	—	—	—	—	—	—	—	—	—
Phthisis	2'54	131	5	2	2	1	—	1	4	18	20	30	21	24	7	5	1	—
Hydrocephalus	0'31	16	5	2	2	—	2	11	3	2	—	—	—	—	—	—	—	—
Diseases of	1'88	97	21	2	1	—	—	24	—	4	5	1	3	6	11	5	21	10
Nervous Syst.	0'87	45	—	—	—	—	—	—	1	2	—	1	2	5	11	6	20	1
Circulatory	4'25	219	63	12	4	2	2	73	6	3	2	4	8	9	30	37	26	2
Respiratory	1'44	74	9	2	—	—	1	12	3	—	4	3	3	6	10	16	10	1
Digestive	0'25	13	—	—	—	—	—	—	1	—	—	2	3	—	3	2	1	—
Urinary	0'01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Generative	0'10	5	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
Childbirth	0'10	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'02	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'45	23	1	—	—	—	—	1	2	1	1	—	2	3	7	4	1	1
OTHER CAUSES	4'68	241	85	5	5	2	1	36	5	1	6	4	5	6	15	18	29	32

Deaths of Infants (under one) to 1000 Births } 135

Marriages - 339
Births - 1547Annual Rate { Persons Married - 13'16
per 1000 living { Births - 30'03

569.—PENRITH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000.	—	18'67	—	—	—	—	—	12'56	4'48	3'76	5'22	5'80	9'15	10'61	14'76	25'87	61'54	131'4
Mean Pop. 1871-80	—	23,489	612	571	605	588	535	2014	2722	2497	2356	2070	3124	2485	2128	1658	1027	40
ALL CAUSES	18'67	4380	858	172	106	6	53	1253	122	94	123	129	286	289	314	429	632	72
Small-pox	0'03	6	—	1	—	—	—	1	—	—	—	—	—	—	—	2	1	—
Measles	0'17	40	11	9	7	—	—	31	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0'37	16	7	7	1	—	—	20	19	12	1	1	2	—	1	—	—	—
Diphtheria	0'06	14	—	2	—	—	—	11	—	2	—	—	—	—	—	—	—	—
Whooping-cough	0'21	68	42	13	—	—	—	68	—	—	—	—	—	—	—	—	—	—
Typhus	0'01	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Enteric Fever	0'20	48	1	1	—	—	—	2	—	4	6	—	7	3	10	2	2	1
Simple Cont. Fev.	0'03	8	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0'05	11	—	—	—	—	—	—	—	—	1	2	6	2	—	—	—	—
Diarr. and Dys.	0'32	71	18	6	—	—	—	45	—	—	—	—	3	—	2	4	8	1
Cholera	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'57	131	—	—	—	—	—	—	—	—	—	—	1	11	22	38	44	10
Scrofula	0'13	31	—	4	—	—	—	16	1	2	2	1	2	2	—	1	1	—
Tuberc Mesent.	0'09	20	6	3	—	—	—	12	—	1	2	1	—	—	—	—	—	—
Phthisis	2'14	101	2	7	—	—	—	98	—	20	52	67	123	101	63	37	12	—
Hydrocephalus	0'32	121	50	24	—	10	—	98	12	9	3	1	—	—	—	—	—	—
Diseases of	2'32	544	106	12	—	—	—	106	19	10	15	8	26	34	43	75	98	8
Nervous Syst.	1'63	391	2	1	—	—	—	5	5	5	6	5	11	20	39	82	121	8
Circulatory	2'96	688	71	53	22	—	—	201	15	2	8	7	10	30	39	64	129	12
Respiratory	1'06	218	27	3	—	—	—	35	2	7	6	6	15	25	35	47	46	5
Digestive	0'41	195	—	1	—	—	2	4	2	1	1	1	9	9	9	22	21	1
Urinary	0'01	10	—	—	—	—	—	—	—	—	—	—	—	4	—	1	4	—
Generative	0'06	13	—	—	—	—	—	—	—	—	1	—	7	3	—	—	—	—
Childbirth	0'11	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'61	145	12	4	—	—	—	30	1	9	11	10	19	11	15	10	5	1
OTHER CAUSES	4'45	191	374	21	—	9	10	431	3	10	7	6	22	21	21	42	121	22

Deaths of Infants (under one) to 1000 Births } 121

Marriages - 1,570
Births - 7,160Annual Rate { Persons Married - 13'37
per 1000 living { Births - 30'32

570.—BRAMPTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
AL DEATH s PER 1000	—	18.24	—	—	—	—	—	39.40	5.14	3.17	4.93	7.33	8.11	11.35	11.52	26.95	37.83	17.33
n Pop. 1-80	—	10,587	267	226	269	228	246	1236	1225	1197	1076	955	1393	1084	923	757	498	213
CAUSES	18.24	1931	544	75	32	18	18	487	63	38	53	70	113	123	131	204	288	358
pox - -	0.04	4	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
Fever - -	0.13	14	4	7	-	1	-	12	1	-	-	1	-	-	-	-	-	-
ria - -	0.26	59	1	10	9	5	4	29	26	3	1	-	-	-	-	-	-	-
ing-cough	0.10	11	2	1	1	1	-	5	5	-	1	-	-	-	-	-	-	-
ing-cough	0.29	41	22	11	3	2	3	41	-	-	-	-	-	-	-	-	-	-
Fever - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cont. Fev. - -	0.16	17	1	1	-	-	-	2	-	-	3	5	2	-	2	1	2	-
Fever - -	0.04	4	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-
and Dye. - -	0.09	9	-	-	-	-	-	-	-	-	-	4	5	-	-	-	-	-
and Dye. - -	0.20	53	34	5	1	-	1	39	-	-	-	-	-	-	1	1	6	6
and Dye. - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mesent. - -	0.61	65	-	-	-	-	-	5	2	-	-	-	1	6	10	20	15	13
Mesent. - -	0.09	10	5	1	2	-	-	9	2	1	1	2	2	-	1	1	-	-
Mesent. - -	1.92	203	4	1	-	1	-	2	2	11	24	41	45	87	17	16	3	5
Mesent. - -	0.22	24	6	5	1	-	1	13	5	2	1	1	1	-	-	-	-	-
Mesent. - -	2.14	227	41	8	3	3	3	58	5	5	1	6	6	13	13	27	55	80
Mesent. - -	1.80	191	-	-	-	-	-	1	1	2	3	5	9	11	17	45	50	39
Mesent. - -	2.61	276	54	11	5	-	1	71	6	8	7	2	13	18	22	24	41	61
Mesent. - -	1.31	139	32	1	3	1	4	41	2	4	4	1	8	7	16	17	22	10
Mesent. - -	0.51	54	1	-	-	-	-	1	-	3	2	1	3	2	5	9	17	8
Mesent. - -	0.04	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1
Mesent. - -	0.05	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Mesent. - -	0.05	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2
Mesent. - -	0.14	57	4	8	2	2	-	11	1	-	2	2	3	9	11	4	6	8
Mesent. - -	4.77	442	133	9	1	1	1	147	4	4	1	2	10	13	9	29	55	198

Deaths of Infants (under one) to 1000 Births - 117 Marriages - 707 Annual Rate (Persons Married per 1000 living) (Births - 27.67)

571.—LONGTOWN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
AL DEATH s PER 1000	—	19.60	—	—	—	—	—	38.33	6.22	3.98	6.77	8.70	11.27	11.53	15.40	21.05	53.00	139.80
n Pop. 1-80	—	7900	214	185	203	210	208	1020	948	879	783	655	985	824	708	580	400	199
CAUSES	19.60	1561	253	55	33	25	22	393	59	35	53	57	111	95	100	124	212	318
pox - -	0.01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Fever - -	0.16	13	2	2	3	3	1	11	2	-	-	-	-	-	-	-	-	-
ria - -	0.29	70	3	9	8	12	14	46	15	6	-	-	-	-	-	-	-	-
ing-cough	0.05	4	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-
ing-cough	0.23	18	11	3	1	2	-	17	1	-	-	-	-	-	-	-	-	-
Fever - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cont. Fev. - -	0.23	18	-	-	-	-	-	-	1	1	3	1	1	3	6	-	2	1
Fever - -	0.06	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
and Dye. - -	0.11	9	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-
and Dye. - -	0.30	40	16	2	1	-	1	29	5	-	-	-	-	-	-	3	6	5
and Dye. - -	0.03	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Mesent. - -	0.26	45	-	-	-	-	-	-	-	-	-	-	-	1	4	13	13	7
Mesent. - -	0.03	5	1	-	1	1	-	3	-	1	-	-	-	-	-	-	-	-
Mesent. - -	0.10	8	5	3	-	-	-	6	-	-	-	-	-	1	-	-	-	-
Mesent. - -	3.33	261	9	2	2	-	2	15	6	11	35	56	70	37	32	17	7	-
Mesent. - -	0.20	18	5	4	3	2	-	14	1	1	-	-	-	-	-	-	-	-
Mesent. - -	2.12	169	36	6	5	5	2	34	4	3	2	-	6	8	12	13	21	34
Mesent. - -	1.24	91	-	-	-	-	-	-	2	2	1	1	4	7	12	17	26	27
Mesent. - -	2.12	139	36	6	3	-	2	47	7	2	4	1	8	6	15	20	32	20
Mesent. - -	1.09	87	10	8	1	-	4	14	2	2	2	4	2	10	10	15	17	11
Mesent. - -	0.34	27	-	-	-	-	-	-	-	1	-	-	4	3	1	4	10	5
Mesent. - -	0.03	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Mesent. - -	0.09	7	-	-	-	-	-	-	-	-	3	-	3	1	-	-	-	-
Mesent. - -	0.09	7	-	-	-	-	-	-	-	-	-	-	3	2	-	3	-	-
Mesent. - -	0.40	32	1	1	1	-	-	3	2	1	2	1	4	2	2	6	4	5
Mesent. - -	5.51	441	123	13	3	2	-	111	6	2	3	3	2	8	9	18	58	197

Deaths of Infants (under one) to 1000 Births - 108 Marriages - 445 Annual Rate (Persons Married per 1000 living) (Births - 29.79)

572.—CARLISLE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	23.16	—	—	—	—	—	62.15	6.92	4.20	6.62	9.23	10.75	15.54	20.38	24.36	27.58	17.2
Mean Pop. 1871-80	—	49,694	1383	1239	1315	1248	1220	6396	5740	5237	5027	4444	7299	5533	4343	3114	1837	75
ALL CAUSES	23.16	11,511	2501	703	369	257	145	8975	398	220	333	410	785	860	885	1070	1326	128
Small-pox	0.08	41	4	5	—	—	—	9	1	3	6	4	7	6	2	2	1	—
Measles	0.36	181	73	61	38	29	8	165	12	—	—	—	2	1	1	—	—	—
Scarlet Fever	0.79	393	24	46	67	65	39	241	104	30	7	4	8	—	—	—	—	—
Diphtheria	0.15	73	4	14	10	14	8	50	16	8	2	—	—	2	—	—	—	—
Whooping-cough	0.20	218	124	74	29	12	6	245	1	2	—	—	—	—	—	—	—	—
Typhus	0.39	151	1	1	2	1	5	6	6	9	16	15	31	21	23	14	8	—
Enteric Fever	0.33	173	4	5	8	5	26	20	14	24	24	23	10	11	9	8	4	—
Simple Cont. Fev.	0.01	20	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.11	57	—	—	—	—	—	—	—	5	13	26	13	—	—	—	—	—
Diarr. and Dys.	0.49	393	287	85	14	5	1	402	1	2	—	1	7	6	7	21	30	—
Cholera	0.01	6	—	—	—	—	—	—	1	1	—	—	—	1	2	1	—	—
Cancer	0.62	369	—	—	—	—	—	—	—	—	—	4	11	34	76	86	70	21
Scrofula	0.13	45	11	2	—	—	2	18	8	—	6	—	2	3	4	4	—	—
Tubes Mesent.	0.13	61	21	6	8	3	2	40	8	4	—	—	2	3	1	1	—	—
Phthisis	2.64	1311	15	13	5	7	2	43	34	49	139	195	334	245	183	95	80	1
Hydrocephalus	0.49	244	69	50	32	18	11	180	39	13	5	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.98	1482	365	46	22	11	14	458	33	15	25	22	48	100	122	189	294	294
Circulatory	2.23	1110	3	1	—	—	2	6	7	11	23	27	77	124	161	267	273	132
Respiratory	3.50	1739	466	172	83	47	9	780	42	7	13	10	46	70	113	195	239	191
Digestive	0.85	435	57	11	4	2	3	77	10	10	12	11	28	47	65	73	71	2
Urinary	0.51	233	—	2	3	3	3	11	4	4	7	—	21	35	42	44	46	9
Generative	0.01	20	1	—	—	—	—	1	—	—	—	—	2	4	4	6	2	1
Childbirth	0.10	61	—	—	—	—	—	—	—	—	8	8	22	18	—	—	—	—
Suicide	0.09	45	—	—	—	—	—	—	—	—	3	2	9	6	11	8	5	1
Other Violence	0.73	364	18	19	9	12	6	64	10	18	22	25	38	45	41	44	53	21
OTHER CAUSES	4.43	2294	954	85	34	24	23	1153	40	28	16	21	45	87	57	72	232	298

Deaths of Infants (under one) to 1000 Births } 153 Marriages - 4,232 Annual Rate { Persons Married - 17.03
Births - 16,374 Births - 10,374 per 1000 living { Births - 32.95

573.—WIGTON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over
ANNUAL DEATH RATE PER 1000	—	12.23	—	—	—	—	—	12.65	6.12	4.52	5.18	8.34	8.81	10.10	14.15	26.01	37.45	12.6
Mean Pop. 1871-80	—	23,065	613	561	613	581	555	2923	2714	2522	2279	1850	3031	2135	2040	1634	1107	317
ALL CAUSES	12.23	4435	793	185	108	92	48	1229	166	114	118	155	267	246	296	425	636	78
Small-pox	0.10	24	4	—	—	1	—	5	5	2	2	—	5	—	1	3	1	—
Measles	0.70	69	16	25	9	7	5	60	2	6	—	1	—	—	—	—	—	—
Scarlet Fever	0.78	179	11	18	31	21	17	98	47	15	7	6	4	1	1	—	—	—
Diphtheria	0.10	22	3	8	2	4	1	11	8	1	—	—	2	—	—	—	—	—
Whooping-cough	0.31	72	31	14	13	7	—	61	7	—	—	—	—	—	—	—	—	—
Typhus	0.05	14	—	1	—	—	—	—	—	1	2	—	2	4	1	—	—	—
Enteric Fever	0.26	29	1	1	1	2	1	6	6	9	6	8	6	6	5	3	2	2
Simple Cont. Fev.	0.04	10	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
Puerp. Fever	0.11	26	—	—	—	—	—	—	—	—	—	8	11	7	—	—	—	—
Diarr. and Dys.	0.44	162	42	9	2	—	—	53	4	1	2	1	1	2	2	4	16	19
Cholera	0.03	6	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2
Cancer	0.63	113	—	—	—	—	—	—	—	—	—	1	3	9	25	46	37	15
Scrofula	0.16	36	13	3	5	—	—	21	5	3	1	—	2	2	1	—	—	—
Tubes Mesent.	0.22	49	23	8	5	1	1	39	3	1	3	—	2	—	—	—	—	—
Phthisis	2.14	493	6	3	1	—	—	11	17	21	51	60	117	82	40	79	59	1
Hydrocephalus	0.33	76	21	12	8	5	5	48	12	9	3	1	3	—	—	—	—	—
Diseases of Nervous Syst.	1.87	432	84	15	3	8	5	113	6	2	10	9	12	20	29	58	89	31
Circulatory	1.16	264	1	1	—	—	—	2	4	4	3	12	16	36	62	83	13	13
Respiratory	2.61	610	164	37	10	8	7	223	10	6	9	9	21	2	43	58	106	16
Digestive	1.10	251	49	4	—	2	1	47	3	4	4	6	15	17	41	49	49	11
Urinary	0.31	78	1	—	—	—	—	1	3	1	—	2	3	6	5	12	25	3
Generative	0.05	12	—	—	—	—	—	—	—	—	—	1	2	—	4	—	—	—
Childbirth	0.09	18	—	—	—	—	—	—	—	—	—	3	10	5	—	—	—	—
Suicide	0.14	33	—	—	—	—	—	—	—	—	1	1	3	6	9	9	2	1
Other Violence	0.59	196	4	5	7	4	—	20	5	10	6	8	14	14	15	0	13	14
OTHER CAUSES	5.26	1212	333	27	15	20	7	402	19	14	7	10	15	23	33	63	162	411

Deaths of Infants (under one) to 1000 Births } 114 Marriages - 1,559 Annual Rate { Persons Married - 13.52
Births - 0,960 Births - 0,960 per 1000 living { Births - 30.13

CUMBERLAND.] *Deaths in Registration Districts in the Ten Years 1871-80.*

574.—COCKERMOUTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—
ANNUAL DEATH RATE PER 1000	—	21'08	—	—	—	—	—	58'43	6'36	3'47	5'46	7'73	8'26	12'04	16'98	30'02	63'64
Mean Pop. 1871-80	—	51,007	1033	1448	1535	1505	1102	7523	6479	5540	4831	4330	7305	5574	4264	3078	1760
ALL CAUSES	21'08	10,893	2686	916	358	340	190	4396	412	192	264	351	609	671	724	924	1120
Small-pox	0'23	170	22	6	4	—	4	31	16	8	10	10	29	24	15	8	4
Measles	0'53	272	55	119	49	13	18	255	14	1	—	—	—	—	—	—	—
Scarlet Fever	0'77	399	33	61	49	51	47	246	103	23	8	9	5	4	1	—	—
Diphtheria	0'05	24	4	2	3	2	4	15	4	—	1	1	—	—	1	1	1
Whooping-cough	0'51	261	129	61	32	17	8	247	13	1	—	—	—	—	—	—	—
Typhus	0'05	27	—	—	—	—	1	1	—	2	5	2	3	5	3	4	2
Euteric Fever	0'29	291	8	13	11	10	8	50	21	13	20	14	17	23	18	15	8
Simple Cont. Fev.	0'08	39	1	1	2	—	4	8	3	3	3	1	5	2	3	2	3
Pneum. Fever	0'09	44	—	—	—	—	—	—	—	2	5	27	10	—	—	—	—
Diarr. and Dys.	1'03	334	297	97	13	8	9	424	2	—	2	4	6	6	13	16	24
Cholera	0'01	6	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—
Cancer	0'47	244	—	—	—	—	—	—	1	—	1	1	10	24	43	72	65
Scrofula	0'07	38	7	12	—	3	1	23	2	2	1	1	2	5	3	—	—
Tales Mesent.	0'26	133	54	32	6	7	5	104	11	6	7	1	1	1	1	—	—
Furialis	1'77	915	16	9	2	3	3	33	30	36	96	145	213	174	98	56	25
Hydrocephalus	0'46	237	27	62	20	13	6	188	29	10	3	2	3	2	—	—	—
Nervous Syst.	2'44	1262	334	67	24	21	8	477	53	14	15	19	33	53	81	136	218
Cerebratory	1'47	762	1	1	2	3	—	7	19	8	8	20	45	64	104	153	206
Respiratory	3'18	1645	439	184	54	23	20	725	41	9	35	22	43	69	87	192	276
Digestive	1'01	249	112	12	6	2	2	144	6	10	6	13	32	46	85	99	74
Urinary	0'41	212	4	7	4	3	5	23	2	4	6	8	16	23	29	30	35
Generative	0'07	38	—	1	—	—	—	1	—	—	1	2	3	5	7	9	5
Childbirth	0'11	55	—	—	—	—	—	—	—	—	2	10	21	22	—	—	—
Suicide	0'09	46	—	—	—	—	—	—	—	—	—	2	12	10	5	8	7
Other Violence	0'88	433	27	10	18	13	14	82	27	23	33	33	49	53	55	48	24
GRAND CAUSES	4'10	5327	1694	559	22	36	29	1310	43	19	14	15	32	54	76	70	198

Deaths of Infants (under
one) to 1000 Births } 139

Marriages - 3,000
Births - 19,310

Annual Rate (Persons Married
per 1000 living (Births - -

15'45
37'37

575.—WHITEHAVEN.

ANNUAL DEATH RATE PER 1000	—	21'32	—	—	—	—	—	69'72	8'61	5'13	6'70	9'60	10'98	12'52	20'72	37'75	78'64
Mean Pop. 1871-80	—	53,432	1765	1545	1614	1637	1517	8098	6830	5736	5117	4832	8087	5893	1021	2771	1461
ALL CAUSES	24'32	12,992	3192	1297	537	334	276	5646	590	295	313	408	888	738	835	1046	1149
Small-pox	0'35	212	32	4	7	13	11	67	55	14	23	26	47	28	12	8	1
Measles	0'71	294	77	108	61	33	19	357	18	3	1	—	1	1	—	—	—
Scarlet Fever	1'18	632	31	101	87	33	81	401	150	40	11	8	5	3	2	2	—
Diphtheria	0'13	69	5	12	6	7	—	37	20	5	3	1	1	—	1	1	—
Whooping-cough	0'51	273	129	66	39	17	7	200	13	—	—	—	—	—	—	—	—
Typhus	0'22	116	1	—	1	1	1	4	5	5	7	8	26	23	17	14	9
Euteric Fever	0'23	186	3	—	6	6	0	31	13	13	12	21	10	11	7	5	2
Simple Cont. Fev.	0'12	61	—	2	0	4	—	14	10	6	2	2	4	6	3	5	2
Pneum. Fever	0'13	69	—	—	—	—	—	—	—	—	5	16	16	11	1	—	—
Diarr. and Dys.	0'63	337	185	61	10	5	8	266	7	2	—	—	4	8	12	10	13
Cholera	0'02	11	1	2	—	1	1	4	1	—	—	—	1	1	1	3	—
Cancer	0'21	168	—	—	—	—	—	—	—	1	2	—	11	26	43	48	31
Scrofula	0'16	85	29	11	4	2	7	51	6	6	8	4	7	1	—	—	1
Tuberc. Mesent.	0'26	294	114	90	37	16	9	468	19	1	4	4	2	—	—	—	—
Furialis	2'17	1159	14	21	13	7	6	60	42	63	137	178	323	161	122	60	14
Hydrocephalus	0'45	228	21	28	21	18	5	195	26	13	9	1	—	—	—	—	—
Nervous Syst.	2'51	1341	425	112	36	23	27	625	37	22	16	16	26	52	12	137	189
Cerebratory	1'11	551	2	2	1	1	—	6	1	11	11	12	33	17	82	134	141
Respiratory	4'21	2217	694	231	102	55	28	1074	41	16	19	33	67	87	165	234	262
Digestive	1'03	529	82	19	7	7	0	129	15	11	14	29	53	55	90	84	79
Urinary	0'32	170	0	—	—	1	2	21	5	3	6	7	17	16	21	24	39
Generative	0'01	24	—	—	—	—	—	—	—	—	1	3	11	2	—	—	1
Childbirth	0'11	61	—	—	—	—	—	—	—	—	2	20	15	22	2	—	—
Suicide	0'07	38	—	—	—	—	—	—	—	—	—	1	3	7	—	—	—
Other Violence	1'16	618	33	22	14	13	12	94	24	33	40	62	110	82	61	55	29
GRAND CAUSES	5'01	2995	1258	212	85	49	29	1683	64	37	21	14	32	54	84	178	291

Deaths of Infants (under
one) to 1000 Births } 145

Marriages - 4,452
Births - 21,972

Annual Rate (Persons Married
per 1000 living (Births - -

16'66
11'12

576.—BOOTLE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	17.92	—	—	—	—	—	45.81	6.69	4.50	6.03	7.92	7.67	11.07	15.01	27.02	48.39	18.78
Mean Pop. } 1871-80	—	10,375	338	319	324	306	287	1574	1286	1118	1028	909	1538	1066	806	581	341	12
ALL CAUSES	17.92	1859	427	147	67	50	30	721	86	51	62	72	118	118	121	157	165	18
Small-pox - -	0.10	10	1	-	-	-	1	2	-	-	1	2	4	1	-	-	-	-
Measles - -	0.42	44	9	17	3	7	2	28	4	1	-	1	1	-	-	-	-	-
Scarlet Fever -	0.88	91	6	12	15	10	7	50	27	10	1	-	1	1	-	-	-	-
Diphtheria - -	0.94	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	0.54	58	26	18	6	4	4	58	-	-	-	-	-	-	-	-	-	-
Typhus - -	0.13	14	-	-	-	2	-	2	4	-	2	1	1	2	1	1	-	-
Enteric Fever -	0.28	29	1	1	1	4	1	4	6	6	2	2	2	2	2	1	1	-
Simple Cont. Fev.	0.21	22	-	-	-	4	5	9	2	2	2	1	2	3	1	-	-	-
Puerp. Fever -	0.12	12	-	-	-	-	-	-	-	-	1	4	4	3	-	-	-	-
Diarr. and Dys. -	0.28	71	38	14	3	2	-	67	2	-	-	-	2	1	3	1	1	-
Cholera - -	0.01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0.23	24	-	-	-	-	-	-	-	-	-	-	-	3	3	10	3	-
Serofula - -	0.09	9	2	-	-	-	-	2	3	-	1	1	-	-	-	1	1	-
Tuberc Mesent. -	0.45	47	20	16	4	1	3	44	3	-	-	-	-	-	-	-	-	-
Phthisis - -	1.86	193	2	3	1	-	-	6	3	9	22	31	69	33	25	19	3	-
Hydrocephalus -	0.28	29	14	6	3	1	1	25	2	-	-	-	-	-	-	-	-	-
Diseases of { Nervous Syst. 1.80 187 48 17 4 8 2 79 3 4 4 2 7 8 16 22 24 1 1																		
{ Circulatory .. 1.06 110 - - - - - 1 1 5 2 3 3 8 8 21 27 28 1 1																		
{ Respiratory .. 2.55 265 80 24 8 7 - 119 8 4 2 4 7 11 16 28 28 3 3																		
{ Digestive .. 0.97 101 14 4 1 1 1 21 2 2 3 4 11 11 8 16 16 4 4																		
{ Urinary .. 0.29 30 - - - - - 2 2 1 - - - 3 5 4 - - - -																		
{ Generative .. 0.50 - - - - - - - - - - - - - - - - - - -																		
Childbirth - -	0.11	11	-	-	-	-	-	-	-	-	-	2	6	2	1	-	-	-
Suicide - -	0.12	12	-	-	-	-	-	-	-	-	-	-	4	2	2	1	3	-
Other Violence -	0.70	73	4	5	-	-	1	14	3	5	10	9	8	9	5	7	3	-
OTHER CAUSES -	3.28	412	162	8	12	3	2	17	11	4	7	3	8	11	13	19	47	10

Deaths of Infants (under
one) to 1000 Births } 109Marriages - 764
Births - 3,935Annual Rate { Persons Married - 14.75
per 1000 living { Births - - - 37.93

[WESTMORLAND

577.—EAST WARD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and aged
ANNUAL DEATH RATE PER 1000	—	18.67	—	—	—	—	—	40.11	4.89	3.64	6.12	9.22	7.70	10.91	15.98	23.35	59.3	17.6
Mean Pop. } 1871-80	—	15,526	437	379	386	392	379	1973	1798	1020	1437	1694	2274	1773	1439	1109	655	61
ALL CAUSES	18.67	2936	550	117	54	33	29	792	88	59	88	123	175	194	230	259	380	54
Small-pox - -	0.24	57	3	1	1	2	-	7	3	-	4	4	6	7	3	2	1	-
Measles - -	0.65	13	2	4	2	1	1	10	2	1	-	-	-	-	-	-	-	-
Scarlet Fever -	0.18	60	5	6	8	7	2	28	18	8	3	1	1	-	1	-	-	-
Diphtheria - -	0.65	5	1	-	-	-	-	2	5	-	-	-	-	-	-	-	-	-
Whooping-cough	0.24	57	18	8	6	1	3	36	1	-	-	-	-	-	-	-	-	-
Typhus - -	0.11	18	-	-	-	1	-	1	3	-	2	3	1	1	4	1	2	-
Enteric Fever -	0.46	72	1	4	5	1	2	13	9	2	4	5	12	14	8	1	4	-
Simple Cont. Fev.	0.68	12	1	1	-	-	-	2	1	1	3	1	1	1	-	-	-	-
Puerp. Fever -	0.08	12	-	-	-	-	-	-	-	-	-	4	5	2	1	-	-	-
Diarr. and Dys. -	0.25	39	16	3	3	1	-	23	-	-	-	-	2	1	-	3	6	1
Cholera - -	0.01	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Cancer - -	0.47	74	-	-	-	-	-	-	-	-	-	-	1	6	16	18	2	1
Serofula - -	0.06	10	2	-	-	1	-	3	1	-	-	1	-	1	4	1	-	-
Tuberc Mesent. -	0.17	27	11	4	1	1	-	17	-	3	4	2	-	-	1	-	-	-
Phthisis - -	1.92	162	4	1	2	1	-	8	3	13	28	37	60	57	47	29	8	1
Hydrocephalus -	0.24	58	10	8	4	1	2	25	7	3	2	1	-	-	-	-	-	-
Diseases of { Nervous Syst. 3.23 330 101 15 8 7 8 139 13 6 11 7 10 13 15 24 31 2 2																		
{ Circulatory .. 1.52 439 - - - - - 1 2 2 2 5 5 11 14 27 52 73 4 4																		
{ Respiratory .. 2.05 422 63 22 7 - 6 109 6 4 4 7 13 18 23 28 36 3 3																		
{ Digestive .. 0.97 176 10 3 1 - 1 21 1 4 2 3 11 17 22 20 24 1 1																		
{ Urinary .. 0.27 42 - - - - - 1 1 1 1 - - 4 5 6 12 6 1																		
{ Generative .. 0.48 12 - - - - - - - - - - - 2 1 3 1 3 1																		
Childbirth - -	0.60	13	-	-	-	-	-	-	-	-	-	5	7	4	-	-	-	-
Suicide - -	0.10	15	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Other Violence -	0.54	26	3	5	1	1	-	10	1	2	3	5	13	10	11	11	2	1
OTHER CAUSES -	6.02	974	330	32	1	6	2	34	12	7	7	11	13	18	23	20	12	5

Deaths of Infants (under
one) to 1000 Births } 118Marriages - 1,057
Births - 4,727Annual Rate { Persons Married - 13.1
per 1000 living { Births - - - 30.1

578.—WEST WARD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
DEATH in 1000 }	—	16.30	—	—	—	—	—	30.60	4.44	2.48	5.43	7.81	7.68	10.31	13.83	18.61	52.54	151.12
Pop. }	—	8237	227	196	210	201	215	1049	963	929	773	679	1044	873	758	591	394	178
AUSES	16.30	1343	215	40	25	18	16	321	43	23	42	53	80	100	105	110	207	269
x - -	0.04	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
ver - -	0.12	10	1	2	3	-	-	6	3	-	-	-	1	-	-	-	-	-
a - -	0.43	38	-	4	8	7	4	23	7	3	2	1	2	-	-	-	-	-
ough -	0.10	8	1	1	1	2	-	5	2	-	-	-	-	-	-	-	1	-
ough -	0.16	13	3	6	1	1	1	13	-	-	-	-	-	-	-	-	-	-
- - -	0.07	6	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-
ever -	0.29	24	-	-	-	-	-	-	5	2	1	2	3	-	5	1	1	2
nt. Fov.	0.02	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ver -	0.03	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
d Dys.	0.29	24	10	3	-	-	-	12	-	-	-	3	-	1	2	1	-	3
- - -	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	0.55	45	-	-	-	-	-	-	1	-	-	-	1	3	9	11	14	7
- - -	0.06	5	-	-	-	1	1	2	-	1	-	-	1	1	-	-	-	-
ent. -	0.12	10	6	1	-	-	-	7	1	-	-	-	1	1	-	-	-	-
- - -	1.98	163	-	-	-	-	-	-	-	5	21	29	38	40	17	9	2	2
halus -	0.23	19	8	4	1	-	-	13	3	-	1	-	-	-	-	-	-	-
us Syst.	1.67	138	28	7	2	-	3	40	5	2	2	4	4	1	16	9	28	27
atory "	1.60	132	-	-	-	-	1	1	-	-	3	-	5	10	20	20	29	27
ratory "	1.67	151	40	13	2	1	1	37	1	2	1	2	2	9	6	12	39	24
tive "	0.98	81	6	3	-	-	1	10	1	-	3	2	3	5	7	18	20	19
ry "	0.24	23	1	-	-	-	-	1	-	-	-	-	3	2	3	1	9	4
ralive "	0.07	6	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-
- - -	0.05	5	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
- - -	0.17	14	-	-	-	-	-	-	-	-	1	1	1	1	4	4	2	1
lence -	0.53	44	4	2	-	3	2	11	2	2	4	5	1	3	3	4	4	8
AUSES -	1.53	372	104	4	4	4	5	119	10	4	2	1	7	6	8	13	47	135

Deaths of Infants (under one) to 1000 Births } 90 Marriages - 473 Annual Rate of Persons Married - 11.46
Births - 2,399 per 1000 living (Births - 29.13

579.—KENDAL.

DEATH in 1000 }	—	17.64	—	—	—	—	—	40.17	4.87	3.19	5.12	0.09	7.81	10.82	14.13	20.07	62.18	162.59
Pop. }	—	10,759	1162	1063	1081	1080	1022	5110	4850	4701	4139	3504	5330	4222	3388	2631	1905	679
NO }	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
AUSES	17.64	7189	1370	379	199	131	34	2173	241	161	213	245	432	457	476	686	398	1104
x - -	0.02	7	—	—	—	1	1	2	1	—	—	—	2	1	1	—	—	—
ever - -	0.21	102	28	41	17	—	4	95	6	—	—	—	1	—	—	—	—	—
ia - -	0.43	174	11	20	29	24	30	164	46	6	—	3	4	—	—	—	—	—
ough -	0.15	61	3	7	6	—	—	22	21	7	—	2	—	—	—	—	—	—
ough -	0.20	106	30	26	11	10	4	191	4	1	—	—	—	—	—	—	—	—
- - -	0.02	9	—	—	—	—	—	—	1	1	—	1	1	1	1	—	—	—
ever -	0.24	99	2	2	3	—	4	12	5	9	—	11	15	9	9	11	—	—
nt. Fov.	0.05	22	—	2	1	—	—	4	3	—	—	1	2	3	3	2	—	—
ver -	0.01	17	—	—	—	—	—	—	—	—	—	3	3	3	—	—	—	—
d Dys.	0.29	118	62	12	1	—	—	75	2	—	—	1	1	1	4	—	—	22
- - -	0.01	4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
- - -	0.41	186	—	1	—	—	—	1	—	—	—	1	2	8	2	63	56	23
- - -	0.12	47	6	2	2	—	1	13	2	—	—	5	5	1	3	—	—	1
ent. -	0.20	89	56	14	3	—	3	58	5	—	—	2	—	1	1	—	—	—
- - -	2.08	849	13	7	4	3	7	34	18	56	77	156	219	159	27	60	96	9
halus -	0.27	111	36	24	17	—	5	85	13	5	—	1	—	—	—	—	—	—
us Syst.	2.94	1200	387	65	31	18	11	342	28	25	19	18	25	41	71	33	73	106
atory "	1.15	468	—	—	—	—	—	1	—	—	—	12	17	19	62	104	85	69
ratory "	2.67	1087	237	79	34	20	5	379	24	—	—	16	19	17	51	101	127	227
tive "	1.90	491	55	8	3	—	2	67	12	—	—	9	24	45	72	67	88	53
ry "	0.46	188	—	1	3	—	2	6	7	—	—	2	13	21	17	27	36	30
ralive "	0.03	24	—	—	—	—	—	—	—	—	—	1	2	6	2	—	3	3
- - -	0.08	31	—	—	—	—	—	—	—	—	—	3	12	11	—	—	—	—
- - -	0.06	26	—	—	—	—	—	—	—	—	—	1	1	8	—	—	—	—
lence -	0.58	266	14	13	3	8	4	47	13	11	13	14	27	35	11	—	19	14
AUSES -	3.53	1446	481	69	25	25	11	352	26	14	18	14	20	34	34	62	132	423

Deaths of Infants (under one) to 1000 Births } 105 Marriages - 5,57 Annual Rate of Persons Married - 11.62
Births - 13,624 per 1000 living (Births - 31.25

MONMOUTHSHIRE.

580.—CHEPSTOW.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	18.52	—	—	—	—	—	40.92	7.22	4.40	5.31	5.08	8.41	9.53	13.60	24.50	54.05	166.96
Mean Pop. 1871-80	—	18,521	517	435	510	493	469	2424	2257	2069	1696	1425	2354	2015	1720	1347	851	36
ALL CAUSES	18.52	3430	604	179	96	69	44	992	163	93	90	81	198	192	254	330	460	307
Small-pox	0.15	28	4	—	—	—	—	4	1	5	3	3	3	3	5	1	—	—
Measles	0.18	33	8	10	5	1	3	27	5	—	—	—	1	—	—	—	—	—
Scarlet Fever	0.72	134	2	14	15	14	12	60	45	11	3	2	4	—	1	—	—	—
Diphtheria	0.09	16	2	2	1	—	—	5	8	1	2	—	—	—	—	—	—	—
Whooping-cough	0.39	73	27	15	12	9	3	69	4	—	—	—	—	—	—	—	—	—
Typhus	0.05	6	—	—	—	—	—	—	3	—	—	—	—	—	1	—	1	—
Enteric Fever	0.24	51	4	2	4	1	3	14	19	4	2	3	8	1	3	—	5	1
Simple Cont. Fev.	0.09	17	—	1	—	—	1	2	3	—	1	1	3	—	3	2	2	—
Puerp. Fever	0.03	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—
Diarr. and Dys.	0.17	32	15	2	—	—	1	18	1	—	1	—	1	1	—	1	2	7
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer	0.59	109	—	—	—	—	—	—	—	—	—	1	4	12	23	22	27	15
Scrofula	0.07	13	3	2	1	—	—	6	2	—	—	1	3	—	1	—	—	—
Tuberc. Mesent.	0.24	45	21	15	—	—	1	35	5	2	1	1	1	—	—	—	—	—
Phthisis	1.66	310	5	6	4	2	—	17	12	16	26	31	73	40	50	27	17	2
Hydrocephalus	0.21	45	14	11	4	2	1	32	10	2	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.75	509	164	24	8	8	2	206	10	10	11	4	11	16	22	41	87	96
Circulatory	1.66	397	1	—	—	—	4	5	2	3	5	5	13	16	38	67	87	39
Respiratory	2.54	471	94	38	21	8	6	165	11	6	2	5	14	15	29	68	77	79
Digestive	1.00	186	22	3	1	2	1	29	2	5	4	8	10	19	18	30	41	39
Urinary	0.33	61	—	—	1	—	—	1	—	2	3	1	4	3	12	10	11	14
Generative	0.01	7	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	1
Childbirth	0.15	28	—	—	—	—	—	—	—	—	—	—	1	13	13	1	—	—
Suicide	0.05	19	—	—	—	—	—	—	—	—	—	—	—	1	1	2	3	1
Other Violence	0.81	159	7	3	7	7	1	25	14	8	11	9	15	16	13	18	9	2
OTHER CAUSES	4.25	781	211	32	9	15	6	272	20	6	5	5	13	14	22	39	95	192

Deaths of Infants (under one) to 1000 Births } 103

Marriages - 943
Births - 5,745Annual Rate { Persons Married - 10.19
per 1000 living { Births - 81.02

581.—MONMOUTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000.	—	18.45	—	—	—	—	—	44.51	4.65	2.67	4.63	6.42	8.77	8.89	12.43	26.73	55.74	158.41
Mean Pop. 1871-80	—	30,960	870	803	874	843	820	4210	3997	3596	2873	2351	3818	3227	2823	2129	1315	60
ALL CAUSES	18.45	5713	1228	298	166	103	79	1874	186	96	133	151	335	257	331	569	735	96
Small-pox	0.07	21	2	1	—	—	—	3	—	1	2	2	4	3	2	1	—	—
Measles	0.28	88	10	30	15	10	4	69	17	—	5	—	—	—	—	—	—	—
Scarlet Fever	0.56	171	7	27	34	19	29	110	46	4	4	—	1	2	1	—	—	—
Diphtheria	0.07	22	2	3	3	2	2	12	4	2	—	—	1	—	—	—	—	1
Whooping-cough	0.32	59	65	28	9	5	5	97	2	—	—	—	—	—	—	—	—	—
Typhus	0.02	7	—	1	—	—	—	1	2	—	3	1	—	—	—	—	—	—
Enteric Fever	0.17	54	1	—	1	1	3	6	7	5	7	5	6	3	5	5	2	1
Simple Cont. Fev.	0.16	49	1	2	1	2	1	7	7	5	3	5	2	3	6	7	2	2
Puerp. Fever	0.05	17	—	—	—	—	—	—	—	—	1	3	6	7	—	—	—	—
Diarr. and Dys.	0.35	108	55	6	6	5	—	72	1	1	—	—	3	2	—	2	11	13
Cholera	0.01	3	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—
Cancer	0.44	137	—	—	—	—	—	—	—	—	—	—	5	11	23	66	27	25
Scrofula	0.09	29	6	2	—	1	—	9	1	1	4	5	6	1	1	—	5	—
Tuberc. Mesent.	0.22	67	39	13	1	2	1	56	1	1	2	1	—	—	—	—	—	—
Phthisis	1.57	485	18	7	5	3	1	34	10	15	43	69	139	87	54	30	12	1
Hydrocephalus	0.14	42	13	7	3	5	2	30	4	3	2	—	1	1	1	—	—	—
Diseases of Nervous Syst.	2.63	814	318	32	20	7	4	381	13	15	14	7	24	18	45	76	110	113
Circulatory	1.70	373	2	—	—	—	—	2	2	7	8	12	16	28	44	81	106	67
Respiratory	3.91	1218	275	93	30	23	11	438	21	7	6	13	25	35	62	153	215	249
Digestive	0.96	297	31	5	5	2	1	44	10	5	4	2	15	29	40	62	69	35
Urinary	0.34	88	2	—	—	1	—	3	1	1	3	5	9	8	8	15	23	11
Generative	0.15	14	—	—	—	—	—	—	—	—	—	—	1	4	4	4	1	—
Childbirth	0.14	44	—	—	—	—	—	—	—	—	1	3	10	19	2	—	—	—
Suicide	0.07	15	—	—	—	—	—	—	—	—	1	—	2	1	4	3	4	—
Other Violence	0.63	196	11	9	9	6	8	43	18	12	12	7	30	14	14	17	16	14
OTHER CAUSES	4.01	1352	360	37	18	8	7	450	19	12	8	12	27	16	51	64	135	473

Deaths of Infants (under one) to 1000 Births } 116

Marriages - 2,033
Births - 10,626Annual Rate { Persons Married - 13.13
per 1000 living { Births - 31.31

582.—ABERGAVERY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	23.38	—	—	—	—	—	64.60	7.46	3.78	6.20	9.20	10.26	13.97	17.95	33.44	69.10	167.63
San Pop. 71-80	—	23,217	600	571	587	598	600	3014	2735	2463	2145	2021	3305	2619	2073	1546	916	880
ALL CAUSES	23.38	5,427	1184	402	171	108	82	1047	204	93	133	186	339	366	372	517	633	637
all-pox	0.47	109	8	2	3	—	1	14	21	3	9	15	50	12	4	2	2	1
dysent.	0.61	141	32	45	21	12	11	121	13	3	2	2	—	—	—	—	—	—
cholera	0.62	141	5	25	26	30	13	109	36	4	2	—	—	—	—	—	—	—
typhoid	0.32	75	5	9	6	9	7	50	19	10	5	—	2	1	1	—	—	1
whooping-cough	0.47	108	48	37	13	4	2	101	4	—	—	—	—	—	—	—	—	—
measles	0.05	12	—	—	1	—	—	1	—	2	1	1	4	2	—	—	1	—
scarlet fever	0.31	71	4	3	4	2	2	15	10	11	9	5	12	2	1	3	2	1
diphtheria	0.13	30	1	4	1	1	2	9	5	4	1	2	8	3	2	—	—	1
small-pox	0.12	27	—	—	—	—	—	—	—	—	1	9	10	6	1	—	—	—
scarlet and dysent.	0.55	128	62	16	2	3	3	86	—	—	—	3	8	—	2	6	14	14
zoster	0.02	4	1	2	—	1	—	4	—	—	—	—	—	—	—	—	—	—
typhus	0.32	120	—	—	—	—	—	—	—	—	—	1	8	14	23	25	30	21
cholera	0.16	38	7	7	1	—	—	15	3	5	2	2	4	1	3	2	1	—
measles	0.50	70	32	19	3	2	2	63	2	—	—	1	1	2	—	1	—	—
scarlet	1.69	392	12	9	1	5	3	30	12	5	38	66	90	71	35	30	13	2
cephalus	0.31	71	25	22	7	2	4	60	6	2	1	—	1	—	—	1	—	—
Nervous Syst.	3.97	921	281	45	8	6	6	346	16	12	22	15	41	74	78	92	151	94
Circulatory	1.46	349	—	—	—	—	—	—	2	6	5	5	19	33	40	86	73	72
Respiratory	4.08	943	184	88	41	15	10	388	22	8	10	13	28	43	67	113	160	140
Digestive	1.17	273	53	8	2	2	3	68	4	5	3	5	14	30	34	54	39	16
Urinary	0.41	96	1	3	2	—	—	6	5	2	3	3	8	15	7	19	29	12
Generative	0.04	10	—	—	—	—	—	—	—	—	—	—	1	4	1	3	1	—
Birth	0.15	34	—	—	—	—	—	—	—	—	1	7	16	7	3	—	—	—
Infants	0.04	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.85	105	15	7	8	4	1	33	11	6	10	21	25	13	26	13	23	10
ALL CAUSES	4.09	1069	408	50	16	10	12	403	13	9	10	10	25	31	41	61	116	252

Deaths of Infants (under one) to 1000 Births - } 114

Marriages - 1,511
Births - 8,216

Annual Rate of Persons Married per 1000 living { Births - 13.02
Deaths - 33.30

583.—BEDWELTY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
TOTAL DEATHS (PER 1000)	—	24.84	—	—	—	—	—	77.83	7.92	5.66	7.91	9.78	11.20	13.37	19.22	38.38	83.42	182.25
San Pop. 71-80	—	53,801	1714	1423	1535	1518	1508	7758	6942	5791	5425	5059	7899	5865	4350	2944	1351	417
ALL CAUSES	24.84	13,362	3395	1364	627	308	254	6038	350	323	420	495	885	784	836	1130	1127	760
all-pox	0.52	442	32	19	15	21	23	133	47	24	15	70	86	19	12	4	—	—
dysent.	0.28	474	77	177	101	37	21	420	28	4	1	2	2	1	—	—	—	—
cholera	0.72	588	24	62	72	64	48	270	92	13	6	3	9	1	—	1	—	—
typhoid	0.15	84	5	12	9	9	11	49	16	—	1	3	5	3	—	—	1	—
whooping-cough	0.63	550	161	98	44	25	14	315	4	—	—	1	—	—	—	—	—	—
measles	0.00	48	—	2	1	3	5	11	8	6	3	4	9	2	1	2	—	—
scarlet fever	0.44	238	5	12	16	7	8	48	41	51	39	26	31	11	5	4	—	2
diphtheria	0.14	75	—	4	6	4	1	15	10	8	5	2	4	5	6	3	—	—
small-pox	0.12	62	—	—	—	—	—	—	—	—	4	19	17	21	1	—	—	—
scarlet and dysent.	0.62	384	149	87	18	5	—	29	—	—	—	1	4	4	7	13	26	20
zoster	0.01	8	2	—	—	—	—	2	—	—	—	—	—	—	2	1	—	—
typhus	0.42	225	—	—	1	—	—	1	1	2	3	4	5	30	61	62	41	13
cholera	0.34	182	56	34	13	6	8	112	18	15	11	9	7	2	5	—	3	—
measles	0.28	203	53	69	20	7	10	169	15	6	6	2	3	2	—	—	—	—
cephalus	1.83	985	8	29	12	6	6	55	41	40	114	143	247	147	116	61	18	—
Nervous Syst.	2.97	1090	706	110	41	24	11	984	57	17	26	20	35	49	76	145	147	88
Circulatory	1.07	376	—	—	—	—	—	—	6	14	13	13	27	77	104	123	126	41
Respiratory	5.23	2076	705	282	157	79	40	1343	52	16	26	37	103	149	229	403	427	191
Digestive	0.98	625	77	8	7	2	2	90	14	11	8	10	47	65	64	113	71	20
Urinary	0.30	163	2	9	5	6	5	27	7	7	3	3	22	20	14	27	24	9
Generative	0.03	14	—	—	—	—	—	—	—	—	—	—	1	4	—	3	3	1
Birth	0.15	82	—	—	—	—	—	—	—	—	3	21	32	16	—	—	—	—
Infants	0.05	27	—	—	—	—	—	—	—	—	1	5	4	—	—	—	—	—
Violence	1.87	739	31	13	15	16	9	84	34	78	81	73	103	97	47	42	43	12
ALL CAUSES	4.59	2251	1120	104	67	32	19	1438	34	21	12	15	34	46	54	94	126	252

Deaths of Infants (under one) to 1000 Births - } 151

Marriages - 1,419
Births - 22,490

Annual Rate of Persons Married per 1000 living { Births - 16.30
Deaths - 11.40

SOUTH WALES.

586.—CARDIFF.

—	Annual Death Rate per 1000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	101
ANNUAL DEATH RATE PER 1000	—	19.76	—	—	—	—	—	60.6	7.11	1.21	5.62	.73	0.42	13.65	20.21	32.94	57.05	11
Mean Pop. 1871-80	—	91,483	2073	2560	2506	2357	2432	12373	10672	9538	9034	8028	1485	11025	7307	4253	1016	
ALL CAUSES	19.76	18,060	4648	601	660	467	354	7730	790	404	508	690	1307	1500	105	1401	1093	
Small-pox	0.13	133	12	—	—	—	3	97	15	8	9	20	83	12	—	2	—	
Measles	0.31	468	104	168	86	39	27	426	35	1	1	1	—	—	—	—	—	
Scarlet Fever	0.91	828	74	134	25	13	100	378	1.8	36	11	4	—	2	—	—	—	
Diphtheria	0.18	166	14	22	—	23	23	95	47	13	—	—	3	—	—	1	—	
Whooping-cough	0.49	432	192	14	54	25	19	434	13	—	1	—	—	—	—	—	—	
Typhus	0.03	50	—	—	—	—	—	3	8	4	3	6	3	9	10	3	2	
Enteric Fever	0.31	295	2	—	—	12	10	40	32	29	37	34	60	7	20	3	2	
Simple Cont. Fev.	0.13	120	4	—	1	6	7	85	15	14	6	5	19	7	12	6	2	
Murp. Fever	0.07	62	—	—	—	—	—	—	—	—	1	11	83	15	—	—	—	
Diarr. and Dys.	0.89	810	338	10	26	5	5	713	4	—	1	5	10	7	—	18	21	
Cholera	0.01	27	17	—	—	—	—	22	—	—	—	—	—	—	—	1	—	
Cancer	0.42	181	—	—	—	—	—	1	—	1	1	3	28	68	97	97	60	
Scrofula	0.18	170	35	20	10	—	10	118	9	10	9	7	—	2	—	—	1	
Tuberc. Mesent.	0.24	224	114	40	13	—	5	169	12	6	—	—	—	—	—	—	—	
Phthisis	0.21	213	33	46	14	9	119	132	81	183	300	516	424	298	98	23	—	
Hydrocephalus	0.37	346	83	90	34	24	18	254	60	13	4	2	2	1	—	—	—	
Diseases of Nervous Syst.	2.25	207	883	134	54	31	26	1128	62	32	21	33	70	12	131	173	130	
Circulatory	1.22	1114	8	—	—	—	2	14	19	25	31	28	109	166	20	234	177	
Respiratory	3.37	2992	898	392	108	37	18	1483	62	11	30	42	168	38	10	860	296	
Digestive	0.74	674	80	19	—	5	3	94	11	18	23	23	50	98	11	119	79	
Urinary	0.39	355	3	—	—	—	—	13	11	—	2	18	22	62	72	36	33	
Generative	0.03	32	—	—	—	—	—	—	—	—	—	—	—	—	10	5	1	
Childbirth	0.60	84	—	—	—	—	—	—	—	—	6	14	31	30	—	—	—	
Suicide	0.03	41	—	—	—	—	—	—	—	—	—	—	—	13	—	—	—	
Other Violence	1.05	957	37	26	26	13	21	121	51	34	84	91	78	170	162	64	31	
OTHER CAUSES	3.13	2834	1463	20	35	49	24	1790	78	37	26	32	107	107	9	149	215	

Deaths of Infants (under one) to 1000 Births } 112

Marriages } 8201
Births } 32,803Annual Rate } Persons Married } 18.14
per 1000 living } Births } 33.83

587.—PONTYPRIDD.

—	Annual Death Rate per 1000	ALL AGES	Under 1 Year	1	2	3	4	Total under 5 Year	5—	10—	15—	20—	25—	35—	45—	55—	65—	101
ANNUAL DEATH RATE PER 1000	—	23.16	—	—	—	—	—	78.00	8.43	5.19	8.21	9.81	10.35	12.77	16.80	31.35	37.05	11
Mean Pop. 1871-80	—	72,507	2470	2090	2210	2170	2180	11143	9163	868	7029	7297	11702	7895	5230	3104	1112	
ALL CAUSES	23.16	16,836	5152	1806	822	526	385	8601	801	408	577	65	1222	1008	885	973	811	
Small-pox	0.74	391	48	—	7	13	16	9	37	—	—	—	—	—	—	—	—	
Measles	0.98	491	82	102	39	30	30	451	28	—	—	—	—	—	—	—	—	
Scarlet Fever	0.91	678	31	92	119	160	90	441	54	—	—	—	—	—	—	—	—	
Diphtheria	0.07	50	3	—	4	—	—	7	18	—	—	—	—	—	—	—	—	
Whooping-cough	0.96	407	184	24	48	20	17	291	—	—	—	—	—	—	—	—	—	
Typhus	0.09	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteric Fever	0.71	515	9	14	41	—	—	21	105	—	42	68	65	62	10	10	5	
Simple Cont. Fev.	0.17	121	7	12	9	—	—	6	4	—	11	—	—	10	11	2	1	
Murp. Fever	0.16	114	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarr. and Dys.	0.43	340	164	41	23	—	—	260	—	—	—	—	—	—	—	—	—	
Cholera	0.00	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	0.23	183	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	0.13	93	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberc. Mesent.	0.46	336	127	167	34	19	9	391	19	—	—	—	—	—	—	—	—	
Phthisis	0.29	150	11	12	16	10	7	76	16	71	128	254	5	184	1	9	21	
Hydrocephalus	0.13	163	35	—	—	—	—	109	22	—	—	—	—	—	—	—	—	
Diseases of Nervous Syst.	1.24	1074	1069	276	86	43	35	1403	32	17	25	28	5	74	5	28	14	
Circulatory	0.81	588	1	—	—	—	—	4	—	—	—	—	—	—	—	—	—	
Respiratory	1.28	3115	904	34	26	35	76	1511	56	19	72	72	12	12	1	25	102	
Digestive	0.78	158	13	22	—	—	—	113	26	18	18	18	15	17	18	11	18	
Urinary	0.28	214	3	—	—	—	—	4	—	—	—	—	—	—	—	—	—	
Generative	0.03	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	0.17	122	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide	0.00	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violence	1.33	97	31	16	35	27	27	132	10	65	98	50	1	120	1	—	—	
OTHER CAUSES	0.71	250	1396	30	78	18	10	1742	7	37	5	—	—	—	—	—	—	

Deaths of Infants (under one) to 1000 Births } 162

Marriages } 5850
Births } 31,886Annual Rate } Persons Married } 16.11
per 1000 living } Births } 33.86

588.—MERTHYR TYDFIL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	24.23	—	—	—	—	—	75.18	8.50	6.40	7.91	9.77	11.27	14.29	20.41	35.00	72.90	172.9
Mean Pop. 1871-80	—	102,840	3244	2024	2908	2906	2853	14505	13009	11445	10426	9578	15144	11320	8307	5446	2537	876
ALL CAUSES	24.23	24.916	6267	2314	1177	734	461	10273	1111	733	825	936	1706	1619	1714	1939	1851	1590
Small-pox - -	0.64	653	78	17	22	28	23	178	93	29	60	102	114	42	6	1	4	-
Measles - - -	0.67	6.6	141	245	145	61	40	641	32	3	2	-	1	2	1	-	-	-
Scarlet Fever -	0.61	831	59	156	100	149	104	628	153	36	3	4	6	2	-	-	-	-
Diphtheria - -	0.20	208	22	34	29	35	22	142	42	11	3	3	8	-	3	1	-	-
Whooping-cough	0.52	531	212	167	64	47	17	507	23	-	-	-	1	-	-	-	-	-
Typhus - - -	0.07	74	-	1	1	4	1	7	9	4	5	11	12	10	6	7	3	-
Enteric Fever -	0.64	639	15	25	42	48	29	165	99	71	57	81	83	34	22	12	-	-
Simple Cont. Fav.	0.10	105	1	10	6	8	10	35	15	8	6	5	12	8	1	7	7	3
Puerp. Fever -	0.15	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarr. and Dys.	0.46	475	240	93	18	5	2	358	4	2	3	1	11	11	4	16	22	33
Cholera - - -	0.01	13	2	1	-	-	-	3	-	-	-	1	1	1	3	1	3	-
Cancer - - -	0.37	377	-	-	1	1	-	2	1	-	4	1	20	49	92	112	67	29
Scrofula - - -	0.19	192	49	37	15	7	9	110	18	22	13	9	7	6	2	2	3	-
Tuberc. Mesent.	0.34	346	108	99	45	15	11	278	18	19	14	2	7	5	2	1	-	-
Phthisis - - -	2.67	2745	68	105	51	21	15	260	125	125	273	325	606	467	326	175	60	-
Hydrocephalus -	0.41	419	123	100	42	23	17	307	58	33	10	6	1	3	-	-	1	-
Diseases of																		
Nervous Syst.	3.64	3745	2303	202	95	57	23	2653	101	41	38	43	68	104	144	195	224	137
Circulatory -	1.16	1163	3	2	2	1	2	10	19	23	43	34	97	135	204	295	238	80
Respiratory -	4.41	4554	1042	575	302	104	59	2042	103	22	50	64	135	238	378	587	591	327
Digestive - -	0.88	907	119	26	13	12	5	175	36	17	32	73	109	143	147	125	37	-
Urinary - - -	0.44	452	4	8	13	6	4	30	17	9	13	12	46	54	72	74	31	-
Generative -	0.03	33	1	-	-	-	-	1	-	-	1	3	11	5	4	6	1	-
Childbirth - -	0.13	134	-	-	-	-	-	-	-	-	6	20	55	53	-	-	-	-
Suicide - - -	0.05	47	-	-	-	-	-	-	-	-	2	2	10	8	11	7	7	-
Other Violence -	1.32	1353	37	46	35	24	28	170	60	109	141	115	136	133	163	114	58	33
OTHER CAUSES	3.91	4061	1740	315	113	76	40	2284	85	54	30	46	72	91	95	171	235	790

Deaths of Infants (under
one) to 1000 Births } 153Marriages - 9,071
Births - 40,998Annual Rate of Persons Married
per 1000 living { Births - 17.44
- 39.57

589.—BRIDGEND.

ANNUAL DEATH RATE PER 1000	—	29.95	—	—	—	—	—	54.92	5.98	4.35	6.65	9.53	11.18	14.02	16.98	29.16	57.13	123.3
Mean Pop. 1871-80	—	35,296	1027	914	1001	966	954	4862	4398	3820	3367	3118	5027	3516	2921	2126	1241	600
ALL CAUSES	29.95	73.96	1652	492	230	171	125	2670	263	160	224	297	562	535	496	620	700	554
Small-pox -	0.21	75	15	2	3	3	2	25	7	5	1	12	9	8	3	3	2	—
Measles -	0.18	62	11	18	13	12	2	56	6	—	—	—	—	—	—	—	—	—
Scarlet Fever -	0.67	228	13	28	47	35	23	146	60	15	3	2	2	—	—	—	—	—
Diphtheria -	0.08	30	—	4	8	5	4	16	7	2	—	—	—	2	2	—	1	—
Whooping-cough	0.32	112	52	33	15	8	4	109	3	—	—	—	—	—	—	—	—	—
Typhus -	0.06	47	—	—	1	—	—	1	2	7	1	5	8	1	3	3	1	1
Enteric Fever -	0.41	145	1	1	5	5	4	16	19	18	17	10	26	12	7	12	2	—
Simple Cont. Fav. -	0.19	68	2	2	6	7	3	20	14	7	4	4	4	—	7	1	6	1
Puerp. Fav. -	0.04	27	—	—	—	—	—	—	—	—	2	6	11	6	—	—	—	—
Diarr. and Dys. -	0.36	128	58	12	8	1	—	74	1	1	2	—	1	9	6	4	11	13
Cholera -	0.03	9	2	—	1	—	—	3	1	—	—	—	—	—	1	1	3	—
Cancer -	0.35	124	—	—	1	—	—	1	—	—	1	1	4	16	29	27	35	19
Scrofula -	0.12	45	6	5	6	1	—	13	4	1	4	4	6	5	1	1	4	—
Tuberc. Mesent. -	0.19	50	13	8	3	—	1	25	4	—	1	2	1	2	1	—	—	—
Hydrocephalus -	2.23	787	10	10	6	3	4	83	14	28	80	127	212	140	89	39	23	2
Diseases of	0.23	88	23	23	7	6	6	68	10	6	1	—	—	1	—	—	—	—
Nervous Syst. -	4.28	1311	706	109	55	24	25	869	10	11	17	20	63	103	90	117	108	67
Circulatory -	0.91	322	1	—	—	2	1	4	4	11	9	7	22	41	49	76	73	36
Respiratory -	3.59	1197	193	137	43	37	29	430	85	10	13	22	52	52	90	188	181	154
Digestive -	0.80	264	29	4	1	1	1	37	9	6	10	12	22	38	24	52	45	25
Urinary -	0.32	127	1	—	—	1	3	5	5	6	1	6	11	8	16	29	32	22
Generative -	0.03	9	—	1	—	—	—	1	—	—	—	—	2	2	1	—	—	—
Childbirth -	0.13	45	—	—	—	—	—	—	—	—	1	2	21	29	1	—	—	—
Suicide -	0.05	16	—	—	—	—	—	—	—	—	—	—	2	—	1	3	6	1
Other Violence -	0.97	344	8	13	9	10	5	40	18	19	42	38	60	40	31	23	10	17
OTHER CAUSES	4.39	1555	519	81	27	14	17	658	28	16	14	8	31	21	35	76	163	303

Deaths of Infants (under
one) to 1000 Births } 129Marriages - 2,757
Births - 12,843Annual Rate of Persons Married
per 1000 living { Births - 13.62
- 36.40

590.—NEATH (4½ years to 30th June 1875).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
ANNUAL DEATH RATE PER 1000	—	23.00	—	—	—	—	—	66.09	10.40	5.81	9.39	11.45	12.07	12.74	16.47	28.40	62.77	13
Mean Pop. Jan. 1871 to June 1875	—	67,185	2221	1929	2120	1910	1908	16178	8976	7920	6816	5726	9333	6022	5262	3557	1696	
ALL CAUSES	23.00	6953	1768	584	314	195	166	3027	420	207	288	295	507	397	390	456	479	
Small-pox	0.97	292	25	5	6	15	23	74	70	22	28	37	26	18	5	9	—	
Measles	0.51	155	20	54	25	24	8	131	11	1	—	1	—	1	—	—	—	
Scarlet Fever	1.28	347	23	64	84	48	43	292	96	15	6	5	4	—	1	—	—	
Diphtheria	0.08	25	1	4	1	4	3	13	5	4	1	1	—	—	—	1	—	
Whooping-cough	0.51	155	78	45	15	9	5	159	5	—	—	—	—	—	—	—	—	
Typhus	0.11	32	—	—	—	—	1	1	5	7	5	1	6	4	1	2	—	
Enteric Fever	0.62	186	2	4	7	8	7	28	34	23	28	23	27	10	5	6	2	
Simple Cont. Fev.	0.27	81	3	11	5	5	4	25	9	14	5	4	8	4	4	—	4	
Puerp. Fever	0.14	42	—	—	—	—	—	—	—	—	3	9	17	12	1	—	—	
Diarr. and Dys.	0.35	110	64	14	3	4	3	88	4	1	—	—	1	1	1	2	6	
Cholera	0.01	4	1	—	1	—	—	2	—	—	—	—	—	1	—	—	—	
Cancer	0.31	94	—	—	1	1	—	2	—	—	—	—	6	10	26	23	18	
Scrophula	0.13	38	10	5	2	—	—	17	4	1	2	3	7	3	—	—	1	
Tuberc. Mesent.	0.27	81	32	22	10	3	—	67	7	4	3	—	—	—	—	—	—	
Phthisis	2.77	880	17	31	15	8	3	71	28	30	93	116	269	187	81	58	19	
Hydrocephalus	0.44	134	32	31	15	6	11	95	23	10	3	—	1	—	—	—	—	
Diseases of Nervous Syst.	3.46	1045	635	69	29	8	9	750	24	11	11	9	17	22	34	62	54	
Circulatory	0.95	290	1	1	2	1	—	5	3	12	11	12	17	26	46	60	63	
Respiratory	3.00	907	173	93	43	18	17	348	21	3	20	30	43	37	66	106	100	
Digestive	0.80	243	27	6	2	2	3	42	10	1	11	14	13	17	38	42	40	
Urinary	0.54	104	1	4	1	2	2	10	5	3	4	8	9	9	19	17	15	
Generative	0.62	7	—	—	—	—	—	—	—	—	—	—	2	3	2	—	—	
Childbirth	0.14	43	—	—	—	—	—	—	—	—	2	6	18	17	—	—	—	
Selficide	0.03	9	—	—	—	—	—	—	—	—	1	3	—	—	1	2	2	
Other Violence	1.01	206	19	11	11	10	6	57	21	29	36	24	64	26	21	22	12	
OTHER CAUSES	4.46	1547	605	105	40	29	16	780	21	18	16	11	26	25	38	51	85	

Deaths of Infants (under one) to 1000 Births } 138 Marriages - 2,722 Annual Rate of Persons Married - 18.01
Births - 12,555 per 1000 living (Births - 42.52

* A considerable part of this District was transferred on 1st July 1875 to the newly formed district of PONTARDAWE; see pp. 371-7. The figures in this Table relate to NEATH as constituted during the first 4½ years of the decade.

590.—NEATH (5½ years from 1st July 1875).*

ANNUAL DEATH RATE PER 1000	—	19.69	—	—	—	—	—	58.98	6.68	4.08	5.72	8.18	8.81	10.28	15.06	32.11	60.29	17
Mean Pop. July 1875 to Dec. 1880	—	51,104	1548	1435	1424	1505	1521	7453	6941	5920	5277	4535	7145	5481	3870	2712	1381	
ALL CAUSES	19.69	5543	1373	476	240	170	141	2400	255	133	166	204	346	310	321	479	458	
Small-pox	0.00	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Measles	0.55	156	24	54	22	22	7	139	16	—	—	1	—	—	—	—	—	
Scarlet Fever	0.98	275	24	42	52	41	35	194	64	9	5	2	1	1	—	—	—	
Diphtheria	0.09	25	1	5	1	2	6	15	6	2	1	1	—	—	—	—	—	
Whooping-cough	0.34	95	41	27	14	10	2	94	1	—	—	—	—	—	—	—	—	
Typhus	0.05	13	—	—	1	—	1	2	—	3	5	2	1	—	—	—	—	
Enteric Fever	0.40	114	—	7	9	5	6	37	14	14	17	14	13	5	3	6	—	
Simple Cont. Fev.	0.07	21	1	—	3	1	1	6	2	—	2	2	—	2	2	2	2	
Puerp. Fever	0.10	29	—	—	—	—	—	—	—	—	—	3	17	7	—	—	—	
Diarr. and Dys.	0.28	80	45	12	6	2	—	65	3	—	—	—	—	2	2	1	8	
Cholera	0.01	4	—	1	—	1	—	2	—	—	—	—	—	1	—	—	—	
Cancer	0.39	110	—	—	—	—	—	—	—	—	—	—	3	8	27	37	25	
Scrophula	0.10	29	7	2	5	—	3	15	2	2	1	1	4	—	—	1	1	
Tuberc. Mesent.	0.16	44	9	13	5	2	4	33	7	1	3	—	—	—	—	—	—	
Phthisis	2.42	680	21	28	16	9	10	84	31	29	29	33	148	82	62	20	30	
Hydrocephalus	0.41	115	19	17	8	11	14	69	28	9	4	—	3	1	—	—	—	
Diseases of Nervous Syst.	2.84	801	381	70	35	14	11	602	10	15	7	9	17	33	32	46	72	
Circulatory	1.18	323	3	1	1	—	—	5	4	6	11	14	19	25	35	69	47	
Respiratory	3.17	922	197	118	55	24	17	391	19	7	8	12	15	40	41	109	103	
Digestive	0.64	181	21	3	4	2	2	5	7	1	6	10	17	17	24	50	32	
Urinary	0.41	123	1	4	5	1	4	15	4	3	—	4	11	14	25	10	24	
Generative	0.03	8	—	—	—	—	—	—	—	—	—	—	1	4	3	1	—	
Childbirth	0.11	31	—	—	—	—	—	—	—	—	1	5	15	10	—	—	—	
Selficide	0.01	10	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	
Other Violence	0.87	214	18	8	10	7	7	60	15	16	24	19	35	28	20	10	12	
OTHER CAUSES	4.02	1132	550	64	28	16	11	609	19	14	9	5	16	18	14	17	86	

Deaths of Infants (under one) to 1000 Births } 124 Marriages - 2,083 Annual Rate of Persons Married - 14.50
Births - 11,933 per 1000 living (Births - 39.18

* This Table relates to NEATH as constituted after the creation of the District of PONTARDAWE. See NOTE to the p. Table. A further change was made in the boundary of this District, for which see pp. 371-78.

591.—PONTARDAWE (5½ years).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19.27	—	—	—	—	—	51.97	7.70	4.82	7.82	10.29	9.16	11.61	12.14	20.28	32.75	126.25
Mean Pop. July 1875 to Dec. 1880	—	19,443	508	537	614	535	625	2939	2431	2374	2001	1530	2019	1864	1423	949	579	274
ALL CAUSES	19.27	2061	559	132	80	44	45	849	120	63	84	90	132	119	95	154	168	190
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.40	43	5	11	10	2	4	32	10	1	—	—	—	—	—	—	—	—
Scarlet Fever	0.78	85	7	10	12	14	18	61	16	3	2	—	—	—	1	—	—	—
Diphtheria	0.03	3	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.50	54	31	16	4	1	2	54	—	—	—	—	—	—	—	—	—	—
Typhus	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0.61	65	1	—	3	—	—	4	10	12	14	5	10	2	3	4	1	—
Simple Cont. Fev.	0.15	16	2	—	—	1	3	6	3	1	4	—	1	—	—	—	1	—
Puerp. Fever	0.10	11	—	—	—	—	—	—	—	—	—	3	6	—	—	—	—	—
Diarr. and Dys.	0.32	34	17	6	2	—	2	27	1	—	—	—	—	1	—	1	1	3
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.33	35	—	—	—	—	—	—	—	—	1	—	2	5	4	9	10	4
Serofula	0.18	19	3	—	1	—	—	4	1	2	3	5	2	—	1	—	1	—
Tuberc Mesent.	0.18	19	3	8	2	—	1	14	3	1	—	—	—	—	—	1	—	—
Phthisis	2.89	309	9	6	6	3	1	25	15	11	28	47	69	43	24	34	14	1
Hydrocephalus	0.40	43	4	4	2	4	2	16	14	5	4	—	—	—	—	—	—	—
Diseases of																		
Nervous Syst.	3.02	323	202	16	6	3	—	2.7	7	—	6	0	2	8	6	21	19	21
Circulatory	0.98	103	1	—	—	—	—	1	2	4	2	2	4	10	6	24	29	21
Respiratory	2.70	298	74	26	16	3	5	123	19	4	4	6	8	9	21	34	45	35
Digestive	0.50	54	6	3	—	1	1	11	5	1	3	1	5	3	7	5	11	2
Urinary	0.30	32	1	1	1	—	—	4	2	2	1	2	2	3	2	5	6	3
Generative	0.07	7	—	—	—	—	—	—	—	—	1	1	1	4	1	—	—	—
Childbirth	0.13	14	—	—	—	—	—	—	—	—	1	1	6	—	—	—	—	—
Suicide	0.06	6	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Other Violence	0.89	95	3	6	6	6	2	23	9	10	8	5	10	19	10	5	4	1
OTHER CAUSES	3.65	392	171	19	8	5	4	297	13	6	5	6	1	11	5	12	25	14

Deaths of Infants (under
one) to 1000 Births } 125Marriages - 688
Births - 4320Annual Rate { Persons Married - 12.87
per 1000 living { Births - 49.10

* This District was created on 1st July 1875; see pp. 371-78.

592.—SWANSEA.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	22.38	—	—	—	—	—	69.51	8.54	4.88	6.80	8.31	10.31	13.98	18.23	32.75	70.68	151.30
Mean Pop. 1871-80	—	80,539	2,045	2,222	2,410	2,291	2,283	11,881	10,392	8,808	8,192	7,537	12,446	8,835	6,082	3,725	1,843	734
ALL CAUSES	22.38	18,022	4,728	1,642	882	605	390	82.59	887	433	557	620	1,253	1,335	1,100	1,220	1,504	11.9
Small-pox	0.29	210	37	7	4	9	6	63	39	16	21	35	32	11	10	3	—	—
Measles	0.63	568	88	171	103	51	25	431	49	6	1	—	—	—	1	—	—	—
Scarlet Fever	1.27	1,019	50	175	194	167	180	716	249	31	13	2	5	1	—	—	—	—
Diphtheria	0.06	51	7	2	5	4	7	25	15	5	2	—	2	—	2	—	—	—
Whooping-cough	0.52	415	179	119	53	25	16	395	19	—	—	—	1	—	—	—	—	—
Typhus	0.07	25	—	—	—	—	—	—	3	6	5	2	9	13	5	8	4	—
Enteric Fever	0.63	605	6	14	18	19	29	77	52	61	74	69	73	60	35	15	7	1
Simple Cont. Fev.	0.12	98	2	9	10	13	5	39	18	6	4	8	6	3	6	0	1	1
Puerp. Fever	0.09	74	—	—	—	—	—	—	—	—	1	13	43	14	3	—	—	—
Diarr. and Dys.	0.56	448	279	79	12	7	8	390	7	3	2	2	7	7	4	9	12	13
Cholera	0.02	16	5	2	—	1	1	9	—	1	—	—	1	1	2	—	—	—
Cancer	0.40	320	—	—	—	—	—	—	1	—	1	2	10	43	74	100	67	20
Serofula	0.16	128	39	20	9	5	2	75	10	8	6	5	10	5	5	2	2	—
Tuberc Mesent.	0.27	221	89	35	22	10	7	191	13	6	2	3	1	1	—	—	—	—
Phthisis	2.29	1,841	40	29	19	8	11	1,07	53	67	215	274	481	339	202	85	34	4
Hydrocephalus	0.20	314	70	71	25	21	20	307	59	23	9	4	8	3	1	—	—	—
Diseases of																		
Nervous Syst.	3.25	2869	1,908	188	95	54	19	1950	70	33	22	14	63	88	127	165	191	12
Circulatory	0.96	771	—	—	1	1	2	4	19	35	28	24	97	131	129	187	129	47
Respiratory	4.09	3,394	838	366	163	104	46	1,521	75	27	32	49	164	177	237	374	453	215
Digestive	0.81	667	102	25	12	10	6	155	29	18	19	15	61	80	84	109	67	21
Urinary	0.36	289	3	7	2	9	3	24	6	5	9	14	20	53	42	75	49	20
Generative	0.04	29	—	—	—	—	—	—	—	—	1	2	4	6	8	4	2	2
Childbirth	0.14	112	—	—	—	—	—	—	—	—	4	16	57	32	3	—	—	—
Suicide	0.06	51	—	—	—	—	—	—	—	1	4	5	8	11	10	8	4	—
Other Violence	0.79	634	20	11	21	13	17	85	53	45	60	57	129	87	52	33	33	—
OTHER CAUSES	3.79	3,011	1,216	294	111	70	43	1,774	60	28	22	20	45	73	67	116	231	58

Deaths of Infants (under
one) to 1000 Births } 141Marriages - 8,035
Births - 33,623Annual Rate { Persons Married - 10.93
per 1000 living { Births - 41.75

* Changes were made in the boundary of this District during the decade; see pp. 371-78.

593.—GOWER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
L. DEATHS PER 1000	—	17.29	—	—	—	—	—	38.78	5.45	3.97	6.65	7.85	8.74	10.17	12.57	20.30	40.61	128.76
Pop. -80-	—	10,106	250	295	267	280	267	1377	1206	1082	977	825	1362	1072	867	675	457	235
CAUSES	17.23	1763	323	97	51	24	39	534	69	43	65	65	119	109	109	137	213	300
Cox -	0.07	8	—	—	—	—	—	—	—	1	—	3	—	1	1	2	—	—
Fever -	0.27	28	4	9	4	1	5	21	5	—	—	—	—	—	—	—	—	—
ria -	0.77	78	3	11	15	5	11	45	24	6	1	1	—	—	—	1	—	—
ing-cough	0.65	5	—	—	1	—	—	8	—	—	—	—	1	1	—	—	—	—
-	0.56	37	18	8	3	3	3	35	1	1	—	—	—	—	—	—	—	—
Fever -	0.07	7	—	—	—	—	1	1	1	—	—	—	2	—	2	1	—	—
ont. Fever	0.54	55	1	5	3	3	4	16	5	4	4	3	8	6	4	2	3	—
Fever -	0.13	13	—	1	2	—	4	3	1	1	2	1	2	1	1	1	—	—
nd Dys.	0.06	6	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—
-	0.32	33	18	2	—	1	—	21	1	—	1	—	1	—	2	3	1	3
-	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-	0.36	37	—	—	—	—	1	1	—	—	—	—	—	3	11	11	5	6
-	0.05	5	—	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—
esent.	0.17	17	6	6	2	—	1	15	—	1	—	—	—	1	—	—	—	—
phalus -	2.08	212	7	4	2	—	1	14	4	7	21	35	47	38	24	13	8	—
-	0.21	21	7	3	2	2	1	15	2	2	1	—	—	1	—	—	—	—
rons Syst.	2.27	231	114	12	4	1	4	135	1	4	1	4	2	7	9	14	34	21
ulatory	0.95	97	—	1	—	—	—	1	1	2	2	2	11	16	13	31	11	—
piratory "	2.02	206	48	19	3	2	3	75	3	1	5	4	10	5	15	15	44	26
cative "	0.68	59	4	1	—	2	—	7	3	—	4	1	4	3	6	9	13	6
nary "	0.39	40	—	—	1	1	—	2	—	—	1	—	2	5	4	9	9	8
erative "	0.03	3	—	—	—	—	—	—	—	—	—	—	2	—	4	1	—	—
rth -	0.13	13	—	—	—	—	—	—	—	—	1	3	4	5	—	—	—	—
-	0.03	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
iolence -	0.79	81	—	2	3	—	—	5	1	5	14	5	18	11	6	4	5	5
CAUSES -	4.56	463	93	13	6	3	2	117	9	6	5	3	6	8	7	29	61	213

Deaths of Infants (under one) to 1000 Births } 35
 Marriages - 573
 Births - 3,464
 Annual Rate { Persons Married - 11.24
 per 1000 living { Births - 33.97

594.—LLANELLY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
L. DEATHS PER 1000	—	20.93	—	—	—	—	—	57.82	7.65	4.43	8.02	10.79	10.72	11.75	15.25	22.60	56.83	149.60
Pop. -80-	—	80,674	1312	1133	1230	1232	1165	6072	5483	4698	3976	3184	3457	4014	2404	1930	1154	496
CAUSES	20.93	8308	2090	628	340	250	203	3511	420	208	319	376	585	473	437	574	636	742
Cox -	0.49	195	35	9	7	12	13	77	27	8	20	26	25	6	3	2	1	—
Fever -	0.31	124	27	45	15	12	9	108	16	—	—	—	—	—	—	—	—	—
ria -	1.22	466	37	71	91	84	73	339	93	13	3	7	3	—	2	1	—	—
ing-cough	0.08	32	1	5	—	7	3	16	11	2	1	2	—	—	—	—	—	—
-	0.40	157	65	51	21	8	5	152	5	—	—	—	—	—	—	—	—	—
Fever -	0.04	14	1	—	—	—	—	2	1	2	—	—	5	2	—	1	1	—
ont. Fever	0.82	330	4	24	17	11	17	73	44	51	47	39	40	27	6	9	35	—
Fever -	0.12	46	—	3	4	2	2	11	9	4	6	9	3	2	—	3	26	8
Fever -	0.07	29	—	—	—	—	—	—	—	—	3	3	17	5	1	—	—	—
nd Dys.	0.32	128	63	16	3	3	—	82	3	1	—	3	1	2	3	7	11	15
-	0.02	7	—	—	—	—	—	—	—	—	—	—	1	—	2	3	—	1
-	0.37	147	—	—	—	—	—	—	—	1	—	—	8	39	39	24	24	16
-	0.15	70	10	5	5	4	2	24	4	7	6	7	6	2	5	5	—	—
esent.	0.32	121	64	94	12	4	1	114	7	4	1	—	—	—	—	—	—	—
-	2.55	1011	13	9	5	5	—	32	28	51	128	167	214	130	101	67	37	6
ephalus -	0.15	60	10	12	5	4	5	39	14	3	2	2	—	—	—	—	—	—
rons Syst.	3.06	1214	671	88	41	24	13	843	37	14	12	14	17	26	51	51	80	79
ulatory	0.71	280	2	—	—	—	—	3	—	9	11	9	23	49	51	55	61	30
piratory "	3.15	1349	273	138	61	36	26	633	82	12	12	25	39	51	73	169	183	186
cative "	0.70	276	26	8	5	5	—	43	7	11	10	19	24	36	52	42	35	—
nary "	0.32	127	—	1	5	3	1	10	3	3	9	3	20	9	16	18	30	12
erative "	0.02	9	—	—	—	—	—	—	—	—	—	—	2	1	3	—	—	—
rth -	0.15	60	—	—	—	—	—	—	—	—	—	7	25	27	1	—	—	—
-	0.03	12	—	—	—	—	—	—	—	—	—	1	5	1	3	—	—	—
iolence -	0.71	298	5	11	10	13	1	46	21	18	24	21	51	34	23	23	14	9
CAUSES -	4.58	1818	781	96	28	20	20	915	41	19	22	29	21	43	49	80	143	421

Deaths of Infants (under one) to 1000 Births } 129
 Marriages - 3,102
 Births - 16,223
 Annual Rate { Persons Married - 15.64
 per 1000 living { Births - 40.91

595.—LLANDOVERY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	18'92	—	—	—	—	—	16'81	6'83	5'90	6'43	9'30	11'61	11'50	13'86	21'62	49'33	100'01
Mean Pop. 1871-80	—	13,406	336	307	305	341	338	1629	1506	1509	1431	1215	1686	1252	1154	976	598	386
ALL CAUSES	18'92	2671	530	101	47	49	36	763	109	89	92	113	195	144	160	211	293	506
Small-pox	0'14	19	1	—	1	2	—	4	3	1	3	—	5	3	—	—	—	—
Measles	0'12	16	9	1	—	2	—	12	1	3	—	—	—	—	—	—	—	—
Scarlet Fever	0'44	59	6	4	7	9	7	34	19	22	3	2	—	—	—	—	—	—
Diphtheria	0'31	45	3	8	3	3	4	21	17	7	2	1	—	—	—	—	—	—
Whooping-cough	0'53	44	19	14	4	3	2	42	1	1	—	—	—	—	—	—	—	—
Typhus	0'04	6	—	—	1	—	—	1	2	—	1	—	—	—	—	—	1	—
Enteric Fever	0'25	34	1	—	—	—	—	1	2	—	3	3	6	2	4	1	2	2
Simple Cont. Fev.	0'22	30	1	3	—	—	2	6	4	3	5	2	2	2	3	2	1	—
Puerp. Fever	0'07	9	—	—	—	—	—	—	—	—	—	—	7	1	1	—	—	—
Diarr. and Dys.	0'23	31	15	3	—	1	—	21	1	—	—	—	1	—	—	2	1	—
Cholera	0'01	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Cancer	0'23	44	—	—	—	—	—	—	—	—	—	—	—	2	2	10	13	3
Scrofula	0'11	26	1	2	1	1	1	6	3	4	3	1	4	3	—	—	2	—
Tuberc. Mesent.	0'04	6	—	2	3	—	—	5	—	—	—	—	—	—	—	—	1	—
Phthisis	3'08	413	1	1	—	1	—	3	6	25	42	58	98	48	44	56	26	4
Hydrocephalus	0'17	24	6	—	1	2	3	12	7	2	1	—	2	—	—	—	—	—
Diseases of																		
Nervous Syst.	3'70	494	293	23	2	9	6	338	9	4	3	9	11	9	21	18	29	45
Circulatory	0'83	111	—	—	—	—	—	—	—	2	2	4	10	11	12	17	24	16
Respiratory	2'00	285	80	16	8	1	4	59	10	6	1	15	15	14	18	24	30	30
Digestive	0'93	120	—	—	2	2	1	7	3	4	6	—	10	11	13	23	33	4
Urinary	0'27	36	—	—	1	—	—	1	1	2	1	1	1	2	6	4	7	16
Generative	0'02	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Childbirth	0'16	14	—	—	—	—	—	—	—	—	—	4	4	5	1	—	—	—
Suicide	0'07	10	—	—	—	—	—	—	—	—	—	—	1	2	2	1	3	7
Other Violence	0'35	47	2	2	2	2	1	9	1	8	5	1	3	5	1	3	3	3
OTHER CAUSES	5'66	755	103	20	11	11	5	182	17	12	6	12	13	23	24	37	53	34

Deaths of Infants (under
one) to 1000 Births } 120Marriages - 905
Births - 4,432Annual Rate { Persons Married - 14'40
per 1000 living { Births - 33'06

596.—LLANDILOFAWR.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	18'74	—	—	—	—	—	3'11	5'84	4'89	6'89	10'39	9'11	10'05	13'08	23'38	49'04	100'21
Mean Pop. 1871-80	—	17,888	479	463	464	503	472	2383	2259	2026	1784	1502	2293	1691	1460	1206	822	462
ALL CAUSES	18'74	3333	600	135	73	71	53	932	132	99	123	156	209	170	191	282	408	631
Small-pox	0'09	18	1	—	1	—	1	3	1	—	3	2	1	—	2	1	1	—
Measles	0'15	16	6	5	3	1	2	19	5	1	—	—	1	2	—	—	—	—
Scarlet Fever	0'06	118	10	23	19	15	12	84	24	8	2	—	—	—	—	—	—	—
Diphtheria	0'15	27	3	1	4	3	1	12	10	2	3	—	—	—	—	—	—	—
Whooping-cough	0'22	39	25	8	3	1	3	37	2	—	—	—	—	—	—	—	—	—
Typhus	0'06	10	—	—	1	—	—	1	4	1	1	1	1	—	—	—	—	—
Enteric Fever	0'45	61	—	3	—	1	2	6	11	7	12	9	15	3	7	4	4	3
Simple Cont. Fev.	0'09	19	—	1	—	—	2	3	1	3	—	1	1	3	1	1	3	—
Puerp. Fever	0'03	14	—	—	—	—	—	—	—	2	3	—	3	—	—	—	—	—
Diarr. and Dys.	0'21	28	22	2	1	—	—	25	—	1	1	—	7	—	1	—	3	4
Cholera	0'02	4	1	1	—	—	—	2	—	—	—	—	—	—	—	1	1	—
Cancer	0'39	69	—	—	—	—	—	—	—	—	—	—	1	5	13	15	28	13
Scrofula	0'09	16	—	—	—	—	—	—	3	4	—	4	1	—	1	1	2	1
Tuberc. Mesent.	0'11	19	6	4	—	1	—	11	3	—	2	2	—	1	—	—	—	—
Phthisis	3'32	504	8	11	2	3	2	26	21	32	57	85	108	76	57	75	47	15
Hydrocephalus	0'19	34	3	4	5	5	1	18	5	5	3	2	1	—	—	—	—	—
Diseases of																		
Nervous Syst.	2'78	407	236	22	6	9	9	302	7	7	8	5	8	6	21	31	48	39
Circulatory	0'89	109	—	—	—	—	—	—	—	3	3	3	13	16	15	21	27	17
Respiratory	2'06	299	62	23	7	5	3	100	15	9	2	8	13	12	33	47	78	33
Digestive	0'74	183	10	1	2	1	—	14	1	7	5	9	6	14	24	24	32	17
Urinary	0'26	65	—	1	—	1	—	2	2	2	1	3	8	9	5	10	17	6
Generative	0'03	9	—	—	—	—	—	—	—	1	—	1	3	—	1	2	—	—
Childbirth	0'07	13	—	—	—	—	—	—	—	—	—	5	3	4	1	—	—	—
Suicide	0'07	13	—	—	—	—	—	—	—	—	—	1	2	2	3	3	3	—
Other Violence	0'32	43	1	2	7	8	2	20	9	—	9	9	14	4	5	5	10	7
OTHER CAUSES	4'92	681	180	24	11	13	13	217	17	8	8	8	11	13	21	49	79	455

Deaths of Infants (under
one) to 1000 Births } 105Marriages - 1,408
Births - 5,723Annual Rate { Persons Married - 16'40
per 1000 living { Births - 31'79

597.—CARMARTHEN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
AL DEATH IN FEB 1900	—	21.50	—	—	—	—	—	43.91	7.74	5.31	7.21	10.00	12.26	14.44	16.11	25.59	58.52	153.62
in Pop. 1-80	—	35,351	895	815	906	876	876	4368	4134	4010	3622	3660	4526	3428	3016	2305	1702	890
CAUSES	21.50	7590	1195	308	189	118	108	1918	320	213	261	306	555	405	480	664	996	1385
Box -	0.18	65	9	1	2	1	7	10	10	6	8	8	8	2	1	—	1	1
Box -	0.12	41	9	12	7	3	1	23	8	1	—	—	—	—	—	—	—	—
Box -	0.79	281	16	42	45	39	28	167	85	16	6	3	3	1	—	—	—	—
Box -	0.05	14	3	3	2	2	1	11	3	2	—	—	—	2	—	—	—	—
Box -	0.29	102	40	23	12	8	6	98	4	—	—	—	—	—	—	—	—	—
Box -	0.08	12	—	—	—	—	1	1	1	—	1	—	3	3	—	—	3	—
Box -	0.42	147	2	1	7	2	0	14	23	19	13	18	21	11	10	8	6	—
Box -	0.11	38	5	2	2	2	1	10	4	5	2	3	—	—	—	1	1	1
Box -	0.09	31	—	—	—	—	—	—	—	—	—	6	14	9	9	—	—	—
Box -	0.26	91	43	5	2	1	—	61	1	—	—	2	—	2	4	7	11	13
Box -	0.03	9	2	—	—	—	—	2	—	1	—	—	—	2	—	1	2	1
Box -	0.48	109	—	1	1	—	1	3	—	—	1	1	2	19	25	43	49	26
Box -	0.16	57	4	4	5	2	—	12	6	8	3	7	6	2	—	2	10	1
Box -	0.18	64	18	8	6	2	3	37	11	5	2	3	—	—	—	—	—	—
Box -	0.27	1157	6	8	4	2	3	23	29	10	167	168	272	169	104	102	54	9
Box -	0.10	68	16	7	2	4	3	32	13	9	2	1	—	—	1	—	—	—
Box -	3.62	1278	548	67	23	17	13	608	26	15	14	18	48	71	63	89	187	139
Box -	1.16	409	1	—	—	—	—	1	7	5	3	8	22	34	56	69	111	61
Box -	2.66	942	102	53	27	12	11	205	38	11	8	12	37	35	75	109	223	186
Box -	0.91	321	25	7	—	2	2	36	3	4	5	13	25	32	46	60	63	55
Box -	0.38	136	—	—	1	1	1	5	1	2	4	1	6	12	21	29	30	36
Box -	0.05	17	1	—	—	—	—	1	1	—	—	—	2	3	4	4	1	1
Box -	0.18	45	—	—	—	—	—	—	—	—	7	18	20	—	—	—	—	—
Box -	0.05	19	—	—	—	—	—	—	—	—	1	—	8	5	3	4	3	—
Box -	0.48	168	4	9	10	5	4	32	10	12	16	6	15	14	13	18	17	13
Box -	5.44	1924	534	55	53	17	16	455	30	22	13	21	35	43	30	105	272	870

Deaths of Infants (under
one) to 1000 Births - 110

Marriages - 2,632
Births - 10,868

Annual Rate (Persons Married
per 1000 living { Births - 14.59
- 30.74

598.—NARBERTH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
AL DEATH IN FEB 1900	—	19.37	—	—	—	—	—	54.95	5.46	4.63	8.10	9.38	11.59	11.45	13.02	24.62	55.24	142.73
in Pop. 71-80	—	19,937	534	462	556	510	549	2601	2455	2334	1976	1556	2382	1861	1744	1531	974	543
CAUSES	19.37	3862	571	161	74	61	42	909	133	108	160	146	270	213	227	377	538	775
Box -	0.05	9	2	—	—	—	—	2	1	—	1	—	1	3	1	—	—	—
Box -	0.11	22	9	1	2	—	—	17	4	—	—	—	—	—	—	—	—	—
Box -	0.54	108	13	17	19	15	11	75	23	6	2	—	—	—	—	—	—	—
Box -	0.10	19	3	2	3	1	—	9	8	1	—	—	1	—	—	—	—	—
Box -	0.40	79	40	15	8	8	4	75	4	—	—	—	—	—	—	—	—	—
Box -	0.07	14	—	—	—	1	—	1	1	3	2	3	1	2	1	—	—	—
Box -	0.17	33	—	—	1	1	—	2	3	5	5	5	1	5	3	2	—	—
Box -	0.21	41	4	1	3	1	1	10	11	5	4	1	2	3	1	3	3	—
Box -	0.13	20	10	2	1	—	—	13	1	1	—	—	3	2	1	1	—	—
Box -	0.01	3	—	—	—	—	—	—	—	—	—	—	1	1	1	1	6	1
Box -	0.31	61	—	—	—	1	—	1	—	—	—	—	1	2	12	22	14	9
Box -	0.20	29	2	—	1	—	—	3	3	5	7	5	8	—	2	2	4	—
Box -	0.07	14	2	5	1	—	—	8	2	1	—	—	1	1	—	1	—	—
Box -	0.24	648	4	5	1	2	—	12	12	42	92	99	153	81	30	68	22	2
Box -	0.09	17	4	2	3	1	1	15	4	—	—	—	—	—	—	—	—	—
Box -	1.95	888	148	23	6	5	3	185	9	5	6	3	14	11	13	37	55	42
Box -	0.60	119	1	—	—	—	—	1	2	4	1	3	4	10	12	56	23	11
Box -	2.04	408	38	24	1	6	7	71	8	3	5	3	23	20	32	71	103	79
Box -	0.58	136	11	—	—	1	1	15	1	2	4	2	11	30	18	29	20	10
Box -	0.24	48	—	—	—	2	—	2	1	3	—	1	3	3	4	15	9	5
Box -	0.42	3	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Box -	0.18	36	—	—	—	—	—	—	—	—	5	2	18	12	2	—	—	—
Box -	0.07	13	—	—	—	—	—	—	—	—	3	2	1	2	3	3	1	1
Box -	0.13	83	2	1	4	3	5	13	8	4	7	4	8	6	11	10	8	4
Box -	7.44	1491	278	63	20	8	12	281	23	21	21	10	21	27	43	77	243	620

Deaths of Infants (under
one) to 1000 Births - 93

Marriages - 1,350
Births - 6,161

Annual Rate (Persons Married
per 1000 living { Births - 13.54
- 30.99

599.—PEMBROKE.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000	—	19'08	—	—	—	—	—	47'95	7'02	4'56	5'02	6'55	9'19	11'07	13'60	26'46	53'05	109'14
Mean Pop. 1871-80	—	20,704	815	757	784	708	753	3877	3580	3204	3129	2582	3949	3136	2640	1882	1099	537
ALL CAUSES	19'08	5000	1169	342	168	104	76	1859	252	149	176	169	363	347	359	498	605	922
Small-pox	0'01	2	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Measles	0'20	59	13	23	9	2	2	49	7	2	—	—	—	—	—	—	—	—
Scarlet Fever	0'85	253	13	29	37	32	27	138	85	22	4	—	—	—	—	—	—	—
Diphtheria	0'09	27	2	—	4	1	—	7	13	3	1	—	—	—	—	—	—	—
Whooping-cough	0'34	102	58	24	10	1	3	96	6	—	—	—	—	—	—	—	—	—
Typhus	0'06	19	1	—	—	—	—	1	3	8	5	1	3	2	1	—	—	—
Enteric Fever	0'22	66	—	4	3	6	1	14	9	6	11	4	5	9	3	4	—	1
Simple Cont. Fev.	0'07	21	1	2	1	2	1	7	4	2	2	2	2	1	1	—	—	—
Puerp. Fever	0'10	31	—	—	—	—	—	—	—	—	—	—	18	13	—	—	—	—
Diarr. and Dys.	0'27	109	58	6	2	2	1	69	1	2	1	1	—	3	6	3	9	11
Cholera	0'00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'46	137	—	—	—	—	—	—	—	—	—	1	4	5	32	58	55	22
Scrofula	0'15	45	13	5	4	2	1	25	4	3	1	5	1	3	1	2	—	—
Tuberc. Mesent.	0'14	41	13	6	2	2	2	25	6	5	—	—	—	1	1	—	—	—
Phthisis	2'38	708	8	10	4	4	1	27	14	31	90	95	170	118	70	59	34	9
Hydrocephalus	0'29	86	20	21	8	3	3	55	19	6	3	1	1	—	—	—	—	—
Diseases of	5'04	904	399	74	28	12	4	517	10	15	14	3	17	28	55	74	95	96
Nervous Syst.	1'54	457	1	—	—	—	—	1	—	19	11	12	29	35	51	99	153	86
Circulatory	2'41	717	145	27	25	18	15	289	17	5	10	5	20	35	32	79	105	129
Respiratory	0'80	237	24	3	1	3	—	31	5	4	1	4	21	21	44	46	30	21
Digestive	0'33	136	2	1	1	—	—	4	5	2	2	2	18	19	27	28	25	14
Urinary	0'05	15	—	—	—	—	—	—	—	—	—	1	1	3	—	2	—	—
Generative	0'10	29	—	—	—	—	—	—	—	—	—	1	10	17	1	—	—	—
Childbirth	0'04	12	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Suicide	0'56	166	3	5	3	4	4	19	11	12	9	14	19	17	17	10	13	14
Other Violence	4'28	1289	394	59	26	10	11	493	29	16	11	11	21	15	29	48	126	470

Deaths of Infants (under one) to 1000 Births } 123

Marriages - 2,403
Births - 9,473Annual Rate { Persons Married - 16'58
per 1000 living { Births - 31'89

600.—HAVERFORDWEST.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards
ANNUAL DEATH RATE PER 1000	—	20'22	—	—	—	—	—	44'43	6'20	4'30	7'52	9'33	9'83	10'15	13'13	23'39	52'35	128'94
Mean Pop. 1871-80	—	31,136	897	782	877	860	840	4256	4031	3863	3472	2775	4119	3449	3009	2540	1729	534
ALL CAUSES	20'22	6302	1175	331	167	115	103	1891	250	166	261	259	405	350	395	594	903	1423
Small-pox	0'04	13	1	1	—	—	—	—	2	2	1	1	—	4	—	1	—	—
Measles	0'13	44	9	19	4	4	—	40	2	1	—	—	—	—	1	—	—	—
Scarlet Fever	0'45	155	15	10	20	20	22	87	20	10	4	2	1	—	—	1	—	—
Diphtheria	0'32	109	6	7	10	23	16	64	27	8	7	—	—	1	1	—	—	—
Whooping-cough	0'38	139	69	33	16	7	4	120	9	1	—	—	—	—	—	—	—	—
Typhus	0'06	19	—	—	—	—	—	—	1	2	1	1	6	1	—	2	3	2
Enteric Fever	0'30	101	—	2	3	3	3	11	8	7	14	9	12	14	11	8	3	7
Simple Cont. Fev.	0'21	71	4	4	2	2	3	15	14	6	5	5	2	4	1	6	6	7
Puerp. Fever	0'06	19	—	—	—	—	—	—	—	—	—	—	2	6	11	—	—	—
Diarr. and Dys.	0'28	96	65	8	1	1	—	—	—	1	1	2	1	1	1	3	4	7
Cholera	0'01	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0'46	137	—	—	—	—	—	—	—	1	2	1	4	11	27	42	58	31
Scrofula	0'13	45	6	2	4	1	1	14	6	—	4	5	5	4	2	—	—	—
Tuberc. Mesent.	0'19	32	6	8	—	—	1	16	5	3	2	3	1	—	—	—	—	—
Phthisis	2'73	651	8	13	7	—	2	30	23	35	139	152	204	109	112	59	36	12
Hydrocephalus	0'16	55	10	8	7	3	1	29	12	10	3	—	—	—	—	—	—	—
Diseases of	2'65	901	376	62	25	9	11	483	12	15	10	17	19	28	38	96	111	106
Nervous Syst.	1'07	369	—	—	—	—	1	1	—	6	6	12	8	28	31	55	97	5
Circulatory	2'21	734	164	49	21	8	7	191	14	10	11	11	28	35	61	110	130	18
Respiratory	0'83	245	14	5	5	—	4	28	7	4	7	8	26	29	33	60	50	2
Digestive	0'37	123	—	2	1	—	—	4	1	1	3	5	10	12	21	27	27	14
Urinary	0'04	15	—	—	—	—	—	—	—	—	—	—	—	4	3	2	—	—
Generative	0'10	29	—	—	—	—	—	—	—	—	—	2	2	16	15	—	—	—
Childbirth	0'02	7	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	—
Suicide	0'64	131	1	7	7	9	3	27	7	6	16	13	13	17	9	16	8	17
Other Violence	4'04	1282	409	61	32	24	17	633	39	17	16	12	22	24	49	97	222	691

Deaths of Infants (under one) to 1000 Births } 118

Marriages - 2,210
Births - 9,997Annual Rate { Persons Married - 12'85
per 1000 living { Births - 20'29

601.—CARDIGAN.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	20.01	—	—	—	—	—	34.37	5.40	4.19	7.69	11.73	10.55	9.88	12.83	23.77	48.53	151.22
Pop. 71-80	17,600	390	365	452	414	430	2060	1983	1863	1600	1296	2218	1843	1632	1460	1051	574
CAUSES	20.01	3521	419	118	74	57	708	107	78	123	152	234	182	212	347	510	868
Di-pox	0.07	12	1	—	—	—	1	—	—	3	9	3	4	—	—	—	—
Meas.	0.12	21	8	4	2	4	19	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.47	83	8	6	11	13	123	22	4	1	1	1	1	—	—	—	—
Dysent.	0.18	32	3	3	5	5	5	21	5	3	2	—	—	—	—	—	—
Whooping-cough	0.50	32	21	18	6	4	47	5	—	—	—	—	—	—	—	—	—
Consumption	0.02	4	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—
Scarlet Fever	0.12	21	—	2	—	—	2	2	2	4	—	7	1	1	—	1	—
Scarlet Cont. Fev.	0.08	14	1	1	—	2	4	4	1	1	1	—	—	1	—	1	—
Scarlet Fev.	0.05	9	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
Scarlet and Dys.	0.15	26	7	3	1	—	11	—	—	2	1	1	4	—	3	2	—
Scarlet	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Scarlet	0.67	100	—	—	—	—	—	—	—	—	—	4	4	15	27	27	73
Scarlet	0.19	54	—	1	3	—	6	3	5	3	6	6	1	3	1	1	—
Scarlet Mesent.	0.09	16	3	1	3	—	7	3	1	1	1	—	—	1	2	—	—
Scarlet	2.97	622	5	7	3	—	2	17	9	25	75	98	119	87	48	42	35
Scarlet	0.12	21	1	5	1	1	8	7	3	1	1	1	—	—	—	—	—
Nervous Syst.	2.45	433	142	25	12	7	6	191	11	8	2	3	6	15	16	25	72
Circulatory	0.83	155	—	—	—	—	1	1	3	2	4	3	10	11	24	45	33
Respiratory	3.28	401	49	13	9	4	2	77	7	4	5	8	15	19	26	58	196
Digestive	0.94	165	10	2	1	—	1	14	3	1	1	4	14	20	20	31	31
Urinary	0.21	39	1	—	1	—	—	2	1	2	1	—	4	5	7	9	13
Generative	0.07	13	—	—	—	—	—	—	—	—	—	4	2	3	1	2	1
Birth	0.00	16	—	—	—	—	—	—	—	—	1	9	6	—	—	—	—
Scarlet	0.04	7	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—
Violence	0.55	96	1	4	8	6	1	13	4	3	5	11	8	4	10	14	19
CAUSES	6.86	1208	158	22	13	11	8	212	16	13	11	19	18	22	35	83	127

Deaths of Infants (under one) to 1000 Births - 88

Marriages - 1,138
Births - 4,742

Annual Rate of Persons Married - 12.93
per 1000 living Births - 26.94

602.—NEWCASTLE IN EMLYN.

Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	18.79	—	—	—	—	—	33.67	5.66	4.78	7.08	9.18	11.27	9.16	12.54	19.80	48.08	147.82
Pop. 71-80	18,916	445	434	460	465	486	2200	2262	2052	1837	1504	2316	1813	1715	1510	1044	375
CAUSES	18.79	3553	403	113	75	50	771	128	98	130	138	261	166	215	290	502	847
Di-pox	0.02	4	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—
Meas.	0.05	10	4	1	1	2	8	2	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.70	132	9	12	20	15	128	41	12	6	1	2	1	—	1	—	—
Dysent.	0.14	37	1	1	2	2	2	8	3	1	1	2	—	2	—	—	—
Whooping-cough	0.21	40	12	13	2	2	38	7	—	—	—	—	—	—	—	—	—
Consumption	0.08	16	—	—	—	—	—	2	3	2	2	2	2	2	—	—	—
Scarlet Fever	0.23	50	—	3	—	—	2	3	4	7	10	8	9	3	2	1	—
Scarlet Cont. Fev.	0.13	24	1	1	1	1	5	3	2	1	2	1	2	—	4	3	1
Scarlet Fev.	0.03	5	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—
Scarlet and Dys.	0.13	25	4	4	1	—	1	12	—	—	—	—	—	2	2	2	7
Scarlet	0.03	5	1	—	—	—	—	1	—	—	—	1	1	2	—	—	—
Scarlet	0.62	106	—	—	—	—	1	1	—	—	1	5	7	13	27	30	22
Scarlet	0.17	32	—	—	1	2	3	2	3	3	4	3	3	1	3	7	—
Scarlet Mesent.	0.04	8	4	1	—	—	3	—	1	—	—	2	—	—	—	—	—
Scarlet	3.72	764	6	10	3	—	3	22	17	34	69	87	189	70	60	67	80
Scarlet	0.08	13	4	2	3	—	—	9	2	1	1	—	1	—	—	—	—
Nervous Syst.	2.16	469	150	15	6	3	—	174	6	9	6	3	10	14	18	27	65
Circulatory	0.70	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory	2.49	471	33	12	19	3	2	60	3	3	9	8	10	12	23	63	123
Digestive	0.84	139	9	2	1	3	—	13	5	—	4	2	6	11	23	23	42
Urinary	0.24	64	—	—	—	—	—	2	1	—	1	4	6	8	12	13	17
Generative	0.02	4	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—
Birth	0.03	10	—	—	—	—	—	—	—	1	1	3	4	1	—	—	—
Scarlet	0.01	8	—	—	—	—	—	—	—	1	—	1	2	1	—	—	—
Violence	0.26	49	2	2	6	6	3	19	1	2	2	4	9	1	4	3	7
CAUSES	5.54	1045	214	34	18	11	11	318	27	19	7	13	19	13	28	35	82

Deaths of Infants (under one) to 1000 Births - 92

Marriages - 1,127
Births - 5,366

Annual Rate of Persons Married - 11.92
per 1000 living Births - 28.57

603.—LAMPETER.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	18'93	—	—	—	—	—	39'51	6'56	4'30	6'19	8'43	9'95	10'46	12'26	22'47	48'89	107'75
Mean Pop. } 1871-80 — }	—	10,030	240	237	239	252	262	1230	1219	1117	985	830	1256	1013	897	730	495	235
ALL CAUSES	18'93	1899	339	42	40	29	36	486	80	48	61	70	125	106	110	164	242	407
Small-pox —	0'13	13	3	1	—	—	—	4	—	1	3	—	2	2	1	—	—	—
Measles —	0'05	5	1	1	3	—	—	5	—	—	—	—	—	—	—	—	—	—
Scarlet Fever —	0'95	95	7	6	8	15	12	48	31	8	6	—	1	1	—	—	—	—
Diphtheria —	0'23	23	3	5	1	1	2	12	6	4	—	—	—	—	1	—	—	—
Whooping-cough —	0'30	30	16	3	4	8	1	27	3	—	—	—	—	—	—	—	—	—
Typhus —	0'02	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Enteric Fever —	0'19	19	—	—	2	—	—	2	1	3	4	3	2	—	—	1	—	—
Simple Cont. Fev. —	0'11	11	—	—	—	—	1	1	1	1	1	—	1	1	—	1	4	—
Puerp. Fever —	0'08	8	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—
Diarr. and Dys. —	0'08	8	4	—	—	—	—	4	—	—	—	—	—	—	—	—	4	—
Cholera —	0'02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Cancer —	0'34	35	—	—	—	—	—	—	—	—	—	—	—	3	7	11	9	5
Serofula —	0'17	17	3	—	—	1	1	5	—	1	—	—	1	1	2	—	3	4
Tuberc Mesent. —	0'13	13	4	1	—	—	—	5	5	2	1	—	—	—	—	—	—	—
Phthisis —	2'48	249	—	1	—	—	4	5	9	19	36	70	—	37	33	21	12	8
Hydrocephalus —	0'07	7	1	1	1	1	—	4	—	2	—	—	—	—	—	—	—	—
Diseases of { Nervous Syst. 2'68 269 85 5 4 — 7 101 16 10 7 7 8 4 10 20 30 23																		
{ Circulatory " 0'39 39 — — — — — 7 1 2 1 3 — 6 2 6 5																		
{ Respiratory " 3'24 325 31 8 5 2 9 48 6 3 3 4 7 16 19 46 71 143																		
{ Digestive " 0'95 95 6 1 — — — 7 2 2 2 6 4 8 11 25 26 7																		
{ Urinary " 0'53 53 — — — — — 3 — — — 2 3 2 4 5 7 7																		
{ Generative " 0'01 1 — — — — — 1 — — — — — 1 1 — 1																		
Childbirth —	0'11	11	—	—	—	—	—	—	—	—	—	2	3	6	—	—	—	—
Suicide —	0'15	15	—	—	—	—	—	—	—	—	—	—	—	2	2	3	5	2
Other Violence —	0'39	39	1	—	2	2	4	9	2	1	4	1	4	1	4	5	5	1
OTHER CAUSES —	5'28	531	173	9	8	3	2	195	9	2	7	8	7	7	15	20	58	20

Deaths of Infants (under }
one) to 1000 Births — } 116Marriages — 643
Births — 2,921Annual Rate { Persons Married — 13'82
per 1000 living { Births — — — 29'13

604.—ABERAYRON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000.	—	19'31	—	—	—	—	—	35'83	6'94	4'55	7'04	11'59	11'68	11'71	12'78	21'50	46'98	141'8
Mean Pop. } 1871-80 — }	—	12,960	328	293	319	329	333	1602	1614	1493	1164	889	1540	1324	1221	1037	713	363
ALL CAUSES	19'31	2503	317	99	55	62	41	574	112	68	82	103	180	155	156	223	335	515
Small-pox —	0'05	6	1	—	—	—	—	1	1	—	—	1	2	—	1	—	—	—
Measles —	0'08	10	2	4	—	1	—	7	3	—	—	—	—	—	—	—	—	—
Scarlet Fever —	1'05	107	10	22	12	23	16	82	40	4	5	2	3	1	—	—	—	—
Diphtheria —	0'36	47	4	1	1	5	2	13	17	11	2	3	—	—	—	—	—	—
Whooping-cough —	0'32	42	15	10	4	5	2	36	4	2	—	—	—	—	—	—	—	—
Typhus —	0'05	6	—	—	—	—	—	—	—	1	—	2	1	1	1	—	—	—
Enteric Fever —	0'26	34	—	—	1	1	9	4	5	2	5	3	3	3	2	5	3	1
Simple Cont. Fev. —	0'07	9	—	1	—	—	—	1	1	—	—	2	—	1	—	2	2	—
Puerp. Fever —	0'07	9	—	—	—	—	—	—	—	—	—	—	6	3	—	—	—	—
Diarr. and Dys. —	0'21	29	11	—	1	—	—	12	—	—	—	—	—	1	1	1	7	7
Cholera —	0'01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer —	0'54	70	—	—	—	—	—	—	—	—	—	—	—	5	4	21	22	16
Serofula —	0'16	21	2	1	1	—	—	4	1	2	4	1	1	3	1	3	—	1
Tuberc Mesent. —	0'05	7	—	1	1	—	2	4	—	2	—	—	1	—	—	—	—	—
Phthisis —	2'85	289	1	2	1	2	1	7	5	11	36	56	109	55	31	33	19	7
Hydrocephalus —	0'12	12	1	1	—	3	1	6	3	3	1	—	—	1	—	—	—	—
Diseases of { Nervous Syst. 1'81 236 72 11 4 3 4 94 3 4 4 5 4 6 14 26 29 47																		
{ Circulatory " 0'91 119 — — — — — 2 2 1 3 3 3 10 17 29 31 29																		
{ Respiratory " 1'94 254 22 9 8 5 3 47 9 2 2 2 12 7 15 32 72 61																		
{ Digestive " 0'77 130 5 1 1 1 — 5 2 — — — 2 6 11 17 19 20 12																		
{ Urinary " 0'41 41 — — — — — — — — — — — 4 5 9 11 12 9																		
{ Generative " 0'05 6 — — — — — — — — — — — 1 1 1 1 1																		
Childbirth —	0'15	19	—	—	—	—	—	—	—	—	—	6	8	5	—	—	—	—
Suicide —	0'03	4	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—
Other Violence —	0'37	48	1	3	3	2	1	10	1	3	5	—	3	9	2	2	6	2
OTHER CAUSES —	6'56	812	170	32	17	12	7	228	15	15	11	14	18	27	29	47	116	350

Deaths of Infants (under }
one) to 1000 Births — } 87Marriages — 675
Births — 3,647Annual Rate { Persons Married — 10'42
per 1000 living { Births — — — 23'16

605.—ABERYSTWITH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
DEATH PER 1000	—	20'50	—	—	—	—	—	43'40	8'16	4'94	6'91	11'91	10'63	11'80	17'32	30'80	62'21	161'34
Pop. -80	—	26,523	694	600	672	692	690	3357	3274	3120	2809	2107	3350	2821	2356	1779	1043	507
CAUSES	20'50	5438	798	295	148	118	98	1457	267	154	194	251	356	333	408	548	632	818
Ex -	0'00	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Fever -	0'20	54	16	—	7	5	3	45	9	—	—	—	—	—	—	—	—	—
ria -	1'12	298	54	14	49	31	31	301	68	14	7	2	1	2	1	—	—	—
ng-cough	0'39	79	2	8	3	6	9	28	35	8	2	1	2	1	1	—	—	—
-	0'49	131	66	30	13	8	2	119	11	1	—	—	—	—	—	—	—	—
Fever -	0'12	33	—	2	—	1	—	3	5	9	4	3	4	1	—	2	1	1
Cont. Fev.	0'12	33	3	1	—	—	—	4	2	3	4	4	4	6	4	2	—	—
and Dys.	0'17	44	1	—	2	1	3	7	7	6	6	5	3	2	2	2	4	—
-	0'07	19	—	—	—	—	—	—	—	—	—	5	11	3	—	—	—	—
-	0'17	46	15	8	1	—	—	24	1	—	—	—	2	1	3	4	5	6
-	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-	0'30	81	—	—	—	1	—	1	—	—	—	2	—	7	17	17	21	16
esent.	0'19	25	1	1	—	—	—	2	4	3	4	3	5	1	2	1	—	—
-	0'07	18	4	3	—	—	2	9	3	—	—	3	2	—	1	—	—	—
phalus -	2'34	776	3	7	5	4	8	27	25	30	101	134	168	106	87	63	50	5
-	0'12	32	6	8	3	3	3	23	5	1	—	1	—	1	1	—	—	—
rons Syst.	2'85	768	323	62	24	15	7	451	16	16	6	9	16	22	32	64	97	79
ulatory	0'71	189	—	1	1	2	—	4	2	4	6	13	6	23	24	38	41	28
iratory	3'02	802	85	30	16	8	159	22	6	12	13	30	38	61	140	312	111	111
stive	0'97	292	14	5	1	2	1	23	6	4	6	12	14	22	37	41	43	17
ary	0'21	65	—	2	—	—	—	2	—	1	—	5	9	3	7	9	11	19
erative	0'02	6	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	—
th -	0'03	20	—	—	—	—	—	—	—	—	—	1	14	4	1	—	—	—
-	0'02	4	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
tolence	0'42	111	5	6	8	3	3	20	6	9	3	14	16	11	14	7	4	5
CAUSES -	6'02	1591	229	76	11	30	18	323	38	28	39	53	60	76	110	140	212	249

Deaths of Infants (under one) to 1000 Births } 104 Marriages - 1,862 Annual Rate } Persons Married - 14'04
Births - 7,682 per 1000 living { Births - - - 28'96

606.—TREGARON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5--	10--	15--	20--	25--	35--	45--	55--	65--	75 and upwards.
DEATH PER 1000	—	18'28	—	—	—	—	—	35'60	5'28	4'45	6'96	9'64	10'80	10'25	13'23	22'53	51'08	143'24
Pop. -80	—	10,475	267	241	267	269	262	1306	1327	1213	1034	799	1304	1044	907	771	511	239
CAUSES	18'28	1915	285	67	45	33	35	465	70	54	72	77	142	107	120	176	261	371
Ex -	0'02	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Fever -	0'09	9	5	1	—	—	—	6	—	—	—	—	—	—	—	—	—	—
ria -	0'26	102	5	15	13	19	19	68	28	10	2	2	2	3	—	—	—	—
ng-cough	0'39	41	13	11	7	7	1	39	6	1	—	—	—	—	—	—	—	—
-	0'10	10	—	—	—	1	—	1	—	2	1	2	2	—	—	—	1	1
Fever -	0'22	13	2	1	1	—	—	4	2	1	2	3	4	3	1	2	—	—
Cont. Fev.	0'03	5	—	—	—	—	—	—	—	1	—	—	1	—	1	2	—	—
Fever -	0'12	13	—	—	—	—	—	—	—	—	1	1	8	3	—	—	—	—
and Dys.	0'08	8	3	1	—	—	—	4	—	—	—	—	—	1	1	1	—	1
-	0'00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-	0'45	45	—	—	—	—	—	—	1	—	—	—	3	5	3	12	18	9
esent.	0'19	20	—	—	—	—	1	1	—	3	4	2	5	—	1	2	3	—
-	0'15	16	3	3	3	—	—	9	2	2	—	1	1	1	—	—	—	—
phalus -	2'67	311	1	2	1	3	7	14	6	12	40	44	70	37	37	40	18	2
-	0'13	14	2	2	2	2	1	9	1	2	2	—	—	—	—	—	—	—
rons Syst.	1'40	147	82	9	2	1	1	45	2	1	4	8	5	7	7	13	34	38
ulatory	0'69	72	—	—	—	—	—	—	—	1	1	—	—	7	13	14	17	18
iratory	2'84	245	11	6	2	4	—	23	3	1	2	3	7	12	10	35	77	62
stive	0'74	78	3	1	—	—	1	3	1	—	2	3	4	8	13	18	15	7
ary	0'32	33	—	—	—	—	—	—	—	—	1	1	1	—	3	8	7	12
erative	0'02	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
th -	0'13	19	—	—	—	—	—	—	—	—	—	2	9	8	—	—	—	—
-	0'03	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
tolence	0'29	30	1	—	1	2	1	5	3	4	2	—	1	4	3	2	4	5
CAUSES -	0'30	661	205	18	12	5	7	247	15	13	7	8	13	10	15	24	69	249

Deaths of Infants (under one) to 1000 Births } 93 Marriages - 624 Annual Rate } Persons Married - 11'91
Births - 3,055 per 1000 living { Births - - - 29'16

607.—BUILTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	10·15	—	—	—	—	—	41·82	7·26	5·41	4·77	11·02	9·25	11·22	12·03	22·36	50·97	130·15
Mean Pop. 1871-80	—	8223	227	190	223	207	220	1070	1005	913	839	671	1059	820	698	559	336	194
ALL CAUSES	10·15	1575	287	78	41	23	18	450	73	51	40	78	98	92	84	125	183	391
Small-pox	0·19	18	—	—	—	—	—	—	4	—	—	3	4	3	1	—	1	—
Measles	0·16	13	4	4	1	—	—	9	3	—	1	—	—	—	—	—	—	—
Scarlet Fever	0·77	63	5	12	12	7	4	40	14	2	1	2	1	2	—	—	—	—
Diphtheria	0·27	22	2	3	3	2	1	11	4	4	1	—	1	—	1	—	—	—
Whooping-cough	0·29	24	14	5	2	1	—	22	1	1	—	—	—	—	—	—	—	—
Typhus	0·01	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteric Fever	0·17	14	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Simple Cont. Fev.	0·15	12	—	—	1	—	—	1	—	3	—	—	1	—	—	1	1	—
Puemp. Fever	0·06	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarr. and Dys.	0·17	14	5	—	—	1	—	6	1	—	—	—	—	—	—	1	1	4
Cholera	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	0·30	32	—	—	—	—	—	—	—	—	—	—	1	1	6	9	10	3
Serofula	0·02	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Tuberc Mesent.	0·10	8	2	3	1	—	—	6	—	—	—	—	1	1	—	—	—	—
Phthisis	2·25	185	1	—	2	1	—	4	3	5	13	31	34	35	19	16	4	—
Hydrocephalus	0·16	13	1	3	2	—	—	6	1	4	—	2	—	—	—	—	—	—
Diseases of Nervous Syst.	1·22	158	53	11	3	1	1	60	9	6	3	1	3	4	4	14	14	29
Circulatory	0·83	73	—	—	—	—	—	—	2	2	1	3	1	8	6	14	20	10
Respiratory	3·02	248	48	19	5	3	1	76	9	5	2	5	9	12	12	28	44	46
Digestive	0·74	61	5	—	—	—	—	5	1	—	6	4	5	4	7	9	12	8
Urinary	0·27	22	—	—	—	—	1	1	—	1	—	1	2	2	4	8	4	4
Generative	0·03	4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Childbirth	0·18	15	—	—	—	—	—	—	—	1	—	6	2	5	1	—	—	—
Suicide	0·01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0·36	30	3	3	1	1	—	8	2	—	—	2	1	2	3	2	4	4
OTHER CAUSES	6·54	538	114	14	11	6	10	185	17	14	4	10	8	8	17	24	60	191

Deaths of Infants (under
one) to 1000 Births } 110Marriages - 502
Births - 2,613Annual Rate { Persons Married - 15·67
per 1000 living { Births - 31·74

608.—BRECKNOCK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	19·28	—	—	—	—	—	42·28	5·00	3·52	5·55	7·13	10·44	11·73	14·91	25·47	56·53	138·85
Mean Pop. 1871-80	—	17,451	407	382	447	416	419	2131	1069	1005	1820	1542	2347	1850	1566	1162	743	416
ALL CAUSES	19·28	3364	558	162	76	58	47	901	112	67	101	110	243	217	234	296	420	661
Small-pox	0·22	39	2	3	1	4	—	10	7	2	3	1	6	5	4	1	—	—
Measles	0·34	59	19	13	5	9	1	51	7	1	—	—	1	—	—	—	—	—
Scarlet Fever	0·40	70	4	14	9	6	11	44	14	5	5	1	—	1	—	—	—	—
Diphtheria	0·11	19	1	—	—	—	—	2	7	3	2	1	—	—	—	—	—	—
Whooping-cough	0·20	52	24	12	7	5	—	48	1	2	1	—	—	—	—	—	—	—
Typhus	0·03	6	2	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—
Enteric Fever	0·22	38	1	1	2	3	3	10	6	4	2	6	3	5	1	—	3	—
Simple Cont. Fev.	0·12	21	1	—	—	1	—	3	1	—	3	1	—	—	—	—	—	—
Puemp. Fever	0·07	12	—	—	—	—	—	—	—	—	3	—	2	3	—	—	—	—
Diarr. and Dys.	0·18	32	10	2	—	1	—	13	—	1	—	—	2	—	—	4	4	8
Cholera	0·01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0·60	105	—	—	—	—	—	—	—	—	1	1	—	5	5	20	29	17
Serofula	0·09	16	2	2	1	—	—	5	2	1	1	1	3	—	—	—	—	—
Tuberc Mesent.	0·10	17	7	2	2	—	—	11	3	3	—	—	—	—	—	—	—	—
Phthisis	2·05	154	3	4	2	—	—	13	11	11	35	47	163	56	54	23	11	10
Hydrocephalus	0·19	14	5	6	2	—	—	13	14	2	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2·68	468	173	19	7	4	6	209	11	4	8	7	17	12	24	43	70	69
Circulatory	1·46	254	1	—	1	—	—	2	1	3	4	13	23	40	37	62	81	41
Respiratory	2·69	504	89	35	16	8	10	149	7	4	7	7	25	35	35	46	90	109
Digestive	0·83	155	9	6	1	—	—	16	3	6	6	4	13	17	24	25	38	11
Urinary	0·41	72	1	3	1	—	—	5	—	—	3	5	6	8	5	15	13	14
Generative	0·04	6	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1
Childbirth	0·15	26	—	—	—	—	—	—	—	2	2	7	14	1	—	—	—	—
Suicide	0·10	17	—	—	—	—	—	—	—	1	2	—	2	1	3	4	3	2
Other Violence	0·57	100	2	3	8	5	4	22	5	4	7	7	14	10	15	3	7	2
OTHER CAUSES	5·69	885	211	21	12	8	6	268	12	9	8	11	22	23	28	36	95	271

Deaths of Infants (under
one) to 1000 Births } 103Marriages - 1,181
Births - 5,118Annual Rate { Persons Married - 15·54
per 1000 living { Births - 29·32

609.—CRICKHOWELL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	23.01	—	—	—	—	—	64.46	6.37	4.06	6.27	10.33	10.06	11.75	17.10	31.67	67.06	186.89
ANNUAL POPULATION 71-80	—	19,353	570	453	532	502	513	2572	2435	2125	1801	1568	2584	2094	1754	1323	756	841
CAUSES	23.01	4454	1046	297	154	88	73	1658	155	90	113	162	260	246	300	419	507	535
Small-pox	0.48	93	10	2	3	4	2	21	19	4	8	10	22	11	2	3	—	—
Scarlet Fever	0.32	62	17	24	8	5	5	49	2	—	—	1	—	—	—	—	—	—
Erysipelas	0.56	108	14	14	16	19	11	74	19	8	2	2	2	1	—	—	—	—
Diphtheria	0.24	44	8	6	4	7	3	28	13	4	—	—	—	1	—	—	—	—
Croup	0.53	102	40	36	15	4	7	102	—	—	—	—	—	—	—	—	—	—
Whooping Cough	0.07	14	—	—	—	—	—	—	1	3	1	3	1	2	9	—	1	—
Measles	0.56	108	4	3	4	3	7	21	15	12	16	10	18	7	5	4	3	2
Scarlet Fever	0.20	39	2	4	2	2	1	11	6	3	7	3	3	1	2	1	2	—
Erysipelas	0.14	27	—	—	—	—	—	—	—	—	1	5	15	5	1	—	—	—
Diphtheria and Dysentery	0.63	121	57	11	4	4	2	78	—	2	—	1	—	1	2	5	11	21
Rabies	0.01	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Typhoid	0.43	84	—	—	—	—	—	—	—	—	—	—	3	8	18	36	19	15
Typhus	0.14	28	8	3	1	—	2	14	—	8	—	2	5	2	—	1	—	—
Ment. Dis.	0.29	56	15	17	5	3	1	41	5	4	3	1	2	—	—	—	—	—
Alcohol	2.03	392	5	3	5	2	1	16	5	22	35	58	87	65	55	35	9	4
Cerebral	0.21	40	10	10	3	2	1	26	9	4	1	—	—	—	—	—	—	—
Nervous Syst.	3.43	663	278	29	19	3	4	333	17	6	1	18	9	14	34	57	60	80
Regulatory	1.31	253	—	—	—	—	1	1	5	2	4	5	20	19	35	68	69	22
Respiratory	4.61	898	193	90	38	11	11	343	11	3	5	10	28	57	65	109	137	130
Digestive	0.91	176	26	3	3	—	—	33	4	2	3	7	9	16	20	34	26	12
Urinary	0.36	70	—	1	2	—	1	4	3	—	3	2	5	6	13	13	16	5
Generative	0.04	7	—	—	—	—	—	—	—	—	—	1	2	—	1	2	1	—
Birth	0.14	28	—	—	—	—	—	—	—	—	1	4	10	13	—	—	—	—
Infants	0.04	8	—	—	—	—	—	—	—	—	—	1	1	1	4	—	—	1
Violence	0.82	159	8	6	6	6	3	31	11	9	12	15	9	18	15	25	10	6
CAUSES	4.48	870	351	35	16	13	7	422	17	8	10	8	14	16	20	35	83	207

Deaths of Infants (under one) to 1000 Births - 143 Marriages - 1,613 Annual Rate { Persons Married - 16.67
Births - 7,362 per 1000 living { Births - 38.04

610.—HAY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	19.80	—	—	—	—	—	43.70	5.84	3.56	6.31	7.34	9.13	10.46	13.42	24.91	53.64	154.71
ANNUAL POPULATION 71-80	—	10,510	272	246	262	249	280	1309	1233	1152	909	804	1389	1071	976	709	522	276
CAUSES	19.80	2081	390	84	42	37	19	572	72	41	63	59	125	112	131	199	286	427
Small-pox	0.08	8	1	—	—	—	—	1	—	1	1	—	—	2	1	1	1	—
Scarlet Fever	0.13	14	5	2	1	2	—	10	4	—	—	—	—	—	—	—	—	—
Erysipelas	0.07	60	1	8	8	9	5	31	18	5	3	2	1	—	—	—	—	—
Diphtheria	0.22	23	2	2	3	2	1	10	10	2	—	—	—	—	—	1	—	—
Croup	0.36	35	20	15	—	—	1	36	2	—	—	—	—	—	—	—	—	—
Whooping Cough	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.11	12	—	—	—	—	—	—	2	2	1	3	2	2	—	—	—	—
Scarlet Fever	0.04	4	—	1	—	1	—	2	—	1	—	—	—	—	—	—	1	—
Erysipelas	0.05	5	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
Diphtheria and Dysentery	0.29	30	14	2	1	—	—	17	1	2	—	—	1	5	—	—	1	5
Rabies	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhoid	0.04	66	—	1	—	—	—	1	—	—	—	—	2	9	9	10	30	15
Typhus	0.10	11	2	1	—	—	—	3	1	1	—	—	2	1	2	—	1	—
Ment. Dis.	0.13	14	3	2	—	—	—	5	2	1	2	—	1	—	—	—	—	—
Alcohol	1.99	200	2	3	—	—	1	6	4	13	20	34	53	33	31	18	1	—
Cerebral	0.13	14	2	4	2	—	1	9	3	1	1	—	—	—	—	—	—	—
Nervous Syst.	3.20	231	13	4	6	4	2	79	6	1	2	—	7	4	11	26	42	30
Regulatory	1.23	131	—	—	—	—	—	—	2	1	4	5	5	6	14	12	40	23
Respiratory	3.23	339	51	18	7	4	1	81	6	1	4	5	9	8	24	47	76	54
Digestive	1.02	107	11	1	1	1	1	15	2	—	1	3	4	5	4	9	13	11
Urinary	0.53	28	—	—	—	—	—	1	—	—	—	—	2	1	—	2	2	1
Generative	0.08	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Birth	0.14	15	—	—	—	—	—	—	—	—	1	3	7	4	—	—	—	—
Infants	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.62	61	5	2	1	4	1	13	1	4	5	1	8	13	5	2	6	6
CAUSES	5.88	619	108	18	11	7	3	249	6	2	6	1	5	12	17	28	64	217

Deaths of Infants (under one) to 1000 Births - 127 Marriages - 671 Annual Rate { Persons Married - 13.77
Births - 3,066 per 1000 living { Births - 29.17

PRESTEIGNE (6½ Years to 30th June 1877).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	15.86	—	—	—	—	—	37.68	1.93	2.71	4.06	5.01	6.12	5.24	12.21	25.40	59.60	169.77
Mean Pop. Jan. 1871 to June 1877	—	3763	93	98	104	106	91	405	478	397	341	307	451	441	328	291	167	67
ALL CAUSES	15.86	388	73	23	15	7	3	121	6	7	9	10	18	15	26	48	53	73
Small-pox	0.00	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Measles	0.12	3	1	1	1	—	—	3	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.49	12	—	4	2	3	1	19	—	2	—	—	—	—	—	—	—	—
Diphtheria	0.04	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Whooping-cough	0.97	9	5	2	2	—	—	9	—	—	—	—	—	—	—	—	—	—
Typhus	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Enteric Fever	0.23	5	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—	—
Simple Cont. Fev.	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Puerp. Fever	0.04	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diarr. and Dys.	0.37	9	4	—	1	1	—	6	—	—	—	—	—	—	1	1	—	1
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.73	19	—	—	—	—	—	—	—	—	—	—	1	—	3	9	2	4
Scrofula	0.20	5	—	1	—	—	—	1	—	—	—	—	—	—	1	3	—	—
Tubes Mesent.	0.12	3	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Phthisis	1.31	34	—	—	1	—	—	1	1	1	3	6	11	7	3	1	—	—
Hydrocephalus	0.08	2	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	1.55	38	13	1	1	—	—	15	—	—	—	1	9	—	1	5	9	5
Circulatory	1.39	34	1	—	—	—	—	1	2	—	2	—	2	—	5	10	9	3
Respiratory	2.37	58	10	8	2	1	—	21	—	1	1	1	2	3	2	9	8	10
Digestive	0.57	14	—	2	—	—	—	2	—	—	—	1	—	1	2	1	2	—
Urinary	0.37	9	—	—	—	—	—	—	—	—	—	—	—	—	1	1	5	1
Generative	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0.41	10	—	—	1	1	1	3	—	2	1	—	2	—	—	2	—	—
OTHER CAUSES	4.96	121	58	3	3	1	—	43	2	—	1	—	—	1	5	4	13	46

Deaths of Infants (under one) to 1000 Births } 92 Marriages - 188 Annual Rate of Persons Married - 12.92
 one) to 1000 Births } Births - 791 per 1000 living (Births - 23.34

* This District was abolished 1st July 1877; see pp. 371-78.

611.—KNIGHTON (6½ Years to 30th June 1877).*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	17.78	—	—	—	—	—	38.72	6.71	4.44	7.90	6.75	9.27	12.23	13.12	22.96	46.19	129.74
Mean Pop. Jan. 1871 to June 1877	—	10,038	287	265	297	257	269	1375	1329	1213	973	821	1162	1107	844	616	400	199
ALL CAUSES	17.78	1160	236	43	21	25	21	346	58	35	50	36	70	88	72	92	120	193
Small-pox	0.03	2	—	—	—	—	—	6	—	1	—	2	—	—	—	—	—	—
Measles	0.11	7	2	1	1	2	—	6	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.67	44	3	6	3	3	4	19	14	6	—	—	2	1	—	—	—	—
Diphtheria	0.12	8	—	—	—	1	3	4	2	1	—	—	—	1	—	—	—	—
Whooping-cough	0.49	32	17	7	3	2	2	31	—	—	1	—	—	—	—	—	—	—
Typhus	0.02	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Enteric Fever	0.58	38	2	—	—	1	1	4	2	3	10	6	2	4	4	2	1	—
Simple Cont. Fev.	0.06	4	—	—	—	—	2	2	—	2	—	—	—	—	—	—	—	—
Puerp. Fever	0.09	6	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—
Diarr. and Dys.	0.25	16	11	—	1	—	1	13	—	—	—	—	—	—	—	—	2	1
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.40	26	—	—	—	—	—	—	—	—	—	—	1	4	2	6	7	5
Scrofula	0.14	9	—	—	—	—	—	—	2	—	1	—	2	1	3	—	—	—
Tubes Mesent.	0.32	21	10	2	2	2	—	16	1	2	2	—	—	—	—	—	—	—
Phthisis	1.87	122	1	—	—	—	—	1	6	6	19	15	32	23	18	6	1	—
Hydrocephalus	0.08	5	2	1	—	—	—	3	—	2	—	—	—	—	—	—	—	—
Diseases of Nervous Syst.	2.68	136	33	8	2	4	—	67	3	4	2	3	9	19	4	9	14	16
Circulatory	1.15	75	1	—	—	—	—	1	1	2	1	3	1	7	8	21	19	11
Respiratory	1.99	150	25	2	4	4	—	35	5	1	3	1	6	7	14	9	25	20
Digestive	0.78	51	7	—	—	1	—	8	4	2	—	—	3	8	6	8	10	2
Urinary	0.20	13	—	—	—	1	—	1	1	—	—	—	2	1	2	2	2	—
Generative	0.03	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Childbirth	0.18	12	—	—	—	—	—	—	—	—	1	1	5	5	—	—	—	—
Suicide	0.00	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1
Other Violence	0.52	34	—	2	1	—	3	6	6	—	4	—	4	3	4	2	2	2
OTHER CAUSES	5.53	360	102	14	4	4	5	129	11	3	2	4	5	9	9	23	36	129

Deaths of Infants (under one) to 1000 Births } 117 Marriages - 402 Annual Rate of Persons Married - 13.32
 one) to 1000 Births } Births - 2,023 per 1000 living (Births - 31.01

* A new sub-district was added on 1st July 1877. This table relates to the District as constituted before that date; see pp. 371-78.

611.—KNIGHTON (3½ years from 1st July 1877).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	19.57	—	—	—	—	—	51.15	5.39	3.78	5.11	7.43	10.40	10.20	12.38	25.08	54.05	161.50
Pop. (1877 to 1880)	—	11,982	275	276	305	306	290	1452	1430	1436	1230	1039	1483	1177	1084	854	539	258
CAUSES	19.57	821	173	42	25	9	11	260	27	19	22	27	54	42	47	75	102	146
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.12	5	1	2	—	—	—	3	1	—	1	—	—	—	—	—	—	—
Dysentery	0.31	13	1	3	1	1	2	8	1	2	—	—	—	—	—	—	—	—
Cholera	0.33	14	1	3	4	1	2	11	3	—	—	—	—	—	—	—	—	—
Whooping-cough	0.41	17	7	5	5	—	—	17	—	—	—	—	—	—	—	—	—	—
Measles	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.17	7	—	—	1	1	—	2	1	3	1	—	—	—	—	—	—	—
Cont. Fev.	0.13	5	1	—	2	—	—	3	—	—	—	1	1	—	—	—	—	—
Dysentery	0.07	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Cholera	0.38	16	10	1	—	—	—	11	—	—	—	—	1	—	—	—	1	3
Whooping-cough	0.02	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles	0.45	19	—	—	—	—	—	—	—	—	—	—	—	4	3	5	4	3
Scarlet Fever	0.10	4	1	—	—	—	—	1	—	1	1	—	—	1	—	—	—	—
Cont. Fev.	0.46	50	13	2	1	—	—	16	1	—	—	1	2	—	—	—	—	—
Dysentery	2.10	84	—	1	1	—	—	2	2	8	11	16	20	11	10	4	1	—
Whooping-cough	0.24	10	2	1	2	1	—	6	3	1	—	—	—	—	—	—	—	—
Measles	2.22	93	35	4	1	1	2	43	5	1	1	3	4	5	10	8	14	16
Scarlet Fever	1.67	70	—	—	—	—	—	—	1	—	—	—	5	6	7	14	27	34
Cont. Fev.	3.77	158	32	12	4	2	2	62	3	—	1	9	8	5	13	26	36	34
Dysentery	0.94	41	6	—	1	1	—	8	2	—	—	1	2	2	3	5	9	4
Whooping-cough	0.41	17	—	—	—	—	—	—	—	1	2	—	1	3	1	4	1	4
Measles	0.03	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Births	0.07	3	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Deaths	0.05	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.45	18	1	1	1	—	1	4	1	1	1	—	—	1	3	8	3	2
CAUSES	4.62	135	62	7	1	1	2	73	3	1	1	1	5	1	3	10	22	75

Deaths of Infants (under one) to 1000 Births } 135 Marriages - 277 Annual Rate of Persons Married - 13.21
Births - 1,278 per 1000 living { Births - 30.47

* A new sub-district was added on 1st July 1877. This table relates to the District as constituted after that date; see pp. 371-73.

612.—RHAYADER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
TOTAL DEATHS (PER 1000)	—	17.57	—	—	—	—	—	38.42	4.56	3.32	8.00	6.39	8.20	12.35	13.25	22.22	50.00	142.68
Pop. (1877 to 1880)	—	6,783	182	170	191	172	180	895	834	784	650	579	806	672	566	468	312	137
CAUSES	17.57	1,192	211	57	27	14	17	326	38	26	52	37	71	83	76	104	156	224
Small-pox	0.06	4	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—
Scarlet Fever	0.06	4	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—
Dysentery	0.38	24	1	5	3	5	4	18	5	—	2	—	1	—	—	—	—	—
Cholera	0.09	6	1	—	—	—	—	2	2	1	—	—	—	—	—	1	—	—
Whooping-cough	0.21	14	9	3	2	1	—	14	2	—	—	—	—	—	—	—	—	—
Measles	0.07	5	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—	—
Scarlet Fever	0.21	14	—	1	—	—	—	1	2	1	2	1	1	3	2	—	—	1
Cont. Fev.	0.09	6	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—
Dysentery	0.02	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Cholera	0.25	17	11	—	—	—	—	11	—	—	1	—	—	—	—	2	—	1
Whooping-cough	0.04	3	1	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—
Measles	0.29	40	—	—	—	—	—	—	—	—	—	—	1	3	8	14	8	8
Scarlet Fever	0.12	8	1	1	—	—	—	2	—	—	—	—	5	—	—	1	—	—
Cont. Fev.	0.09	6	—	2	—	—	1	3	—	—	2	—	—	—	—	—	—	—
Dysentery	2.12	144	1	—	—	2	—	3	3	9	20	24	30	26	11	12	5	1
Whooping-cough	0.13	9	—	1	1	—	1	3	3	—	2	—	1	—	—	—	—	—
Measles	1.20	102	30	8	2	2	1	43	2	1	1	1	3	4	6	8	12	21
Scarlet Fever	1.14	77	—	—	—	—	—	—	1	—	—	—	3	8	7	12	19	25
Cont. Fev.	2.29	175	35	10	6	1	—	52	1	3	16	—	3	9	9	14	29	39
Dysentery	0.81	35	1	—	—	—	—	2	—	1	1	—	4	7	9	14	5	8
Whooping-cough	0.35	18	—	—	1	—	1	2	—	—	1	—	2	1	3	1	4	4
Measles	0.02	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Births	0.09	6	—	—	—	—	—	—	—	—	—	1	1	3	2	—	—	—
Deaths	0.01	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence	0.41	28	—	3	2	1	1	7	3	1	5	1	8	2	—	3	2	1
CAUSES	6.20	420	120	22	8	2	6	158	15	8	6	1	9	13	13	28	53	113

Deaths of Infants (under one) to 1000 Births } 101 Marriages - 457 Annual Rate of Persons Married - 13.47
Births - 2,080 per 1000 living { Births - 30.66

NORTH WALES.

613.—MACHYNLLETH.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
ANNUAL DEATH RATE PER 1000	—	19'01	—	—	—	—	—	41'04	5'04	4'21	5'18	8'17	10'56	10'70	12'37	25'22	55'18	162'
Mean Pop. 1871-80	—	12,017	320	328	333	331	318	1630	1549	1448	1294	1065	1047	1336	1140	924	596	26
ALL CAUSES	19'01	2455	438	96	52	39	44	660	78	61	67	87	174	143	141	233	325	47
Small-pox	0'02	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Measles	0'11	14	4	3	2	1	—	10	3	—	—	—	—	1	—	—	—	—
Scarlet Fever	0'41	53	6	5	9	8	7	35	10	3	1	1	2	1	—	—	—	—
Diphtheria	0'05	7	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	1
Whooping-cough	0'36	46	19	18	6	3	3	44	2	—	—	—	—	—	—	—	—	—
Typhus	0'04	5	—	—	—	—	—	—	3	1	—	—	—	1	—	—	—	—
Enteric Fever	0'16	21	—	2	—	—	—	2	1	3	2	2	3	1	—	1	3	—
Simple Cont. Fev.	0'25	32	3	2	—	—	1	6	4	1	2	2	3	1	2	4	4	—
Puerp. Fever	0'07	9	—	—	—	—	—	—	—	—	—	1	1	4	3	—	—	—
Diarr. and Dys.	0'26	34	12	1	—	—	1	14	2	—	—	1	1	2	3	2	7	—
Cholera	0'02	8	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Cancer	0'43	55	—	—	—	—	—	—	—	—	—	—	—	4	9	17	18	—
Scrofula	0'11	14	1	—	—	—	—	1	1	—	3	3	1	1	1	1	5	—
Tuberc Mesent.	0'15	19	11	1	—	—	1	13	1	3	2	—	—	—	—	—	—	—
Phthisis	2'71	359	7	6	3	1	2	19	8	12	26	58	99	51	31	20	23	—
Hydrocephalus	0'18	24	4	2	5	2	1	14	5	5	—	—	—	—	—	—	—	—
Diseases of	2'79	361	134	19	11	6	9	179	12	8	8	9	7	4	9	37	34	4
Nervous Syst.	1'13	146	—	—	—	—	—	2	2	2	5	1	9	9	13	23	46	12
Circulatory	3'48	450	51	20	7	5	8	91	9	5	6	7	11	17	35	52	95	4
Digestive	1'11	143	13	—	1	—	2	16	4	2	1	—	7	10	16	31	23	2
Urinary	0'42	51	2	—	—	—	1	3	2	1	—	—	1	6	3	12	17	1
Generative	0'03	4	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Childbirth	0'11	14	—	—	—	—	—	—	—	—	—	1	5	7	1	—	—	—
Suicide	0'02	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violence	0'32	67	3	4	2	2	3	14	3	4	4	1	8	11	3	6	9	4
OTHER CAUSES	4'07	523	167	18	6	9	3	235	9	5	6	8	10	11	14	25	39	19

Deaths of Infants (under one) to 1000 Births } 115

Marriages - 805
Births - 3,819Annual Rate { Persons Married - 12'46
per 1000 living { Births - 29'87

614.—NEWTOWN.

ANNUAL DEATH RATE PER 1000	—	19'59	—	—	—	—	—	13'77	5'48	4'18	6'18	8'86	10'48	10'70	14'08	26'00	53'33	74'4	
Mean Pop. 1871-80	—	24,907	688	642	713	676	651	3379	3141	2017	2500	2042	3101	2490	2008	1631	1117	372	
ALL CAUSES	19'59	4896	937	284	114	84	56	1475	72	122	155	181	325	269	309	424	618	84	
Small-pox	0'00	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Measles	0'17	42	11	16	5	—	—	33	5	1	—	—	1	2	—	—	—	—	
Scarlet Fever	0'65	162	8	23	17	28	13	89	41	14	7	6	1	3	—	1	—	—	
Diphtheria	0'11	27	2	2	2	2	—	8	9	5	3	—	1	—	1	—	—	—	
Whooping-cough	0'35	88	40	32	9	1	3	85	3	—	—	—	—	—	—	—	—	—	
Typhus	0'00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteric Fever	0'30	76	1	1	2	2	—	6	—	11	10	14	5	7	—	3	1	—	
Simple Cont. Fev.	0'08	29	—	—	1	1	1	4	—	2	1	2	9	1	—	1	3	1	
Puerp. Fever	0'06	15	—	—	—	—	—	—	—	—	—	5	5	5	—	—	—	—	
Diarr. and Dys.	0'34	90	42	6	2	2	2	54	—	1	1	—	—	—	1	10	9	14	
Cholera	0'04	10	3	—	—	—	—	3	—	—	—	—	1	2	1	1	2	—	
Cancer	0'60	143	1	1	—	—	—	2	—	—	—	1	2	12	30	37	46	16	
Scrofula	0'10	24	—	1	—	3	1	5	—	2	—	4	2	2	—	—	—	—	
Tuberc Mesent.	0'15	34	15	8	1	—	4	28	—	4	2	1	1	—	—	—	—	—	
Phthisis	2'69	672	3	3	3	3	1	19	20	27	75	94	178	103	69	45	28	11	
Hydrocephalus	0'39	73	23	16	7	8	5	39	—	5	2	1	—	—	—	—	—	—	
Diseases of	Nervous Syst.	2'88	719	305	36	20	9	4	374	11	8	6	6	9	24	31	51	86	114
	Circulatory	1'22	394	—	—	—	—	—	5	5	5	9	6	9	29	37	48	99	79
	Respiratory	3'21	896	157	65	22	8	10	232	12	10	13	14	21	34	87	106	144	161
	Digestive	1'12	281	38	12	3	2	3	37	—	5	5	5	19	17	39	42	26	9
	Urinary	0'43	108	1	—	—	—	1	2	—	—	1	5	13	9	11	21	26	8
Generative	0'02	6	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	
Childbirth	0'14	34	—	—	—	—	—	—	—	—	2	3	15	12	2	—	—	—	
Suicide	0'02	11	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Other Violence	0'45	113	8	7	7	7	1	25	11	8	7	7	8	8	7	8	23	11	
OTHER CAUSES	4'12	1025	282	49	14	8	6	350	26	15	10	10	22	20	23	41	100	28	

Deaths of Infants (under one) to 1000 Births } 111

Marriages - 1,801
Births - 8,451Annual Rate { Persons Married - 14'41
per 1000 living { Births - 33'81

615.—FORDEN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATH R 1000 }	—	17'91	—	—	—	—	—	36'27	5'00	2'87	4'91	8'29	8'68	10'24	12'94	25'85	54'41	153'66
Pop. }	—	18,509	498	431	494	468	472	2363	2258	2087	1812	1451	2340	1954	1601	1358	862	423
USES	17'91	3326	569	148	70	41	29	857	113	60	89	119	203	200	215	851	469	650
- - -	0'01	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
ver -	0'15	28	13	—	9	1	3	34	5	1	—	—	—	—	—	—	—	—
- - -	0'58	108	10	13	14	12	11	60	32	9	4	—	2	—	1	—	—	—
- - -	0'19	36	3	2	2	4	3	14	14	4	—	2	1	1	—	—	—	—
- - -	0'27	51	28	11	5	1	1	46	3	2	—	—	—	—	—	—	—	—
- - -	0'04	8	—	1	—	—	—	1	3	1	—	1	1	—	1	1	—	—
ver -	0'10	19	—	—	1	1	2	4	2	—	—	—	—	—	—	—	—	—
nt. Fev. -	0'05	14	—	—	—	—	—	—	2	1	3	1	2	—	2	—	—	—
ver -	0'06	11	—	—	—	—	—	—	—	—	1	1	—	6	—	—	—	—
Dys. -	0'58	70	29	8	2	1	—	40	1	—	—	1	2	2	4	1	8	12
- - -	0'01	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
- - -	0'41	77	—	—	—	—	—	—	—	1	1	—	1	11	19	24	19	8
- - -	0'08	15	7	3	—	—	—	10	1	1	—	—	—	—	2	—	—	—
sent. -	0'09	17	6	5	2	1	—	14	—	—	1	—	2	—	—	—	—	—
- - -	1'80	345	8	5	1	—	—	7	3	—	—	44	67	82	65	31	26	8
alus -	0'12	23	11	7	2	—	—	29	1	2	—	—	—	—	—	—	—	—
us Syst. -	2'50	415	172	22	9	4	4	211	8	7	11	8	12	15	27	51	51	64
story -	1'62	282	—	1	1	—	—	2	2	6	6	7	7	13	13	31	56	88
story -	2'62	481	86	39	16	3	2	144	8	1	—	9	8	11	16	21	60	109
ive -	1'13	209	19	5	1	2	1	28	3	4	2	2	10	26	27	44	35	19
ry -	0'55	65	1	1	—	1	—	8	5	—	—	1	—	6	5	10	13	10
ative -	0'04	5	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
- - -	0'11	21	—	—	—	—	—	—	—	—	1	4	7	8	1	—	—	—
- - -	0'03	6	—	—	—	—	—	—	—	—	—	—	1	—	—	3	2	—
ence -	0'58	108	6	4	5	3	—	18	8	5	7	6	8	10	12	14	9	11
USES -	4'01	853	174	18	8	6	2	208	14	5	5	9	19	29	31	49	115	300

Deaths of Infants (under one) to 1000 Births } 104 Marriages - 1,132 Annual Rate { Persons Married - 12'19
Births - 5,482 per 1000 living { Births - 29'52

616.—LLANFYLLIN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATH R 1000 }	—	19'16	—	—	—	—	—	37'36	5'00	4'44	6'07	8'78	8'89	9'35	12'60	24'47	50'59	164'60
Pop. }	—	20,815	538	477	525	551	527	2618	2619	2363	2010	1527	2405	2181	1889	1545	1060	531
USES	19'16	3088	665	149	81	48	32	978	131	105	122	134	219	204	238	378	605	874
- - -	0'21	44	2	1	—	1	3	7	6	2	—	9	6	1	—	—	—	—
- - -	0'12	36	5	3	—	2	3	16	3	3	—	2	1	—	—	—	—	—
ver -	0'37	78	5	6	11	7	11	40	17	9	8	—	2	—	—	—	—	—
- - -	0'10	20	2	2	1	1	2	8	7	1	—	1	2	—	—	—	—	—
- - -	0'22	45	26	8	5	2	1	42	8	—	—	—	—	—	—	—	—	—
- - -	0'05	10	—	—	—	—	—	—	—	2	2	1	1	—	—	1	—	—
ver -	0'15	32	2	—	—	2	—	4	3	1	4	—	4	1	2	1	3	1
nt. Fev. -	0'12	25	—	—	2	1	—	3	3	—	—	—	—	1	5	—	—	—
ver -	0'01	6	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
Dys. -	0'14	30	11	3	—	—	—	14	—	1	—	—	—	—	—	—	—	—
- - -	0'01	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
- - -	0'53	110	—	—	—	—	—	—	—	—	—	—	2	—	27	34	31	13
- - -	0'09	18	—	—	—	—	—	—	1	1	—	—	5	1	—	—	3	—
sent. -	0'09	12	9	6	1	—	—	16	3	4	—	—	—	—	—	—	—	—
- - -	0'20	477	3	2	—	2	1	20	19	36	67	71	81	78	44	41	22	1
alus -	0'15	28	7	2	2	—	—	3	2	—	—	—	—	—	—	—	—	—
us Syst. -	2'07	618	315	41	17	7	8	383	14	7	7	2	10	4	15	34	68	96
story -	1'00	269	—	—	1	—	—	1	5	6	2	6	8	14	20	39	37	42
story -	2'72	566	83	33	14	8	1	101	10	6	8	7	18	21	28	60	146	126
ive -	1'19	248	18	3	2	—	—	93	7	4	5	4	14	21	29	46	93	32
ry -	0'26	54	1	—	—	1	—	7	2	—	—	1	5	1	2	9	13	16
ative -	0'06	7	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—
- - -	0'12	24	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—
- - -	0'04	9	—	—	—	—	—	—	—	—	—	—	2	1	—	4	—	—
ence -	0'51	107	4	6	8	6	1	25	3	6	9	3	10	7	6	12	7	18
USES -	5'67	1178	294	28	17	7	5	281	27	8	8	12	16	21	27	76	184	336

Deaths of Infants (under one) to 1000 Births } 113 Marriages - 1,118 Annual Rate { Persons Married - 10'74
Births - 5,474 per 1000 living { Births - 28'22

617.—HOLYWELL.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	21.40	—	—	—	—	—	32.40	7.52	3.97	5.75	9.42	9.58	11.67	15.50	32.35	70.18	156.4
Mean Pop. } 1871-80	—	44646	1267	1153	1234	1205	1202	6061	5676	5037	4089	3353	6103	4944	3806	2968	1799	727
ALL CAUSES	21.40	9556	1882	638	292	211	153	3176	427	201	235	316	585	577	643	961	1193	1342
Small-pox - -	0.26	116	22	6	2	—	3	33	7	4	7	15	23	17	7	2	1	—
Measles - -	0.13	57	10	21	7	10	1	49	7	—	1	—	—	—	—	—	—	—
Scarlet Fever -	0.86	785	16	38	72	57	53	249	106	24	5	1	1	—	—	—	—	—
Diphtheria - -	0.27	122	7	12	9	12	16	51	44	10	4	—	4	3	—	—	1	—
Whooping-cough	0.70	221	98	69	30	14	6	247	11	2	1	—	—	—	—	—	—	—
Typhus - -	0.05	24	—	2	2	2	1	7	4	3	—	4	—	2	—	—	1	—
Enteric Fever -	0.30	134	8	6	4	5	3	29	21	14	17	11	15	15	7	3	5	—
Simple Cont. Fev.	0.18	36	—	3	1	1	1	6	5	5	2	5	6	3	—	1	2	—
Puerp. Fever -	0.10	43	—	—	—	—	—	—	—	—	2	8	20	13	—	—	—	—
Diarr. and Dys.	0.19	84	22	19	2	1	—	44	1	—	1	—	3	3	3	5	11	—
Cholera - -	0.01	4	1	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—
Cancer - -	0.45	202	—	—	—	—	—	—	—	—	1	3	2	22	43	67	46	18
Serofula - -	0.60	40	4	5	3	2	2	16	3	3	2	7	6	1	—	—	2	—
Tuberc Mesent.	0.25	110	45	25	2	2	3	77	14	3	2	2	4	4	3	1	—	—
Phthisis - -	2.14	957	17	6	5	3	2	33	20	27	80	149	234	175	99	24	36	1
Hydrocephalus	0.13	80	26	21	7	4	4	62	10	4	2	1	—	1	—	—	—	—
Diseases of	3.97	1772	863	197	36	32	11	1079	49	20	18	14	25	28	59	140	194	144
Nervous Syst.	1.09	485	—	2	1	—	—	3	6	16	14	7	27	54	76	121	129	35
Circulatory	3.24	1445	191	113	41	31	18	394	23	9	7	13	42	73	155	232	257	120
Respiratory	0.97	434	41	13	10	6	4	74	8	8	8	16	30	43	66	89	66	31
Digestive	0.26	116	1	5	2	1	—	9	1	2	1	5	17	12	12	24	20	26
Urinary	0.04	18	—	—	—	—	—	—	1	—	—	—	5	2	2	4	2	—
Generative	0.15	66	—	—	—	—	—	—	—	—	1	3	30	28	4	—	—	—
Childbirth - -	0.03	15	—	—	—	—	—	—	—	—	—	2	—	1	4	6	1	—
Suicide - -	0.73	326	8	11	7	5	10	41	15	15	35	25	49	31	43	50	21	17
Other Violence -	5.06	2265	502	114	49	30	15	710	71	33	18	24	42	46	79	140	264	730
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births } 125Marriages - 2,523
Births - 15,022Annual Rate { Persons Married - 11.30
per 1000 living { Births - - - 37.65

618.—WREXHAM.*

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	21.84	—	—	—	—	—	30.84	7.65	3.16	6.05	7.15	9.39	12.22	15.84	35.74	71.92	177.7
Mean Pop. } 1871-80	—	52,332	1586	1425	1562	1495	1480	7537	6813	5986	4894	4097	7234	5896	4514	3103	1696	648
ALL CAUSES	21.83	11,427	2805	846	405	287	224	4567	521	207	296	293	679	713	715	1109	1186	1141
Small-pox - -	0.02	10	1	1	—	—	—	2	1	—	—	1	3	1	1	1	—	—
Measles - -	0.24	176	37	63	20	18	11	185	20	1	—	—	—	—	—	—	—	—
Scarlet Fever -	0.99	529	23	76	76	84	82	340	148	21	7	2	—	2	—	—	—	—
Diphtheria - -	0.20	156	4	16	18	25	20	79	46	13	1	—	5	—	1	—	1	—
Whooping-cough	0.51	161	70	59	19	8	6	151	3	—	—	—	—	—	—	—	—	—
Typhus - -	0.03	18	—	—	1	—	—	1	3	3	2	—	4	2	2	1	—	—
Enteric Fever -	0.24	126	—	1	4	6	8	19	18	16	13	9	10	13	13	9	6	—
Simple Cont. Fev.	0.06	29	1	—	—	2	—	3	7	2	2	—	2	—	1	5	3	1
Puerp. Fever -	0.10	54	—	—	—	—	—	—	—	—	1	10	20	16	1	—	—	—
Diarr. and Dys.	0.30	262	140	39	7	1	1	181	2	1	—	—	3	2	8	7	21	14
Cholera - -	0.06	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Cancer - -	0.41	213	—	—	—	—	—	—	—	2	2	—	6	16	49	58	59	21
Serofula - -	0.06	33	7	2	2	—	—	11	1	4	3	4	2	6	1	1	—	—
Tuberc Mesent.	0.27	139	60	38	8	6	8	115	12	2	3	—	2	3	1	1	—	—
Phthisis - -	1.85	968	8	3	2	4	6	28	22	34	114	135	267	190	98	37	19	—
Hydrocephalus	0.23	121	37	37	16	8	4	102	16	1	2	—	—	—	—	—	—	—
Diseases of	3.98	2682	1158	128	56	34	28	1494	49	14	23	24	45	44	67	136	163	115
Nervous Syst.	1.11	583	1	1	—	2	1	5	13	13	15	10	24	77	88	173	129	58
Circulatory	3.46	2019	416	196	91	43	22	768	53	16	21	21	68	37	133	311	329	207
Respiratory	1.13	590	68	20	6	8	1	173	26	14	13	12	45	71	71	117	89	29
Digestive	0.28	197	1	3	5	—	4	13	7	7	9	7	28	22	29	27	29	3
Urinary	0.06	34	—	—	—	—	—	—	—	—	—	1	3	4	9	7	7	3
Generative	0.12	64	—	—	—	—	—	—	—	—	4	6	80	50	4	—	—	—
Childbirth - -	0.04	23	—	—	—	—	—	—	—	—	—	—	2	4	3	—	—	—
Suicide - -	0.94	491	13	26	13	10	7	69	20	29	41	35	72	88	64	41	17	17
Other Violence -	4.50	2356	769	138	58	30	20	1096	42	14	16	11	34	39	65	133	215	679
OTHER CAUSES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Deaths of Infants (under
one) to 1000 Births } 143Marriages - 4,095
Births - 19,655Annual Rate { Persons Married - 15.65
per 1000 living { Births - - - 37.56

* Changes were made in the boundary of this district during the decade; see pp. 371-73.

619.—RUTHIN.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS per 1000	—	19.50	—	—	—	—	—	36.27	5.93	5.51	5.58	11.86	9.69	10.98	12.61	25.97	58.52	163.91
Pop. 1871-80	—	14,807	361	326	350	331	371	1759	1702	1710	1470	1147	1795	1521	1427	1186	794	386
CAUSES	19.50	2888	442	56	52	30	28	638	101	60	82	136	174	167	180	308	412	630
Excess	0.64	6	1	—	—	—	1	2	—	—	1	1	1	—	—	1	—	—
Ever	0.05	7	2	4	—	—	—	6	1	—	—	—	—	—	—	—	—	—
Excess	0.39	58	4	5	9	8	7	28	18	5	1	2	3	1	—	—	—	—
Excess	0.35	51	—	2	5	4	7	18	16	11	4	1	2	—	—	—	1	—
Excess	0.16	21	8	7	2	2	—	19	9	1	—	—	—	—	—	—	—	—
Excess	0.07	11	—	—	—	—	—	—	—	—	2	2	2	1	—	2	—	1
Excess	0.22	37	—	—	—	—	—	—	6	3	5	4	4	3	—	4	1	—
Excess	0.14	20	1	—	—	1	—	2	3	1	2	2	1	—	3	1	4	1
Excess	0.03	5	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Excess	0.17	25	9	1	—	—	1	11	—	—	—	—	1	1	2	1	4	5
Excess	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Excess	0.01	90	—	—	—	—	—	—	—	—	1	1	5	5	16	22	18	52
Excess	0.06	9	1	—	—	—	1	2	1	—	—	2	3	—	—	1	—	—
Excess	0.10	15	2	3	2	1	—	8	2	—	1	1	2	—	—	—	—	—
Excess	2.47	363	2	—	—	—	1	3	6	10	38	75	82	96	39	42	19	—
Excess	0.08	12	5	1	—	1	1	8	8	1	—	—	—	—	—	—	—	—
Excess	4.97	632	305	32	19	7	4	367	18	10	5	12	10	17	25	46	68	69
Excess	1.22	225	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Excess	1.25	271	17	11	4	2	3	27	4	3	5	6	11	32	19	46	60	87
Excess	0.93	138	5	1	—	—	—	6	2	3	2	4	3	18	19	29	37	15
Excess	0.27	55	1	—	—	—	1	2	1	1	8	2	6	4	8	7	10	—
Excess	0.02	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Excess	0.14	20	—	—	—	—	—	—	—	—	2	11	7	—	—	—	—	—
Excess	0.03	4	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
Excess	0.30	45	3	3	2	1	—	9	3	1	1	1	3	4	4	3	6	10
Excess	0.14	764	75	10	9	7	1	109	14	8	8	6	15	13	21	56	121	305

Deaths of Infants (under one) to 1000 Births 112 Marriages 825 Annual Rate of Persons Married per 1000 living Births 11.18

620.—ST. ASAPH.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DEATHS per 1000	—	22.62	—	—	—	—	—	48.75	7.34	4.94	5.95	9.95	11.68	13.96	19.73	30.46	65.87	169.05
Pop. 1871-80	—	28,668	702	614	653	631	601	3311	3174	3110	2792	2262	3766	5194	2838	2239	1333	643
CAUSES	22.62	6485	1004	260	146	110	94	1614	233	154	166	225	440	446	560	682	874	1087
Excess	0.17	48	6	4	—	2	3	15	1	2	5	4	9	6	5	—	1	—
Excess	0.18	51	15	13	9	8	2	43	7	1	—	—	—	—	—	—	—	—
Excess	0.63	187	11	17	33	21	22	105	57	15	3	5	2	—	—	—	—	—
Excess	0.29	83	2	3	8	8	7	28	31	13	6	2	1	—	—	—	—	—
Excess	0.25	101	45	27	10	9	5	96	5	—	—	—	—	—	—	—	—	—
Excess	0.05	14	—	—	—	—	1	1	2	1	3	2	—	2	1	1	1	—
Excess	0.14	52	2	2	—	4	—	8	3	7	7	4	7	—	6	3	—	—
Excess	0.16	46	2	4	—	—	—	6	8	8	2	3	1	3	7	5	2	1
Excess	0.05	15	—	—	—	—	—	—	—	—	—	4	8	3	—	—	—	—
Excess	0.28	80	30	8	1	—	—	39	2	1	—	—	3	3	4	8	10	10
Excess	0.00	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Excess	0.02	178	—	—	—	—	—	—	—	—	—	—	6	15	43	39	47	18
Excess	0.11	32	2	1	2	1	1	7	4	7	2	3	1	—	3	2	2	1
Excess	0.15	44	15	13	4	—	1	23	3	2	—	2	2	—	—	1	1	—
Excess	2.91	634	3	4	5	2	3	17	10	32	69	94	173	104	80	47	16	4
Excess	0.23	66	20	12	4	7	6	49	7	4	1	—	—	3	1	—	—	—
Excess	4.67	1339	467	59	26	23	14	583	17	10	13	19	55	85	102	114	135	169
Excess	1.63	411	1	1	—	—	1	3	2	8	3	24	32	35	32	35	101	80
Excess	3.50	947	91	49	22	14	9	125	18	8	10	28	53	51	61	140	190	181
Excess	1.53	362	30	8	4	5	3	49	10	6	6	10	37	42	61	17	74	29
Excess	0.29	170	1	1	1	—	1	4	3	1	4	8	13	14	36	21	47	27
Excess	0.08	22	—	—	—	—	—	—	—	—	—	4	—	6	1	7	5	2
Excess	0.11	31	—	—	—	—	—	—	—	—	1	6	11	12	1	—	—	—
Excess	0.04	11	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	1
Excess	0.50	144	6	2	1	1	6	16	4	12	8	7	13	18	17	18	18	12
Excess	4.29	1284	364	32	16	10	8	730	39	18	17	15	24	31	56	91	205	271

Deaths of Infants (under one) to 1000 Births 127 Marriages 2,062 Annual Rate of Persons Married per 1000 living Births 14.39

621.—LLANRWST.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000	—	20.44	—	—	—	—	—	44.21	7.51	6.57	6.90	11.02	12.07	10.71	13.94	22.59	31.34	16.4
Mean Pop. 1871-80	—	13,570	339	319	351	349	334	1692	1557	1446	1334	1143	1847	1438	1141	1005	633	345
ALL CAUSES	20.44	2775	467	130	78	34	35	748	117	95	92	126	223	154	159	227	325	509
Small-pox	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	0.15	20	5	7	3	—	2	17	2	—	—	1	—	—	—	—	—	—
Scarlet Fever	0.63	28	2	9	16	9	4	40	27	12	4	2	3	—	—	—	—	—
Diphtheria	0.49	67	1	—	2	4	9	16	21	22	5	1	—	1	—	—	—	—
Whooping-cough	0.34	46	15	13	7	5	1	41	5	—	—	—	—	—	—	—	—	—
Typhus	0.13	17	—	—	1	—	1	2	3	—	—	2	1	—	—	—	—	—
Enteric Fever	0.86	49	—	1	2	—	1	4	2	2	10	4	3	2	2	3	4	1
Simple Cont. Fev.	0.16	22	—	—	—	—	—	—	2	—	—	2	2	2	—	—	—	—
Puerp. Fever	0.11	15	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—
Diarr. and Dys.	0.22	30	10	2	—	—	—	17	—	—	1	—	1	—	—	5	3	1
Cholera	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	0.50	68	—	—	—	—	—	—	—	—	—	—	2	5	14	17	13	3
Scrofula	0.10	13	—	—	1	—	1	2	—	4	2	1	1	—	5	—	—	—
Tuberc. Mesent.	0.17	23	8	4	1	—	—	18	2	3	—	—	—	—	—	—	—	—
Phthisis	2.72	470	3	2	2	1	1	9	8	10	34	54	101	59	43	38	11	1
Hydrocephalus	0.14	19	8	1	1	1	1	12	3	3	1	—	—	—	—	—	—	—
Diseases of Nervous Syst.	3.94	535	263	36	14	5	5	321	19	4	9	8	6	12	13	27	43	6
Circulatory	1.21	164	—	—	—	—	—	—	—	1	4	9	13	14	12	26	31	3
Respiratory	2.83	384	52	24	12	9	5	102	5	7	15	15	18	10	21	36	71	3
Digestive	1.08	147	9	2	1	1	1	14	2	2	6	12	10	18	18	20	26	2
Urinary	0.29	40	—	—	—	—	—	1	2	—	3	3	3	3	1	6	12	3
Generative	0.04	5	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—
Childbirth	0.13	18	—	—	—	—	—	—	—	—	—	2	11	5	—	—	—	—
Suicide	0.07	9	—	—	—	—	—	—	—	1	—	1	—	3	—	1	—	1
Other Violence	0.35	73	1	—	3	—	1	5	1	8	7	6	11	10	6	4	11	7
OTHER CAUSES	4.06	551	90	29	12	4	2	137	18	14	6	6	16	13	12	33	57	56

Deaths of Infants (under one) to 1000 Births } 118

Marriages - 914
Births - 3,951Annual Rate { Persons Married - 13.46
per 1000 living { Births - 29.12

622.—CORWEN.

	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and over.
ANNUAL DEATH RATE PER 1000	—	18.94	—	—	—	—	—	41.17	5.88	3.65	6.39	10.39	10.81	10.37	11.97	22.81	33.15	15.6
Mean Pop. 1871-80	—	16,612	458	392	418	451	416	2135	2062	1890	1503	1309	2147	1746	1479	1223	779	369
ALL CAUSES	18.94	3152	583	145	68	48	35	879	111	69	96	136	232	181	177	279	414	379
Small-pox	0.07	12	1	—	—	—	—	1	—	1	1	4	3	—	2	—	—	—
Measles	0.20	31	11	9	2	5	—	27	7	—	—	—	—	—	—	—	—	—
Scarlet Fever	0.46	76	5	9	7	11	11	43	20	5	4	—	4	—	—	—	—	—
Diphtheria	0.13	22	—	3	1	1	1	6	10	3	1	—	1	—	—	—	—	—
Whooping-cough	0.11	18	8	9	2	1	—	17	1	—	—	—	—	—	—	—	—	—
Typhus	0.05	8	—	—	—	—	—	—	—	1	2	—	2	1	—	2	—	—
Enteric Fever	0.24	40	1	1	—	—	—	2	2	5	4	8	9	5	1	1	1	—
Simple Cont. Fev.	0.17	28	—	—	—	—	1	1	3	2	2	1	1	4	4	5	4	1
Puerp. Fever	0.10	16	—	—	—	—	—	—	—	—	4	7	5	5	—	—	—	—
Diarr. and Dys.	0.21	32	20	3	1	2	1	27	1	1	1	2	3	5	1	4	3	4
Cholera	0.01	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	0.46	76	—	—	—	—	—	—	—	1	1	—	3	7	14	25	15	1
Scrofula	0.08	13	—	2	—	—	—	2	—	—	2	2	2	2	1	—	2	—
Tuberc. Mesent.	0.13	22	10	5	3	—	—	18	8	—	—	—	—	—	—	—	—	—
Phthisis	2.38	326	1	2	3	2	—	8	9	14	40	72	103	58	43	40	14	2
Hydrocephalus	0.21	35	9	8	5	1	2	23	7	2	2	—	—	—	2	—	—	—
Diseases of Nervous Syst.	3.94	654	370	40	13	7	3	433	13	8	2	5	14	12	16	39	54	12
Circulatory	1.21	157	—	—	—	1	—	1	4	3	7	5	6	7	12	21	41	3
Respiratory	2.13	354	52	32	11	6	3	107	8	6	8	8	12	12	20	35	70	42
Digestive	1.13	184	12	1	2	2	—	17	5	4	4	6	11	17	22	36	49	17
Urinary	0.22	33	—	1	—	—	—	1	2	1	3	3	8	7	4	8	11	3
Generative	0.02	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—
Childbirth	0.13	22	—	—	—	—	—	—	—	—	—	3	12	7	—	—	—	—
Suicide	0.07	11	—	—	—	—	—	—	—	—	1	—	1	2	1	—	—	—
Other Violence	0.46	77	—	4	2	3	1	10	6	6	2	6	6	14	8	5	2	1
OTHER CAUSES	1.63	761	86	16	15	6	12	135	10	6	9	7	17	14	26	51	125	231

Deaths of Infants (under one) to 1000 Births } 112

Marriages - 1,044
Births - 5,214Annual Rate { Persons Married - 12.33
per 1000 living { Births - 31.73

623.—BALA.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwards.
ALL DEATHS (PER 1000)	—	18.06	—	—	—	—	—	39.47	5.76	2.67	6.07	5.55	8.67	9.80	13.53	19.96	51.08	134.15
an Pop. } 71-80 - }	—	6,072	151	144	156	154	145	750	712	712	626	595	911	745	584	491	341	205
L CAUSES	18.06	1,205	179	52	32	18	15	206	41	19	38	33	79	73	79	98	174	275
l-pox -	0.07	5	—	—	—	—	—	—	—	—	—	—	—	—	2	3	—	—
les -	0.10	7	1	4	1	—	—	6	1	—	—	—	—	—	—	—	—	—
et Fever -	0.69	46	5	4	11	7	4	31	9	—	2	—	3	—	—	1	—	—
theria -	0.18	12	1	3	—	—	2	6	3	—	—	—	—	—	1	—	2	—
oping-cough	0.36	24	13	4	3	1	—	23	1	—	—	—	—	—	—	—	—	—
us -	0.07	5	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—
rie Fever -	0.22	15	—	2	—	—	—	2	—	—	2	1	2	1	1	—	3	8
le Cont. Fev.	0.15	10	—	—	—	—	1	1	—	1	2	—	1	1	2	—	1	1
p. Fever -	0.18	12	—	—	—	—	—	—	—	—	3	7	2	—	—	—	—	—
. and Dys.	0.11	21	8	—	1	—	—	9	—	—	1	—	—	—	2	1	4	4
ra -	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
rr -	0.84	56	1	—	—	—	—	1	1	—	—	—	2	2	10	14	17	9
ula -	0.07	5	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	1
s Mesent.	0.04	3	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—
is -	2.07	138	—	2	1	1	—	4	5	6	14	17	37	23	12	11	8	1
cephalus	0.24	16	1	2	1	4	2	10	5	—	1	—	—	—	—	—	—	—
erous Syst.	2.39	159	61	11	1	1	1	75	2	4	1	1	3	3	7	6	17	49
regulatory -	0.88	59	—	—	—	—	—	—	—	—	2	—	1	6	2	7	30	39
spiratory -	2.64	176	22	12	2	—	1	37	4	1	—	1	7	11	8	21	40	48
igestive -	1.05	70	5	—	—	—	—	5	—	2	—	1	5	3	8	19	24	19
inary -	0.66	44	1	1	1	—	—	3	3	1	2	—	4	3	3	3	6	12
enerative -	0.03	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
birth -	0.04	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
de -	0.04	3	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—
. Violence -	0.84	43	1	1	1	—	1	4	2	2	4	1	2	3	4	6	6	9
CAUSES	4.10	271	59	6	7	4	2	78	4	1	7	4	2	9	12	12	23	119

Deaths of Infants (under
one) to 1000 Births - } 102

Marrriages - 343
Births - 1,750

Annual Rate of Persons Married
per 1000 living (Births - - - 11.48
Births - - - 20.36

624.—DOLGELLY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwards.
ALL DEATHS (PER 1000)	—	20.30	—	—	—	—	—	43.30	6.46	4.58	6.64	9.42	11.92	9.78	13.28	25.35	50.50	153.35
an Pop. } 71-80 - }	—	14,746	403	364	391	398	363	1919	1719	1640	1356	1146	2056	1616	1250	1046	701	389
L CAUSES	20.30	2,904	522	139	79	53	47	831	111	71	90	108	245	158	166	265	354	595
l-pox -	0.02	3	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
les -	0.14	21	9	6	1	1	2	19	2	—	—	—	—	—	—	—	—	—
et Fever -	0.62	91	8	4	13	14	14	53	23	3	4	5	1	—	—	2	—	—
theria -	0.19	28	—	3	3	1	2	9	10	4	5	—	1	1	—	—	—	—
oping-cough	0.35	51	28	13	4	4	1	59	1	—	—	—	—	—	—	—	—	—
us -	0.11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
rie Fever -	0.26	38	—	1	1	—	4	6	2	4	5	3	6	4	1	5	9	2
le Cont. Fev.	0.04	6	—	—	—	—	—	—	—	1	2	—	—	—	—	1	2	—
p. Fever -	0.12	18	—	—	—	—	—	—	—	—	4	8	6	—	—	—	—	—
. and Dys.	0.18	27	8	4	—	—	—	12	—	1	—	—	—	—	1	—	2	11
ra -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
rr -	0.71	104	3	2	—	—	—	—	—	—	—	—	5	8	18	35	50	12
ula -	0.11	16	3	2	—	—	—	5	—	1	1	—	4	1	1	3	—	—
s Mesent.	0.22	33	12	6	5	1	2	26	1	2	1	—	2	—	—	—	—	1
is -	2.75	405	3	8	1	3	1	11	12	25	42	20	128	48	28	30	22	2
cephalus	0.33	49	12	7	5	5	3	32	9	3	5	—	—	—	—	—	—	—
erous Syst.	2.68	395	165	18	9	4	1	194	9	8	6	3	7	10	11	18	56	74
regulatory -	1.47	232	—	—	—	—	—	—	—	1	5	1	11	11	50	42	54	77
spiratory -	3.21	453	78	37	8	6	6	135	6	5	2	6	17	20	29	59	80	109
igestive -	1.01	149	16	2	—	—	—	18	3	3	2	1	13	12	20	27	30	20
inary -	0.6	53	—	—	—	1	—	1	1	2	—	1	5	3	2	6	18	19
enerative -	0.09	15	—	—	—	—	1	1	—	—	1	—	2	—	3	1	9	3
birth -	0.18	23	—	—	—	—	—	—	—	—	—	3	14	7	—	—	—	—
de -	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
. Violence -	0.68	109	2	6	3	1	—	12	5	5	10	7	14	14	10	10	6	8
CAUSES	4.45	658	178	30	17	12	10	247	37	7	4	10	13	11	13	28	44	555

Deaths of Infants (under
one) to 1000 Births - } 112

Marrriages - 1,002
Births - 4,617.

Annual Rate of Persons Married
per 1000 living (Births - - - 14.23
Births - - - 31.61

625.—FESTINIOG.

	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000 }	—	20'81	—	—	—	—	—	57'75	8'07	5'16	7'62	10'30	10'35	10'95	13'08	23'03	32'80	122'05
Mean Pop. 1871-80 }	—	26,833	815	737	780	795	720	3856	3273	2800	2375	2369	4171	2987	2110	1576	802	415
ALL CAUSES	20'81	5,585	1319	431	207	134	106	2227	264	145	181	244	436	327	276	363	471	631
Small-pox - -	0'01	4	-	-	1	-	1	2	-	-	1	1	-	-	-	-	-	-
Measles - -	0'61	164	48	47	29	14	8	146	17	1	-	-	-	-	-	-	-	-
Scarlet Fever -	1'10	296	15	48	51	44	29	187	66	21	7	5	7	1	1	-	-	-
Diphtheria - -	0'15	40	1	4	4	5	5	19	13	6	-	-	-	1	-	-	-	1
Whooping-cough	0'37	98	43	27	10	5	6	91	6	1	-	-	-	-	-	-	-	-
Typhus - -	0'01	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Enteric Fever -	0'40	108	5	2	7	3	2	19	5	7	9	18	21	16	5	5	3	2
Simple Cont. Fev.	0'10	27	-	-	2	-	-	2	2	2	5	5	5	2	2	1	2	2
Puerp. Fever -	0'16	44	-	-	-	-	-	-	3	3	9	24	7	1	-	-	-	-
Diarr. and Dys. -	0'24	65	22	8	2	-	-	32	-	1	1	-	3	2	-	4	6	16
Cholera - -	0'01	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Cancer - -	0'46	124	-	-	-	-	-	-	-	-	-	-	5	14	23	33	56	19
Scrofula - -	0'18	49	6	7	4	1	1	19	1	6	3	4	6	5	1	2	1	1
Tuberc Mesent. -	0'32	86	31	24	6	-	2	62	5	4	3	2	6	2	-	2	-	-
Phthisis - -	2'62	762	7	9	3	2	-	21	13	40	72	113	187	100	64	52	30	4
Hydrocephalus -	0'26	70	9	9	7	8	7	40	20	4	2	2	2	-	-	-	-	-
Diseases of Nervous Syst.	4'79	1285	711	99	25	17	17	869	37	15	11	10	20	20	29	52	93	129
Circulatory - -	0'78	298	-	-	-	-	1	1	3	2	6	6	15	15	26	43	49	42
Respiratory - -	3'63	972	219	91	27	17	4	358	18	4	16	14	31	41	45	84	147	194
Digestive - -	0'79	212	15	8	1	1	1	26	7	5	11	14	20	24	12	26	23	35
Urinary - -	0'40	108	3	3	1	1	0	14	5	1	1	1	5	10	12	13	25	20
Generative - -	0'06	16	-	-	-	-	-	-	-	-	-	2	4	2	2	3	3	-
Childbirth - -	0'15	39	-	-	-	-	-	-	-	2	2	2	10	1	-	-	-	-
Suicide - -	0'02	6	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
Other Violence -	0'89	216	5	9	11	6	3	32	11	13	16	31	56	25	19	16	9	5
OTHER CAUSES	2'40	639	212	36	16	10	13	287	93	11	11	4	17	22	34	27	37	186

Deaths of Infants (under
one) to 1000 Births } 140

Marriages - 1,901
Births - 8,635

Annual Rate { Persons Married - 14'94
per 1000 living { Births - 35'91

626.—PWLLHELL.

	Annual Death Rate per 1000.	ALL AGES.	Under Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000 }	—	18'96	—	—	—	—	—	38'39	5'96	3'84	8'06	8'90	9'86	8'50	12'93	22'05	48'28	143'3
Mean Pop. 1871-80 }	—	21,943	533	490	563	535	518	2650	2415	2290	2009	1776	2808	2342	2027	1855	1164	618
ALL CAUSES	18'96	4160	679	168	67	57	42	1013	144	88	162	158	277	199	262	409	562	886
Small-pox - -	0'01	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Measles - -	0'23	61	16	17	5	6	4	48	9	2	1	1	-	-	-	-	-	-
Scarlet Fever -	0'41	91	4	9	9	11	12	45	35	5	1	1	3	-	1	-	-	-
Diphtheria - -	0'13	29	1	-	-	2	1	4	8	6	7	3	1	-	-	-	-	-
Whooping-cough	0'29	63	23	14	10	6	1	56	5	1	1	-	-	-	-	-	-	-
Typhus - -	0'05	11	-	-	-	-	-	-	-	1	2	2	2	1	2	-	1	-
Enteric Fever -	0'29	44	1	-	-	-	-	1	3	2	4	2	8	5	5	8	4	1
Simple Cont. Fev.	0'07	16	1	-	-	-	-	1	1	2	4	1	2	-	1	-	4	-
Puerp. Fever -	0'02	5	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-
Diarr. and Dys. -	0'17	38	17	2	-	-	-	19	1	-	2	-	-	1	4	2	5	4
Cholera - -	0'09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - -	0'46	122	-	-	-	-	-	-	-	-	1	2	1	9	25	34	58	12
Scrofula - -	0'10	22	5	-	-	-	-	5	-	2	3	1	4	2	1	4	-	-
Tuberc Mesent. -	0'16	35	8	5	3	1	-	17	5	4	4	4	1	-	-	-	-	-
Phthisis - -	2'71	595	9	6	2	2	1	20	18	27	81	97	144	68	75	45	17	5
Hydrocephalus -	0'16	34	3	4	4	1	2	14	14	5	1	-	1	-	3	-	-	-
Diseases of Nervous Syst.	3'98	873	480	64	23	7	7	531	12	10	11	6	14	9	24	36	103	97
Circulatory - -	0'81	185	1	-	-	-	-	2	1	2	4	2	8	10	24	45	54	35
Respiratory - -	2'40	527	67	33	2	9	4	105	13	8	14	12	29	23	34	85	110	92
Digestive - -	0'80	198	6	1	-	2	1	10	-	1	4	5	11	23	28	32	47	17
Urinary - -	0'40	87	-	-	-	1	1	2	1	-	3	1	4	7	5	16	23	25
Generative - -	0'03	7	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1
Childbirth - -	0'10	21	-	-	-	-	-	-	-	-	1	3	8	8	1	-	-	-
Suicide - -	0'02	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
Other Violence -	0'41	91	-	-	4	-	-	5	4	3	7	5	12	16	5	13	7	14
OTHER CAUSES	4'26	995	95	13	5	8	7	128	14	9	6	12	14	13	22	46	146	286

Deaths of Infants (under
one) to 1000 Births } 110

Marriages - 1,400
Births - 6,177

Annual Rate { Persons Married - 12'76
per 1000 living { Births - 28'15

627.—CARNARVON.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (PER 1000)	—	21.89	—	—	—	—	—	56.36	8.47	5.59	7.79	10.66	11.58	11.62	16.38	25.30	57.39	158.81
Pop. 1-80	—	41,567	1195	1081	1164	1131	1089	5610	4910	4399	4018	3555	6124	4595	3450	2650	1535	721
CAUSES	21.89	9,100	1941	601	282	208	130	3162	416	246	313	379	709	534	565	750	881	1145
Pox	0.07	28	4	2	—	—	—	6	5	4	1	3	5	3	1	—	—	—
Fever	0.45	201	39	78	27	22	11	172	21	4	—	2	2	—	—	—	—	—
Berla	0.53	358	25	56	57	54	32	228	89	28	7	4	6	4	1	—	—	—
Pinz-cough	0.14	57	3	7	1	3	9	23	22	4	2	4	—	—	—	1	—	—
Pinz-cough	0.29	120	56	29	14	7	4	119	10	—	—	—	—	—	—	—	—	—
Fever	0.04	17	—	—	1	—	—	1	—	1	2	2	3	1	1	2	3	1
Cont. Fever	0.26	108	1	1	—	—	1	3	12	12	11	17	23	11	5	2	5	2
Fever	0.10	40	1	1	4	—	1	7	5	4	3	1	7	2	3	2	1	1
and Dys.	0.10	42	—	—	—	—	—	—	—	—	1	3	3	3	—	10	14	39
and Dys.	0.37	154	18	23	3	2	—	86	1	9	—	8	3	—	4	2	—	4
Pinz-cough	0.03	12	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Pinz-cough	0.43	181	—	—	—	—	—	—	7	—	1	—	9	17	42	28	37	17
Pinz-cough	0.14	58	4	5	1	—	1	11	7	2	6	8	9	4	3	4	8	1
Mesent.	0.16	68	24	16	5	2	2	49	9	2	4	1	—	—	—	1	—	1
Pinz-cough	0.16	68	24	16	5	2	2	49	9	2	4	1	—	—	—	1	—	1
Pinz-cough	0.28	117	30	28	9	7	7	79	24	8	1	—	—	—	—	—	—	—
Pinz-cough	4.30	1786	864	93	42	35	24	1058	55	18	15	18	27	43	71	109	174	198
Pinz-cough	0.96	401	—	1	—	—	—	1	8	12	8	8	20	39	67	89	85	73
Pinz-cough	3.54	1470	281	125	56	37	14	481	24	16	18	23	53	51	74	168	232	298
Pinz-cough	1.21	503	39	13	2	5	—	59	10	7	18	8	31	45	73	105	99	48
Pinz-cough	0.88	138	4	4	5	—	—	13	6	2	4	6	9	21	19	22	25	31
Pinz-cough	0.05	21	—	—	—	—	—	—	—	—	—	1	3	3	5	3	1	1
Pinz-cough	0.13	56	—	—	—	—	—	—	—	—	1	9	25	17	4	—	—	—
Pinz-cough	0.03	10	—	—	—	—	—	—	—	—	—	1	2	1	4	1	1	—
Pinz-cough	0.72	298	8	12	8	3	5	36	16	15	21	26	45	54	29	30	36	20
Pinz-cough	3.38	1404	496	94	34	22	15	661	33	23	16	17	23	35	29	22	114	411

Deaths of Infants (under
one, to 1000 Births) } 140

Marriages - 3,281
Births - 13,538

Annual Rate (Persons Married - 13.70
per 1000 living (Births - 33.33

628.—BANGOR.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ALL DEATHS (PER 1000)	—	20.96	—	—	—	—	—	52.25	7.88	4.38	7.55	10.24	10.40	11.81	14.76	26.62	55.81	132.68
Pop. 1-80	—	37,540	935	844	939	897	848	4463	4137	4088	3615	3087	5146	4167	3611	2787	1636	803
CAUSES	20.96	7,867	1406	432	219	149	126	2332	326	179	273	316	535	492	533	742	913	1236
Pox	0.02	6	1	—	—	—	—	1	—	—	—	2	1	1	1	—	—	—
Fever	0.34	128	31	42	29	8	6	107	18	1	1	—	—	—	—	—	—	—
Berla	0.60	226	14	28	31	25	32	189	66	18	3	4	3	2	—	—	—	—
Pinz-cough	0.07	27	—	—	1	4	2	7	12	3	1	1	—	—	—	—	—	—
Pinz-cough	0.35	131	57	30	17	11	8	129	6	2	—	—	—	—	—	—	—	—
Fever	0.03	23	—	—	—	—	1	1	1	2	5	2	4	3	2	2	—	1
Cont. Fever	0.25	95	—	6	1	3	1	11	12	7	11	11	4	13	8	7	4	3
Fever	0.14	51	1	—	1	3	1	6	4	3	11	2	4	9	3	6	1	2
and Dys.	0.08	29	—	—	—	—	—	—	—	—	—	5	14	19	—	—	—	—
and Dys.	0.22	83	23	9	2	—	2	36	1	1	1	—	2	2	1	12	9	78
Pinz-cough	0.01	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pinz-cough	0.45	170	—	—	—	—	—	—	—	2	—	1	7	6	37	54	56	27
Pinz-cough	0.12	44	6	5	10	2	—	20	6	4	3	—	4	5	—	—	—	—
Mesent.	0.20	76	18	11	11	4	3	47	10	4	5	5	2	—	—	—	—	—
Pinz-cough	2.59	1122	9	4	3	1	3	22	22	50	136	191	291	188	136	63	17	1
Pinz-cough	0.24	89	16	14	9	12	6	57	19	3	4	—	2	1	1	—	—	—
Pinz-cough	4.13	1551	717	90	27	18	13	865	46	18	22	12	25	37	66	102	171	186
Pinz-cough	0.77	282	1	—	3	—	—	4	1	9	12	8	29	32	27	74	69	33
Pinz-cough	3.59	1335	175	129	46	31	18	269	50	11	8	12	40	51	82	164	259	233
Pinz-cough	1.09	411	18	2	2	2	6	30	5	3	6	13	28	35	63	28	10	84
Pinz-cough	0.26	135	—	—	1	—	—	1	3	3	3	2	8	18	18	28	13	16
Pinz-cough	0.05	20	—	—	—	—	—	—	—	—	—	—	2	5	7	4	1	1
Pinz-cough	0.09	33	—	—	—	—	—	—	—	—	—	19	12	10	1	—	—	—
Pinz-cough	0.01	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pinz-cough	0.35	204	4	3	9	6	3	24	10	9	11	14	54	32	33	21	17	94
Pinz-cough	4.19	1572	318	29	23	17	21	640	48	22	24	14	18	28	30	101	129	647

Deaths of Infants (under
one, to 1000 Births) } 130

Marriages - 3,027
Births - 10,816

Annual Rate (Persons Married - 16.13
per 1000 living (Births - 28.81

629.—CONWAY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	19'88	—	—	—	—	—	45'69	7'06	4'15	5'94	8'13	10'21	11'98	14'51	27'88	28'87	166'46
Mean Pop. 1871-80	—	16,531	429	386	423	438	388	2055	1897	1806	1582	1341	2203	1886	1571	1191	671	28
ALL CAUSES	19'08	3,303	588	167	79	53	52	939	134	75	94	109	225	226	228	332	385	546
Small-pox	0'02	4	1	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—
Measles	0'21	35	6	9	—	—	—	31	3	1	—	—	—	—	—	—	—	—
Scarlet Fever	0'38	66	7	14	15	10	12	58	23	4	7	8	1	—	—	—	—	—
Diphtheria	0'34	55	4	8	6	4	5	22	24	8	1	—	1	—	—	2	—	—
Whooping-cough	0'38	62	29	14	8	8	5	69	—	2	—	—	—	—	—	—	—	—
Typhus	0'06	8	—	—	—	—	—	—	1	—	3	1	2	1	—	—	—	—
Enteric Fever	0'14	23	—	—	2	—	—	4	2	1	5	—	2	3	1	4	1	—
Simple Cont. Fev.	0'15	25	—	—	—	—	1	1	2	2	—	—	1	2	1	8	7	—
Puerp. Fever	0'09	15	—	—	—	—	—	—	—	—	1	3	0	5	—	—	—	—
Diarr. and Dys.	0'46	76	50	5	—	—	1	56	1	—	2	—	—	2	2	6	1	—
Cholera	0'04	6	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	—
Cancer	0'58	96	—	—	—	—	—	—	—	—	—	1	—	8	19	29	26	12
Serofula	0'10	17	5	1	1	—	—	7	2	1	2	—	2	1	1	—	—	1
Tabes Mesent.	0'16	24	9	4	3	2	3	21	1	1	—	—	2	—	—	—	—	—
Phthisis	2'72	448	8	5	—	—	1	14	13	13	40	61	109	73	57	37	21	19
Hydrocephalus	0'32	54	17	13	5	5	3	43	6	8	2	—	—	—	—	—	—	—
Diseases of Nervous Syst.	3'87	639	300	43	9	7	8	866	14	12	5	9	15	10	28	51	83	44
Circulatory	1'21	217	1	—	—	—	—	1	—	1	1	4	13	20	25	41	58	45
Respiratory	2'49	41	30	4	5	1	81	8	5	3	9	9	32	19	64	73	34	—
Digestive	1'24	265	14	3	3	2	24	4	5	4	2	8	19	37	40	37	25	—
Urinary	0'89	65	1	2	—	—	—	3	1	1	2	4	7	9	7	5	10	16
Generative	0'07	11	—	—	—	—	—	—	—	—	1	—	1	8	3	1	2	—
Childbirth	0'16	27	—	—	—	—	—	—	—	—	—	2	12	12	1	—	—	—
Suicide	0'04	7	—	—	—	—	—	—	—	—	2	—	3	—	1	—	—	—
Other Violence	0'69	109	3	1	4	2	2	12	5	6	5	3	20	10	8	7	12	12
OTHER CAUSES	3'53	586	92	20	10	7	5	134	24	9	5	5	11	16	16	33	59	24

Deaths of Infants (under one) to 1000 Births } 123

Marriages - 1,125
Births - 4,760

Annual Rate { Persons Married - 13'61
per 1000 living { Births - 25'85

630.—ANGLESEY.

	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over.
ANNUAL DEATH RATE PER 1000	—	20'64	—	—	—	—	—	43'44	6'91	5'01	8'24	11'53	11'15	10'54	14'53	23'91	31'20	145'66
Mean Pop. 1871-80	—	35,134	812	760	822	850	812	4065	3982	3733	3385	2689	4465	3709	3421	2873	1825	181
ALL CAUSES	20'64	7,253	1082	296	160	130	92	1766	275	187	279	310	408	391	497	687	956	1427
Small-pox	0'02	11	1	—	—	—	—	1	1	1	—	2	2	—	—	1	—	—
Measles	0'18	63	17	18	6	7	5	53	7	—	—	—	1	2	—	—	—	—
Scarlet Fever	0'59	209	7	17	24	23	24	95	68	26	10	8	4	2	—	1	—	—
Diphtheria	0'20	69	2	8	4	7	9	25	25	10	2	—	2	4	—	1	—	—
Whooping-cough	0'22	77	37	20	7	7	2	73	8	1	—	—	—	—	—	—	—	—
Typhus	0'09	32	—	—	—	—	—	—	—	3	4	4	5	4	3	6	2	1
Enteric Fever	0'17	69	2	—	4	2	—	8	5	7	5	2	13	7	8	3	2	—
Simple Cont. Fev.	0'13	47	—	1	1	—	—	2	5	3	6	3	3	4	2	8	7	4
Puerp. Fever	0'04	15	—	—	—	—	—	—	—	—	—	5	6	3	1	—	—	—
Diarr. and Dys.	0'17	61	17	7	3	—	—	27	—	—	—	1	2	2	2	7	9	11
Cholera	0'01	3	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer	0'54	159	—	—	—	—	—	—	—	—	—	—	4	10	35	69	51	2
Serofula	0'06	21	1	2	2	1	—	6	3	1	3	1	3	—	—	2	—	—
Tabes Mesent.	0'12	42	10	6	2	1	—	19	8	4	4	2	3	2	—	—	—	—
Phthisis	3'34	1179	8	4	4	7	4	22	21	60	153	204	378	186	134	104	66	1
Hydrocephalus	0'35	123	17	23	13	9	6	68	25	11	7	7	8	1	1	—	—	—
Diseases of Nervous Syst.	3'77	1323	550	92	39	22	12	724	29	18	12	6	13	26	52	96	169	151
Circulatory	0'76	273	—	—	1	1	1	3	3	2	9	6	17	24	35	55	73	46
Respiratory	2'55	197	101	43	18	15	9	186	22	6	12	13	31	40	63	149	211	144
Digestive	0'71	249	24	1	3	8	—	29	3	5	4	8	14	28	36	51	53	24
Urinary	0'33	116	—	1	—	1	1	3	2	1	4	2	10	6	22	21	24	21
Generative	0'03	11	—	—	—	—	—	—	—	—	—	1	—	1	3	6	1	2
Childbirth	0'08	29	—	—	—	—	—	—	—	—	3	7	8	10	1	—	—	—
Suicide	0'02	6	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—
Other Violence	0'54	190	3	4	4	3	3	17	5	11	20	19	29	32	19	12	11	13
OTHER CAUSES	5'57	1958	282	54	31	21	16	404	40	22	20	19	46	43	80	103	233	269

Deaths of Infants (under one) to 1000 Births } 112

Marriages - 2,271
Births - 9,935

Annual Rate { Persons Married - 12'03
per 1000 living { Births - 27'67

**Changes in the Constitution of Registration Counties and Registration Districts
and Sub-districts during the 10 Years 1871-80.**

N.B.—(1) The Populations quoted in this Table are the Numbers enumerated at the Census of 1871.

(2) In all references the *old* numbers of Districts are used, i.e., those in force during the 10 Years 1871-80.

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
1	1	KENSINGTON - -	1 Apr. 1875	The union of Fulham, consisting of the sub-districts of <i>St. Peter Hammersmith</i> , <i>St. Paul Hammersmith</i> , and <i>Fulham</i> (aggregate population 68,041), was separated from KENSINGTON and created a Registration District named FULHAM (1a).
1a	2	FULHAM - - -	"	For the constitution of this new Registration District, <i>see</i> KENSINGTON (1).
4	5	WESTMINSTER - -	1 Apr. 1876	The sub-districts of <i>St. James's Square</i> and <i>Berwick Street</i> were united under the name of <i>Berwick Street</i> sub-district (population 20,739).
11	12	STRAND - - -	1 Aug. 1878	The sub-districts of <i>Long Acre</i> and <i>Charing Cross</i> were united under the name of <i>St. Martin-in-the-Fields</i> sub-district (population 21,235).
13	14	LONDON CITY - -	1 Jan. 1880	The sub-districts of <i>Castle Baynard</i> and <i>Christchurch</i> were united under the name of <i>Castle Baynard</i> sub-district (population 10,698).
"	"	" - - -	1 Oct. 1880	The sub-districts of <i>Castle Baynard</i> and <i>Queenhithe</i> were united under the name of <i>Castle Baynard</i> sub-district (population 15,140).
14	15	SHOREDITCH - -	1 July 1877	The sub-districts of <i>Haggerston West</i> and <i>Haggerston East</i> were united under the name of <i>Haggerston</i> sub-district (population 43,421).
16	17	WHITECHAPEL - -	15 Feb. 1875	The sub-districts of <i>Artillery</i> and <i>Spitalfields</i> were united under the name of <i>Spitalfields</i> sub-district (population 22,490).
20	21	POPLAR - - -	1 Jan. 1879	The parish of Bromley St. Leonard (population 41,710), was separated from the sub-district of <i>Bow</i> , and created a new sub-district named <i>Bromley</i> .
29	30	EPSOM - - -	1 Jan. 1880	The parish of Headley (population 337) was transferred to the sub-district of <i>Epsom</i> from REIGATE. <i>Reigate</i> (35 : 1).
35	36	REIGATE - - -	"	The parish of Headley (population 337) was transferred from the sub-district of <i>Reigate</i> to EPSOM. <i>Epsom</i> (29 : 2).
73	74	EAST GRINSTEAD -	1 Oct. 1880	The parish of Crawley (population 505) was transferred from the sub-district of <i>Worth</i> to HORSHAM. <i>North Horsham</i> (78 : 2).
78	79	HORSHAM - - -	"	The parish of Crawley (population 505) was transferred to the sub-district of <i>North Horsham</i> from EAST GRINSTEAD. <i>Worth</i> (73 : 3).
85	86	WESTBOURNE - -	1 Feb. 1878	The sub-districts of <i>Punington</i> and <i>Westbourne</i> were united under the name of <i>Westbourne</i> sub-district (population 7221).
107	108	BASINGSTOKE - -	1 Jan. 1879	The tything of Beech Hill (population 272) was transferred from the sub-district of <i>Bramley</i> to BRADFIELD. <i>Mortimer</i> (117 : 2).*
"	"	" - - -	1 Nov. 1879	The tything of Mortimer West End (population 484) was transferred to the sub-district of <i>Bramley</i> from BRADFIELD. <i>Mortimer</i> (117 : 2).*

* The Registration Counties of HAMPSHIRE and BERKSHIRE are affected by this change.

**Changes in the Constitution of Registration Counties and Registration Districts
and Sub-districts during the 10 Years 1871-80—cont.**

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
109	110	ANDOVER - - -	1 Apr. 1880	The parishes of North Tidworth and Ludgershall (aggregate population 762) were transferred from the sub-district of <i>Ludgershall</i> , and the parishes of Chute and Chute Forest (aggregate population 707) from the sub-district of <i>Harebourne Tarrant</i> to <i>FEWSEY, Pewsey</i> (258 : 2).*
114	115	ABINGDON - - -	1 Oct. 1870	The liberty of Littlemore (population 1068) was transferred from the sub-district of <i>Nuneham Courtney</i> to <i>HEADINGTON, St. Clement</i> (148 : 2).†
117	118	BRADFELD - - -	1 Jan. 1879	The tything of Beech Hill (population 272) was transferred to the sub-district of <i>Mortimer</i> from <i>BASINGSTOKE, Bramley</i> (107 : 2).‡
"	"	" - - -	1 Nov. 1879	The tything of Mortimer West End (population 454) was transferred from the sub-district of <i>Mortimer</i> to <i>BASINGSTOKE, Bramley</i> (107 : 2).‡
148	149	HEADINGTON - - -	1 Oct. 1879	The liberty of Littlemore (population 1068) was transferred to the sub-district of <i>St. Clement</i> from <i>ABINGDON, Nuneham Courtney</i> (114 : 4).
193	194	MALDON - - -	1 July 1880	The parishes of Great and Little Braxted (aggregate population 472) and the parishes of Ulting and Wickham Bishop's (aggregate population 782) were transferred to the sub-district of <i>St. Peter</i> , the first two from <i>WITHAM, Kelvedon</i> (197 : 1), and the others from <i>WITHAM, Witham</i> (197 : 2).
194	195	TENDRING - - -	"	The parish of Brightlingsea (population 3075) was transferred to the sub-district of <i>Ardleigh</i> from <i>LEXDEN, Wivenhoe</i> (196 : 1).
"	"	" - - -	"	The parishes of Thorington, Alresford, Prating, and Great Bentley (population 2009) were transferred from the sub-district of <i>St. Osyth</i> to that of <i>Ardleigh</i> .
"	"	" - - -	"	The parish of Great Oakley (population 1047) was transferred from the sub-district of <i>Thorpe</i> to that of <i>Manningtree</i> .
"	"	" - - -	"	The remaining parishes of the sub-districts of <i>St. Osyth</i> and <i>Thorpe</i> were amalgamated under the name of <i>Thorpe</i> sub-district (population 9280).
196	197	LEXDEN - - -	"	The parishes of Messing and Inworth (aggregate population 1492) were transferred to the sub-district of <i>Stanway</i> from <i>WITHAM, Kelvedon</i> (197 : 1).
"	"	" - - -	"	The parish of Brightlingsea (population 3075) was transferred from the sub-district of <i>Wivenhoe</i> to <i>TENDRING, Ardleigh</i> (194 : 4).
197	—	WITHAM - - -	"	The District was abolished, and its parts distributed as follows:—The parishes of Messing and Inworth (aggregate population 1492), from the sub-district of <i>Kelvedon</i> , were added to <i>LEXDEN, Stanway</i> (196 : 3); the parishes of Great and Little Braxted (aggregate population 472) from the sub-district of <i>Kelvedon</i> , and the parishes of Wickham Bishop's and Ulting (aggregate population 782) from the sub-district of <i>Witham</i> , were added to <i>MALDON, St. Peter</i> (193 : 4); the remainder of the sub-district of <i>Kelvedon</i> , consisting of the parishes of Kelvedon and Rivenhall (aggregate population 2388) was constituted a new sub-district of <i>BRAINTREE</i> , under the name of <i>Kelvedon</i> sub-district (199 : 4); the remainder of the sub-district of <i>Witham</i> , consisting of the parishes of Witham, Hatfield-Peverel, Terling, Fairsted, and Faulkbourne (aggregate population 6078) was constituted a new sub-district of <i>BRAINTREE</i> under the name of <i>Witham</i> sub-district (199 : 5); and the whole of <i>Coggeshall</i> sub-district (population 4652) became a new sub-district of <i>BRAINTREE</i> under the name of <i>Coggeshall</i> sub-district (199 : 3).

* The Registration Counties of HAMPSHIRE and WILTSHIRE are affected by this change.

† The Registration Counties of BERKSHIRE and OXFORDSHIRE are affected by this change.

‡ The Registration Counties of BERKSHIRE and HAMPSHIRE are affected by this change.

Changes in the Constitution of Registration Counties and Registration Districts and Sub-districts during the 10 Years 1871-80—cont.

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
190	190	BRAINTREE - -	1 July 1880	Three new sub-districts were formed: <i>Coggeshall</i> (population 4652), formerly a sub-district of <i>WITHAM</i> (197:3); <i>Kelvedon</i> (population 2388), consisting of the parishes of Kelvedon and Rivenhall from <i>WITHAM</i> , <i>Kelvedon</i> (197:1); and <i>Witham</i> (population 6078), consisting of the parishes of Witham, Hatfield-Peverel, Terling, Fairstead, and Faulkbourne, from <i>WITHAM</i> , <i>Witham</i> (197:2).
"	"	" - - -	"	The sub-districts of BRAINTREE were numbered thus: 1. <i>Finchingfield</i> , 2. <i>Bocking</i> , 3. <i>Coggeshall</i> , 4. <i>Kelvedon</i> , 5. <i>Witham</i> , 6. <i>Braintree</i> .
214	214	WOODBRIIDGE - -	1 Jan. 1877	The sub-districts of <i>Carlford</i> and <i>Woodbridge</i> out were united under the name of <i>Carlford</i> sub-district (population 8761).
215	215	PLONESGATE - -	1 Mar. 1876	The sub-districts of <i>Wickham Market</i> and <i>Orford</i> were united under the name of <i>Orford</i> sub-district (population 7438).
239	239	SWAFFHAM - - -	1 Oct. 1870	The sub-districts of <i>Swaffham</i> and <i>Saham Toney</i> were united under the name of <i>Swaffham</i> sub-district (population 13,608).
247	247	DEVIZES - - -	1 Jan. 1876	The sub-districts of <i>Bishop's Cannings</i> and <i>Devizes</i> were united under the name of <i>Devizes</i> sub-district (population 11,106), and numbered (1).
252	252	PEWSEY - - -	1 April 1880	The Parishes of North Tidworth and Ludgershall (aggregate population 762), and the parishes of Chute and Chute Forest (aggregate population 707) were transferred to the sub-district of <i>Pewsey</i> , the first two from ANDOVER, <i>Ludgershall</i> (109:2), and the others from ANDOVER, <i>Hurstbourne-Tarrant</i> (109:4).*
"	"	" - - -	"	The parish of <i>Pewsey</i> (population 1930) was transferred from the sub-district of <i>Pewsey</i> to that of <i>Netheravon</i> .
"	"	" - - -	"	The sub-district of <i>Pewsey</i> was re-named <i>Collingbourne</i> .
266	266	SHERBORNE - -	1 July 1880	The parish of <i>Castleton</i> (population 68) was transferred from the sub-district of <i>Felminster</i> to that of <i>Sherborne</i> .
267	267	BEAMINSTER - -	1 Oct. 1880	The sub-district of <i>Misterton</i> was abolished, the parish of <i>Cheddington</i> (population 165) being added to <i>Evershol</i> sub-district, and the remainder (population 1308) to <i>Netherbury</i> sub-district.
271	271	ST. THOMAS - -	1 July 1878	The parish of <i>St. Leonard</i> , with the exception of the house, grounds, &c. known as "Larkleas," and the <i>Topsham Artillery Barracks</i> (population 1697) was transferred from the sub-district of <i>Heavitree</i> to EXETER, <i>St. Sidwell</i> (272:1). [See City of Exeter Extension Act, 1877, 40 & 41 Vic. cap. cxli.]
272	272	EXETER - - -	"	The parish of <i>St. Leonard</i> , with the exception of the house, grounds, &c. known as "Larkleas," and the <i>Topsham Artillery Barracks</i> (population 1697) was transferred to the sub-district of <i>St. Sidwell</i> from <i>ST. THOMAS</i> , <i>Heavitree</i> (271:6). [See City of Exeter Extension Act, 1877, 40 & 41 Vic. cap. cxli.]
"	"	" - - -	"	The sub-district of <i>St. Sidwell</i> was re-named <i>Exeter Eastern</i> , and the sub-district of <i>St. David</i> was re-named <i>Exeter Western</i> .
279	279	STOKE DAMEREL -	1 July 1875	The sub-districts of <i>St. Audyn</i> and <i>Clowance</i> were united under the name of <i>St. Audyn</i> sub-district (population 17,054).

* The Registration Counties of HAMPSHIRE and WILTSHIRE are affected by this change.

Changes in the Constitution of Registration Counties and Registration Districts and Sub-districts during the 10 Years 1871-80—cont.

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
290	290	TAVISTOCK - -	1 Oct. 1880	The sub-district of <i>Buckland Monachorum</i> was abolished, and its parts distributed as follows:— The parish of Beerferris (population 2050), was constituted a part of the newly created sub-district of <i>Calstock</i> , and the remainder (population 5222) was transferred to <i>Tavistock</i> sub-district.
"	"	" - - -	"	The parish of <i>Calstock</i> (population 6587) separated from the sub-district of <i>Tavistock</i> , and the parish of Beerferris (population 2050) from the abolished sub-district of <i>Buckland Monachorum</i> , were created a new sub-district named <i>Calstock</i> and numbered (1).
313	313	SHEPTON MALLET -	1 Oct. 1877	The sub-districts of <i>Stoke Lane</i> and <i>Shepton Mallet</i> were united under the name of <i>Shepton Mallet</i> sub-district (population 11,193) and numbered (1).
"	"	" - -	1 Jan. 1890	The parish of West Bradley (population 174) was transferred to the sub-district of <i>Beercrech</i> , from <i>WELLS, Glastonbury</i> (314 : 2).
314	314	WELLS - - -	"	The parish of West Bradley (population 174) was transferred from the sub-district of <i>Glastonbury</i> to <i>SHEPTON MALLET, Beercrech</i> (313 : 2).
317	317	BATH - - -	1 Oct. 1879	The sub-districts of <i>Abbey</i> and <i>Walcot</i> were united under the name of <i>Walcot</i> sub-district (population 21,679). The sub-district of <i>Lyncombe</i> was re-numbered (3), the rest following in their previous order.
321	321	{ CLIFTON - - } { BARTON REGIS - }	1 Apr. 1877	The name of this District was changed from CLIFTON to BARTON REGIS.
336	336	TEWKESBURY - -	1 July 1878	The sub-districts of <i>Deerhurst</i> and <i>Teckesbury</i> were united under the name of <i>Teckesbury</i> sub-district (population 11,434), and numbered (1).
343	343	KINGTON - - -	1 July 1877	A new sub-district was added, under the name of <i>Kinsham</i> sub-district, consisting of the parishes of Knill, Upper Kinsham, Byton, and Lingen, and the township of Rodd, Nash, and Little Brampton, together with the townships of Combe, Lower Kinsham, Willey, and Stapleton (aggregate population 12,612), which had previously formed part of <i>PRESTEGNE, Presteigne</i> (607 : 1).*
351	351	ATCHAM - - -	1 Oct. 1871	The entire District of <i>SHREWSBURY</i> (population 27,252), was incorporated with <i>ATCHAM</i> . No alterations were made in the sub-districts.
352	—	SHREWSBURY - -	"	The entire District was incorporated with <i>ATCHAM</i> (351).
360	359	STAFFORD - - -	1 Oct. 1879	The sub-districts of <i>Stafford</i> and <i>Castle Church</i> were united under the name of <i>Stafford</i> sub-district (population 22,575).
371	370	{ PENKRIDGE - - } { CANNOCK - - }	1 Apr. 1877	The name of this District was changed from <i>PENKRIDGE</i> to <i>CANNOCK</i> .
387	386	BIRMINGHAM - -	1 Oct. 1876	The sub-districts of <i>St. Philip</i> and <i>St. Paul</i> were united under the name of <i>St. Philip</i> sub-district (population 15,173).
"	"	" - -	1 Nov. 1876	The sub-districts of <i>St. Martin</i> and <i>St. Peter</i> were united under the name of <i>St. Martin</i> sub-district (population 44,100).
"	"	" - -	1 July 1877	The sub-district of <i>St. Philip</i> was abolished. All that part of the sub-district (population 7391), which had previous to 1st October 1876 (see change of that date), formed the sub-district of <i>St. Paul</i> , was transferred to the sub-district of <i>All Saints</i> ; and the remainder (population 7779), which previous to the same date had formed the sub-district of <i>St. Philip</i> was transferred to the sub-district of <i>St. Thomas</i> .

* The Registration Counties of HEREFORDSHIRE and SOUTH WALES (RADNORSHIRE) are affected by this change.

Changes in the Constitution of Registration Counties and Registration Districts and Sub-districts during the 10 Years 1871-80—*cont.*

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
387	336	BIRMINGHAM - - -	1 July 1879	The sub-districts of <i>St. Mary</i> and <i>St. George</i> were united under the name of <i>St. George</i> sub-district (population 65,461).
398	395	WARWICK - - -	1 July 1878	The sub-districts of <i>Budbrooke</i> and <i>Warwick</i> were united under the name of <i>Warwick</i> sub-district (population 15,547), and numbered (1).
431	430	BASFORD - - -	1 July 1878	Bestwood Park (population 180), a detached portion of the parish of Lenton, and created a separate parish 17th December 1877, was transferred to the sub-district of <i>Bulwell</i> from RADFORD, <i>Hyson Green</i> (432 : 3).
"	"	" - - -	1 July 1880	The parish of Standard Hill (population 1309), was transferred from the sub-district of <i>Basford</i> to NOTTINGHAM, <i>Park</i> (433 : 11).
432	—	RADFORD - - -	1 July 1878	Bestwood Park (population 180), a detached portion of the parish of Lenton, and created a separate parish 17th December 1877, was transferred from the sub-district of <i>Hyson Green</i> to BASFORD, <i>Bulwell</i> (431 : 4).
"	—	" - - -	1 July 1880	The entire District (population 33,609) was incorporated with NOTTINGHAM (433).
433	431	NOTTINGHAM - - -	"	The entire District of RADFORD (population 33,609) was incorporated with NOTTINGHAM. No alterations were made in the sub-districts.
"	"	" - - -	"	The parish of Standard Hill (population 1309) was transferred to the sub-district of <i>Park</i> from BASFORD, <i>Basford</i> (431 : 3).
438	436	DERBY - - -	1 July 1877	The sub-districts of <i>St. Alkmund</i> and <i>St. Peter</i> were united under the name of <i>Derby</i> sub-district (population 62,333).
452	450	CHESTER - - -	1 Aug. 1871	The sub-district of <i>Great Boughton</i> was abolished, and its parts distributed as follows:—The townships of Ashton, Cotton Abbots, Cotton Edmunds, Hockenhull-Stapleford, Horton with Peele, Huntington, Kelsall, Mouldsworth, Rowton, and Tarvin with Oseroff, and the parishes of Pryors Hayes, Barrow, and Guilden-Sutton (aggregate population 3394) were added to <i>Tattenhall</i> sub-district; the townships of Christleton, Littleton, and Great Boughton, and the parish of Spital Boughton (aggregate population 2664) were added to <i>Chester Castle</i> sub-district; and the remainder of the sub-district, consisting of the townships of Bache, Backford, Blacon cum Crabhall, Capenhurst, Caughall, Chorlton by Backford, Croughton, Dunham on the Hill, Elton, Hapsford, Hoole, <i>Lea</i> , Great Mollington, Little Mollington, Moston, Newton by Chester, Pickton, Great Stanney, Little Stanney, Stoke, Thornton-le-Moors, Bridge Trafford, Mickle Trafford, Wimbolds-Trafford, Upton, and Werrin, and the parishes of Ince and Stanlow (aggregate population 6577), was added to <i>Chester Cathedral</i> sub-district.
"	"	" - - -	"	The townships of Doddleston, Eaton, Eccleston, Lower Kinnerton, Marston cum Leach, Foulton and Pulford, and the parish of Claverton (aggregate population 1360) were transferred to <i>Chester Castle</i> sub-district, and the townships of Great Saughall, Little Saughall, Shotwick, and Woodbank, and the parish of Shotwick Park (aggregate population 843) to <i>Chester Cathedral</i> sub-district, from the sub-district of <i>Hazarden</i> .
"	"	" - - -	"	The townships of Tryddyn, and Merford and Haseley, and the parish of Hope (aggregate population 5772) were transferred to the sub-district of <i>Hazarden</i> from WREXHAM, <i>Hope</i> (615 : 1).*

* The Registration Counties of CHESHIRE and NORTH WALES (DENBIGHSHIRE) are affected by this change.

**Changes in the Constitution of Registration Counties and Registration Districts
and Sub-districts during the 10 Years 1871-80—cont.**

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
456	455	WEST DERBY - -	1 Jan. 1876	The township of Kirkdale (population 32,978) from which the sub-district of <i>Beerton</i> was created a separate sub-district named <i>Kirkdale</i> and numbered (3).
"	"	" - - -	1 Jan. 1880	The sub-district of <i>West Derby</i> was divided into two parts. That portion of the township of West Derby included within the municipal borough of Liverpool was created a new sub-district named <i>West Derby Municipal</i> (population 60,887); and the remainder of the township of West Derby together with the parish of Croxteth Park was created a new sub-district named <i>West Derby Rural</i> (population 27,313).
467	466	MANCHESTER - -	1 Oct. 1874	The union of Prestwich consisting of the sub-districts of <i>Newton</i> , <i>Cheetham</i> , <i>Falshaworth</i> , <i>Blackley</i> , and <i>Prestwich</i> (aggregate population 77,968) was separated from MANCHESTER and created a Superintendent Registrar's District named PRESTWICH (467a).
"	"	" - - -	1 Nov. 1880	The sub-districts of <i>London Road</i> and <i>Market Street</i> were united under the name of <i>Market Street</i> sub-district (population 39,067).
467a	467	PRESTWICH - -	1 Oct. 1874	For the constitution of this new Superintendent Registrar's District, see MANCHESTER (467).
470	470	ROCHDALE - -	1 Oct. 1872	The sub-district of <i>Castleton Without</i> was re-named <i>Castleton Further</i> , and the sub-district of <i>Castleton Within</i> was re-named <i>Castleton Nearer</i> .
476	476	PRESTON - - -	1 Jan. 1878	The sub-district of <i>Preston</i> was divided into three parts. The wards of Trinity and Fishwick were created a new sub-district named <i>Trinity</i> (population 29,335); the ward of St. Peter was created a new sub-district named <i>St. Peter</i> (population 27,740); and the remainder, consisting of the wards of St. John, Christchurch, and St. George, was created a new sub-district named <i>St. John</i> (population 28,462).
481	481	ULVERSTON - -	1 July 1876	The civil parish of Barrow-in-Furness, as extended by the Barrow-in-Furness Corporation Act, 1875, (population 18,774), was separated from the sub-district of <i>Dalton</i> , and created a Registration District named BARROW-IN-FURNESS (481a).
481a	482	BARROW-IN-FURNESS	"	For the constitution of this new Registration District, see ULVERSTON, Dalton (481: 4).
494	495	HUDDERSFIELD -	1 July 1878	The sub-districts of <i>Meltham</i> and <i>Honley</i> were united under the name of <i>Honley</i> sub-district (population 13,090).
496	497	BRADFORD - - -	1 July 1877	The township of Bolton (population 1271) was transferred from the sub-district of <i>Idle</i> to that of <i>Bradford East End</i> .
532	533	GUISBROUGH - -	1 Oct. 1875	The township of Brotton (population 2672) was transferred from the sub-district of <i>Marske</i> to that of <i>Lofthouse</i> . The parishes of Kirk Leatham and Wilton (aggregate population 3058), were transferred from the sub-district of <i>Kirk Leatham</i> to that of <i>Marske</i> . The remainder of the sub-district of <i>Kirk Leatham</i> , consisting of the townships of Ormesby, Eston, and Normanby (aggregate population 11,838), was constituted a sub-district of the newly created Registration District of MIDDLESBROUGH (532a) under the name of <i>Ormesby</i> sub-district.

Changes in the Constitution of Registration Counties and Registration Districts and Sub-districts during the 10 Years 1871-80—*cont.*

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
532a	534	MIDDLESBROUGH -	1 Oct. 1875	This Registration District, consisting of three sub-districts, was created from the Districts of Guisbrough, Stokesley, and Stockton. The sub-district of <i>Middlesbrough</i> (1) was formed of the parish of Marton (population 856) from <i>STOKESLEY, Stokesley</i> (533:1) and the townships of Acklam, Middlesbrough and Linthorpe (aggregate population 30,544), from <i>STOCKTON, Yarm</i> (541:1); the sub-district of <i>Ormesby</i> (2) was formed of the townships of Ormesby, Estou, and Normanby (aggregate population 11,358) from <i>GUISBROUGH, Kirk Leatham</i> (532:3); and the sub-district of <i>Thornaby</i> (3) was formed of the township of Hemlington (population 101), from <i>STOKESLEY, Stokesley</i> (533:1), the townships of Stainton, Maltby, and Ingleby Barwick (aggregate population 631), from <i>STOCKTON, Yarm</i> (541:1), and the township of Thornaby with South Stockton (population 6967) from <i>STOCKTON, Stockton</i> (541:2).*
533	535	STOKESLEY - -	"	The parish of Marton (population 856), and the township of Hemlington (population 101) were transferred from the sub-district of <i>Stokesley</i> , Marton to <i>MIDDLESBROUGH, Middlesbrough</i> (532a:1), and Hemlington to <i>MIDDLESBROUGH, Thornaby</i> (532a:3).
"	"	" - -	"	The townships of High Worsall, Low Worsall, Kirk Leavington, Castle Leavington and Pickton, and the parish of Yarm (aggregate population 2051), were transferred to the sub-district of <i>Stokesley</i> from <i>STOCKTON, Yarm</i> (541:1).*
541	543	STOCKTON - -	"	The sub-district of <i>Yarm</i> was abolished, and its parts distributed as follows:—the townships of Egglecliffe, Aislaby, Newsham, Billingham, Cowpen-Bewley, Newton-Bewley and Wolviston (aggregate population 3478) were added to <i>Stockton</i> sub-district; the townships of High Worsall, Low Worsall, Kirk Leavington, Castle Leavington, and Pickton, and the parish of Yarm (aggregate population 2051), to <i>STOKESLEY, Stokesley</i> (535:1); the townships of Stainton, Maltby, and Ingleby Barwick (aggregate population 631) to <i>MIDDLESBROUGH, Thornaby</i> (532a:3); and the remainder, consisting of the townships of Acklam, Middlesbrough and Linthorpe (aggregate population 30,544), to <i>MIDDLESBROUGH, Middlesbrough</i> (532a:1).*
"	"	" - -	"	The township of Thornaby with South Stockton (population 6967) was transferred from the sub-district of <i>Stockton</i> to <i>MIDDLESBROUGH, Thornaby</i> (532a:3).*
546	548	LANCHESTER - -	1 Apr. 1875	For the constitution of this new Registration District, see <i>DURHAM</i> (546a).
546a	549	DURHAM - -	"	The union of Lanchester consisting of the sub-districts of <i>Tanfield</i> and <i>Lanchester</i> (aggregate population 40,521), was separated from <i>DURHAM</i> and created a Registration District named <i>LANCHESTER</i> (546).
587	590	NEATH - -	1 July 1875	The sub-district of <i>Ystradunlais</i> (population 12,433) and the parish of Killybeill and hamlet of Ynisymond (aggregate population 1995) from the sub-district of <i>Cadoxton</i> were transferred to the newly created Registration District of <i>PONTARDAWE</i> (587 a.)
"	"	" - -	1 July 1876	The sub-district of <i>Llansamlet</i> (population 6128) was transferred to the District of <i>SWANSEA</i> (588).
587a	591	PONTARDAWE - -	1 July 1875	This Registration District (population 17,488) consisting of one sub-district named <i>Pontardawe</i> , was formed of the following places:—the entire sub-district of <i>Ystradunlais</i> , and the parish of Killybeill and hamlet of Ynisymond from the sub-district of <i>Cadoxton</i> , all of which had previously formed part of the District of <i>NEATH</i> (587); and the hamlets of Rhyndwyllydach and Mawr (aggregate population 3000) from <i>SWANSEA, Llansamlet</i> (588:1).

* The Registration Counties of DURHAM and YORKSHIRE (NORTH RIDING) are affected by this change.

**Changes in the Constitution of Registration Counties and Registration Districts
and Sub-districts during the 10 Years 1871-80—cont.**

No. of District.		NAME OF DISTRICT.	Date of Change.	Nature of Change.
Old.	New.			
588	592	SWANSEA - - -	1 July 1875	The hamlets of Rhyndwyclydach and Mawr (aggregate population 3060) were transferred from the sub-district of <i>Llandilotalybon</i> to the newly created Registration District of PONTARDAWE (587 a).
"	"	" - - -	"	The division of Swansea Higher (population 3684) was transferred from the sub-district of <i>Llangafelach</i> to that of <i>Llandilotalybon</i> .
"	"	" - - -	1 July 1876	The sub-district of <i>Llansamlet</i> (population 6128) from the district of NEATH (587) was made a sub-district of SWANSEA and numbered (4).
591	595	LLANDOVERY - -	1 Apr. 1877	The sub-districts of <i>Myddfai</i> and <i>Llandingat</i> were united under the name of <i>Llandingat</i> sub-district (population 3343).
607	—	PRESTEIGNE - -	1 July 1877	The District was abolished, and its parts distributed as follows:—The parishes of Knill, Upper Kinsham, Byton, and Lingen, and the township of Rodd, Nash and Little Brampton, together with the townships of Combe, Lower Kinsham, Willey, and Stapleton (aggregate population 1262) were created a sub-district of KINGSTON (343) and named <i>Kinsham</i> sub-district. The remainder of the District of PRESTEIGNE, consisting of the civil parish of Cascob, the parishes of Norton, Pilleth, and Whitton, and the townships of Discoed, Litton and Cascob, and Presteigne (aggregate population 2807) was created a sub-district of KNIGHTON (609) and named <i>Presteigne</i> sub-district.*
608	611	KNIGHTON - -	"	A new sub-district was added, under the name of <i>Presteigne</i> sub-district (numbered 1), consisting of the civil parish of Cascob, the parishes of Norton, Pilleth, and Whitton, and the townships of Discoed, Litton and Cascob, and Presteigne (aggregate population 2807), which had previously formed part of PRESTEIGNE, <i>Presteigne</i> (607 : 1).
615	618	WREXHAM - -	1 Aug. 1871	The sub-district of <i>Hope</i> was abolished, and its parts distributed as follows:—The townships of Burton, Allington, and Gresford (aggregate population 2341) were added to <i>Holt</i> sub-district, and the townships of Llay, Gwersyllt, and Brymbo (aggregate population 5950) to <i>Wrexham</i> sub-district; and the remainder, consisting of the townships of Tryddyn, and Merford and Hoesley, and the parish of Hope (aggregate population 5772) was transferred to CHESTER, <i>Hawarden</i> (452 : 4).†
619	622	CORWEN - -	1 Oct. 1890	The parishes of Corwen and Llansaintffraidglyn-dfwdy (aggregate population 2866) were transferred from the sub-district of <i>Corwen</i> to that of <i>Gwyddelwern</i> .
"	"	" - - -	"	The sub-district of <i>Gwyddelwern</i> was re-named <i>Corwen</i> , and the sub-district of <i>Corwen</i> was re-named <i>Llangollen</i> .

* The Registration Counties of HEREFORDSHIRE and SOUTH WALES (RADNORSHIRE) are affected by this change.

† The Registration Counties of CHESHIRE and NORTH WALES (DENBIGHSHIRE) are affected by this change.

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 630.

In addition to other uses, this Index will enable the reader to refer to Tables, showing—

- (1.) The comparative Density of Population, and the Annual Mortality of every *District*, during the Four Decennia beginning with 1841, 1851, 1861, and 1871, pp. lxviii–lxxxv.
- (2.) The mean Population living at Sixteen Age periods in every *District*, and the Deaths at each of those Age periods from Twenty-five Causes or Groups of Causes, pp. 1–370.

A

Aberayron, 604.
 Abergavenny, 582.
 Aberystwith, 605.
 Abingdon, 115.
 Alcester, 397.
 Alderbury (Salisbury), 254.
 Alnwick, 563.
 Alresford, 105.
 Alston, 568.
 Alton, 106.
 Altrincham, 445.
 Alverstoke, 89.
 Amersham, 140.
 Amesbury, 253.
 Ampthill, 173.
 Andover, 110.
 Anglesey, 630.
 Ashborne, 438.
 Aahby-de-la-Zouch, 406.
 Ashton-under-Lyne, 468.
 Aston, 387.
 Atcham (Shrewsbury), 351.
 Atherstone, 389.
 Auckland, 545.
 Axbridge, 315.
 Axminster, 269.
 Aylesbury, 143.
 Aylsham, 223.
 Aysgarth, 539.

B

Bakewell, 440.
 Bala, 623.
 Banbury, 155.
 Bangor, 628.
 Barnet, 128.
 Barnsley, 506.
 Barnstaple, 285.
 Barrow-in-Furness, 482.
 Barrow-upon-Soar, 408.
 Barton Regis (Clifton), 321.
 Barton-upon-Irwell, 463.

Basford, 430.
 Basingstoke, 108.
 Bath, 317.
 Battle, 69.
 Beaminster, 267.
 Bedale, 537.
 Bedford, 171.
 Bedminster, 319.
 Bedwelty, 583.
 Belford, 564.
 Bellingham, 561.
 Belper, 437.
 Berkhamstead, 139.
 Berwick, 565.
 Bethnal Green, 16.
 Beverley, 519.
 Bicester, 151.
 Bideford, 287.
 Biggleswade, 172.
 Billericay, 191.
 Billesdon, 402.
 Bingham, 434.
 Birkenhead, 452.
 Birmingham, 386.
 Bishop Stortford, 131.
 Blaby, 403.
 Blackburn, 474.
 Blandford, 260.
 Blean, 58.
 Blofield, 228.
 Blything, 216.
 Bodmin, 294.
 Bolton, 461.
 Bootle, 576.
 Bosmere, 211.
 Boston, 417.
 Bourn, 414.
 Brackley, 156.
 Bradfield, 118.
 Bradford-on-Avon, 249.
 Bradford (Yorkshire), 497.
 Braintree, 199.
 Bramley, 500.
 Brompton, 570.
 Brecknock, 608.
 Brentford, 126.
 Bridge, 56.
 Bridgend, 589.

Bridgnorth, 348.
 Bridgwater, 307.
 Bridlington, 525.
 Bridport, 268.
 Brighton, 77.
 Bristol, 320.
 Brixworth, 162.
 Bromley, 41.
 Bromsgrove, 384.
 Bromyard, 341.
 Buckingham, 146.
 Builth, 607.
 Burnley, 472.
 Burton-upon-Trent, 367.
 Bury, 462.
 Bury St. Edmunds, 206.

C

Caistor, 424.
 Calne, 245.
 Camberwell, 26.
 Cambridge, 179.
 Camelford, 290.
 Cannock (Penkridge), 370.
 Canterbury, 57.
 Cardiff, 586.
 Cardigan, 601.
 Carlisle, 572.
 Carnarthen, 597.
 Carnarvon, 627.
 Castle Ward, 558.
 Catherington, 103.
 Caxton, 177.
 Chapel-en-le-Frith, 441.
 Chard, 309.
 Chaddle, 365.
 Chelmsford, 192.
 Chelsea, 8.
 Cheltenham, 335.
 Chepstow, 580.
 Chertsey, 31.
 Chester, 450.
 Chesterfield, 439.
 Chester-le-Street, 552.
 Chesterton, 178.
 Chichester, 84.

Chippenharn, 244.
 Chipping Norton, 154.
 Chipping Sodbury, 322.
 Chorley, 475.
 Chorlton, 464.
 Christchurch, 93.
 Church Stretton, 346.
 Cirencester, 331.
 Cleobury Mortimer, 347.
 Clifton (*see* Barton Regis).
 Clitheroe, 473.
 Clun, 345.
 Clutton, 316.
 Cockermouth, 574.
 Colchester, 196.
 Congleton, 448.
 Conway, 629.
 Cookham, 121.
 Corwen, 622.
 Cosford, 204.
 Coventry, 392.
 Cranbrook, 52.
 Crediton, 282.
 Crickhowell, 609.
 Cricklade, 242.
 Croydon, 38.
 Cuckfield, 75.

D

Darlington, 542.
 Dartford, 42.
 Daventry, 161.
 Depwade, 230.
 Derby, 436.
 Devizes, 247.
 Dewsbury, 502.
 Docking, 285.
 Dolgelly, 624.
 Doncaster, 511.
 Dorchester, 265.
 Dorking, 35.
 Dover, 64.
 Downham, 238.
 Driffield, 524.
 Droitwich, 388.
 Droxford, 102.
 Dudley, 374.
 Dulverton, 304.
 Dunmow, 200.
 Durham, 549.
 Dursley, 324.

E

Easington, 550.
 Easingwold, 528.
 East Ashford, 55.
 Eastbourne, 70.
 East Grinstead, 74.
 Easthamptstead, 122.
 East Preston (Worthing), 82.
 East Retford, 427.
 Eastry, 63.
 East Stonehouse, 278.

East Ward, 577.
 Ecclesall Bierlow, 508.
 Edmonton, 129.
 Elham, 65.
 Ellesmere, 353.
 Ely, 182.
 Epping, 187.
 Epsom, 30.
 Erpingham, 222.
 Eton, 141.
 Evesham, 381.
 Exeter, 272.

F

Falmouth, 298.
 Fareham, 90.
 Faringdon, 114.
 Farnham, 33.
 Faversham, 59.
 Festiniog, 625.
 Flegg, 220.
 Foleshill, 391.
 Forden (Montgomery), 615.
 Fordingbridge, 95.
 Forehoe, 226.
 Freebridge Lynn, 236.
 Frome, 312.
 Fulham, 2.
 Fylde, 477.

G

Gainsborough, 426.
 Garstang, 478.
 Gateshead, 555.
 Glanford Brigg, 425.
 Glendale, 566.
 Gloucester, 327.
 Godstone, 37.
 Goole, 513.
 Gower, 593.
 Grantham, 419.
 Gravesend, 43.
 Great Ouseburn, 488.
 Greenwich, 27.
 Guildford, 32.
 Guiltcross, 231.
 Guisbrough, 538.

H

Hackney, 10.
 Hailsham, 71.
 Halifax, 496.
 Halstead, 198.
 Haltwhistle, 560.
 Hambledon, 34.
 Hampstead, 7.
 Hardingstone, 159.
 Hartismere, 209.
 Hartlepool, 544.

Hartley Wintney, 107.
 Haslingden, 471.
 Hastings, 68.
 Hatfield, 135.
 Havant, 87.
 Haverfordwest, 600.
 Hay, 610.
 Hayfield, 442.
 Headington, 149.
 Helmsley, 530.
 Helston, 299.
 Hemel Hempstead, 138.
 Hemsworth, 505.
 Hendon, 127.
 Henley, 147.
 Henstead, 227.
 Hereford, 339.
 Hertford, 134.
 Hexham, 559.
 Highworth, 241.
 Hinckley, 404.
 Hitchin, 133.
 Holbeach, 416.
 Holbeck, 499.
 Holborn, 13.
 Hollingbourn, 51.
 Holsworthy, 288.
 Holywell, 617.
 Honiton, 270.
 Hoo, 45.
 Horncastle, 421.
 Horsham, 79.
 Houghton-le-Spring, 551.
 Howden, 518.
 Hoxne, 210.
 Huddersfield, 495.
 Hull, 521.
 Hungerford, 113.
 Hunslet, 498.
 Huntingdon, 168.

I

Ipawich, 213.
 Isle of Wight, 91.
 Islington, 9.

K

Keighley, 492.
 Kendal, 579.
 Kensington, 1.
 Kettering, 164.
 Keynsham, 318.
 Kidderminster, 376.
 Kingsbridge, 275.
 Kingsclere, 111.
 Kings Lynn, 237.
 Kings Norton, 385.
 Kingston, 39.
 Kington, 343.
 Knaresborough, 489.
 Knighton, 611.

L

Lambeth, 24.
 Lampeter, 603.
 Lancaster, 479.
 Lanchester, 548.
 Langport, 308.
 Launceston, 291.
 Ledbury, 337.
 Leeds, 501.
 Leek, 364.
 Leicester, 409.
 Leigh, 460.
 Leighton Buzzard, 175.
 Leominster, 342.
 Lewes, 76.
 Lewisham, 28.
 Lexden, 197.
 Leyburn, 538.
 Lichfield, 369.
 Lincoln, 420.
 Linton, 180.
 Liskeard, 293.
 Liverpool, 453.
 Llandilofawr, 596.
 Llandovery, 595.
 Llanelly, 594.
 Llanfyllin, 616.
 Llanrwst, 621.
 Loddon, 229.
 London City, 14.
 Longtown, 571.
 Loughborough, 407.
 Louth, 423.
 Ludlow, 344.
 Lunesdale, 480.
 Luton, 176.
 Lutterworth, 400.
 Lymington, 92.

M

Macclesfield, 444.
 Machynlleth, 613.
 Madeley, 350.
 Maidstone, 50.
 Maldon, 194.
 Malling, 47.
 Malmesbury, 243.
 Malton, 527.
 Manchester, 466.
 Mansfield, 429.
 Market Bosworth, 405.
 Market Drayton, 356.
 Market Harborough, 401.
 Marlborough, 246.
 Martley, 378.
 Marylebone, 6.
 Medway, 46.
 Melksham, 248.
 Melton Mowbray, 410.
 Mere, 257.
 Meriden, 388.
 Merthyr Tydfil, 588.
 Middlesbrough, 534.
 Midhurst, 85.
 Mildenhall, 207.
 Mile End Old Town, 20.
 Milton, 60.

Mitford, 233.
 Monmouth, 581.
 Montgomery (*see* Forden).
 Morpeth, 562.
 Mutford, 218.

N

Nantwich, 449.
 Narberth, 598.
 Neath, 590.
 Newark, 433.
 Newbury, 112.
 Newcastle-in-Emlyn, 602.
 Newcastle-under-Lyme, 361.
 Newcastle-upon-Tyne, 556.
 Newent, 326.
 New Forest, 96.
 Newmarket, 181.
 Newport (Monmouth), 585.
 Newport (Salop), 358.
 Newport Pagnell, 145.
 Newton Abbot, 273.
 Newtown, 614.
 Northallerton, 536.
 Northampton, 160.
 North Aylesford, 44.
 Northleach, 332.
 Northwich, 447.
 North Witchford, 183.
 Norwich, 225.
 Nottingham, 431.
 Nuneaton, 390.

O

Oakham, 411.
 Okehampton, 281.
 Oldham, 469.
 Ongar, 188.
 Ormskirk, 457.
 Orsett, 190.
 Oswestry, 352.
 Oundle, 166.
 Oxford, 150.

P

Paddington (*see* Kensington).
 Pancras, 8.
 Pateley Bridge, 486.
 Patrington, 522.
 Pembroke, 599.
 Penkridge (*see* Cannock).
 Penrith, 569.
 Penzance, 301.
 Pershore, 382.
 Peterborough, 167.
 Petersfield, 104.
 Petworth, 80.
 Pewsey, 252.
 Pickering, 531.
 Plomesgate, 215.
 Plymouth, 277.

Plympton St. Mary, 276.
 Pocklington, 517.
 Pontardawe, 591.
 Pontefract, 504.
 Pontypool, 584.
 Pontypridd, 587.
 Poole, 262.
 Poplar, 21.
 Portsea Island, 88.
 Pottersbury, 158.
 Prescott, 456.
 Preston, 476.
 Prestwich, 467.
 Pwllheli, 626.

R

Reading, 119.
 Redruth, 300.
 Reeth, 540.
 Reigate, 36.
 Rhayader, 612.
 Richmond (Surrey), 40.
 Richmond (Yorkshire), 541.
 Ringwood, 94.
 Ripon, 487.
 Risbridge, 202.
 Rochdale, 470.
 Rochford, 193.
 Romford, 189.
 Romney Marsh, 66.
 Romsey, 99.
 Ross, 338.
 Rothbury, 567.
 Rotherham, 510.
 Royston, 132.
 Rugby, 393.
 Runcorn, 446.
 Ruthin, 619.
 Rye, 67.

S

Saddleshworth, 494.
 Saffron Walden, 201.
 St. Albans, 136.
 St. Asaph, 620.
 St. Austell, 296.
 St. Columb, 293.
 St. Faith's, 224.
 St. George Hanover Sq., 4.
 St. George-in-the-East, 18.
 St. Germans, 292.
 St. Giles, 11.
 St. Ives, 169.
 St. Neots, 170.
 St. Olave, Southwark, 23.
 St. Saviour, Southwark, 22.
 St. Thomas, 271.
 Salford, 465.
 Salisbury (*see* Alderbury).
 Samford, 212.
 Scarborough, 526.
 Scilly Islands, 302.
 Seilecoates, 520.
 Sedburgh, 483.

Selby, 514.
 Settle, 484.
 Sevenoaks, 48.
 Shaftesbury, 258.
 Shardlow, 435.
 Sheffield, 509.
 Sheppey, 61.
 Shepton Mallet, 313.
 Sherborne, 266.
 Shiffnal, 349.
 Shipston-on-Stour, 398.
 Shoreditch, 15.
 Shrewsbury (*see* Atcham).
 Skipton, 485.
 Skirlaugh, 523.
 Sleaford, 418.
 Smallburgh, 221.
 Solihull, 394.
 Southam, 399.
 Southampton, 97.
 South Molton, 284.
 South Shields, 554.
 South Stoneham, 98.
 Southwell, 432.
 Spalding, 415.
 Spilsby, 422.
 Stafford, 359.
 Staines, 124.
 Stamford, 413.
 Stepney, 19.
 Steyning, 78.
 Stockbridge, 100.
 Stockport, 443.
 Stockton, 543.
 Stoke Damerel, 279.
 Stokesley, 535.
 Stoke-upon-Trent, 363.
 Stone, 360.
 Stourbridge, 375.
 Stow, 208.
 Stow-on-the-Wold, 333.
 Strand, 12.
 Stratford-on-Avon, 396.
 Stratton, 289.
 Stroud, 329.
 Sturminster, 259.
 Sudbury, 203.
 Sunderland, 553.
 Swaffham, 239.
 Swansea, 592.

T

Tadcaster, 515.
 Tamworth, 368.
 Taunton, 306.
 Tavistock, 280.

Teesdale, 546.
 Tenbury, 377.
 Tendring, 195.
 Tenterden, 53.
 Tetbury, 330.
 Tewkesbury, 336.
 Thakeham, 81.
 Thame, 148.
 Thanet, 62.
 Thetford, 240.
 Thingoe, 205.
 Thirsk, 529.
 Thornbury, 323.
 Thorne, 512.
 Thrapston, 165.
 Ticehurst, 72.
 Tisbury, 256.
 Tiverton, 283.
 Todmorden, 493.
 Torrington, 286.
 Totnes, 274.
 Towcester, 157.
 Toxteth Park, 454.
 Tregaron, 606.
 Truro, 297.
 Tunbridge, 49.
 Tynemouth, 557.

U

Uckfield, 78.
 Ulverston, 481.
 Uppingham, 412.
 Upton-on-Severn, 380.
 Uttoxeter, 366.
 Uxbridge, 125.

W

Wakefield, 503.
 Wallingford, 117.
 Walsall, 372.
 Walsingham, 234.
 Wandsworth, 25.
 Wangford, 217.
 Wantage, 116.
 Ware, 130.
 Wareham, 263.
 Warminster, 251.
 Warrington, 459.
 Warwick, 395.
 Watford, 137.
 Wayland, 232.
 Weardale, 547.
 Wellingborough, 163.

Wellington (Salop), 357.
 Wellington (Somerset), 305.
 Wells, 314.
 Wem, 354.
 Weobly, 340.
 West Ashford, 54.
 Westbourne, 86.
 West Bromwich, 373.
 Westbury, 250.
 Westbury-on-Severn, 325.
 West Derby, 455.
 West Ham, 186.
 Westhampnett, 83.
 Westminster, 5.
 West Ward, 578.
 Wetherby, 490.
 Weymouth, 264.
 Wharfedale, 491.
 Wheatenhurst, 328.
 Whitby, 532.
 Whitchurch (Hants), 109.
 Whitchurch (Salop), 355.
 Whitechapel, 17.
 Whitehaven, 575.
 Whittlesey, 184.
 Wigan, 458.
 Wigton, 573.
 Williton, 303.
 Wilton, 255.
 Wimborne, 261.
 Wincanton, 311.
 Winchcomb, 334.
 Winchester, 101.
 Windsor, 123.
 Winslow, 144.
 Wirral, 451.
 Wisbech, 185.
 Witney, 153.
 Woburn, 174.
 Wokingham, 120.
 Wolstanton, 362.
 Wolverhampton, 371.
 Woodbridge, 214.
 Woodstock, 152.
 Woolwich, 29.
 Worcester, 379.
 Worksop, 428.
 Worthing (*see* East Preston).
 Wortley, 507.
 Wrexham, 618.
 Wycombe, 142.

Y

Yarmouth, 219.
 Yeovil, 310.
 York, 516.

INDEX OF CERTAIN TOWNS.

TOWNS of which the Names differ from those of the Registration Districts in which they are respectively situated.

NAME OF TOWN.	Number of District.	NAME OF TOWN.	Number of District.
Aberdare	588	Margate	62
Abersychan	584	Middleton and Tonge	469
Accrington	471	Mossley {	468
Aldershot	33		494
Bacup {	470	New Brighton	452
Balsall	471	Newton Heath	467
Barton, &c. . . .	385	North Bierley	497
Batley	463	Oldbury	373
Bedlingtonshire	502	Openshaw	464
Bilston	562	Oswaldtwisle	474
Blackpool	371	Presteigne	611
Bootle-cum-Linaere	477	Radcliffe	462
Brandon	455	Ramsgate	62
Brierley Hill	240	Redditch {	384
Burslem	375		397
Chatham	362	Rochester {	44
Claycross	46		46
Crewe	439	Rowley Regis	374
Darlaston	449	Runcorn	446
Deal	372	Ryde	91
Dereham	63	St. Helens	456
Devonport	233	Salisbury	254
Dukinfield	279	Seaham Harbour	550
Enfield	468	Sedgley	374
Farnworth	129	Sheerness	61
Fenton	461	Shipley	497
Fleetwood	363	Shrewsbury	351
Folkestone	477	Sidmouth	270
Glossop	65	Slough	141
Gorton	442	Smethwick	385
Goosport	464	Southport	457
Great Grimsby	89	Southwold	216
Great Malvern	424	Stalybridge	468
Guiseley	380	Staveley	439
Hanley	491	Stretford	463
Harrowgate	363	Swindon	241
Heckmondwike	489	Swinton and Pendlebury {	463
Heywood {	502		465
	462	Tipton	374
Hindley	470	Torquay	273
Hounslow	458	Tottenham	129
Hornsey	126	Tranmere	452
Hyde	129	Tredegar	583
Ince-in-Makerfield	443	Trowbridge	248
Ironbridge	458	Tunstall	362
Jarrow	350	Twickenham	126
Leamington Priors	554	Tyldesley	460
Llandudno	395	Ventnor	91
Llanidloes	629	Wallasey	452
Longton	614	Wednesbury	373
Lowestoft	363	Welshpool	615
	218	Weston-super-Mare	315
		Widnes	456
		Willenhall	371
		Worthing	82

ALPHABETICAL INDEX

TO THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S
FORTY-FIFTH ANNUAL REPORT.

N.B.—The lettered Tables (A. to P.) in the following Index are interpolated in the Report on pages iii–lxiv, and the numbered Tables (1 to 6) on pages lxviii–cxxxiii.

	PAGES
ACCIDENTAL DEATHS amongst coal miners. (Table M.)	liii
AGES; Expectation of life at different. (Table B.)	vi–ix
Additional years lived by a Million Males and a Million Females at different age periods, under the new Life Table as compared with the old. (Table C.)	x
Additional lifetime of Children subject to reduced death-rates of new Life Table. (Table D.)	x
AGE AND SEX DISTRIBUTION; Effect of differences in, upon the general death-rate	xvii
AGE DISTRIBUTION; Death-rates in Counties, 1871–80, corrected for (Table G.)	xviii
of Population of England and Wales, mean of 1871–81. (Table H.)	xix
AGGREGATION OF POPULATION in relation to Death-rates	xx
Direct and indirect effects of	xxi
AGRICULTURAL LABOURERS; Remarks upon Mortality among	xxxv
Mortality Statistics of. (No. 8 in Tables J., K., L., and 6.)	
AGRICULTURISTS; death-rates from Phthisis and Diseases of Respiratory Organs. (Table N.)	lvii
AIR; Influence of Fresh or Foul	lvii
ALCOHOLIC EXCESS; influence of	lx
imperfectly measured by Mortality directly ascribed to it	lx
conspicuous in certain occupations	lx
ALCOHOLISM; Deaths ascribed to, an insufficient measure of drink excess	xv
Industries with highest Mortality from. (Table P.)	lxi
most injurious in absence of muscular exercise	lxii
ARCHITECTS; <i>see</i> ARTISTS.	
ARTISTS; Remarks upon Mortality among	xxix
Mortality Statistics of. (No. 5 in Tables J. and 6.)	
ASCITES AND LIVER DISEASES; Mortality from, at successive age periods. (Table F.)	xv
BAKERS; Remarks upon Mortality among	xxxix, lix
High Mortality among, probably due to heated atmosphere	lix
Mortality Statistics of. (No. 35 in Tables J., K., L., O., P., and 6.)	

	PAGES
BARGEMEN; Remarks upon Mortality among	xxxv
Mortality Statistics of. (No. 12 in Tables J. and 6.)	
BARRISTERS; <i>see</i> LAWYERS.	
BLACKSMITHS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 80 in Tables J., K., L., P., and 6.)	
BOILER-MAKERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 78 in Tables J. and 6.)	
BOOKBINDERS; Remarks upon Mortality among	xli
Mortality Statistics of. (No. 47 in Tables J., K., and 6.)	
BOOKSELLERS, &c.; Mortality Statistics of. (No. 22 in Tables J., K., and 6.)	
BRASSWORKERS; <i>see</i> COPPERWORKERS.	
BREWERS, &c.; Remarks upon Mortality among	xxxvi
Mortality Statistics of. (No. 16 in Tables J., K., L., P., and 6.)	
BUILDING TRADES; Remarks upon Mortality among certain	xliv
Mortality Statistics of. (Nos. 61-64 in Tables J., K., L., P., and 6.)	
BUTCHERS; Remarks upon Mortality among	xxxviii
Mortality Statistics of. (No. 34 in Table J., K., L., P., and 6.)	
CAB, OMNIBUS SERVICE; Remarks upon Mortality in	xxxv
Mortality Statistics of. (No. 11 in Table J., K., L., P., and 6.)	
CABINET-MAKERS; Remarks upon Mortality among.	xlvi
Mortality Statistics of. (No. 65 in Table J. and 6.)	
CANCER; Apparent increase of Mortality from. (Table E., p. xi.)	xiv
Great fatality among Sweeps	lvi
Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages and at Twelve Groups of Ages, in three Decennia. (Table 5.)	cxiv
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
CARPENTERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 66 in Tables J., K., L., O., P., and 6.)	
CARPET MANUFACTURERS; Mortality Statistics of. (No. 56 in Tables J. and 6.)	
CARRIERS; <i>see</i> CARTERS.	
CARTERS; Remarks upon Mortality among	xxxv
Mortality Statistics of. (No. 13 in Tables J. and 6.)	
CAUSES OF DEATHS; Increase or decrease of Mortality from certain, 1861-70, 1871-80. (Table E.)	xi
of Males, aged 25-65 years, in different industries, 1880-81-82. (Table K.)	xxx-xxxi
Comparative Mortality from all and several, of Males engaged in different industries. (Table L.)	xxxii-xxxiii
Mortality from several, among children under 5 years of age, in Counties and Districts. (Table 2.)	lxxxvi-c
Rates from several, in Counties. (Table 4.)	civ-cxi
Rates from several, at All Ages, and at 12 Groups of Ages, among Persons, Males and Females, in Three Decennia. (Table 5.)	cxii-cxvi
CAUSES of the differences in the Death-rates	xvii

	PAGES
CHANGES in the Constitution of Registration Counties, Districts, and Sub-districts during the 10 years 1871-80	371-378
CHANGES in the Death-rates	v
Probable Causes of	iv
Have they been advantageous to the Community?	v
Balance of Loss and Gain from	ix
CHEESEMONGERS, &c.; Mortality Statistics of. (No. 30 in Tables J. and 6.)	
CHEMIST, &c.; Mortality Statistics of. (No. 23 in Tables J., K., and 6.)	
CHILDBIRTH; Remarks on Mortality from	xvi
Annual Mortality from, in Counties in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.)	cxiii
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
CHILDREN UNDER FIVE YEARS OF AGE; Death-rates among from All Causes and from Several Causes. (Table 2.)	lxxxvi-c
CHIMNEY SWEEPS; Excessive Mortality among	lvi
Mortality Statistics of. (No. 97 in Tables J., K., and 6.)	
CHOLERA; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
CIRCULATORY SYSTEM; Increase of Mortality from Diseases of	xv
Industries with highest Mortality from Diseases of. (Table P.) . .	lxi
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from Diseases of, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.)	cxv
Mortality, and Ages at Death from, in Counties and Registration Districts	1-370
CLERGY; Remarks upon Mortality among	xxix
Mortality Statistics of. (No. 1 in Tables J. and 6.)	
CLERKS, Law and Commercial; Remarks upon Mortality among	xxxvii
Mortality Statistics of. (Nos. 20 and 21 in Tables J. and 6.)	
COACH BUILDERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 69 in Tables J. and 6.)	
COACHMAN; See GROOM.	
COAL-DUST; Its alleged property of hindering the development of Tubercular Disease	li
least Injurious of Inhaled Dusts	lviii
COAL-HEAVER; Mortality Statistics of. (No. 96 in Tables J. and 6.)	
COAL MERCHANT; Mortality Statistics of. (No. 28 in Tables J. and 6.)	
COAL-MINERS; Mortality among, surprisingly low	xlx
Less satisfactory condition of, in South Wales and Monmouthshire .	xlx-l
Their excessive liability to Diseases of the Respiratory Organs . .	l
Comparative immunity of, from Phthisis	li
Low Mortality among, from Alcoholism	lii
Varying Mortalities in different Areas	lii
Mortality from Accident	liii
Mortality Statistics of. (Nos. 85-91 in J., K., L., M., O., and 6.)	

	PAGES
COAL MINES; Deaths from Accidents in. (Table M.)	liii
COMMERCIAL TRAVELLERS; Remarks upon Mortality among	xxxvi
Mortality Statistics of. (No. 15 in Tables J., K., L., P., and 6.)	
COOPERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 68 in Tables J. and 6.)	
COPPER-WORKERS; Remarks upon Mortality among	xlviii
Mortality Statistics of. (No. 83 in Tables J. and 6.)	
CORNISH MINERS; Excessive Mortality among, and probable cause . .	liv
their character for Temperance	lv
Mortality Statistics of. (No. 93 in Tables J., K., L., O., P., and 6.)	
CORN MILLER; Mortality Statistics of. (No. 36 in Tables J. and 6.)	
COSTERMONGERS; Apparent high Mortality among	lvii
Mortality Statistics of. (No. 99 in Tables J., K., L., P., and 6.)	
COTTON MANUFACTURERS; Mortality Statistics of. (No. 53 in Tables J., K., L., O., P., and 6.)	
COUNTIES; Density of Population and Annual Mortality in Four Decennia. (Table I.)	lxviii-lxix
Annual Death-rate among Children under Five Years from All Causes and Several Causes; and among Males and Females at All Ages from Phthisis and from Diseases of the Respiratory Organs. (Table 2.)	lxxxvi-lxxxvii
Annual Death-rate at All Ages, and at Eleven Groups of Ages Persons, Males and Females. (Table 3.)	ci-ciii
Annual Death-rate from All Causes and from Several Causes, 1871-80; Persons, Males and Females. (Table 4.)	civ-exi
Deaths from several Causes at successive Age Periods	6-49
CURRIERS; Remarks upon Mortality among	xl
Mortality Statistics of. (No. 42 in Tables J. and 6.)	
CUTLERS; Excessive Mortality among	xlvi
Mortality Statistics of. (Nos. 74, 76, in Tables J., K., L., O., P., and 6.)	
DEATHS, Causes of, of Males aged 25-65 Years, in different Industries (Table K.)	xxx-xxxi
Comparative number of, of Males engaged in different Industries, from all and several Causes. (Table L.)	xxxii-xxxiii
from Accident in Coal Mines, distinguishing Causes, 1871-80. (Table M.)	liii
in the Three Years, 1880-81-82, at Successive Periods of Life, of Males engaged in various Occupations. (Table 6.)	cxvii-cxxiii
from Several Causes at successive Age Periods, in England, in London, and in Registration Counties	6-49
Ditto, in Districts	50-370
DEATH-RATES; Changes in	iv
Decline of at early, and increase at later ages	iv
of Males and Females in successive Decennia. (Table A.)	iv
Probable Causes of the Changes in	iv
as affected by Sanitation at different Ages	iv-v
among Adults, probable Causes of rise in	v
Have the changes in, been advantageous to the community? . .	v
Balance of loss and gain from changes in	ix
Increase or Decrease of, from Special Causes, 1861-70, 1871-80. (Table E.)	xi
Differences in, in different parts of the country	xvi

DEATH-RATES—*continued.*

	PAGES
Causes of the Differences in	xvii
as affected by Differences in Age and Sex Distribution	xvii
in Counties during 1871-80 as recorded and as corrected for Variations of Age Distribution. (Table G.)	xviii
Relation of Aggregation of Population to	xx
in Groups of Districts, 1871-80. (Table I.)	xx
among Males engaged in different Occupations	xxi
of Males, 25-65 Years of Age, in different Occupations, in 1860-61-71, and in 1880-82. (Table J.)	xxv-xxvi
of Males working in Air of different Degrees of Purity, from Phthisis and Diseases of the Respiratory Organs. (Table N.)	lvii
from Lead Poisoning in certain Occupations	lxiii
in Four Decennia, in Registration Divisions, Counties, and Districts. (Table L.)	lxviii-lxxxv
among Children under Five Years of Age from all Causes and from several Causes, and among Males and Females at all Ages from Phthisis and from Diseases of the Respiratory Organs, in Counties and Districts. (Table 2.)	lxxxvi-c
at all Ages and at Eleven Groups of Ages, Persons, Males and Females, in Counties. (Table 3.)	ci-ciii
from several Causes in Counties. (Table 4.)	civ-cxi
from several Causes at all Ages, and at Twelve Groups of Ages, among Persons, Males and Females, in Three Decennia. (Table 5.)	cxii-cxvi
among all Males, Occupied Males, Unoccupied Males, and Males in Selected Healthy Districts, at successive Periods of Life. (Table 6.)	cxvii
Mean Annual, in the Three Years 1880-81-82, at successive Periods of Life, of Males engaged in various Occupations. (Table 6.)	cxvii-cxxiii
from several Causes, and at Groups of Ages, in England, in London, and in Registration Counties	2-49
ditto in Districts	50-370
DECENNIAL REPORTS; value of, as supplemental to Annual ditto	iii
DENSITY OF POPULATION, in relation to Death-rates. (Table I.)	xx
in Four Decennia, in Registration Divisions, Counties, and Districts. (Table L.)	lxviii-lxxxv
DIARRHŒA AND DYSENTERY; Mortality from, affected by Meteorological Conditions	xiii
Decline of Mortality from. (Table E., p. xi.)	xiii
Annual Mortality from, among Children under Five Years, in Counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at all Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.)	cxiv
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
DIFFERENCES IN AGE AND SEX DISTRIBUTION; their effect upon the Death-rates	xvii
DIFFERENCES IN THE DEATH-RATES in different parts of the Country	xvi
DIGESTIVE SYSTEM; Mortality from Diseases of	xv
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from Diseases of, at all Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.)	cxvi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370

	PAGES
DIPHTHERIA; Decline of Mortality from. (Table E., p. xi.)	xiii
Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages, and at 12 Groups of Ages, in Three Decennia. (Table 5.)	cxiii
DISTRICTS, REGISTRATION; Density of Population and Annual Mortality in Four Decennia. (Table 1.)	lxx-lxxxv
Annual Death-rate among Children under 5 Years of Age from All Causes and Several Causes, and among Males and Females at All Ages, from Phthisis and from Diseases of the Respiratory Organs. (Table 2.)	lxxxviii-c
Deaths from Several Causes at successive Age Periods	50-370
Changes in the Constitution of, during 1871-80	371-378
DIVISIONS, REGISTRATION; Density of Population and Annual Mortality in Four Decennia. (Table 1.)	lxviii
DRAPERS, Mortality among, compared with that among Grocers.	xxxviii
Mortality Statistics of. No. 26 in Tables J., K., L., N., and 6.)	
DROPSY, &c.; Annual Mortality from, at All Ages, and at 12 Groups of Ages, in Three Decennia. (Table 5.)	cxv
DUST, Influence of upon Health	lviii
Effects of, differ according to quantity and character	lviii
DUST-INSALING OCCUPATIONS; Comparative Mortality from Phthisis and Diseases of Respiratory Organs, of Males engaged in certain (Table O.)	lviii
DYERS, &c.; remarks upon Mortality among	xliv
Mortality Statistics of. (No. 59 in Tables J. and 6.)	
EARTHENWARE MAKERS; Remarks upon excessive Mortality among	xlii
Mortality Statistics of. (No. 52 in Tables J., K., L., O., P., and 6.)	
EFFECT OF DIFFERENCES in Age and Sex Distribution upon the general Death-rate	xvii
EFFECTS OF EXPOSURE to Chronic Lead-poisoning	lxii
ENGINE-MAKER, &c., Mortality Statistics of. (No. 77 in Tables J. and 6.)	
ENGLAND AND WALES; Density of Population and Annual Mortality in Four Decennia. (Table 1.)	lxviii
Annual Mortality among Children under 5 Years of Age from All Causes and from Several Causes, and among Males and Females, at All Ages, from Phthisis, and from Diseases of the Respiratory Organs. (Table 2.)	lxxxvi
Annual Death-rates at All Ages and at Eleven Groups of Ages, Persons, Males and Females. (Table 3.)	ci-ciii
Annual Rate of Mortality from Several Causes, in 10 Years 1871-80. (Table 4.)	civ
Deaths from Several Causes at successive Age Periods, Persons, Males and Females	2-4
FARMERS; Remarks upon Mortality among	xxxiv
Mortality Statistics of. (No. 7. in Tables J., K., L., P., and 6.)	
FEVER; Considerable decline of Mortality from. (Table E., p. xi.)	xiii
Annual Mortality from Typhus, Enteric, and Simple Continued, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi

FEVER—continued.	PAGES
Annual Mortality from, at all Ages, and at 12 Groups of Ages in three Decennia. (Table 5.)	cxiii
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
FILE-MAKERS ; Excessively high Mortality among, and causes thereof	xlvi
Mortality Statistics of. (No. 75 in Tables J., K., L., O., P., and 6.)	
FISHERMEN ; Remarks upon Mortality among	xxxiv
Mortality Statistics of. (No. 10 in Tables J., K., L., N., O., P., and 6.)	
FISHMONGERS ; Mortality Statistics of. (No. 32 in Tables J. and 6.)	
FRANCE ; Death-rate in, compared with England, after correction for Age Distribution	xix
GARDENERS ; Remarks upon Mortality among	xxxiv
Mortality Statistics of. (No. 9 in Tables J., K., L., and 6.)	
GENERAL LABOURERS ; Vague application of term	xxiii
Mortality Statistics of, in London. (No. 100 in Tables J. and 6.)	
GENERATIVE SYSTEM, DISEASES OF ; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
GLASS MANUFACTURERS ; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 51 in Tables J. and 6.)	
GOUT ; Industries with highest Mortality from. (Table P.)	lxi
GRAZIERS ; <i>see</i> FARMERS.	
GREENGROCERS, &c. ; Mortality Statistics of. (No. 31 in Tables J. and 6.)	
GROCERS ; Mortality among, compared with that among Drapers	xxxviii
Mortality, Statistics of. (No. 25 in Tables J., K., L., N., P., and 6.)	
GROOMS, &c. ; Remarks upon Mortality among	xxxvi
Mortality, Statistics of. (No. 14 in Tables J. and 6.)	
GUNSMITHS ; High Mortality among	xlvi
Mortality Statistics of. (No. 73 in Tables J. and 6.)	
HAIRDRESSERS ; Remarks upon Mortality among	xl
Mortality Statistics of. (No. 38 in Tables J., K., and 6.)	
HATTERS ; Remarks upon mortality among	xxxix
Mortality Statistics of. (No. 37 in Tables J., K., and 6.)	
HOSIERY MANUFACTURERS ; Mortality Statistics of. (No. 58 in Tables J., K., L., P., and 6.)	
HYDROCEPHALUS ; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.)	cxiv
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
INDEX of Districts	379-382
of certain Towns	383

	PAGES
INFLUENCE of Fresh or Foul Air upon the Mortality	lvii
of Dust	lviii
of Alcoholic Excess	lx
INNKEEPERS; Remarks upon Mortality among	xxxvi
Mortality Statistics of. (No. 17 in Tables J., K., L., P., and 6.)	
INN SERVANTS; Mortality Statistics of. (No. 18 in Tables J. and 6.)	
INSTRUMENT, PHILOSOPHICAL, Makers; Mortality Statistics of. (No. 49 in Tables J. and 6.)	
IRON AND STEEL WORKERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 81 in Tables J. and 6.)	
IRONMONGERS; Mortality Statistics of. (No. 27 in Tables J. and 6.)	
IRONSTONE MINERS; Heavy Mortality among, from Accident and Disease of Respiratory Organs	liii
Mortality Statistics of. (No. 92 in Tables J., K., L., and 6.)	
LABOURERS, General, in London; High Mortality among	lvii
Agricultural; Mortality Statistics of. (No. 8 in Tables J., K., L., and 6.)	
LACE MAKERS; Mortality Statistics of. (No. 57 in Tables J. and 6.)	
LAWYERS; Remarks upon Mortality among	xxix
Mortality Statistics of. (No. 2 in Tables J. and 6.)	
LEAD-POISONING	xli, xlv, xlvii
Effects of exposure to chronic	lxi
conducive to Renal disease, Gout and other diseases	lxii
Mortality from, in certain occupations	lxiii
LEAD-WORKERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 83 in Tables J. and 6.)	
LEATHER-WORKERS; Remarks upon Mortality among	xl-xli
Mortality Statistics of. (Nos. 41-43, Tables J. and 6.)	
LICENSED VICTUALLERS; <i>see</i> INNKEEPERS.	
LIFE TABLE; A new English; Male and Female. (Table B.)	vi-ix
Additional Years lived by a Million Males and a Million Females, at Different Ages, under the New as compared with the Old Life Table. (Table C.)	x
Additional Lifetime of Children born annually, under new. (Table C.)	x
LINEN; <i>see</i> COTTON MANUFACTURERS.	
LIVER DISEASES AND ASCITES; Mortality from, at successive Age Periods. (Table F.)	xv
Industries with highest Mortality from. (Table P.)	lxi
LOCKSMITHS; Remarks upon Mortality among	xlvi
Mortality Statistics in. (No. 72, Tables J. and 6.)	
LONDON; Deaths from Several Causes at Successive Age-periods	5
Mortality of General Labourers in. (No. 100, Tables J. and 6.)	
MALIGNANT DISEASES; Apparent increased Mortality from, partly due to improved Diagnosis	xiv
very fatal to Sweeps	lvi

	PAGES
MALTSTER ; Mortality Statistics of. (No. 19 in Tables J. and 6.)	
MEASLES ; Decline of Mortality from. (Table E.)	xi-xii
Annual Mortality from, among Children under Five Years, in Counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from, of Persons, Males and Females, in Counties ; in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages, and at 12 Groups of Ages in three Decennia. (Table 5.)	cxii
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
MEDICAL MEN ; Remarks upon high Mortality among	xxix
Mortality Statistics of. (No. 3 in Tables J. and 6.)	
MESSENGERS ; Apparent high Mortality among	lvii
Mortality Statistics of. (No. 98 in Tables J. and 6.)	
METALLIC DUSTS ; Excessive Mortality from inspiration of	lix
METAL WORKERS ; Mortality Statistics of. (No. 84 in Tables J. and 6.)	
MILLERS ; see CORN MILLERS.	
MILLWRIGHTS ; see ENGINE MAKERS.	
MINERS ; Specification of, by Coroners, very inadequate in Death Cer- tificates	xlvi
a body of picked Men	xlix
Mortality Statistics of. (Nos. 85-98, in Tables J., K., L., O., P., and 6.)	
MORTALITY ; see DEATH-RATES.	
MUSICIANS ; Remarks upon Mortality among	xxix
Mortality Statistics of. (No. 6 in Tables J. and 6.)	
NERVOUS SYSTEM ; Mortality from Diseases of	xiv
Industries with highest Mortality from Diseases of. (Table P.) .	lxi
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from Diseases of, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.)	cxv
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
NURSERYMEN ; see GARDENERS.	
OCCUPATIONS ; Death-rates in different	xxi
Inadequate descriptions of, in death-returns	xxii
Death-rates of Males, 25-65 Years of Ages, engaged in different. (Table J.)	xxv-xxvi
Salubrity of, affected by locality	xxviii
Causes of Death in different, of Males aged 25-65. (Table K.) .	xxx-xxxi
Comparative Mortality of Males in different, from all and several Causes. (Table L.)	xxxii-xxxiii
Mean Annual Death-rates among Males engaged in various, in the Three Years 1880-81-82 at successive Periods of Life. (Table 6.)	cxvii-cxxiii
OMNIBUS ; see CAB SERVICE.	
PAINTERS ; Remarks upon Mortality among	xlv
Mortality Statistics of. (No. 64 in Tables J., K., L., P., and 6.)	


	PAGES
PAPER MANUFACTURERS; Remarks upon Mortality among	xlii
Mortality Statistics of. (No. 50 in Tables J. and 6.)	
PHTHISIS; Marked diminution of Mortality from. (Table E., p. xi.)	xiv
Excessive Mortality from, among Cornish Miners	liv
and Diseases of Respiratory Organs; Comparative Mortality from, of Males working in Air of different degrees of Purity. (Table N.)	lvii
Comparative Mortality from, of Males engaged in certain Dust- inhalng Occupations. (Table O.)	lviii
Death-rates from, of Males and Females at All Ages, in Counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from, of Persons, Males, and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.)	cxiv
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
PLASTERERS; <i>see</i> BUILDING TRADES.	
PLUMBERS; Remarks upon Mortality among	xlv
<i>See also</i> PAINTERS.	
POPULATION; of England and Wales, mean of, 1871-81, according to Age Distribution. (Table H.)	xix
Aggregation of, in relation to Death-rates	xx
in Groups of Districts, 1871-80. (Table I.)	xx
Mean in 1871-80, at successive Age Periods, in England, in London, and in Registration Counties	1-49
ditto in Districts	50-370
PORTERS; Apparent high Mortality among	lvii
<i>See</i> MESSENGER.	
PRINTERS; Remarks upon Mortality among	xli
Mortality Statistics of. (No. 46 in Tables J., K., L., N., and 6.)	
PUERPERAL FEVER; <i>see</i> CHILDBIRTH.	
QUARRYMEN; Mortality Statistics of. (No. 94 in Tables J., K., L., O., and 6.)	
RAILWAY, Road, &c. Labourers; Remarks upon Mortality among	lvi
Mortality Statistics of. (No. 95 in Tables J. and 6.)	
RESPIRATORY ORGANS; Increase of Mortality from Diseases of. (Table E., p. xi.)	xiv
affected by vitinted air	lvii
Comparative Mortality from Diseases of, and Phthisis, of Males working in Air of Different degrees of Purity. (Table N.)	lvii
Comparative Mortality from Diseases of, of Males engaged in certain Dust-inhalng Occupations. (Table O.)	lviii
Death-rates from Diseases of, of Males and Females at All Ages, in Counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from Diseases of, at All Ages, and at 12 Groups of Ages in three Decennia. (Table 5.)	cxvi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370

	PAGES
ROPE MAKERS; Remarks upon Mortality among	xliv
Mortality Statistics of. (No. 60 in Tables J. and 6.)	
SADDLERS; Mortality Statistics of. (No. 43 in Tables J. and 6.)	
SANITATION; Effects of, upon the death-rate at different ages	iv-v
SAWYERS; Remarks upon Mortality among	xli
Mortality Statistics of. (No. 67 in Tables J. and 6.)	
SCARLET FEVER; Decline of Mortality from. (Table E.)	xi-xii
Irregularity of epidemics of, determined by unascertained conditions	xii
Annual Mortality from, among Children under five years, in Counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from, of Persons, Males and Females, in Counties, 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.)	cxii
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
SCHOOLMASTERS; Remarks upon Mortality among	xxix
Mortality Statistics of. (No. 4 in Tables J. and 6.)	
SCROFULA; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
SEXES; Respective Changes in Death-rates of	iv
SHIPBUILDERS; Remarks upon Mortality among	xli
Mortality Statistics of. (No. 71 in Tables J. and 6.)	
SHOEMAKERS; Remarks upon Mortality among	xl
Mortality Statistics of. (No. 40 in Tables J., K., L., P., and 6.)	
SHOPKEEPERS; Remarks upon Mortality among	xxxvii
Mortality Statistics of. (Nos. 29, 22-32, in Tables J. and 6.)	
SILK MANUFACTURERS; Mortality Statistics of. (No. 54 in Tables J. and 6.)	
SLATE AND STONE QUARRIERS; <i>see</i> QUARRYMEN.	
SLATERS; <i>see</i> BUILDING TRADES.	
SMALL-POX; Increased Mortality from. (Table E.)	xi
Effects of vaccination upon	xii
Annual Mortality from, among Children under five years, in counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from, of Persons, Males and Females, in Counties in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at all Ages, and at all twelve groups of Ages in three Decennia. (Table 5.)	cxii
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
STONE-DUST; Effects of, upon the air-passages	lix
SUICIDE; Industries with highest Mortality from. (Table P.)	lxi
Annual Mortality from, of Persons, Males and Females, in Counties in 1871-80. (Table 4.)	civ-cxi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370

	PAGES
TABES MESENTERICA; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
TAILORS; Remarks upon Mortality among	xi
Mortality Statistics of. (No. 39 in Tables J., K., L., N., P., and 6.)	
TALLOW CHANDLER, &c.; Mortality Statistics of. (Nos. 44, 45, in Tables J. and 6.)	
TANNERS; Mortality Statistics of. (No. 41 in Table J. and 6.)	
TEXTILE DUSTS; Remarks upon effects of, when inspired	lix
TEXTILE MANUFACTURERS; Remarks upon Mortality among	xliii
Mortality Statistics of. (Nos. 53-58 in Tables J., K., L., O., P., and 6.)	
TIN-WORKERS; Remarks upon Mortality among	xlviii
Mortality Statistics of. (No. 52 in Tables J. and 6.)	
TUBERCULAR DISEASES; Annual Mortality from, at All Ages and at Twelve Groups of Ages in Three Decennia. (Table 5.)	cxv
TUBERCULOSIS; Comparatively rare amongst Coal-miners.	li
TOBACCONISTS; Mortality Statistics of. (No. 24 in Tables J., K., and 6.)	
TOOL-MAKERS; Remarks upon Mortality among	xlvii
Mortality Statistics of. (No. 76 in Tables J. and 6.)	
UPHOLSTERERS; Mortality Statistics of. (No. 65 in Tables J. and 6.)	
URBAN AND RURAL DISTRICTS; Death-rates in, compared after correction for Age Distribution	xix
URINARY SYSTEM; Apparent increase of Mortality from Diseases of	xvi
Industries with highest Mortality from Diseases of. (Table P.)	lxi
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from Diseases of, at All Ages, and at Twelve Groups of Ages, in three Decennia. (Table 5.)	cxvi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
VACCINATION; Protective Influence of, against Small-pox	xii
VIOLENCE; Deaths by	xvi
Annual Mortality by, of Persons, Males and Females, in Counties, 1871-80. (Table 4.)	civ-cxi
Annual Mortality by, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.)	cxvi
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
WATCH AND CLOCK-MAKERS; Remarks upon Mortality among	xlii
Mortality Statistics of. (No. 48, 49, in Tables J. and 6.)	
WHEELWRIGHTS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 70 in Tables J. and 6.)	

	PAGES
WHOOPING-COUGH; Mortality from, stationary. (Table E, p. xi.) . . .	xiii
Annual Mortality from, among Children under Five Years, in Counties and Districts. (Table 2.)	lxxxvi-c
Annual Mortality from, of Persons, Males and Females, in Counties, in 1871-80. (Table 4.)	civ-cxi
Annual Mortality from, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.)	cxiii
Mortality and Ages at Death from, in Counties and Registration Districts	1-370
WOOD-DUST; apparently not very baneful when inspired	lix
WOOD TURNERS; Remarks upon Mortality among	xlvi
Mortality Statistics of. (No. 68 in Tables J. and 6.)	
WOOL-MANUFACTURERS; Mortality Statistics of. (No. 53 in Tables J., K., L., O., P., and 6.)	
WORKERS IN METALS; <i>see</i> METAL WORKERS.	
 ZINC-WORKERS; Remarks upon Mortality among	 xlvi
Mortality Statistics of. (No. 83 in Table J. and 6.)	
ZYMOTIC DISEASES; Decline of Mortality from	xi
Death-rates from certain, of children under Five Years of Age (Table 2.)	lxxxvi-c
Death-rates from, of Persons, Males, and Females, in Counties (Table 4.)	civ-cxi
Death-rates from certain, at All Ages and Twelve Groups of Ages, of Persons, Males, and Females, in Three Decennia (Table 5.)	cxii-cxiv





LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on
or before the date last stamped below.

--	--	--

LANE MEDICAL LIBRARY
STANFORD UNIVERSITY
MEDICAL CENTER
STANFORD, CALIF. 94305

